

ICPSR 27963

**Criminal Justice Drug Abuse
Treatment Studies (CJDATS): The
Criminal Justice Co-Occurring
Disorder Screening Instrument
(CJ-CODSI), 2002-2008 [United
States]**

Stanley Sacks

NDRI Rocky Mountain Research Center

Gerald Melnick

NDRI Rocky Mountain Research Center

Codebook for CODSI All Initial Assessments
All Sites Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/27963/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| Missing Value | Explanation |
|---------------|----------------------|
| -1 | Variable not on form |
| -2 | Illegible |
| -3 | Not applicable |
| -4 | Don't know |
| -5 | Bad data |
| -6 | Multiple response |
| -7 | Refusal |
| -8 | Blank |
| -9 | Legitimate skip |

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|---------------------------|---|
| CJDID | F5 | COVER PG | CJDATS Study ID Number | 9100 CJ-CODSI |
| CID | F4 | COVER PG | Client ID Number | Sequential client id |
| RC | F2 | COVER PG | Research Center | 7 Pacific Coast RC 8 Rhode Island RC 9 NDRI Rocky Mountains RC 10 Southwest RC |
| SITE | F4 | COVER PG | Research Site | |
| STAFFID | F4 | COVER PG | Staff ID | |
| PILOTST | F2 | NA | Pilot or Validation Study | 0 Pilot 1 Validation |
| IDATE | ADATE10 | COVER PG | Interview Date | MM/DD/YYYY (Missing = 01/01/1900) |
| INTSTRT | TIME5 | A | Interview Start Time | HH:MM |
| INSTRTA | A2 | A | AM or PM | TEXT |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|--|---|
| CSEX | F2 | B | Client Gender | 0 FEMALE 1 MALE |
| SUINDT | ADATE10 | C | Substance Abuse Program Intake Date | MM/DD/YYYY (Missing = 01/01/1900) |
| STYPE | F2 | D | Service Type | 1 THERAPEUTIC COMMUNITY 2 INTENSIVE OUTPATIENT |
| STJAIL | ADATE10 | | Date began current incarceration | MM/DD/YYYY (Missing = 01/01/1900) |
| PRE30JL | ADATE10 | | Date thirty days prior to STJAIL | MM/DD/YYYY (Missing = 01/01/1900) |
| PRE180JL | ADATE10 | | Date one hundred eighty days (6 months) prior to STJAIL | MM/DD/YYYY (Missing = 01/01/1900) |
| DY30FREE | F2 | | Number of days client was free during the 30 days prior to tx | 0-30 |
| DY180FRE | F3 | | Number of days client was free during the 180 days prior to tx | 0-180 |
| CDOB | ADATE10 | A.1 | Client Birth Date | MM/DD/YYYY (Missing = 01/01/1900) |
| CHISP | F2 | A.2 | Hispanic/Latino | 0 NO 1 YES |
| NEWETH | F2 | A.2a | Hisp/Latino Ethnic Group | 1 CENTRAL AMERICAN 2 CUBAN 3 DOMINICAN 4 MEXICAN AMERICAN 5 PUERTO RICAN 6 SOUTH AMERICAN 7 OTHER 8 MEXICAN NATIONAL |
| CHETHN1 | A20 | A.2a_7 | Other Specified Ethnic Group | TEXT |
| NEWRACE1 | F2 | A.3 | Race/Ethnicity 1 | 1 AFRICAN AMERICAN/BLACK 2 ASIAN 3 NATIVE AMERICAN 4 ANGLO/WHITE/CAUCASIAN 5 PACIFIC ISLANDER 6 OTHER |
| NEWRACE2 | F2 | A.3 | Race/Ethnicity 2 | 1 AFRICAN AMERICAN/BLACK 2 ASIAN 3 NATIVE AMERICAN 4 ANGLO/WHITE/CAUCASIAN 5 PACIFIC ISLANDER 6 OTHER |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|--|--|
| CRACE1 | A20 | A.3_8 | Other Specified Race | TEXT |
| CLIVE | F2 | A.4 | Current Living Situation | 1 SHELTER 2 STREET/OUTDOORS 3 INSTITUTION 4 OWN/RENT APARTMENT, ROOM, OR HOUSE 5 SOMEONE ELSE'S APARTMENT, ROOM OR HOUSE 6 HALFWAY HOUSE 7 RESIDENTIAL TREATMENT 8 OTHER HOUSED |
| CLIVE1 | A20 | A.4_8 | Other Specified Current Living Situation | TEXT |
| LNLIV | F3 | A.5 | # Mos in Current Living Situation | 0-999 |
| HOMLESS | F3 | A.6 | # Nights in Homeless Shelter Past 6 Mos | 0-183 |
| SUPRLIV | F3 | A.7 | # Nights in Supervised Living Past 6 Mos | 0-183 |
| LIVSP | F2 | A.8 | Live w/Spouse or Partner | 0 NO 1 YES |
| JOBSP | F2 | A.8a | Spouse Employment Status | 1 EMPLOYED FULL TIME 2 EMPLOYED PART TIME 3 UNEMPLOYED, LOOKING FOR WORK IN LAST 30 DAYS, OR ON LAY-OFF 4 NOT IN THE LABOR FORCE |
| NUMCH | F2 | A.9 | # of Children | 0-20 |
| MINORCH | F2 | A.9a | # of Children Under 18 | 0-20 |
| LIVCH | F2 | A.9b | # Children Live(d) w/Subject past 6 Mos | 0-20 |
| SUPCH | F2 | A.9c | # Children Rec(d) Financial Support Past 6 Mos | 0-20 |
| FOSTCH | F2 | A.9d | # Children in Foster Care Past 6 Mos | 0-20 |
| DEPEND | F2 | A.10 | # People Dependent Past 6 Mos | 0-20 |
| CMSTAT | F2 | A.11 | Marital Status | 1 NEVER MARRIED 2 LEGALLY MARRIED 3 LIVING AS MARRIED 4 SEPARATED 5 DIVORCED 6 WIDOWED |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|---------------------------------------|---|
| GRADE | F2 | A.12 | Highest Grade Completed | 0-20 |
| HS | F2 | A.13a | High School Grad | 0 NO 1 YES |
| VOTECH | F2 | A.13b | Completed Voc/Tech Training | 0 NO 1 YES |
| GED | F2 | A.13c | Completed GED | 0 NO 1 YES |
| WORKGED | F2 | A.13d | Working on GED/Voc Tech | 0 NO 1 YES |
| DRVLIC | F2 | A.14 | Valid Drivers License | 0 NO 1 YES |
| JOB | F2 | A.15 | Employment past 6 mos | 1 EMPLOYED FULL TIME 2 EMPLOYED PART TIME 3 UNEMPLOYED, LOOKING FOR WORK 4 UNEMPLOYED, DISABLED 5 UNEMPLOYED, VOLUNTEER WORK 6 UNEMPLOYED, RETIRED 7 UNEMPLOYED, NOT LOOKING FOR WORK 8 UNEMPLOYED, IN SCHOOL 9 ARMED FORCES 10 HOMEMAKER 11 OTHER |
| JOB1 | A30 | A.15_11 | Other Specified Employment past 6 mos | TEXT |
| MAJSUP | F2 | A.16 | Major Source of Support past 6 mos | 1 YOUR JOB OR EMPLOYMENT 2 YOUR SPOUSE OR EX-SPOUSE 3 A SEXUAL PARTNER OR A FRIEND 4 YOUR FAMILY 5 UNEMPLOYMENT COMPENSATION 6 RETIREMENT 7 DISABILITY 8 WELFARE OR PUBLIC ASSISTANCE 9 SELLING DRUGS 10 SELLING, PIMPING OR TRADING SEX 11 ANY OTHER KIND OF |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|---|--|
| | | | | ILLEGAL ACTIVITIES 12 JAIL/PRISON, RESIDENTIAL TREATMENT PROGRAM, OR HOSPITAL 13 ANYTHING ELSE |
| MAJSUP1 | A30 | A.16_13 | Other Secified Major Source of Support past 6 mos | TEXT |
| ALLMON | DOLLAR11.2 | A.17 | Money From All Sources Past 30 Days | \$###, ###.## |
| ARSTLF | F4 | B.1 | # Times Arrested Lifetime | 0-9999 |
| ARSTDRG | F4 | B.1a | # Times Arrested While Using/Getting Drugs | 0-9999 |
| AGE1AR | F2 | B.1b | Age at 1st Arrest | 0-99 |
| ARSTJV | F4 | B.1c | # Times Arrested Before 18 | 0-9999 |
| ARST6M | F3 | B.2 | # Times Arrested Past 6 Mos | 0-999 |
| ARST30D | F2 | B.3 | # Times Arrested Past 30 Days | 0-99 |
| JAIL30D | F2 | B.4 | # Days in Jail Past 30 Days | 0-30 |
| PROB6M2 | F3 | B.5 | # Days on Probation Past 6 Mos | 0-183 |
| PAROL6M | F3 | B.6 | # Days on Parole Past 6 Mos | 0-183 |
| AGE1JL | F2 | B.7 | Age 1st Time in Jail | 0-99 |
| TOTJLTM | F3 | B.8 | Total Time in Jail Lifetime (Months) | 0-999 |
| C1CMLF | F3 | B.9a_1 | # Times Committed PI Lifetime | 0-999 |
| C1CM6M | F3 | B.9b_1 | # Times Committed PI Past 6 Mos | 0-999 |
| C1CM30 | F2 | B.9c_1 | # Times Committed PI Past 30 Days | 0-99 |
| C2CMLF | F3 | B.9a_2 | # Times Committed DWI Lifetime | 0-999 |
| C2CM6M | F3 | B.9b_2 | # Times Committed DWI Past 6 Mos | 0-999 |
| C2CM30 | F2 | B.9c_2 | # Times Committed DWI Past 30 Days | 0-99 |
| C2CMIN | F2 | B.9d_2 | # People Injured DWI Past 6 Mos | 0-99 |
| C2CMDT | F2 | B.9e_2 | # People Died DWI Past 30 Days | 0-99 |
| C3CMLF | F3 | B.9a_3 | # Times Committed Illegal Drugs Lifetime | 0-999 |
| C3CM6M | F3 | B.9b_3 | # Times Committed Illegal Drugs Past 6 Mos | 0-999 |
| C3CM30 | F2 | B.9c_3 | # Times Committed Illegal Drugs Past 30 Days | 0-99 |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|--|--------|
| C4CMLF | F3 | B.9a_4 | # Times Committed Possession Intent to Dist Lifetime | 0-999 |
| C4CM6M | F3 | B.9b_4 | # Times Committed Possession Intent to Dist Past 6 Mos | 0-999 |
| C4CM30 | F2 | B.9c_4 | # Times Committed Possession Intent to Dist Past 30 Days | 0-99 |
| C5CMLF | F3 | B.9a_5 | # Times Committed Possession Drug Para Lifetime | 0-999 |
| C5CM6M | F3 | B.9b_5 | # Times Committed Possession Drug Para Past 6 Mos | 0-999 |
| C5CM30 | F2 | B.9c_5 | # Times Committed Possession Drug Para Past 30 Days | 0-99 |
| C6CMLF | F3 | B.9a_6 | # Times Committed Drug Manuf Lifetime | 0-999 |
| C6CM6M | F3 | B.9b_6 | # Times Committed Drug Manuf Past 6 Mos | 0-999 |
| C6CM30 | F2 | B.9c_6 | # Times Committed Drug Manuf Past 30 Days | 0-99 |
| C7CMLF | F3 | B.9a_7 | # Times Committed Drug Sale Lifetime | 0-999 |
| C7CM6M | F3 | B.9b_7 | # Times Committed Drug Sale Past 6 Mos | 0-999 |
| C7CM30 | F2 | B.9c_7 | # Times Committed Drug Sale Past 30 Days | 0-99 |
| C8CMLF | F3 | B.9a_8 | # Times Committed Forgery/Fraud Lifetime | 0-999 |
| C8CM6M | F3 | B.9b_8 | # Times Committed Forgery/Fraud Past 6 Mos | 0-999 |
| C8CM30 | F2 | B.9c_8 | # Times Committed Forgery/Fraud Past 30 Days | 0-99 |
| C9CMLF | F3 | B.9a_9 | # Times Committed Fencing Lifetime | 0-999 |
| C9CM6M | F3 | B.9b_9 | # Times Committed Fencing Past 6 Mos | 0-999 |
| C9CM30 | F2 | B.9c_9 | # Times Committed Fencing Past 30 Days | 0-99 |
| C10CMLF | F3 | B.9a_10 | # Times Committed Illegal Gambling Lifetime | 0-999 |
| C10CM6M | F3 | B.9b_10 | # Times Committed Illegal Gambling Past 6 Mos | 0-999 |
| C10CM30 | F2 | B.9c_10 | # Times Committed Illegal Gambling Past 30 Days | 0-99 |
| C11CMLF | F3 | B.9a_11 | # Times Committed | 0-999 |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|---|--------|
| | | | Prostitution/Pimping Lifetime | |
| C11CM6M | F3 | B.9b_11 | # Times Committed Prostitution/Pimping Past 6 Mos | 0-999 |
| C11CM30 | F2 | B.9c_11 | # Times Committed Prostitution/Pimping Past 30 Days | 0-99 |
| C12CMLF | F3 | B.9a_12 | # Times Committed Burglary Lifetime | 0-999 |
| C12CM6M | F3 | B.9b_12 | # Times Committed Burglary Past 6 Mos | 0-999 |
| C12CM30 | F2 | B.9c_12 | # Times Committed Burglary Past 30 Days | 0-99 |
| C13CMLF | F3 | B.9a_13 | # Times Committed Larceny Lifetime | 0-999 |
| C13CM6M | F3 | B.9b_13 | # Times Committed Larceny Past 6 Mos | 0-999 |
| C13CM30 | F2 | B.9c_13 | # Times Committed Larceny Past 30 Days | 0-99 |
| C14CMLF | F3 | B.9a_14 | # Times Committed Auto Theft Lifetime | 0-999 |
| C14CM6M | F3 | B.9b_14 | # Times Committed Auto Theft Past 6 Mos | 0-999 |
| C14CM30 | F2 | B.9c_14 | # Times Committed Auto Theft Past 30 Days | 0-99 |
| C14CMIN | F2 | B.9d_14 | # People Injured Auto Theft Past 30 Days | 0-99 |
| C14CMDT | F2 | B.9e_14 | # People Died Auto Theft Past 30 Days | 0-99 |
| C15CMLF | F3 | B.9a_15 | # Times Committed Robbery Lifetime | 0-999 |
| C15CM6M | F3 | B.9b_15 | # Times Committed Robbery Past 6 Mos | 0-999 |
| C15CM30 | F2 | B.9c_15 | # Times Committed Robbery Past 30 Days | 0-99 |
| C15CMIN | F2 | B.9d_15 | # People Injured Robbery Past 30 Days | 0-99 |
| C15CMDT | F2 | B.9e_15 | # People Died Robbery Past 30 Days | 0-99 |
| C16CMLF | F3 | B.9a_16 | # Times Committed Assault Lifetime | 0-999 |
| C16CM6M | F3 | B.9b_16 | # Times Committed Assault Past 6 Mos | 0-999 |
| C16CM30 | F2 | B.9c_16 | # Times Committed Assault | 0-99 |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|---|--------|
| | | | Past 30 Days | |
| C16CMIN | F2 | B.9d_16 | # People Injured Assault Past 6 Mos | 0-99 |
| C16CMDT | F2 | B.9e_16 | # People Died Assault Past 6 Mos | 0-99 |
| C17CMLF | F3 | B.9a_17 | # Times Committed Kidnapping Lifetime | 0-999 |
| C17CM6M | F3 | B.9b_17 | # Times Committed Kidnapping Past 6 Mos | 0-999 |
| C17CM30 | F2 | B.9c_17 | # Times Committed Kidnapping Past 30 Days | 0-99 |
| C17CMIN | F2 | B.9d_17 | # People Injured Kidnapping Past 6 Mos | 0-99 |
| C17CMDT | F2 | B.9e_17 | # People Died Kidnapping Past 6 Mos | 0-99 |
| C18CMLF | F3 | B.9a_18 | # Times Committed Terrorism Lifetime | 0-999 |
| C18CM6M | F3 | B.9b_18 | # Times Committed Terrorism Past 6 Mos | 0-999 |
| C18CM30 | F2 | B.9c_18 | # Times Committed Terrorism Past 30 Days | 0-99 |
| C18CMIN | F2 | B.9d_18 | # People Injured Terrorism Past 6 Mos | 0-99 |
| C18CMDT | F2 | B.9e_18 | # People Died Terrorism Past 6 Mos | 0-99 |
| C19CMLF | F3 | B.9a_19 | # Times Committed Homicide Lifetime | 0-999 |
| C19CM6M | F3 | B.9b_19 | # Times Committed Homicide Past 6 Mos | 0-999 |
| C19CM30 | F2 | B.9c_19 | # Times Committed Homicide Past 30 Days | 0-99 |
| C19CMIN | F2 | B.9d_19 | # People Injured Homicide Past 6 Mos | 0-99 |
| C19CMDT | F2 | B.9e_19 | # People Died Homicide Past 6 Mos | 0-99 |
| C20CMLF | F3 | B.9a_20 | # Times Committed Arson Lifetime | 0-999 |
| C20CM6M | F3 | B.9b_20 | # Times Committed Arson Past 6 Mos | 0-999 |
| C20CM30 | F2 | B.9c_20 | # Times Committed Arson Past 30 Days | 0-99 |
| C20CMIN | F2 | B.9d_20 | # People Injured Arson Past 6 Mos | 0-99 |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|---|--------|
| C20CMDT | F2 | B.9e_20 | # People Died Arson Past 6 Mos | 0-99 |
| C21CMLF | F3 | B.9a_21 | # Times Committed Weapons Offense Lifetime | 0-999 |
| C21CM6M | F3 | B.9b_21 | # Times Committed Weapons Offense Past 6 Mos | 0-999 |
| C21CM30 | F2 | B.9c_21 | # Times Committed Weapons Offense Past 30 Days | 0-99 |
| C22CMLF | F3 | B.9a_22 | # Times Committed Vandalism Lifetime | 0-999 |
| C22CM6M | F3 | B.9b_22 | # Times Committed Vandalism Past 6 Mos | 0-999 |
| C22CM30 | F2 | B.9c_22 | # Times Committed Vandalism Past 30 Days | 0-99 |
| C23CMLF | F3 | B.9a_23 | # Times Committed Sex Offense Lifetime | 0-999 |
| C23CM6M | F3 | B.9b_23 | # Times Committed Sex Offense Past 6 Mos | 0-999 |
| C23CM30 | F2 | B.9c_23 | # Times Committed Sex Offense Past 30 Days | 0-99 |
| C23CMIN | F2 | B.9d_23 | # People Injured Sex Offense Past 6 Mos | 0-99 |
| C23CMDT | F2 | B.9e_23 | # People Died Sex Offense Past 6 Mos | 0-99 |
| C24CMLF | F3 | B.9a_24 | # Times Committed Probation/Parole Violation Lifetime | 0-999 |
| C24CM6M | F3 | B.9b_24 | # Times Committed Probation/Parole Violation Past 6 Mos | 0-999 |
| C24CM30 | F2 | B.9c_24 | # Times Committed Probation/Parole Violation Past 30 Days | 0-99 |
| OTHOFF | A20 | B.9_25 | Specify Other Offense Committed | TEXT |
| C25CMLF | F3 | B.9a_25 | # Times Committed Other Offense Lifetime | 0-999 |
| C25CM6M | F3 | B.9b_25 | # Times Committed Other Offense Past 6 Mos | 0-999 |
| C25CM30 | F2 | B.9c_25 | # Times Committed Other Offense Past 30 Days | 0-99 |
| C25CMIN | F2 | B.9d_25 | # People Injured Other Offense Past 6 Mos | 0-99 |
| C25CMDT | F2 | B.9e_25 | # People Died Other Offense | 0-99 |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|--|--|
| | | | Past 6 Mos | |
| JHUMED | F3 | B.10a_1 | # Nights in Jail Hospital Medical Problems Past 6 Mos | 0-999 |
| JHUEMOT | F3 | B.10a_2 | # Nights in Jail Hospital Emotional Problems Past 6 Mos | 0-999 |
| JHUMSA | F3 | B.10a_3 | # Nights in Jail Hospital Substance Use Past 6 Mos | 0-999 |
| JIPSY | F3 | B.10b | # Times Indiv Psych Session During Incarceration Past 6 Mos | 0-999 |
| JGPSY | F3 | B.10c | # Times Group Psych Session During Incarceration Past 6 Mos | 0-999 |
| JISA | F3 | B.10d | # Times Indiv Subs Abuse Session During Incarceration Past 6 | 0-999 |
| JGSA | F3 | B.10e | # Times Group Subs Abuse Session During Incarceration Past 6 | 0-999 |
| HEALTH | F2 | C.1 | Overall Health Rating | 1 POOR 2 FAIR 3 GOOD 4 VERY GOOD 5 EXCELLENT |
| PAINLF | F2 | C.2a | Pain/Discomfort Lifetime | 0 NO 1 YES |
| DPRSLF | F2 | C.2b | Depression Lifetime | 0 NO 1 YES |
| ANXLF | F2 | C.2c | Anxiety/Tension Lifetime | 0 NO 1 YES |
| HLUCLF | F2 | C.2d | Hallucinations Lifetime | 0 NO 1 YES |
| CONCLF | F2 | C.2e | Trouble Understand/Concentrate/Remember Lifetime | 0 NO 1 YES |
| VIOLLF | F2 | C.2f | Trouble Controlling Violent Behavior Lifetime | 0 NO 1 YES |
| SIDELF | F2 | C.2g | Suicide Thoughts Lifetime | 0 NO 1 YES |
| SATTLF | F2 | C.2h | Suicide Attempts Lifetime | 0 NO 1 YES |
| NBIRTH | F2 | C.3 | # Times Given Birth | 0-20 |
| BRTHPRB | F2 | C.3a | # Times Baby Born Early/With | 0-20 |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|--|---------------|
| | | | Problems | |
| ABUSE6M | F2 | C.4a | Physically/Sexually/Emotionally Abused Past 6 Mos | 0 NO 1 YES |
| ARGUE6M | F2 | C.4b | Physically/Verbally Threatened Someone Past 6 Mos | 0 NO 1 YES |
| PHOSPLF | F2 | C.5 | # Times Hospitalized for Psych Problems Lifetime | 0-99 |
| HHOSPLF | F2 | C.6 | # Times Hospitalized for Health Problems Lifetime | 0-99 |
| HTXPHYS | F2 | C.7a_1 | Hospital TX for Physical Complaint past 30 Days | 0 NO 1 YES |
| HTXPHDY | F2 | C.7a_2 | # Nights Hospital TX for Physical Complaint past 30 Days | 0-30 |
| HTXMENT | F2 | C.7a_3 | Hospital TX for Mental/Emot Difficulty past 30 Days | 0 NO 1 YES |
| HTXMNDY | F2 | C.7a_4 | # Nights Hospital TX for Mental/Emot Difficulty past 30 Days | 0-30 |
| HTXSUBS | F2 | C.7a_5 | Hospital TX for Alc/Subs Use past 30 Days | 0 NO 1 YES |
| HTXSUDY | F2 | C.7a_6 | # Nights Hospital TX for Alc/Subs Use past 30 Days | 0-30 |
| OTXPHYS | F2 | C.7b_1 | Outpatient TX for Physical Complaint past 30 Days | 0 NO 1 YES |
| OTXPHDY | F2 | C.7b_2 | # Nights Outpatient TX for Physical Complaint past 30 Days | 0-30 |
| OTXMENT | F2 | C.7b_3 | Outpatient TX for Mental/Emot Difficulty past 30 Days | 0 NO 1 YES |
| OTXMNDY | F2 | C.7b_4 | # Nights Outpatient TX for Mental/Emot Difficulty past 30 Da | 0-30 |
| OTXSUBS | F2 | C.7b_5 | Outpatient TX for Alc/Subs Use past 30 Days | 0 NO 1 YES |
| OTXSUDY | F2 | C.7b_6 | # Nights Outpatient TX for Alcohol/Substance Use past 30 Day | 0-30 |
| ETXPHYS | F2 | C.7c_1 | ER TX for Physical Complaint Past 30 Days | 0 NO 1 YES |
| ETXPHDY | F2 | C.7c_2 | # ER Admissions ER for Physical Complaint Past 30 Days | 0-30 |
| ETXMENT | F2 | C.7c_3 | ER TX for Mental/Emot Difficulty Past 30 Days | 0 NO 1 YES |
| ETXMNDY | F2 | C.7c_4 | # ER Admissions for | 0-30 |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|---|--|
| | | | Mental/Emot Difficulty Past 30 Days | |
| ETXSUBS | F2 | C.7c_5 | ER TX for Alc/Subs Use Past 30 Days | 0 NO 1 YES |
| ETXSUDY | F2 | C.7c_6 | # ER Admissions for Alc/Subs Use Past 30 Days | 0-30 |
| MSDP1 | F2 | D.1a | #1 Most Serious Drug Before TX | 1 ALCOHOL 2 TOBACCO 3 INHALANTS 4 MARIJUANA/HASHISH 5 HALLUCINOGENS/LSD/PSYCHEDELICS/PCP/MUSHROOMS/PEYOTE 6 CRACK/FREEBASE 7 COCAINE (BY ITSELF) 8 HEROIN AND COCAINE (MIXED TOGETHER) 9 HEROIN AND METH (MIXED TOGETHER) 10 HEROIN (BY ITSELF) 11 STREET METHADONE 12 OTHER OPIATES/OPIUM/MORPHINE/DEMEROL/DILAUDID/PERCODAN/ 13 METHAMPHETAMINE/SPEED/ICE/ECSTASY/CRYSTAL 14 OTHER AMPHETAMINES/UPPERS/DIET PILLS 15 LIBRIUM/VALIUM/ MINOR TRANQUILIZERS 16 BARBITUATES 17 OTHER SEDATIVES/HYPNOTICS 18 NON-PRESCRIPTION GHB 19 KETAMINE 20 OTHER |
| MSDP2 | F2 | D.1b | #2 Most Serious Drug Before TX | 1 ALCOHOL 2 TOBACCO 3 INHALANTS 4 MARIJUANA/HASHISH 5 HALLUCINOGENS/LSD/PSYCHEDELICS/PCP/MUSHROOMS/PEYOTE |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|--------------------------------|---|
| | | | | 6 CRACK/FREEBASE 7 COCAINE (BY ITSELF) 8 HEROIN AND COCAINE (MIXED TOGETHER) 9 HEROIN AND METH (MIXED TOGETHER) 10 HEROIN (BY ITSELF) 11 STREET METHADONE 12 OTHER OPIATES/OPIUM/MORPHINE/DEMEROL/DILAUDID/PERCODAN/ 13 METHAMPHETAMINE/SPEED/ICE/ECSTASY/CRYSTAL 14 OTHER AMPHETAMINES/UPPERS/DIET PILLS 15 LIBRIUM/VALIUM/ MINOR TRANQUILIZERS 16 BARBITUATES 17 OTHER SEDATIVES/HYPNOTICS/QUAALUDES 18 NON-PRESCRIPTION GHB 19 KETAMINE 20 OTHER |
| MSDP3 | F2 | D.1c | #3 Most Serious Drug Before TX | 1 ALCOHOL 2 TOBACCO 3 INHALANTS 4 MARIJUANA/HASHISH 5 HALLUCINOGENS/LSD/PSYCHEDELICS/PCP/MUSHROOMS/PEYOTE 6 CRACK/FREEBASE 7 COCAINE (BY ITSELF) 8 HEROIN AND COCAINE (MIXED TOGETHER) 9 HEROIN AND METH (MIXED TOGETHER) 10 HEROIN (BY ITSELF) 11 STREET METHADONE 12 OTHER OPIATES/OPIUM/MORPHINE/DEMEROL/DILAUDID/PERCODAN/ 13 METHAMPHETAMINE/ |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|--------------------------|--|
| | | | | SPEED/ICE/ECSTASY/ CRYSTAL 14 OTHER AMPHETAMINES/ UPPERS/DIET PILLS 15 LIBRIUM/VALIUM/MINOR TRANQUILIZERS 16 BARBITUATES 17 OTHER SEDATIVES/ HYPNOTICS/QUAALUDES 18 NON-PRESCRIPTION GHB 19 KETAMINE 20 OTHER |
| AGE1ALC | F2 | D.2a_1 | Age 1st Alcohol Use | 0-99 |
| ALC6M | F2 | D.2b_1 | Alcohol Use Past 6 Mos | 0 NEVER/NOT USED 1 ONLY 1-3 TIMES 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| ALC30D | F2 | D.2c_1 | Alcohol Use Past 30 days | 0 NEVER/NOT USED 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| AGE1TOB | F2 | D.2a_2 | Age 1st Tobacco Use | 0-99 |
| TOB6M | F2 | D.2b_2 | Tobacco Use Past 6 Mos | 0 NEVER/NOT USED 1 ONLY 1-3 TIMES 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| TOB30D | F2 | D.2c_2 | Tobacco Use Past 30 days | 0 NEVER/NOT USED 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|-------------------------------|---|
| | | | | 6 ABOUT EVERY DAY |
| AGE1INH | F2 | D.2a_3 | Age 1st Inhalant Use | 0-99 |
| INH6M | F2 | D.2b_3 | Inhalant Use Past 6 Mos | 0 NEVER/NOT USED 1 ONLY 1-3 TIMES 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| INH30D | F2 | D.2c_3 | Inhalant Use Past 30 days | 0 NEVER/NOT USED 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| AGE1MJ | F2 | D.2a_4 | Age 1st Marijuana Use | 0-99 |
| MJ6M | F2 | D.2b_4 | Marijuana Use Past 6 Mos | 0 NEVER/NOT USED 1 ONLY 1-3 TIMES 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| MJ30D | F2 | D.2c_4 | Marijuana Use Past 30 days | 0 NEVER/NOT USED 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| AGE1HLC | F2 | D.2a_5 | Age 1st Hallucinogen Use | 0-99 |
| HLUC6M | F2 | D.2b_5 | Hallucinogen Use Past 6 Mos | 0 NEVER/NOT USED 1 ONLY 1-3 TIMES 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| HLUC30D | F2 | D.2c_5 | Hallucinogen Use Past 30 Days | 0 NEVER/NOT USED |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|-------------------------------|---|
| | | | | 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| AGE1CRK | F2 | D.2a_6 | Age 1st Crack Use | 0-99 |
| CRCK6M | F2 | D.2b_6 | Crack Use Past 6 Mos | 0 NEVER/NOT USED 1 ONLY 1-3 TIMES 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| CRCK30D | F2 | D.2c_6 | Crack Use Past 30 days | 0 NEVER/NOT USED 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| AGE1COC | F2 | D.2a_7 | Age 1st Cocaine Use | 0-99 |
| COC6M | F2 | D.2b_7 | Cocaine Use Past 6 Mos | 0 NEVER/NOT USED 1 ONLY 1-3 TIMES 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| COC30D | F2 | D.2c_7 | Cocaine Use Past 30 days | 0 NEVER/NOT USED 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| AG1COIN | F2 | D.2d_7 | Age 1st Injected Cocaine | 0-99 |
| COINJ30 | F2 | D.2e_7 | Injected Cocaine Past 30 days | 0 NEVER/NOT USED 1 ONLY 1-3 TIMES 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|--|---|
| | | | | MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| AGE1HCO | F2 | D.2a_8 | Age 1st Heroin & Cocaine Use | 0-99 |
| HCOC6M | F2 | D.2b_8 | Heroin & Cocaine Use Past 6 Mos | 0 NEVER/NOT USED 1 ONLY 1-3 TIMES 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| HCOC30D | F2 | D.2c_8 | Heroin & Cocaine Use Past 30 days | 0 NEVER/NOT USED 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| AG1HCIN | F2 | D.2d_8 | Age 1st Injected Heroin & Cocaine | 0-99 |
| HCINJ30 | F2 | D.2e_8 | Injected Heroin & Cocaine Past 30 days | 0 NEVER/NOT USED 1 ONLY 1-3 TIMES 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| AGE1HMO | F2 | D.2a_9 | Age 1st Heroin & Meth Use | 0-99 |
| HMTH6M | F2 | D.2b_9 | Heroin & Meth Use Past 6 Mos | 0 NEVER/NOT USED 1 ONLY 1-3 TIMES 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| HMTH30D | F2 | D.2c_9 | Heroin & Meth Use Past 30 days | 0 NEVER/NOT USED 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|-------------------------------------|---|
| | | | | 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| AG1HMIN | F2 | D.2d_9 | Age 1st Injected Heroin & Meth | 0-99 |
| HMINJ30 | F2 | D.2e_9 | Injected Heroin & Meth Past 30 days | 0 NEVER/NOT USED 1 ONLY 1-3 TIMES 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| AGE1HER | F2 | D.2a_10 | Age 1st Heroin Use | 0-99 |
| HER6M | F2 | D.2b_10 | Heroin Use Past 6 Mos | 0 NEVER/NOT USED 1 ONLY 1-3 TIMES 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| HER30D | F2 | D.2c_10 | Heroin Use Past 30 days | 0 NEVER/NOT USED 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| AG1HEIN | F2 | D.2d_10 | Age 1st Injected Heroin | 0-99 |
| HEINJ30 | F2 | D.2e_10 | Injected Heroin Past 30 days | 0 NEVER/NOT USED 1 ONLY 1-3 TIMES 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| AGE1MTH | F2 | D.2a_11 | Age 1st Methadone Use | 0-99 |
| MTHD6M | F2 | D.2b_11 | Street Methadone Use Past 6 Mos | 0 NEVER/NOT USED 1 ONLY 1-3 TIMES 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|-------------------------------------|---|
| | | | | 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| MTHD30D | F2 | D.2c_11 | Street Methadone Use Past 30 days | 0 NEVER/NOT USED 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| AG1MTIN | F2 | D.2d_11 | Age 1st Injected Methadone | 0-99 |
| MTINJ30 | F2 | D.2e_11 | Injected Methadone Past 30 days | 0 NEVER/NOT USED 1 ONLY 1-3 TIMES 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| AGE1OPI | F2 | D.2a_12 | Age 1st Other Opiate Use | 0-99 |
| OPIAT6M | F2 | D.2b_12 | Other Opiate Use Past 6 Mos | 0 NEVER/NOT USED 1 ONLY 1-3 TIMES 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| OPIAT30D | F2 | D.2c_12 | Other Opiate Use Past 30 days | 0 NEVER/NOT USED 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| AG1OPIN | F2 | D.2d_12 | Age 1st Injected Other Opiates | 0-99 |
| OPINJ30 | F2 | D.2e_12 | Injected Other Opiates Past 30 days | 0 NEVER/NOT USED 1 ONLY 1-3 TIMES 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|---------------------------------------|---|
| | | | | 6 ABOUT EVERY DAY |
| AGE1MET | F2 | D.2a_13 | Age 1st Methamphetamine Use | 0-99 |
| META6M | F2 | D.2b_13 | Methamphetamine Use Past 6 Mos | 0 NEVER/NOT USED 1 ONLY 1-3 TIMES 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| META30D | F2 | D.2c_13 | Methamphetamine Use Past 30 days | 0 NEVER/NOT USED 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| AG1MEIN | F2 | D.2d_13 | Age 1st Injected Methamphetamine | 0-99 |
| MEINJ30 | F2 | D.2e_13 | Injected Methamphetamine Past 30 days | 0 NEVER/NOT USED 1 ONLY 1-3 TIMES 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| AGE1AMP | F2 | D.2a_14 | Age 1st Other Amphetamine Use | 0-99 |
| AMPH6M | F2 | D.2b_14 | Other Amphetamine Use Past 6 Mos | 0 NEVER/NOT USED 1 ONLY 1-3 TIMES 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| AMPH30D | F2 | D.2c_14 | Other Amphetamine Use Past 30 days | 0 NEVER/NOT USED 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|---|---|
| | | | | 6 ABOUT EVERY DAY |
| AG1AMIN | F2 | D.2d_14 | Age 1st Injected Other Amphetamine | 0-99 |
| AMINJ30 | F2 | D.2e_14 | Injected Other Amphetamine Past 30 days | 0 NEVER/NOT USED 1 ONLY 1-3 TIMES 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| AGE1LIB | F2 | D.2a_15 | Age 1st Librium Use | 0-99 |
| LIB6M | F2 | D.2b_15 | Librium Use Past 6 Mos | 0 NEVER/NOT USED 1 ONLY 1-3 TIMES 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| LIB30D | F2 | D.2c_15 | Librium Use Past 30 days | 0 NEVER/NOT USED 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| AG1LBIN | F2 | D.2d_15 | Age 1st Injected Librium | 0-99 |
| LBINJ30 | F2 | D.2e_15 | Injected Librium Past 30 days | 0 NEVER/NOT USED 1 ONLY 1-3 TIMES 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| AGE1BAR | F2 | D.2a_16 | Age 1st Barbiturate Use | 0-99 |
| BARB6M | F2 | D.2b_16 | Barbiturate Use Past 6 Mos | 0 NEVER/NOT USED 1 ONLY 1-3 TIMES 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| Missing Value | Explanation |
|---------------|----------------------|
| -1 | Variable not on form |
| -2 | Illegible |
| -3 | Not applicable |
| -4 | Don't know |
| -5 | Bad data |
| -6 | Multiple response |
| -7 | Refusal |
| -8 | Blank |
| -9 | Legitimate skip |

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|---------------------------|---|
| CJDID | F5 | COVER PG | CJDATS Study ID Number | 9100 CJ-CODSI |
| CID | F4 | COVER PG | Client ID Number | Sequential client id |
| RC | F2 | COVER PG | Research Center | 7 Pacific Coast RC 8 Rhode Island RC 9 NDRI Rocky Mountains RC 10 Southwest RC |
| SITE | F4 | COVER PG | Research Site | |
| STAFFID | F4 | COVER PG | Staff ID | |
| PILOTST | F2 | NA | Pilot or Validation Study | 0 Pilot 1 Validation |
| IDATE | ADATE10 | COVER PG | Interview Date | MM/DD/YYYY (Missing = 01/01/1900) |
| INTSTRT | TIME5 | A | Interview Start Time | HH:MM |
| INSTRTA | A2 | A | AM or PM | TEXT |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|--|---|
| | | | | 6 ABOUT EVERY DAY |
| AGE1GHB | F2 | D.2a_18 | Age 1st Non-prescription GHB Use | 0-99 |
| GHB6M | F2 | D.2b_18 | Non-prescription GHB Use Past 6 Mos | 0 NEVER/NOT USED 1 ONLY 1-3 TIMES 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| GHB30D | F2 | D.2c_18 | Non-prescription GHB Use Past 30 days | 0 NEVER/NOT USED 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| AG1GBIN | F2 | D.2d_18 | Age 1st Injected Non-prescription GHB | 0-99 |
| GBINJ30 | F2 | D.2e_18 | Injected Non-prescription GHB Past 30 days | 0 NEVER/NOT USED 1 ONLY 1-3 TIMES 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| AGE1KET | F2 | D.2a_19 | Age 1st Ketamine Use | 0-99 |
| KET6M | F2 | D.2b_19 | Ketamine Use Past 6 Mos | 0 NEVER/NOT USED 1 ONLY 1-3 TIMES 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| KET30D | F2 | D.2c_19 | Ketamine Use Past 30 days | 0 NEVER/NOT USED 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|--|---|
| | | | | 6 ABOUT EVERY DAY |
| AG1KTIN | F2 | D.2d_19 | Age 1st Injected Ketamine | 0-99 |
| KTINJ30 | F2 | D.2e_19 | Injected Ketamine Past 30 days | 0 NEVER/NOT USED 1 ONLY 1-3 TIMES 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| OTHDRUG | A30 | D.2_20 | Other Specified Drug | TEXT |
| AGE1OTH | F2 | D.2a_20 | Age 1st Other Drug Use | 0-99 |
| OTHD6M | F2 | D.2b_20 | Other Drug Use Past 6 Mos | 0 NEVER/NOT USED 1 ONLY 1-3 TIMES 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| OTHD30D | F2 | D.2c_20 | Other Drug Use Past 30 days | 0 NEVER/NOT USED 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| AG1OTIN | F2 | D.2d_20 | Age 1st Injected Other Drug | 0-99 |
| OTHINJ30 | F2 | D.2e_20 | Injected Other Drug Past 30 days | 0 NEVER/NOT USED 1 ONLY 1-3 TIMES 2 ABOUT 1 TIME PER MONTH 3 ABOUT 2-3 TIMES PER MONTH 4 ABOUT 1 TIME PER WEEK 5 ABOUT 2-6 TIMES PER WEEK 6 ABOUT EVERY DAY |
| ALCDYS | F2 | D.3 | Days Drank Alcohol Past 30 Days | 0-30 |
| ALCTYPE | F2 | D.4 | Type Alcohol Drank Most Often Past 30 Days | 1 BEER 2 MALT LIQUOR, MALT BEVERAGES, OR REGULAR WINE COOLERS 3 WINE |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|--|---|
| | | | | 4 FORTIFIED WINE, OR FORTIFIED WINE COOLERS 5 HARD LIQUOR |
| ALCPRB1 | F2 | D.5a_1 | Alcohol Use Affected Physical Health Past 6 Mos | 1 NEVER 2 RARELY 3 SOMETIMES 4 OFTEN 5 ALWAYS |
| ALCPRB2 | F2 | D.5b_1 | Alcohol Use Affected Relations w/Family or Friends Past 6 Mo | 1 NEVER 2 RARELY 3 SOMETIMES 4 OFTEN 5 ALWAYS |
| ALCPRB3 | F2 | D.5c_1 | Alcohol Use Affected General Attitude/Emot Health Past 6 Mos | 1 NEVER 2 RARELY 3 SOMETIMES 4 OFTEN 5 ALWAYS |
| ALCPRB4 | F2 | D.5d_1 | Alcohol Use Affected Attention/ Concentration Past 6 Mos | 1 NEVER 2 RARELY 3 SOMETIMES 4 OFTEN 5 ALWAYS |
| ALCPRB5 | F2 | D.5e_1 | Alcohol Use Affected Work Past 6 Mos | 1 NEVER 2 RARELY 3 SOMETIMES 4 OFTEN 5 ALWAYS |
| ALCPRB6 | F2 | D.5f_1 | Alcohol Use Affected Money Past 6 Mos | 1 NEVER 2 RARELY 3 SOMETIMES 4 OFTEN 5 ALWAYS |
| ALCPRB7 | F2 | D.5g_1 | Alcohol Use Affected Fights Past 6 Mos | 1 NEVER 2 RARELY 3 SOMETIMES 4 OFTEN 5 ALWAYS |
| ALCPRB8 | F2 | D.5h_1 | Alcohol Use Affected Police/Legal Trouble Past 6 Mos | 1 NEVER 2 RARELY 3 SOMETIMES 4 OFTEN 5 ALWAYS |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|--|---|
| DRGPRB1 | F2 | D.5a_2 | Drug Use Affected Physical Health Past 6 Mos | 1 NEVER 2 RARELY 3 SOMETIMES 4 OFTEN 5 ALWAYS |
| DRGPRB2 | F2 | D.5b_2 | Drug Use Affected Relations w/Family or Friends Past 6 Mos | 1 NEVER 2 RARELY 3 SOMETIMES 4 OFTEN 5 ALWAYS |
| DRGPRB3 | F2 | D.5c_2 | Drug Use Affected General Attitude/Emot Health Past 6 Mos | 1 NEVER 2 RARELY 3 SOMETIMES 4 OFTEN 5 ALWAYS |
| DRGPRB4 | F2 | D.5d_2 | Drug Use Affected Attention/ Concentration Past 6 Mos | 1 NEVER 2 RARELY 3 SOMETIMES 4 OFTEN 5 ALWAYS |
| DRGPRB5 | F2 | D.5e_2 | Drug Use Affected Work Past 6 Mos | 1 NEVER 2 RARELY 3 SOMETIMES 4 OFTEN 5 ALWAYS |
| DRGPRB6 | F2 | D.5f_2 | Drug Use Affected Money Past 6 Mos | 1 NEVER 2 RARELY 3 SOMETIMES 4 OFTEN 5 ALWAYS |
| DRGPRB7 | F2 | D.5g_2 | Drug Use Affected Fights Past 6 Mos | 1 NEVER 2 RARELY 3 SOMETIMES 4 OFTEN 5 ALWAYS |
| DRGPRB8 | F2 | D.5h_2 | Drug Use Affected Police/Legal Trouble Past 6 Mos | 1 NEVER 2 RARELY 3 SOMETIMES 4 OFTEN 5 ALWAYS |
| DRUGOD | F2 | D.6 | # Drug Overdoses Lifetime | 0-99 |
| LSTDROD | F3 | D.6a | # Months Since Last Drug Overdose | 0-999 |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|---|---|
| INTDROD | F2 | D.6b | # Times Intentionally Overdosed on Drugs | 0-99 |
| SUPROB1 | F2 | D.7 | Stress Because of Alc/Drug Use Past 30 Days | 1 NOT AT ALL 2 SOMEWHAT 3 CONSIDERABLY 4 EXTREMELY |
| SUPROB2 | F2 | D.8 | Gave Up Activities Because of Alc/Drug Use Past 30 Days | 1 NOT AT ALL 2 SOMEWHAT 3 CONSIDERABLY 4 EXTREMELY |
| SUPROB3 | F2 | D.9 | Emotional Problems Because of Alc/Drug Use Past 30 Days | 1 NOT AT ALL 2 SOMEWHAT 3 CONSIDERABLY 4 EXTREMELY |
| QTSUBS | F2 | D.10 | # Times Quit Alc/Drugs for >=3 Mos | 0-99 |
| QTCTRK | F2 | D.10a_1 | # Times Quit On Own | 0-99 |
| QTTX | F2 | D.10a_2 | # Times Quit in Community TX | 0-99 |
| QTJLNTX | F2 | D.10a_3 | # Times Quit in Jail (no TX) | 0-99 |
| QTJLTX | F2 | D.10a_4 | # Times Quit in Jail TX | 0-99 |
| QTOOTHER | F2 | D.10a_5 | # Times Quit Other Way | 0-99 |
| QTOOTHER1 | A30 | D.10a_5 | Other Specified Way Quit Drugs | TEXT |
| LNGQT | F3 | D.10b | Longest Ever Able to Stay Clean (Months) | 0-999 |
| SATXIMP | F2 | D.11 | Importance of Subs Abuse TX After Release | 1 NOT AT ALL 2 SOMEWHAT 3 CONSIDERABLY 4 EXTREMELY |
| NDRGTX | F2 | D.12 | # Times in Substance Abuse TX program | 0-99 |
| NINPTX | F2 | D.12a_1 | # Times Entered Inpatient TX | 0-99 |
| AG1INTX | F2 | D.12b_1 | Age 1st Admission to Inpatient TX | 0-99 |
| MOSINTX | F3 | D.12c_1 | Months Treated in Inpatient TX | 0-999 |
| NRESTX | F2 | D.12a_2 | # Times Entered Residential TX | 0-99 |
| AG1RSTX | F2 | D.12b_2 | Age 1st Admission to Residential TX | 0-99 |
| MOSRSTX | F3 | D.12c_2 | Months Treated in Residential TX | 0-999 |
| NONTX | F2 | D.12a_3 | # Times Entered Other Institutional TX | 0-99 |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|---|---|
| AG1ONTX | F2 | D.12b_3 | Age 1st Admission to Other Institutional TX | 0-99 |
| MOSONTX | F3 | D.12c_3 | Months Treated in Other Institutional TX | 0-999 |
| NODFTX | F2 | D.12a_4 | # Times Entered Outpatient TX | 0-99 |
| AG1DFTX | F2 | D.12b_4 | Age 1st Admission to Outpatient TX | 0-99 |
| MOSDFTX | F3 | D.12c_4 | Months Treated in Outpatient TX | 0-999 |
| NOMTX | F2 | D.12a_5 | # Times Entered Outpatient Methadone TX | 0-99 |
| AG1MSTX | F2 | D.12b_5 | Age 1st Admission to Outpatient Methadone TX | 0-99 |
| MOSOMTX | F3 | D.12c_5 | Months Treated in Outpatient Methadone TX | 0-999 |
| OTHTX1 | A30 | D.12_6 | 1st Other Specified Treatment Program | TEXT |
| NOTHTXA | F2 | D.12a_6 | # Times Entered Other TX (1) | 0-99 |
| AG1OTXA | F2 | D.12b_6 | Age 1st Admission to Other TX (1) | 0-99 |
| MOSOTXA | F3 | D.12c_6 | Months Treated in Other TX (1) | 0-999 |
| RESPTX | F2 | D.13 | Person Responsible for Current TX | 1 JUDGE 2 COURT OFFICER 3 SUBSTANCE ABUSE REFERRAL UNIT 4 CORRECTIONAL CLASSIFICATION 5 MYSELF 6 OTHER CRIMINAL JUSTICE OFFICER 7 OTHER |
| RESPTX1 | A30 | D.13_7 | Other Specified Person Responsible for Current TX | TEXT |
| SLFHLPM | F2 | D.14 | Ever Gone to Self Help Meetings | 0 NO 1 YES |
| NSHLPM | F2 | D.14a | # Self Help Meetings Attended Lifetime | 1 1-5 2 6-10 3 11-25 4 26-100 5 OVER 100 |
| SHLP30D | F2 | D.14b | Attended Self Help Meetings Past 30 Days | 0 NO 1 YES |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|--|--|
| MEDINS | F2 | D.15 | Have Medical Insurance | 0 NO 1 YES |
| INTEND | TIME5 | A | Interview End Time | HH:MM |
| INTENDA | A2 | A | AM or PM | TEXT |
| INTPRIV | F2 | B | Private Location- Only Interviewer and Client Present | 0 NO 1 YES |
| INTRELA | F2 | D | Reliability of Part A | 0 NOT RELIABLE 1 SOMEWHAT RELIABLE 2 MOSTLY RELIABLE 3 RELIABLE |
| INTRELB | F2 | D | Reliability of Part B | 0 NOT RELIABLE 1 SOMEWHAT RELIABLE 2 MOSTLY RELIABLE 3 RELIABLE |
| INTRELC | F2 | D | Reliability of Part C | 0 NOT RELIABLE 1 SOMEWHAT RELIABLE 2 MOSTLY RELIABLE 3 RELIABLE |
| INTRELD | F2 | D | Reliability of Part D | 0 NOT RELIABLE 1 SOMEWHAT RELIABLE 2 MOSTLY RELIABLE 3 RELIABLE |
| MINI1 | F2 | 1 | Major Depression 1 (depressed/down) -past 2 weeks | 0 NO 1 YES |
| MINI1A | F2 | 1a | Major Depression 1a (depressed/down) -lifetime | 0 NO 1 YES |
| MINI2 | F2 | 2 | Major Depression 2 (less interested) -past 2 weeks | 0 NO 1 YES |
| MINI2A | F2 | 2a | Major Depression 2a (less interested) -lifetime | 0 NO 1 YES |
| MINI3 | F2 | 3 | Major Depression w/Psychotic 1 (two years) -past 2 years | 0 NO 1 YES |
| MINI3A | F2 | 3a | Major Depression w/Psychotic 1a (two years) -lifetime | 0 NO 1 YES |
| MINI4 | F2 | 4 | Suicide 1 -past month | 0 NO 1 YES |
| MINI4A | F2 | 4a | Suicide 1a -ever | 0 NO 1 YES |
| MINI5 | F2 | 5 | Manic 1 (up) -ever | 0 NO 1 YES |
| MINI5A | F2 | 5a | Manic 1a (up) -past month | 0 NO 1 YES |
| MINI6 | F2 | 6 | Manic 2 (irritable) -ever | 0 NO |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|--|---------------|
| | | | | 1 YES |
| MINI6A | F2 | 6a | Manic 2a (irritable) -past month | 0 NO 1 YES |
| MINI7_1 | F2 | 7A | Panic 1A -lifetime | 0 NO 1 YES |
| MINI7_2 | F2 | 7B | Panic 1B -lifetime -worst w/in 10 min | 0 NO 1 YES |
| MINI7 | F2 | 7 | Panic 1 -code | 0 NO 1 YES |
| MINI7A | F2 | 7a | Panic 2a -past month | 0 NO 1 YES |
| MINI7B | F2 | 7b | Panic 2b -past month -worst w/in 10 min | 0 NO 1 YES |
| MINI7C | F2 | 7(2) | Panic 2 -code | 0 NO 1 YES |
| MINI8 | F2 | 8 | Agoraphobia 1 -lifetime | 0 NO 1 YES |
| MINI8A | F2 | 8a | Agoraphobia 1a -past month | 0 NO 1 YES |
| MINI9 | F2 | 9 | Generalized Anxiety 1 -past 6 months | 0 NO 1 YES |
| MINI9A | F2 | 9a | Generalized Anxiety 1a -past 6 months -most days | 0 NO 1 YES |
| MINI10 | F2 | 10 | Generalized Anxiety 2 -ever | 0 NO 1 YES |
| MINI10A | F2 | 10a | Generalized Anxiety 2a -ever - most days | 0 NO 1 YES |
| MINI11 | F2 | 11 | Social Phobia 1 -past month | 0 NO 1 YES |
| MINI11A | F2 | 11a | Social Phobia 1a -ever | 0 NO 1 YES |
| MINI12 | F2 | 12 | OCD 1 (thoughts/impulses) - past month | 0 NO 1 YES |
| MINI12A | F2 | 12a | OCD 1a (thoughts/impulses) - ever | 0 NO 1 YES |
| MINI13 | F2 | 13 | OCD 2 (repetitive) -past month | 0 NO 1 YES |
| MINI13A | F2 | 13a | OCD 2a (repetitive) -ever | 0 NO 1 YES |
| MINI14 | F2 | 14 | PTSD 1 -ever | 0 NO 1 YES |
| MINI15A | F2 | 15a | PTSD 1a- re-experienced- ever | 0 NO 1 YES |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|--|---------------|
| MINI15B | F2 | 15b | PTSD 1b- re-experienced- past month | 0 NO 1 YES |
| MINI16 | F2 | 16 | Psychotic 1 (spying) -ever | 0 NO 1 YES |
| MINI16A | F2 | 16a | Psychotic 1a (spying) -past month | 0 NO 1 YES |
| MINI17 | F2 | 17 | Psychotic 2 (read mind/hear thoughts) -ever | 0 NO 1 YES |
| MINI17A | F2 | 17a | Psychotic 2a (read mind/hear thoughts) -past month | 0 NO 1 YES |
| MINI18 | F2 | 18 | Psychotic 3 (thoughts put in your mind) -ever | 0 NO 1 YES |
| MINI18A | F2 | 18a | Psychotic 3a (thoughts put in your mind) -past month | 0 NO 1 YES |
| MINI19 | F2 | 19 | Psychotic 4 (special messages) -ever | 0 NO 1 YES |
| MINI19A | F2 | 19a | Psychotic 4a (special messages) -past month | 0 NO 1 YES |
| MINI20 | F2 | 20 | Psychotic 5 (strange beliefs) -ever | 0 NO 1 YES |
| MINI20A | F2 | 20a | Psychotic 5a (strange beliefs) -past month | 0 NO 1 YES |
| MINI21 | F2 | 21 | Psychotic 6 (heard things) -ever | 0 NO 1 YES |
| MINI21A | F2 | 21a | Psychotic 6a (heard things) -past month | 0 NO 1 YES |
| MINI22 | F2 | 22 | Psychotic 7 (visions) -ever | 0 NO 1 YES |
| MINI22A | F2 | 22a | Psychotic 7a (visions) -past month | 0 NO 1 YES |
| MHSF23 | F2 | 23 | Talked to MH professional -ever | 0 NO 1 YES |
| MHSF23A | F2 | 23a | Talked to MH professional -past month | 0 NO 1 YES |
| MHSF24 | F2 | 24 | Needed MH help -ever | 0 NO 1 YES |
| MHSF24A | F2 | 24a | Needed MH help -past month | 0 NO 1 YES |
| MHSF25 | F2 | 25 | MH Medication -ever | 0 NO 1 YES |
| MHSF25A | F2 | 25a | MH Medication -past month | 0 NO 1 YES |
| MHSF26 | F2 | 26 | Psych er or psych hosp -ever | 0 NO |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|---|---------------|
| | | | | 1 YES |
| MHSF26A | F2 | 26a | Psych er or psych hosp -past month | 0 NO 1 YES |
| MHSF27 | F2 | 27 | Schizophrenia 1 -ever | 0 NO 1 YES |
| MHSF27A | F2 | 27a | Schizophrenia 1a -past month | 0 NO 1 YES |
| MHSF28 | F2 | 28 | Depressive disorders 1 (depressed) -ever | 0 NO 1 YES |
| MHSF28A | F2 | 28a | Depressive disorders 1a (attempt suicide) -ever | 0 NO 1 YES |
| MHSF29 | F2 | 29 | Depressive disorders 2 (depressed) -past month | 0 NO 1 YES |
| MHSF29A | F2 | 29a | Depressive disorders 2a (attempt suicide) -past month | 0 NO 1 YES |
| MHSF30 | F2 | 30 | PTSD 1 -ever | 0 NO 1 YES |
| MHSF30A | F2 | 30a | PTSD 1a -past month | 0 NO 1 YES |
| MHSF31 | F2 | 31 | Phobias 1 -ever | 0 NO 1 YES |
| MHSF31A | F2 | 31a | Phobias 1a -past month | 0 NO 1 YES |
| MHSF32 | F2 | 32 | Intermittent Explosive Disorders 1 -ever | 0 NO 1 YES |
| MHSF32A | F2 | 32a | Intermittent Explosive Disorders 1a -past month | 0 NO 1 YES |
| MHSF33 | F2 | 33 | Delusional Disorders 1 -ever | 0 NO 1 YES |
| MHSF33A | F2 | 33a | Delusional Disorders1a -past month | 0 NO 1 YES |
| MHSF34 | F2 | 34 | Sexual and Gender Identity Disorders 1 -ever | 0 NO 1 YES |
| MHSF34A | F2 | 34a | Sexual and Gender Identity Disorders 1a -past month | 0 NO 1 YES |
| MHSF35 | F2 | 35 | Eating Disorders 1 -ever | 0 NO 1 YES |
| MHSF35A | F2 | 35a | Eating Disorders 1a -past month | 0 NO 1 YES |
| MHSF36 | F2 | 36 | Manic Episode 1 -ever | 0 NO 1 YES |
| MHSF36A | F2 | 36a | Manic Episode 1a -past month | 0 NO 1 YES |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|--|---------------|
| MHSF37 | F2 | 37 | Panic Disorder 1 -ever | 0 NO 1 YES |
| MHSF37A | F2 | 37a | Panic Disorder 1a -past month | 0 NO 1 YES |
| MHSF38 | F2 | 38 | OCD 1 -ever | 0 NO 1 YES |
| MHSF38A | F2 | 38a | OCD 1a -past month | 0 NO 1 YES |
| MHSF39 | F2 | 39 | Pathological Gambling 1 -ever | 0 NO 1 YES |
| MHSF39A | F2 | 39a | Pathological Gambling 1a -past month | 0 NO 1 YES |
| MHSF40 | F2 | 40 | Learning Disorder 1 -ever | 0 NO 1 YES |
| MHSF40A | F2 | 40a | Learning Disorder 1a -past month | 0 NO 1 YES |
| GAIN41 | F2 | 41 | IDS 1 (problems w/sleeping) - past 12 months | 0 NO 1 YES |
| GAIN41A | F2 | 41a | IDS 1a (problems w/sleeping) - ever | 0 NO 1 YES |
| GAIN42 | F2 | 42 | IDS 2 (trapped/lonely/sad) - past 12 months | 0 NO 1 YES |
| GAIN42A | F2 | 42a | IDS 2a (trapped/lonely/sad) - ever | 0 NO 1 YES |
| GAIN43 | F2 | 43 | IDS 3 (thoughts of suicide) - past 12 months | 0 NO 1 YES |
| GAIN43A | F2 | 43a | IDS 3a (plan for suicide) -past 12 months | 0 NO 1 YES |
| GAIN44 | F2 | 44 | IDS 3b (thoughts of suicide) - ever | 0 NO 1 YES |
| GAIN44A | F2 | 44a | IDS 3c (plan for suicide) -ever | 0 NO 1 YES |
| GAIN45 | F2 | 45 | IDS 4 (anxious) -past 12 months | 0 NO 1 YES |
| GAIN45A | F2 | 45a | IDS 4a (anxious) -ever | 0 NO 1 YES |
| GAIN46 | F2 | 46 | IDS 5 (the past) -past 12 months | 0 NO 1 YES |
| GAIN46A | F2 | 46a | IDS 5a (the past) -ever | 0 NO 1 YES |
| GAIN47 | F2 | 47 | IDS 5b (the past) -past 12 months | 0 NO 1 YES |
| GAIN47A | F2 | 47a | IDS 5c (the past) -ever | 0 NO |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|--|---------------|
| | | | | 1 YES |
| GAIN48 | F2 | 48 | EDS 1 (hard time paying attention) -past 12 months | 0 NO 1 YES |
| GAIN48A | F2 | 48a | EDS 1a (hard time paying attention) -ever | 0 NO 1 YES |
| GAIN49 | F2 | 49 | EDS 2 (hard time listening) - past 12 months | 0 NO 1 YES |
| GAIN49A | F2 | 49a | EDS 2a (hard time listening) - ever | 0 NO 1 YES |
| GAIN50 | F2 | 50 | EDS 3 (bully) -past 12 months | 0 NO 1 YES |
| GAIN50A | F2 | 50a | EDS 3a (bully) -ever | 0 NO 1 YES |
| GAIN51 | F2 | 51 | EDS 4 (lied/conned) -past 12 months | 0 NO 1 YES |
| GAIN51A | F2 | 51a | EDS 4a (lied/conned) -ever | 0 NO 1 YES |
| GAIN52 | F2 | 52 | EDS 5 (fight) -past 12 months | 0 NO 1 YES |
| GAIN52A | F2 | 52a | EDS 5a (fight) -ever | 0 NO 1 YES |
| GAIN53 | F2 | 53 | SDS 1 (hide using alc/drugs) - past 12 months | 0 NO 1 YES |
| GAIN53A | F2 | 53a | SDS 1a (hide using alc/drugs) - ever | 0 NO 1 YES |
| GAIN54 | F2 | 54 | SDS 2 (others complained alc/drugs) -past 12 months | 0 NO 1 YES |
| GAIN54A | F2 | 54a | SDS 2a (others complained alc/drugs) -ever | 0 NO 1 YES |
| GAIN55 | F2 | 55 | SDS 3 (weekly use of alc/drugs) -past 12 months | 0 NO 1 YES |
| GAIN55A | F2 | 55a | SDS 3a (weekly use of alc/drugs) -ever | 0 NO 1 YES |
| GAIN56 | F2 | 56 | SDS 4 (kept using alc/drugs) - past 12 months | 0 NO 1 YES |
| GAIN56A | F2 | 56a | SDS 4a (kept using alc/drugs) - ever | 0 NO 1 YES |
| GAIN57 | F2 | 57 | SDS 5 (time getting/using alc/drugs) -past 12 months | 0 NO 1 YES |
| GAIN57A | F2 | 57a | SDS 5 (time getting/using alc/drugs) -ever | 0 NO 1 YES |
| PD58 | F2 | 58 | ASPD 1 (work) -lifetime | 0 NO 1 YES |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|--|---------------|
| PD58A | F2 | 58a | ASPD 1a (work) -past month | 0 NO 1 YES |
| PD59 | F2 | 59 | ASPD 2 (felt bad) -lifetime | 0 NO 1 YES |
| PD59A | F2 | 59a | ASPD 2a (felt bad) -past month | 0 NO 1 YES |
| PD60 | F2 | 60 | ASPD 3 (lied/conned) -lifetime | 0 NO 1 YES |
| PD60A | F2 | 60a | ASPD 3a (lied/conned) -past month | 0 NO 1 YES |
| PD61 | F2 | 61 | BPD 1 (love/hate) -lifetime | 0 NO 1 YES |
| PD61A | F2 | 61a | BPD 1a (love/hate) -past month | 0 NO 1 YES |
| PD62 | F2 | 62 | BPD 2 (reckless) -lifetime | 0 NO 1 YES |
| PD62A | F2 | 62a | BPD 2a (reckless) -past month | 0 NO 1 YES |
| PD63 | F2 | 63 | BPD 3 (abandoned) -lifetime | 0 NO 1 YES |
| PD63A | F2 | 63a | BPD 3a (abandoned) -past month | 0 NO 1 YES |
| GS1 | F2 | GS1 | GS1 (fights)- past 12 months | 0 NO 1 YES |
| GS1A | F2 | GS1a | GS1a (fights)- lifetime | 0 NO 1 YES |
| GS2 | F2 | GS2 | GS2 (alc/drugs caused problems work/school/home)- past 12 months | 0 NO 1 YES |
| GS2A | F2 | GS2a | GS2a (alc/drugs caused problems work/school/home)- lifetime | 0 NO 1 YES |
| GS3 | F2 | GS3 | GS3 (withdrawal probs alc/drugs)- past 12 months | 0 NO 1 YES |
| GS3A | F2 | GS3a | GS3a (withdrawal probs alc/drugs)- lifetime | 0 NO 1 YES |
| GS4 | F2 | GS4 | GS4 (pushed/grabbed someone)- past 12 months | 0 NO 1 YES |
| GS4A | F2 | GS4a | GS4a (pushed/grabbed someone)- lifetime | 0 NO 1 YES |
| GS5 | F2 | GS5 | GS5 (shoplifted)- past 12 months | 0 NO 1 YES |
| GS5A | F2 | GS5a | GS5a (shoplifted)- lifetime | 0 NO |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|--|--|
| | | | | 1 YES |
| GS6 | F2 | GS6 | GS6 (sold/distributed/made drugs)- past 12 months | 0 NO 1 YES |
| GS6A | F2 | GS6a | GS6a (sold/distributed/made drugs)- lifetime | 0 NO 1 YES |
| GS7 | F2 | GS7 | GS7 (driven under influence alc/drugs)- past 12 months | 0 NO 1 YES |
| GS7A | F2 | GS7a | GS7a (driven under influence alc/drugs)- lifetime | 0 NO 1 YES |
| GS8 | F2 | GS8 | GS8 (damaged/destroyed property)- past 12 months | 0 NO 1 YES |
| GS8A | F2 | GS8a | GS8a (damaged/destroyed property)- lifetime | 0 NO 1 YES |
| RATER | A20 | COVER PG | Rater Name | TEXT |
| IDATE2 | ADATE10 | COVER PG | Date of SCID Interview | MM/DD/YYYY (Missing = 01/01/1900) |
| EDIT | A20 | COVER PG | Editor Name | TEXT |
| EDITDATE | ADATE10 | COVER PG | Edit Date | MM/DD/YYYY (Missing = 01/01/1900) |
| D1BI1LT | F2 | Overview ii Q.1 | Bipolar I Lifetime | 0 Inadequate Information 1 Absent 2 Sub-Threshold 3 Threshold |
| D1BI1LTA | F2 | Overview ii Q.1 | Bipolar I Lifetime- Episodes | 1 Single Manic Episode 2 Recurrent |
| D1BI1LTB | F2 | Overview ii Q.1 | Bipolar I Lifetime- Cycling | 0 Without Rapid Cycling 1 With Rapid Cycling |
| D1BI1LTC | F2 | Overview ii Q.1 | Bipolar I Lifetime- Pattern | 0 Without Seasonal Pattern 1 With Seasonal Pattern |
| D1BI1LTD | F2 | Overview ii Q.1 | Bipolar I Lifetime- Remission | 6 In Partial Remission 7 In Full Remission |
| D1BI1PM | F2 | Overview ii Q.1 | Bipolar I Past Month | 1 Absent 3 Present |
| D1BI1PMA | F2 | Overview ii Q.1 | Bipolar I Past Month- Current Episode | 1 Manic 2 Mixed 3 Hypomanic 4 Major Depressive 5 Unspecified |
| D1BI1PMB | F2 | Overview ii Q.1 | Bipolar I Past Month- Major Depressive Type | 0 Neither Melancholic, Atypical, nor Catatonic 1 Melancholic 2 Atypical 3 Catatonic |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|--|--|
| D1BI1PMC | F2 | Overview ii Q.1 | Bipolar I Past Month- Current Severity | 1 Mild 2 Moderate 3 Severe, Without Psychotic Features 4 With Mood-Congruent Psychotic Features 5 With Mood-Incongruent Psychotic Features |
| D2BI2LT | F2 | Overview ii Q.2 | Bipolar II Lifetime | 0 Inadequate Information 1 Absent 2 Sub-Threshold 3 Threshold |
| D2BI2LTA | F2 | Overview ii Q.2 | Bipolar II Lifetime- Cycling | 0 Without Rapid Cycling 1 With Rapid Cycling |
| D2BI2LTB | F2 | Overview ii Q.2 | Bipolar II Lifetime- Pattern | 0 Without Seasonal Pattern 1 With Seasonal Pattern |
| D2BI2LTC | F2 | Overview ii Q.2 | Bipolar II Lifetime- Remission | 6 In Partial Remission 7 In Full Remission |
| D2BI2PM | F2 | Overview ii Q.2 | Bipolar II Past Month | 1 Absent 3 Present |
| D2BI2PMA | F2 | Overview ii Q.2 | Bipolar II Past Month- Current Episode | 1 Hypomanic 2 Major Depressive |
| D2BI2PMB | F2 | Overview ii Q.2 | Bipolar II Past Month- Major Depressive Type | 0 Neither Melancholic, Atypical, nor Catatonic 1 Melancholic 2 Atypical 3 Catatonic |
| D2BI2PMC | F2 | Overview ii Q.2 | Bipolar II Past Month- Current Severity | 1 Mild 2 Moderate 3 Severe, Without Psychotic Features 4 With Mood-Congruent Psychotic Features 5 With Mood-Incongruent Psychotic Features |
| D5BIOLT | F2 | Overview ii Q.3 | Other Bipolar Disorder Lifetime | 0 Inadequate Information 1 Absent 2 Sub-Threshold 3 Threshold |
| D5BIOPM | F2 | Overview ii Q.3 | Other Bipolar Disorder Past Month | 1 Absent 3 Present |
| D5BIOA | F2 | Overview ii Q.3 | Other Bipolar Disorder Type | 1 Cyclothymic Disorder 2 Intermittent Hypomanic |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|--|--|
| | | | | Episodes 3 Manic or Hypomanic Episode Superimposed on Psychotic Disorder 4 Bipolar Disorder NOS with Subthreshold Manic Episodes 5 Other |
| D6MDDL T | F2 | Overview iii Q.4 | Major Depressive Disorder Lifetime | 0 Inadequate Information 1 Absent 2 Sub-Threshold 3 Threshold |
| D6MDDL TA | F2 | Overview iii Q.4 | Major Depressive Disorder Lifetime- Episodes | 1 Single Episode 2 Recurrent |
| D6MDDL TB | F2 | Overview iii Q.4 | Major Depressive Disorder Lifetime- Pattern | 0 Without Seasonal Pattern 1 With Seasonal Pattern |
| D6MDDL TC | F2 | Overview iii Q.4 | Major Depressive Disorder Lifetime- Remission | 6 In Partial Remission 7 In Full Remission |
| D6MDDP M | F2 | Overview iii Q.4 | Major Depressive Disorder Past Month | 1 Absent 3 Present |
| D6MDDP MA | F2 | Overview iii Q.4 | Major Depressive Disorder Past Month- Current Episode | 0 Neither Melancholic, Atypical, nor Catatonic 1 Melancholic 2 Atypical 3 Catatonic |
| D6MDDP MB | F2 | Overview iii Q.4 | Major Depressive Disorder Past Month- Current Severity | 1 Mild 2 Moderate 3 Severe, Without Psychotic Features 4 With Mood-Congruent Psychotic Features 5 With Mood-Incongruent Psychotic Features |
| A35DDL T | F2 | Overview iii Q.5 | Dysthymic Disorder Lifetime | 0 Inadequate Information 1 Absent 2 Sub-Threshold 3 Threshold |
| A35DDL TA | F2 | Overview iii Q.5 | Dysthymic Disorder- Onset | 1 Early Onset 2 Late Onset |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|---|---|
| A35DDLTB | F2 | Overview iii Q.5 | Dysthymic Disorder- Features | 0 Without Atypical Features 1 With Atypical Features |
| D9DDLT | F2 | Overview iii Q.6 | Depressive Disorder NOS Lifetime | 0 Inadequate Information 1 Absent 3 Threshold |
| D9DDPM | F2 | Overview iii Q.6 | Depressive Disorder NOS Past Month | 1 Absent 3 Present |
| D9DDA | F2 | Overview iii Q.6 | Depressive Disorder NOS Type | 1 Postpsychotic Depressive Disorder of Schizophrenia 2 Major Depressive Episode Superimposed on a Psychotic Disorder 3 Premenstrual Dysphoric Disorder 4 Minor Depressive Disorder 5 Recurrent Brief Depressive Disorder 6 Other |
| A38MDMCL | F2 | Overview iii Q.7 | Mood Disorder Due to a General Medical Condition Lifetime | 0 Inadequate Information 1 Absent 3 Threshold |
| A38MDMCP | F2 | Overview iii Q.7 | Mood Disorder Due to a General Medical Condition Past Month | 1 Absent 3 Present |
| A38MDMCA | F2 | Overview iii Q.7 | Mood Disorder Due to a General Medical Condition Type | 1 With Major Depressive-like Episode 2 With Depressive Features 3 With Manic Features 4 With Mixed Features |
| A38SPGMC | A30 | Overview iii Q.7 | Specify GMC | TEXT |
| A40SIMDL | F2 | Overview iii Q.8 | Substance-Induced Mood Disorder Lifetime | 0 Inadequate Information 1 Absent 3 Threshold |
| A40SIMDP | F2 | Overview iii Q.8 | Substance-Induced Mood Disorder Past Month | 1 Absent 3 Present |
| A40SIMDA | F2 | Overview iii Q.8 | Substance-Induced Mood Disorder Type | 1 With Depressive Features 2 With Manic Features 3 With Mixed Features |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|---|--|
| A40SPSU | A30 | Overview iii Q.8 | Specify Substance | TEXT |
| C5SCHLT | F2 | Overview iv Q.9 | Schizophrenia Lifetime | 0 Inadequate Information 1 Absent 2 Sub-Threshold 3 Threshold |
| C5SCHPM | F2 | Overview iv Q.9 | Schizophrenia Past Month | 1 Absent 3 Present |
| C16BPDLT | F2 | Overview iv Q.13 | Brief Psychotic Disorder Lifetime | 0 Inadequate Information 1 Absent 2 Sub-Threshold 3 Threshold |
| C16BPDPM | F2 | Overview iv Q.13 | Brief Psychotic Disorder Past Month | 1 Absent 3 Present |
| C18PDMCL | F2 | Overview iv Q.14 | Psychotic Disorder Due to a GMC Lifetime | 0 Inadequate Information 1 Absent 3 Threshold |
| C18PDMCP | F2 | Overview iv Q.14 | Psychotic Disorder Due to a GMC Past Month | 1 Absent 3 Present |
| C18PDMCA | F2 | Overview iv Q.14 | Psychotic Disorder Due to a GMC Type | 1 With Delusions 2 With Hallucinations |
| C18SPGMC | A30 | Overview iv Q.14 | Specify GMC | TEXT |
| C20SIPDL | F2 | Overview iv Q.15 | Substance-Induced Psychotic Disorder Lifetime | 0 Inadequate Information 1 Absent 3 Threshold |
| C20SIPDP | F2 | Overview iv Q.15 | Substance-Induced Psychotic Disorder Past Month | 1 Absent 3 Present |
| C20SIPDA | F2 | Overview iv Q.15 | Substance-Induced Psychotic Disorder Type | 1 With Delusions 2 With Hallucinations |
| C20SPSU | A30 | Overview iv Q.15 | Specify Substance | TEXT |
| C22PDLT | F2 | Overview iv | Psychotic Disorder NOS Lifetime | 0 Inadequate Information 1 Absent |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|--|--|
| | | Q.16 | | 3 Threshold |
| C22PDPM | F2 | Overview iv Q.16 | Psychotic Disorder NOS Past Month | 1 Absent 3 Present |
| TCUDS | F2 | Overview iv Q.17 | Total Score from TCUDS | 1-9 |
| F3PDLT | F2 | Overview v Q.26 | Panic Disorder Lifetime | 0 Inadequate Information 1 Absent 2 Sub-Threshold 3 Threshold |
| F3PDLTA | F2 | Overview v Q.26 | Panic Disorder Type | 1 Without Agoraphobia 2 With Agoraphobia |
| F3PDPM | F2 | Overview v Q.26 | Panic Disorder Past Month | 1 Absent 3 Present |
| F9AWOPDL | F2 | Overview v Q.27 | Agoraphobia without History of Panic Disorder Lifetime | 0 Inadequate Information 1 Absent 2 Sub-Threshold 3 Threshold |
| F9AWOPDP | F2 | Overview v Q.27 | Agoraphobia without History of Panic Disorder Past Month | 1 Absent 3 Present |
| F14OCLT | F2 | Overview v Q.30 | Obsessive Compulsive Lifetime | 0 Inadequate Information 1 Absent 2 Sub-Threshold 3 Threshold |
| F14OCPM | F2 | Overview v Q.30 | Obsessive Compulsive Past Month | 1 Absent 3 Present |
| F20PSLT | F2 | Overview v Q.31 | Posttraumatic Stress Lifetime | 0 Inadequate Information 1 Absent 2 Sub-Threshold 3 Threshold |
| F20SPM | F2 | Overview v Q.31 | Posttraumatic Stress Past Month | 1 Absent 3 Present |
| F24GALT | F2 | Overview v Q.32 | Generalized Anxiety Lifetime | 0 Inadequate Information 1 Absent 2 Sub-Threshold 3 Threshold |
| F26ADMCL | F2 | Overview v Q.33 | Anxiety Disorder Due to GMC Lifetime | 0 Inadequate Information 1 Absent 3 Threshold |
| F26ADMCP | F2 | Overview v Q.33 | Anxiety Disorder Due to GMC Past Month | 1 Absent 3 Present |
| F26ADMCA | F2 | Overview v | Anxiety Disorder Due to GMC | 1 With Generalized Anxiety |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|--|--|
| | | Q.33 | Type | 2 With Panic Attacks 3 With Obsessive-Compulsive Symptoms |
| F26SPGMC | A30 | Overview v Q.33 | Specify GMC | TEXT |
| F29SIADL | F2 | Overview v Q.34 | Substance-Induced Anxiety Disorder Lifetime | 0 Inadequate Information 1 Absent 3 Threshold |
| F29SIADP | F2 | Overview v Q.34 | Substance-Induced Anxiety Disorder Past Month | 1 Absent 3 Present |
| F29SIADA | F2 | Overview v Q.34 | Substance-Induced Anxiety Disorder Type | 1 With Generalized Anxiety 2 With Panic Attacks 3 With Obsessive-Compulsive Symptoms 4 With Phobic Symptoms |
| F29SPSU | A30 | Overview v Q.34 | Specify Substance | TEXT |
| F31ADLT | F2 | Overview v Q.35 | Anxiety Disorder NOS Lifetime | 0 Inadequate Information 1 Absent 3 Threshold |
| F31ADPM | F2 | Overview v Q.35 | Anxiety Disorder NOS Past Month | 1 Absent 3 Present |
| H2ANLT | F2 | Overview v Q.41 | Anorexia Nervosa Lifetime | 0 Inadequate Information 1 Absent 2 Sub-Threshold 3 Threshold |
| H2ANPM | F2 | Overview v Q.41 | Anorexia Nervosa Past Month | 1 Absent 3 Present |
| H5BNLT | F2 | Overview v Q.42 | Bulimia Nervosa Lifetime | 0 Inadequate Information 1 Absent 2 Sub-Threshold 3 Threshold |
| H5BNPM | F2 | Overview v Q.42 | Bulimia Nervosa Past Month | 1 Absent 3 Present |
| DIFF1 | A30 | Overview v | Interviewer Diagnosis 1, Different from SCID Diagnosis | TEXT |
| DIFF2 | A30 | Overview v | Interviewer Diagnosis 2, Different from SCID Diagnosis | TEXT |
| DIFF3 | A30 | Overview v | Interviewer Diagnosis 3, Different from SCID Diagnosis | TEXT |
| CURRTXST | F2 | Overview vi | Current Treatment Status (Past Month) | 1 Current Inpatient 2 Current Outpatient 3 Other (e.g., 12-step program) |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|--|--|
| | | | | 4 No Current Treatment |
| DATADMIT | ADATE10 | Overview vi | Date Admitted to Program | MM/DD/YYYY (Missing = 01/01/1900) |
| WEEKS | F2 | Overview vi | Number weeks since admission | 1 < 1 Week 2 1-4 Weeks 3 > 4 Weeks |
| COMPL | A100 | Overview vi | Chief Complaint and Description of Presenting Problem | TEXT |
| ONSET | A50 | Overview vii | Onset of Present Illness or Exacerbation | TEXT |
| NEWORREC | A20 | Overview vii | New Sxs or Recurrence | TEXT |
| ENVIRON | A50 | Overview vii | Environmental Context and Possible Precipitants of Present | TEXT |
| COURSE | A50 | Overview vii | Course of Present Illness or Exacerbation | TEXT |
| WORST | A50 | Overview vii | When Felt the Worst | TEXT |
| TXHISPSY | A50 | Overview viii | Treatment History- Psychiatric Problems | TEXT |
| TXDRALC | A50 | Overview viii | Treatment History- Drugs or Alcohol | TEXT |
| HOSPTIME | F2 | Overview viii | Number of Previous Psychiatric Hospitalizations | 0-5 5 = 5 or more times |
| HOSPSPEC | A50 | Overview viii | Specify Psychiatric Problem | TEXT |
| HOSPMED | A50 | Overview viii | Hospital Treatment for Medical Problem- Specify | TEXT |
| OTHPROB | A50 | Overview viii | Other Current Problems | TEXT |
| MEDVIT | A50 | Overview ix | Medication/Vitamins- Type/Amount | TEXT |
| ALCDRUG | A50 | Overview ix | Type/Quantity of Alcohol/Drugs | TEXT |
| FREETIME | A50 | Overview ix | How Spending Free Time | TEXT |
| WHOWITH | A50 | Overview ix | Who Spends Time With | TEXT |
| CURRDX | A50 | Overview ix | Most Likely Current Diagnosis | TEXT |
| RULEOUT | A50 | Overview ix | Diagnosis Need to be Ruled Out | TEXT |
| TOTALTX | F3 | Overview x | Total Number of Times in | 0-999 |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|---|--|
| | | | Treatment | |
| AGEFRSTX | F2 | Overview x | Age of First Treatment | 0-99 |
| AGELSTX | F2 | Overview x | Age of Last/Current Treatment | 0-99 |
| SCREEN1 | F2 | SCREEN1 | Ever 5+ Drinks on One Occasion | 1 Absent 2 Sub-Threshold 3 Threshold |
| SCREEN2 | F2 | SCREEN2 | Ever Used Street Drugs | 1 Absent 2 Sub-Threshold 3 Threshold |
| SCREEN3 | F2 | SCREEN3 | Ever Hooked on Prescribed Meds | 1 Absent 2 Sub-Threshold 3 Threshold |
| SCREEN4 | F2 | SCREEN4 | Ever Panic Attack | 1 Absent 2 Sub-Threshold 3 Threshold |
| SCREEN5 | F2 | SCREEN5 | Ever Afraid going out o/t house alone, being in crowds, etc | 1 Absent 2 Sub-Threshold 3 Threshold |
| SCREEN8 | F2 | SCREEN8 | Ever Bothered by thoughts that didn't make sense | 1 Absent 2 Sub-Threshold 3 Threshold |
| SCREEN9 | F2 | SCREEN9 | Had to do something over and over | 1 Absent 2 Sub-Threshold 3 Threshold |
| SCREEN10 | F2 | SCREEN10 | Past 6m- particularly nervous or anxious | 1 Absent 2 Sub-Threshold 3 Threshold |
| SCREEN11 | F2 | SCREEN11 | Ever weighed much less than should | 1 Absent 2 Sub-Threshold 3 Threshold |
| SCREEN12 | F2 | SCREEN12 | Eating out of control | 1 Absent 2 Sub-Threshold 3 Threshold |
| COMPLETE | F2 | SCID-II SUMMARY SSHEET | Overall Completeness of Information | 1 Poor 2 Fair 3 Good 4 Excellent |
| PDBORDER | F2 | SCID-II SUMMARY SSHEET | Personality Disorders-Borderline | 1-9 |
| PDANTI | F2 | SCID-II SUMMARY SSHEET | Personality Disorders-Antisocial | 1-9 |

CJ-CODSI CODEBOOK: CJ-DATS Intake, CODSI Screening Battery, and CODSI SCID

STUDY ID# 9100

V. 1-24-07

| SPSS VARIABLE NAME | SPSS FORMAT | CORRESPONDING SURVEY ITEM | SPSS VARIABLE LABEL | VALUES |
|--------------------|-------------|---------------------------|--------------------------------------|---------------|
| CURSUIIC1 | F2 | A.16 | Current MDE, thoughts of own suicide | 0 NO 1 YES |
| CURSUIIC2 | F2 | A.16 | Current MDE, suicidal ideation | 0 NO 1 YES |
| CURSUIIC3 | F2 | A.16 | Current MDE, specific plan | 0 NO 1 YES |
| CURSUIIC4 | F2 | A.16 | Current MDE, suicide attempt | 0 NO 1 YES |
| PASSUIIC1 | F2 | A.22 | Past MDE, thoughts of own suicide | 0 NO 1 YES |
| PASSUIIC2 | F2 | A.22 | Past MDE, suicidal ideation | 0 NO 1 YES |
| PASSUIIC3 | F2 | A.22 | Past MDE, specific plan | 0 NO 1 YES |
| PASSUIIC4 | F2 | A.22 | Past MDE, suicide attempt | 0 NO 1 YES |