

ICPSR 29061

**Criminal Justice Drug Abuse
Treatment Studies (CJ-DATS):
HIV/HEPATITIS Prevention for
Re-Entering Drug Offenders**

James A. Inciardi
University of Delaware

Codebook for HIV/HEPC 30-Day Follow-Up

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/29061.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

HIV/HEP Study 30 Day Follow Up Codebook May 2007

Missing Value Codes: Unless otherwise noted in the Values column of the codebook, missing values are coded as follows:

Also, highlighted variables are those that are different from TCM and SNO.

Missing Value	Explanation
-1	Variable not on form
-2	Illegible
-3	Not applicable
-4	Don't know
-5	Bad data
-6	Multiple response
-7	Refusal
-8	Blank
-9	Legitimate skip

Header File Information

SAS Variable Name	SAS Format	SAS Variable Label	Values
CJDID	F5.0	CJDATS Study ID Number	First digit is Lead Center ID, following by three digit protocol ID 5100 – HIV/HEPC
RCTR	F2.0	Research Center	(1) Virginia (2) University of Kentucky (3) Connecticut (4) University of Miami (5) University of Delaware (6) NDRI Midwest (7) UCLA (8) Rhode Island (9) NDRI Rocky Mountains (10) TCU
SITE	F4.0	Research Site	
WAVE	F2.0	Interview Visit/Wave	(1) 30-day follow up
COND	F2.0	Study Condition	(0) ineligible, not randomized (1) Standard practice (2) NIDA Standard intervention (3) DVD targeted intervention
STAFFID	F4.0	Staff ID	Numeric code for staff completing CRFs
CID	F4.0	Client ID Number	Sequential client id

HIV/HEP Study 30 Day Follow Up Codebook
May 2007

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values	AE Variable
INTSTRT	HHMM5.	A	Interview Start Time	00:00-23:59 (missing=99:99)	
INTLOC	F2.0	B	Interview Location	(1) prison (2) Work/service prog (3) community corrections facility (4) Center (5) parole/probation office (6) community TX program (7) other	
INTLOC1	A50	B	Interview Location Other Specify	Text	
STYPE	F2.0	E	Service Type	(1) Case Management (2)Day Treatment (3) Inpatient (4) Outpatient (5) Outreach (6) Intensive Outpatient (7) Methadone (8) Residential (9) Therapeutic Community (10) Cognitive Behavioral (11) Other	
STYPA	A30	E	Service Type: Other Specify		
SCODE	F6.0	F	Special Codes	XXXXXX	
JAILC	F2.0		Is Subject Currently Incarcerated?	(0) No (1) Yes	Yes if (1), (Incarceration)
INT30DAY	MMDDYY10.	Ca.	Date 30 day interview was due	MM/DD/YYYY (missing=01/01/1900)	
IDATE	MMDDYY10.	A	Interview Date	MM/DD/YYYY (missing=01/01/1900)	
CLIVE	F2.0	A-1	Current Living Situation	(1) shelter (2) street/outdoors (3) institution (4) own house/apt (5) someone else's house/apt (6) Shelter/other (7) residential TX (8) Other	
CLIVE1	A50	A-1	Other Specified Current Living Situation	Text	
LNLIV	F3.0	A-3	# Mos in Current Living Situation	0 (less than 1 month) - ###	
HOMLESS	F3.0	A-4	# Nights in Homeless Shelter	0 ##	
LIVSP	F2.0	A-5	Live w/Spouse or Partner	(1) yes (0) no	
JOBSP	F2.0	A-5a	Spouse Employment Status	(1) full time (2) part time (3) unemployed (4) not in labor force	
NUMCH	F2.0	A-6	Any children living with you in the past 30 days	(1) yes (0) no	
MINORCH	F2.0	A-6a	# of Children Under 18	0 ##	
LIVCH	F2.0	A-6b	# Children Live(d) w/Subject past 30 days	0 ##	

**HIV/HEP Study 30 Day Follow Up Codebook
May 2007**

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values	AE Variable
SUPCH	F2.0	A-6c	# Children Rec(d) Financial Support Past 30 days	0-##	
FOSTCH	F2.0	A-6d	# Children in Foster Care Past 30 days	0-##	
DEPEND	F2.0	A-7	# People Dependent Past 30 days	0-##	
CMSTAT	F2.0	A-8a	Marital Status	(1) never married (2) legally married (3) living as married (including common law marriage) (4) separated (5) divorced (6) widowed	
EDUCPRG	F2.0	A-9	Currently in an educational program	(1) yes (0) no	
LNGVTCH	F2.0	A-9a	# Days in Voc/Tech Program Past 30 days	0-##	
LNGEDUC	F2.0	A-9b	# Days in Literacy/Educ Program Past 30 days	0-##	
DRVLIC	F2.0	A-10	Valid Driver's License	(1) yes (0) no	
JOB	F2.0	A-11	Current Employment	(1) full time (2) part time (3) looking (4) disabled (5) volunteer (6) retired (7) not looking (8) in school (9) armed forces (10) homemaker (11) other	
JOBA	A50	A-11	Specify other employment	text	
MAJSUP	F2.0	A-12	Major Source of Support	(1) job (2) (ex)spouse (3) partner/friend (4) family (5) unemployment (6) retirement (7) disability (8) welfare (9) selling drugs (10) selling sex (11) other illegal activity (12) jail/tx/hospital (13) other	
JOBSUP	F4.0	A-12	Money received from employment in the last 30 days	0-#####	
SUPA	F2.0	A-13a	Past 30 days money received from spouse or ex-spouse	(1) yes (0) no	
SUPB	F2.0	A-13b	Past 30 days money received from sexual partner or friend	(1) yes (0) no	
SUPC	F2.0	A-13c	Past 30 days money received from family	(1) yes (0) no	
SUPD	F2.0	A-13d	Past 30 days money received from unemployment	(1) yes (0) no	
SUPE	F2.0	A-13e	Past 30 days money received	(1) yes (0) no	

HIV/HEP Study 30 Day Follow Up Codebook
May 2007

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values	AE Variable
			from retirement		
SUPF	F2.0	A-13f	Past 30 days money received from disability	(1) yes (0) no	
SUPG	F2.0	A-13g	Past 30 days money received from welfare	(1) yes (0) no	
SUPH	F2.0	A-13h	Past 30 days money received from selling drugs	(1) yes (0) no	
SUPI	F2.0	A-13i	Past 30 days money received from prostitution	(1) yes (0) no	
SUPJ	F2.0	A-13j	Past 30 days money received from other illegal activities	(1) yes (0) no	
SUPJi	A50	A-13ji	Other illegal activities –specify	text	
SUPALL	F4.0	A-14	Past 30 days money received from all illegal activities	0-XXXX	
SUPJAIL	F2.0	A-15a	Past 30 days money received from jail	(1) yes (0) no	
SUPOTH	F2.0	A-15b	Any other sources of support	(1) yes (0) no	
SUPOTH1	A50	A-15b	Other sources - specify	text	
FMREL1	F2.0	B-1a	Got Along w/Spouse/Partner Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
FMREL2	F2.0	B-1b	Enjoyed Being w/Spouse/Partner Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
FMREL3	F2.0	B-1c	Drank w/Spouse/Partner Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
FMREL4	F2.0	B-1d	Got Drunk w/Spouse/Partner Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
FMREL5	F2.0	B-1e	Used Drugs w/Spouse/Partner Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
FMREL6	F2.0	B-1f	Talked About Interests/Needs w/Spouse/Partner Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
FMREL7	F2.0	B-1g	Helped Each Other w/Problems Past 6 Mos (Spouse/Partner)	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
FMREL8	F2.0	B-1h	Blamed or Fussed at by Spouse/Partner Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
FMREL9	F2.0	B-1i	Disagreements	(0) Never (1) Rarely (2)	

**HIV/HEP Study 30 Day Follow Up Codebook
May 2007**

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values	AE Variable
			w/Spouse/Partner Past 30 Days	Sometimes (3) Often (4) Always (5) Not Applicable	
FMREL10	F2.0	B-1j	Fights w/Spouse/Partner Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
PRREL1	F2.0	B-2a	Got Along w/Parents Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
PRREL2	F2.0	B-2b	Enjoyed Being w/Parents Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
PRREL3	F2.0	B-2c	Drank w/Parents Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
PRREL4	F2.0	B-2d	Got Drunk w/Parents Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
PRREL5	F2.0	B-2e	Used Drugs w/Parents Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
PRREL6	F2.0	B-2f	Talked About Interests/Needs w/Parents Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
PRREL7	F2.0	B-2g	Helped Each Other w/Problems Past 6 Mos (Parents)	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
PRREL8	F2.0	B-2h	Blamed or Fussed at by Parents Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
PRREL9	F2.0	B-2i	Disagreements w/Parents Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
PRREL10	F2.0	B-2j	Fights w/Parents Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
SBREL1	F2.0	B-3a	Got Along w/Siblings Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
SBREL2	F2.0	B-3b	Enjoyed Being w/Siblings Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
SBREL3	F2.0	B-3c	Drank w/Siblings Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	

HIV/HEP Study 30 Day Follow Up Codebook
May 2007

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values	AE Variable
SBREL4	F2.0	B-3d	Got Drunk w/Siblings Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
SBREL5	F2.0	B-3e	Used Drugs w/Siblings Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
SBREL6	F2.0	B-3f	Talked About Interests/Needs w/Siblings Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
SBREL7	F2.0	B-3g	Helped Each Other w/Problems Past 6 Mos (Siblings)	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
SBREL8	F2.0	B-3h	Blamed or Fussed at by Siblings Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
SBREL9	F2.0	B-3i	Disagreements w/Siblings Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
SBREL10	F2.0	B-3j	Fights w/Siblings Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
FRCHR1	F2.0	C-1a	Friends Worked Regularly Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
FRCHR2	F2.0	C-1b	Friends Spent Time W/Families Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
FRCHR3	F2.0	C-1c	Friends Liked Being w/Families Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
FRCHR4	F2.0	C-1d	Friends Worked Regularly Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
FRCHR5	F2.0	C-1e	Friends Got Into Fights Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
FRCHR6	F2.0	C-1f	Friends Worked Regularly Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
FRCHR7	F2.0	C-1g	Friends Got Drunk Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
FRCHR8	F2.0	C-1h	Friends Dealt Drugs Past 30	(0) Never (1) Rarely (2)	

**HIV/HEP Study 30 Day Follow Up Codebook
May 2007**

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values	AE Variable
			Days	Sometimes (3) Often (4) Always (5) Not Applicable	
FRCHR9	F2.0	C-1i	Friends Did Illegal Things Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
FRCHR10	F2.0	C-1j	Friends Spent Time w/Gangs Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
FRCHR11	F2.0	C-1k	Friends Got Arrested Past 30 Days	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable	
GANGC	F2.0	C-2	Gang Member Currently	(1) yes (0) no	
ARSTFLW	F3.0	D-1	# times arrested (recall period)	0-###	Yes, if >0, (arrest)
NONARST	F3.0	D-2	# times given parole violation but not arrested (recall period)	0-###	
JAILREC	F2.0	D-3	# Nights in Jail (recall period)	0-xx	Yes, if > 0 (incarceration)
C1CMREC	F3.0	D4a1	# Times Committed PI (recall period)	0-###	Yes, if > 0 (substance use)
C1CM30	F2.0	D4b1	# Times Committed PI Past 30 Days	0-##	Yes, if > 0 (substance use)
C2CMREC	F3.0	D4a2	# Times Committed DWI (recall period)	0-###	Yes, if > 0 (substance use)
C2CM30	F2.0	D4b2	# Times Committed DWI Past 30 Days	0-##	Yes, if > 0 (substance use)
C2CMIN	F2.0	D4c2	# People Injured DWI Past 30 Days	0-##	
C2CMDT	F2.0	D4d2	# People Died DWI Past 30 Days	0-##	
C3CMREC	F3.0	D4a3	# Times Committed Illegal Drugs (recall period)	0-###	Yes, if > 0 (substance use)
C3CM30	F2.0	D4b3	# Times Committed Illegal Drugs Past 30 Days	0-##	Yes, if > 0 (substance use)
C4CMREC	F3.0	D4a4	# Times Committed Possession Intent to Dist (recall period)	0-###	
C4CM30	F2.0	D4b4	# Times Committed Possession Intent to Dist Past 30 Days	0-##	
C5CMREC	F3.0	D4a5	# Times Committed Possession Drug Para (recall period)	0-###	
C5CM30	F2.0	D4b5	# Times Committed Possession Drug Para Past 30 Days	0-##	
C6CMREC	F3.0	D4a6	# Times Committed Drug Manuf (recall period)	0-###	
C6CM30	F2.0	D4b6	# Times Committed Drug Manuf	0-##	

**HIV/HEP Study 30 Day Follow Up Codebook
May 2007**

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values	AE Variable
			Past 30 Days		
C7CMREC	F3.0	D4a7	# Times Committed Drug Sale (recall period)	0-###	
C7CM30	F2.0	D4b7	# Times Committed Drug Sale Past 30 Days	0-##	
C8CMREC	F3.0	D4a8	# Times Committed Forgery/Fraud (recall period)	0-###	
C8CM30	F2.0	D4b8	# Times Committed Forgery/Fraud Past 30 Days	0-##	
C9CMREC	F3.0	D4a9	# Times Committed Fencing (recall period)	0-###	
C9CM30	F2.0	D4b9	# Times Committed Fencing Past 30 Days	0-##	
C10REC	F3.0	D4a10	# Times Committed Illegal Gambling (recall period)	0-###	
C10CM30	F2.0	D4b10	# Times Committed Illegal Gambling Past 30 Days	0-##	
C11CREC	F3.0	D4a11	# Times Committed Prostitution/Pimping (recall period)	0-###	
C11CM30	F2.0	D4b11	# Times Committed Prostitution/Pimping Past 30 Days	0-##	
C12REC	F3.0	D4a12	# Times Committed Burglary (recall period)	0-###	
C12CM30	F2.0	D4b12	# Times Committed Burglary Past 30 Days	0-##	
C13REC	F3.0	D4a13	# Times Committed Larceny (recall period)	0-##	
C13CM30	F2.0	D4b13	# Times Committed Larceny Past 30 Days	0-##	
C14REC	F3.0	D4a14	# Times Committed Auto Theft (recall period)	0-###	
C14CM30	F2.0	D4b14	# Times Committed Auto Theft Past 30 Days	0-##	
C14CMIN	F2.0	D4c14	# People Injured Auto Theft Past 30 Days	0-##	
C14CMDT	F2.0	D4d14	# People Died Auto Theft Past 30 Days	0-##	
C15REC	F3.0	D4a15	# Times Committed Robbery (recall period)	0-###	Yes, if > 0 (victimization)
C15CM30	F2.0	D4b15	# Times Committed Robbery Past 30 Days	0-##	Yes, if > 0 (victimization)

**HIV/HEP Study 30 Day Follow Up Codebook
May 2007**

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values	AE Variable
C15CMIN	F2.0	D4c15	# People Injured Robbery Past 30 Days	0-##	
C15CMDT	F2.0	D4d15	# People Died Robbery Past 6 months	0-##	
C16REC	F3.0	D4a16	# Times Committed Assault (recall period)	0-###	Yes, if > 0 (victimization)
C16CM30	F2.0	D4b16	# Times Committed Assault Past 30 Days	0-##	Yes, if > 0 (victimization)
C16CMIN	F2.0	D4c16	# People Injured Assault Past 30 Days	0-##	
C16CMDT	F2.0	D4d16	# People Died Assault Past 30 Days	0-##	
C17REC	F3.0	D4a17	# Times Committed Kidnapping (recall period)	0-###	Yes, if > 0 (victimization)
C17CM30	F2.0	D4b17	# Times Committed Kidnapping Past 30 Days	0-##	Yes, if > 0 (victimization)
C17CMIN	F2.0	D4c17	# People Injured Kidnapping Past 30 Days	0-##	
C17CMDT	F2.0	D4d17	# People Died Kidnapping Past 30 Days	0-##	
C18REC	F3.0	D4a18	# Times Committed Terrorism (recall period)	0-###	Yes, if > 0 (victimization)
C18CM30	F2.0	D4b18	# Times Committed Terrorism Past 30 Days	0-##	Yes, if > 0 (victimization)
C18CMIN	F2.0	D4c18	# People Injured Terrorism Past 30 Days	0-##	
C18CMDT	F2.0	D4d18	# People Died Terrorism Past 30 Days	0-##	
C19REC	F3.0	D4a19	# Times Committed Homicide (recall period)	0-###	Yes, if > 0 (victimization)
C19CM30	F2.0	D4b19	# Times Committed Homicide Past 30 Days	0-##	Yes, if > 0 (victimization)
C19CMIN	F2.0	D4c19	# People Injured Homicide Past 30 Days	0-##	
C19CMDT	F2.0	D4d19	# People Died Homicide Past 30 Days	0-##	
C20REC	F3.0	D4a20	# Times Committed Arson (recall period)	0-###	
C20CM30	F2.0	D4b20	# Times Committed Arson Past 30 Days	0-##	
C20CMIN	F2.0	D4c20	# People Injured Arson Past 30 Days	0-##	
C20CMDT	F2.0	D4d20	# People Died Arson Past 30	0-##	

HIV/HEP Study 30 Day Follow Up Codebook
May 2007

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values	AE Variable
			Days		
C21REC	F3.0	D4a21	# Times Committed Weapons Offense (recall period)	0-###	
C21CM30	F2.0	D4b21	# Times Committed Weapons Offense Past 30 Days	0-##	
C22REC	F3.0	D4a22	# Times Committed Vandalism Offense (recall period)	0-###	
C22CM30	F2.0	D4b22	# Times Committed Vandalism Past 30 Days	0-##	
C23REC	F3.0	D4a23	# Times Committed Sex Offense (recall period)	0-###	Yes, if > 0 (victimization)
C23CM30	F2.0	D4b23	# Times Committed Sex Offense Past 30 Days	0-##	Yes, if > 0 (victimization)
C23CMIN	F2.0	D4c23	# People Injured Sex Offense Past 30 Days	0-##	
C23CMDT	F2.0	D4d23	# People Died Sex Offense Past 30 Days	0-##	
C24REC	F3.0	D4a24	# Times Committed Probation/Parole Violation Offense (recall period)	0-###	
C24CM30	F2.0	D4b24	# Times Committed Probation/Parole Violation Past 30 Days	0-##	
C25REC	F3.0	D4a25	# Times Committed Other Offense (recall period)	0-###	
C25CMA	A50	D4a25	Specify Other Offense	Text	
C25CM30	F2.0	D4b25	# Times Committed Other Offense Past 30 Days	0-##	
C25CMIN	F2.0	D4c25	# People Injured Other Offense Past 30 Days	0-##	
C25CMDT	F2.0	D4d25	# People Died Other Offense Past 30 Days	0-##	
DGTXJLC	F2.0	D6c	Drug TX Since Current Lock Up	(1) yes (0) no	
JHUMED	F2.0	D6e1	# Nights in Jail Hospital Medical Problems Past 30 Days	0-##	
JHUEMOT	F2.0	D6e2	# Nights in Jail Hospital Emotional Problems Past 30 Days	0-##	
JHUMSA	F2.0	D6e3	# Nights in Jail Hospital Substance Use Past 30 Days	0-##	
JRESPRG	F2.0	D6f	# Nights in Residential TX During Incarceration Past 30	0-##	

**HIV/HEP Study 30 Day Follow Up Codebook
May 2007**

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values	AE Variable
			Days		
JIPSY	F3.0	D6g	# Times Indiv Psych Session During Incarceration Past 30 Days	0-###	
JGPSY	F3.0	D6h	# Times Group Psych Session During Incarceration Past 30 Days	0-###	
JISA	F3.0	D6i	# Times Indiv Subs Abuse Session During Incarceration Past 30 Days	0-###	
JGSA	F3.0	D6j	# Times Group Subs Abuse Session During Incarceration Past 30 Days	0-###	
PROBRC	F3.0	D-7	# Day On Probation (recall period)	0-###	
PAROLRC	F3.0	D-8	# Day On Parole (recall period)	0-###	
LEGSTAT	F2.0	D-9	Current Legal Status	(1) none (2) probation no jail sentence (3) probation with jail sentence (4) parole (5) mandatory prison release w/supervision (6) pretrial release (7) diversion program (8) prison (9) other	Yes, if 8 (incarceration)
LEGSTAT1	A50	D-9	Other Specified Current Legal Status	Text	
HEALTH	F2.0	E-1	Overall Health Rating	(1) poor (2) fair (3) good (4) very good (5) excellent	
PAIN30D	F2.0	E-2a	Pain/Discomfort Past 30 Days	(1) yes (0) no	
DPRS30D	F2.0	E-2b	Depression Past 30 Days	(1) yes (0) no	
ANX30D	F2.0	E-2c	Anxiety/Tension Past 30 Days	(1) yes (0) no	
HLCTN30D	F2.0	E-2d	Hallucinations Past 30 Days	(1) yes (0) no	
CONC30D	F2.0	E-2e	Trouble Understand/Concentrate/Remember Past 30 Days	(1) yes (0) no	
VOIL30D	F2.0	E-2f	Trouble Controlling Violent Behavior Past 30 Days	(1) yes (0) no	
SIDE30D	F2.0	E-2g	Suicide Thoughts Past 30 Days	(1) yes (0) no	Yes, if 1 (suicidal thoughts)
SATT30D	F2.0	E-2h	Suicide Attempts Past 30 Days	(1) yes (0) no	Yes, if 1 (suicidal thoughts)
PYPR30D	F2.0	E-3	Bothered by Psych/Emot Probs Past 30 days	(1) not at all (2) slightly (3) moderately (4) considerably (5) extremely	Yes, if ge 4 (emotional problems)
ABUSERC	F2.0	E-4a	Attacked with a weapon, beaten or sexually abused	(1) yes (0) no	Yes, if 1 (victimization)

**HIV/HEP Study 30 Day Follow Up Codebook
May 2007**

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values	AE Variable
ARGUERC	F2.0	E-4b	Have argument which you threatened someone	(1) yes (0) no	
HTXPHTM	F2.0	E-5	# Times in Hospital TX for Physical Difficulty (recall period)	0-xx	Yes if >0, (hospitalization)
HTXMNTM	F2.0	E-6	# Times Hospital TX for Mental/Emot Difficulty (recall period)	0-xx	Yes if >0, (hospitalization)
HTXPH30D	F2.0	E-7a1	Inpatient Tx for Physical Complaint past 30 days	(1) yes (0) no	Yes if 1, (hospitalization)
HTXPHDY30	F2.0	E-7a2	# Nights in Inpatient Tx for Physical Complaint past 30 days	0-30	Yes if >0, (hospitalization)
HTXMNT30	F2.0	E-7a3	Inpatient Tx for Emotional Difficulties past 30 days	(1) yes (0) no	Yes if 1, (hospitalization)
HTXMND30	F2.0	E-7a4	# Nights in Inpatient Tx for Emotional Difficulties past 30 days	0-30	Yes if >0, (hospitalization)
HTXSUB30	F2.0	E-7a5	Inpatient Tx for Alcohol or Substance Abuse past 30 days	(1) yes (0) no	Yes if 1, (hospitalization) (substance use)
HTXSUD30	F2.0	E-7a6	# Nights in Inpatient Tx for Alcohol or Substance Abuse past 30 days	0-30	Yes if >0, (hospitalization) (substance use)
HDETOX30	F2.0	E-7a7	# Nights in Detox past 30 days	0-30	Yes if >0, (substance use)
HRESPRG30	F2.0	E-7a8	# Nights in Residential past 30 days	0-30	
OTXPHY30	F2.0	E-8a1	Outpatient Tx for Physical Complaint past 30 days	(1) yes (0) no	
OTXPHD30	F2.0	E-8a2	# Times of Outpatient Tx for Physical Complaint past 30 days	0-30	
OTXMNT30	F2.0	E-8a3	Outpatient Tx for Emotional Difficulties	(1) yes (0) no	
OTXMND30	F2.0	E-8a4	# Times of Outpatient Tx for Emotional Difficulties past 30 days	0-30	
OTXGPS30	F3.0	E-8a5	# Times attended group session for mental/emotional problems past 30 days	0-###	
OTXSUB30	F2.0	E-8a6	Outpatient Tx for Alcohol or Substance Abuse past 30 days	(1) yes (0) no	
OTXSUD30	F2.0	E-8a7	# Times in Outpatient Tx for Alcohol or Substance Abuse	0-30	

**HIV/HEP Study 30 Day Follow Up Codebook
May 2007**

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values	AE Variable
			past 30 days		
OTXGSU30	F3.0	E-8a8	# Times attended group session for substance abuse problems past 30 days	0-###	
ETXPHY30	F2.0	E-9a1	Emergency Tx for Physical Complaint past 30 days	(1) yes (0) no	Yes, if 1 (medical problem)
ETXPHD30	F3.0	E-9a2	# Admissions for Emergency Tx for Physical Complaint past 30 days	0-###	Yes, if >0 (medical problem)
ETXMNT30	F2.0	E-9a3	Emergency Tx for Emotional Difficulties past 30 days	(1) yes (0) no	Yes if 1 (emotional problem)
ETXMND30	F3.0	E-9a4	# Admissions for Emergency Tx for Emotional Difficulties past 30 days	0-###	Yes if >0 (emotional problem)
ETXSUB30	F2.0	E-9a5	Emergency Tx for Substance Abuse past 30 days	(1) yes (0) no	Yes if 1 (substance use)
ETXSUD30	F3.0	E-9a6	# Admissions for Emergency Tx for Substance Abuse past 30 days	0-###	Yes if > 0 (substance use)
MSDP1	F2.0	F-1a	#1 Most Serious Drug Problem Currently	(0) none (1) alcohol (2) tobacco (3) inhalants (4) marijuana (5) hallucinogens (6) crack (7) cocaine (8) heroin & cocaine (9) heroin & meth (10) heroin (11) street methadone (12) other opiates (13) methamphetamine (14) other amphetamine (15) librium (16) barbiturates (17) other sedatives (18) non-prescription GHB (19) ketamine (20) other drug	
MSDP2	F2.0	F-1b	#2 Most Serious Drug Problem Currently	(0) none (1) alcohol (2) tobacco (3) inhalants (4) marijuana (5) hallucinogens (6) crack (7) cocaine (8) heroin & cocaine (9) heroin & meth (10) heroin (11) street methadone (12) other opiates (13) methamphetamine (14) other amphetamine (15) librium (16) barbiturates (17) other sedatives (18) non-prescription GHB (19) ketamine (20) other	

HIV/HEP Study 30 Day Follow Up Codebook
May 2007

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values	AE Variable
				drug	
MSDP3	F2.0	F-1c	#3 Most Serious Drug Problem Currently	(0) none (1) alcohol (2) tobacco (3) inhalants (4) marijuana (5) hallucinogens (6) crack (7) cocaine (8) heroin & cocaine (9) heroin & meth (10) heroin (11) street methadone (12) other opiates (13) methamphetamine (14) other amphetamine (15) librium (16) barbiturates (17) other sedatives (18) non-prescription GHB (19) ketamine (20) other drug	
ALCRE	F2.0	F-2a1	Alcohol Use (recall period)	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	
ALC30D	F2.0	F-2b1	Alcohol Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	
DRNKRE	F2.0	F-2a1a	Got drunk (recall period)	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	
DRNK30D	F2.0	F-2b1a	Drunk past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	
TOBRE	F2.0	F-2a2	Tobacco Use (recall period)	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	

HIV/HEP Study 30 Day Follow Up Codebook
May 2007

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values	AE Variable
TOB30D	F2.0	F-2b2	Tobacco Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	
INHRE	F2.0	F-2a3	Inhalant Use (recall period)	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
INH30D	F2.0	F-2b3	Inhalant Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
MJRE	F2.0	F-2a4	Marijuana Use (recall period)	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
MJ30D	F2.0	F-2b4	Marijuana Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
HLUCRE	F2.0	F-2a5	Hallucinogen use (recall period)	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
HLU30D	F2.0	F-2b5	Hallucinogen Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
CRCKRE	F2.0	F-2a6	Crack Use (recall period)	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times	Yes, if > 0 (substance use)

**HIV/HEP Study 30 Day Follow Up Codebook
May 2007**

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values	AE Variable
				per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	
CRCK30D	F2.0	F-2b6	Crack Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
COCRE	F2.0	F-2a7	Cocaine Use (recall period)	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
COC30D	F2.0	F-2b7	Cocaine Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
COINJ30	F2.0	F-2c7	Injected Cocaine Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
HCOCRE	F2.0	F-2a8	Heroin & Cocaine (recall period)	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
HCOC30D	F2.0	F-2b8	Heroin & Cocaine Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
HCINJ30	F2.0	F-2c8	Injected Heroin & Cocaine Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time	Yes, if > 0 (substance use)

HIV/HEP Study 30 Day Follow Up Codebook
May 2007

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values	AE Variable
				per day (7) 2-3 times per day (8) 4+ times per day	
HMTHRE	F2.0	F-2a9	Heroin & Meth (recall period)	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
HMTH30D	F2.0	F-2b9	Heroin & Meth Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
HMINJ30	F2.0	F-2c9	Injected Heroin & Meth Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
HERRE	F2.0	F-2a10	Heroin Use (recall period)	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
HER30D	F2.0	F-2b10	Heroin Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
HEINJ30	F2.0	F-2c10	Injected Heroin Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
MTHDRE	F2.0	F-2a11	Street Methadone (recall period)	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)

HIV/HEP Study 30 Day Follow Up Codebook
May 2007

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values	AE Variable
MTHD30D	F2.0	F-2b11	Street Methadone Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
MTINJ30	F2.0	F-2c11	Injected Methadone Past 30 days	0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
OPIATRE	F2.0	F-2a12	Other Opiate (recall period)	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
OPIAT30D	F2.0	F-2b12	Other Opiate Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
OPINJ30	F2.0	F-2c12	Injected Other Opiates Past 30 days	0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
METARE	F2.0	F-2a13	Methamphetamine (recall period)	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
META30D	F2.0	F-2b13	Methamphetamine Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
MEINJ30	F2.0	F-2c13	Injected Methamphetamine Past 30 days	0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per	Yes, if > 0 (substance use)

HIV/HEP Study 30 Day Follow Up Codebook
May 2007

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values	AE Variable
				month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	
AMPHRE	F2.0	F-2a14	Other Amphetamine Use (recall period)	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
AMPH30D	F2.0	F-2b14	Other Amphetamine Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
AMINJ30	F2.0	F-2c14	Injected Other Amphetamine Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
LIBRE	F2.0	F-2a15	Librium Use (recall period)	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
LIB30D	F2.0	F-2b15	Librium Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
LBINJ30	F2.0	F-2c15	Injected Librium Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
BARBRE	F2.0	F-2a16	Barbiturate Use (recall period)	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1	Yes, if > 0 (substance use)

HIV/HEP Study 30 Day Follow Up Codebook
May 2007

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values	AE Variable
				time per day (7) 2-3 times per day (8) 4+ times per day	
BARB30D	F2.0	F-2b16	Barbiturate Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
BAINJ30	F2.0	F-2c16	Injected Barbiturate Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
SEDRE	F2.0	F-2a17	Other Sedative Use (recall period)	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
SED30D	F2.0	F-2b17	Other Sedative Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
SDINJ30	F2.0	F-2c17	Injected Other Sedative Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
GHBRE	F2.0	F-2a18	Non-prescription GHB Use (recall period)	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
GHB30D	F2.0	F-2b18	Non-prescription GHB Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)

HIV/HEP Study 30 Day Follow Up Codebook
May 2007

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values	AE Variable
GBINJ30	F2.0	F-2c18	Injected Non-prescription GHB Past 30 days	0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
KETRE	F2.0	F-2a19	Ketamine Use (recall period)	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
KET30D	F2.0	F-2b19	Ketamine Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
KTINJ30	F2.0	F-2c19	Injected Ketamine Past 30 days	0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
OTHDRUG	A50	F-2a19	Other Specified Drug	Text	
OTHDRE	F2.0	F-2a19	Other Drug Use (recall period)	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
OTH30D	F2.0	F-2b19	Other Drug Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
OTHINJ30	F2.0	F-2c19	Injected Other Drug Past 30 days	0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0 (substance use)
ALCDYS	F2.0	F-3	Days Drank Alcohol Past 30	0-30	

**HIV/HEP Study 30 Day Follow Up Codebook
May 2007**

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values	AE Variable
			Days		
BEERDYS	F2.0	F-3a	Days Drank Beer Past 30 Days	0-30	
AMTBEER	F2.0	F-3a1	Number of cans or bottles beer per day	0-##	
SZBEER	F2.0	F-3a2	Size of can or bottles of beer (ounces)	0-##	
MALTDYS	F2.0	F-3b	Days Drank Malt or Wine Cooler Past 30 Days	0-30	
AMTMALT	F2.0	F-3b1	Number of can or bottles malt per day	0-##	
SZMALT	F2.0	F-3b2	Size of can or bottles of malt (ounces)	0-##	
WINEDYS	F2.0	F-3c	Days Drank Wine Past 30 Days	0-30	
AMTWINE1	F2.0	F-3c1	Number of glasses wine per day	0-##	
AMTWINE2	F2.0	F-3c1	Number of bottles wine per day	0-##	
SZWINE	F2.0	F-3c2	Size of bottles of wine (ounces)	0-##	
FWINEDYS	F2.0	F-3d	Days Drank Fortified Wine or Fortified Wine Coolers Past 30 Days	0-30	
AMTFWIN1	F2.0	F-3d1	Number of glasses fortified wine per day	0-##	
AMTFWIN2	F2.0	F-3d1	Number of bottles fortified wine per day	0-##	
SZFWINE	F2.0	F-3d2	Size of bottles of fortified wine (ounces)	0-##	
LIQRDYS	F2.0	F-3e	Days Drank Hard Liquor Past 30 Days	0-30	
AMTLIQ1	F2.0	F-3e1	Number of glasses liquor per day	0-##	
AMTLIQ2	F2.0	F-3e1	Number of bottles liquor per day	0-##	
SZLIQUOR	F2.0	F-3d2	Size of bottles of liquor (ounces)	0-##	
TYPELIQ	F2.0	F-3d3	Type of liquor	1 = 80-100 proof, 40-50% alcohol 2 = 120-190 proof, 60 to 95% alcohol	
ALCA	F2.0	F-4a1	Alcohol Use Affected Physical Health	(0)never (1) rarely (2) sometimes (3) often (4) always	
ALCB	F2.0	F-4b1	Alcohol Use Affected Relations w/Family or Friends	(0)never (1) rarely (2) sometimes (3) often (4) always	
ALCC	F2.0	F-4c1	Alcohol Use Affected General Attitude/Emot Health	(0)never (1) rarely (2) sometimes (3) often (4) always	
ALCD	F2.0	F-4d1	Alcohol Use Affected Attention/	(0)never (1) rarely (2)	

HIV/HEP Study 30 Day Follow Up Codebook
May 2007

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values	AE Variable
			Concentration	sometimes (3) often (4) always	
ALCE	F2.0	F-4e1	Alcohol Use Affected Work	(0)never (1) rarely (2) sometimes (3) often (4) always	
ALCF	F2.0	F-4f1	Alcohol Use Affected Money	(0)never (1) rarely (2) sometimes (3) often (4) always	
ALCG	F2.0	F-4g1	Alcohol Use Affected Fights	(0)never (1) rarely (2) sometimes (3) often (4) always	
ALCH	F2.0	F-4h1	Alcohol Use Affected Police/Legal Trouble	(0)never (1) rarely (2) sometimes (3) often (4) always	
OTHDRGA	F2.0	F-4a2	Drug Use Affected Physical Health	(0)never (1) rarely (2) sometimes (3) often (4) always	
OTHDRGB	F2.0	F-4b2	Drug Use Affected Relations w/Family or Friends	(0)never (1) rarely (2) sometimes (3) often (4) always	
OTHDRGC	F2.0	F-4c2	Drug Use Affected General Attitude/Emot Health	(0)never (1) rarely (2) sometimes (3) often (4) always	
OTHDRGD	F2.0	F-4d2	Drug Use Affected Attention/Concentration	(0)never (1) rarely (2) sometimes (3) often (4) always	
OTHDRGE	F2.0	F-4e2	Drug Use Affected Work	(0)never (1) rarely (2) sometimes (3) often (4) always	
OTHDRGF	F2.0	F-4f2	Drug Use Affected Money	(0)never (1) rarely (2) sometimes (3) often (4) always	
OTHDRGG	F2.0	F-4g2	Drug Use Affected Fights	(0)never (1) rarely (2) sometimes (3) often (4) always	
OTHDRGH	F2.0	F-4h2	Drug Use Affected Police/Legal Trouble	(0)never (1) rarely (2) sometimes (3) often (4) always	
DRUGOD	F2.0	F-5	# Drug Overdoses (recall period)	0-##	If > 0, (substance use)
INTDROD	F2.0	F-5a	# Times Intentionally Overdosed on Drugs	0-##	
SUPROB1	F2.0	F-6	Stress Because of Alc/Drug Use Past 30 Days	(1) not at all (2) somewhat (3) considerably (4) extremely (5) not applicable (marked on form)	
SUPROB2	F2.0	F-7	Gave Up Activities Because of Alc/Drug Use Past 30 Days	(1) not at all (2) somewhat (3) considerably (4) extremely (5) not applicable (marked on form)	
SUPROB3	F2.0	F-8	Emotional Problems Because of Alc/Drug Use Past 30 Days	(1) not at all (2) somewhat (3) considerably (4) extremely (5) not applicable (marked on form)	
QUIT30D	F2.0	F-9	Have you tried to quit using drugs and alcohol in the last 30 days?	(1) yes (0) no	
QUIT1	F2.0	F-9a1	# of times quit on your own	0-##	
QUIT2	F2.0	F-9a2	# of times quit in community	0-##	

HIV/HEP Study 30 Day Follow Up Codebook
May 2007

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values	AE Variable
			based tx		
QUIT3	F2.0	F-9a3	# of times quit on your own	0-##	
QUIT4	F2.0	F-9a4	# of times quit in jail (no tx)	0-##	
QUIT5	F2.0	F-9a5	# of times quit in jail (tx program)	0-##	
QUIT5a	A50	F-9a5a	Specify some other way	Text	
TXCOMM	F2.0	F-10	Importance of SA treatment in community	(1) not at all (2) somewhat (3) considerably (4) extremely (5) not applicable (marked on form)	
SUBTXRE	F2.0	F-11	Been in SA Tx (recall period)	(1) yes (0) no	
DRGTXAA	F2.0	F-11a-a	1 or more admissions to inpatient tx	(1) yes (0) no	
DRGTXAB	F2.0	F-11b-a	Still in inpatient tx	(1) yes (0) no	
DRGTXAC	F3.0	F-11c-a	#days treated inpatient	0 (<1) - ###	
DRGTXBA	F2.0	F-11a-b	1 or more admissions to residential tx	(1) yes (0) no	
DRGTXBB	F2.0	F-11b-b	Still in residential tx	(1) yes (0) no	
DRGTXBC	F3.0	F-11c-b	#days treated residential	0 (<1) - ###	
DRGTXCA	F2.0	F-11a-c	1 or more admissions to other institutional tx	(1) yes (0) no	
DRGTXCB	F2.0	F-11b-c	Still in other institutional tx	(1) yes (0) no	
DRGTXCC	F3.0	F-11c-c	#days treated other institutional tx	0 (<1) - ###	
DRGTXDA	F2.0	F-11a-d	1 or more admissions to outpatient tx	(1) yes (0) no	
DRGTXDB	F2.0	F-11b-d	Still in outpatient tx	(1) yes (0) no	
DRGTXDC	F3.0	F-11c-d	#days treated outpatient tx	0 (<1) - ###	
DRGTXEA	F2.0	F-11a-e	1 or more admissions to outpatient methadone tx	(1) yes (0) no	
DRGTXEB	F2.0	F-11b-e	Still in outpatient methadone tx	(1) yes (0) no	
DRGTXEC	F3.0	F-11c-e	#days treated outpatient methadone tx	0 (<1) - ###	
DRGTXFA	F2.0	F-11a-f	1 or more admissions to other tx	(1) yes (0) no	
DRGTXFB	F2.0	F-11b-f	Still in other tx	(1) yes (0) no	
DRGTXFC	F3.0	F-11c-f	#days treated other tx	0 (<1) - ###	
DRGTXF	A50	F-11f	specify other tx	Text	
DRGTXG	A50	F-11g	specify other tx	Text	
DRGTXGA	F2.0	F-11a-g	1 or more admissions to other tx	(1) yes (0) no	
DRGTXGB	F2.0	F-11b-g	Still in other tx	(1) yes (0) no	
DRGTXGC	F3.0	F-11c-g	#days treated other tx	0 (<1) - ###	
RESPTX	F2.0	F-12	who is mainly responsible for current tx	(1) judge (2) court officer (3) substance abuse referral unit (4) correctional classification (5)	

HIV/HEP Study 30 Day Follow Up Codebook
May 2007

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values	AE Variable
				myself (6) other criminal justice officer (7) other	
RESPTX 1	A50	F-12	specify other person	Text	
SLFHLPM	F2.0	F-13	Ever Gone to Self Help Meetings	(1) yes (0) no	
NSHLPM	F2.0	F-13a	# Self Help Meetings Attended Lifetime	(1) 1-5 (2) 6-10 (3) 11-25 (4) 26-100 (5) >100	
MEDINS	F2.0	F-14	Have Medical Insurance	(1) yes (0) no	
AIDSR1	F2.0	G-1	# Times Injected Drugs (recall period)	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	Yes, if > 0, (substance use)
AIDSR2	F2.0	G-2	# Times Used Dirty Needles (recall period)	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	
AIDSR3	F2.0	G-3	# Times Shared Cooker/Cotton/Rinse Water (recall period)	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day	
AIDSR4	F3.0	G-4	# People Shared Works With (recall period)	0-###	
AIDSR5	F3.0	G-5	# Times Injected Drugs (recall period)	0-###	
AIDSR6	F3.0	G-6	# Times Used Dirty Needles Past 30 Days	0-###	
AIDSR7	F3.0	G-7	# Times Shared Cooker/Cotton/Rinse Water Past 30 Days	0-###	
AIDSR8	F3.0	G-8	# Times Injected w/Others Past 30 Days	0-###	
AIDSR9	F3.0	G-9	# People Shared Works With Past 30 Days	0-###	
AIDSR10	F3.0	G-10	# Times Gave Dirty Needles to Others Past 30 Days	0-###	
SEXREC	F3.0	G-11	# People Had Sex With (recall period)	0-###	

**HIV/HEP Study 30 Day Follow Up Codebook
May 2007**

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values	AE Variable
SEXA	F2.0	G-12a	# Times Had Sex w/out Condom w/Casual Partner (recall period)	(0) never (1) only a few times (2) 1-3 times a month (3) 1-5 times a week (4) about every day	
SEXB	F2.0	G-12b	# Times Had Sex w/out Condom w/Injection Drug User (recall period)	(0) never (1) only a few times (2) 1-3 times a month (3) 1-5 times a week (4) about every day	
SEXC	F2.0	G-12c	# Times Had Sex w/out Condom While Trading Sex for Drugs/Money (Recall period)	(0) never (1) only a few times (2) 1-3 times a month (3) 1-5 times a week (4) about every day	
AIDSR15	F3.0	G-13	# People Had Sex With Past 30 Days	0-###	
AIDSR16	F3.0	G-14	# Male Partners Past 30 Days	0-###	
AIDSR17	F3.0	G-14	# Female Partners Past 30 Days	0-###	
AIDSR18	F3.0	G-15	# Times Had Sex Past 30 Days	0-###	
AIDSR19	F3.0	G-16	# Times had Sex w/out Condom Past 30 Days	0-###	
AIDSR20	F3.0	G-16a(1)	# Times Had Sex w/out Condom w/Casual Partner Past 30 Days	0-###	
AIDSR21	F3.0	G-16a(2)	# Times Had Sex w/out Condom w/ Injection Drug User Past 30 Days	0-###	
AIDSR22	F3.0	G-16a(3)	# Times Had Sex w/out Condom w/Someone Who Smokes Crack/Cocaine Past 30 Days	0-###	
AIDSR23	F3.0	G-16a(4)	# Times Had Sex w/out Condom While High Past 30 Days	0-###	
AIDSR24	F3.0	G-16a(5)	# Times Had Sex w/out Condom While Trading Sex for Drugs/Money Past 30 Days	0-###	
AIDSR25	F3.0	G-16a(6)	# Times Had Sex w/out Condom During Vaginal Sex Past 30 Days	0-###	
AIDSR26	F3.0	G-16a(7)	# Times Had Sex w/out Condom During Oral Sex Past 30 Days	0-###	
AIDSR27	F3.0	G-16a(8)	# Times Had Sex w/out Condom During Anal Sex Past 30 Days	0-###	
AIDSR31	F2.0	G-17a	# Times Had Sex w/out Condom Discussed Condom Use Past 30 Days	(1) Never (2) Rarely (3) Sometimes (4) Often (5) Always (-9) N/A	

**HIV/HEP Study 30 Day Follow Up Codebook
May 2007**

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values	AE Variable
AIDSR32	F2.0	G-17b1	Reason for not using condom - Partner Objected	(1) yes (0) no	
AIDSR33	F2.0	G-17b2	Reason for not using condom - Did Not Think about it	(1) yes (0) no	
AIDSR34	F2.0	G-17b3	Reason for not using condom - Did Not Want to Bring it Up	(1) yes (0) no	
AIDSR35	F2.0	G-17b4	Reason for not using condom - Didn't Have One	(1) yes (0) no	
AIDSR36	F2.0	G-17b5	Reason for not using condom - Cost too High	(1) yes (0) no	
AIDSR37	F2.0	G-17b6	Reason for not using condom - Trust Partner	(1) yes (0) no	
AIDSR38	F2.0	G-17b7	Reason for not using condom - Don't Like Them	(1) yes (0) no	
AIDSR39	F2.0	G-17b8	Reason for not using condom - Other	(1) yes (0) no	
AID39OTH	A50	G-17b8	Other Specify Reason for not using condom	Text	
AIDSR40	F2.0	G-18a	# Times Had Sex with Condom Initiated Condom Use Past 30 Days	(1) Never (2) Rarely (3) Sometimes (4) Often (5) Always (-9) N/A	
AIDSR41	F2.0	G-18b	# Times Had Sex with Condom Partner Initiated Condom Use Past 30 Days	(1) Never (2) Rarely (3) Sometimes (4) Often (5) Always (-9) N/A	
CONVAG	F2.0	G-19a	Will use a condom with main partner every time in the next 30 days	(1) Definitely Will (2) Probably Will (3) Not Sure (4) Probably Won't (5) Definitely Won't (-9) N/A	
CONPART	F2.0	G-19b	Will use a condom with casual partner every time in the next 30 days	(1) Definitely Will (2) Probably Will (3) Not Sure (4) Probably Won't (5) Definitely Won't (-9) N/A	
HBA	F2.0	G-20a	Most people who transmit HIV do not look healthy.	(1) Definitely False (2) Probably False (3) Not Sure (4) Probably True (5) Definitely True	
HBB	F2.0	G-20b	Going down on someone (oral sex) can transmit HIV.	(1) Definitely False (2) Probably False (3) Not Sure (4) Probably True (5) Definitely True	
HBC	F2.0	G-20c	If you have Hepatitis C, drinking several glasses of beer or wine each day won't hurt your liver.	(1) Definitely False (2) Probably False (3) Not Sure (4) Probably True (5) Definitely True	
HBD	F2.0	G-20d	Keeping in good shape is the	(1) Definitely False (2) Probably	

HIV/HEP Study 30 Day Follow Up Codebook
May 2007

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values	AE Variable
			best way to prevent getting HIV.	False (3) Not Sure (4) Probably True (5) Definitely True	
HBE	F2.0	G-20e	Condoms make sex completely safe.	(1) Definitely False (2) Probably False (3) Not Sure (4) Probably True (5) Definitely True	
HBF	F2.0	G-20f	More IDUS are infected with HIV than hepatitis.	(1) Definitely False (2) Probably False (3) Not Sure (4) Probably True (5) Definitely True	
HBG	F2.0	G-20g	A negative result on the HIV antibody test can happen even for people who carry the virus.	(1) Definitely False (2) Probably False (3) Not Sure (4) Probably True (5) Definitely True	
HBH	F2.0	G-20h	Hep C can be transmitted by home-made tattoo or body piercing.	(1) Definitely False (2) Probably False (3) Not Sure (4) Probably True (5) Definitely True	
HBI	F2.0	G-20i	When a couple decides that they are going to have sex ONLY with each other, they no longer need to use a condom.	(1) Definitely False (2) Probably False (3) Not Sure (4) Probably True (5) Definitely True	
HBJ	F2.0	G-20j	Once you get Hepatitis C, you will soon know because you will be tired and your skin will turn yellowish.	(1) Definitely False (2) Probably False (3) Not Sure (4) Probably True (5) Definitely True	
HBK	F2.0	G-20k	Showering after sex greatly reduces the risk of getting HIV.	(1) Definitely False (2) Probably False (3) Not Sure (4) Probably True (5) Definitely True	
HBL	F2.0	G-20l	You cannot get HIV by dipping	(1) Definitely False (2) Probably False (3) Not Sure (4) Probably True (5) Definitely True	
HBM	F2.0	G-20m	Most people who have been exposed to HIV quickly show symptoms of being sick.	(1) Definitely False (2) Probably False (3) Not Sure (4) Probably True (5) Definitely True	
HBN	F2.0	G-20n	By having fewer partners, you are effectively protected from HIV or hepatitis.	(1) Definitely False (2) Probably False (3) Not Sure (4) Probably True (5) Definitely True	
HBO	F2.0	G-20o	A woman cannot transmit HIV to a man.	(1) Definitely False (2) Probably False (3) Not Sure (4) Probably True (5) Definitely True	
HBP	F2.0	G-20p	You can get hepatitis from sharing a razor or toothbrush.	(1) Definitely False (2) Probably False (3) Not Sure (4) Probably True (5) Definitely True	
HBQ	F2.0	G-20q	There is an effective vaccine for Hepatitis C.	(1) Definitely False (2) Probably False (3) Not Sure (4) Probably True (5) Definitely True	
HBR	F2.0	G-20r	Pulling out before cuming	(1) Definitely False (2) Probably	

HIV/HEP Study 30 Day Follow Up Codebook
May 2007

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values	AE Variable
			makes sex safe.	False (3) Not Sure (4) Probably True (5) Definitely True	
HBS	F2.0	G-20s	In anal sex, only the receiving partner can get HIV.	(1) Definitely False (2) Probably False (3) Not Sure (4) Probably True (5) Definitely True	
HBT	F2.0	G-20t	You can get Hepatitis C by sharing a fork or eating from the same plate.	(1) Definitely False (2) Probably False (3) Not Sure (4) Probably True (5) Definitely True	
HBU	F2.0	G-20u	People can get HIV and hepatitis from sharing needles and injecting equipment.	(1) Definitely False (2) Probably False (3) Not Sure (4) Probably True (5) Definitely True	
HBV	F2.0	G-20v	Having sex when you are high or drunk puts you at a greater risk for HIV or hepatitis.	(1) Definitely False (2) Probably False (3) Not Sure (4) Probably True (5) Definitely True	
HBW	F2.0	G-20w	It is possible to get vaccinated against Hepatitis B.	(1) Definitely False (2) Probably False (3) Not Sure (4) Probably True (5) Definitely True	
HBX	F2.0	G-20x	HIV and hepatitis are found in vaginal fluid and breast milk of infected women	(1) Definitely False (2) Probably False (3) Not Sure (4) Probably True (5) Definitely True	
HBY	F2.0	G-20y	People do not get HIV from social (dry) kissing.	(1) Definitely False (2) Probably False (3) Not Sure (4) Probably True (5) Definitely True	
CSEA	F2.0	G-21a	Purchase condoms without feeling embarrassed.	(1) Strongly Agree (2) Disagree (3) Undecided (4) Agree (5) Strongly Agree	
CSEB	F2.0	G-21b	Can discuss using condoms with any partner I might have.	(1) Strongly Agree (2) Disagree (3) Undecided (4) Agree (5) Strongly Agree	
CSEC	F2.0	G-21c	Feel embarrassed to put a condom on myself or partner.	(1) Strongly Agree (2) Disagree (3) Undecided (4) Agree (5) Strongly Agree	
CSED	F2.0	G-21d	If I were to suggest using a condom to a partner, I would feel afraid that he or she would be angry.	(1) Strongly Agree (2) Disagree (3) Undecided (4) Agree (5) Strongly Agree	
CSEE	F2.0	G-21e	If I were unsure of my partners' feelings about using condoms, I would not suggest one.	(1) Strongly Agree (2) Disagree (3) Undecided (4) Agree (5) Strongly Agree	
CSEF	F2.0	G-21f	I feel confident in my ability to use a condom correctly.	(1) Strongly Agree (2) Disagree (3) Undecided (4) Agree (5) Strongly Agree	
CSEG	F2.0	G-21g	I would feel comfortable discussing condom use with a	(1) Strongly Agree (2) Disagree (3) Undecided (4) Agree (5)	

**HIV/HEP Study 30 Day Follow Up Codebook
May 2007**

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values	AE Variable
			sexual partner before we ever had any sexual contact.	Strongly Agree	
CSEH	F2.0	G-21h	I feel confident in my ability to persuade a partner to accept using a condom when we have intercourse.	(1) Strongly Agree (2) Disagree (3) Undecided (4) Agree (5) Strongly Agree	
CSEI	F2.0	G-21i	I feel confident that I could remove and dispose of a condom after sexual intercourse.	(1) Strongly Agree (2) Disagree (3) Undecided (4) Agree (5) Strongly Agree	
CSEJ	F2.0	G-21j	If my partner and I were try to use a condom and I did not succeed, I would feel embarrassed to try to use one again.	(1) Strongly Agree (2) Disagree (3) Undecided (4) Agree (5) Strongly Agree	
CSEK	F2.0	G-21k	I would not feel confident suggesting using condoms with a new partner because I would be afraid my partner would think I had a sexually transmitted disease.	(1) Strongly Agree (2) Disagree (3) Undecided (4) Agree (5) Strongly Agree	
CSEL	F2.0	G-21l	I would not feel confident suggesting using condoms with a new partner because I would be afraid my partner would think I thought he/she had a STD.	(1) Strongly Agree (2) Disagree (3) Undecided (4) Agree (5) Strongly Agree	
CSEM	F2.0	G-21m	I feel confident that I could use a condom without "breaking the mood."	(1) Strongly Agree (2) Disagree (3) Undecided (4) Agree (5) Strongly Agree	
CSEN	F2.0	G-21n	I feel confident in my ability to put a condom on my partner quickly.	(1) Strongly Agree (2) Disagree (3) Undecided (4) Agree (5) Strongly Agree	
CSEO	F2.0	G-21o	I feel confident that I would remember to use a condom even if I were high.	(1) Strongly Agree (2) Disagree (3) Undecided (4) Agree (5) Strongly Agree	
CSEP	F2.0	G-21p	I feel confident I could stop foreplay to put a condom on myself or my partner even in the heat of passion.	(1) Strongly Agree (2) Disagree (3) Undecided (4) Agree (5) Strongly Agree	
IPVTIMES	F2.0	G22	# of times in past 30 days you or your intimate partner had some type of physical fight or violent fight	0-##	Yes, if > 0, (victimization)
IPVA	F2.0	G-23a	Been beaten up by a partner	0-##	Yes, if > 0, (victimization)

HIV/HEP Study 30 Day Follow Up Codebook
May 2007

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values	AE Variable
IPVB	F2.0	G-23b	Been raped by a partner	0-##	Yes, if > 0, (victimization)
IPVC	F2.0	G-23c	Run away from a partner	0-##	Yes, if > 0, (victimization)
IPVD	F2.0	G-23d	Been threatened by a partner with a weapon	0-##	Yes, if > 0, (victimization)
IPVE	F2.0	G-23e	Been hurt by a partner with a weapon	0-##	Yes, if > 0, (victimization)
IPVF	F2.0	G-23f	Been given bad drugs by a partner	0-##	Yes, if > 0, (victimization)
IPVG	F2.0	G-23g	Any other bad situation	0-##	Yes, if > 0, (victimization)
IPVG1	A50	G-23g	Specify other situation	Text	
INTSTOP	HHMM5.	H-1	Interview Stop Time	00:00-23:59 (missing=99:99)	
INTC1	F2.0	H-2	Interruptions During Interview	(1) yes (0) no	
INTC1A	A50	H-2	Interruptions	text	
INTCPRIV	F2.0	H-3	Interview in private location	(1) yes (0) no	
INTCPRI1	A50	H-3	If no, who else present	Text	
INTC2	F2.0	H-4a	Part A (Sociodemographic) Reliability	(1) not reliable (2) somewhat reliable (3) mostly reliable (4) reliable	
INTC3	F2.0	H-4b	Part B (Family) Reliability	(1) not reliable (2) somewhat reliable (3) mostly reliable (4) reliable	
INTC4	F2.0	H-4c	Part C (Peer) Reliability	(1) not reliable (2) somewhat reliable (3) mostly reliable (4) reliable	
INTC5	F2.0	H-4d	Part D (Criminal) Reliability	(1) not reliable (2) somewhat reliable (3) mostly reliable (4) reliable	
INTC6	F2.0	H-4e	Part E (Health/Psych) Reliability	(1) not reliable (2) somewhat reliable (3) mostly reliable (4) reliable	
INTC7	F2.0	H-4f	Part F (Drug) Reliability	(1) not reliable (2) somewhat reliable (3) mostly reliable (4) reliable	
INTC8	F2.0	H-4g	Part G (AIDS Risk) Reliability	(1) not reliable (2) somewhat reliable (3) mostly reliable (4) reliable	