ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 29061

Criminal Justice Drug Abuse Treatment Studies (CJ-DATS): HIV/HEPATITIS Prevention for Re-Entering Drug Offenders

James A. Inciardi
University of Delaware

Variable Description and Frequencies for HIV/HEPC Testing

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/29061.xml

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #29061

Criminal Justice Drug Abuse Treatment Studies (CJDATS)

HIV/HEPATITIS Prevention for Re-Entering Drug Offenders

Part 6: HIV/HEPC Testing

1) To protect respondent privacy the sensitive variables or texts have been masked or recoded.
2) Please note that no questionnaire was provided for this part of the study.
3) The blank responses correspond to “Not Answered.”

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--HIV/HEPC Testing

Variable Name and Label (Total Cases = 672)		Percent of Cases with Missing Values
77.8% (7 of 9 variables)	have 0% Missing Values	
0.0% (0 of 9 variables)	have 0% - 1% Missing Values	
11.1% (1 of 9 variables)	have 1% - 3% Missing Values	
11.1% (1 of 9 variables)	have 3% - 5% Missing Values	
0.0% (0 of 9 variables)	have 5% - 10% Missing Values	
0.0% (0 of 9 variables)	have 10% - 20% Missing Values	
0.0% (0 of 9 variables)	have 20% - 40% Missing Values	
0.0% (0 of 9 variables)	have 40% - 99% Missing Values	
0.0% (0 of 9 variables)	have 100% missing values	

ICPSR 29061

Criminal Justice Drug Abuse Treatment Studies (CJ-DATS): HIV/HEPATITIS Prevention for Re-Entering Drug Offenders

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Criminal Justice Drug Abuse Treatment Studies (CJ-DATS): HIV/HEPATITIS Prevention for Re-Entering Drug Offenders

HIV/HEPC Testing

CJDID	CJDATS Study ID Number

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

Question: CJDATS Study ID Number

Value	*Label*	*Unweighted Frequency*	*%*
5100	HIV/HEPC	672	100.0 %

Based upon 672 valid cases out of 672 total cases.

- Mean: 5100.00
- Median: 5100.00
- Mode: 5100.00
- Minimum: 5100.00
- Maximum: 5100.00
- Standard Deviation: 0.00

RCTR	Research Center

Location: 6-7 (width: 2; decimal: 0)

Variable Type: numeric

Question: Research Center

Value	*Label*	*Unweighted Frequency*	*%*
1	Virginia	60	8.9 %
2	University of Kentucky	184	27.4 %
5	University of Delaware	428	63.7 %

Based upon 672 valid cases out of 672 total cases.

- Mean: 3.82
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.58

SITE	Research Site

Location: 8-11 (width: 4; decimal: 0)

Variable Type: numeric

Question: Research Site

Value	*Label*	*Unweighted Frequency*	*%*
5302	Site 1	428	63.7 %
5402	Site 2	55	8.2 %
5408	Site 4	129	19.2 %
5705	Site 8	60	8.9 %

Based upon 672 valid cases out of 672 total cases.

- Mean: 5366.51
- Median: 5302.00
- Mode: 5302.00
- Minimum: 5302.00
- Maximum: 5705.00
- Standard Deviation: 115.47

WAVE **Wave**

Location: 12-13 (width: 2; decimal: 0)

Variable Type: numeric

Question: Interview Visit/Wave

Value	*Label*	*Unweighted Frequency*	*%*
4	Intervention	672	100.0 %

Based upon 672 valid cases out of 672 total cases.

- Mean: 4.00
- Median: 4.00
- Mode: 4.00
- Minimum: 4.00
- Maximum: 4.00
- Standard Deviation: 0.00

COND **Study Condition**

Location: 14-15 (width: 2; decimal: 0)

Variable Type: numeric

Question: Study Condition

Value	*Label*	*Unweighted Frequency*	*%*
1	Standard practice	226	33.6 %
2	NIDA Standard intervention	219	32.6 %
3	DVD Targeted intervention	227	33.8 %

Based upon 672 valid cases out of 672 total cases.

- Mean: 2.00
- Median: 2.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.82

STAFFID	**Staff ID**

Location: 16-19 (width: 4; decimal: 0)

Variable Type: numeric

Question: Staff ID

Value	*Unweighted Frequency*	*%*
302	70	10.4 %
310	27	4.0 %
311	41	6.1 %
315	3	0.4 %
316	50	7.4 %
317	53	7.9 %
318	78	11.6 %
321	7	1.0 %
324	61	9.1 %
326	2	0.3 %
402	19	2.8 %
410	45	6.7 %
411	3	0.4 %
413	65	9.7 %
414	23	3.4 %
430	27	4.0 %
431	2	0.3 %
807	22	3.3 %
808	38	5.7 %
1326	36	5.4 %

Based upon 672 valid cases out of 672 total cases.

- Mean: 439.92
- Median: 324.00
- Mode: 318.00
- Minimum: 302.00
- Maximum: 1326.00
- Standard Deviation: 252.27

CID	Case ID number

Location: 20-23 (width: 4; decimal: 0)

Variable Type: numeric

Question: Client ID Number

Based upon 672 valid cases out of 672 total cases.

- Mean: 1623.99
- Minimum: 1002.00
- Maximum: 3151.00
- Standard Deviation: 598.64

HIVRESULT	Result of HIV test

Location: 24-25 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99

Question: HIV test result

Value	*Label*	*Unweighted Frequency*	*%*
0	Negative	639	95.1 %
1	Positive	11	1.6 %
8	Test result pending	2	0.3 %
99 (M)	Missing	20	3.0 %

Based upon 652 valid cases out of 672 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.46

HEPCRESULT	Result of HepC test

Location: 26-27 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99 , .

Question: HEPC test result

Value	*Label*	*Unweighted Frequency*	*%*
0	Negative	480	71.4 %
1	Positive	149	22.2 %
2	Unknown	20	3.0 %
8	Test result pending	1	0.1 %

Value	*Label*	*Unweighted Frequency*	*%*
99 (M)	Missing	20	3.0 %
. (M)	-	2	0.3 %

Based upon 650 valid cases out of 672 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.60