
Monitoring the Future: A Continuing Study of
American Youth (8th- and 10th-Grade Surveys),
1999

Codebook for Part 4: 8th-Grade Form 4 Data

Lloyd D. Johnston, Jerald G. Bachman, Patrick M. O'Malley,
and John Schulenberg

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH
(8TH- AND 10TH-GRADE SURVEYS), 1999

(ICPSR 2940)

Principal Investigators

Lloyd D. Johnston, Jerald G. Bachman, Patrick M. O'Malley,
and John Schulenberg

University of Michigan
Institute for Social Research
Survey Research Center

First ICPSR Edition
October 2000

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106

BIBLIOGRAPHIC CITATION

Publications based on ICPSR data collections should acknowledge those sources by means of bibliographic citations. To ensure that such source attributions are captured for social science bibliographic utilities, citations must appear in footnotes or in the reference section of publications. The bibliographic citation for this data collection is:

Johnston, Lloyd D., Jerald G. Bachman, Patrick M. O'Malley, and John Schulenberg. MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH (8TH- AND 10TH-GRADE SURVEYS), 1999 [Computer file]. Conducted by University of Michigan, Survey Research Center. ICPSR ed. Ann Arbor, MI: Inter-university Consortium for Political and Social Research [producer and distributor], 2000.

REQUEST FOR INFORMATION ON USE OF ICPSR RESOURCES

To provide funding agencies with essential information about use of archival resources and to facilitate the exchange of information about ICPSR participants' research activities, users of ICPSR data are requested to send to ICPSR bibliographic citations for each completed manuscript or thesis abstract. Please indicate in a cover letter which data were used.

DATA DISCLAIMER

The original collector of the data, ICPSR, and the relevant funding agency bear no responsibility for uses of this collection or for interpretations or inferences based upon such uses.

TABLE OF CONTENTS

INTRODUCTION	i
Data Collection Description	i
Data Collection Procedures	i
Sampling Information	ii
Content Areas and Questionnaire Design.....	iv
Measurement Content Areas	v
Representativeness and Validity	vi
Weighting Information	x
File Structure	x
Codebook Information	xi
Processing Information	xiii
Citations	xvi
FREQUENCIES	1
APPENDICES	143
Appendix A - Publications	143
Appendix B - Sample Size and Student Response Rates	155

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF THE LIFESTYLES AND VALUES OF YOUTH, 1999, GRADES 8 AND 10, is conducted by the University of Michigan's Institute for Social Research and receives its core funding under grants from the National Institute on Drug Abuse. (The responsible investigators are: Lloyd D. Johnston, principal investigator; Jerald G. Bachman and Patrick M. O'Malley, co-principal investigators; and John Schulenberg, co-investigator.) The research project is an unusually comprehensive one in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; results may be compared with those from other age groups also surveyed annually by the project; and the subject matter is very broad, encompassing altogether more than 450 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate description of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the explanation of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from eighth, tenth, and twelfth graders during the spring of each year. Procedures for the twelfth grade data collection are explained in detail elsewhere (1,2); the eighth and tenth grade samples were added in 1991 after 16 years of annual twelfth grade surveys and closely parallel those used for the high school seniors. Approximately 160 schools are sampled for the eighth grade survey, and approximately 18,000 to 19,000 students are surveyed. For the tenth graders, approximately 130 high schools are sampled, and approximately 16,000 students are surveyed.

A major exception to the similarities with the 12th grade surveys is that in the 8th/10th grade surveys only two different questionnaire forms were used in 1991-1996 (this expanded to four forms beginning in 1997) rather than the six used with seniors. Identical forms are used for both eighth and tenth grades, and for the most part, questionnaire content is drawn from the twelfth-grade questionnaires. Thus, key demographic variables and measures of drug use and related attitudes and beliefs are generally identical for all three grades. However, many fewer questions about lifestyles and values are included in the 8th/10th grade forms, in part because the authors believe that many of these attitudes are likely to be more fully formed by twelfth grade and, therefore, are best monitored there.

A limitation to the study design is that two segments of the entire age-cohort are missing: those who are enrolled in school, but are absent on the day of data collection ("absentees"), and those who have dropped out of school ("dropouts").

Dropout rates are relatively low for 8th and 10th graders: dropouts are probably less than 1% in 8th grade, and less than 5% by 10th grade (1). Absentees comprise 10-11% of eighth graders and about 14% of tenth graders. Although absentees are likely to be somewhat different from non-absentees on a variety of dimensions, adjusting for their relatively small proportions

would have only very modest effects on population estimates. See the latest annual report for a more extended discussion of this issue (1).

SAMPLING INFORMATION

The procedure for securing nationally representative samples of eighth and tenth graders in public and private schools is a multistage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more schools in each area, and Stage 3 is the selection of students within each school.

Stage 1: Geographic Areas. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

Stage 2: Schools. In the major metropolitan areas more than one school is often included in the sampling design; in most other sampling areas a single school is sampled. In all cases, the selections of schools are made such that the probability of drawing a school is proportionate to the size of its eighth or tenth grade class. The larger the class (according to recent records), the higher the selection probability assigned to the school. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

Stage 3: Students. Within each selected school, up to about 350 students may be included in the data collection. In schools with fewer than 350 students, the usual procedure is to include all of them in the data collection. In larger schools, a subset of students is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. Sample weights are assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the (smaller) variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1991 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two-year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one class to the next is observed, it is possible to check whether that shift may be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the schools which participated both years. Thus far, the half-sample approach has worked quite well and examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

School Recruiting Procedures. Early during the fall semester an initial contact is made with each sampled school. First a letter is sent to the principal describing the study and requesting permission to survey students. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary)

makes arrangements to contact and seek the permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A specific date for the survey is mutually agreed upon and a local SRC representative is assigned to carry out the administration.

Advance Contact with Teachers and Students. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to that fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents. Parental consent involves, at a minimum, the school mailing a letter to the parents describing the study and providing them an easy way to decline their child's participation, if they so wish. Active consent procedures are used when the school or district requires them.

Questionnaire Administration. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward. Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automatic scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

Procedures for Protecting Confidentiality. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells

the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." From 1991 to 1998, the instructions pointed out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explained that these are the reasons for asking that name and address be written on a special form which was removed from the questionnaire and handed in separately. The message also pointed out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer tape at the University of Michigan.

The research design originally called for mail-out follow-up surveys of samples of the eighth and tenth graders participating in the study, carried out at two-year intervals similar to the twelfth grade follow-up samples. In 1997, it was decided to discontinue follow-up surveys; consequently, the original "confidential" procedures (in which names and addresses were obtained from all respondents) were changed to anonymous procedures (in which no names or addresses were obtained). To allow an assessment of the potential effect of the different procedures, half the schools (all those participating for a second year) were assigned to the confidential procedure in 1998, and half (all those participating in their first year) to the anonymous condition. Beginning in 1999, all eighth and tenth grade surveys were anonymous. The investigators concluded, based on early analyses, that this change in procedure had no effect on the reporting of sensitive information (i.e. drug use) by tenth graders, and little or no effect on eighth graders.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the 8th/10th grade questionnaires also deal with a wide range of other subject areas, including educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors. These are listed below, along with their associated code letters by which all questions are organized in the cross-time index of questionnaire items, included in this documentation. The same code letters have been assigned to each area as were used in the twelfth grade content index. Because not all of the areas covered in twelfth grade are included in grades 8/10, some letters in the sequence are missing here.

MEASUREMENT CONTENT AREAS

A.	<i>Drugs. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others regarding drugs.</i>
B.	<i>Education. Educational lifestyle, values, experiences, and environments. Media usage.</i>
C.	<i>Work and Leisure. Vocational values, meaning of work and leisure, work and leisure activities, preferences regarding occupational characteristics and type of work setting.</i>
D.	<i>Gender Roles and Family. Values, attitudes, and expectations about marriage, family structure, sex roles, and gender discrimination.</i>
E.	<i>Population Concerns. Values, attitudes, and expectations about personal family plans. Concerns about overpopulation. Educational opportunities offered concerning family planning.</i>
F.	<i>Conservation, Materialism, Equity, etc. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.</i>
G.	<i>Religion. Religious affiliation, practices, and views.</i>
I.	<i>Social Change. Values, attitudes, and expectations about social change.</i>
L.	<i>Military. Personal plans for military service. Views about the armed services and the use of military force.</i>
M.	<i>Interpersonal Relationships. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.</i>
O.	<i>Concern for Others. Radius of concern for others; voluntary and charitable activities.</i>
P.	<i>Happiness. Happiness and life satisfaction, overall and in specific life domains.</i>
Q.	<i>Other Personality Variables. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, optimism, trust in others, importance placed on various life goals.</i>
R.	<i>Background and School. Demographic and family background characteristics, curriculum and grades in school, victimization in school.</i>
S.	<i>Deviant Behavior and Victimization. Delinquent behaviors, seatbelt use, victimization experiences.</i>
T.	<i>Health habits and symptoms.</i>

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into two (1991-1996) to four (1997 on) different questionnaire forms. In 1997, the third and fourth questionnaire forms were added to allow for new questions to be included in the survey. The questionnaires are distributed to participants in an ordered sequence. In 1991-1996, this produced two equivalent half-samples. Beginning in 1997, four forms were used: forms 1 and 2 were distributed to a random 33.3% (1/3) of students, and forms 3 and 4 were distributed to a random 16.7% (1/6) of students. Thus, a question could be answered by 1/6, 1/3, 1/2, 2/3, 5/6, or all of the sample, depending on which forms included that question.

About one-third of each questionnaire form consists of key or “core” variables which are common to all forms. All demographic variables and some measures of drug use are included in this “core” set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of eighth and tenth grade students attending private or public schools throughout the 48 contiguous states. It is useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all eighth and tenth graders, and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully accurate. First, some sample schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

School Participation. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. (With very few exceptions, each school which has participated for one data collection has agreed to participate for a second.) When an invited school declines to participate, a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with “drug problems” refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools’ refusals to participate are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel confident that school refusals have not seriously biased the surveys.

Student Participation. Completed questionnaires are obtained from between 85% and 90% of all students sampled. The single most important reason that students are missed is that they are absent from class at the time of the data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. Of course, some students refuse to complete or turn in a questionnaire. However, SRC representatives in the field estimate this proportion to be less than one percent.

Validity of Self-Report Data. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present

study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history – as scholars of the relevant literature will recognize – though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination.

Accuracy of the Sample. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total samples of both grades have confidence intervals of 1.6% -- sometimes considerably smaller. This means that, had the project been able to invite all schools and all eighth or tenth graders in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.6 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project provide information which allows the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes (1).

Consistency and the Measurement of Trends. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

Interpreting Racial Differences. Ethnic identification is provided for the two largest racial/ethnic subgroups in the population – those who identify themselves as white or Caucasian and those who identify themselves as black or African-American. Identification is not given for the other ethnic categories (American Indian [Native American Indian], Asian American, Mexican American or Chicano, Cuban American, Puerto Rican American, or other Latin American) since each of these groups comprises less than three percent of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimate which would be too unreliable. In fact, even blacks – who constitute approximately 12 percent of each year's sample – are represented by fewer than 900 respondents per year on any single questionnaire form (and after 1996, when the number of forms doubled, fewer than 450). Further, because our sample is a stratified clustered

sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the annual volumes [1] for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing blacks is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for blacks, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison. Combining data for multiple years is another approach.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and confounding of race with a number of other background and demographic characteristics.

Differential Representation. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of blacks than white remain in school through the end of the twelfth grade.¹ Therefore, a slightly different segment of the black population than of the white population resides in the target population of high school seniors. It is less clear to what extent there may be differential representation at the 8th and 10th grade levels. It may be that there is very little underrepresentation in 8th grade, because very few students drop out of school before the end of 8th grade; somewhat more, though still relatively few, may drop out by near the end of 10th grade, and that could be differential by race.

Differential Response Tendencies. In examining the full range of variables, racial differences in response tendencies among high school seniors have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among blacks than among whites. For example, blacks tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-cancelling when the index is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for black respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of blacks as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

¹ Hispanics, the third largest racial/ethnic group, have considerably higher dropout rates than either whites or blacks, which means that student samples become increasingly less representative of the entire age group at higher grades.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may be an indication of that unwillingness. If a particular question or set of questions has a missing data rate higher than is true for the prior set of questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate has been found for black male seniors on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for black males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of black seniors than white seniors reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

Covariance with Other Factors. Some characteristics such as race are highly confounded (correlated) with other variables – variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socioeconomic level or region of the country – that is, once we compare the black respondents with white who come from similar backgrounds – there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of blacks live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of blacks are Baptists, and blacks tend to attribute more importance to religion than do whites.

These differences in background, demographic, and ascriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

The codebook frequencies have been weighted using variable V5.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH (8TH- AND 10TH-GRADE SURVEYS), 1999 is available from ICPSR as eight logical record length datasets. Each dataset consists of SAS and SPSS data definition statements containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used.

<i>Part #</i>	<i>Form</i>	<i>#Variables</i>	<i>Logical record length</i>	<i>Unweighted N</i>
<i>Part 1</i>	8 th Grade, Form 1	301	320	5764
<i>Part 2</i>	8 th Grade, Form 2	294	314	5736
<i>Part 3</i>	8 th Grade, Form 3	293	311	2894
<i>Part 4</i>	8 th Grade, Form 4	287	307	2893
<i>Part 5</i>	10 th Grade, Form 1	301	319	4624
<i>Part 6</i>	10 th Grade, Form 2	294	313	4611
<i>Part 7</i>	10 th Grade, Form 3	293	310	2329
<i>Part 8</i>	10 th Grade, Form 4	287	306	2321

The SAS and SPSS data definition statements give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

CODEBOOK INFORMATION

The codebook is arranged by question numbers, which do not coincide with the variable numbers.

The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] V1134 [2] 991A13 **KIND OF PAID JOB**

[3] A13: Which ONE of the job categories below comes closest to the kind of work you have done for pay on your current (or most recent) job? (If more than one kind of work, choose the one where you worked the most hours. Do not include work around the house.)

[4]	[5]	[6]	[7]	[8]
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	14.9	854	1	NO WORK
16.2	15.4	882	2	LAWN WK
1.4	1.3	75	3	FASTFOOD
1.0	0.9	54	4	WAITER
1.6	1.5	87	5	OTH REST
2.0	1.9	108	6	PAPER RT
35.4	33.7	1,934	7	BABYSIT
4.4	4.2	241	8	FARM WK
2.1	2.0	115	9	SALES WK
1.3	1.2	69	10	OFFICE
3.7	3.5	202	11	ODD JOBS
15.3	14.6	838	12	OTHER
	3.3	190	0	
	1.6	94	99	

----- ----- -----
 [9] [10] [11]
 100.0 100.0 5,745 cases (Wtd)

- [12] Data type: numeric
- [13] Decimals: 0
- [14] Missing-data codes: 0,99
- [15] Columns: 98-99

-
- [1] Indicates the variable number. A variable number is assigned to each variable in the data collection.

 - [2] Indicates the abbreviated variable name used to identify the variable for the user.

- [3] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.
- [4] Indicates the weighted percentage distribution of each code value for this variable excluding cases where the value is missing.
- [5] Indicates the weighted percentage distribution of each code value for this variable including cases where the value is missing.
- [6] Indicates the weighted frequency of occurrence of each code value for this variable.
- [7] Indicates the code values occurring in the data for this variable.
- [8] Indicates the textual definitions of the codes for this variable.
- [9] Indicates the total of the valid case percentages (100%).
- [10] Indicates the total of all case percentages (100%).
- [11] Indicates the number of cases (weighted) for this variable (including the missing cases).
- [12] Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (_), pound signs (#), and ampersands (&).
- [13] Indicates the number of decimal places in the variable.
- [14] Indicates the code values of missing data. In this example, code values equal to 9 are missing data (MD Codes: 9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.
- [15] Indicates starting and ending column locations of this variable. In this example, the variable named "991A13 KIND OF PAID JOB" begins in the 98th and ends in the 99th column within the record.

PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

NOTE: THE "cases (Wtd)" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

The N sizes and the percentage distributions are the result of using a weight variable, V5. For reasons of confidentiality, this variable was altered from its full version to a bracketed version prior to public distribution of the data; THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND IN THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a self-representing MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each eighth and tenth grade dataset.

Omitted Variables:

Forms 1 and 2 C01. R'S BIRTH YEAR
 Forms 1 and 2 C02 R'S BIRTH MONTH
 Forms 1 and 2 C05. FIRST LANGUAGE
 Forms 1 and 2 C07e-h. R'S HSHLD (other than mother/father/sibling)
 Forms 1 and 2 C12a. R'S RELGS PRFNC
 Form 2 E03. CURRENT HEIGHT
 Form 2 E04. CURRENT WEIGHT

The variables that have been retained but altered to insure confidentiality follow.

Forms 1-4 R'S ID - SERIAL #

5 digit code exclusive to each grade; modified to protect respondent confidentiality

Forms 1-4 Sampling Weight

Originally varied by school but modified to protect respondent confidentiality; use for all analyses, results of which will differ slightly from published data tables using original data

AGE <> 16 DICHOTOMY (10th grade only):

1=younger than 16 years old,

2=16 years old or more

9=missing data on birth year or birth month

Note on construction. If Q.C01 (Birth Year) is coded to mean the year which, subtracted from the year of administration variable, would be 16, then month of questionnaire administration (derived from date of administration) is compared to Q.C02 (Birth Month). If month of

administration is before month of birth, or if both are the same month, then the respondent is determined to be younger than 16.

C03. R'S RACE

0=WHITE, 1=BLACK, 9=All Other Codes and missing data on Q. C03

C07a-c. R'S HSHLD FATHER, MOTHER, SIBLING

0=marked, 1=not marked, 9=none of the three items marked

Sibling combines responses to originally separate questions about brother and sister, then after these and the remaining "HSHLD" items were deleted, missing data on C07a, b, and new c was redetermined.

C22. EVER HELD BACK

Dichotomized to 0=NO, 1=YES, 9=missing

C23. NEED SUMMER SCHL

Dichotomized to 0=NO, 1=YES, 9=missing

C24. EVER SUSPENDED

Dichotomized to 0=NO, 1=YES, 9=missing

Beginning in 1997, a select group of questions were excluded from some schools in the Western region, rendering those schools potentially identifiable. Thus, these variables were intentionally changed to missing data (coded 6) from all schools in the Western region of the contiguous United States:

Item Reference Number	Question Name	Form 1 Q#	Form 2 Q#	Form 3 Q#	Form 4 Q#
07970	N=ACHV/WMN=HOME	1A19C	2A15C	x	x
10540	WF WK,HBD SHD>HW	1A19D	2A15D	x	x
07990	WK MO AS WRM REL	1A19E	2A15E	x	x
00370	R'ATTND REL SVC	1C12B	2C12B	3C12B	4C12B
00380	RLGN IMP R'S LF	1C13	2C13	3C13	4C13
25180	#X PRNT CHK HMWK	1C28A	2C28A		
25190	#X PRNT HLP HMWK	1C28B	2C28B		
25200	#X PRNT GV CHORE	1C28C	2C28C		
25210	#X PRNT LIMIT TV	1C28D	2C28D		
25225	#X PRNT ALW OUT	1C28E	2C28E		
25860	TALK PROB W/PRNT	1C29	2C29	3C29	4C29
25870	TALK PROB W/ADLT	1C30	2C30	3C30	4C30
10530	MO SH B W CHL>TM	1E10A	x	3E08A	x
12180	FTHR>TIME W CHLD	1E10B	x	3E08B	x
11230	P'IDEA OF DO LIF	x	2D15A	x	4D21A
11240	P'IDEA OF LSR TM	x	2D15B	x	4D21B
11250	P'IDEA OF CLTHES	x	2D15C	x	4D21C
11260	P'IDEA OF SPND \$	x	2D15D	x	4D21D
11270	P'IDEA OF DATE	x	2D15E	x	4D21E
11280	P'IDEA OF OK DRK	x	2D15F	x	4D21F
11290	P'IDEA OF OK MRJ	x	2D15G	x	4D21G
11300	P'IDEA OF OK DRG	x	2D15H	x	4D21H
11310	P'IDEA OF VALUES	x	2D15I	x	4D21I
11320	P'IDEA OF EDUC	x	2D15J	x	4D21J
10530	MO SH B W CHL>TM	1E10A	x	3E08A	x
12180	FTHR>TIME W CHLD	1E10B	x	3E08B	x
30760	PRN KNW AFT SCHL	x	x	3C28A	4C28A
30770	PRN KNW WHO@NITE	x	x	3C28B	4C28B
30780	PRN KNW WHER@NGT	x	x	3C28C	4C28C
30790	R'S WKND CURFEW	x	x	3C28D	4C28D

An x in a column indicates that the question was not included in the questionnaire form to which the column refers.

CITATIONS

¹National survey results on drug use from the Monitoring the Future study, 1975-1997, Volume I: Secondary school students (1998). (NIH Pub. No. 98-4345). Vol II: College students and young adults (1998). (NIH Pub. No. 98-4346). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 433 pp. and 206 pp. respectively.

²The Monitoring the Future project after twenty-two years: Design and procedures. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1996, 89 pp.

FREQUENCIES
8TH GRADE, FORM 4

CASEID	CASE IDENTIFICATION NUMBER
---------------	-----------------------------------

2,906 cases (Wtd) (Range of valid codes: 1-2,893)

Data type: numeric

Columns: 304-307

V507	994 SCHOOL REGION
-------------	--------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.7	17.7	514	1	NE
25.4	25.4	739	2	NCENTRL
36.7	36.7	1,066	3	SOUTH
20.2	20.2	587	4	WEST
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric

Column: 1

V508	994 SELF-REP=NOT=0
-------------	---------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.2	71.2	2,069	0	NOSLFREP
28.8	28.8	837	1	SELF REP
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric

Column: 2

V509	994 SMSA=NON-SMSA=0
-------------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.9	23.9	695	0	NON
76.1	76.1	2,211	1	MSA
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric

Column: 3

V5

994 SAMPLING WEIGHT

2,906 cases (Wtd) (Range of valid codes: .1699-5.1115)

Data type: numeric

Decimals: 4

Columns: 4-9

V1

994 YEAR OF ADMINISTRATION

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	2,906	1999	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric

Columns: 10-13

V3

994 FORM ID

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	2,906	4	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric

Column: 14

V4147 994B01 EVR SMK CIG,REGL

B01: Have you ever smoked cigarettes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.2	54.7	1,591	1	NEVER
22.7	22.1	642	2	1-2X
9.7	9.5	276	3	OCCASNLY
5.9	5.8	167	4	REG PAST
5.6	5.4	157	5	REG NOW
	0.1	1	0	
	2.5	71	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 15

V4148 994B02 #CIGS SMKD/30DAY

B02: How frequently have you smoked cigarettes during the past 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.3	80.0	2,325	1	NONE
10.5	10.2	297	2	<1 CIG/D
4.5	4.4	127	3	1-5/DAY
2.0	1.9	55	4	2PK/D
0.4	0.4	11	5	1 PK/DA
0.2	0.2	6	6	1.5 PK/D
0.1	0.1	4	7	2+ PKS/D
	2.8	81	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 16

V4162 994B08 *TRY STP SMK&FL

B08: Have you ever tried to stop smoking and found that you could not?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.8	7.7	225	1	YES
81.2	33.5	972	2	NO
	54.7	1,591	8	
	4.1	118	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 17

V4182 994B19 EVER DRINK

B19: Have you ever had any beer, wine, wine coolers, or liquor to drink--more than just a few sips?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.7	44.5	1,294	1	NO
52.3	48.8	1,419	2	YES
	6.6	193	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 18

V4183	994B20A #X DRNK/LIFETIME
--------------	---------------------------------

B20: On how many occasions (if any) have you had alcohol to drink--more than just a few sips...
 B20a. ...in your lifetime?

PCT VALID	PCT ALL	N	VALUE	LABEL
48.2	44.5	1,294	1	0 OCCAS
11.8	10.9	318	2	1-2X
11.6	10.7	312	3	3-5X
7.6	7.0	203	4	6-9X
8.7	8.0	233	5	10-19X
5.6	5.2	150	6	20-39X
6.4	5.9	173	7	40+OCCAS
	0.1	2	0	
	7.6	222	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 19

V4184	994B20B #X DRNK/LAST12MO
--------------	---------------------------------

B20: On how many occasions (if any) have you had alcohol to drink--more than just a few sips...
 B20b. ...during the last 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
55.7	51.3	1,492	1	0 OCCAS
17.8	16.4	478	2	1-2X
11.8	10.9	317	3	3-5X
6.0	5.5	160	4	6-9X
4.9	4.5	132	5	10-19X
2.0	1.9	55	6	20-39X
1.7	1.5	44	7	40+OCCAS
	0.0	1	0	
	7.8	227	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 20

V4185 994B20C #X DRNK/LAST30DA

B20: On how many occasions (if any) have you had alcohol to drink--more than just a few sips...
 B20c. ...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.6	69.5	2,020	1	0 OCCAS
14.3	13.2	382	2	1-2X
5.2	4.8	140	3	3-5X
2.7	2.5	73	4	6-9X
0.8	0.8	22	5	10-19X
0.5	0.4	13	6	20-39X
0.7	0.7	20	7	40+OCCAS
	8.1	236	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 21

V4186 994B21 5+DRK ROW/LST 2W

B21: Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a glass of wine, a bottle of beer, a wine cooler, a shot glass of liquor, or a mixed drink.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.9	78.7	2,288	1	NONE
5.3	4.9	142	2	ONCE
5.0	4.6	134	3	TWICE
2.9	2.7	77	4	3-5X
1.1	1.1	31	5	6-9X
0.9	0.8	24	6	10+ TIME
	0.0	1	0	
	0.2	7	8	
	7.0	202	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 22

V4187

994B22A #XDRUNK/LIFETIME

B22: On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages?
 B22a. ...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.3	66.3	1,927	1	0 OCCAS
12.7	11.4	330	2	1-2X
5.1	4.6	133	3	3-5X
3.1	2.7	80	4	6-9X
2.2	1.9	56	5	10-19X
1.4	1.2	35	6	20-39X
1.2	1.1	32	7	40+OCCAS
	10.7	312	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 23

V4188

994B22B #XDRUNK/LAST12MO

B22: On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages?
 B22b. ...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.4	70.7	2,054	1	0 OCCAS
11.6	10.2	295	2	1-2X
4.4	3.8	112	3	3-5X
1.7	1.5	43	4	6-9X
0.8	0.7	22	5	10-19X
0.7	0.6	17	6	20-39X
0.4	0.4	11	7	40+OCCAS
	12.1	353	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 24

V4189

994B22C #XDRUNK/LAST30DA

B22: On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages?
 B22c. ...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	79.7	2,316	1	0 OCCAS
6.4	5.6	163	2	1-2X
1.8	1.6	47	3	3-5X
0.4	0.4	11	4	6-9X
0.2	0.2	5	5	10-19X
0.3	0.3	8	6	20-39X
0.2	0.1	4	7	40+OCCAS
	12.2	353	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 25

V4190

994B23A #XMJ+HS/LIFETIME

B23: On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil)...
 B23a. ...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.5	77.2	2,242	1	0 OCCAS
7.0	6.8	197	2	1-2X
3.1	3.0	86	3	3-5X
1.9	1.8	53	4	6-9X
2.7	2.6	76	5	10-19X
2.2	2.1	61	6	20-39X
3.8	3.7	107	7	40+OCCAS
	0.1	3	0	
	2.8	81	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 26

V4191	994B23B #XMJ+HS/LAST12MO
-------	--------------------------

B23: On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil)...

B23b. ...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.0	82.3	2,393	1	0 OCCAS
5.3	5.1	149	2	1-2X
2.9	2.8	82	3	3-5X
1.8	1.7	50	4	6-9X
1.9	1.9	54	5	10-19X
1.3	1.2	35	6	20-39X
1.8	1.8	51	7	40+OCCAS
	3.2	92	9	

100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 27

V4192	994B23C #XMJ+HS/LAST30DA
-------	--------------------------

B23: On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil)...

B23c. ...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.1	88.4	2,571	1	0 OCCAS
3.8	3.7	107	2	1-2X
1.6	1.5	45	3	3-5X
1.0	1.0	29	4	6-9X
1.1	1.1	31	5	10-19X
0.6	0.6	18	6	20-39X
0.7	0.7	21	7	40+OCCAS
	2.9	85	9	

100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 28

V4193 **994B24A #X LSD/LIFETIME**

B24: On how many occasions (if any) have you used LSD ("acid")...
 B24a. ...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	93.8	2,726	1	0 OCCAS
2.8	2.7	80	2	1-2X
0.6	0.6	18	3	3-5X
0.4	0.4	10	4	6-9X
0.1	0.1	3	5	10-19X
0.1	0.1	2	6	20-39X
0.3	0.2	7	7	40+OCCAS
	0.0	1	0	
	2.0	59	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 29

V4194 **994B24B #X LSD/LAST 12MO**

B24: On how many occasions (if any) have you used LSD ("acid")...
 B24b. ...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	95.7	2,782	1	0 OCCAS
1.6	1.6	46	2	1-2X
0.3	0.3	8	3	3-5X
0.1	0.1	3	4	6-9X
0.0	0.0	1	5	10-19X
0.2	0.2	5	6	20-39X
0.1	0.1	2	7	40+OCCAS
	2.1	60	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 30

V4195 **994B24C #X LSD/LAST 30DA**

B24: On how many occasions (if any) have you used LSD ("acid")...
 B24c. ...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	96.9	2,815	1	0 OCCAS
0.7	0.7	20	2	1-2X
0.1	0.1	4	3	3-5X
0.1	0.1	3	4	6-9X
0.1	0.1	1	5	10-19X
0.1	0.1	2	6	20-39X
0.0	0.0	0	7	40+OCCAS
	2.1	60	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 31

V4196 **994B25A #X PSYD/LIFETIME**

B25: On how many occasions (if any) have you used psychedelics
 other than LSD (like PCP, mescaline, peyote, psilocybin)...
 B25a. ...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	95.9	2,786	1	0 OCCAS
1.0	1.0	28	2	1-2X
0.5	0.5	13	3	3-5X
0.2	0.2	6	4	6-9X
0.1	0.1	2	5	10-19X
0.0	0.0	1	6	20-39X
0.1	0.1	3	7	40+OCCAS
	2.3	67	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 32

V4197 **994B25B #X PSYD/LAST12MO**

B25: On how many occasions (if any) have you used psychedelics other than LSD (like PCP, mescaline, peyote, psilocybin)...
 B25b. ...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	96.6	2,807	1	0 OCCAS
0.7	0.7	21	2	1-2X
0.2	0.2	4	3	3-5X
0.1	0.1	3	4	6-9X
0.1	0.1	2	5	10-19X
0.1	0.1	2	6	20-39X
0.0	0.0	1	7	40+OCCAS
	2.3	66	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 33

V4198 **994B25C #X PSYD/LAST30DA**

B25: On how many occasions (if any) have you used psychedelics other than LSD (like PCP, mescaline, peyote, psilocybin)...
 B25c. ...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	97.2	2,824	1	0 OCCAS
0.3	0.2	7	2	1-2X
0.1	0.1	3	3	3-5X
0.1	0.1	3	4	6-9X
0.0	0.0	0	5	10-19X
0.0	0.0	1	6	20-39X
0.0	0.0	1	7	40+OCCAS
	2.3	67	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 34

V4199	994B26A #X CRACK/LIFETIM
-------	--------------------------

B26: On how many occasions (if any) have you taken "crack"
 (cocaine in chunk or rock form)...

B26a. ...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	95.1	2,764	1	0 OCCAS
2.1	2.0	59	2	1-2X
0.4	0.4	11	3	3-5X
0.5	0.5	13	4	6-9X
0.1	0.1	3	5	10-19X
0.1	0.1	2	6	20-39X
0.1	0.1	4	7	40+OCCAS
	1.7	50	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 35

V4200	994B26B #X CRACK/LAST12M
-------	--------------------------

B26: On how many occasions (if any) have you taken "crack"
 (cocaine in chunk or rock form)...

B26b. ...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	96.4	2,801	1	0 OCCAS
1.3	1.3	37	2	1-2X
0.3	0.3	10	3	3-5X
0.0	0.0	1	4	6-9X
0.1	0.1	3	5	10-19X
0.1	0.1	3	6	20-39X
0.0	0.0	0	7	40+OCCAS
	1.8	52	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 36

V4201	994B26C #X CRACK/LAST30D
--------------	---------------------------------

B26: On how many occasions (if any) have you taken "crack"
 (cocaine in chunk or rock form)...
 B26c. ...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	97.5	2,834	1	0 OCCAS
0.6	0.6	18	2	1-2X
0.0	0.0	1	3	3-5X
0.1	0.1	2	4	6-9X
0.1	0.1	2	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	0	7	40+OCCAS
	1.7	50	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 37

V4202	994B27A #XOTH COKE/LIFE
--------------	--------------------------------

B27: On how many occasions (if any) have you used cocaine in any
 other form (like cocaine powder)...
 B27a. ...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	94.4	2,745	1	0 OCCAS
2.3	2.3	67	2	1-2X
0.2	0.2	6	3	3-5X
0.5	0.5	15	4	6-9X
0.4	0.3	10	5	10-19X
0.2	0.2	5	6	20-39X
0.1	0.1	2	7	40+OCCAS
	1.9	56	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 38

V4203

994B27B #XOTH COKE/12MO

B27: On how many occasions (if any) have you used cocaine in any other form (like cocaine powder)...
 B27b. ...during the last 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
98.2	96.3	2,798	1	0 OCCAS
0.8	0.7	22	2	1-2X
0.5	0.5	15	3	3-5X
0.3	0.3	9	4	6-9X
0.1	0.1	2	5	10-19X
0.1	0.1	3	6	20-39X
0.0	0.0	0	7	40+OCCAS
	2.0	58	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 39

V4204

994B27C #XOTH COKE/30DA

B27: On how many occasions (if any) have you used cocaine in any other form (like cocaine powder)...
 B27c. ...during the last 30 days?

PCT VALID	PCT ALL	N	VALUE	LABEL
99.1	97.1	2,822	1	0 OCCAS
0.7	0.6	19	2	1-2X
0.1	0.1	4	3	3-5X
0.1	0.1	3	4	6-9X
0.0	0.0	1	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	0	7	40+OCCAS
	2.0	59	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 40

V4205 994B28A #X AMPH/LIFETIME

B28: On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them...

B28a. ...in your lifetime?

PCT VALID	PCT ALL	N	VALUE	LABEL
90.7	88.6	2,576	1	0 OCCAS
5.6	5.4	158	2	1-2X
1.3	1.3	38	3	3-5X
0.8	0.8	24	4	6-9X
0.6	0.6	18	5	10-19X
0.2	0.2	7	6	20-39X
0.7	0.6	19	7	40+OCCAS
	2.3	66	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 41

V4206 994B28B #X AMPH/LAST12MO

B28: On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them...

B28b. ...during the last 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
93.4	91.3	2,652	1	0 OCCAS
4.1	4.1	118	2	1-2X
1.1	1.1	33	3	3-5X
0.3	0.3	9	4	6-9X
0.6	0.6	16	5	10-19X
0.2	0.2	5	6	20-39X
0.2	0.2	6	7	40+OCCAS
	2.3	68	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 42

V4207	994B28C #X AMPH/LAST30DA
--------------	---------------------------------

B28: On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them...

B28c. ...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	94.2	2,738	1	0 OCCAS
2.2	2.2	64	2	1-2X
0.6	0.6	17	3	3-5X
0.6	0.6	17	4	6-9X
0.1	0.1	4	5	10-19X
0.0	0.0	1	6	20-39X
0.0	0.0	0	7	40+OCCAS
	2.3	67	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 43

V4208	994B29A #X BRBT/LIFETIME
--------------	---------------------------------

B29: On how many occasions (if any) have you taken barbiturates on your own--that is, without a doctor telling you to take them...

B29a. ...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.2	90.8	2,638	1	0 OCCAS
3.5	3.4	99	2	1-2X
1.8	1.7	50	3	3-5X
0.5	0.4	13	4	6-9X
0.5	0.5	15	5	10-19X
0.1	0.1	2	6	20-39X
0.4	0.4	13	7	40+OCCAS
	2.6	76	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 44

V4209 994B29B #X BRBT/LAST12MO

B29: On how many occasions (if any) have you taken barbiturates on your own--that is, without a doctor telling you to take them...

B29b. ...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.0	93.5	2,716	1	0 OCCAS
2.0	2.0	57	2	1-2X
1.2	1.2	34	3	3-5X
0.5	0.5	14	4	6-9X
0.1	0.1	3	5	10-19X
0.2	0.2	5	6	20-39X
0.0	0.0	0	7	40+OCCAS
	2.6	77	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 45

V4210 994B29C #X BRBT/LAST30DA

B29: On how many occasions (if any) have you taken barbiturates on your own--that is, without a doctor telling you to take them...

B29c. ...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	95.0	2,762	1	0 OCCAS
1.7	1.6	48	2	1-2X
0.3	0.3	8	3	3-5X
0.3	0.3	9	4	6-9X
0.0	0.0	1	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	0	7	40+OCCAS
	2.7	79	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 46

V4211	994B30A #X TRQL/LIFETIME
-------	--------------------------

B30: On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them...

B30a. ...in your lifetime?

PCT VALID	PCT ALL	N	VALUE	LABEL
95.8	93.6	2,720	1	0 OCCAS
2.8	2.8	81	2	1-2X
0.5	0.5	15	3	3-5X
0.4	0.4	11	4	6-9X
0.1	0.1	4	5	10-19X
0.0	0.0	1	6	20-39X
0.2	0.2	7	7	40+OCCAS
	2.4	69	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 47

V4212	994B30B #X TRQL/LAST12MO
-------	--------------------------

B30: On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them...

B30b. ...during the last 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
98.0	95.7	2,781	1	0 OCCAS
1.4	1.4	40	2	1-2X
0.4	0.4	12	3	3-5X
0.0	0.0	1	4	6-9X
0.0	0.0	0	5	10-19X
0.1	0.1	4	6	20-39X
0.0	0.0	1	7	40+OCCAS
	2.3	68	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 48

V4213 994B30C #X TRQL/LAST30DA

B30: On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them...
 B30c. ...during the last 30 days?

PCT VALID	PCT ALL	N	VALUE	LABEL
98.9	96.5	2,806	1	0 OCCAS
0.8	0.8	23	2	1-2X
0.0	0.0	1	3	3-5X
0.1	0.1	2	4	6-9X
0.1	0.1	3	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	1	7	40+OCCAS
	2.4	71	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 49

V4220 994B33A #X NARC/LIFETIME

B33: On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them...
 B33a. ...in your lifetime?

PCT VALID	PCT ALL	N	VALUE	LABEL
93.0	90.2	2,623	1	0 OCCAS
3.9	3.8	109	2	1-2X
1.3	1.2	36	3	3-5X
0.7	0.7	20	4	6-9X
0.5	0.5	13	5	10-19X
0.3	0.3	10	6	20-39X
0.4	0.4	11	7	40+OCCAS
	2.9	85	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 50

V4221 994B33B #X NARC/LAST12MO

B33: On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them...
 B33b. ...during the last 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
96.1	93.2	2,709	1	0 OCCAS
2.1	2.0	58	2	1-2X
0.7	0.7	20	3	3-5X
0.5	0.4	13	4	6-9X
0.5	0.5	13	5	10-19X
0.2	0.2	5	6	20-39X
0.0	0.0	1	7	40+OCCAS
	3.0	87	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 51

V4222 994B33C #X NARC/LAST30DA

B33: On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them...
 B33c. ...during the last 30 days?

PCT VALID	PCT ALL	N	VALUE	LABEL
98.4	95.5	2,776	1	0 OCCAS
1.0	0.9	28	2	1-2X
0.2	0.2	6	3	3-5X
0.2	0.2	6	4	6-9X
0.1	0.1	4	5	10-19X
0.1	0.1	2	6	20-39X
0.0	0.0	1	7	40+OCCAS
	2.9	85	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 52

V4223

994B34A #X INHL/LIFETIME

B34: On how many occasions (if any) have you sniffed glue, or
breathed the contents of aerosol spray cans, or inhaled any
other gases or sprays in order to get high...

B34a. ...in your lifetime?

PCT VALID	PCT ALL	N	VALUE	LABEL
79.1	76.8	2,234	1	0 OCCAS
12.2	11.9	344	2	1-2X
3.7	3.6	104	3	3-5X
1.7	1.7	49	4	6-9X
1.3	1.3	37	5	10-19X
0.7	0.7	19	6	20-39X
1.3	1.3	37	7	40+OCCAS
	0.0	1	0	
	2.8	82	9	

100.0 100.0 2,906 cases (Wtd)

Data type: numeric

Missing-data codes: 0,9

Column: 53

V4224 994B34B #X INHL/LAST12MO

B34: On how many occasions (if any) have you sniffed glue, or
 breathed the contents of aerosol spray cans, or inhaled any
 other gases or sprays in order to get high...
 B34b. ...during the last 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
88.9	86.3	2,507	1	0 OCCAS
6.6	6.4	186	2	1-2X
2.3	2.2	65	3	3-5X
0.9	0.8	24	4	6-9X
0.7	0.7	20	5	10-19X
0.3	0.2	7	6	20-39X
0.4	0.4	12	7	40+OCCAS
	2.9	85	9	
-----	-----	-----		
100.0	100.0	2,906	cases	(Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 54

V4225 994B34C #X INHL/LAST30DA

B34: On how many occasions (if any) have you sniffed glue, or
 breathed the contents of aerosol spray cans, or inhaled any
 other gases or sprays in order to get high...
 B34c. ...during the last 30 days?

PCT VALID	PCT ALL	N	VALUE	LABEL
94.4	91.6	2,661	1	0 OCCAS
3.9	3.8	109	2	1-2X
0.8	0.8	22	3	3-5X
0.4	0.4	11	4	6-9X
0.1	0.1	3	5	10-19X
0.3	0.3	9	6	20-39X
0.1	0.1	2	7	40+OCCAS
	3.1	89	9	
-----	-----	-----		
100.0	100.0	2,906	cases	(Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 55

V4226 **994B35A #X STRD/LIFETIME**

B35: On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them...

B35a. ...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	95.0	2,761	1	0 OCCAS
1.5	1.5	43	2	1-2X
0.4	0.4	10	3	3-5X
0.2	0.2	6	4	6-9X
0.1	0.1	2	5	10-19X
0.0	0.0	1	6	20-39X
0.1	0.1	4	7	40+OCCAS
	2.7	79	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 56

V4227 **994B35B #X STRD/LAST12MO**

B35: On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them...

B35b. ...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	96.1	2,792	1	0 OCCAS
1.0	0.9	27	2	1-2X
0.1	0.1	4	3	3-5X
0.0	0.0	1	4	6-9X
0.1	0.1	2	5	10-19X
0.1	0.1	4	6	20-39X
0.0	0.0	1	7	40+OCCAS
	2.6	76	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 57

V4228 994B35C #X STRD/LAST30DA

B35: On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them...

B35c. ...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	97.0	2,818	1	0 OCCAS
0.2	0.2	6	2	1-2X
0.1	0.1	2	3	3-5X
0.1	0.1	4	4	6-9X
0.0	0.0	1	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	1	7	40+OCCAS
	2.6	75	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 58

V4232 994B37A #X ROHYPNOL/LIF

B37: On how many occasions (if any) have you used Rohypnol ("rophies," "roofies")...

B37a. ...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	95.8	2,783	1	0 OCCAS
1.0	0.9	27	2	1-2X
0.0	0.0	1	3	3-5X
0.0	0.0	0	4	6-9X
0.0	0.0	1	5	10-19X
0.1	0.1	2	6	20-39X
0.0	0.0	1	7	40+OCCAS
	3.1	91	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 59

V4233	994B37B #X ROHYPNOL/12M
-------	-------------------------

B37: On how many occasions (if any) have you used Rohypnol
("rophies," "roofies")...
B37b. ...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	96.4	2,802	1	0 OCCAS
0.3	0.3	8	2	1-2X
0.0	0.0	1	3	3-5X
0.0	0.0	0	4	6-9X
0.1	0.1	3	5	10-19X
0.0	0.0	1	6	20-39X
0.0	0.0	0	7	40+OCCAS
	3.2	92	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
Missing-data codes: 0,9
Column: 60

V4234	994B37C #X ROHYPNOL/30D
-------	-------------------------

B37: On how many occasions (if any) have you used Rohypnol
("rophies," "roofies")...
B37c. ...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	96.6	2,806	1	0 OCCAS
0.1	0.1	3	2	1-2X
0.1	0.1	4	3	3-5X
0.0	0.0	0	4	6-9X
0.0	0.0	0	5	10-19X
0.0	0.0	1	6	20-39X
0.0	0.0	0	7	40+OCCAS
	3.2	93	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
Missing-data codes: 0,9
Column: 61

V4158	994B05 USUAL CIG BRAND
-------	------------------------

B05: What brand of cigarettes do you usually smoke?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	2	1	BASIC
0.4	0.1	2	2	B& H
0.0	0.0	0	3	B& W
0.0	0.0	0	4	CAMBRIDGE
4.8	0.7	21	5	CAMEL
0.4	0.1	2	6	CAPRI
0.0	0.0	0	7	CARLTON
0.3	0.0	1	8	DORAL
0.6	0.1	3	9	GPC
0.0	0.0	0	10	KENT
1.7	0.3	7	11	KOOL
53.3	8.0	231	12	MARLBORO
0.2	0.0	1	13	MERIT
0.2	0.0	1	14	MISTY
0.1	0.0	0	15	MONARCH
0.0	0.0	0	16	MORE
25.1	3.8	109	17	NEWPORT
0.0	0.0	0	18	PALLMALL
0.1	0.0	1	19	PARLIAMENT
1.1	0.2	5	20	SALEM
0.0	0.0	0	21	VANTAGE
0.5	0.1	2	22	VA SLIMS
1.5	0.2	6	23	WINSTON
0.7	0.1	3	24	OTHER
8.7	1.3	38	25	NO USUAL
	2.4	69	0	
	80.0	2,325	98	
	2.7	78	99	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,98-
 Columns: 62-63

V4237 **994C03 R'S SEX**

C03: What is your sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.4	46.4	1,347	1	MALE
51.6	49.5	1,438	2	FEMALE
	0.0	1	0	
	4.1	120	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 64

V4238 **994C04(R R'S RACE**

C04: How do you describe yourself?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.3	56.2	1,632	0	WHITE
21.7	15.5	452	1	BLACK
	28.3	823	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data code: 9
 Column: 65

V4239 **994C05 ITEM OMITTED**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	2,906	9	DELETED
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 66

V4240 994C06 WHERE LIVE NOW

C06: Where are you living now?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	4.9	143	1	FARM
18.6	18.0	524	2	COUNTRY
76.4	74.2	2,157	3	CITYTOWN
	0.3	8	0	
	2.5	74	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 67

V4241 994C07A(R R'S HSHLD FATHER

C07: Which of the following people live in the same household with
 you? (Mark all that apply.)
 C07a. Father (or stepfather)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.3	19.3	561	0	NT MARKD
79.7	76.0	2,208	1	MARKED
	4.7	137	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data code: 9
 Column: 68

V4242 994C07B(R R'S HSHLD MOTHER)

C07: Which of the following people live in the same household with you? (Mark all that apply.)
 C07b. Mother (or stepmother)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	5.1	148	0	NT MARKD
94.6	90.2	2,621	1	MARKED
	4.7	137	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data code: 9
 Column: 69

V4243 994C07C(R R'S HSHLD SIBLING)

C07: Which of the following people live in the same household with you? (Mark all that apply.)
 C07c. Brothers and/or Sisters (or stepbrothers and/or stepsisters)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.3	15.5	451	0	NT MARKD
83.7	79.7	2,318	1	MARKED
	4.7	137	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data code: 9
 Column: 70

V4244 **994C07D(R ITEM COMBINED->4243)**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	2,906	9	DELETED
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Column: 71

V4245 **994C07E ITEM OMITTED**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	2,906	9	DELETED
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Column: 72

V4246 **994C07F ITEM OMITTED**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	2,906	9	DELETED
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Column: 73

V4247 **994C07G ITEM OMITTED**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	2,906	9	DELETED
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 74

V4248 **994C07H ITEM OMITTED**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	2,906	9	DELETED
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,7-*
 Column: 75

V4249 **994C08 AFTER SCHL ALONE**

C08: On average, how much time do you spend after school each day at home with no adult present? (Count the hours between the end of school and when you go to bed.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.4	21.7	630	1	NONE
21.8	21.1	612	2	LT 1 HR
21.8	21.1	612	3	1-2HRS
16.5	16.0	464	4	2-3 HRS
9.2	8.9	259	5	4-5 HRS
8.3	8.1	234	6	>5 HRS(6)
	0.1	4	0	
	3.2	92	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 76

V4250	994C09	FATHR EDUC LEVEL
-------	--------	------------------

C09: What is the highest level of schooling your father completed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.3	67	1	GRDE SCH
9.7	8.1	235	2	SOME HS
30.9	25.7	746	3	HS GRAD
14.8	12.3	358	4	SOME CLG
26.9	22.3	649	5	CLG GRAD
15.0	12.4	361	6	GRAD SCH
	12.9	376	7	DK
	3.9	114	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,7-*
 Column: 77

V4251	994C10	MOTHR EDUC LEVEL
-------	--------	------------------

C10: What is the highest level of schooling your mother completed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.7	49	1	GRDE SCH
10.0	8.9	258	2	SOME HS
28.9	25.6	743	3	HS GRAD
17.3	15.3	444	4	SOME CLG
28.1	24.9	723	5	CLG GRAD
13.8	12.2	354	6	GRAD SCH
	8.0	234	7	DK
	3.5	101	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,7-*
 Column: 78

V4252	994C11 MOTHER PAID JOB
-------	------------------------

C11: Does your mother have a paid job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.0	16.3	475	1	NO
20.5	19.7	573	2	YES P/T
62.6	60.3	1,752	3	YES F/T
	0.1	2	0	
	3.6	105	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 79

V4253	994C12A ITEM OMITTED
-------	----------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	2,906	99	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,6-*
 Columns: 80-81

V4254	994C12B R'ATTND REL SVC
-------	-------------------------

C12: The next three questions are about religion.
 C12b. How often do you attend religious services?
 (This question omitted from Western region questionnaires.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.9	9.9	288	1	NEVER
25.5	19.6	570	2	RARELY
15.2	11.7	339	3	1-2X/MO
46.4	35.6	1,035	4	WK OR+
	0.1	2	0	
	20.2	587	6	
	2.9	86	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,6-*
 Column: 82

V4255	994C13 RLGN IMP R'S LF
-------	------------------------

C13: The next three questions are about religion. How important
 is religion in your life?
 (This question omitted from Western region questionnaires.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	8.1	235	1	NOT IMPT
22.1	16.9	492	2	LITL IMP
32.3	24.8	720	3	PRTY IMP
35.2	27.0	784	4	VERY IMP
	0.1	3	0	
	20.2	587	6	
	3.0	87	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,6-*
 Column: 83

V4256 994C14 R HS GRADE/D=1

C14: Which of the following best describes your average grade in this school year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.5	73	1	D
5.3	5.1	149	2	C-
6.7	6.4	186	3	C
10.1	9.7	281	4	C+
10.7	10.2	297	5	B-
14.2	13.6	395	6	B
16.3	15.6	453	7	B+
13.4	12.8	372	8	A-
20.7	19.8	576	9	A
	4.3	124	0	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data code: 0
 Column: 84

V4257 994C15 R'S HS PROGRAM

C15: Which of the following best describes your present (or expected) high school program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.0	33.9	986	1	CLG PREP
17.5	16.5	479	2	GENERAL
6.0	5.6	164	3	VOC-TECH
40.5	38.1	1,108	4	OTH/DK
	0.2	5	0	
	5.6	164	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 85

V4259	994C17A R WL GRADUATE HS
-------	--------------------------

C17: How likely is it that you will do each of the following things?

C17a. Graduate from high school

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	11	1	DEF WONT
1.2	1.1	32	2	PRB WONT
10.6	10.2	296	3	PRB WILL
87.9	84.8	2,466	4	DEF WILL
	0.1	2	0	
	3.4	99	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric

Missing-data codes: 0,9

Column: 86

V4260	994C17B R WL DO VOC/TEC
-------	-------------------------

C17: How likely is it that you will do each of the following things?

C17b. Go to a technical or vocational school after high school

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.1	18.4	536	1	DEF WONT
44.5	40.9	1,188	2	PRB WONT
24.7	22.7	661	3	PRB WILL
10.7	9.8	285	4	DEF WILL
	0.0	1	0	
	8.1	237	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric

Missing-data codes: 0,9

Column: 87

V4261	994C17C R WL GO TO CLG
--------------	-------------------------------

C17: How likely is it that you will do each of the following things?

C17c. Go to college

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.6	76	1	DEF WONT
5.1	4.9	143	2	PRB WONT
24.7	23.7	688	3	PRB WILL
67.4	64.5	1,876	4	DEF WILL
	0.2	7	0	
	4.0	117	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 88

V4262	994C17D R WL DO 4YR CLG
--------------	--------------------------------

C17: How likely is it that you will do each of the following things?

C17d. Graduate from college (four-year program)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.3	96	1	DEF WONT
7.0	6.7	195	2	PRB WONT
29.8	28.5	828	3	PRB WILL
59.8	57.2	1,661	4	DEF WILL
	0.1	3	0	
	4.2	123	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 89

V4263 **994C17E R WL DO ARMD FC**

C17: How likely is it that you will do each of the following things?

C17e. Serve in the armed forces

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.6	46.3	1,346	1	DEF WONT
32.9	31.4	912	2	PRB WONT
13.1	12.5	363	3	PRB WILL
5.4	5.1	149	4	DEF WILL
	0.0	1	0	
	4.7	136	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 90

V4266 **994C20A #DA/4W SC MS ILL**

C20: During the LAST FOUR WEEKS, how many whole days of school have you missed...

C20a. Because of illness

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.1	55.1	1,602	1	NONE
15.8	15.0	435	2	1 DAY
11.6	11.0	320	3	2 DAYS
6.7	6.4	186	4	3 DAYS
5.3	5.0	145	5	4-5 DAYS
1.5	1.4	40	6	6-10 DA
1.0	1.0	29	7	11+ DAYS
	5.1	149	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 91

V4267 994C20B #DA/4W SC MS CUT

C20: During the LAST FOUR WEEKS, how many whole days of school have you missed...
 C20b. Because you skipped or "cut"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.6	82.0	2,383	1	NONE
5.6	5.1	148	2	1 DAY
2.2	2.0	57	3	2 DAYS
0.7	0.6	19	4	3 DAYS
0.9	0.8	24	5	4-5 DAYS
0.1	0.1	3	6	6-10 DA
0.9	0.8	24	7	11+ DAYS
	0.0	1	0	
	8.5	247	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 92

V4268 994C20C #DA/4W SC MS OTH

C20: During the LAST FOUR WEEKS, how many whole days of school have you missed...
 C20c. For other reasons

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.5	62.1	1,805	1	NONE
16.2	15.0	435	2	1 DAY
6.5	5.9	173	3	2 DAYS
4.6	4.2	123	4	3 DAYS
2.9	2.7	79	5	4-5 DAYS
1.4	1.3	36	6	6-10 DA
0.9	0.9	25	7	11+ DAYS
	7.9	230	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 93

V4269	994C21 #DA/4W SKP CLASS
-------	-------------------------

C21: During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.3	82.0	2,384	1	NONE
10.0	9.6	279	2	1-2
2.1	2.0	59	3	3-5
0.8	0.7	22	4	6-10
0.6	0.6	18	5	11-20
1.2	1.2	34	6	21+
	0.1	2	0	
	3.8	109	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 94

V4270	994C22(R EVER HELD BACK
-------	-------------------------

C22: Have you ever had to repeat a grade in school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.6	84.3	2,450	0	NO
12.4	11.9	346	1	YES
	3.8	110	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data code: 9
 Column: 95

V4271 994C23(R NEED SUMMER SCHL

C23: Did you ever have to attend summer school to make up for poor grades or to keep from being held back?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.4	82.2	2,388	0	NO
14.6	14.0	407	1	YES
	3.8	111	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data code: 9
 Column: 96

V4272 994C24(R EVER SUSPENDED

C24: Have you ever been suspended or expelled from school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.8	72.9	2,118	0	NO
24.2	23.2	675	1	YES
	3.9	113	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data code: 9
 Column: 97

V4282 **994D01 HRS/WK PAID JOB**

D01: On the average over the school year, how many hours per week do you work in a paid job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.9	65.2	1,895	1	NONE
16.9	16.0	464	2	5 OR <
6.9	6.5	189	3	6-10 HRS
2.9	2.7	79	4	11-15 HR
1.7	1.6	46	5	16-20 HR
0.9	0.9	25	6	21-25 HR
0.8	0.8	23	7	26-30 HR
1.1	1.0	29	8	30+ HRS
	0.1	2	0	
	5.3	155	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 98

V4284 **994D03A R\$/AVG WEEK JOB**

D03: During an average week, how much money did you get from...
 D03a. A job or other work?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.0	47.5	1,381	1	NONE
6.1	5.6	163	2	\$1-5
7.8	7.2	208	3	\$6-10
12.2	11.2	324	4	\$11-20
7.3	6.7	195	5	\$21-35
4.6	4.2	121	6	\$36-50
2.7	2.5	72	7	\$51-75
3.3	3.0	87	8	\$76-125
4.0	3.6	106	9	\$126+
	8.6	249	0	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data code: 0
 Column: 99

V4285 994D03B R\$/AVG WEEK OTH

D03: During an average week, how much money did you get from...
 D03b. Other sources (allowances, etc.)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.5	20.8	605	1	NONE
16.2	15.0	435	2	\$1-5
19.3	17.9	521	3	\$6-10
19.9	18.4	536	4	\$11-20
10.4	9.6	280	5	\$21-35
4.7	4.3	126	6	\$36-50
2.7	2.5	73	7	\$51-75
1.8	1.6	48	8	\$76-125
2.6	2.4	70	9	\$126+
	7.4	214	0	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data code: 0
 Column: 100

V4274 994C26 #X OUT W/O PRNT

C26: During a typical week, on how many evenings do you go out
 for fun and recreation? (Don't count things you do with
 your parents or other adult relatives.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.9	20.6	599	1	< 1
15.0	14.1	410	2	ONE
22.0	20.7	601	3	TWO
16.9	15.9	462	4	THREE
13.5	12.7	370	5	4-5
10.7	10.1	294	6	6-7
	0.1	2	0	
	5.8	169	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 101

V4275 994C27 #X DATE 3+/WK

C27: On the average, how often (if ever) do you go out with a date?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.7	45.3	1,317	1	NEVER
23.6	21.5	625	2	MO OR<
14.6	13.3	386	3	2-3/MO
7.4	6.7	196	4	WK
4.7	4.3	124	5	2-3/WK
	0.1	2	0	
	2.8	80	6	3+/WK
	6.1	177	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,6-*
 Column: 102

V4101 994A01 WHAT GRADE LEVEL

A01: What is your grade level in school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	7TH
100.0	99.1	2,879	2	8TH
0.0	0.0	0	3	9TH
0.0	0.0	0	4	10TH
0.0	0.0	0	5	11TH
0.0	0.0	0	6	12TH
	0.0	1	0	
	0.9	26	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 103

V4102 **994A02 VRY HPY THS DAY**

A02: Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.2	16.0	466	1	NT HAPPY
64.0	63.1	1,835	2	PRTY HPY
19.8	19.5	568	3	VRY HPY
	0.0	1	0	
	1.3	36	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 104

V4103 **994A03A DALY GO TO MOVIE**

A03: The next questions ask about the kinds of things you might do. How often do you do each of the following?
 A03a. Go to movies

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	2.0	57	1	NEVER
26.7	26.6	772	2	FEW /YR
50.3	50.1	1,456	3	1-2 /MO
19.8	19.7	572	4	1 /WK
1.3	1.3	39	5	NR DAILY
	0.1	2	0	
	0.3	9	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 105

V4104 994A03B DALY ROCK CONCRT

A03: The next questions ask about the kinds of things you might do. How often do you do each of the following?

A03b. Go to rock concerts

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.9	68.4	1,989	1	NEVER
28.2	28.0	814	2	FEW /YR
2.2	2.2	63	3	1-2 /MO
0.3	0.3	9	4	1 /WK
0.4	0.4	11	5	NR DAILY
	0.2	5	0	
	0.5	16	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 106

V4105 994A03C DALY RIDE FORFUN

A03: The next questions ask about the kinds of things you might do. How often do you do each of the following?

A03c. Ride around in a car (or motorcycle) just for fun

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.6	17.5	508	1	NEVER
14.1	13.9	405	2	FEW /YR
13.2	13.1	380	3	1-2 /MO
21.7	21.5	624	4	1 /WK
33.4	33.1	963	5	NR DAILY
	0.1	3	0	
	0.8	24	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 107

V4106	994A03D DALY CMNTY AFFRS
--------------	---------------------------------

A03: The next questions ask about the kinds of things you might do. How often do you do each of the following?
 A03d. Participate in community affairs or volunteer work

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.9	29.6	859	1	NEVER
40.6	40.1	1,167	2	FEW /YR
18.4	18.2	529	3	1-2 /MO
8.7	8.6	251	4	1 /WK
2.4	2.3	68	5	NR DAILY
	0.1	3	0	
	1.0	30	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 108

V4107	994A03E DALY ACTV SPORTS
--------------	---------------------------------

A03: The next questions ask about the kinds of things you might do. How often do you do each of the following?
 A03e. Actively participate in sports, athletics or exercising

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	5.8	170	1	NEVER
11.5	11.4	331	2	FEW /YR
8.6	8.5	247	3	1-2 /MO
20.9	20.8	604	4	1 /WK
53.2	52.8	1,536	5	NR DAILY
	0.0	1	0	
	0.6	18	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 109

V4108	994A03F DALY VIST W/FRDS
--------------	---------------------------------

A03: The next questions ask about the kinds of things you might do. How often do you do each of the following?
 A03f. Get together with friends informally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.8	52	1	NEVER
5.1	5.0	146	2	FEW /YR
12.6	12.4	362	3	1-2 /MO
34.6	34.2	993	4	1 /WK
45.9	45.4	1,319	5	NR DAILY
	0.1	2	0	
	1.2	34	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 110

V4109	994A03G DALY GO SHOPPING
--------------	---------------------------------

A03: The next questions ask about the kinds of things you might do. How often do you do each of the following?
 A03g. Go shopping or window-shopping

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	4.3	124	1	NEVER
9.8	9.7	281	2	FEW /YR
37.5	37.2	1,080	3	1-2 /MO
41.0	40.6	1,181	4	1 /WK
7.4	7.4	214	5	NR DAILY
	0.0	1	0	
	0.9	26	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 111

V4110	994A03H DALY ALONE LEISR
--------------	---------------------------------

A03: The next questions ask about the kinds of things you might do. How often do you do each of the following?
 A03h. Spend at least an hour of leisure time alone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.0	10.9	315	1	NEVER
8.1	8.0	232	2	FEW /YR
13.1	13.0	377	3	1-2 /MO
27.7	27.4	795	4	1 /WK
40.1	39.7	1,153	5	NR DAILY
	0.1	2	0	
	1.1	32	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 112

V4111	994A03I DALY READ MAGZNS
--------------	---------------------------------

A03: The next questions ask about the kinds of things you might do. How often do you do each of the following?
 A03i. Read magazines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	6.8	197	1	NEVER
8.9	8.8	257	2	FEW /YR
23.7	23.5	684	3	1-2 /MO
37.6	37.3	1,085	4	1 /WK
22.9	22.8	662	5	NR DAILY
	0.1	2	0	
	0.7	20	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 113

V4112

994A03J DALY READ NWSPPR

A03: The next questions ask about the kinds of things you might do. How often do you do each of the following?

A03j. Read newspapers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.4	18.2	529	1	NEVER
17.7	17.4	507	2	FEW /YR
23.6	23.3	676	3	1-2 /MO
24.6	24.3	705	4	1 /WK
15.8	15.6	454	5	NR DAILY
	0.2	5	0	
	1.1	31	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric

Missing-data codes: 0,9

Column: 114

V4113

994A03K DALY GO TO PARTY

A03: The next questions ask about the kinds of things you might do. How often do you do each of the following?

A03k. Go to parties or other social affairs

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	4.7	136	1	NEVER
18.9	18.8	546	2	FEW /YR
42.1	41.8	1,215	3	1-2 /MO
28.1	27.9	810	4	1 /WK
6.2	6.2	179	5	NR DAILY
	0.1	2	0	
	0.6	19	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric

Missing-data codes: 0,9

Column: 115

V4115 994A04A #XUSE RADIO4NEWS

A04: How often do you use each of the following to get information about news and current events?

A04a. Radio

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	7.7	224	1	NEVER
6.5	6.5	188	2	FEW /YR
8.3	8.2	238	3	1-2 /MO
16.1	15.9	462	4	1 /WK
61.3	60.6	1,761	5	NR DAILY
	0.1	4	0	
	1.0	29	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 116

V4116 994A04B #XUSE TV 4 NEWS

A04: How often do you use each of the following to get information about news and current events?

A04b. TV

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	29	1	NEVER
1.5	1.5	43	2	FEW /YR
4.6	4.5	132	3	1-2 /MO
15.1	15.0	435	4	1 /WK
77.8	77.0	2,238	5	NR DAILY
	0.2	7	0	
	0.8	22	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 117

V4117 **994A04C #X USE PPR 4NEWS**

A04: How often do you use each of the following to get information about news and current events?

A04c. Newspaper

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.0	17.7	516	1	NEVER
15.6	15.4	449	2	FEW /YR
21.0	20.7	602	3	1-2 /MO
30.0	29.6	860	4	1 /WK
15.4	15.2	442	5	NR DAILY
	1.3	38	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 118

V4118 **994A04D #X USE MAG 4NEWS**

A04: How often do you use each of the following to get information about news and current events?

A04d. Magazines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	13.5	394	1	NEVER
12.4	12.2	354	2	FEW /YR
25.7	25.4	738	3	1-2 /MO
30.7	30.3	880	4	1 /WK
17.5	17.2	501	5	NR DAILY
	0.0	1	0	
	1.4	40	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 119

V4119 994A05 # HRS RADIO/DAY

A05: How many hours do you estimate you spend listening to the radio on an average DAY?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	3.0	86	1	NONE
18.3	18.1	527	2	2 HOUR
19.8	19.5	568	3	ONE HOUR
19.5	19.2	559	4	2 HOURS
14.2	14.0	408	5	3 HOURS
8.1	8.0	232	6	4 HOURS
17.1	16.9	492	7	5+ HRS
	0.0	1	0	
	1.1	33	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 120

V4120 994A06 #HRS TV/DAY/5+

A06: How much TV do you estimate you watch on an average WEEKDAY?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.9	55	1	NONE
6.5	6.5	189	2	2 HOUR
15.5	15.3	445	3	ONE HOUR
21.3	21.1	613	4	2 HOURS
20.9	20.8	604	5	3 HOURS
12.5	12.4	362	6	4 HOURS
21.4	21.2	616	7	5+ HRS
	0.1	2	0	
	0.7	21	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 121

V4121 994A07 # HRS TV/WKEND

A07: How much TV do you estimate you watch on an average WEEKEND (both Saturday and Sunday combined)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.7	49	1	NONE
6.3	6.2	181	2	< 1 HR
15.2	15.1	439	3	1-2 HRS
25.0	24.8	721	4	3-4 HRS
20.6	20.5	595	5	5-6 HRS
11.3	11.3	327	6	7-8 HRS
20.0	19.9	578	7	9+ HRS
	0.0	1	0	
	0.5	14	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 122

V4258 994C16 HRS/WK SPND HMWK

C16: About how many hours do you spend in an average week on all of your homework including both in school and out of school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	5.6	162	1	NONE
47.7	46.1	1,340	2	1-4 HRS
22.2	21.4	623	3	5-9 HRS
11.9	11.5	334	4	10-14HRS
5.5	5.4	156	5	15-19HRS
3.3	3.1	91	6	20-24HRS
3.6	3.5	101	7	25+ HRS
	0.1	3	0	
	3.3	95	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 123

V4122	994A08A LSTYR/ENJOY SCHL
--------------	---------------------------------

A08: Now thinking back over the past year in school, how often did you...

A08a. Enjoy being in school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	7.5	217	1	NEVER
14.1	14.0	406	2	SELDOM
40.1	39.8	1,157	3	SOMETIME
25.9	25.7	747	4	OFTEN
12.4	12.3	359	5	ALWAYS
	0.7	20	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 124

V4123	994A08B LSTYR/HATE SCHL
--------------	--------------------------------

A08: Now thinking back over the past year in school, how often did you...

A08b. Hate being in school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	7.0	202	1	NEVER
27.1	26.9	782	2	SELDOM
31.1	30.9	899	3	SOMETIME
21.2	21.1	613	4	OFTEN
13.5	13.4	390	5	ALWAYS
	0.1	3	0	
	0.6	17	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 125

V4124	994A08C LSTYR/DO BEST WK
--------------	---------------------------------

A08: Now thinking back over the past year in school, how often did you...

A08c. Try to do your best work in school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	26	1	NEVER
3.7	3.6	105	2	SELDOM
15.4	15.3	444	3	SOMETIME
30.1	29.9	868	4	OFTEN
50.0	49.6	1,442	5	ALWAYS
	0.0	1	0	
	0.7	20	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 126

V4125	994A08D LSTYR/SCH 2 HARD
--------------	---------------------------------

A08: Now thinking back over the past year in school, how often did you...

A08d. Find the school work too hard to understand?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	10.8	313	1	NEVER
34.1	33.7	980	2	SELDOM
35.6	35.3	1,025	3	SOMETIME
13.6	13.4	390	4	OFTEN
5.8	5.8	168	5	ALWAYS
	0.1	2	0	
	1.0	28	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 127

V4126 **994A08E LSTYR/WK INTRSTG**

A08: Now thinking back over the past year in school, how often did you...

A08e. Find your school work interesting?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	12.3	357	1	NEVER
26.7	26.3	764	2	SELDOM
37.6	37.1	1,077	3	SOMETIME
18.2	17.9	520	4	OFTEN
5.1	5.0	146	5	ALWAYS
	0.0	1	0	
	1.4	41	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 128

V4127 **994A08F LSTYR/WK NT DONE**

A08: Now thinking back over the past year in school, how often did you...

A08f. Fail to complete or turn in your assignments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.0	23.8	692	1	NEVER
35.9	35.6	1,034	2	SELDOM
26.4	26.2	760	3	SOMETIME
9.8	9.7	281	4	OFTEN
3.9	3.8	111	5	ALWAYS
	0.2	5	0	
	0.8	23	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 129

V4128	994A08G LSTYR/U MISBEHAV
-------	--------------------------

A08: Now thinking back over the past year in school, how often did you...
 A08g. Get sent to the office, or have to stay after school, because you misbehaved?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.8	57.5	1,671	1	NEVER
22.1	21.9	637	2	SELDOM
11.9	11.8	343	3	SOMETIME
4.4	4.4	128	4	OFTEN
3.7	3.7	108	5	ALWAYS
	0.0	1	0	
	0.6	18	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 130

V4130	994A09B DISAP 1+PK CIGS
-------	-------------------------

A09: Individuals differ in whether or not they approve of people doing certain things. Do YOU disapprove of people doing each of the following?
 A09b. Smoking one or more packs of cigarettes per day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	11.0	321	1	DONT DIS
20.7	19.9	577	2	DISAPPRV
67.7	64.9	1,886	3	STRG DIS
	3.2	93	8	CANT SAY
	1.0	30	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 131

V4131 994A09C DISAP SMOKELESS

A09: Individuals differ in whether or not they approve of people doing certain things. Do YOU disapprove of people doing each of the following?

A09c. Using smokeless tobacco regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	15.3	444	1	DONT DIS
34.8	31.8	925	2	DISAPPRV
48.5	44.4	1,292	3	STRG DIS
	0.0	1	0	
	6.9	201	8	CANT SAY
	1.5	44	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 132

V4132 994A09D DISAP MJ 1-2 X

A09: Individuals differ in whether or not they approve of people doing certain things. Do YOU disapprove of people doing each of the following?

A09d. Trying marijuana once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.3	24.5	711	1	DONT DIS
23.3	21.6	629	2	DISAPPRV
50.4	46.9	1,364	3	STRG DIS
	5.6	162	8	CANT SAY
	1.4	40	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 133

V4133	994A09E DISAP MJ OCCAS
--------------	-------------------------------

A09: Individuals differ in whether or not they approve of people doing certain things. Do YOU disapprove of people doing each of the following?

A09e. Smoking marijuana occasionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	17.0	493	1	DONT DIS
21.8	20.3	589	2	DISAPPRV
60.0	55.9	1,624	3	STRG DIS
	5.4	158	8	CANT SAY
	1.5	43	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 134

V4134	994A09F DISAP MJ REG
--------------	-----------------------------

A09: Individuals differ in whether or not they approve of people doing certain things. Do YOU disapprove of people doing each of the following?

A09f. Smoking marijuana regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.2	11.3	328	1	DONT DIS
17.5	16.1	468	2	DISAPPRV
70.3	64.9	1,886	3	STRG DIS
	0.0	1	0	
	5.5	159	8	CANT SAY
	2.2	65	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 135

V4135	994A09G DISAP ALC 1-2 X
-------	-------------------------

A09: Individuals differ in whether or not they approve of people doing certain things. Do YOU disapprove of people doing each of the following?

A09g. Trying one or two drinks of an alcoholic beverage (beer, wine, liquor)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.6	47.6	1,382	1	DONT DIS
29.7	28.4	826	2	DISAPPRV
20.7	19.8	576	3	STRG DIS
	0.0	1	0	
	3.1	89	8	CANT SAY
	1.1	33	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 136

V4136	994A09H DISAP ALC EVRYDA
-------	--------------------------

A09: Individuals differ in whether or not they approve of people doing certain things. Do YOU disapprove of people doing each of the following?

A09h. Taking one or two drinks nearly every day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.8	19.9	577	1	DONT DIS
36.3	34.6	1,007	2	DISAPPRV
43.0	41.0	1,193	3	STRG DIS
	0.0	1	0	
	3.1	89	8	CANT SAY
	1.4	41	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 137

V4137 994A09I DISAP 5+ALC WKND

A09: Individuals differ in whether or not they approve of people doing certain things. Do YOU disapprove of people doing each of the following?

A09i. Having five or more drinks once or twice each weekend

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.7	16.8	488	1	DONT DIS
25.9	24.6	714	2	DISAPPRV
56.4	53.6	1,557	3	STRG DIS
	4.0	116	8	CANT SAY
	1.1	31	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 138

V4139 994A10B RSK OF CIG1+PK/D

A10: The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they...

A10b. Smoke one or more packs of cigarettes per day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	4.5	131	1	NO RISK
5.0	4.8	140	2	SLIGHT
18.4	17.8	517	3	MOD RISK
71.9	69.5	2,019	4	GRT RISK
	2.4	68	8	CANT SAY
	1.1	31	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 139

V4140 994A10C RSK SMKLESS REG

A10: The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they...

A10c. Use smokeless tobacco regularly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	6.9	201	1	NO RISK
19.6	17.9	521	2	SLIGHT
33.3	30.5	885	3	MOD RISK
39.5	36.1	1,050	4	GRT RISK
	0.1	3	0	
	7.0	205	8	CANT SAY
	1.4	42	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 140

V4141 994A10D RSK OF MJ 1-2 X

A10: The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they...

A10d. Try marijuana once or twice?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.0	16.2	470	1	NO RISK
29.4	28.0	813	2	SLIGHT
21.2	20.2	586	3	MOD RISK
32.4	30.8	896	4	GRT RISK
	0.0	1	0	
	3.7	107	8	CANT SAY
	1.2	35	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 141

V4142	994A10E RSK OF MJ OCSNLY
-------	--------------------------

A10: The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they...

A10e. Smoke marijuana occasionally?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	7.8	228	1	NO RISK
13.5	12.8	372	2	SLIGHT
29.1	27.6	802	3	MOD RISK
49.2	46.7	1,356	4	GRT RISK
	0.0	1	0	
	3.9	113	8	CANT SAY
	1.2	36	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 142

V4143	994A10F RSK OF MJ REGLY
-------	-------------------------

A10: The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they...

A10f. Smoke marijuana regularly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	6.6	193	1	NO RISK
4.5	4.2	122	2	SLIGHT
11.5	10.8	314	3	MOD RISK
77.0	72.5	2,107	4	GRT RISK
	4.6	135	8	CANT SAY
	1.2	35	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 143

V4144 994A10G RSK OF 1-2 DRINK

A10: The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they...

A10g. Try one or two drinks of an alcoholic beverage (beer, wine, liquor)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.2	29.2	848	1	NO RISK
39.3	38.1	1,107	2	SLIGHT
18.6	18.0	523	3	MOD RISK
11.9	11.5	335	4	GRT RISK
	0.1	2	0	
	2.1	61	8	CANT SAY
	1.1	31	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 144

V4145 994A10H RSK OF 1-2 DR/DA

A10: The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they...

A10h. Take one or two drinks nearly every day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	9.3	270	1	NO RISK
22.9	22.1	643	2	SLIGHT
36.9	35.6	1,035	3	MOD RISK
30.6	29.5	858	4	GRT RISK
	2.2	65	8	CANT SAY
	1.2	36	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 145

V4146

994A10I RSK OF 5+DR/WKND

A10: The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they...

A10i. Have five or more drinks once or twice each weekend?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	7.5	217	1	NO RISK
10.0	9.6	278	2	SLIGHT
24.2	23.1	672	3	MOD RISK
58.0	55.4	1,610	4	GRT RISK
	0.0	1	0	
	3.2	92	8	CANT SAY
	1.3	37	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 146

V4320

994D14J EASY GT CIGS

D14: How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

D14j. Cigarettes

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	7.7	223	1	PROB IMP
4.6	3.7	106	2	VRY DIFF
9.8	7.8	226	3	FRLY DIF
16.3	13.0	377	4	FRLY EAS
59.7	47.5	1,380	5	VRY EASY
	0.0	1	0	
	6.8	197	8	CANT SAY
	13.6	396	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 147

V4321

994D14K EASY GT ALCOHOL

D14: How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?
 D14k. Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	6.7	196	1	PROB IMP
4.8	3.8	112	2	VRV DIFF
9.2	7.4	215	3	FRLY DIF
18.3	14.7	426	4	FRLY EAS
59.2	47.3	1,376	5	VRV EASY
	0.0	1	0	
	6.5	188	8	CANT SAY
	13.5	393	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 148

V4311

994D14A EASY GT MARIJUAN

D14: How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?
 D14a. Marijuana (pot, weed)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.2	15.2	441	1	PROB IMP
13.2	10.4	302	2	VRV DIFF
15.9	12.6	366	3	FRLY DIF
26.1	20.6	599	4	FRLY EAS
25.6	20.2	588	5	VRV EASY
	0.1	4	0	
	8.7	251	8	CANT SAY
	12.2	354	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 149

V4312

994D14B EASY GT LSD

D14: How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?
 D14b. LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.2	20.9	606	1	PROB IMP
22.5	15.5	451	2	VRV DIFF
22.7	15.6	454	3	FRLY DIF
14.5	10.0	291	4	FRLY EAS
10.1	7.0	203	5	VRV EASY
	0.3	9	0	
	17.6	511	8	CANT SAY
	13.1	380	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 150

V4313

994D14C EASY GT AMPHTMNS

D14: How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?
 D14c. Amphetamines (uppers, pep pills, bennies, speed)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.3	19.2	557	1	PROB IMP
19.6	13.8	401	2	VRV DIFF
22.0	15.4	449	3	FRLY DIF
17.8	12.5	362	4	FRLY EAS
13.3	9.4	272	5	VRV EASY
	0.1	2	0	
	17.0	494	8	CANT SAY
	12.7	370	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 151

V4314

994D14D EASY GT BBTUATES

D14: How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?
 D14d. Barbiturates (downers, reds, yellows, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.3	20.2	586	1	PROB IMP
20.6	13.7	398	2	VRV DIFF
20.7	13.8	400	3	FRLY DIF
17.4	11.6	337	4	FRLY EAS
11.1	7.4	214	5	VRV EASY
	0.2	5	0	
	20.5	595	8	CANT SAY
	12.7	371	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 152

V4315

994D14E EASY GT TRANQLIZ

D14: How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?
 D14e. Tranquilizers (Librium, Valium, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	22.8	663	1	PROB IMP
21.7	14.8	431	2	VRV DIFF
19.6	13.4	389	3	FRLY DIF
14.8	10.1	294	4	FRLY EAS
10.6	7.3	211	5	VRV EASY
	0.3	10	0	
	18.5	537	8	CANT SAY
	12.8	371	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 153

V4316

994D14F EASY GT CRACK

D14: How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

D14f. "Crack" cocaine

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.4	23.9	694	1	PROB IMP
19.0	14.4	419	2	VRV DIFF
17.6	13.4	389	3	FRLY DIF
17.4	13.2	385	4	FRLY EAS
14.5	11.0	321	5	VRV EASY
	11.0	319	8	CANT SAY
	13.1	380	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric

Missing-data codes: 0,8-*

Column: 154

V4317

994D14G EASY GT COK PWDR

D14: How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

D14g. Cocaine in powder form

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.8	24.9	723	1	PROB IMP
19.9	15.1	439	2	VRV DIFF
17.2	13.0	378	3	FRLY DIF
15.9	12.1	351	4	FRLY EAS
14.1	10.7	311	5	VRV EASY
	11.4	331	8	CANT SAY
	12.8	372	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric

Missing-data codes: 0,8-*

Column: 155

V4318

994D14H EASY GT HEROIN

D14: How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?
D14h. Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.5	28.0	813	1	PROB IMP
22.7	16.5	479	2	VRV DIFF
19.3	14.0	407	3	FRLY DIF
10.5	7.6	221	4	FRLY EAS
9.1	6.6	192	5	VRV EASY
	0.1	2	0	
	13.7	397	8	CANT SAY
	13.6	395	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
Missing-data codes: 0,8-*
Column: 156

V4319

994D14I EASY GT STEROIDS

D14: How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?
D14i. Steroids (anabolic steroids)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.3	22.8	664	1	PROB IMP
20.0	14.6	424	2	VRV DIFF
20.0	14.6	425	3	FRLY DIF
16.4	12.0	348	4	FRLY EAS
12.3	9.0	261	5	VRV EASY
	0.0	1	0	
	13.1	382	8	CANT SAY
	13.8	402	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
Missing-data codes: 0,8-*
Column: 157

V4339

994D16A ALL FRD SMK CIGS

D16: How many of your friends would you estimate...
 D16a. Smoke cigarettes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.3	25.2	733	1	NONE
37.2	32.1	932	2	A FEW
17.9	15.5	449	3	SOME
12.2	10.5	306	4	MOST
3.3	2.8	82	5	ALL
	0.1	2	0	
	13.8	401	9	
-----	-----	-----		
100.0	100.0	2,906	cases	(Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 158

V4340

994D16B ALL FRD SMKLESS

D16: How many of your friends would you estimate...
 D16b. Use smokeless tobacco?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.7	59.4	1,727	1	NONE
20.5	17.4	507	2	A FEW
6.7	5.8	167	3	SOME
2.0	1.7	49	4	MOST
1.2	1.0	29	5	ALL
	0.8	22	0	
	14.0	406	9	
-----	-----	-----		
100.0	100.0	2,906	cases	(Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 159

V4341**994D16C ALL FRD DRK ALCL**

D16: How many of your friends would you estimate...

D16c. Drink alcoholic beverages (liquor, beer, wine)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.1	22.4	651	1	NONE
28.7	24.6	715	2	A FEW
21.6	18.6	540	3	SOME
16.8	14.4	418	4	MOST
6.8	5.9	170	5	ALL
	0.0	1	0	
	14.2	412	9	
-----	-----	-----		
100.0	100.0	2,906	cases	(Wtd)

Data type: numeric

Missing-data codes: 0,9

Column: 160

V4342**994D16D ALL FRD GT DRUNK**

D16: How many of your friends would you estimate...

D16d. Get drunk at least once a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.4	42.4	1,232	1	NONE
26.8	23.0	669	2	A FEW
14.1	12.1	352	3	SOME
6.7	5.8	168	4	MOST
3.0	2.6	74	5	ALL
	0.1	4	0	
	14.0	408	9	
-----	-----	-----		
100.0	100.0	2,906	cases	(Wtd)

Data type: numeric

Missing-data codes: 0,9

Column: 161

V4343

994D16E ALL FRD SMK MARJ

D16: How many of your friends would you estimate...
 D16e. Smoke marijuana or hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.4	48.4	1,407	1	NONE
23.0	19.7	574	2	A FEW
9.7	8.4	243	3	SOME
7.2	6.2	179	4	MOST
3.7	3.2	93	5	ALL
	0.0	1	0	
	14.1	409	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 162

V4344

994D16F # FRNDS TK CRACK

D16: How many of your friends would you estimate...
 D16f. Take "crack" cocaine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.8	68.6	1,993	1	NONE
13.9	11.9	346	2	A FEW
4.2	3.6	104	3	SOME
1.6	1.4	39	4	MOST
0.6	0.5	15	5	ALL
	0.0	1	0	
	14.0	408	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 163

V4345	994D16G # FRNDS TK C PWD
--------------	---------------------------------

D16: How many of your friends would you estimate...
 D16g. Take cocaine in powder form?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.0	70.4	2,046	1	NONE
11.8	10.1	294	2	A FEW
4.1	3.5	102	3	SOME
1.6	1.3	39	4	MOST
0.5	0.4	13	5	ALL
	0.0	1	0	
	14.2	412	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 164

V4346	994D16H ALL FRD TK HERON
--------------	---------------------------------

D16: How many of your friends would you estimate...
 D16h. Take heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.8	74.4	2,161	1	NONE
9.1	7.8	227	2	A FEW
2.7	2.3	67	3	SOME
0.8	0.7	20	4	MOST
0.6	0.5	15	5	ALL
	0.0	1	0	
	14.3	416	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 165

V4347 **994D16I ALL FRND INHALNT**

D16: How many of your friends would you estimate...
 D16i. Sniff glue, gases, or sprays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.7	58.2	1,691	1	NONE
18.4	15.8	459	2	A FEW
8.7	7.5	218	3	SOME
3.5	3.0	88	4	MOST
1.6	1.4	40	5	ALL
	0.1	3	0	
	14.0	407	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 166

V4348 **994D17A PRESR TO SMK CIG**

D17: How much pressure do you feel from your friends and
 schoolmates to...
 D17a. Smoke cigarettes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.3	66.6	1,936	1	NONE
14.4	12.2	355	2	A LITTLE
4.3	3.7	108	3	SOME
3.0	2.6	75	4	A LOT
	0.1	3	0	
	14.8	430	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 167

V4349	994D17B PRESR TO DRK ALC
-------	--------------------------

D17: How much pressure do you feel from your friends and schoolmates to...

D17b. Drink alcoholic beverages?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.6	63.5	1,845	1	NONE
16.5	14.0	407	2	A LITTLE
5.3	4.5	130	3	SOME
3.6	3.1	90	4	A LOT
	0.0	0	0	
	14.9	434	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric

Missing-data codes: 0,9

Column: 168

V4350	994D17C PRESR TO USE MJ
-------	-------------------------

D17: How much pressure do you feel from your friends and schoolmates to...

D17c. Use marijuana?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.6	71.7	2,085	1	NONE
8.6	7.3	212	2	A LITTLE
3.4	2.9	84	3	SOME
3.5	2.9	85	4	A LOT
	15.2	441	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric

Missing-data codes: 0,9

Column: 169

V4351 994D17D PRSR TO OTH DRUG

D17: How much pressure do you feel from your friends and schoolmates to...
 D17d. Use other illegal drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.4	75.9	2,205	1	NONE
5.8	4.9	144	2	A LITTLE
2.2	1.9	54	3	SOME
2.6	2.2	65	4	A LOT
	15.1	439	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 170

V4322 994D15A GR 1ST SMOK EVR

D15: When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.
 D15a. Smoke your first cigarette

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.0	5.6	163	1	GR 4 OR <
18.8	6.6	191	2	GR 5
26.7	9.3	272	3	GR 6
26.6	9.3	271	4	GR 7
11.9	4.2	121	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
	0.0	1	0	
	46.9	1,363	8	NEVER
	18.1	525	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 171

V4323	994D15B GR 1ST SMOK DLY
-------	-------------------------

D15: When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

D15b. Smoke cigarettes on a daily basis

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	0.9	25	1	GR 4 OR <
11.3	1.5	43	2	GR 5
22.0	2.9	84	3	GR 6
38.7	5.1	149	4	GR 7
21.6	2.9	83	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
	0.0	0	0	
	69.9	2,032	8	NEVER
	16.8	490	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 172

V4325	994D15D GR 1ST TRY ALC
-------	------------------------

D15: When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

D15d. Try an alcoholic beverage--more than just a few sips

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.9	6.8	198	1	GR 4 OR <
14.4	5.8	169	2	GR 5
22.1	8.9	260	3	GR 6
27.0	10.9	318	4	GR 7
19.6	7.9	230	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
	0.3	7	0	
	36.5	1,062	8	NEVER
	22.8	662	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 173

V4326	994D15E GR 1ST DRUNK
-------	----------------------

D15: When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

D15e. Drink enough to feel drunk or very high

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.2	1.5	43	1	GR 4 OR <
8.2	1.7	49	2	GR 5
15.9	3.3	95	3	GR 6
34.6	7.1	207	4	GR 7
34.1	7.0	204	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
	0.1	3	0	
	59.8	1,739	8	NEVER
	19.5	567	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-
 Column: 174

V4327	994D15F GR 1ST TRY MJ
-------	-----------------------

D15: When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

D15f. Try marijuana or hashish

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	1.4	40	1	GR 4 OR <
9.0	1.3	38	2	GR 5
22.1	3.2	93	3	GR 6
33.3	4.8	140	4	GR 7
25.9	3.7	109	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
	0.1	2	0	
	67.4	1,960	8	NEVER
	18.1	525	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-
 Column: 175

V4333

994D15L GR 1ST TRY CRACK

D15: When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

D15l. Try "crack" cocaine

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.9	0.2	6	1	GR 4 OR <
10.6	0.2	6	2	GR 5
12.3	0.2	7	3	GR 6
34.8	0.7	20	4	GR 7
32.5	0.7	19	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
	81.2	2,361	8	NEVER
	16.8	487	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 176

V4334

994D15M GR 1STTRY POWCOK

D15: When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

D15m. Try cocaine in powder form

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	0.3	8	1	GR 4 OR <
3.2	0.1	2	2	GR 5
12.9	0.3	8	3	GR 6
29.0	0.7	19	4	GR 7
43.4	1.0	28	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
	80.6	2,344	8	NEVER
	17.1	497	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 177

V4337 994D15P GR 1ST TRY INHAL

D15: When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

D15p. Sniff glue, gases, or sprays to get high

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.4	3.5	102	1	GR 4 OR <
19.5	2.6	75	2	GR 5
23.1	3.1	89	3	GR 6
19.5	2.6	75	4	GR 7
11.5	1.5	44	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
	0.2	4	0	
	65.3	1,899	8	NEVER
	21.3	618	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 178

V4338 994D15Q GR 1ST TRY STRDS

D15: When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

D15q. Try steroids (anabolic steroids)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	0.1	4	1	GR 4 OR <
9.3	0.1	3	2	GR 5
21.4	0.2	7	3	GR 6
27.2	0.3	9	4	GR 7
30.5	0.4	10	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
	82.2	2,390	8	NEVER
	16.6	482	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 179

V4366 994E01F KICK DO DANGR TH

E01: How much do you agree or disagree with each of the following statements?

E01f. I get a real kick out of doing things that are a little dangerous

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.3	17.6	510	1	DISAGREE
10.9	8.9	260	2	MOST DIS
15.6	12.8	372	3	NEITHER
24.3	20.0	582	4	MOST AGR
27.9	22.9	666	5	AGREE
	17.8	517	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 180

V4370	994E01J LIKE RISK SOME X
-------	--------------------------

E01: How much do you agree or disagree with each of the following statements?
 E01j. I like to test myself every now and then by doing something a little risky

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.2	19.8	575	1	DISAGREE
11.7	9.6	278	2	MOST DIS
16.9	13.9	403	3	NEITHER
21.9	18.0	522	4	MOST AGR
25.3	20.7	602	5	AGREE
	18.1	525	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 181

V4283	994D02 # HRS PREF WORK
-------	------------------------

D02: Think about the kinds of paid jobs that people your age usually have. If you could work just the number of hours that you wanted, how many hours per week would you PREFER to work during the school year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.6	10.6	309	1	NONE
19.9	16.9	490	2	5 OR <
25.4	21.5	625	3	6-10
13.6	11.5	335	4	11-15
11.7	9.9	287	5	16-20
5.8	4.9	142	6	21-25
4.2	3.5	103	7	26-30
6.9	5.9	171	8	31+
	6.1	176	0	
	9.2	267	9	DK
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 182

V4264 **994C18** **THNK FUT BYND SC**

C18: How often do you think about your future beyond high school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.2	64	1	NEVER
11.4	11.0	320	2	SELDOM
39.9	38.6	1,121	3	SOMETIME
46.4	44.9	1,304	4	OFTEN
	0.1	2	0	
	3.3	95	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 183

V4265 **994C19** **PLANS AFTER SCHL**

C19: Which best describes your plans after high school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	7.1	207	1	NO IDEA
38.0	36.6	1,065	2	A FEW
35.8	34.6	1,005	3	PRTYWELL
18.8	18.1	527	4	EXACTLY
	0.1	2	0	
	3.5	101	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 184

V4273 994C25 FRNDS DROP OUT

C25: Have any of your friends dropped out of school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.1	71.0	2,062	1	NONE
20.8	19.9	578	2	A FEW
4.1	3.9	114	3	SOME
1.1	1.0	30	4	MOST/ALL
	4.2	121	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 185

V4280 994C29 TALK PROB W/PRNT

C29: If you were having problems in your life, do you think you would talk them over with one or both of your parents?
 (This question omitted from Western region questionnaires.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.9	22.6	656	1	NO
44.6	33.7	979	2	YES SOME
25.5	19.2	559	3	YES M/AL
	0.1	2	0	
	20.2	587	6	
	4.2	123	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,6-*
 Column: 186

V4281 994C30 TALK PROB W/ADLT

C30: Other than your parents, is there at least one other adult you would feel able to talk to if you were having problems in your life?
 (This question omitted from Western region questionnaires.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.4	17.6	510	1	NO
46.2	34.7	1,008	2	YES SOME
30.5	22.9	666	3	YES M/AL
	0.2	5	0	
	20.2	587	6	
	4.5	130	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,6-*
 Column: 187

V4235 994C01 ITEM OMITTED

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	2,906	9	DELETED
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 188

V4236 994C02 ITEM OMITTED

C02: In what month were you born?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			

100.0	100.0	2,906	99	
-----	-----	-----		

100.0	100.0	2,906	cases (Wtd)	
-------	-------	-------	-------------	--

Data type: numeric
 Missing-data codes: 99
 Columns: 189-190

V4114 994A03L DALY GO VID ARC

A03: The next questions ask about the kinds of things you might do. How often do you do each of the following?
 A03L. Go to video arcades

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.5	27.4	795	1	NEVER
34.1	33.9	984	2	FEW /YR
24.6	24.4	710	3	1-2 /MO
10.3	10.2	297	4	1 /WK
3.6	3.5	103	5	NR DAILY
	0.1	2	0	
	0.5	15	9	

100.0	100.0	2,906	cases (Wtd)	
-------	-------	-------	-------------	--

Data type: numeric
 Missing-data codes: 0,9
 Column: 191

V4214 994B31A #X H LIF USE NDL

B31: On how many occasions (if any) have you taken heroin using a needle...
 B31a. ...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	95.9	2,787	1	0 OCCAS
1.1	1.1	32	2	1-2X
0.2	0.2	7	3	3-5X
0.1	0.1	3	4	6-9X
0.1	0.1	3	5	10-19X
0.1	0.1	3	6	20-39X
0.2	0.2	6	7	40+OCCAS
	2.2	65	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 192

V4215 994B31B #X H 12M USE NDL

B31: On how many occasions (if any) have you taken heroin using a needle...
 B31b. ...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	96.8	2,812	1	0 OCCAS
0.7	0.6	19	2	1-2X
0.1	0.1	2	3	3-5X
0.2	0.2	4	4	6-9X
0.1	0.1	4	5	10-19X
0.0	0.0	1	6	20-39X
0.1	0.1	2	7	40+OCCAS
	2.2	63	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 193

V4216	994B31C #X H 30D USE NDL
-------	--------------------------

B31: On how many occasions (if any) have you taken heroin using a needle...
 B31c. ...during the last 30 days?

PCT VALID	PCT ALL	N	VALUE	LABEL
99.4	97.2	2,824	1	0 OCCAS
0.2	0.2	6	2	1-2X
0.2	0.2	6	3	3-5X
0.1	0.1	3	4	6-9X
0.0	0.0	0	5	10-19X
0.0	0.0	0	6	20-39X
0.1	0.1	2	7	40+OCCAS
	2.2	64	9	

100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 194

V4217	994B32A #X H LIF W/O NDL
-------	--------------------------

B32: On how many occasions (if any) have you taken heroin WITHOUT using a needle...
 B32a. ...in your lifetime?

PCT VALID	PCT ALL	N	VALUE	LABEL
98.7	96.2	2,797	1	0 OCCAS
0.6	0.6	18	2	1-2X
0.3	0.3	8	3	3-5X
0.1	0.1	3	4	6-9X
0.2	0.2	6	5	10-19X
0.0	0.0	0	6	20-39X
0.1	0.1	3	7	40+OCCAS
	2.5	73	9	

100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 195

V4218 994B32B #X H 12M W/O NDL

B32: On how many occasions (if any) have you taken heroin
 WITHOUT using a needle...
 B32b. ...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	96.7	2,811	1	0 OCCAS
0.4	0.4	11	2	1-2X
0.3	0.3	9	3	3-5X
0.1	0.1	3	4	6-9X
0.0	0.0	0	5	10-19X
0.1	0.1	2	6	20-39X
0.0	0.0	1	7	40+OCCAS
	2.4	70	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 196

V4219 994B32C #X H 30D W/O NDL

B32: On how many occasions (if any) have you taken heroin
 WITHOUT using a needle...
 B32c. ...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	97.1	2,824	1	0 OCCAS
0.2	0.2	7	2	1-2X
0.1	0.1	3	3	3-5X
0.1	0.1	2	4	6-9X
0.0	0.0	0	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	1	7	40+OCCAS
	2.4	70	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 197

V4229	994B36A #X INJECTOTH/LIF
-------	--------------------------

B36: On how many occasions (if any) have you taken any drugs other than heroin by injection with a needle (like cocaine, amphetamines, or steroids)...

Do NOT include anything you took under a doctor's orders.

B36a. ...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	95.2	2,768	1	0 OCCAS
1.2	1.2	35	2	1-2X
0.5	0.5	15	3	3-5X
0.1	0.1	3	4	6-9X
0.1	0.1	2	5	10-19X
0.1	0.1	2	6	20-39X
0.2	0.2	7	7	40+OCCAS
	2.5	74	9	

100.0	100.0	2,906	cases (Wtd)	
-------	-------	-------	-------------	--

Data type: numeric
 Missing-data codes: 0,9
 Column: 198

V4230	994B36B #X INJECTOTH/12M
-------	--------------------------

B36: On how many occasions (if any) have you taken any drugs other than heroin by injection with a needle (like cocaine, amphetamines, or steroids)...

Do NOT include anything you took under a doctor's orders.

B36b. ...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	96.2	2,795	1	0 OCCAS
0.7	0.7	20	2	1-2X
0.3	0.3	7	3	3-5X
0.1	0.1	3	4	6-9X
0.0	0.0	1	5	10-19X
0.1	0.1	3	6	20-39X
0.0	0.0	1	7	40+OCCAS
	2.6	76	9	

100.0	100.0	2,906	cases (Wtd)	
-------	-------	-------	-------------	--

Data type: numeric
 Missing-data codes: 0,9
 Column: 199

V4231 994B36C #X INJECTOTH/30D

B36: On how many occasions (if any) have you taken any drugs other than heroin by injection with a needle (like cocaine, amphetamines, or steroids)...
 Do NOT include anything you took under a doctor's orders.
 B36c. ...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.3	96.7	2,811	1	0 OCCAS
0.6	0.5	16	2	1-2X
0.0	0.0	1	3	3-5X
0.0	0.0	1	4	6-9X
0.1	0.1	2	5	10-19X
0.0	0.0	0	6	20-39X
0.0	0.0	0	7	40+OCCAS
	2.6	76	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 200

V4286 994D04 #X SEE DRUG SPTS

D04: In recent months, about how often have you seen such anti-drug commercials on TV, or heard them on the radio?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	8.4	246	1	NOT@ALL
8.6	8.1	234	2	< MO
16.8	15.6	454	3	1-3/MO
22.8	21.2	617	4	1-3/WK
26.0	24.2	703	5	DAILY
16.8	15.6	454	6	GT DAILY
	0.1	2	0	
	6.7	196	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 201

V4287 **994D05A ADS-YOU <FAVORBL**

D05: To what extent do you think such commercials have...
 D05a. ...made you less favorable toward drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.7	26.2	763	1	NOT@ALL
17.6	16.1	468	2	LTL EXTNT
22.4	20.5	597	3	SOME EXTNT
10.4	9.5	276	4	GRT EXTNT
20.9	19.1	556	5	VYGRT EXTNT
	0.0	1	0	
	8.5	246	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 202

V4288 **994D05B ADS-YOU <TRY DRG**

D05: To what extent do you think such commercials have...
 D05b. ...made you less likely to use drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.0	26.4	767	1	NOT@ALL
15.6	14.2	412	2	LITL EXTNT
19.5	17.7	515	3	SOME EXTNT
11.8	10.7	311	4	GRT EXTNT
24.1	21.9	637	5	VYGRT EXTNT
	0.0	1	0	
	9.0	263	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 203

V4289 **994D05C ADS-OVRST DANGER**

D05: To what extent do you think such commercials have...
 D05c. ...overstated the dangers or risks of drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.5	31.1	904	1	NOT@ALL
15.3	13.7	399	2	LITL EXTNT
17.6	15.9	462	3	SOME EXTNT
11.1	10.0	290	4	GRT EXTNT
21.5	19.4	564	5	VYGRT EXTNT
	0.0	1	0	
	9.9	287	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 204

V4324 **994D15C GR 1ST SMOKELESS**

D15: When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.
 D15c. Try smokeless tobacco (snuff, plug or chewing tobacco)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	2.2	65	1	GR 4 OR <
17.2	1.9	56	2	GR 5
18.1	2.0	59	3	GR 6
30.3	3.4	99	4	GR 7
14.4	1.6	47	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
	0.4	11	0	
	74.3	2,160	8	NEVER
	14.1	409	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 205

V4328 994D15G GR 1ST TRY LSD

D15: When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

D15g. Try LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	0.3	8	1	GR 4 OR <
3.0	0.1	2	2	GR 5
14.7	0.4	10	3	GR 6
30.9	0.7	21	4	GR 7
39.8	1.0	28	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
	80.3	2,333	8	NEVER
	17.3	504	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,8-
 Column: 206

V4329 994D15H GR 1ST TRY PSY

D15: When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

D15h. Try any psychedelic other than LSD (PCP, mescaline, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.3	0.2	5	1	GR 4 OR <
10.8	0.1	3	2	GR 5
17.7	0.2	5	3	GR 6
28.2	0.3	8	4	GR 7
26.0	0.2	7	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
	82.1	2,385	8	NEVER
	17.0	494	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,8-
 Column: 207

V4330 994D15I GR 1ST TRY AMP

D15: When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

D15i. Try amphetamines (uppers, pep pills, bennies, speed)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	0.2	7	1	GR 4 OR <
9.7	0.3	7	2	GR 5
15.6	0.4	12	3	GR 6
33.9	0.9	26	4	GR 7
31.5	0.8	24	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
	74.8	2,175	8	NEVER
	22.5	655	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 208

V4331 994D15J GR 1ST TRY BRB

D15: When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

D15j. Try barbiturates (downers, reds, yellows, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	0.2	6	1	GR 4 OR <
7.8	0.2	4	2	GR 5
14.3	0.3	8	3	GR 6
35.2	0.7	20	4	GR 7
31.9	0.6	18	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
	77.7	2,258	8	NEVER
	20.3	591	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 209

V4332 994D15K GR 1ST TRY TRN

D15: When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

D15k. Try tranquilizers (Valium, Librium, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	0.3	8	1	GR 4 OR <
3.1	0.1	2	2	GR 5
6.4	0.1	3	3	GR 6
41.4	0.7	21	4	GR 7
33.3	0.6	17	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
	0.0	1	0	
	80.4	2,338	8	NEVER
	17.8	518	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 210

V4336 994D15O GR 1ST TRY NRC

D15: When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

D15o. Try any narcotic other than heroin (methadone, opium, codeine, paregoric, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.9	0.2	7	1	GR 4 OR <
2.5	0.0	1	2	GR 5
20.1	0.3	7	3	GR 6
28.2	0.4	11	4	GR 7
31.2	0.4	12	5	GR 8
0.0	0.0	0	6	GR 9
0.0	0.0	0	7	GR 10
	0.3	8	0	
	78.3	2,274	8	NEVER
	20.2	587	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 212

V4352 994D18 GT HELP FR DRUGS

D18: Have you received any professional counseling, treatment,
 or therapy because of your use of alcohol or drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	80.0	2,327	1	NEVER
1.9	1.6	46	2	NOT PST12MO
1.2	1.0	28	3	IN PAST12MO
	0.0	1	0	
	17.4	505	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 213

V4354	994D20A SMKRS ENJOY LIFE
--------------	---------------------------------

D20: Do you agree or disagree...
 D20a. Smokers know how to enjoy life more than non-smokers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.2	65.1	1,893	1	DISAGREE
7.9	6.7	193	2	MOST DIS
9.7	8.2	237	3	NEITHER
1.3	1.1	31	4	MOST AGR
4.0	3.4	99	5	AGREE
	0.2	5	0	
	15.4	448	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 214

V4355	994D20B PRFR DATE N-SMKR
--------------	---------------------------------

D20: Do you agree or disagree...
 D20b. I would prefer to date people who don't smoke

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	9.7	281	1	DISAGREE
3.8	3.2	93	2	MOST DIS
9.5	8.0	231	3	NEITHER
10.5	8.9	258	4	MOST AGR
64.7	54.4	1,582	5	AGREE
	15.9	461	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 215

V4356	994D20C HARMFUL CIG EXAG
-------	--------------------------

D20: Do you agree or disagree...
 D20c. The harmful effects of cigarettes have been exaggerated

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.7	43.1	1,252	1	DISAGREE
13.1	10.9	317	2	MOST DIS
13.9	11.6	337	3	NEITHER
8.3	7.0	202	4	MOST AGR
13.0	10.8	315	5	AGREE
	16.6	484	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 216

V4357	994D20D SMKR POOR JDGMNT
-------	--------------------------

D20: Do you agree or disagree...
 D20d. I think that becoming a smoker reflects poor judgment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.8	14.0	408	1	DISAGREE
8.7	7.2	210	2	MOST DIS
16.0	13.3	387	3	NEITHER
13.1	10.9	317	4	MOST AGR
45.5	37.9	1,103	5	AGREE
	0.2	5	0	
	16.4	477	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 217

V4358 994D20E DONT MIND SMOKNG

D20: Do you agree or disagree...
 D20e. I personally don't mind being around people who are smoking

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.6	34.8	1,013	1	DISAGREE
13.5	11.3	327	2	MOST DIS
12.3	10.3	300	3	NEITHER
13.0	10.9	317	4	MOST AGR
19.5	16.4	475	5	AGREE
	0.0	1	0	
	16.3	473	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 218

V4359 994D20F SMKG DIRTY HABIT

D20: Do you agree or disagree...
 D20f. Smoking is a dirty habit

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.5	11.3	328	1	DISAGREE
6.3	5.3	154	2	MOST DIS
12.1	10.2	295	3	NEITHER
12.2	10.3	298	4	MOST AGR
55.8	46.8	1,360	5	AGREE
	0.0	1	0	
	16.2	470	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 219

V4360**994D20G DTEST NEAR SMKRS**

D20: Do you agree or disagree...

D20g. I strongly dislike being near people who are smoking

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.0	20.2	586	1	DISAGREE
11.5	9.7	281	2	MOST DIS
14.9	12.5	364	3	NEITHER
12.2	10.2	296	4	MOST AGR
37.4	31.3	911	5	AGREE
	0.0	1	0	
	16.1	468	9	

100.0 100.0 2,906 cases (Wtd)

Data type: numeric

Missing-data codes: 0,6-*

Column: 220

V4361**994E01A POS ATT TWD SELF**

E01: How much do you agree or disagree with each of the following statements?

E01a. I take a positive attitude toward myself

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.2	6.0	174	1	DISAGREE
3.9	3.2	94	2	MOST DIS
8.1	6.8	198	3	NEITHER
28.1	23.5	682	4	MOST AGR
52.7	44.0	1,279	5	AGREE
	0.1	3	0	
	16.4	476	9	

100.0 100.0 2,906 cases (Wtd)

Data type: numeric

Missing-data codes: 0,9

Column: 221

V4362

994E01B LIFE MEANINGLESS

E01: How much do you agree or disagree with each of the following statements?

E01b. Life often seems meaningless

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.3	35.2	1,022	1	DISAGREE
21.0	17.5	509	2	MOST DIS
14.8	12.3	357	3	NEITHER
9.6	8.0	232	4	MOST AGR
12.3	10.3	298	5	AGREE
	0.0	1	0	
	16.8	488	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 222

V4363

994E01C -MUCH TO B PROUD

E01: How much do you agree or disagree with each of the following statements?

E01c. I feel I do not have much to be proud of

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.4	44.2	1,284	1	DISAGREE
19.8	16.4	477	2	MOST DIS
9.2	7.6	222	3	NEITHER
9.5	7.8	228	4	MOST AGR
8.1	6.7	195	5	AGREE
	0.1	4	0	
	17.1	497	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 223

V4364 994E01D AM PRSN OF WORTH

E01: How much do you agree or disagree with each of the following statements?
 E01d. I feel I am a person of worth, on an equal plane with others

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	7.9	231	1	DISAGREE
5.7	4.7	136	2	MOST DIS
12.2	10.1	293	3	NEITHER
22.2	18.3	531	4	MOST AGR
50.3	41.4	1,204	5	AGREE
	17.6	513	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 224

V4365 994E01E I ENJOY LIFE

E01: How much do you agree or disagree with each of the following statements?
 E01e. I enjoy life as much as anyone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	6.7	195	1	DISAGREE
5.6	4.6	134	2	MOST DIS
8.2	6.7	196	3	NEITHER
23.1	19.0	551	4	MOST AGR
54.9	45.1	1,312	5	AGREE
	17.8	518	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 225

V4367	994E01G I AM NO GOOD
--------------	-----------------------------

E01: How much do you agree or disagree with each of the following statements?

E01g. Sometimes I think that I am no good at all

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.1	37.1	1,077	1	DISAGREE
17.6	14.4	420	2	MOST DIS
13.9	11.4	332	3	NEITHER
11.7	9.6	280	4	MOST AGR
11.7	9.6	279	5	AGREE
	0.0	1	0	
	17.8	518	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 226

V4368	994E01H DO WELL AS OTHRS
--------------	---------------------------------

E01: How much do you agree or disagree with each of the following statements?

E01h. I am able to do things as well as most other people

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	5.2	151	1	DISAGREE
5.1	4.1	120	2	MOST DIS
8.3	6.8	197	3	NEITHER
26.3	21.5	626	4	MOST AGR
53.9	44.1	1,282	5	AGREE
	18.2	530	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 227

V4369

994E01I FUTURE HOPELESS

E01: How much do you agree or disagree with each of the following statements?

E01i. The future often seems hopeless

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.3	46.0	1,336	1	DISAGREE
18.8	15.4	446	2	MOST DIS
11.2	9.2	266	3	NEITHER
6.3	5.1	149	4	MOST AGR
7.4	6.1	176	5	AGREE
	0.0	1	0	
	18.3	531	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 228

V4371

994E01K I DO WRONG THING

E01: How much do you agree or disagree with each of the following statements?

E01k. I feel that I can't do anything right

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	40.9	1,188	1	DISAGREE
16.8	13.7	399	2	MOST DIS
14.2	11.6	337	3	NEITHER
9.1	7.5	217	4	MOST AGR
10.0	8.2	238	5	AGREE
	0.0	1	0	
	18.1	527	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 229

V4372 994E01L SATISFD W MYSELF

E01: How much do you agree or disagree with each of the following statements?

E01l. On the whole, I'm satisfied with myself

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	5.2	150	1	DISAGREE
5.6	4.5	132	2	MOST DIS
9.8	8.0	233	3	NEITHER
23.8	19.4	564	4	MOST AGR
54.5	44.5	1,293	5	AGREE
	0.0	1	0	
	18.3	533	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 230

V4373 994E01M MY LIFE NT USEFL

E01: How much do you agree or disagree with each of the following statements?

E01m. I feel that my life is not very useful

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.2	45.8	1,332	1	DISAGREE
17.7	14.5	420	2	MOST DIS
12.5	10.2	297	3	NEITHER
6.2	5.1	147	4	MOST AGR
7.3	6.0	174	5	AGREE
	0.1	2	0	
	18.4	534	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 231

V4374	994E01N GOOD TO BE ALIVE
-------	--------------------------

E01: How much do you agree or disagree with each of the following statements?
 E01n. It feels good to be alive

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	3.9	114	1	DISAGREE
3.4	2.8	81	2	MOST DIS
7.1	5.8	168	3	NEITHER
15.7	12.8	372	4	MOST AGR
69.0	56.3	1,638	5	AGREE
	0.0	1	0	
	18.3	532	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 232

V4377	994E04A FRQ STEAL <\$50
-------	-------------------------

E04: During the LAST 12 MONTHS, how often have you...
 E04a. Taken something not belonging to you worth under \$50?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.0	59.0	1,716	1	NOT@ALL
15.1	12.3	359	2	ONCE
5.7	4.7	135	3	TWICE
4.1	3.4	99	4	3-4 TIMES
3.1	2.5	73	5	5 OR MORE
	18.1	525	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 233

V4378 994E04B FRQ STEAL >\$50

E04: During the LAST 12 MONTHS, how often have you...
 E04b. Taken something not belonging to you worth over \$50?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.0	74.2	2,157	1	NOT@ALL
4.4	3.6	104	2	ONCE
2.7	2.2	64	3	TWICE
0.6	0.5	14	4	3-4 TIMES
1.3	1.1	32	5	5 OR MORE
	18.4	536	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 234

V4379 994E04C FRQ DMG SCH PPTY

E04: During the LAST 12 MONTHS, how often have you...
 E04c. Damaged school property on purpose?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.6	64.0	1,859	1	NOT@ALL
11.3	9.2	267	2	ONCE
4.4	3.6	103	3	TWICE
2.2	1.8	53	4	3-4 TIMES
3.5	2.9	84	5	5 OR MORE
	0.1	4	0	
	18.5	537	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 235

V4375 **994E02** **ITEM OMITTED**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	2,906	99	DELETED
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 99
 Columns: 236-237

V4376 **994E03** **ITEM OMITTED**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	2,906	99	DELETED
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 99
 Columns: 238-239

V4353 **994D19** **ILL DRG SOLD@SCH**

D19: During the past 12 months, has anyone made an offer at school to sell or give you an illegal drug (or actually sold or given you one at school)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.7	15.6	455	1	YES
81.3	68.0	1,978	2	NO
	0.0	1	0	
	16.3	474	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 240

V4129 **994A09A DISAP 1-5CIGS/DA**

A09: Individuals differ in whether or not they approve of people doing certain things. Do YOU disapprove of people doing each of the following?

A09a. Smoking one to five cigarettes per day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.9	21.1	614	1	DONT DIS
33.8	32.5	945	2	DISAPPRV
44.3	42.6	1,238	3	STRG DIS
	0.0	1	0	
	2.8	81	8	CANT SAY
	0.9	26	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 241

V4138 **994A10A RSK 1-5 CIGS/DAY**

A10: The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they...

A10a. Smoke one to five cigarettes per day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	7.6	219	1	NO RISK
25.6	24.8	722	2	SLIGHT
37.9	36.8	1,069	3	MOD RISK
28.7	27.8	809	4	GRT RISK
	0.2	5	0	
	2.0	57	8	CANT SAY
	0.9	25	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 242

V4149	994B03A CIG HOW BUY-FRND
-------	--------------------------

B03: During the last 30 days, about how many times (if any) have you bought cigarettes...
 B03a. ...by having a friend or relative buy them for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.2	6.9	200	1	NONE
19.7	3.4	98	2	1 TIME
13.9	2.4	69	3	2 TIMES
15.4	2.6	77	4	3-5 TIMES
2.8	0.5	14	5	6-9 TIMES
8.0	1.4	40	6	10 OR MORE
	80.0	2,325	8	
	2.8	83	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 243

V4150	994B03B CIG HOW BUY-VEND
-------	--------------------------

B03: During the last 30 days, about how many times (if any) have you bought cigarettes...
 B03b. ...on your own from vending machines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.3	13.9	405	1	NONE
8.1	1.4	40	2	1 TIME
4.5	0.7	22	3	2 TIMES
2.1	0.3	10	4	3-5 TIMES
0.2	0.0	1	5	6-9 TIMES
1.9	0.3	9	6	10 OR MORE
	80.0	2,325	8	
	3.2	94	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 244

V4151	994B03C CIG HOW BUY-MAIL
-------	--------------------------

B03: During the last 30 days, about how many times (if any) have you bought cigarettes...
 B03c. ...through the mail?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.9	15.9	461	1	NONE
0.4	0.1	2	2	1 TIME
2.3	0.4	11	3	2 TIMES
0.3	0.0	1	4	3-5 TIMES
0.6	0.1	3	5	6-9 TIMES
0.6	0.1	3	6	10 OR MORE
	80.0	2,325	8	
	3.5	100	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 245

V4152	994B03D CIG HOW BUY-PKUP
-------	--------------------------

B03: During the last 30 days, about how many times (if any) have you bought cigarettes...
 B03d. ...in a store where you pick up the pack (or carton) and bring it to the check-out counter?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.5	14.1	411	1	NONE
7.3	1.2	36	2	1 TIME
4.7	0.8	23	3	2 TIMES
1.6	0.3	8	4	3-5 TIMES
0.4	0.1	2	5	6-9 TIMES
1.6	0.3	8	6	10 OR MORE
	0.0	1	0	
	80.0	2,325	8	
	3.2	94	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 246

V4153 **994B03E CIG HOW BUY-CLRK**

B03: During the last 30 days, about how many times (if any) have you bought cigarettes...
 B03e. ...in a store where the clerk has to hand you the pack or carton?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.9	13.7	399	1	NONE
6.3	1.1	31	2	1 TIME
2.8	0.5	14	3	2 TIMES
3.6	0.6	17	4	3-5 TIMES
1.9	0.3	9	5	6-9 TIMES
3.5	0.6	17	6	10 OR MORE
	80.0	2,325	8	
	3.2	94	9	
-----	-----	-----		
100.0	100.0	2,906	cases	(Wtd)

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 247

V4154 **994B04A CIG WHERE-SUPMKT**

B04: During the last 30 days, about how many times (if any) did YOU buy cigarettes for your own use...
 B04a. ...at a big supermarket?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.5	14.7	427	1	NONE
6.8	1.1	32	2	1 TIME
2.5	0.4	12	3	2 TIMES
0.3	0.0	1	4	3-5 TIMES
0.0	0.0	0	5	6-9 TIMES
0.9	0.1	4	6	10 OR MORE
	80.0	2,325	8	
	3.6	104	9	
-----	-----	-----		
100.0	100.0	2,906	cases	(Wtd)

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 248

V4155 **994B04B CIG WHERE-SMLGRC**

B04: During the last 30 days, about how many times (if any) did YOU buy cigarettes for your own use...
 B04b. ...at a small grocery store?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.5	12.8	373	1	NONE
9.2	1.5	44	2	1 TIME
6.2	1.0	30	3	2 TIMES
3.2	0.5	15	4	3-5 TIMES
0.2	0.0	1	5	6-9 TIMES
2.7	0.4	13	6	10 OR MORE
	80.0	2,325	8	
	3.6	106	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 249

V4156 **994B04C CIG WHERE-DRGSTR**

B04: During the last 30 days, about how many times (if any) did YOU buy cigarettes for your own use...
 B04c. ...at a drugstore?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.4	14.1	410	1	NONE
7.5	1.2	35	2	1 TIME
2.9	0.5	13	3	2 TIMES
0.5	0.1	2	4	3-5 TIMES
0.3	0.0	1	5	6-9 TIMES
1.5	0.2	7	6	10 OR MORE
	80.0	2,325	8	
	3.8	111	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 250

V4157 994B04D CIG WHERE-CNVGAS

B04: During the last 30 days, about how many times (if any) did YOU buy cigarettes for your own use...
 B04d. ...at a convenience store (like a Hop-In or 7-11) or a gas station?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.0	10.5	304	1	NONE
16.7	2.8	80	2	1 TIME
6.9	1.1	33	3	2 TIMES
6.6	1.1	32	4	3-5 TIMES
1.9	0.3	9	5	6-9 TIMES
5.0	0.8	24	6	10 OR MORE
	80.0	2,325	8	
	3.4	98	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 251

V4159 994B06 CIG PROOF OF AGE

B06: The last time that you tried to buy cigarettes in a store or gas station, were you asked for proof of age?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.4	34.2	993	1	NEVER TRIED
11.6	4.9	141	2	NO AND SOLD
2.2	0.9	27	3	NO AND NOSALE
4.8	2.0	59	4	YES
	54.7	1,591	8	
	3.3	95	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 252

V4160	994B06A CIG SHOW ID/SELL
-------	--------------------------

B06: The last time that you tried to buy cigarettes in a store or gas station, were you asked for proof of age?
 B06a. If yes, what happened?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	0.0	1	1	ID & SOLD
6.8	0.2	4	2	ID & NOSALE
42.8	1.0	28	3	NO ID & SOLD
48.4	1.1	31	4	NO ID & NOSALE
	40.0	1,162	7	
	54.7	1,591	8	
	3.1	89	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,7-*
 Column: 253

V4161	994B07 CIG STORE BUY<20
-------	-------------------------

B07: Have you ever gone to a store and bought just one or a few cigarettes (fewer than the usual pack of 20)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.5	39.4	1,146	1	NEVER
4.8	2.0	59	2	YES IN LAST12M
2.7	1.2	33	3	YES NOT LAST12M
	54.7	1,591	8	
	2.7	77	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 254

V4163 **994B09 #X TRY STOP SMK**

B09: How many times, if any, have you tried to stop smoking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.3	23.3	677	1	NONE
22.0	9.0	260	2	ONCE
10.7	4.4	127	3	TWICE
5.6	2.3	67	4	3-5 TIMES
2.3	0.9	27	5	6-9 TIMES
2.0	0.8	24	6	10 OR MORE
	54.7	1,591	8	
	4.6	133	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 255

V4164 **994B10 *WNT STP SMK NW**

B10: Do you want to stop smoking now?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.0	5.7	164	1	YES
55.0	6.9	201	2	NO
	0.1	4	0	
	54.7	1,591	7	
	29.5	856	8	DONT SMK
	3.1	90	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,7-*
 Column: 256

V4165 **994B11 QUIT SMK WRY FAT**

B11: Do you (or did you) worry that quitting smoking would make you gain weight?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.1	34.9	1,013	1	NO
8.1	3.3	97	2	A LITTLE
3.5	1.4	41	3	SOME
3.3	1.3	39	4	A LOT
	54.7	1,591	8	
	4.3	125	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 257

V4166 **994B12 START SMK LOSEWT**

B12: Some people start to smoke because they think it will help them lose weight. Was losing weight one of the reasons you started to smoke?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.5	37.7	1,096	1	NO
4.8	2.0	57	2	A LITTLE
1.3	0.5	15	3	SOME
1.3	0.5	16	4	A LOT
	54.7	1,591	8	
	4.5	131	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 258

V4167 994B13 START SMK THISYR

B13: If you have never smoked, do you think you will try smoking cigarettes sometime this year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.7	30.6	888	1	ALREADY TRIED
0.8	0.8	22	2	DEF WILL
4.0	3.9	114	3	PROB WILL
15.7	15.2	441	4	PROB WONT
47.8	46.1	1,340	5	DEF WONT
	0.1	2	0	
	3.5	100	9	
-----	-----	-----		
100.0	100.0	2,906	cases	(Wtd)

Data type: numeric
Missing-data codes: 0,9
Column: 259

V4168 994B14 NO SMK IN 5 YR

B14: Do you think you will be smoking cigarettes five years from now?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.5	73	1	DEF WILL
13.0	12.8	371	2	PROB WILL
30.9	30.4	883	3	PROB WONT
53.5	52.5	1,527	4	DEF WONT
	0.1	2	0	
	1.7	50	9	
-----	-----	-----		
100.0	100.0	2,906	cases	(Wtd)

Data type: numeric
Missing-data codes: 0,9
Column: 260

V4169 **994B15A NEVER CIG ADDICT**

B15: How much do you agree or disagree with the following statements?

B15a. I will never get addicted to cigarettes

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.1	27.6	802	1	DISAGREE
9.2	9.0	263	2	MOSTLY DIS
10.1	9.9	289	3	NEITHER
12.4	12.2	354	4	MOSTLY AGREE
40.2	39.6	1,150	5	AGREE
	1.7	49	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 261

V4170 **994B15B QUIT CIG WN WANT**

B15: How much do you agree or disagree with the following statements?

B15b. I could smoke a pack a day for a year or more and still be able to quit if I wanted to

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.0	63.5	1,844	1	DISAGREE
15.1	14.7	429	2	MOSTLY DIS
7.2	7.0	203	3	NEITHER
3.9	3.8	111	4	MOSTLY AGREE
8.8	8.6	249	5	AGREE
	2.4	71	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 262

V4171	994B15C SMK -DANGER QUIT
-------	--------------------------

B15: How much do you agree or disagree with the following statements?
 B15c. At my age, smoking is not too dangerous because you can always quit later

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.8	69.8	2,029	1	DISAGREE
14.7	14.3	415	2	MOSTLY DIS
5.6	5.4	158	3	NEITHER
2.2	2.1	62	4	MOSTLY AGREE
5.8	5.7	165	5	AGREE
	2.7	78	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 263

V4172	994B16 OWN TOBACCO LOGO
-------	-------------------------

B16: Some tobacco companies make clothing, hats, bags, or other things with their brand on it. Do you have a piece of clothing or other thing that has a tobacco brand name or logo on it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.9	68.5	1,990	1	NO
29.1	28.2	819	2	YES
	0.0	0	0	
	3.3	97	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 264

V4173 994B16Aa CIG LOGO CAMEL

B16: Do you have a piece of clothing or other thing that has a tobacco brand name or logo on it?

B16a. What brand name is on it (or on them)?

A. Camel

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.7	18.0	523	0	NOT MARKED
38.3	11.2	325	1	MARKED
	68.5	1,990	8	
	2.3	68	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 8-
 Column: 265

V4174 994B16Ab CIG LOGO KOOL

B16: Do you have a piece of clothing or other thing that has a tobacco brand name or logo on it?

B16a. What brand name is on it (or on them)?

B. Kool

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.0	26.6	772	0	NOT MARKED
9.0	2.6	76	1	MARKED
	68.5	1,990	8	
	2.3	68	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 8-
 Column: 266

V4175 994B16Ac CIG LOGO MARLB

B16: Do you have a piece of clothing or other thing that has a tobacco brand name or logo on it?
 B16a. What brand name is on it (or on them)?
 C. Marlboro

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.2	9.7	282	0	NOT MARKED
66.8	19.5	566	1	MARKED
	68.5	1,990	8	
	2.3	68	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 8-*
 Column: 267

V4176 994B16Ad CIG LOGO NEWPT

B16: Do you have a piece of clothing or other thing that has a tobacco brand name or logo on it?
 B16a. What brand name is on it (or on them)?
 D. Newport

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.8	23.3	677	0	NOT MARKED
20.2	5.9	171	1	MARKED
	68.5	1,990	8	
	2.3	68	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 8-*
 Column: 268

V4177

994B16Ae CIG LOGO VASLM

B16: Do you have a piece of clothing or other thing that has a tobacco brand name or logo on it?

B16a. What brand name is on it (or on them)?

E. Virginia Slims

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.7	28.2	820	0	NOT MARKED
3.3	1.0	28	1	MARKED
	68.5	1,990	8	
	2.3	68	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
Missing-data codes: 8-*
Column: 269

V4178

994B16Af CIG LOGO OTHER

B16: Do you have a piece of clothing or other thing that has a tobacco brand name or logo on it?

B16a. What brand name is on it (or on them)?

F. Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.8	23.6	685	0	NOT MARKED
19.2	5.6	163	1	MARKED
	68.5	1,990	8	
	2.3	68	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
Missing-data codes: 8-*
Column: 270

V4179	994B17 SAVED CIG COUPON
-------	-------------------------

B17: Have you ever saved coupons from cigarettes (whether or not you bought them yourself)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	86.8	2,523	1	NO
11.1	10.8	315	2	YES
	2.3	68	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 271

V4180	994B17A SAVE CIG CPN NOW
-------	--------------------------

B17: Have you ever saved coupons from cigarettes (whether or not you bought them yourself)?
 B17a. Are you currently saving coupons from cigarettes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.3	6.6	193	1	NO
39.7	4.4	127	2	YES
	86.8	2,523	8	
	2.2	64	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 272

V4181 994B18 CO GIVE FREE CIG

B18: Has anyone from a tobacco company ever given you, or mailed you, a free sample of their cigarettes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.3	94.1	2,735	1	NO
2.5	2.5	72	2	YES PAST12MO
2.2	2.2	63	3	YES NOT PAST12MO
	1.3	37	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 273

V4276 994C28A PRN KNW AFT SCHL

C28: The following questions are about your parents (or stepparents or guardians):
 C28a. My parents know where I am after school
 (This question omitted from Western region questionnaires.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.1	33	1	NEVER
3.2	2.4	70	2	RARELY
7.6	5.8	169	3	SOMETIME
26.0	19.8	574	4	MOST TIMES
61.7	46.8	1,360	5	ALWAYS
	20.2	587	6	
	3.9	113	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,6-*
 Column: 274

V4277

994C28B PRN KNW WHO@NITE

C28: The following questions are about your parents (or stepparents or guardians):

C28b. When I go out at night, my parents know whom I am with

(This question omitted from Western region questionnaires.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	2.0	58	1	NEVER
3.5	3.3	96	2	RARELY
7.9	7.5	219	3	SOMETIME
17.9	17.2	499	4	MOST TIMES
47.5	45.4	1,320	5	ALWAYS
21.1	20.2	587	6	
	0.1	3	0	
	4.3	125	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric

Missing-data codes: 0,8-*

Column: 275

V4278 994C28C PRN KNW WHER@NGT

C28: The following questions are about your parents (or stepparents or guardians):
 C28c. When I go out at night, my parents know where I am
 (This question omitted from Western region questionnaires.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	1.9	56	1	NEVER
2.9	2.8	82	2	RARELY
8.2	7.9	229	3	SOMETIME
20.6	19.7	571	4	MOST TIMES
45.0	43.0	1,250	5	ALWAYS
21.2	20.2	587	6	
	0.1	2	0	
	4.5	130	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 276

V4279 994C28D R'S WKND CURFEW

C28: The following questions are about your parents (or stepparents or guardians):
 C28d. When I go out on weekend nights I have to be home by a set time
 (This question omitted from Western region questionnaires.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	8.6	251	1	NEVER
12.1	11.5	335	2	RARELY
13.6	12.9	376	3	SOMETIME
16.6	15.8	460	4	MOST TIMES
27.5	26.2	760	5	ALWAYS
21.2	20.2	587	6	
	4.7	138	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 277

V4290 994D06 #X ANTISMK TV/RD

D06: The next questions are about anti-smoking commercials or "spots" that are intended to discourage cigarette smoking. In recent months, about how often have you seen such anti-smoking commercials on TV, or heard them on the radio?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.7	13.4	390	1	NOT@ALL
10.4	9.5	278	2	< MO
17.9	16.4	477	3	1-3/MO
21.3	19.5	567	4	1-3/WK
22.3	20.4	592	5	DAILY
13.4	12.3	357	6	GT DAILY
	0.0	1	0	
	8.4	245	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 278

V4291 994D07 #X ANTISMK PRINT

D07: In recent months, about how often have you seen anti-smoking ads on billboards or in magazines and newspapers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.6	21.5	625	1	NOT@ALL
19.6	17.9	520	2	< MO
23.1	21.1	613	3	1-3/MO
17.5	16.0	464	4	1-3/WK
11.7	10.7	310	5	DAILY
4.4	4.1	118	6	GT DAILY
	8.9	257	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 279

V4292 **994D08A ANTISMK ADS<FVRB**

D08: To what extent do you think such ads on TV, radio,
billboards or in magazines and newspapers have...
D08a. ...made you less favorable toward smoking cigarettes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.4	26.5	770	1	NOT@ALL
18.0	16.1	469	2	< MO
20.7	18.6	541	3	1-3/MO
10.6	9.5	276	4	1-3/WK
21.3	19.2	557	5	DAILY
0.0	0.0	0	6	GT DAILY
	10.1	293	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
Missing-data codes: 0,9
Column: 280

V4293 **994D08B ANTISMK ADS<LKLY**

D08: To what extent do you think such ads on TV, radio,
billboards or in magazines and newspapers have...
D08b. ...made you less likely to smoke cigarettes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.5	26.4	768	1	NOT@ALL
16.5	14.8	429	2	LTL EXTNT
18.7	16.7	486	3	SOME EXTNT
12.6	11.3	327	4	GRT EXTNT
22.7	20.3	590	5	VYGRT EXTNT
	0.0	0	0	
	10.5	306	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
Missing-data codes: 0,9
Column: 281

V4294 994D08C ANTISMK ADS EXAG

D08: To what extent do you think such ads on TV, radio, billboards or in magazines and newspapers have...
 D08c. ...overstate the dangers or risks of cigarette smoking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.0	33.0	958	1	NOT@ALL
16.2	14.4	419	2	LITL EXTNT
16.6	14.7	429	3	SOME EXTNT
10.4	9.2	268	4	GRT EXTNT
19.8	17.6	513	5	VYGRT EXTNT
	0.1	2	0	
	11.0	318	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 282

V4295 994D09A CIG SMKRS-ATHLTS

D09: These days, how many people in the following groups would you guess are regular cigarette smokers?
 D09a. Professional athletes

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.4	41.3	1,201	1	0%-10%
24.2	19.5	566	2	11%-30%
12.6	10.1	295	3	31%-50%
6.6	5.3	154	4	51%-70%
2.6	2.1	61	5	71%-90%
2.6	2.1	61	6	91%-100%
	0.4	11	0	
	9.7	281	8	NO IDEA
	9.6	278	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 283

V4296

994D09B CIG SMKRS-ROCKRS

D09: These days, how many people in the following groups would you guess are regular cigarette smokers?
 D09b. Rock music performers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	5.2	153	1	0%-10%
9.9	8.2	239	2	11%-30%
16.3	13.5	392	3	31%-50%
21.3	17.7	514	4	51%-70%
23.9	19.8	576	5	71%-90%
22.2	18.4	535	6	91%-100%
	0.0	0	0	
	7.5	217	8	NO IDEA
	9.6	280	9	
-----	-----	-----		
100.0	100.0	2,906	cases	(Wtd)

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 284

V4297

994D09C CIG SMKRS-ACTORS

D09: These days, how many people in the following groups would you guess are regular cigarette smokers?
 D09c. Actors and actresses

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.9	8.0	231	1	0%-10%
20.3	16.4	476	2	11%-30%
26.8	21.6	627	3	31%-50%
21.9	17.6	513	4	51%-70%
15.1	12.2	355	5	71%-90%
6.0	4.9	141	6	91%-100%
	0.0	1	0	
	9.7	282	8	NO IDEA
	9.7	282	9	
-----	-----	-----		
100.0	100.0	2,906	cases	(Wtd)

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 285

V4298	994D09D CIG SMKRS-PEERS
--------------	--------------------------------

D09: These days, how many people in the following groups would you guess are regular cigarette smokers?
 D09d. Students in your school

PCT VALID	PCT ALL	N	VALUE	LABEL
24.1	20.0	581	1	0%-10%
23.6	19.6	569	2	11%-30%
18.5	15.4	447	3	31%-50%
14.9	12.4	359	4	51%-70%
11.0	9.2	267	5	71%-90%
7.9	6.6	191	6	91%-100%
	0.0	1	0	
	7.4	214	8	NO IDEA
	9.5	278	9	

100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 286

V4299	994D10A USE DRUGS-ATHLT
--------------	--------------------------------

D10: How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?
 D10a. Professional athletes

PCT VALID	PCT ALL	N	VALUE	LABEL
50.4	38.8	1,127	1	0%-10%
24.4	18.7	545	2	11%-30%
11.9	9.2	266	3	31%-50%
5.8	4.5	130	4	51%-70%
4.4	3.4	98	5	71%-90%
3.2	2.5	71	6	91%-100%
	0.4	10	0	
	12.8	372	8	NO IDEA
	9.9	287	9	

100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 287

V4300	994D10B USE DRUGS-ROCK
-------	------------------------

D10: How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

D10b. Rock music performers

PCT VALID	PCT ALL	N	VALUE	LABEL
7.1	5.7	165	1	0%-10%
14.0	11.1	323	2	11%-30%
18.4	14.6	425	3	31%-50%
17.5	13.9	404	4	51%-70%
20.6	16.4	476	5	71%-90%
22.5	17.9	520	6	91%-100%
	0.2	7	0	
	10.1	292	8	NO IDEA
	10.1	294	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 288

V4301	994D10C USE DRUGS-ACTOR
-------	-------------------------

D10: How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

D10c. Actors and actresses

PCT VALID	PCT ALL	N	VALUE	LABEL
27.5	20.8	604	1	0%-10%
29.6	22.4	651	2	11%-30%
19.6	14.8	429	3	31%-50%
13.1	9.9	287	4	51%-70%
6.5	4.9	143	5	71%-90%
3.7	2.8	81	6	91%-100%
	0.0	1	0	
	14.4	420	8	NO IDEA
	10.0	290	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 289

V4302 994D10D USE DRUGS-PEERS

D10: How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

D10d. Students in your school

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.6	29.7	863	1	0%-10%
24.3	19.2	557	2	11%-30%
14.2	11.2	327	3	31%-50%
10.9	8.6	250	4	51%-70%
7.0	5.5	160	5	71%-90%
6.1	4.8	140	6	91%-100%
	0.1	3	0	
	10.9	316	8	NO IDEA
	10.0	292	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,8-*
 Column: 290

V4303 994D11 SMKRS MOVIE THTR

D11: Think about the movie that you watched most recently in a theater. Did any of the characters in the movie smoke cigarettes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	17.9	521	1	NO
57.0	51.2	1,487	2	SOME
13.5	12.1	352	3	A LOT
9.5	8.5	247	4	DONT REMEMBR
	0.1	3	0	
	10.2	296	9	

 100.0 100.0 2,906 cases (Wtd)

Data type: numeric
 Missing-data codes: 0,9
 Column: 291

V4304 994D12 SMKRS MOVIE HOME

D12: Think about the movie that you watched most recently on video or on TV. Did any of the characters in the movie smoke cigarettes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.6	18.4	536	1	NO
56.7	50.9	1,478	2	SOME
14.9	13.4	389	3	A LOT
7.8	7.0	202	4	DONT REMEMBR
	10.4	301	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 292

V4305 994D13A FRND DAP CIG OCC

D13: How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?
 D13a. Smoking cigarettes occasionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.6	27.1	788	1	NOT DISAP
35.3	31.3	911	2	DISAPPROVE
34.1	30.3	880	3	STR DISAP
	0.1	3	0	
	11.2	325	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 293

V4306

994D13B FRND DAP CIG DLY

D13: How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?
 D13b. Smoking cigarettes every day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.6	19.2	557	1	NOT DISAP
26.0	23.1	670	2	DISAPPROVE
52.3	46.3	1,346	3	STR DISAP
	0.2	5	0	
	11.3	329	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 294

V4307

994D13C FRD DAP CIGS

D13: How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?
 D13c. Smoking one or more packs of cigarettes per day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.5	12.8	372	1	NOT DISAP
21.1	18.6	542	2	DISAPPROVE
64.4	56.9	1,653	3	STR DISAP
	0.0	1	0	
	11.7	340	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 295

V4308 994D13D FRND DAP SMKL OC

D13: How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?
 D13d. Using smokeless tobacco occasionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	16.0	466	1	NOT DISAP
29.9	26.3	764	2	DISAPPROVE
51.9	45.7	1,327	3	STR DISAP
	12.0	349	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 296

V4309 994D13E FRND DAP SMKL DL

D13: How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?
 D13e. Using smokeless tobacco every day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.1	13.3	387	1	NOT DISAP
22.4	19.7	574	2	DISAPPROVE
62.4	55.0	1,599	3	STR DISAP
	11.9	347	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 297

V4310 994D13F FRND DAP SMKL D+

D13: How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?
 D13f. Using smokeless tobacco several times per day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.5	11.8	344	1	NOT DISAP
19.9	17.5	509	2	DISAPPROVE
66.6	58.6	1,702	3	STR DISAP
	12.1	351	9	
-----	-----	-----		
100.0	100.0	2,906	cases (Wtd)	

Data type: numeric
 Missing-data codes: 0,9
 Column: 298

V4 994 R'S ID - SERIAL #

2,906 cases (Wtd) (Range of valid codes: 54,395-57,287)

Data type: numeric
 Columns: 299-303

APPENDIX A

PUBLICATIONS

ANNUAL VOLUMES CONTAINING COMPLETE RESPONSE DISTRIBUTIONS

(Published by the Institute for Social Research)

These volumes contain univariate and selected bivariate percentagized frequency distributions on all questions asked in a given year. Also contained is a cross-time index for locating the same question in the other years of the study in which it was contained. Order directly from Monitoring the Future, Institute for Social Research Room 2311, P. O. Box 1248, Ann Arbor, Michigan 48106-1248.

- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1975.* L.D. Johnston and J.G. Bachman, 1980, 188 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1976.* J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1980, 264 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1977.* L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1980, 266 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1978.* J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1980, 266 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1979.* L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1980, 266 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1980.* J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1981, 266 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1981.* L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1982, 268 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1982.* J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1984, 280 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1983.* L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1984, 282 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1984.* J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1985, 284 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1985.* L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1986, 284 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1986.* J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1987, 288 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1987.* L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1991, 283 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1988.* J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1991, 283 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1989.* L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1992, 327 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1990.* J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1993, 335 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1991.* L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1993, 335 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1992.* J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1993, 335 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1993. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1995, 339 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1994. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1997, 341 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1995. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1997, 341 pp.

ANNUAL VOLUMES ON TRENDS IN DRUG USE AND RELATED FACTORS

(Published by the National Institute on Drug Abuse)

Volumes in this series may be ordered from the National Clearinghouse for Alcohol and Drug Information, P.O. Box 2345, Rockville, MD 20852 (Tel. 1-800-729-6686). There is no charge for single copies.

Drug use among American high school students 1975-1977 (DHEW Publication No. ADM 78-619). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1978, 256 pp.

Highlights from drug use among American high school students 1975-1977 (DHEW Publication No. ADM 78-621). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1978, 43 pp.

Drugs and the class of 1978: Behaviors, attitudes, and recent national trends (DHEW Publication No. ADM 79-877). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1979, 376 pp.

Highlights from drugs and the class of 1978: Behaviors, attitudes, and recent national trends (DHEW Publication No. ADM 79-878). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1979, 62 pp.

1979 Highlights: Drugs and the nation's high school students, Five year national trends (DHEW Publication No. ADM 80-930). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1979, 85 pp.

Highlights from student drug use in America, 1975-1980 (DHHS Publication No. ADM 81-1066). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1981, 120 pp.

Highlights from student drug use in America, 1975-1981 (DHHS Publication No. ADM 82-1208). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1981, 130 pp.

Student drug use in America, 1975-1981 (DHHS Publication No. ADM 89-1221). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1982, 433 pp.

Student drug use, attitudes, and beliefs: National trends, 1975-1982 (DHHS Publication No. ADM 83-1260). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1983, 134 pp.

Highlights from drugs and American high school students, 1975-1983 (DHHS Publication No. ADM 84-1317). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1984, 135 pp.

Drugs and American high school students: 1975-1983 (DHHS Publication No. ADM 85-1374). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1984, 492 pp.

Use of licit and illicit drugs by America's high school students: 1975-1984 (DHHS Publication No. ADM 85-1394). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1985, 167 pp.

Drug use among American high school students, college students, and other young adults: National trends through 1985 (DHHS Publication No. ADM 86-1450). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1986, 237 pp.

National trends in drug use and related factors among American high school students and young adults, 1975-1986 (DHHS Publication No. ADM 87-1535). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1987, 265 pp.

Illicit drug use, smoking, and drinking by America's high school students, college students, and young adults: 1975-1987 (DHHS Publication No. ADM 89-1602). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1988, 307 pp.

Drug use, drinking, and smoking: National survey results from high school, college, and young adult populations, 1975-1988 (DHHS Publication No. ADM 89-1638). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1989, 339 pp.

- Trends in drug use and associated factors among American high school students, college students, and young adults: 1975-1989* (Institute for Social Research: Ann Arbor, MI). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1991, 331 pp.
- Drug use among American high school seniors, college students and young adults, 1975-1990, Volume I: High school seniors* (DHHS Publication No. (ADM) 91-1813) and *Volume II: College students and young adults* (DHHS Publication No. (ADM) 91-1835). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1991, 199 pp. and 168 pp., respectively.
- Smoking, drinking, and illicit drug use among American secondary school students, college students, and young adults, 1975-1991. Volume I: Secondary school students* (DHHS Pub. No. (NIH) 93-3481). *Volume II: College students and young adults* (DHHS Pub. No. (NIH) 93-3481). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1992, 231 pp. and 176 pp., respectively.
- National survey results on drug use from the Monitoring the Future study, 1975-1992. Volume I: Secondary school students* (NIH Pub. No. 93-3597). *Volume II: College students and young adults* (NIH Pub. No. 93-3598). L.D. Johnston, P.M. O'Malley, & J.G. Bachman, 1993, 269 pp. and 190 pp., respectively.
- National survey results on drug use from the Monitoring the Future study 1975-1993. Volume I: Secondary school students* (NIH Pub. No. 94-3809). *Volume II: College students and young adults* (NIH Pub. No. 94-3810). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1994, 281 pp. and 189 pp., respectively.
- National survey results on drug use from the Monitoring the Future study, 1975-1994. Volume I: Secondary school students* (NIH Pub. No. 95-4026). *Volume II: College students and young adults* (1996). (NIH Pub. No. 96-4027). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1995, 327 pp. and 189 pp., respectively.
- National survey results on drug use from the Monitoring the Future study, 1975-1995. Volume I: Secondary school students* (1996). (NIH Pub. No. 96-4139). *Volume II: College students and young adults* (1997). (NIH Pub. No. 98-4140). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 381 pp. and 188 pp., respectively.
- National survey results on drug use from the Monitoring the Future study, 1975-1997. Volume I: Secondary school students* (1998). (NIH Pub. No. 98-4345). *Volume II: College students and young adults* (1998). (NIH Pub. No. 98-4346). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 433 pp. and 206 pp., respectively.
- National survey results on drug use from the Monitoring the Future study, 1975-1998. Volume I: Secondary school students* (1999). (NIH Pub. No. 99-4660). *Volume II: College students and young adults* (NIH Pub. No. 99-4661). L.D. Johnston, P.M. O'Malley, & J.G. Bachman, 420 pp. and 218 pp., respectively.
- Monitoring the Future national results on adolescent drug use: Overview of key findings, 1999* (2000). (NIH Publication No. 00-4690). L.D. Johnston, P.M. O'Malley, & J.G. Bachman, 56 pp.

JOURNAL ARTICLES

- Bryant, A.L., Schulenberg, J., Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (2000). Understanding the links among school misbehavior, academic achievement, and cigarette use: A national panel study of adolescents. *Prevention Science*, 1(2), 71-87.
- O'Malley, P.M., Johnston, L.D., Bachman, J.G., & Schulenberg, J. (2000). A comparison of confidential versus anonymous survey procedures: Effects on reporting of drug use and related attitudes and beliefs in a national study of students. *Journal of Drug Issues*, 30(1), 35-54.
- O'Malley, P.M., & Johnston, L.D. (1999). Drinking and driving among American high school seniors: 1984-1997. *American Journal of Public Health*, 89, 678-684.
- An, L.C., O'Malley, P.M., Schulenberg, J., Bachman, J.G., & Johnston, L.D. (1999). Changes at the high end of risk in cigarette smoking among U.S. high school seniors, 1976-1995. *American Journal of Public Health*, 89, 699-705.
- Bachman, J.G., Freedman-Doan, P., O'Malley, P.M., Johnston, L.D., & Segal, D.R. (1999). Changing patterns of drug use among high school seniors (1976-1995) who entered military service: Implications for drug abuse prevention. *American Journal of Public Health*, 89, 672-677.
- Schulenberg, J., Maggs, J.L., Dielman, T.E., Leech, S.L., Kloska, D.D., Shope, J.T., & Laetz, V.B. (1999). On peer influences to get drunk: A panel study of young adolescents. *Merrill-Palmer Quarterly*, 45, 108-142.
- Wallace, J.M., Jr. (1999). Race, risk, and resilience: The social ecology of addiction in America's black and Hispanic communities. *Pediatrics*, 103(5), 1122-1127.

- Wallace, J.M., Jr., Forman, T.A., Guthrie, B.J., Bachman, J.G., O'Malley, P.M., Johnston, L.D. (1999). The epidemiology of alcohol, tobacco and other drug use among black youth. *Journal of Studies on Alcohol*, 60(6), 800-809.
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1998). Explaining the recent increases in students' marijuana use: The impacts of perceived risks and disapproval from 1976 through 1996. *American Journal of Public Health* 88, 887-892.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1998). Alcohol use among adolescents. *Alcohol Health & Research World*, 22, 85-93.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (Oct/Nov 1997). Quantitative and qualitative changes in cocaine use among American high school seniors, college students, and young adults. A chapter summarized and abstracted in a special edition of the journal *Substance Use and Misuse* entitled "Etiology and Prevention of Drug Use: The U.S. National Institute on Drug Abuse Research Monographs, 1991-1993", vol. 32. The chapter originally appeared in 1991 in S. Schober & C. Schade (Eds.), *The epidemiology of cocaine use and abuse* (pp. 19-44). (NIDA Research Monograph 110.) Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D. (1997). Contributions of drug epidemiology to the field of drug abuse prevention. *Substance Use and Misuse*, 32 (12&13). (Abstract and summary of an earlier chapter, Johnston [1991]. Translated into 9 languages.)
- Wallace, J.M., Jr. & Bachman, J.G. (1997). Validity of self-reports in student-based studies of minority populations: Issues and concerns. *Substance Use & Misuse*, 32, 1949-1954.
- Bell, R., Wechsler, H., Johnston, L.D. (1997). Correlates of college marijuana use: Results of a national survey. *Addiction*, 92, 571-582.
- Osgood, D.W., Wilson, J.K., Bachman, J.G., O'Malley, P.M., & Johnston, L. D. (1996). Routine activities and individual deviant behaviors. *American Sociological Review*, 61, 635-655.
- Schulenberg, J., O'Malley, P.M., Bachman, J.G., Wadsworth, K.N., & Johnston, L.D. (1996). Getting drunk and growing up: Trajectories of frequent binge drinking during the transition to young adulthood. *Journal of Studies on Alcohol*, 57, 289-304.
- Schulenberg, J., Wadsworth, K.N., O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1996). Adolescent risk factors for binge drinking during the transition to young adulthood: Variable- and pattern-centered approaches to understanding change. *Developmental Psychology*, 32, 659-674.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1995, April). Adolescent substance use: Epidemiology and implications for public policy. *Pediatrics Clinics of North America*, 42, 241-260.
- Schulenberg, J., Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (1994). High school educational success and subsequent substance use: A panel analysis following adolescents into young adulthood. *Journal of Health and Social Behavior*, 35, 45-62.
- Wallace, J.M., Jr. (1994). Race differences in adolescent drug use: Recent findings from national samples. *African-American Research Perspectives*, 1(1), 31-35.
- Bachman, J.G., & Schulenberg, J. (1993). How part-time work intensity relates to drug use, problem behavior, time use, and satisfaction among high school seniors: Are these consequences, or merely correlates? *Developmental Psychology*, 29, 220-235.
- Johnston, L.D. (1993). The "war" on drugs and the role of the media. *Nieman Reports*, 47(7), 39-41.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1993). Adolescent substance use and addictions: Epidemiology, current trends, and public policy. *Adolescent Medicine: State of the Art Reviews*, 4, 227-248.
- Bachman, J.G., & Wallace, J.M., Jr. (1991). The Drug Problem among adolescents: Getting beyond the stereotypes. *Ethnicity & Disease*, 1(fall), 85-97.
- Bachman, J.G., Wallace, J.M., Jr., O'Malley, P.M., Johnston, L.D., Kurth, C.L., & Neighbors, H.W. (1991). Racial/ethnic differences in smoking, drinking, and illicit drug use among American high school seniors, 1976-1989. *American Journal of Public Health*, 81, 372-377.
- O'Malley, P.M., & Wagenaar, A.C. (1991). Effects of minimum drinking age laws on alcohol use, related behaviors, and traffic crash involvement among American youth: 1976-1987. *Journal of Studies on Alcohol*, 52, 478-491.
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1990). Explaining the recent decline in cocaine use among young adults: Further evidence that perceived risks and disapproval lead to reduced drug use. *Journal of Health and Social Behavior*, 31, 173-184.
- Johnston, L.D. (1989). The survey technique in drug abuse assessment. *Bulletin on Narcotics*, 41, 29-40.

- Osgood, D.W., O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1989). Time trends and age trends in arrests and self-reported illegal behavior. *Criminology*, 27, 389-417.
- Bachman, J.G., Johnston, L.D., O'Malley, P.M., & Humphrey, R.H. (1988). Explaining the recent decline in marijuana use: Differentiating the effects of perceived risks, disapproval, and general lifestyle factors. *Journal of Health and Social Behavior*, 29, 92-112.
- Humphrey, R.H., O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1988). Bases of power, facilitation effects, and attitudes and behavior: Direct, indirect, and interactive determinants of drug use. *Social Psychology Quarterly*, 51, 329-345.
- O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1988). Period, age, and cohort effects on substance use among young Americans: A decade of change, 1976-1986. *American Journal of Public Health*, 78, 1315-1321.
- Osgood, D.W., Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1988). The generality of deviance in late adolescence and early adulthood. *American Sociological Review*, 53, 81-93.
- Bachman, J.G. (1987). An eye on the future. *Psychology Today*, 21(7), 6-8.
- Bachman, J.G., Sigelman, L., & Diamond, G. (1987). Self-selection, socialization, and distinctive military values: Attitudes of high school seniors. *Armed Forces and Society*, 13(2), 169-187.
- Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1987). Psychotherapeutic, licit, and illicit use of drugs among adolescents: An epidemiological perspective. *Journal of Adolescent Health Care*, 8, 36-51.
- Bachman, J.G. (1986). Effects of early marriage on substance abuse. *Medical Aspects of Human Sexuality*, 20(10), 15.
- Bachman, J.G., & O'Malley, P.M. (1986). Self-concepts, self-esteem, and educational experiences: The frog-pond revisited (again). *Journal of Personality and Social Psychology*, 50, 35-46.
- Diamond, G., & Bachman, J.G. (1986). High school seniors and nuclear threat, 1975-1984: Political and mental health implications of concern and despair. *International Journal of Mental Health*, 15, 210-241.
- Johnston, L.D., & O'Malley, P.M. (1986). Why do the nation's students use drugs and alcohol? Self-reported reasons from nine national surveys. *Journal of Drug Issues*, 16, 29-66.
- Johnston, L.D. (1985). Should alcohol epidemiology and drug abuse epidemiology be merged? Plenary session paper in *Proceedings of the 13th International Institute on the Prevention and Treatment of Drug Dependence* (Oslo, Norway October, 1983). Lausanne, Switzerland: International Council on Alcohol and the Addictions. (Reprinted in *The Drinking and Drug Practices Surveyor*, March 1985, 20, 11-14.)
- Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (1984). Drug use among young adults: The impacts of role status and social environments. *Journal of Personality and Social Psychology*, 47, 629-645.
- Bachman, J.G., & O'Malley, P.M. (1984). Black-white differences in self-esteem: Are they affected by response styles? *American Journal of Sociology*, 90, 624-639.
- Bachman, J.G., & O'Malley, P.M. (1984). Yea-saying, nay-saying, and going to extremes: Black-white differences in response styles? *Public Opinion Quarterly*, 48, 491-509.
- O'Malley, P.M. (1984). Cigarette use among high school seniors: Did the rate decline? *Preventive Medicine*, 13, 421-426.
- O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1984). Period, age, and cohort effects on substance use among American youth. *American Journal of Public Health*, 74, 682-688.
- Bachman, J.G. (1983). American high school seniors view the military: 1976 to 1982. *Armed Forces and Society*, 10(1), 86-104.
- Bachman, J.G. (1983). Premature affluence: Do high school students earn too much? *Economic Outlook U.S.A.*, 10(3), 64-67.
- Bachman, J.G. (1983). Schooling as a credential: Some suggestions for change. *International Review of Applied Psychology*, 32, 347-360.
- Herzog, A.R., Bachman, J.G., & Johnston, L.D. (1983). Paid work, child care, and housework: A national survey of high school seniors' preferences for sharing responsibilities between husband and wife. *Sex Roles*, 9(1), 109-135. (Work funded by NIE.)
- Johnston, L.D. (1983). Design features for an optimal assessment of the effects of marijuana decriminalization. *Contemporary Drug Problems*, 10, 463-480.
- Johnston, L.D. (1983). Responsible use vs. irresponsible use: Are these useful concepts in prevention? *The U.S. Journal of Drug and Alcohol Dependence*, 7, 7.

- O'Malley, P.M., & Bachman, J.G. (1983). Self-esteem: Change and stability between ages 13 and 23. *Developmental Psychology, 19*, 257-268.
- O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1983). Reliability and consistency of self-reports of drug use. *International Journal of the Addictions, 18*, 805-824.
- Bachman, J.G. (1981). Youth views about the military: Recent trends. *Economic Outlook U.S.A.*, 8(3), 61-65.
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1981). Smoking, drinking, and drug use among American high school students: Correlates and trends, 1975-1979. *American Journal of Public Health, 71*, 59-69.
- Bachman, J.G., & O'Malley, P.M. (1981). When four months equal a year: Inconsistencies in students' reports of drug use. *Public Opinion Quarterly, 45*, 536-548. (Reprinted in E. Singer & S. Presser (Eds.), 1989, *Survey research methods*. Chicago: Univ. of Chicago Press.)
- Bynner, J., O'Malley, P.M., & Bachman, J.G. (1981). Self-esteem and delinquency revisited. *Youth and Adolescence, 10*, 407-441.
- Herzog, A.R., & Bachman, J.G. (1981). Effects of questionnaire length on response quality. *Public Opinion Quarterly, 45*(4), 549-559.
- Johnston, L.D. (1981). American youth in the 80's: Trends, needs, and suggestions for programs. Keynote address to the diamond jubilee convention of the Boys Clubs of America, San Francisco, CA, May 25, 17 pp. Published in abbreviated form in *Connections, 1981, 1*(4), 11-14.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1980). Drug use among American youth: 1975-1979. *Economic Outlook U.S.A.*, 7(2), 39-42.
- Bachman, J.G., & Johnston, L.D. (1979). The freshmen, 1979. *Psychology Today, 13*(4), 79-87.
- O'Malley, P.M. & Bachman, J.G. (1979). Self-esteem and education: Sex and cohort comparisons among high school seniors. *Journal of Personality and Social Psychology, 37*, 1153-1159. (Reprinted in M. Rosenberg & H. Kaplan (Eds.), 1984, *Social psychology of the self-concept*. Arlington Heights, IL: AHM Press.)
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1978). The drug scene: A student survey. *Science Teacher, 45*(6), 26-31.
- O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1978). Drug use and military plans of high school seniors. *Youth and Society, 10*, 65-77.
- Segal, D.R., & Bachman, J.G. (1978). The military as an educational and training institution: A comparison among post-high school alternatives. *Youth and Society, 10*, 47-64.
- Segal, D.R., Bachman, J.G., & Dowdell, F. (1978). Military service as a perceived mobility opportunity for female and black youth. *Youth and Society, 10*, 127-134.
- Bachman, J.G., & Johnston, L.D. (1976). Drug use among American youth. *Economic Outlook U.S.A.*, 3, 32-33.

CHAPTERS

- Schulenberg, J., O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (2000). "Spread your wings and fly": The course of well-being and substance use during the transition to young adulthood. In L. J. Crockett & R. K. Silbereisen (Eds.), *Negotiating adolescence in times of social change*. New York: Cambridge University Press.
- Johnston, L.D., & O'Malley, P.M. (in press). Cigarettes, alcohol, and other drug use in adolescence: A modern day epidemic. In R.P. Weissberg et al. (Eds.), *Trends in the well-being of children and youth* (Volume II: University of Illinois at Chicago Series on Children and Youth). Washington, DC: Child Welfare League of America.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1998). Epidemiology of substance abuse in adolescence. In P.J. Ott, R.E. Tarter, & R.T. Ammerman (Eds.), *Sourcebook on substance abuse: Etiology, epidemiology, assessment, and treatment*. Needham Heights, MA: Allyn & Bacon.
- Johnston, L.D., & O'Malley, P.M. (1997). The recanting of earlier-reported drug use by young adults. In L. Harrison & A. Hughes (Eds.), *The Validity of self-reported drug use: Improving the accuracy of survey estimates*. (NIDA Research Monograph 167), pp. 59-80. NIH Publication 97-4147. Washington D.C.: National Institute on Drug Abuse.

- Schulenberg, J., Wadsworth, K. N., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1997). Adolescent risk factors for binge drinking during the transition to young adulthood: Variable- and pattern-centered approaches to change. In G.A. Marlatt and G.R. VandenBos (Eds.), *Addictive Behaviors: Readings on etiology, prevention, and treatment* (pp. 129-165). Washington, DC: American Psychological Association and was reported in 1997's personal statement)
- (Johnston, L.D., O'Malley, P.M., & Bachman, J.G., uncredited, 1997). United States country report. In B. Hibell et al. (Eds.), *The ESPAD report: Alcohol and other drug use among students in 26 European countries*. Stockholm: The Swedish Council for Information on Alcohol and other Drugs (CAN).
- Schulenberg, J., Maggs, J., & Hurrelmann, K. (1997). Negotiating developmental transitions during adolescence and young adulthood: Health risks and opportunities. In J. Schulenberg, J. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence*. New York: Cambridge University Press.
- Wallace, J.M., Jr., & Williams, D.R. (1997). Religion and adolescent health. In J. Schulenberg, J.L. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence*. Cambridge University Press.
- Maggs, J., Schulenberg, J., & Hurrelmann, K. (1997). Developmental transitions during adolescence: Health promotion implications. In J. Schulenberg, J. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence*. New York: Cambridge University Press.
- Bachman, J.G., Johnston, L.D., O'Malley, P.M., & Schulenberg, J. (1996). Transitions in alcohol and other drug use and abuse during late adolescence and young adulthood. In J.A. Graber, J. Brooks-Gunn, & A.C. Petersen (Eds.), *Transitions through adolescence: Interpersonal domains and contexts* (pp. 111-140). Hillsdale, NJ: Lawrence Erlbaum Associates.
- Hansen, W.B., & O'Malley, P.M. (1996). Drug use. In R.J. DiClemente, W.B. Hansen, & L.E. Ponton (Eds.), *Handbook of adolescent health risk behavior* (pp. 161-192). New York: Plenum Press.
- Allen, W.R., & Wallace, J.M., Jr. (1995). Campus racial environment and African American college student outcomes. In L. Morris & G. Oyemade (Eds.), *One-third of a nation: African American perspectives*. Washington, DC: Howard University Press.
- Schulenberg, J., Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1995). American adolescents' views on family and work: Historical trends from 1976-1992. In P. Noack, M. Hofer, & J. Youniss (Eds.), *Psychological responses to social change: Human development in changing environments*. Berlin: Walter de Gruyter.
- Wallace, J.M., Jr., Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (1995). Racial/ethnic differences in adolescent drug use: Exploring possible explanations. In G. Botwin, S. Schinke, & M. Orlandi (Eds.), *Drug abuse prevention with multi-ethnic youth* (pp. 59-80). Thousand Oaks, CA: Sage.
- (O'Malley, P.M. et al., 1995, uncredited). Epidemiology of injection drug use. In Normand, J., Vlahov, D., & Moses, L.E. (Eds.). *Preventing HIV transmission: The role of sterile needles and bleach*. Washington, DC: National Academy Press.
- O'Malley, P.M. (1994). Commentary: Assumptions and features of longitudinal designs. In R. Zucker, G. Boyd, & J. Howard (Eds.), *The development of alcohol problems: Exploring the biopsychosocial matrix of risk* (pp. 427-435). NIAAA Research Monograph 26 (NIH Pub. No. 94-3495). Washington, DC: National Institute on Alcohol Abuse and Alcoholism.
- Bachman, J.G. (1994). Incorporating trend data to aid in the causal interpretation of individual-level correlations among variables: Examples focusing on the recent decline in marijuana use. In L. Collins & L. Seitz (Eds.), *Advances in data analysis for prevention intervention research*. NIDA Research Monograph No. 142 (pp. 112-139). Rockville, MD: National Institute on Drug Abuse.
- Schulenberg, J., & Ebata, A. T. (1994). Adolescence in the United States. In K. Hurrelmann (Ed.), *International handbook of adolescence* (pp. 414-430). Westport, CT: Greenwood Publishing Group.
- Wallace, J.M., Jr., & Bachman, J.G. (1993). Validity of self-reports in student based studies on minority populations: Issues and concerns. In M. De La Rosa & J.L. Andradoss (Eds.), *Drug abuse among minority youth: Advances in research and methodology*. NIDA Research Monograph No. 130 (pp. 167-200). Rockville, MD: National Institute on Drug Abuse.
- Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1992). Illicit drug use, smoking, and drinking by America's high school students, college students, and young adults, 1975-1987: Overview of key findings. In R. L. Bloom (Ed.) *Changing lives: Studies in human development and professional helping*. Columbia, SC: University of South Carolina Press.
- Johnston, L.D. (1992). How epidemiology helps us to grasp the phenomenon of drug use. In *Proceedings of the Sixth International Conference contra spem in spem: Drugs and Alcoholism against Life*. Vatican City: The Vatican.

- Johnston, L.D. (1991). Contributions of drug epidemiology to the field of drug abuse prevention. In W. Bukoski (Ed.) *Drug abuse prevention research: Methodological issues* (NIDA Research Monograph No. 107, pp. 57-80). Washington, DC: National Institute on Drug Abuse.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1991). Quantitative and qualitative changes in cocaine use among American high school seniors, college students, and young adults. In C. Schade & S. Schober (Eds.), *The epidemiology of cocaine use*. (NIDA Research Monograph No. 110, pp. 19-44). Washington, DC: National Institute on Drug Abuse.
- Bachman, J.G. (1991). School dropouts. In R.M. Lerner, A.C. Petersen, & J. Brooks-Gunn (Eds.) *Encyclopedia of adolescence*. New York, NY: Garland.
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1991). How changes in drug use are linked to perceived risks and disapproval: Evidence from national studies that youth and young adults respond to information about the consequences of drug use. In R.L. Donohew, H. Sypher, & W. Bukoski (Eds.), *Persuasive communication and drug abuse prevention* (pp. 133-156). Hillsdale, NJ: Lawrence Erlbaum.
- Johnston, L.D. (1991). Toward a theory of drug epidemics. In R.L. Donohew, H. Sypher, & W. Bukoski (Eds.), *Persuasive communication and drug abuse prevention* (pp. 93-132). Hillsdale, NJ: Lawrence Erlbaum.
- Johnston, L.D. (1990). America's war on drugs: What we should have learned by now. *Action strategies for the 90s: The Great Lakes leadership conference on substance abuse prevention*. (Keynote address, Conference Proceedings.) Ann Arbor, MI: University of Michigan School of Public Health, pp. 85-104.
- Johnston, L.D. (1989). America's drug problem in the media: Is it real or is it Memorex™? In P. Shoemaker (Ed.), *Communication campaigns about drugs: Government, media, and the public* (pp. 97-111). Hillsdale, NJ: Lawrence Erlbaum.
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1986). Recent findings from Monitoring the Future: A continuing study of the lifestyles and values of youth. In F.M. Andrews (Ed.), *Research on the quality of life* (pp. 215-234). Ann Arbor, MI: Institute for Social Research.
- Johnston, L.D. (1985). The etiology and prevention of substance use: What can we learn from recent historical changes? In C.L. Jones & R.J. Battjes (Eds.), *Etiology of drug abuse: Implications for prevention*. (NIDA Research Monograph No. 56, pp. 155-177). Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D. (1985). Techniques for reducing measurement error in surveys of drug use. In L. N. Robins (Ed.), *Studying drug abuse* (pp. 117-136). New Brunswick, NJ: Rutgers University Press.
- Johnston, L.D., & Harrison, L.D. (1985). An international perspective on alcohol use among youth. In U. Rydberg (Ed.), *Alcohol and the developing brain* (pp. 161-170). New York: Raven Press.
- Johnston, L.D., & O'Malley, P.M. (1985). Issues of validity and population coverage in student surveys of drug use. In B.A. Rouse, N.J. Kozel, & L.G. Richards (Eds.), *Self-report methods of estimating drug use: Meeting current challenges to validity*. (NIDA Research Monograph No. 57, pp. 31-54). Washington, DC: National Institute on Drug Abuse.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1985). Cocaine use among American adolescents and young adults. In N.J. Kozel & E.H. Adams (Eds.), *Cocaine use in America: Epidemiologic and clinical perspectives*. (NIDA Research Monograph No. 61, pp. 50-75). Washington, DC: National Institute on Drug Abuse.
- Bachman, J.G. (1982). Family relationships and self-esteem. In M. Rosenberg & H. Kaplan (Eds.), *The social psychology of the self-concept*. Arlington Heights, IL: AMH Press.
- Johnston, L.D. (1982). A review and analysis of recent changes in marijuana use by American young people. In *Marijuana: The national impact on education* (pp. 8-13). New York: American Council on Marijuana.
- Johnston, L.D. (1981). Frequent marijuana use: Correlates, possible effects, and reasons for using and quitting. In R. deSilva, R. Dupont, & G. Russell (Eds.), *Treating the marijuana dependent person* (pp. 8-14). New York: American Council on Marijuana.
- Johnston, L.D., Bachman, J.G., & O'Malley, P.M. (1980). Drug use among American high school students. In L. Brill & C. Winick (Eds.), *The yearbook of substance use and abuse* (Vol. 2). New York: Human Sciences Press.
- Brooke, E., & Johnston, L.D. (1979). The assessment of drug abuse. In *Resource book on measures to reduce illicit demand for drugs* (pp. 33-51; published in English, French, and Spanish). Geneva, Switzerland: United Nations.
- Johnston, L.D., O'Malley, P.M., & Eveland, L.K. (1978). Drugs and delinquency: A search for causal connections. In D.G. Kandel (Ed.), *Longitudinal research on drug use: Empirical findings and methodological issues* (pp. 137-156). Washington, DC: Hemisphere Publishing.

- Johnston, L.D. (1977). Introduction to the use of follow-up studies. In L. Johnston, D. Nurco, & L. Robins (Eds.), *Conducting follow-up research on drug treatment programs*. (NIDA Treatment Program Monograph Series No. 2, pp. 1-8). Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D. (1977). Problems of data acquisition in longitudinal studies. In L. Richards & L.B. Blevens (Eds.), *The epidemiology of drug abuse: Current issues*. (NIDA Research Monograph No. 10, pp. 60-67). Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D. (1977). Survey data as contributors to estimation of heroin and other narcotics use. In J.D. Rittenhouse (Ed.), *The epidemiology of heroin and other narcotics*. (NIDA Research Monograph No. 16, pp. 103-108). Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D., Nurco, D., & Robins, L. (1977). Reporting and utilizing the results of a follow-up study. In L. Johnston, D. Nurco, & L. Robins (Eds.), *Conducting follow-up research on drug treatment programs*. (NIDA Treatment Program Monograph Series No. 2, pp. 139-144). Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D., & Bachman, J.G. (1976). Educational institutions and adolescent development. In J. Adams (Ed.), *Understanding adolescence* (3rd rev. ed., pp. 290-315). Boston, MA: Allyn & Bacon.
- Johnston, L.D. (1975). Defining the term "polydrug use." In J. Elinson & D. Nurco (Eds.), *Operational definitions in socio-behavioral drug use research*. (NIDA Research Monograph No. 2, pp. 36-39). Washington, DC: National Institute on Drug Abuse.

TESTIMONY

- Johnston, L.D. (1999, October 14). Written and oral testimony presented before the House Subcommittee on Criminal Justice, Drug Policy, and Human Resources in oversight hearings on the National Youth Media Anti-Drug Campaign. Published in *The Congressional Record*.
- Johnston, L.D. (1995, December 19). Written and oral testimony presented to the Judiciary Committee, United States Senate, at a hearing on Recent trends in youthful drug use. Published in *The Congressional Record*.
- Johnston, L.D. (1995, November 9). Written and oral testimony presented before the Committee on Governmental Affairs, United States Senate, at hearings on H.R. 1271, The Family Privacy Protection Act. Published in *The Congressional Record*.
- Johnston, L.D. (1993, March 31). The continuing need for prevention at the school and community levels. Delivered before the House Subcommittee on Select Education and Civil Rights, on the reauthorization of the Drug-Free Schools and Communities Act. In *The Congressional Record*.
- Johnston, L.D. (1995, March 16). Problems which would be created by H.R. 11, Title IV, The Family Privacy Protection Act. Written and oral testimony delivered to the House Subcommittee on Government Management, Information, and Technology in hearings on H.R. 11. Published in *The Congressional Record*.
- Johnston, L.D. (1991, November 15). Advertising and tobacco use: Some considerations. Prepared testimony delivered before the Consumer Subcommittee of the Senate Committee on Commerce, Science, and Transportation in hearings on the Tobacco Product Education and Health Protection Act of 1991. Published in *The Congressional Record*, Washington: GPO ISBN 0-16-039764-2, pp. 44-53.
- Johnston, L.D. (1988, June 16). The need for a shift in national strategy toward drug abuse prevention. Prepared testimony delivered before the Senate Committee on Labor and Human Relations in hearings on drug abuse prevention, education, and treatment. Published in *The Congressional Record*, 134:89, D774.
- Johnston, L.D. (1988, June 14). Demand reduction in the war on drugs: Some recommendations. Prepared testimony delivered before the Senate Armed Services Committee in hearings on the relationship between demand reduction and the role of the military in addressing the problem of drug abuse. Published in *The Congressional Record*, 134:87, D756.
- Johnston, L.D. (1986, August 1). Adolescent smoking and the issue of cigarette advertising. Prepared testimony delivered before the House Subcommittee on Health and the Environment, in oversight hearings on cigarette advertising and promotion. Published in *Advertising of tobacco products* (pp. 860-886). Washington, DC: GPO (Serial No. 99-167).
- Johnston, L.D. (1985, May 21). Adolescent alcohol use and the fairness doctrine. Prepared testimony delivered before the House Subcommittee on Telecommunications, Consumer Protection, and Finance. Published in *Beer and wine advertising: Impact of electronic media* (pp. 372-387). Washington, DC: GPO (Serial No. 99-16).

- Johnston, L.D. (1985, February 7). Alcohol advertising and trends in alcohol consumption. Prepared testimony delivered before the Senate Subcommittee on Alcohol and Drug Abuse. Published in *Alcohol Advertising* (pp. 312-324). Washington, DC: GPO (Serial No. 99-16).
- Johnston, L.D. (1980). Marijuana use and the effects of marijuana decriminalization. Prepared testimony delivered before the Senate Subcommittee on Criminal Justice. In *Health consequences of marijuana use* (pp. 51-70). Washington, DC: GPO (Serial No. 96-54).
- O'Malley, P.M., & Johnston, L.D. (1988, March). Drinking and driving among American high school seniors: Extent and nature of the problems. Prepared testimony delivered at hearing on the problem of drinking and driving held by the National Commission Against Drunk Driving and the National Highway Safety Transportation Administration, Fort Worth, TX, 9 pp. (Available from the authors.)
- \

MONITORING THE FUTURE OCCASIONAL PAPERS

(Published by the Project)

Paper No.

- 1 *The Monitoring the Future project: Design and procedures.* J.G. Bachman and L.D. Johnston, 1978, 67 pp.
- 2 *Concern for others and its relationship to specific attitudes on race relations, sex roles, ecology, and population control.* A.R. Herzog, J.G. Bachman, and L.D. Johnston, 1978, 42 pp.
- 3 *High school seniors' preferences for sharing work and family responsibilities between husband and wife.* A.R. Herzog, J.G. Bachman, and L.D. Johnston, 1979, 58 pp.
- 4 *Fewer rebels, fewer causes: A profile of today's college freshmen.* J.G. Bachman and L.D. Johnston, 1979, 30 pp.
- 5 *Developing composite measures of drug use: Comparisons among lifetime, annual, and monthly prevalence reports for thirteen classes of drugs.* J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 1979, 64 pp.
- 6 *Description of a special survey using a single combined form of the Monitoring the Future questionnaires.* A.R. Herzog and J.G. Bachman, 1979, 35 pp.
- 7 *Ecological concerns among high school seniors: 1976-1979.* J.D. Miller and J.G. Bachman, 1980, 28 pp.
- 8 *Correlates of drug use, part I: Selected measures of background, recent experiences, and lifestyle orientations.* J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 1980, 134 pp.
- 9 *When four months equal a year: An exploration of inconsistencies in students' monthly versus yearly reports of drug use.* J.G. Bachman and P.M. O'Malley, 1980, 12 pp.
- 10 *High school seniors' occupational plans and values: Trends in sex differences 1976 through 1980.* A.R. Herzog, 1980. (Available in reprint from Sociology of Education, 1982, 13 pp.)
- 11 *Changes in drug use after high school as a function of role status and social environment.* J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 1981, 92 pp.
- 12 *Trends in high school seniors' views of the military.* J.G. Bachman, 1981, 28 pp.
- 13 *Marijuana decriminalization: The impact on youth 1975-1980.* L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1981, 85 pp.
- 14 *Period, age, and cohort effects on substance use among American youth 1976-1982.* P.M. O'Malley, J.G. Bachman, and L.D. Johnston, 1983, 50 pp.
- 15 *Student drug use, attitudes, and beliefs in the Department of Defense Dependent Schools class of 1982.* L.D. Johnston, P.M. O'Malley, and M.L. Davis-Sacks, 1983, 72 pp.
- 16 *The impacts of response styles on black-white differences in self-esteem: An analysis of six samples of youth.* J.G. Bachman and P.M. O'Malley, 1983, 30 pp.
- 18 *The Monitoring the Future follow-up surveys: A description of key experiences during the first years after high school.* J.G. Bachman, L.D. Johnston, P.M. O'Malley, and D.E. Bare, 1985, 135 pp.
- 19 *Changes in marijuana use linked to changes in perceived risks and disapproval.* J.G. Bachman, L.D. Johnston, P.M. O'Malley, and R.H. Humphrey, 1986, 28 pp.
- 20 *Correlates of employment among high school seniors.* J.G. Bachman, D. E. Bare, and E.I. Frankie, 1986, 105 pp.
- 21 *Change and consistency in the correlates of drug use among high school seniors: 1975-1986.* J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 1986, 21 pp.
- 22 *Differentiation of period, age, and cohort effects on drug use 1976-1986.* P.M. O'Malley, J.G. Bachman, and L.D. Johnston, 1988, 62 pp.
- 23 *Sex differences in adolescents' health-threatening behaviors: What accounts for them?* A.R. Herzog, J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1987, 36 pp.

- 24 *Student drug use in America: Differences among high schools 1986-1987.* P.M. O'Malley, J.G. Bachman, and L.D. Johnston, 1988, 37 pp.
- 25 *Drug use among American college students and their noncollege age peers.* L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1988, 40 pp.
- 26 *Reducing drug use in America: A perspective, a strategy, and some promising approaches.* L.D. Johnston, 1988, 57 pp.
- 28 *Minimum drinking age laws effects on American youth 1976-1987.* P.M. O'Malley and A.C. Wagenaar, 1990, 68 pp.
- 29 *Linking trends in cocaine use to perceived risks, disapproval, and lifestyle factors: An analysis of high school seniors, 1976-1988.* J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1990, 42 pp.
- 30 *Drug use among black, white, Hispanic, native American, and Asian American high school seniors (1976-1989): Prevalence, trends, and correlates.* J.G. Bachman, J.M. Wallace, Jr., C. Kurth, L.D. Johnston, and P.M. O'Malley, 1990, 63 pp.
- 31 *The second worldwide survey of drug and alcohol use among students in the Department of Defense dependents school system 1982-1987.* L.D. Johnston, P.M. O'Malley, and L.D. Harrison, 1989, 104 pp.
- 32 *Part-time work by high school seniors: Sorting out correlates and possible consequences.* J.G. Bachman, and J. Schulenberg, 1992, revised, 154 pp.
- 33 *The Monitoring the Future project after seventeen years: Design and procedures.* J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1991, 110 pp.
- 34 *Aims and objectives of the Monitoring the Future study.* L.D. Johnston, P.M. O'Malley, J. Schulenberg, and J.G. Bachman, 1996, revised, 125pp.
- 35 *Changes in drug use during the post-high school years.* J.G. Bachman, P.M. O'Malley, L.D. Johnston, W.L. Rodgers, and J. Schulenberg, 1992, 168 pp.
- 37 *Historical trends in attitudes and preferences regarding family, work, and the future among American adolescents: National data from 1976-1992.* J. Schulenberg, J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1994, 62 pp.
- 38 *The Monitoring the Future project after twenty-two years: Design and procedures.* J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1996, 89 pp.
- 39 *Changes in drug use during ages 18-32.* J.G. Bachman, P.M. O'Malley, L.D. Johnston, W.L. Rodgers, J. Schulenberg, J. Lim, and K.N. Wadsworth, 1996, 87 pp.
- 40 *Trends in military propensity and the propensity-enlistment relationship.* J.G. Bachman, P. Freedman-Doan, D.R. Segal, and P.M. O'Malley, 1997, 68 pp.
- 41 *Military propensity and enlistment: Cross-sectional and panel analyses of correlates and predictors.* J.G. Bachman, D.R. Segal, P. Freedman-Doan, and P.M. O'Malley, 1998, 163 pp.
- 42 *Comparing drug-using behaviors among high school graduates entering military service, college, and civilian employment.* J.G. Bachman, P. Freedman-Doan, L.D. Johnston, P.M. O'Malley, and D.R. Segal, 1999, 33 pp..
- 43 *Life-paths into young adulthood and the course of substance use and well-being: Inter- and intra-cohort comparisons.* J. Schulenberg, P. M. O'Malley, J.G. Bachman, and L.D. Johnston, 1998, 64 pp.
- 44 *Reasons for use, abstention, and quitting illicit drug use by American adolescents.* A report commissioned for the final report of the Drugs-Violence Task Force of the National Sentencing Commission. L.D. Johnston, 1998, 27 pp.
- 45 *Cigarette brand preferences among adolescents.* L.D. Johnston, P.M. O'Malley, J.G. Bachman, & J. Schulenberg, 1999, 37 pp.
- 46 *Acting out and lighting up: Understanding the links among school misbehavior, academic achievement, and cigarette use.* A.L. Bryant, J. Schulenberg, J.G. Bachman, P.M. O'Malley, L.D. Johnston, 2000, 29 pp.
- 47 *Mediators of parental influences on adolescent substance use: Grade, gender, and ethnic comparisons (1994-1996).* C. Pilgrim, J. Schulenberg, P. M. O'Malley, J. G. Bachman, L. D. Johnston, 2000, 48 pp.

APPENDIX B

SAMPLE SIZE AND STUDENT RESPONSE RATES

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	Eighth Grade									
	1991	1992	1993	1994	1995	1996	1997	1998	1999	
Number public schools	131	133	126	116	118	122	125	122	120	
Number private schools	31	26	30	34	34	30	27	27	30	
Total number schools	162	159	156	150	152	152	152	149	150	
Total number students	17,844	19,015	18,820	17,708	17,929	18,368	19,066	18,667	17,287	
Student response rate	90%	90%	90%	89%	89%	91%	89%	88%	87%	

	Tenth Grade									
	1991	1992	1993	1994	1995	1996	1997	1998	1999	
Number public schools	107	106	111	116	117	113	113	110	117	
Number private schools	14	19	17	14	22	20	18	19	23	
Total number schools	121	125	128	130	139	133	131	129	140	
Total number students	14,996	14,997	15,516	16,080	17,285	15,873	15,778	15,419	13,885	
Student response rate	87%	88%	86%	88%	87%	87%	86%	87%	85%	