

ICPSR 30221

**Criminal Justice Drug Abuse  
Treatment Studies (CJDATS): Step  
'N Out, 2002-2006 [United States]**

Peter Friedmann

*Rhode Island Research Center, Brown  
University and Lifespan Hospitals*

Variable Description and Frequencies for  
Screener Data

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

# Terms of Use

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/30221/terms>

## Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### NOTICE

#### WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

**ICPSR PROCESSING NOTES FOR #30221**  
*Criminal Justice Drug Abuse Treatment Studies (CJDATS):*  
*Step 'N Out, 2002-2006*  
*Part 1: Screener Data*

- 1) For better understanding of the recoded and other computed variables, it is advisable that the users read the documentations files before reviewing or analyzing the data.

# **ICPSR 30221**

## **Criminal Justice Drug Abuse Treatment Studies (CJDATS): Step N Out, 2002-2006 [United States]**

### **Variable Description and Frequencies**

**Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.**

**Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.**

# Criminal Justice Drug Abuse Treatment Studies (CJDATS): Step N Out, 2002-2006 [United States]

## Screener Data

### RCTR Research Center

Location: 1-2 (width: 2; decimal: 0)  
Variable Type: numeric  
Question: Research Center

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	124	20.0 %
3	83	13.4 %
5	258	41.7 %
7	69	11.1 %
8	32	5.2 %
11	53	8.6 %

Based upon 619 valid cases out of 619 total cases.

- Mean: 4.82
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 11.00
- Standard Deviation: 2.78

### COND Study Condition

Location: 3-3 (width: 1; decimal: 0)  
Variable Type: numeric  
Question: Study Condition

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Control	281	45.4 %
1	Treatment	288	46.5 %
. (M)	-	50	8.1 %

Based upon 569 valid cases out of 619 total cases.

- Mean: 0.51
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

- Study 30221 -

**CID Sequential client ID**

Location: 4-7 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Question: Sequential client ID  
 Based upon 619 valid cases out of 619 total cases.

- Mean: 5322.01
- Minimum: 2180.00
- Maximum: 9246.00
- Standard Deviation: 2191.61

**SCDATE Date of screening**

Location: 8-18 (width: 11; decimal: 0)  
 Variable Type: character  
 Question: Date Screener Completed  
 Based upon 619 valid cases out of 619 total cases.

**CRTAGE Meets Age Criteria**

Location: 19-19 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Meets Age Criteria? - Must be 18 years of age or older

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	619	100.0 %

Based upon 619 valid cases out of 619 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**CRTCUC Meets TCU Drug Screen Criteria**

Location: 20-20 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Meets TCU Drug Screen Criteria? - score must be 3 or more

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	25	4.0 %
1	Yes	594	96.0 %

- Study 30221 -

Based upon 619 valid cases out of 619 total cases.

- Mean: 0.96
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.20

**CRLCFS Meets LCFS Criteria**

Location: 21-21 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Meets LCFS Criteria? - score must be 7 or more on LCSF OR -2 or more prior episodes of drug treatment or incarceration

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	13	2.1 %
1	Yes	606	97.9 %

Based upon 619 valid cases out of 619 total cases.

- Mean: 0.98
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

**CRDRUG Has mandated or recommended drug treatment**

Location: 22-22 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Has mandated or recommended drug treatment?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	11	1.8 %
1	Yes	608	98.2 %

Based upon 619 valid cases out of 619 total cases.

- Mean: 0.98
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

- Study 30221 -

**CRSCID Meets SCID criteria**

Location: 23-23 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Meets SCID Criteria? - No Items Coded as 3

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	617	99.7 %
. (M)	-	2	0.3 %

Based upon 617 valid cases out of 619 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**CRLANG Participant speaks English**

Location: 24-24 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Participant speaks English?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	619	100.0 %

Based upon 619 valid cases out of 619 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**CRPAROL Parole Conditions do not limit participation**

Location: 25-25 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Parole conditions do not limit participation?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	21	3.4 %
1	Yes	598	96.6 %



- Study 30221 -

Based upon 619 valid cases out of 619 total cases.

- Mean: 0.97
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

**CRSTUDY Participant expresses understanding of study**

Location: 26-26 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Participant expresses understanding of study? - must answer post-consent questions correctly

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1	0.2 %
1	Yes	614	99.2 %
. (M)	-	4	0.6 %

Based upon 615 valid cases out of 619 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.04

**ELIGIBL Is Subject Eligible**

Location: 27-27 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Is client eligible? (All of the above must be yes)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	50	8.1 %
1	Yes	569	91.9 %

Based upon 619 valid cases out of 619 total cases.

- Mean: 0.92
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

**RANDSEX Randomization: Gender**

Location: 28-28 (width: 1; decimal: 0)  
Variable Type: numeric  
Question: 1. Gender:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	509	82.2 %
2	Female	97	15.7 %
. (M)	-	13	2.1 %

Based upon 606 valid cases out of 619 total cases.

- Mean: 1.16
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.37

**RANDINC Randomization:Length of Incarceration**

Location: 29-29 (width: 1; decimal: 0)  
Variable Type: numeric  
Question: 2. Length of Incarceration:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	LT 18 months	356	57.5 %
2	GE 18 months	248	40.1 %
. (M)	-	15	2.4 %

Based upon 604 valid cases out of 619 total cases.

- Mean: 1.41
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.49

**RANDPRS Randomization: In Prison/Transitional Treatment**

Location: 30-30 (width: 1; decimal: 0)  
Variable Type: numeric  
Question: 3. In Prison/Transitional Treatment?

- Study 30221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	175	28.3 %
2	Yes	430	69.5 %
. (M)	-	14	2.3 %

Based upon 605 valid cases out of 619 total cases.

- Mean: 1.71
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.45

**RANDREC**                      **Randomization:Risk for Recidivism**

Location: 31-31 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: 4. Risk for Recidivism:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Moderate	223	36.0 %
2	High	381	61.6 %
. (M)	-	15	2.4 %

Based upon 604 valid cases out of 619 total cases.

- Mean: 1.63
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.48

**AGE**                              **Client Age**

Location: 32-33 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Question: 1. How old are you?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	4	0.6 %
19	6	1.0 %
20	10	1.6 %
21	21	3.4 %

- Study 30221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
22	23	3.7 %
23	18	2.9 %
24	29	4.7 %
25	31	5.0 %
26	23	3.7 %
27	26	4.2 %
28	28	4.5 %
29	26	4.2 %
30	18	2.9 %
31	15	2.4 %
32	14	2.3 %
33	18	2.9 %
34	27	4.4 %
35	28	4.5 %
36	23	3.7 %
37	16	2.6 %
38	17	2.7 %
39	15	2.4 %
40	28	4.5 %
41	15	2.4 %
42	22	3.6 %
43	17	2.7 %
44	19	3.1 %
45	14	2.3 %
46	13	2.1 %
47	9	1.5 %
48	7	1.1 %
49	5	0.8 %
50	7	1.1 %
51	8	1.3 %
52	3	0.5 %
53	1	0.2 %
54	3	0.5 %
55	1	0.2 %
56	2	0.3 %
57	1	0.2 %
58	1	0.2 %
59	3	0.5 %
61	1	0.2 %
. (M)	3	0.5 %

- Study 30221 -

Based upon 616 valid cases out of 619 total cases.

- Mean: 33.70
- Median: 33.00
- Mode: 25.00
- Minimum: 18.00
- Maximum: 61.00
- Standard Deviation: 9.04

**GRADE Client Education**

Location: 34-35 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Question: 2. How far did you go in school? (enter highest grade completed)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	Unlabeled	1	0.2 %
6	Unlabeled	6	1.0 %
7	Unlabeled	8	1.3 %
8	Unlabeled	29	4.7 %
9	Unlabeled	46	7.4 %
10	Unlabeled	115	18.6 %
11	Unlabeled	122	19.7 %
12	High school grad/GED	211	34.1 %
13	College freshman	40	6.5 %
14	Unlabeled	21	3.4 %
15	Unlabeled	1	0.2 %
16	College completion	11	1.8 %
17	Graduate degree	5	0.8 %
18	Unlabeled	1	0.2 %
. (M)	-	2	0.3 %

Based upon 617 valid cases out of 619 total cases.

- Mean: 11.14
- Median: 11.00
- Mode: 12.00
- Minimum: 5.00
- Maximum: 18.00
- Standard Deviation: 1.78

**CHISP Hispanic/Latino/a**

Location: 36-36 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: 3. Are you Hispanic or Latino/a?

- Study 30221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	542	87.6 %
1	Yes	75	12.1 %
. (M)	-	2	0.3 %

Based upon 617 valid cases out of 619 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.33

**CHETHN Ethnic Group**

Location: 37-37 (width: 1; decimal: 0)

Variable Type: numeric

Question: 3. Are you Hispanic or Latino/a? IF YES ASK a.What ethnic group do you consider yourself?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Unlabeled	11	1.8 %
5	Puerto Rican	58	9.4 %
7	Other (specify)	15	2.4 %
. (M)	-	535	86.4 %

Based upon 84 valid cases out of 619 total cases.

- Mean: 4.70
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.99

**CBLACK African American/Black Race**

Location: 38-38 (width: 1; decimal: 0)

Variable Type: numeric

Question: 4. What is your race or ethnic background? (Please select all that apply) - African-American/Black

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	334	54.0 %
. (M)	-	285	46.0 %

Based upon 334 valid cases out of 619 total cases.

- Study 30221 -

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**CASIAN Asian Race**

Location: 39-39 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: 4. What is your race or ethnic background? (Please select all that apply) - Asian

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	619	100.0 %

Based upon 0 valid cases out of 619 total cases.

**CNATIVE Native American Race**

Location: 40-40 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: 4. What is your race or ethnic background? (Please select all that apply) - American Indian/Alaskan Native

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	13	2.1 %
. (M)	-	606	97.9 %

Based upon 13 valid cases out of 619 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**CWHITE White Race**

Location: 41-41 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: 4. What is your race or ethnic background? (Please select all that apply) - White

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	204	33.0 %
. (M)	-	415	67.0 %

- Study 30221 -

Based upon 204 valid cases out of 619 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**CPACISL Pacific Islander Race**

Location: 42-42 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: 4. What is your race or ethnic background? (Please select all that apply) - Native Hawaiian or Other Pacific Islander

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	619	100.0 %

Based upon 0 valid cases out of 619 total cases.

**COTHRAC Other Race**

Location: 43-43 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: 4. What is your race or ethnic background? (Please select all that apply) - Other .... Please Specify

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	60	9.7 %
. (M)	-	559	90.3 %

Based upon 60 valid cases out of 619 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**JAILCNM Length of incarceration**

Location: 44-46 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: 6. Length of Incarceration: \_\_\_\_\_ # of Months



- Study 30221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	12	1.9 %
1	15	2.4 %
2	12	1.9 %
3	14	2.3 %
4	16	2.6 %
5	23	3.7 %
6	32	5.2 %
7	27	4.4 %
8	28	4.5 %
9	31	5.0 %
10	26	4.2 %
11	20	3.2 %
12	19	3.1 %
13	17	2.7 %
14	16	2.6 %
15	17	2.7 %
16	14	2.3 %
17	14	2.3 %
18	23	3.7 %
19	13	2.1 %
20	12	1.9 %
21	9	1.5 %
22	2	0.3 %
23	9	1.5 %
24	20	3.2 %
25	4	0.6 %
26	6	1.0 %
27	6	1.0 %
28	4	0.6 %
30	12	1.9 %
31	4	0.6 %
32	4	0.6 %
33	2	0.3 %
34	2	0.3 %
35	2	0.3 %
36	21	3.4 %
37	2	0.3 %
38	3	0.5 %
39	5	0.8 %
40	1	0.2 %

- Study 30221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
41	1	0.2 %
42	9	1.5 %
43	2	0.3 %
45	2	0.3 %
46	3	0.5 %
48	14	2.3 %
50	1	0.2 %
51	2	0.3 %
52	2	0.3 %
54	7	1.1 %
55	1	0.2 %
56	1	0.2 %
59	1	0.2 %
60	8	1.3 %
62	1	0.2 %
63	1	0.2 %
72	4	0.6 %
73	1	0.2 %
78	1	0.2 %
80	1	0.2 %
82	1	0.2 %
84	4	0.6 %
90	1	0.2 %
92	1	0.2 %
94	1	0.2 %
96	6	1.0 %
97	1	0.2 %
103	2	0.3 %
108	1	0.2 %
123	1	0.2 %
126	1	0.2 %
127	1	0.2 %
133	1	0.2 %
138	1	0.2 %
144	2	0.3 %
. (M)	12	1.9 %

Based upon 607 valid cases out of 619 total cases.

- Mean: 21.93
- Median: 14.00

- Study 30221 -

- Mode: 6.00
- Minimum: 0.00
- Maximum: 144.00
- Standard Deviation: 23.27

**RTPRRC Received Residential treatment in prison**

Location: 47-47 (width: 1; decimal: 0)

Variable Type: numeric

Question: 7. Have you received residential treatment while you were in prison?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	188	30.4 %
1	Yes	398	64.3 %
5	Unlabeled	1	0.2 %
. (M)	-	32	5.2 %

Based upon 587 valid cases out of 619 total cases.

- Mean: 0.69
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.50

**RTARRC Received Residential treatment after release from prison**

Location: 48-48 (width: 1; decimal: 0)

Variable Type: numeric

Question: 8. Have you received residential treatment after release from prison?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	275	44.4 %
1	Yes	72	11.6 %
2	Still in Prison	240	38.8 %
. (M)	-	32	5.2 %

Based upon 587 valid cases out of 619 total cases.

- Mean: 0.94
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.94

- Study 30221 -

**TCU001 Use more drugs than intended or for longer amount of time**

Location: 49-49 (width: 1; decimal: 0)

Variable Type: numeric

Question: 1. Did you use larger amounts of drugs or use them for a longer period than you planned or intended?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	86	13.9 %
1	Yes	530	85.6 %
. (M)	-	3	0.5 %

Based upon 616 valid cases out of 619 total cases.

- Mean: 0.86
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

**TCU002 Unable to cut down**

Location: 50-50 (width: 1; decimal: 0)

Variable Type: numeric

Question: 2. Did you try to cut down on your drug use but were unable to?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	167	27.0 %
1	Yes	448	72.4 %
. (M)	-	4	0.6 %

Based upon 615 valid cases out of 619 total cases.

- Mean: 0.73
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

**TCU003 Spend lots of time getting, using, recovering from drug use**

Location: 51-51 (width: 1; decimal: 0)

Variable Type: numeric

Question: 3. Did you spend a lot of time getting drugs, using them, or recovering from their use?

- Study 30221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	95	15.3 %
1	Yes	520	84.0 %
. (M)	-	4	0.6 %

Based upon 615 valid cases out of 619 total cases.

- Mean: 0.85
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

**TCU004A Did you get too sick to work**

Location: 52-52 (width: 1; decimal: 0)

Variable Type: numeric

Question: 4. Did you get so sick from drugs that it a. kept you from doing work, going to school, or caring for children?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	245	39.6 %
1	Yes	370	59.8 %
. (M)	-	4	0.6 %

Based upon 615 valid cases out of 619 total cases.

- Mean: 0.60
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

**TCU004B Did you get so sick that it caused an accident**

Location: 53-53 (width: 1; decimal: 0)

Variable Type: numeric

Question: 4. Did you get so sick from drugs that it b. caused an accident or put you or others at risk?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	324	52.3 %
1	Yes	291	47.0 %
. (M)	-	4	0.6 %

- Study 30221 -

Based upon 615 valid cases out of 619 total cases.

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

**TCU005 Spend less time at work, school or with friends**

Location: 54-54 (width: 1; decimal: 0)

Variable Type: numeric

Question: 5. Did you spend less time at work, school, or with friends so that you could use drugs?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	199	32.1 %
1	Yes	417	67.4 %
. (M)	-	3	0.5 %

Based upon 616 valid cases out of 619 total cases.

- Mean: 0.68
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

**TCU006A Drug use caused emotional or psychological problems**

Location: 55-55 (width: 1; decimal: 0)

Variable Type: numeric

Question: 6. Did your drug use cause a. emotional or psychological problems

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	221	35.7 %
1	Yes	395	63.8 %
. (M)	-	3	0.5 %

Based upon 616 valid cases out of 619 total cases.

- Mean: 0.64
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00

- Study 30221 -

- Standard Deviation: 0.48

**TCU006B Drug Use caused problems with family, friends, work or police**

Location: 56-56 (width: 1; decimal: 0)

Variable Type: numeric

Question: 6. Did your drug use cause b. problems with family, friends, work, or police?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	85	13.7 %
1	Yes	531	85.8 %
. (M)	-	3	0.5 %

Based upon 616 valid cases out of 619 total cases.

- Mean: 0.86
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

**TCU006C Drug use caused physical health or medical problems**

Location: 57-57 (width: 1; decimal: 0)

Variable Type: numeric

Question: 6. Did your drug use cause c. physical health or medical problems?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	324	52.3 %
1	Yes	287	46.4 %
. (M)	-	8	1.3 %

Based upon 611 valid cases out of 619 total cases.

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

**TCU007 Increase amount of drug to get same effect**

Location: 58-58 (width: 1; decimal: 0)

Variable Type: numeric

- Study 30221 -

Question:

7. Did you increase the amount of a drug you were taking so that you could get the same effects as before?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	152	24.6 %
1	Yes	464	75.0 %
. (M)	-	3	0.5 %

Based upon 616 valid cases out of 619 total cases.

- Mean: 0.75
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

**TCU008**

**Kept taking drug to avoid withdrawal**

Location:

59-59 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

8. Did you ever keep taking a drug to avoid withdrawal or keep from getting sick?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	240	38.8 %
1	Yes	376	60.7 %
. (M)	-	3	0.5 %

Based upon 616 valid cases out of 619 total cases.

- Mean: 0.61
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

**TCU009**

**Have withdrawal when not taking drug**

Location:

60-60 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

9. Did you get sick or have withdrawal when you quit or missed taking a drug?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	246	39.7 %
1	Yes	370	59.8 %
. (M)	-	3	0.5 %



- Study 30221 -

Based upon 616 valid cases out of 619 total cases.

- Mean: 0.60
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

**TCUTOT Original TCU Total**

Location: 61-62 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Question: Total TCU Score

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	28	4.5 %
1	21	3.4 %
2	21	3.4 %
3	34	5.5 %
4	35	5.7 %
5	30	4.8 %
6	48	7.8 %
7	51	8.2 %
8	62	10.0 %
9	98	15.8 %
10	23	3.7 %
11	31	5.0 %
12	134	21.6 %
. (M)	3	0.5 %

Based upon 616 valid cases out of 619 total cases.

- Mean: 7.56
- Median: 8.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 3.61

**LCSF001 Have you ever NOT supported your minor children**

Location: 63-63 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: 1. Have you ever not supported any of your minor children?

- Study 30221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No/No minor children	359	58.0 %
1	Yes	257	41.5 %
. (M)	-	3	0.5 %

Based upon 616 valid cases out of 619 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

**LCSF002 Did you DROPOUT of school**

Location: 64-64 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: 2. Did you dropout of high school?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	208	33.6 %
1	Yes	408	65.9 %
. (M)	-	3	0.5 %

Based upon 616 valid cases out of 619 total cases.

- Mean: 0.66
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

**LCSF003 Longest consecutive amount of time employed**

Location: 65-65 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: 3. What was the longest consecutive amount of time you held a job?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	>= 2 years	221	35.7 %
1	>= 6 months but < 2 years	169	27.3 %
2	< 6 months	225	36.3 %
. (M)	-	4	0.6 %

- Study 30221 -

Based upon 615 valid cases out of 619 total cases.

- Mean: 1.01
- Median: 1.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.85

**LCSF004 Times have you been fired or quit a job**

Location: 66-66 (width: 1; decimal: 0)

Variable Type: numeric

Question: 4. How many times have you been fired from, or quit a job?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None reported	57	9.2 %
1	One time	111	17.9 %
2	Two or more times	447	72.2 %
. (M)	-	4	0.6 %

Based upon 615 valid cases out of 619 total cases.

- Mean: 1.63
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.65

**LCSF005 Times have you been divorced**

Location: 67-67 (width: 1; decimal: 0)

Variable Type: numeric

Question: 5. How many times have you been divorced?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never divorced/single, no children	453	73.2 %
1	One divorce/unmarried with children	147	23.7 %
2	>= Two divorces	16	2.6 %
. (M)	-	3	0.5 %

Based upon 616 valid cases out of 619 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00

- Study 30221 -

- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.51

**LCSF006 Do you have tattoos**

Location: 68-68 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: 6. Do you have tattoos?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	212	34.2 %
1	Isolated	315	50.9 %
2	Extensive (for example; on face, or neck or up and down arms)	89	14.4 %
. (M)	-	3	0.5 %

Based upon 616 valid cases out of 619 total cases.

- Mean: 0.80
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.67

**LCSF007 Last conviction for an intrusive offense**

Location: 69-69 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: 7. Was this last conviction for an intrusive offense (i.e., robbery, assault, rape, etc.)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	480	77.5 %
1	Yes	136	22.0 %
. (M)	-	3	0.5 %

Based upon 616 valid cases out of 619 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

**LCSF008 How many prior intrusive offenses have your committed?**

- Study 30221 -

Location: 70-70 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: 8. How many prior intrusive offenses have you committed?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	309	49.9 %
1	One or two	214	34.6 %
2	Three or more	93	15.0 %
. (M)	-	3	0.5 %

Based upon 616 valid cases out of 619 total cases.

- Mean: 0.65
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.73

**LCSF009 Did you use a weapon during the offense for which you are currently incarcerated?**

Location: 71-71 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: 9. Did you use a weapon during the offense for which you are currently incarcerated?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	550	88.9 %
1	Yes	66	10.7 %
. (M)	-	3	0.5 %

Based upon 616 valid cases out of 619 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

**LCSF010 Ever physically abused a significant other**

Location: 72-72 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: 10. Have you ever physically abused a significant other?

- Study 30221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	460	74.3 %
1	Yes	154	24.9 %
. (M)	-	5	0.8 %

Based upon 614 valid cases out of 619 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

**LCSF011 Times ever been arrested**

Location: 73-73 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: 11.How many times have you been arrested?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	One or none	23	3.7 %
1	Two to Four	127	20.5 %
2	Five or More	466	75.3 %
. (M)	-	3	0.5 %

Based upon 616 valid cases out of 619 total cases.

- Mean: 1.72
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.53

**LCSF012 Age at first arrest**

Location: 74-74 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: 12. How old were you at the time of your first arrest?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	>= 19 years old	176	28.4 %
1	> 14 but < 19 years	285	46.0 %
2	<= 14 years	155	25.0 %

- Study 30221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	3	0.5 %

Based upon 616 valid cases out of 619 total cases.

- Mean: 0.97
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.73

**LCSF013 Did you have disciplinary problems in school**

Location: 75-75 (width: 1; decimal: 0)

Variable Type: numeric

Question: 13. Did you have disciplinary problems? (IN GENERAL, NOT JUST WHILE IN PRISON)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	266	43.0 %
1	Yes	350	56.5 %
. (M)	-	3	0.5 %

Based upon 616 valid cases out of 619 total cases.

- Mean: 0.57
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

**LCSFSC1 Total LCSF Score**

Location: 76-77 (width: 2; decimal: 0)

Variable Type: numeric

Question: Total score (sum of LCF001 to LCF013)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	2	0.3 %
2	8	1.3 %
3	18	2.9 %
4	25	4.0 %
5	38	6.1 %
6	47	7.6 %

- Study 30221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	45	7.3 %
8	67	10.8 %
9	61	9.9 %
10	80	12.9 %
11	49	7.9 %
12	59	9.5 %
13	49	7.9 %
14	38	6.1 %
15	17	2.7 %
16	10	1.6 %
17	2	0.3 %
18	1	0.2 %
. (M)	3	0.5 %

Based upon 616 valid cases out of 619 total cases.

- Mean: 9.30
- Median: 9.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 18.00
- Standard Deviation: 3.34

**LCSFSC2**      **Score based on TCU Drug Screen**

Location: 78-78 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Score based on TCU Drug Screen

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	TCU drug screen < 3	64	10.3 %
2	TCU drug screen >= 3	539	87.1 %
3	Unlabeled	5	0.8 %
4	Unlabeled	1	0.2 %
. (M)	-	10	1.6 %

Based upon 609 valid cases out of 619 total cases.

- Mean: 1.80
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.63



- Study 30221 -

**LCSFSC3 Total LCSF and TCU Score**

Location: 79-80 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Question: Total of LCFSC1 and LCFSC2

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	2	0.3 %
2	3	0.5 %
3	7	1.1 %
4	15	2.4 %
5	14	2.3 %
6	26	4.2 %
7	40	6.5 %
8	43	6.9 %
9	47	7.6 %
10	65	10.5 %
11	57	9.2 %
12	76	12.3 %
13	48	7.8 %
14	59	9.5 %
15	47	7.6 %
16	37	6.0 %
17	17	2.7 %
18	10	1.6 %
19	2	0.3 %
20	1	0.2 %
. (M)	3	0.5 %

Based upon 616 valid cases out of 619 total cases.

- Mean: 11.08
- Median: 11.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 3.57

**LCSF014 Times in jail**

Location: 81-83 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: How many different times during your whole life have you ever been in jail, prison, or juvenile lock-up?  
 "IN JAIL OR PRISON" MEANS LOCKED BEHIND BARS FOR 24 HOURS OR MORE

- Study 30221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3	0.5 %
1	52	8.4 %
2	80	12.9 %
3	71	11.5 %
4	73	11.8 %
5	72	11.6 %
6	33	5.3 %
7	30	4.8 %
8	36	5.8 %
9	8	1.3 %
10	46	7.4 %
11	5	0.8 %
12	13	2.1 %
13	4	0.6 %
14	2	0.3 %
15	23	3.7 %
16	2	0.3 %
17	3	0.5 %
18	2	0.3 %
20	17	2.7 %
25	5	0.8 %
26	1	0.2 %
30	9	1.5 %
35	1	0.2 %
38	1	0.2 %
40	6	1.0 %
50	6	1.0 %
60	1	0.2 %
63	1	0.2 %
70	1	0.2 %
75	2	0.3 %
120	1	0.2 %
150	1	0.2 %
300	1	0.2 %
. (M)	7	1.1 %

Based upon 612 valid cases out of 619 total cases.

- Mean: 8.74
- Median: 5.00
- Mode: 2.00

- Study 30221 -

- Minimum: 0.00
- Maximum: 300.00
- Standard Deviation: 16.91

**LCSF015 Times in treatment**

Location: 84-85 (width: 2; decimal: 0)

Variable Type: numeric

Question: How many times before now have you ever been in a substance abuse treatment program? DO NOT INCLUDE NA, CA, OR AA

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	114	18.4 %
1	162	26.2 %
2	149	24.1 %
3	76	12.3 %
4	38	6.1 %
5	26	4.2 %
6	17	2.7 %
7	7	1.1 %
8	9	1.5 %
9	3	0.5 %
10	9	1.5 %
12	1	0.2 %
13	1	0.2 %
14	1	0.2 %
15	1	0.2 %
20	2	0.3 %
. (M)	3	0.5 %

Based upon 616 valid cases out of 619 total cases.

- Mean: 2.28
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 2.46

**SCID001 Delusions of reference**

Location: 86-86 (width: 1; decimal: 0)

Variable Type: numeric

Question: During the past 90 days, that is since \_\_\_\_\_, did it seem that people were talking about you or taking special notice of you? What about receiving special messages from the TV, radio, or newspaper or

- Study 30221 -

from the way things were arranged around you? Delusions of reference, i.e., personal significance is falsely attributed to objects or events in environment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent or False: Due to physical illness or substance abuse or objective reality	610	98.5 %
2	Subthreshold	5	0.8 %
. (M)	-	4	0.6 %

Based upon 615 valid cases out of 619 total cases.

- Mean: 1.01
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.09

**SCID002 Persecutory Delusions**

Location: 87-87 (width: 1; decimal: 0)

Variable Type: numeric

Question: During the past 90 days, did anyone go out of the way to give you a hard time or try to hurt you? Persecutory delusions, i.e., the individual (or his/her group) is being attacked, harassed, cheated, persecuted, or conspired against..

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent or False: Due to physical illness or substance abuse or objective reality	612	98.9 %
2	Subthreshold	3	0.5 %
. (M)	-	4	0.6 %

Based upon 615 valid cases out of 619 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.07

**SCID003 Grandiose Delusions**

Location: 88-88 (width: 1; decimal: 0)

Variable Type: numeric

Question: During the past 90 days did you feel that you were especially important in some way, or that you had powers to do things that other people couldn't do? Grandiose delusions, i.e., content involves

- Study 30221 -

exaggerated power, knowledge or importance. For example, the individual feels they can fly on their own power, they can make it rain, they are the ruler of the world, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent or False: Due to physical illness or substance abuse or objective reality	614	99.2 %
2	Subthreshold	2	0.3 %
. (M)	-	3	0.5 %

Based upon 616 valid cases out of 619 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.06

**SCID004 Somatic Delusions**

Location: 89-89 (width: 1; decimal: 0)

Variable Type: numeric

Question: During the past 90 days did you ever feel that parts of your body were changed or stopped working? What did the doctor say? Somatic delusions, i.e., content involves change of disturbance in body functioning that is not actually happening.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent or False: Due to physical illness or substance abuse or objective reality	614	99.2 %
. (M)	-	5	0.8 %

Based upon 614 valid cases out of 619 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**SCID005 Other Delusions**

Location: 90-90 (width: 1; decimal: 0)

Variable Type: numeric

Question: During the past 90 days did you ever feel that you had committed a crime or done something terrible for which you should be punished? Other delusions, e.g., delusions of guilt, jealousy, nihilism, poverty.

- Study 30221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent or False: Due to physical illness or substance abuse or objective reality	610	98.5 %
2	Subthreshold	3	0.5 %
. (M)	-	6	1.0 %

Based upon 613 valid cases out of 619 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.07

**SCID006                      Auditory Hallucinations**

Location: 91-91 (width: 1; decimal: 0)

Variable Type: numeric

Question: During the Past 90 days, did you ever hear things that other people couldn't hear, such as voices or noises? Were you awake at the time? Auditory hallucinations when fully awake and heard either inside or outside of the head.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent or False: Due to physical illness or substance abuse	611	98.7 %
2	Subthreshold	3	0.5 %
. (M)	-	5	0.8 %

Based upon 614 valid cases out of 619 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.07

**SCID007                      Visual Hallucinations**

Location: 92-92 (width: 1; decimal: 0)

Variable Type: numeric

Question: During the Past 90 days, did you ever have visions or see things that other people couldn't see? Were you awake at the time? Visual hallucinations. Note: Distinguish from an illusion: a misperception of a real external stimulus.

- Study 30221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent or False: Due to physical illness or substance abuse or objective reality	613	99.0 %
2	Subthreshold	1	0.2 %
. (M)	-	5	0.8 %

Based upon 614 valid cases out of 619 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.04

**SCID008 Tactile Hallucinations**

Location: 93-93 (width: 1; decimal: 0)

Variable Type: numeric

Question: What about strange sensations in your body or on your skin during the past 90 days? Tactile hallucinations, e.g., electricity.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent or False: Due to physical illness or substance abuse or objective reality	612	98.9 %
2	Subthreshold	2	0.3 %
. (M)	-	5	0.8 %

Based upon 614 valid cases out of 619 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.06

**SCID009 Other Hallucinations**

Location: 94-94 (width: 1; decimal: 0)

Variable Type: numeric

Question: What about smelling things that other people couldn't smell during the past 90 days? Other hallucinations, e.g., gustatory, olfactory.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Absent or False: Due to physical illness or substance abuse or objective reality	607	98.1 %

- Study 30221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Subthreshold	6	1.0 %
. (M)	-	6	1.0 %

Based upon 613 valid cases out of 619 total cases.

- Mean: 1.01
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.10

**REFUSAL**      **Did client refuse participation**

Location: 95-95 (width: 1; decimal: 0)

Variable Type: numeric

Question: Did Client refuse

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	608	98.2 %
1	Yes	11	1.8 %

Based upon 619 valid cases out of 619 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

**FLAG**      **Subject status**

Location: 96-96 (width: 1; decimal: 0)

Variable Type: numeric

Question: Subject status

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Initial session complete	476	76.9 %
3	Ineligible post-randomization	93	15.0 %
4	Ineligible, not randomized	50	8.1 %

Based upon 619 valid cases out of 619 total cases.

- Mean: 1.54



- Study 30221 -

- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.02

**NOSESS Reason for not reporting for parole**

Location: 97-97 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Reason for not having initial session

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Served parole sentence in prison	6	1.0 %
2	Still in prison	61	9.9 %
3	Re-arrested before initial session	3	0.5 %
4	Withdrew from study	13	2.1 %
6	Violated parole prior to IS	1	0.2 %
7	Ineligible for parole	2	0.3 %
8	Transferred	2	0.3 %
9	Other	3	0.5 %
. (M)	-	528	85.3 %

Based upon 91 valid cases out of 619 total cases.

- Mean: 2.77
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 1.80