ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 30221

# Criminal Justice Drug Abuse Treatment Studies (CJDATS): Step 'N Out, 2002-2006 [United States]

Peter Friedmann
*Rhode Island Research Center, Brown University and Lifespan Hospitals*

Variable Description and Frequencies for Three Month Urine Drug Test Data

Inter-university Consortium for Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

# Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/30221/terms

# Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

# ICPSR 30221

# Criminal Justice Drug Abuse Treatment Studies (CJDATS): Step N Out, 2002-2006 [United States]

## Variable Description and Frequencies

**Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.**

**Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.**

# Criminal Justice Drug Abuse Treatment Studies (CJDATS): Step N Out, 2002-2006 [United States]

## Three Month Urine Drug Test Data

| RCTR | Research Center |
|---|---|

Location: 1-2 (width: 2; decimal: 0)

Variable Type: numeric

Question: Research Center

| *Value* | *Unweighted Frequency* | *%* |
|---|---|---|
| 1 | 58 | 16.1 % |
| 3 | 58 | 16.1 % |
| 5 | 131 | 36.4 % |
| 7 | 43 | 11.9 % |
| 8 | 26 | 7.2 % |
| 11 | 44 | 12.2 % |

Based upon 360 valid cases out of 360 total cases.

- Mean: 5.22
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 11.00
- Standard Deviation: 2.95

| CID | Client ID Number |
|---|---|

Location: 3-6 (width: 4; decimal: 0)

Variable Type: numeric

Question: Client ID Number

Based upon 360 valid cases out of 360 total cases.

- Mean: 5197.32
- Minimum: 2180.00
- Maximum: 9241.00
- Standard Deviation: 2136.62

| IDATE | Date of urine collection |
|---|---|

Location: 7-17 (width: 11; decimal: 0)

Variable Type: character

Question: Date of assessment

Based upon 360 valid cases out of 360 total cases.

| UDT001 | Was urine collected |
|---|---|

Location: 18-18 (width: 1; decimal: 0)

Variable Type: numeric

Question: 1. Was urine collected?

| *Value* | *Label* | *Unweighted Frequency* | *%* |
|---|---|---|---|
| 0 | no | 103 | 28.6 % |
| 1 | yes | 256 | 71.1 % |
| . (M) | - | 1 | 0.3 % |

Based upon 359 valid cases out of 360 total cases.

- Mean: 0.71
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

| UDT002 | Urine temp within expected range |
|---|---|

Location: 19-19 (width: 1; decimal: 0)

Variable Type: numeric

Question: 2. Urine temperature within expected range? (93 - 100 F)

| *Value* | *Label* | *Unweighted Frequency* | *%* |
|---|---|---|---|
| 0 | no | 1 | 0.3 % |
| 1 | yes | 246 | 68.3 % |
| . (M) | - | 113 | 31.4 % |

Based upon 247 valid cases out of 360 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.06

| UDT003 | Results of drug test screen:COC |
|---|---|

Location: 20-20 (width: 1; decimal: 0)

Variable Type: numeric

Question: 3. COC

| *Value* | *Label* | *Unweighted Frequency* | *%* |
|---|---|---|---|
| 0 | Unlabeled | 233 | 64.7 % |
| 1 | positive | 19 | 5.3 % |
| . (M) | - | 108 | 30.0 % |

Based upon 252 valid cases out of 360 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

**UDT004** **Results of drug test screen:AMP**

Location: 21-21 (width: 1; decimal: 0)

Variable Type: numeric

Question: 4. AMP

| *Value* | *Label* | *Unweighted Frequency* | *%* |
|---|---|---|---|
| 0 | Unlabeled | 253 | 70.3 % |
| 1 | positive | 3 | 0.8 % |
| . (M) | - | 104 | 28.9 % |

Based upon 256 valid cases out of 360 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

**UDT005** **Results of drug test screen:mAMP**

Location: 22-22 (width: 1; decimal: 0)

Variable Type: numeric

Question: 5. mAMP

| *Value* | *Label* | *Unweighted Frequency* | *%* |
|---|---|---|---|
| 0 | Unlabeled | 252 | 70.0 % |
| 1 | positive | 3 | 0.8 % |
| . (M) | - | 105 | 29.2 % |

Based upon 255 valid cases out of 360 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

**UDT006** **Results of drug test screen:THC**

Location: 23-23 (width: 1; decimal: 0)

Variable Type: numeric

Question: 6. THC

| *Value* | *Label* | *Unweighted Frequency* | *%* |
|---|---|---|---|
| 0 | Unlabeled | 234 | 65.0 % |
| 1 | positive | 22 | 6.1 % |
| . (M) | - | 104 | 28.9 % |

Based upon 256 valid cases out of 360 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

**UDT007** **Results of drug test screen:OPI**

Location: 24-24 (width: 1; decimal: 0)

Variable Type: numeric

Question: 7. OPI

| *Value* | *Label* | *Unweighted Frequency* | *%* |
|---|---|---|---|
| 0 | Unlabeled | 248 | 68.9 % |
| 1 | positive | 7 | 1.9 % |
| . (M) | - | 105 | 29.2 % |

Based upon 255 valid cases out of 360 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

| UDT008 | Results of drug test screen:BZO |
|---|---|

Location: 25-25 (width: 1; decimal: 0)

Variable Type: numeric

Question: 8. BZO

| *Value* | *Label* | *Unweighted Frequency* | *%* |
|---|---|---|---|
| 0 | Unlabeled | 244 | 67.8 % |
| 1 | positive | 5 | 1.4 % |
| . (M) | - | 111 | 30.8 % |

Based upon 249 valid cases out of 360 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

| UDT009 | Reason for not collecting urine |
|---|---|

Location: 26-26 (width: 1; decimal: 0)

Variable Type: numeric

Question: 1. Was urine collected? No (Answer 1a and Form is complete) 1 a. Why was urine NOT collected?

| *Value* | *Label* | *Unweighted Frequency* | *%* |
|---|---|---|---|
| 1 | Client refused | 23 | 6.4 % |
| 2 | Client unable | 12 | 3.3 % |
| 3 | Client incarcerated | 54 | 15.0 % |
| 4 | Other | 6 | 1.7 % |
| . (M) | - | 265 | 73.6 % |

Based upon 95 valid cases out of 360 total cases.

- Mean: 2.45
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.93

| COND | Study Condition |
|---|---|

Location: 27-27 (width: 1; decimal: 0)

Variable Type: numeric

Question: Study Condition

| *Value* | *Label* | *Unweighted Frequency* | *%* |
|---|---|---|---|
| 0 | control | 184 | 51.1 % |
| 1 | treatment | 176 | 48.9 % |

Based upon 360 valid cases out of 360 total cases.

- Mean: 0.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50