

ICPSR 30221

**Criminal Justice Drug Abuse  
Treatment Studies (CJDATS): Step  
'N Out, 2002-2006 [United States]**

Peter Friedmann

*Rhode Island Research Center, Brown  
University and Lifespan Hospitals*

Variable Description and Frequencies for  
Abstraction Data

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

# Terms of Use

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/30221/terms>

## Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### NOTICE

#### WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

**ICPSR PROCESSING NOTES FOR #30221**  
*Criminal Justice Drug Abuse Treatment Studies (CJDATS):*  
*Step 'N Out, 2002-2006*  
*Part 17: Abstraction Data*

- 1) For better understanding of the recoded and other computed variables, it is advisable that the users read the documentations files before reviewing or analyzing the data.
- 2) Due to STATA Limitation (STATA can only handle up to 244 characters), STATA files produced without value labels for variable **SPECIFYSUB**.

# **ICPSR 30221**

## **Criminal Justice Drug Abuse Treatment Studies (CJDATS): Step N Out, 2002-2006 [United States]**

### **Variable Description and Frequencies**

**Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.**

**Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.**

## Criminal Justice Drug Abuse Treatment Studies (CJDATS): Step N Out, 2002-2006 [United States]

### Abstraction Data

CID	Client ID
-----	-----------

Location: 1-4 (width: 4; decimal: 0)

Variable Type: numeric

Question: A1. Client ID: [PREFILLED]  
Based upon 377 valid cases out of 377 total cases.

- Mean: 5279.74
- Minimum: 2181.00
- Maximum: 9240.00
- Standard Deviation: 2116.07

PIDATE	Study Parole Initiation Date
--------	------------------------------

Location: 5-15 (width: 11; decimal: 0)

Variable Type: character

Question: A6. Study Parole Initiation Date: [PREFILLED] \* VERIFY THIS IN FILE  
Based upon 377 valid cases out of 377 total cases.

STOPDATE	Stop Date - 90 Days after Parole Initiation Date
----------	--

Location: 16-26 (width: 11; decimal: 0)

Variable Type: character

Question: A7. Stop Date - 90 Days after Parole Initiation Date (or Randomization Date if no Parole Initiation): [PREFILLED]  
Based upon 377 valid cases out of 377 total cases.

RELDATE	Release (or Sentencing) Date
---------	------------------------------

Location: 27-37 (width: 11; decimal: 0)

Variable Type: character

Question: A8. Release (or Sentencing) Date: \_\_\_/\_\_\_/\_\_\_  
Based upon 377 valid cases out of 377 total cases.

FACILITY	Facility Released From
----------	------------------------

Location: 38-87 (width: 50; decimal: 0)

Variable Type: character

Question: A9. Facility Released From:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
Masked	377	100.0 %

- Study 30221 -

Based upon 377 valid cases out of 377 total cases.

**CASEOPEN Case Open Date at Parole Office**

Location: 88-98 (width: 11; decimal: 0)  
 Variable Type: character  
 Question: A11a. Case Open Date at Parole Office: \_\_\_/\_\_\_/\_\_\_\_  
 Based upon 377 valid cases out of 377 total cases.

**OPENSTOP Is the case still open on Stop Date**

Location: 99-99 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: A12. Is the case still open on Stop Date?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	no	36	9.5 %
1	yes	233	61.8 %
. (M)	-	108	28.6 %

Based upon 269 valid cases out of 377 total cases.

- Mean: 0.87
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

**CASECLOSE IF NO, when was the case closed?**

Location: 100-110 (width: 11; decimal: 0)  
 Variable Type: character  
 Question: A12. Is the case still open on Stop Date? IF NO, when was the case closed?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	342	90.7 %
01-Jun-2007	2	0.5 %
01-Nov-2006	1	0.3 %
01-Nov-2007	1	0.3 %
03-Jul-2007	1	0.3 %
05-Sep-2007	1	0.3 %
06-Jul-2007	1	0.3 %
07-Aug-2007	1	0.3 %
07-Mar-2007	1	0.3 %
08-Aug-2007	1	0.3 %

- Study 30221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
09-Aug-2006	1	0.3 %
10-Aug-2006	1	0.3 %
11-Jul-2007	1	0.3 %
13-Feb-2008	1	0.3 %
14-Aug-2006	1	0.3 %
14-Jun-2006	1	0.3 %
14-Nov-2007	1	0.3 %
14-Oct-2005	1	0.3 %
16-Aug-2006	1	0.3 %
16-Aug-2007	1	0.3 %
17-Aug-2006	1	0.3 %
20-Jan-2006	1	0.3 %
21-Jun-2007	1	0.3 %
22-Jun-2007	1	0.3 %
23-Oct-2007	1	0.3 %
24-May-2006	1	0.3 %
26-Oct-2006	3	0.8 %
27-Feb-2006	1	0.3 %
27-Jun-2006	1	0.3 %
28-Sep-2007	1	0.3 %
29-Aug-2007	1	0.3 %
29-Dec-2006	1	0.3 %
30-Jun-2006	1	0.3 %

Based upon 377 valid cases out of 377 total cases.

<b>CCSTATUS</b>	<b>Case Closing Status</b>
-----------------	----------------------------

Location: 111-111 (width: 1; decimal: 0)

Variable Type: numeric

Question: A12. Is the case still open on Stop Date? IF NO, when was the case closed? Case Closing Status:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Warrant Pending	8	2.1 %
2	Unsat. Completion (New Arrest, Offense or Revocation)	21	5.6 %
3	Satisfactory Completion	6	1.6 %
4	Other (Expiration, Death, etc.)	2	0.5 %
. (M)	-	340	90.2 %

Based upon 37 valid cases out of 377 total cases.

- Mean: 2.05

- Study 30221 -

- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.78

**TRANSFER** **Has the case been transferred to another parole office?**

Location: 112-112 (width: 1; decimal: 0)

Variable Type: numeric

Question: A13. Has the case been transferred to another parole office?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	no	227	60.2 %
1	yes	9	2.4 %
. (M)	-	141	37.4 %

Based upon 236 valid cases out of 377 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

**TRANSDATE** **Transfer Date:**

Location: 113-123 (width: 11; decimal: 0)

Variable Type: character

Question: A13. Has the case been transferred to another parole office? Yes- transfer date: \_\_/\_\_/\_\_\_\_

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	368	97.6 %
02-Aug-2006	1	0.3 %
03-May-2005	1	0.3 %
09-Oct-2007	1	0.3 %
13-Sep-2005	1	0.3 %
14-Nov-2006	1	0.3 %
26-Oct-2005	1	0.3 %
26-Oct-2006	1	0.3 %
27-Nov-2006	1	0.3 %
28-Aug-2006	1	0.3 %

Based upon 377 valid cases out of 377 total cases.



- Study 30221 -

**TRANSREASON Reason for Transfer**

Location: 124-173 (width: 50; decimal: 0)  
 Variable Type: character  
 Question: A13. Has the case been transferred to another parole office? Yes- transfer date: \_\_\_/\_\_\_/\_\_\_\_  
 Reason for Transfer:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	369	97.9 %
Masked	3	0.8 %
No Emp	1	0.3 %
Not eligible for SNO	2	0.5 %
Offender change of address	1	0.3 %
Offender moved	1	0.3 %

Based upon 377 valid cases out of 377 total cases.

**COMPLDATE Date of parole completion**

Location: 174-184 (width: 11; decimal: 0)  
 Variable Type: character  
 Question: A14. Date of parole completion (even if after stop date): \_\_\_/\_\_\_/\_\_\_\_  
 Based upon 377 valid cases out of 377 total cases.

**ELEMONI Number of days on electronic monitoring/GPS since parole initiation**

Location: 185-187 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: B2. Number of days on electronic monitoring/GPS since parole initiation \_\_\_\_\_ (Rhode Island Only)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	368	97.6 %
60	1	0.3 %
73	1	0.3 %
92	2	0.5 %
93	1	0.3 %
111	1	0.3 %
139	1	0.3 %
181	1	0.3 %
310	1	0.3 %

Based upon 377 valid cases out of 377 total cases.

- Mean: 3.05
- Median: 0.00
- Mode: 0.00

- Study 30221 -

- Minimum: 0.00
- Maximum: 310.00
- Standard Deviation: 22.57

**COTEST**      **Indicate Whether Had Court-Ordered Condition of Testing**

Location: 188-188 (width: 1; decimal: 0)

Variable Type: numeric

Question: D1. Indicate Whether Had Court-Ordered Condition of Testing:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	no	31	8.2 %
1	yes	75	19.9 %
. (M)	-	271	71.9 %

Based upon 106 valid cases out of 377 total cases.

- Mean: 0.71
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

**COTX**      **Indicate Whether Had Court-Ordered Condition of Treatment**

Location: 189-189 (width: 1; decimal: 0)

Variable Type: numeric

Question: D2. Indicate Whether Had Court-Ordered Condition of Treatment:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	no	32	8.5 %
1	yes	132	35.0 %
. (M)	-	213	56.5 %

Based upon 164 valid cases out of 377 total cases.

- Mean: 0.80
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

**MARIJUANA**      **drug of choice:marijuana**

Location: 190-190 (width: 1; decimal: 0)

- Study 30221 -

Variable Type: numeric

Question: D3. Indicate the drugs of choice (select all that apply): Marijuana

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Unlabeled	229	60.7 %
1	checked	62	16.4 %
. (M)	-	86	22.8 %

Based upon 291 valid cases out of 377 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

**HEROIN** **drug of choice:heroin**

Location: 191-191 (width: 1; decimal: 0)

Variable Type: numeric

Question: D3. Indicate the drugs of choice (select all that apply): Heroin

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Unlabeled	243	64.5 %
1	checked	48	12.7 %
. (M)	-	86	22.8 %

Based upon 291 valid cases out of 377 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

**COCAINE** **drug of choice:cocaine**

Location: 192-192 (width: 1; decimal: 0)

Variable Type: numeric

Question: D3. Indicate the drugs of choice (select all that apply): Cocaine

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Unlabeled	222	58.9 %
1	checked	69	18.3 %

- Study 30221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	86	22.8 %

Based upon 291 valid cases out of 377 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

**METHAMPHETAMINE**      **drug of choice: methamphetamine**

Location: 193-193 (width: 1; decimal: 0)

Variable Type: numeric

Question: D3. Indicate the drugs of choice (select all that apply): Methamphetamine

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Unlabeled	289	76.7 %
1	checked	2	0.5 %
. (M)	-	86	22.8 %

Based upon 291 valid cases out of 377 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.08

**ALCOHOL**      **drug of choice: alcohol**

Location: 194-194 (width: 1; decimal: 0)

Variable Type: numeric

Question: D3. Indicate the drugs of choice (select all that apply): Alcohol

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Unlabeled	257	68.2 %
1	checked	34	9.0 %
. (M)	-	86	22.8 %

Based upon 291 valid cases out of 377 total cases.

- Mean: 0.12

- Study 30221 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

**OTHER drug of choice: other**

Location: 195-195 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: D3. Indicate the drugs of choice (select all that apply): Other

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Unlabeled	263	69.8 %
1	checked	28	7.4 %
. (M)	-	86	22.8 %

Based upon 291 valid cases out of 377 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

**SPECIFYSUB specify other drug**

Location: 196-245 (width: 50; decimal: 0)  
 Variable Type: character  
 Question: D3. Indicate the drugs of choice (select all that apply): Other,  
 \_\_\_\_\_ (specify)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	349	92.6 %
Crack	-	6	1.6 %
Crack, PCP	-	1	0.3 %
Did not use drugs - sold them only	-	1	0.3 %
Ecstasy	-	2	0.5 %
Ecstasy, Opium, Hash	-	1	0.3 %
Methadone	-	1	0.3 %

- Study 30221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
Opiates	-	2	0.5 %
Oxycontin	-	1	0.3 %
PCP	-	5	1.3 %
Percocet	-	1	0.3 %
Xanax	-	1	0.3 %
crack	-	3	0.8 %
ecstasy	-	2	0.5 %
opiates, morphine	-	1	0.3 %

Based upon 377 valid cases out of 377 total cases.

**URINETEST                      Offender had urinalysis testing from treatment program**

Location:                      246-246 (width: 1; decimal: 0)  
 Variable Type:                numeric  
 Question:                      D4. Offender had urinalysis testing from treatment program

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	no	25	6.6 %
1	yes	55	14.6 %
3	Mandated but No Action by offender	2	0.5 %
. (M)	-	295	78.2 %

Based upon 82 valid cases out of 377 total cases.

- Mean: 0.74
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.58

**REFERRED                      Agent referred offender to drug treatment-had referral**

Location:                      247-247 (width: 1; decimal: 0)  
 Variable Type:                numeric  
 Question:                      D5. Agent referred offender to drug treatment Yes - Referral

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	checked	137	36.3 %
. (M)	-	240	63.7 %

Based upon 137 valid cases out of 377 total cases.

- Study 30221 -

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

REFDATE	Agent referred offender to drug treatment-referral date
---------	---

Location: 248-258 (width: 11; decimal: 0)

Variable Type: character

Question: D5. Agent referred offender to drug treatment Yes - Referral date: \_\_\_\_/\_\_\_\_/\_\_\_\_

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	284	75.3 %
01-Aug-2006	1	0.3 %
01-Jun-2007	1	0.3 %
01-May-2006	1	0.3 %
02-Jul-2007	1	0.3 %
02-Jun-2006	2	0.5 %
02-May-2007	1	0.3 %
03-May-2006	1	0.3 %
03-Oct-2006	1	0.3 %
04-Apr-2006	1	0.3 %
04-May-2007	1	0.3 %
05-Jun-2006	1	0.3 %
05-May-2006	1	0.3 %
06-Jun-2006	2	0.5 %
06-Mar-2006	1	0.3 %
07-Aug-2006	1	0.3 %
07-Sep-2006	1	0.3 %
09-Jul-2007	1	0.3 %
09-May-2006	1	0.3 %
10-Aug-2007	1	0.3 %
10-Jul-2006	1	0.3 %
11-Jan-2006	1	0.3 %
11-Jun-2007	1	0.3 %
11-May-2006	1	0.3 %
12-Jul-2007	1	0.3 %
12-Jun-2007	1	0.3 %
12-Mar-2007	1	0.3 %
12-Oct-2006	1	0.3 %
13-Apr-2007	1	0.3 %

- Study 30221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
13-Jun-2006	1	0.3 %
13-Jun-2007	1	0.3 %
14-May-2007	2	0.5 %
15-Mar-2006	1	0.3 %
15-May-2006	1	0.3 %
15-Nov-2006	1	0.3 %
16-Aug-2006	1	0.3 %
16-Jul-2007	1	0.3 %
16-Mar-2006	1	0.3 %
16-May-2007	2	0.5 %
16-Nov-2006	2	0.5 %
16-Oct-2006	1	0.3 %
17-Jan-2007	3	0.8 %
17-Mar-2006	1	0.3 %
17-May-2006	1	0.3 %
17-May-2007	2	0.5 %
17-Sep-2007	1	0.3 %
18-Jul-2007	1	0.3 %
18-Oct-2006	2	0.5 %
19-Sep-2007	2	0.5 %
20-Aug-2007	1	0.3 %
20-Dec-2006	3	0.8 %
20-Feb-2007	1	0.3 %
20-Jul-2006	1	0.3 %
20-Jun-2007	1	0.3 %
20-Nov-2006	2	0.5 %
21-Jun-2006	3	0.8 %
21-Jun-2007	1	0.3 %
21-Mar-2007	3	0.8 %
22-May-2006	1	0.3 %
23-May-2007	2	0.5 %
25-Apr-2007	1	0.3 %
25-Jul-2007	3	0.8 %
25-Oct-2006	1	0.3 %
26-Oct-2007	1	0.3 %
27-Dec-2006	1	0.3 %
27-Mar-2006	1	0.3 %
27-Nov-2006	2	0.5 %
27-Oct-2007	1	0.3 %
28-Aug-2007	1	0.3 %



- Study 30221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
29-Mar-2006	1	0.3 %
30-Apr-2007	1	0.3 %
30-May-2006	1	0.3 %
31-Jul-2007	1	0.3 %

Based upon 377 valid cases out of 377 total cases.

**ASSESS Agent referred offender to drug treatment-had assessment**

Location: 259-259 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: D5. Agent referred offender to drug treatment Yes - Assessment

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	checked	57	15.1 %
. (M)	-	320	84.9 %

Based upon 57 valid cases out of 377 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**ASSDATE Agent referred offender to drug treatment-assessment date**

Location: 260-270 (width: 11; decimal: 0)  
 Variable Type: character  
 Question: D5. Agent referred offender to drug treatment Yes - Assessment date: \_\_\_/\_\_\_/\_\_\_

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	315	83.6 %
01-Feb-2007	1	0.3 %
02-Feb-2006	1	0.3 %
02-Jan-2007	3	0.8 %
02-May-2007	1	0.3 %
02-Oct-2007	2	0.5 %
03-Apr-2007	1	0.3 %
03-Jul-2007	1	0.3 %
04-Apr-2006	1	0.3 %
05-Nov-2007	1	0.3 %
07-Aug-2007	1	0.3 %

- Study 30221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
07-Dec-2006	1	0.3 %
07-Feb-2007	1	0.3 %
07-Jun-2006	1	0.3 %
07-Nov-2006	1	0.3 %
07-Sep-2006	1	0.3 %
08-Nov-2006	1	0.3 %
10-Apr-2007	1	0.3 %
10-Oct-2006	1	0.3 %
12-Jan-2007	1	0.3 %
12-Jun-2006	1	0.3 %
12-Nov-2006	1	0.3 %
12-Oct-2006	1	0.3 %
14-May-2007	1	0.3 %
15-Nov-2006	1	0.3 %
16-Aug-2006	1	0.3 %
16-May-2006	1	0.3 %
17-Jul-2007	1	0.3 %
18-Aug-2006	1	0.3 %
19-Aug-2006	1	0.3 %
19-Jul-2007	1	0.3 %
20-Jul-2006	1	0.3 %
20-Sep-2006	1	0.3 %
20-Sep-2007	1	0.3 %
21-Jun-2006	1	0.3 %
21-Mar-2007	1	0.3 %
21-Nov-2006	1	0.3 %
22-Mar-2006	1	0.3 %
22-Mar-2007	1	0.3 %
23-Jan-2007	1	0.3 %
24-Feb-2006	1	0.3 %
24-May-2006	1	0.3 %
24-May-2007	1	0.3 %
24-Sep-2007	1	0.3 %
25-Jul-2006	1	0.3 %
25-Oct-2006	1	0.3 %
26-Jul-2007	1	0.3 %
26-Jun-2006	1	0.3 %
26-Sep-2007	1	0.3 %
27-Jun-2006	1	0.3 %
27-Sep-2007	1	0.3 %

- Study 30221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
28-Nov-2006	2	0.5 %
29-Mar-2006	1	0.3 %
30-Dec-2005	1	0.3 %
30-Jul-2007	1	0.3 %
30-May-2006	1	0.3 %
30-Nov-2006	1	0.3 %
31-Jul-2007	1	0.3 %
31-May-2007	1	0.3 %

Based upon 377 valid cases out of 377 total cases.

**NOREFFERAL      No referral to drug treatment**

Location: 271-271 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: D5. Agent referred offender to drug treatment No

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	checked	18	4.8 %
. (M)	-	359	95.2 %

Based upon 18 valid cases out of 377 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**MANREFF      Mandated to treatment but No Action by offender**

Location: 272-272 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: D5. Agent referred offender to drug treatment Mandated but No Action by offender

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	checked	6	1.6 %
. (M)	-	371	98.4 %

Based upon 6 valid cases out of 377 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00

- Study 30221 -

- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**OUTPATIENT                      Referred to outpatient tx**

Location: 273-273 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: D5. Agent referred offender to drug treatment Referred to: Outpatient

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	checked	63	16.7 %
. (M)	-	314	83.3 %

Based upon 63 valid cases out of 377 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**OUTPTWMED                      Referred to outpatient tx with methadone or buprenorphine**

Location: 274-274 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: D5. Agent referred offender to drug treatment Referred to: Outpatient with methadone or buprenorphine

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	checked	3	0.8 %
. (M)	-	374	99.2 %

Based upon 3 valid cases out of 377 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**RESIDENTIAL                      Referred to residential tx**

Location: 275-275 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: D5. Agent referred offender to drug treatment Referred to: Residential

- Study 30221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	checked	6	1.6 %
. (M)	-	371	98.4 %

Based upon 6 valid cases out of 377 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**AANA**

**AA/NA only**

Location: 276-276 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: D5. Agent referred offender to drug treatment Referred to: AA/NA only

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	checked	1	0.3 %
. (M)	-	376	99.7 %

Based upon 1 valid cases out of 377 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**OTHERREF**

**Other Referral**

Location: 277-277 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: D5. Agent referred offender to drug treatment Referred to: Other

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	checked	6	1.6 %
. (M)	-	371	98.4 %

Based upon 6 valid cases out of 377 total cases.

- Mean: 1.00
- Median: 1.00

- Study 30221 -

- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**DTX**                      **Offender attended drug treatment**

Location:                      278-278 (width: 1; decimal: 0)  
 Variable Type:                numeric  
 Question:                      D6. Offender attended drug treatment

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	no	30	8.0 %
1	yes	118	31.3 %
. (M)	-	229	60.7 %

Based upon 148 valid cases out of 377 total cases.

- Mean: 0.80
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

**TXSTART**                      **Start date:**

Location:                      279-289 (width: 11; decimal: 0)  
 Variable Type:                character  
 Question:                      D6. Offender attended drug treatment Yes - Start date: \_\_\_/\_\_\_/\_\_\_

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	309	82.0 %
01-Jun-2007	1	0.3 %
02-Aug-2006	1	0.3 %
02-Aug-2007	1	0.3 %
02-Jan-2007	1	0.3 %
02-Jul-2007	1	0.3 %
02-May-2006	1	0.3 %
02-Nov-2007	1	0.3 %
04-Dec-2006	1	0.3 %
05-Sep-2007	1	0.3 %
06-Apr-2006	2	0.5 %
06-Dec-2006	1	0.3 %
07-Aug-2007	1	0.3 %

- Study 30221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
07-Dec-2006	1	0.3 %
07-Jun-2006	2	0.5 %
07-Jun-2007	1	0.3 %
07-Nov-2006	1	0.3 %
08-May-2007	1	0.3 %
09-Nov-2006	1	0.3 %
10-Apr-2007	1	0.3 %
10-Oct-2006	1	0.3 %
11-Apr-2007	2	0.5 %
11-Jun-2007	1	0.3 %
12-Nov-2006	1	0.3 %
13-Apr-2006	1	0.3 %
13-Aug-2007	2	0.5 %
13-Jun-2007	1	0.3 %
14-May-2007	1	0.3 %
15-Aug-2006	1	0.3 %
15-Jun-2006	1	0.3 %
15-Oct-2007	1	0.3 %
16-Aug-2007	1	0.3 %
16-May-2006	1	0.3 %
17-Jul-2007	1	0.3 %
17-May-2007	2	0.5 %
19-Aug-2006	1	0.3 %
19-Oct-2006	1	0.3 %
20-Aug-2007	1	0.3 %
20-Jun-2007	1	0.3 %
20-Nov-2006	1	0.3 %
21-Aug-2006	1	0.3 %
21-Feb-2006	1	0.3 %
21-Jun-2007	1	0.3 %
21-Mar-2007	2	0.5 %
21-Sep-2006	1	0.3 %
22-Jan-2007	1	0.3 %
22-May-2006	1	0.3 %
23-May-2007	1	0.3 %
25-Apr-2007	1	0.3 %
25-Jul-2007	1	0.3 %
26-Jun-2006	1	0.3 %
27-Dec-2006	1	0.3 %
27-Mar-2006	1	0.3 %

- Study 30221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
27-Mar-2007	1	0.3 %
27-Sep-2007	2	0.5 %
28-Sep-2006	1	0.3 %
29-Jun-2007	1	0.3 %
30-Jul-2007	1	0.3 %
30-Nov-2006	1	0.3 %
30-Oct-2006	1	0.3 %
31-Jul-2007	1	0.3 %
31-May-2007	1	0.3 %

Based upon 377 valid cases out of 377 total cases.

**TXEND**

**End date**

Location: 290-300 (width: 11; decimal: 0)

Variable Type: character

Question: D6. Offender attended drug treatment Yes - End date: \_\_\_/\_\_\_/\_\_\_

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	346	91.8 %
01-May-2007	1	0.3 %
03-Dec-2007	1	0.3 %
04-Feb-2007	1	0.3 %
05-Jul-2006	1	0.3 %
05-Nov-2007	1	0.3 %
05-Sep-2006	1	0.3 %
07-Dec-2006	1	0.3 %
08-Aug-2007	1	0.3 %
09-Aug-2007	1	0.3 %
09-Jan-2007	1	0.3 %
09-Jul-2007	1	0.3 %
11-Oct-2006	1	0.3 %
12-Dec-2007	1	0.3 %
12-Jul-2006	1	0.3 %
12-Sep-2007	1	0.3 %
13-Jul-2007	1	0.3 %
15-Dec-2006	1	0.3 %
18-Sep-2006	2	0.5 %
19-Dec-2006	1	0.3 %
19-Sep-2006	1	0.3 %
20-Dec-2006	1	0.3 %
20-Jul-2006	1	0.3 %



- Study 30221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
22-Feb-2006	1	0.3 %
24-Dec-2007	1	0.3 %
24-Jul-2006	1	0.3 %
25-Jan-2007	1	0.3 %
27-Aug-2006	1	0.3 %
27-Jun-2006	1	0.3 %
30-Oct-2007	1	0.3 %
30-Sep-2007	1	0.3 %

Based upon 377 valid cases out of 377 total cases.

**MANTX** **Mandated but No Action by offender**

Location: 301-301 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: D6. Offender attended drug treatment Mandated but No Action by offender

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	checked	8	2.1 %
. (M)	-	369	97.9 %

Based upon 8 valid cases out of 377 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**COMPTX** **Offender TX Completion**

Location: 302-302 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: D7. Offender TX Completion Completed

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	checked	40	10.6 %
. (M)	-	337	89.4 %

Based upon 40 valid cases out of 377 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00

- Study 30221 -

- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

COMPDATE	Date Tx Completed
----------	-------------------

Location: 303-313 (width: 11; decimal: 0)

Variable Type: character

Question: D7. Offender TX Completion Completed - end date: \_\_\_\_/\_\_\_\_/\_\_\_\_

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	341	90.5 %
01-May-2007	1	0.3 %
04-Feb-2007	1	0.3 %
05-Jul-2006	1	0.3 %
05-Nov-2007	1	0.3 %
05-Sep-2007	1	0.3 %
06-Sep-2006	1	0.3 %
07-Dec-2006	1	0.3 %
08-Aug-2007	1	0.3 %
09-Apr-2007	1	0.3 %
09-Aug-2007	1	0.3 %
09-Jan-2007	1	0.3 %
09-Jul-2007	1	0.3 %
11-Sep-2007	1	0.3 %
12-Dec-2007	1	0.3 %
12-Jul-2006	1	0.3 %
12-Sep-2007	1	0.3 %
13-Jul-2007	1	0.3 %
13-Nov-2006	1	0.3 %
13-Nov-2007	1	0.3 %
15-Dec-2006	1	0.3 %
16-Jan-2008	1	0.3 %
17-Jan-2008	1	0.3 %
17-Jul-2007	1	0.3 %
18-Jan-2008	1	0.3 %
18-Sep-2006	2	0.5 %
19-Dec-2006	1	0.3 %
19-Dec-2007	1	0.3 %
19-Sep-2006	1	0.3 %
20-Dec-2006	1	0.3 %
24-Dec-2007	1	0.3 %
24-Jul-2006	1	0.3 %

- Study 30221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
25-Jan-2007	1	0.3 %
30-Nov-2007	1	0.3 %
30-Oct-2007	1	0.3 %
31-Oct-2007	1	0.3 %

Based upon 377 valid cases out of 377 total cases.

**LEFTTX                      Did not complete - left against advice**

Location:                      314-314 (width: 1; decimal: 0)  
 Variable Type:                numeric  
 Question:                      D7. Offender TX Completion Did not complete - left against advice

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	checked	6	1.6 %
. (M)	-	371	98.4 %

Based upon 6 valid cases out of 377 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**LEFTDATE                      Date client left**

Location:                      315-325 (width: 11; decimal: 0)  
 Variable Type:                character  
 Question:                      D7. Offender TX Completion Did not complete - left against advice, date: end date, \_\_\_/\_\_\_/\_\_\_

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	374	99.2 %
05-Jul-2007	1	0.3 %
13-Apr-2006	1	0.3 %
28-May-2007	1	0.3 %

Based upon 377 valid cases out of 377 total cases.

**DISCTX                      Did not complete - discharged unsuccessfully by program**

Location:                      326-326 (width: 1; decimal: 0)  
 Variable Type:                numeric  
 Question:                      D7. Offender TX Completion Did not complete - discharged unsuccessfully by program

- Study 30221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	checked	6	1.6 %
. (M)	-	371	98.4 %

Based upon 6 valid cases out of 377 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

<b>DISDATE</b>	<b>Date discharged</b>
----------------	------------------------

Location: 327-337 (width: 11; decimal: 0)  
 Variable Type: character  
 Question: D7. Offender TX Completion Did not complete - discharged unsuccessfully by program, end date  
 \_\_\_\_/\_\_\_\_/\_\_\_\_

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	373	98.9 %
17-Jul-2007	1	0.3 %
20-Jul-2006	1	0.3 %
27-Aug-2006	1	0.3 %
29-Dec-2006	1	0.3 %

Based upon 377 valid cases out of 377 total cases.

<b>OTHDISTX</b>	<b>Did not complete - discharged other</b>
-----------------	--

Location: 338-338 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: D7. Offender TX Completion Did not complete - discharged other

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	checked	13	3.4 %
. (M)	-	364	96.6 %

Based upon 13 valid cases out of 377 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00

- Study 30221 -

- Standard Deviation: 0.00

**OTHDISDATE**      **Other discharge date**

Location:                    339-349 (width: 11; decimal: 0)  
 Variable Type:            character  
 Question:                   D7. Offender TX Completion Did not complete - discharged other \_\_\_\_/\_\_\_\_/\_\_\_\_

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	364	96.6 %
02-Nov-2007	1	0.3 %
02-Oct-2007	1	0.3 %
05-May-2006	1	0.3 %
16-Aug-2007	1	0.3 %
20-Sep-2007	1	0.3 %
21-Aug-2007	1	0.3 %
22-Feb-2006	1	0.3 %
24-Jul-2007	1	0.3 %
26-Feb-2007	1	0.3 %
27-Jun-2006	2	0.5 %
29-Mar-2007	1	0.3 %
30-Apr-2007	1	0.3 %

Based upon 377 valid cases out of 377 total cases.

**TXPROGRESS**      **Documented that the offender made progress in treatment**

Location:                    350-350 (width: 1; decimal: 0)  
 Variable Type:            numeric  
 Question:                   D8. Documented that the offender made progress in treatment

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	no	44	11.7 %
1	yes	38	10.1 %
. (M)	-	295	78.2 %

Based upon 82 valid cases out of 377 total cases.

- Mean: 0.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

**COMMUNIC**      **Documented communication between PO and Treatment Provider**

- Study 30221 -

Location: 351-351 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: D9. Documented communication between PO and Treatment Provider

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Three or more times	87	23.1 %
2	Two times	9	2.4 %
3	One time only	13	3.4 %
4	No	48	12.7 %
. (M)	-	220	58.4 %

Based upon 157 valid cases out of 377 total cases.

- Mean: 2.14
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.36

**RCTR Research Center**

Location: 352-353 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Question: Research Center

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	66	17.5 %
3	35	9.3 %
5	145	38.5 %
7	66	17.5 %
8	31	8.2 %
11	34	9.0 %

Based upon 377 valid cases out of 377 total cases.

- Mean: 5.25
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 11.00
- Standard Deviation: 2.80

**COND Study Condition**

Location: 354-354 (width: 1; decimal: 0)

- Study 30221 -

Variable Type:

numeric

Question:

A2. Study Condition: [PREFILLED]

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	control	180	47.7 %
1	treatment	197	52.3 %

Based upon 377 valid cases out of 377 total cases.

- Mean: 0.52
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50