

ICPSR 30842

**Criminal Justice Drug Abuse
Treatment Studies (CJDATS):
Restructuring Risky
Relationships-HIV (RRR-HIV),
2005-2008 [United States]**

Carl Leukefeld

*University of Kentucky, Center on Drug and
Alcohol Research*

Variable Description and Frequencies for
Restructuring Risky Relationships 30-Day
Follow-up

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/30842/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #30842
Criminal Justice Drug Abuse Treatment Studies (CJDATS)
Restructuring Risky Relationships-HIV (RRR-HIV), 2005-2008
Part 2: RRR-HIV 30 Day Follow-up Data

- 1) For better understanding of the recoded and other computed variables, it is advisable that the users read the documentations files before reviewing or analyzing the data.

ICPSR 30842

Criminal Justice Drug Abuse Treatment Studies (CJDATS): Restructuring Risky Relationships-HIV (RRR-HIV), 2005-2008 [United States]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Criminal Justice Drug Abuse Treatment Studies (CJDATS): Restructuring Risky Relationships-HIV (RRR-HIV), 2005-2008 [United States]

Restructuring Risky Relationships 30 Day Follow-up

CJDID	CJDATS Study ID Number								
Location:	1-5 (width: 5; decimal: 0)								
Variable Type:	numeric								
Question:	Study site								
	<table><thead><tr><th>Value</th><th>Label</th><th>Unweighted Frequency</th><th>%</th></tr></thead><tbody><tr><td>2100</td><td>RRR/HIV</td><td>295</td><td>100.0 %</td></tr></tbody></table>	Value	Label	Unweighted Frequency	%	2100	RRR/HIV	295	100.0 %
Value	Label	Unweighted Frequency	%						
2100	RRR/HIV	295	100.0 %						

Based upon 295 valid cases out of 295 total cases.

- Mean: 2100.00
- Median: 2100.00
- Mode: 2100.00
- Minimum: 2100.00
- Maximum: 2100.00
- Standard Deviation: 0.00

RCTR	Research Center																				
Location:	6-7 (width: 2; decimal: 0)																				
Variable Type:	numeric																				
Question:	Research Center																				
	<table><thead><tr><th>Value</th><th>Label</th><th>Unweighted Frequency</th><th>%</th></tr></thead><tbody><tr><td>2</td><td>University of Kentucky</td><td>154</td><td>52.2 %</td></tr><tr><td>3</td><td>Connecticut</td><td>35</td><td>11.9 %</td></tr><tr><td>5</td><td>University of Delaware</td><td>81</td><td>27.5 %</td></tr><tr><td>8</td><td>Rhode Island</td><td>25</td><td>8.5 %</td></tr></tbody></table>	Value	Label	Unweighted Frequency	%	2	University of Kentucky	154	52.2 %	3	Connecticut	35	11.9 %	5	University of Delaware	81	27.5 %	8	Rhode Island	25	8.5 %
Value	Label	Unweighted Frequency	%																		
2	University of Kentucky	154	52.2 %																		
3	Connecticut	35	11.9 %																		
5	University of Delaware	81	27.5 %																		
8	Rhode Island	25	8.5 %																		

Based upon 295 valid cases out of 295 total cases.

- Mean: 3.45
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 8.00
- Standard Deviation: 1.88

SITE	Research Site
Location:	8-11 (width: 4; decimal: 0)

- Study 30842 -

Variable Type: numeric

Question: Research Site

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Site 3	35	11.9 %
4	Site 4	81	27.5 %
5	Site 5	154	52.2 %
6	Site 6	25	8.5 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 4.57
- Median: 5.00
- Mode: 5.00
- Minimum: 3.00
- Maximum: 6.00
- Standard Deviation: 0.81

WAVE Interview Visit/Wave

Location: 12-13 (width: 2; decimal: 0)

Variable Type: numeric

Question: Interview Visit/Wave

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	30 day follow up	295	100.0 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

COND Study Condition

Location: 14-21 (width: 8; decimal: 0)

Variable Type: numeric

Question: Study Condition

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Control	148	50.2 %
1	RRR	147	49.8 %

Based upon 295 valid cases out of 295 total cases.

- Study 30842 -

- Mean: 0.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

STAFFID	Staff ID
----------------	-----------------

Location: 22-25 (width: 4; decimal: 0)
 Variable Type: numeric
 Question: Interviewer ID number

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
208	10	3.4 %
212	24	8.1 %
219	1	0.3 %
316	34	11.5 %
317	1	0.3 %
323	26	8.8 %
329	16	5.4 %
360	4	1.4 %
410	39	13.2 %
414	59	20.0 %
430	53	18.0 %
431	3	1.0 %
608	25	8.5 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 383.89
- Median: 410.00
- Mode: 414.00
- Minimum: 208.00
- Maximum: 608.00
- Standard Deviation: 97.74

CID	Client ID Number
------------	-------------------------

Location: 26-29 (width: 4; decimal: 0)
 Variable Type: numeric
 Question: Subject ID
 Based upon 295 valid cases out of 295 total cases.

- Mean: 5874.65

- Study 30842 -

- Minimum: 5001.00
- Maximum: 8051.00
- Standard Deviation: 991.17

INTSTRT Interview Start Time

Location: 30-34 (width: 5; decimal: 0)
 Variable Type: character
 Question: Start time.
 Based upon 295 valid cases out of 295 total cases.

INTLOC Interview Location

Location: 35-36 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Interview location.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Prison	22	7.5 %
2	Work furlough program	8	2.7 %
3	Community corrections	45	15.3 %
4	Half-way home	25	8.5 %
6	Community tx program	2	0.7 %
7	Other	193	65.4 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 5.55
- Median: 7.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 2.12

INTLOC1 Interview Location Other Specify

Location: 37-136 (width: 100; decimal: 0)
 Variable Type: character
 Question: Specify other interview location.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
Masked	295	100.0 %

Based upon 295 valid cases out of 295 total cases.

REDATE Release date from prison

- Study 30842 -

Location: 164-164 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Interviewer: Is respondent currently incarcerated (e.g., jail, prison, work release, or community correctional facility)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	200	67.8 %
1	YES	95	32.2 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

IDATE Interview Date

Location: 165-175 (width: 11; decimal: 0)
 Variable Type: character
 Question: Date of interview.
 Based upon 295 valid cases out of 295 total cases.

CLIVE Current Living Situation

Location: 176-177 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: In the 30 days since your release, where have you been living most of the time?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Shelter	17	5.8 %
2	Street	1	0.3 %
3	Institution	78	26.4 %
4	Own/rent apt/house/room	38	12.9 %
5	Someone else apt/house/room	108	36.6 %
6	Halfway house	30	10.2 %
7	Residential Tx	7	2.4 %
8	Other	16	5.4 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 4.41
- Median: 5.00
- Mode: 5.00

- Study 30842 -

- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 1.58

CLIVE1 Other Specified living situation

Location: 178-277 (width: 100; decimal: 0)
 Variable Type: character
 Range of Missing Values (M): -9
 Question: Specify other living situation.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
Masked	5	1.7 %
home	1	0.3 %
jail	1	0.3 %
transitional housing	1	0.3 %
work release	4	1.4 %
work release program	4	1.4 %
-9 (M)	279	94.6 %

Based upon 16 valid cases out of 295 total cases.

LIVEDAYS # Days in Current Living Situation

Location: 278-281 (width: 4; decimal: 0)
 Variable Type: numeric
 Question: How long have you been living there (at that place)? In days.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2	0.7 %
4	1	0.3 %
5	1	0.3 %
7	3	1.0 %
8	1	0.3 %
9	1	0.3 %
13	1	0.3 %
14	4	1.4 %
15	4	1.4 %
16	1	0.3 %
17	1	0.3 %
18	1	0.3 %
19	1	0.3 %
21	7	2.4 %
22	2	0.7 %
23	1	0.3 %

- Study 30842 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
24	2	0.7 %
25	1	0.3 %
26	1	0.3 %
27	1	0.3 %
28	5	1.7 %
29	6	2.0 %
30	109	36.9 %
31	7	2.4 %
32	7	2.4 %
33	5	1.7 %
34	9	3.1 %
35	7	2.4 %
36	3	1.0 %
37	3	1.0 %
38	1	0.3 %
39	3	1.0 %
40	1	0.3 %
41	2	0.7 %
42	2	0.7 %
43	1	0.3 %
44	3	1.0 %
45	4	1.4 %
46	2	0.7 %
47	2	0.7 %
48	1	0.3 %
49	1	0.3 %
52	2	0.7 %
53	1	0.3 %
54	1	0.3 %
56	1	0.3 %
57	2	0.7 %
60	7	2.4 %
61	1	0.3 %
62	1	0.3 %
68	1	0.3 %
70	2	0.7 %
71	1	0.3 %
72	1	0.3 %
80	1	0.3 %
87	1	0.3 %

- Study 30842 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
90	2	0.7 %
96	1	0.3 %
100	1	0.3 %
101	1	0.3 %
111	1	0.3 %
120	6	2.0 %
130	2	0.7 %
147	1	0.3 %
150	10	3.4 %
165	2	0.7 %
170	2	0.7 %
179	1	0.3 %
180	13	4.4 %
195	1	0.3 %
200	1	0.3 %
210	5	1.7 %
365	1	0.3 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 54.92
- Median: 30.00
- Mode: 30.00
- Minimum: 0.00
- Maximum: 365.00
- Standard Deviation: 53.22

LIVSP	Live w/Spouse or Partner (last 30 days)
--------------	--

Location: 282-283 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: In the 30 days since your release, have you been living with a spouse, significant other, or domestic partner?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	252	85.4 %
1	Yes	43	14.6 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00

- Study 30842 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

ILACTSP Support from Illegal Activities (last 30 days)

Location: 284-287 (width: 4; decimal: 0)

Variable Type: numeric

Question: How much of your income or source of support in the 30 days since your release came from some kind of ILLEGAL ACTIVITY?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NONE	277	93.9 %
1	LESS HALF	7	2.4 %
2	HALF	4	1.4 %
3	MORE HALF	3	1.0 %
4	ALL	4	1.4 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.61

ARSTFLW # Times Arrested Recall Period

Location: 288-290 (width: 3; decimal: 0)

Variable Type: numeric

Question: Altogether, how many TIMES were you arrested in the 30 days since your last interview?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	279	94.6 %
1	14	4.7 %
2	2	0.7 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.27

- Study 30842 -

CHARGES **Types of Charges if Arrested**

Location: 291-390 (width: 100; decimal: 0)
 Variable Type: character
 Range of Missing Values (M): -9
 Question: What were the charges?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	8	2.7 %
1	2	0.7 %
DUI, terroristic threat, reckless driving, assault on a police officer	1	0.3 %
PV	1	0.3 %
Probation violation/escape	1	0.3 %
VOP	1	0.3 %
drug paraphernalia/loitering/parole violation	1	0.3 %
failure to report, dirty urine test	1	0.3 %
flagrant nonsupport	1	0.3 %
old theft charge	1	0.3 %
possession/failure to appear	1	0.3 %
probation violation	1	0.3 %
pv violation	1	0.3 %
speeding;no operators license	1	0.3 %
theft by deception/contempt of court	1	0.3 %
violation of salvation army rules(diet pills)	1	0.3 %
-9 (M)	271	91.9 %

Based upon 24 valid cases out of 295 total cases.

ARSTDRUG **Arrested on Drug Charges**

Location: 391-394 (width: 4; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: How many of these arrests were for things you did while using drugs or trying to get drugs?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	6	2.0 %
1	-	8	2.7 %
2	-	1	0.3 %
7	-	1	0.3 %
-9 (M)	Legitimate skip	279	94.6 %

Based upon 16 valid cases out of 295 total cases.

- Mean: 1.06

- Study 30842 -

- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.69

JAILREC # Days in Jail Recall Period

Location: 395-398 (width: 4; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: How many nights did you spend in jail during this period?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	2	0.7 %
2	-	1	0.3 %
3	-	3	1.0 %
4	-	1	0.3 %
6	-	1	0.3 %
7	-	3	1.0 %
9	-	1	0.3 %
13	-	1	0.3 %
15	-	1	0.3 %
16	-	1	0.3 %
18	-	1	0.3 %
23	-	1	0.3 %
26	-	2	0.7 %
30	-	43	14.6 %
-9 (M)	Legitimate skip	233	79.0 %

Based upon 62 valid cases out of 295 total cases.

- Mean: 23.84
- Median: 30.00
- Mode: 30.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 10.43

PROBRC # Day On Probation (recall period)

Location: 399-401 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: In the 30 days since your release, what is the total length of time that you were on probation?

- Study 30842 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	265	89.8 %
24	1	0.3 %
30	22	7.5 %
36	1	0.3 %
41	1	0.3 %
42	1	0.3 %
60	1	0.3 %
335	1	0.3 %
365	1	0.3 %
. (M)	1	0.3 %

Based upon 294 valid cases out of 295 total cases.

- Mean: 5.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 365.00
- Standard Deviation: 30.12

PAROLRC

Day On Parole (recall period)

Location: 402-404 (width: 3; decimal: 0)

Variable Type: numeric

Question: In the 30 days since your release, what is the total length of time that you were on parole?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	185	62.7 %
21	1	0.3 %
23	1	0.3 %
26	1	0.3 %
27	1	0.3 %
28	1	0.3 %
29	5	1.7 %
30	67	22.7 %
31	4	1.4 %
32	6	2.0 %
34	2	0.7 %
35	4	1.4 %
36	1	0.3 %
37	3	1.0 %
38	1	0.3 %

- Study 30842 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
39	1	0.3 %
40	1	0.3 %
43	1	0.3 %
44	1	0.3 %
57	1	0.3 %
90	3	1.0 %
. (M)	4	1.4 %

Based upon 291 valid cases out of 295 total cases.

- Mean: 11.97
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 17.07

LEGSTAT

Current Legal Status

Location: 405-406 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: What is your CURRENT LEGAL STATUS?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	21	7.1 %
1	Probation no prison	26	8.8 %
2	Probation prison	6	2.0 %
3	Parole	104	35.3 %
4	Mandatory release	4	1.4 %
7	Incarceration	11	3.7 %
8	Work Release	83	28.1 %
9	Community facility	12	4.1 %
10	Other	28	9.5 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 5.07
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 3.25

LEGSTAT1

Other Specified Current Legal Status

- Study 30842 -

Location: 407-506 (width: 100; decimal: 0)
 Variable Type: character
 Range of Missing Values (M): -9
 Question: Specify other legal status?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
DOC contracted residential facility	1	0.3 %
DOC treatment program	1	0.3 %
electronic monitoring	2	0.7 %
home incarceration	1	0.3 %
pre release	1	0.3 %
serve out	15	5.1 %
served out	6	2.0 %
served out June 29	1	0.3 %
-9 (M)	267	90.5 %

Based upon 28 valid cases out of 295 total cases.

ALCRE Days used Alcohol last 30 days

Location: 507-508 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Tell me how many days in the 30 days since your release you used alcohol?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	244	82.7 %
1	14	4.7 %
2	11	3.7 %
3	4	1.4 %
5	4	1.4 %
7	2	0.7 %
10	3	1.0 %
14	1	0.3 %
15	6	2.0 %
17	1	0.3 %
20	2	0.7 %
28	1	0.3 %
30	2	0.7 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 1.22
- Median: 0.00
- Mode: 0.00

- Study 30842 -

- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 4.27

TOBRE **Days used Tobacco last 30 days**

Location: 509-511 (width: 3; decimal: 0)

Variable Type: numeric

Question: Tell me how many days in the 30 days since your release you used tobacco?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	62	21.0 %
1	3	1.0 %
2	3	1.0 %
3	5	1.7 %
4	7	2.4 %
7	2	0.7 %
8	2	0.7 %
10	2	0.7 %
13	1	0.3 %
14	2	0.7 %
15	7	2.4 %
17	1	0.3 %
20	6	2.0 %
21	2	0.7 %
22	1	0.3 %
23	1	0.3 %
24	2	0.7 %
25	3	1.0 %
28	4	1.4 %
29	4	1.4 %
30	146	49.5 %
31	4	1.4 %
32	1	0.3 %
33	1	0.3 %
34	1	0.3 %
35	5	1.7 %
37	1	0.3 %
38	1	0.3 %
39	1	0.3 %
40	1	0.3 %
41	1	0.3 %
42	1	0.3 %

- Study 30842 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
43	1	0.3 %
44	2	0.7 %
45	1	0.3 %
46	1	0.3 %
48	2	0.7 %
49	1	0.3 %
57	1	0.3 %
59	1	0.3 %
90	1	0.3 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 21.73
- Median: 30.00
- Mode: 30.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 14.67

INHRE Days used Inhalants last 30 days

Location: 512-513 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Tell me how many days in the 30 days since your release you used inhalants (glue, spray, paint, toluene, liquid paper, etc.)?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	294	99.7 %
2	1	0.3 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.12

MJRE Days used Marijuana last 30 days

Location: 514-515 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Tell me how many days in the 30 days since your release you used marijuana/hashish?

- Study 30842 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	276	93.6 %
1	3	1.0 %
2	3	1.0 %
4	1	0.3 %
5	3	1.0 %
8	1	0.3 %
10	1	0.3 %
15	1	0.3 %
17	1	0.3 %
30	5	1.7 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.77
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 4.17

HLUCRE Days used Hallucinogens last 30 dagys

Location: 516-517 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Tell me how many days in the 30 days since your release you used hallucinogens/LSD/Psychedelics/PCP/Mushrooms/Peyote?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	293	99.3 %
1	1	0.3 %
30	1	0.3 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 1.75

CRCKRE Days used Crack last 30 days

Location: 518-519 (width: 2; decimal: 0)

- Study 30842 -

Variable Type:

numeric

Question:

Tell me how many days in the 30 days since your release you used crack/freebase?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	276	93.6 %
1	1	0.3 %
2	4	1.4 %
3	3	1.0 %
4	1	0.3 %
5	1	0.3 %
7	1	0.3 %
10	1	0.3 %
20	1	0.3 %
21	1	0.3 %
22	1	0.3 %
30	4	1.4 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.77
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 4.12

COCRE

Days used Cocaine last 30 days

Location:

520-522 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Tell me how many days in the 30 days since your release you used cocaine (by itself)?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	292	99.0 %
4	1	0.3 %
10	1	0.3 %
20	1	0.3 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 1.32

- Study 30842 -

HCOCRE Days used speedball last 30 days

Location: 523-524 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Tell me how many days in the 30 days since your release you used heroin and cocaine (mixed together)?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	294	99.7 %
4	1	0.3 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.23

HMTHRE Days used heroin and meth last 30 days

Location: 525-526 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Tell me how many days in the 30 days since your release you used heroin and meth (mixed together)?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	294	99.7 %
8	1	0.3 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.47

HERRE Days used heroin last 30 days

Location: 527-528 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Tell me how many days in the 30 days since your release you used heroin (by itself)?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	290	98.3 %

- Study 30842 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	3	1.0 %
8	1	0.3 %
21	1	0.3 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 21.00
- Standard Deviation: 1.31

MTHDRE **Days used methadone last 30 days**

Location: 529-530 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Tell me how many days in the 30 days since your release you used street methadone?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	295	100.0 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

OPIATRE **Days used opiates last 30 days**

Location: 531-533 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Tell me how many days in the 30 days since your release you used other opiates/Opium Morphine/Demerol/ Dilaudid/Percodan/ Viocodin/Oxycotin?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	280	94.9 %
1	3	1.0 %
2	2	0.7 %
6	1	0.3 %
8	1	0.3 %
10	3	1.0 %

- Study 30842 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
12	1	0.3 %
14	1	0.3 %
29	1	0.3 %
30	2	0.7 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.56
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 3.35

METARE Days used meth last 30 days

Location: 534-535 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Tell me how many days in the 30 days since your release you used Methamphetamine/Speed/Ice/Ecstasy/Crystal?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	293	99.3 %
1	1	0.3 %
4	1	0.3 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.24

AMPHRE Days used amphetamine last 30 days

Location: 536-537 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Tell me how many days in the 30 days since your release you used other Amphetamines/Uppers/Diet Pills?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	295	100.0 %

- Study 30842 -

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

LIBRE **Days used librium last 30 days**

Location: 538-539 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Tell me how many days in the 30 days since your release you used Librium/Valium/Minor
 Tranquilizers?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	283	95.9 %
1	2	0.7 %
2	2	0.7 %
3	2	0.7 %
5	1	0.3 %
10	2	0.7 %
12	1	0.3 %
30	2	0.7 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 2.71

BARBRE **Days used barbituates last 30 days**

Location: 540-541 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Tell me how many days in the 30 days since your release you used barbiturates?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	295	100.0 %

Based upon 295 valid cases out of 295 total cases.

- Study 30842 -

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

SEDRE Days used sedatives last 30 days

Location: 542-543 (width: 2; decimal: 0)
Variable Type: numeric
Question: Tell me how many days in the 30 days since your release you used other sedatives/Hypnotics/Quaaludes?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	295	100.0 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

GHBRE Days used GHB last 30 days

Location: 544-545 (width: 2; decimal: 0)
Variable Type: numeric
Question: Tell me how many days in the 30 days since your release you used non-prescription GHB?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	295	100.0 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

KETRE Days used ketamine last 30 days

Location: 546-547 (width: 2; decimal: 0)

- Study 30842 -

Variable Type: numeric

Question: Tell me how many days in the 30 days since your release you used ketamine?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	295	100.0 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

OTHDRE Days used other drug last 30 days

Location: 548-549 (width: 2; decimal: 0)

Variable Type: numeric

Question: Tell me how many days in the 30 days since your release you used other specified drug?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	294	99.7 %
30	1	0.3 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 1.75

SHLP30D Attended Self Help Meetings Past 30 Days

Location: 550-550 (width: 1; decimal: 0)

Variable Type: numeric

Question: In the 30 days since your release have you gone to self-help meetings like AA, NA, CA, etc.? (include non-12-step groups such as Rational recovery, SOS and SMART)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	104	35.3 %
1	YES	191	64.7 %

Based upon 295 valid cases out of 295 total cases.

- Study 30842 -

- Mean: 0.65
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

NSHLPM

Self Help Meetings Attended Last 30 days

Location: 551-554 (width: 4; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: About how many meetings have you attended in the last 30 days?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	2	0.7 %
1	-	9	3.1 %
2	-	10	3.4 %
3	-	7	2.4 %
4	-	13	4.4 %
5	-	11	3.7 %
6	-	6	2.0 %
7	-	4	1.4 %
8	-	14	4.7 %
9	-	6	2.0 %
10	-	9	3.1 %
12	-	14	4.7 %
13	-	2	0.7 %
15	-	14	4.7 %
16	-	7	2.4 %
17	-	1	0.3 %
18	-	1	0.3 %
20	-	14	4.7 %
24	-	5	1.7 %
25	-	6	2.0 %
26	-	3	1.0 %
27	-	1	0.3 %
28	-	1	0.3 %
30	-	19	6.4 %
32	-	1	0.3 %
35	-	2	0.7 %
40	-	2	0.7 %
42	-	1	0.3 %

- Study 30842 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
44	-	1	0.3 %
45	-	1	0.3 %
48	-	1	0.3 %
60	-	2	0.7 %
150	-	1	0.3 %
-9 (M)	Legitimate skip	104	35.3 %

Based upon 191 valid cases out of 295 total cases.

- Mean: 15.25
- Median: 12.00
- Mode: 30.00
- Minimum: 0.00
- Maximum: 150.00
- Standard Deviation: 15.23

AIDSR5 # Times Injected Drugs Past 30 Days

Location: 555-558 (width: 4; decimal: 0)
 Variable Type: numeric
 Question: In the 30 days since your release, how many times did you inject illegal drugs with a needle?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	289	98.0 %
1	2	0.7 %
2	1	0.3 %
8	1	0.3 %
100	1	0.3 %
210	1	0.3 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 1.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 210.00
- Standard Deviation: 13.53

AIDSR6 # Times Used Dirty Needles Past 30 Days

Location: 559-562 (width: 4; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

- Study 30842 -

Question:

How many times did you use needles or syringes that were dirty that is, that someone else had used and were not sterilized or cleaned with bleach before you used them?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	5	1.7 %
1	-	2	0.7 %
-9 (M)	Legitimate skip	288	97.6 %

Based upon 7 valid cases out of 295 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

AIDSR7

Times Shared Cooker/Cotton/Rinse Water Past 30 Days

Location:

563-566 (width: 4; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9

Question:

And how many times did you use the same cooker, cotton, or rinse water that someone else had already used?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	6	2.0 %
2	-	1	0.3 %
-9 (M)	Legitimate skip	288	97.6 %

Based upon 7 valid cases out of 295 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.76

AIDSR8

Times Injected w/Others Past 30 Days

Location:

567-570 (width: 4; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9

Question:

Altogether, how many PEOPLE did you share the same works with during the 30 days since your release? This means all the people who used the same needles or syringes, cooker, cotton, or rinse water before you did?

- Study 30842 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	3	1.0 %
1	-	2	0.7 %
2	-	1	0.3 %
100	-	1	0.3 %
-9 (M)	Legitimate skip	288	97.6 %

Based upon 7 valid cases out of 295 total cases.

- Mean: 14.86
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 37.55

AIDSR10 # Times Gave Dirty Needles to Others Past 30 Days

Location: 571-574 (width: 4; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: How many TIMES, in the last 30 days, did you give or loan your used needles or syringes to someone else, who then used them without cleaning them with bleach?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	7	2.4 %
-9 (M)	Legitimate skip	288	97.6 %

Based upon 7 valid cases out of 295 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

AIDSR15 # People Had Sex With Past 30 Days

Location: 575-578 (width: 4; decimal: 0)
 Variable Type: numeric
 Question: How many different PEOPLE did you have any kind of sex with in the last 30 days timeline (including vaginal, oral, or anal)?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	165	55.9 %

- Study 30842 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	101	34.2 %
2	18	6.1 %
3	5	1.7 %
5	3	1.0 %
8	1	0.3 %
10	1	0.3 %
15	1	0.3 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.68
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 1.36

AIDSR16 # Male Partners Past 30 Days

Location: 579-582 (width: 4; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: How many of your partners were male?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	6	2.0 %
1	-	100	33.9 %
2	-	14	4.7 %
3	-	3	1.0 %
5	-	3	1.0 %
8	-	1	0.3 %
10	-	1	0.3 %
15	-	1	0.3 %
-9 (M)	Legitimate skip	166	56.3 %

Based upon 129 valid cases out of 295 total cases.

- Mean: 1.43
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 1.73

- Study 30842 -

AIDSR17 # Female Partners Past 30 Days

Location: 583-586 (width: 4; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: How many of your partners were female?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	118	40.0 %
1	-	10	3.4 %
2	-	1	0.3 %
-9 (M)	Legitimate skip	166	56.3 %

Based upon 129 valid cases out of 295 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.32

AIDSR18 # Times Had Sex Past 30 Days

Location: 587-590 (width: 4; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Altogether, how many times did you have sex (including vaginal, oral, and anal) in these 30 days?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.3 %
1	-	9	3.1 %
2	-	14	4.7 %
3	-	7	2.4 %
4	-	11	3.7 %
5	-	6	2.0 %
6	-	9	3.1 %
7	-	4	1.4 %
8	-	4	1.4 %
10	-	7	2.4 %
12	-	3	1.0 %
13	-	2	0.7 %
14	-	3	1.0 %
15	-	7	2.4 %
17	-	1	0.3 %

- Study 30842 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
19	-	1	0.3 %
20	-	2	0.7 %
22	-	2	0.7 %
24	-	1	0.3 %
25	-	5	1.7 %
27	-	1	0.3 %
28	-	1	0.3 %
30	-	8	2.7 %
35	-	2	0.7 %
40	-	5	1.7 %
45	-	1	0.3 %
46	-	1	0.3 %
47	-	1	0.3 %
53	-	1	0.3 %
60	-	5	1.7 %
61	-	1	0.3 %
90	-	1	0.3 %
100	-	1	0.3 %
135	-	1	0.3 %
213	-	1	0.3 %
-9 (M)	Legitimate skip	165	55.9 %

Based upon 130 valid cases out of 295 total cases.

- Mean: 18.84
- Median: 9.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 213.00
- Standard Deviation: 27.36

AIDSR19

Times had Sex w/out Condom Past 30 Days

Location: 591-594 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Altogether, how many times did you have sex (including vaginal, oral, anal) in the 30 days after release on the timeline without using protection (i.e. condoms, dental dams, etc.)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	53	18.0 %
1	-	6	2.0 %

- Study 30842 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	-	8	2.7 %
3	-	4	1.4 %
4	-	10	3.4 %
5	-	1	0.3 %
6	-	5	1.7 %
8	-	1	0.3 %
10	-	3	1.0 %
13	-	1	0.3 %
14	-	2	0.7 %
15	-	5	1.7 %
17	-	1	0.3 %
20	-	2	0.7 %
22	-	1	0.3 %
24	-	1	0.3 %
25	-	3	1.0 %
27	-	1	0.3 %
28	-	1	0.3 %
30	-	7	2.4 %
40	-	3	1.0 %
45	-	1	0.3 %
47	-	1	0.3 %
53	-	1	0.3 %
60	-	5	1.7 %
94	-	1	0.3 %
100	-	1	0.3 %
135	-	1	0.3 %
-9 (M)	Legitimate skip	165	55.9 %

Based upon 130 valid cases out of 295 total cases.

- Mean: 12.31
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 135.00
- Standard Deviation: 21.84

AIDSR20

Times Had Sex w/out Condom w/Casual Partner Past 30 Days

Location: 595-598 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

- Study 30842 -

Question:

When you had sex without using a condom that month, how many times was it with someone who is not your spouse or primary partner?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	113	38.3 %
1	-	5	1.7 %
2	-	3	1.0 %
3	-	2	0.7 %
4	-	3	1.0 %
6	-	1	0.3 %
8	-	1	0.3 %
14	-	1	0.3 %
20	-	1	0.3 %
-9 (M)	Legitimate skip	165	55.9 %

Based upon 130 valid cases out of 295 total cases.

- Mean: 0.59
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 2.38

AIDSR21

Times Had Sex w/out Condom w/ Injection Drug User Past 30 Days

Location:

599-602 (width: 4; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9

Question:

When you had sex without using a condom that month, how many times was it with someone who shot drugs with needles?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	125	42.4 %
1	-	1	0.3 %
6	-	1	0.3 %
25	-	1	0.3 %
30	-	2	0.7 %
-9 (M)	Legitimate skip	165	55.9 %

Based upon 130 valid cases out of 295 total cases.

- Mean: 0.71
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 30842 -

- Maximum: 30.00
- Standard Deviation: 4.31

AIDSR22 # Times Had Sex w/out Condom w/Someone Who Smokes Crack/Cocaine Past 30 Days

Location: 603-606 (width: 4; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: When you had sex without using a condom that month, how many times was it with someone who sometimes smokes crack/cocaine, and/or Methamphetamine?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	120	40.7 %
1	-	5	1.7 %
6	-	2	0.7 %
15	-	1	0.3 %
25	-	1	0.3 %
30	-	1	0.3 %
-9 (M)	Legitimate skip	165	55.9 %

Based upon 130 valid cases out of 295 total cases.

- Mean: 0.67
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 3.70

AIDSR23 # Times Had Sex w/out Condom While High Past 30 Days

Location: 607-610 (width: 4; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: When you had sex without using a condom that month, how many times was it while you or your partner were high on drugs or alcohol?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	109	36.9 %
1	-	4	1.4 %
2	-	7	2.4 %
3	-	2	0.7 %
4	-	5	1.7 %
5	-	1	0.3 %
10	-	1	0.3 %
20	-	1	0.3 %

- Study 30842 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Legitimate skip	165	55.9 %

Based upon 130 valid cases out of 295 total cases.

- Mean: 0.61
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 2.17

AIDSR24 # Times Had Sex w/out Condom While Trading Sex for Drugs/Money Past 30 Days

Location: 611-614 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: When you had sex without using a condom that month, how many times was it while trading (giving/getting) sex for drugs, money, or gifts?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	126	42.7 %
1	-	2	0.7 %
2	-	1	0.3 %
3	-	1	0.3 %
-9 (M)	Legitimate skip	165	55.9 %

Based upon 130 valid cases out of 295 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.34

AIDSR25 # Times Had Sex w/out Condom During Vaginal Sex Past 30 Days

Location: 615-618 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: When you had sex without using a condom that month, how many times was it involving vaginal sex (penis to vagina)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	60	20.3 %

- Study 30842 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	12	4.1 %
2	-	8	2.7 %
3	-	6	2.0 %
4	-	3	1.0 %
5	-	3	1.0 %
6	-	2	0.7 %
7	-	1	0.3 %
10	-	4	1.4 %
12	-	1	0.3 %
14	-	1	0.3 %
15	-	11	3.7 %
20	-	5	1.7 %
23	-	1	0.3 %
30	-	8	2.7 %
35	-	1	0.3 %
90	-	2	0.7 %
100	-	1	0.3 %
-9 (M)	Legitimate skip	165	55.9 %

Based upon 130 valid cases out of 295 total cases.

- Mean: 7.70
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 15.99

AIDSR26 # Times Had Sex w/out Condom During Orall Sex Past 30 Days

Location: 619-622 (width: 4; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: When you had sex without using a condom that month, how many times was it involving oral sex (mouth to penis/vagina)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	74	25.1 %
1	-	9	3.1 %
2	-	10	3.4 %
3	-	3	1.0 %
4	-	1	0.3 %

- Study 30842 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	-	3	1.0 %
6	-	1	0.3 %
7	-	2	0.7 %
10	-	5	1.7 %
12	-	1	0.3 %
14	-	2	0.7 %
15	-	9	3.1 %
20	-	3	1.0 %
30	-	6	2.0 %
45	-	1	0.3 %
-9 (M)	Legitimate skip	165	55.9 %

Based upon 130 valid cases out of 295 total cases.

- Mean: 4.52
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 45.00
- Standard Deviation: 8.51

AIDSR27

Times Had Sex w/out Condom During Anal Sex Past 30 Days

Location: 623-626 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: When you had sex without using a condom that month, how many times was it involving anal sex (penis to anus)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	124	42.0 %
1	-	2	0.7 %
2	-	3	1.0 %
3	-	1	0.3 %
-9 (M)	Legitimate skip	165	55.9 %

Based upon 130 valid cases out of 295 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.41

- Study 30842 -

AIDSR30A # Times Used Alcohol before or during Sex Past 30 Days

Location: 627-630 (width: 4; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: In the 30 days after your release, how many times have you used the following drugs immediately before or during sex? Alcohol?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	102	34.6 %
1	-	6	2.0 %
2	-	3	1.0 %
3	-	2	0.7 %
4	-	1	0.3 %
5	-	2	0.7 %
6	-	2	0.7 %
8	-	2	0.7 %
12	-	1	0.3 %
14	-	1	0.3 %
30	-	1	0.3 %
40	-	1	0.3 %
213	-	1	0.3 %
-9 (M)	Legitimate skip	170	57.6 %

Based upon 125 valid cases out of 295 total cases.

- Mean: 2.95
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 213.00
- Standard Deviation: 19.56

AIDSR30B # Times Used Marijuana before or during Sex Past 30 Days

Location: 631-634 (width: 4; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: In the 30 days after your release, how many times have you used the following drugs immediately before or during sex? Marijuana (Weed, grass, reefer)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	118	40.0 %
1	-	2	0.7 %
2	-	2	0.7 %

- Study 30842 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	-	1	0.3 %
15	-	1	0.3 %
25	-	1	0.3 %
-9 (M)	Legitimate skip	170	57.6 %

Based upon 125 valid cases out of 295 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 25.00
- Standard Deviation: 2.62

AIDSR30C # Times Used Crack before or during Sex Past 30 Days

Location: 635-638 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: In the 30 days after your release, how many times have you used the following drugs immediately before or during sex? Crack?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	114	38.6 %
1	-	1	0.3 %
3	-	1	0.3 %
5	-	3	1.0 %
8	-	1	0.3 %
20	-	2	0.7 %
35	-	1	0.3 %
40	-	1	0.3 %
213	-	1	0.3 %
-9 (M)	Legitimate skip	170	57.6 %

Based upon 125 valid cases out of 295 total cases.

- Mean: 2.84
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 213.00
- Standard Deviation: 19.70

AIDSR30D # Times Used Cocaine before or during Sex Past 30 Days

- Study 30842 -

Location: 639-642 (width: 4; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: In the 30 days after your release, how many times have you used the following drugs immediately before or during sex? Cocaine by itself (other than crack) that you injected or snorted?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	125	42.4 %
-9 (M)	Legitimate skip	170	57.6 %

Based upon 125 valid cases out of 295 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

AIDSR30E # Times Used Heroin before or during Sex Past 30 Days

Location: 643-646 (width: 4; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: In the 30 days after your release, how many times have you used the following drugs immediately before or during sex? Heroin (by itself)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	123	41.7 %
5	-	1	0.3 %
20	-	1	0.3 %
-9 (M)	Legitimate skip	170	57.6 %

Based upon 125 valid cases out of 295 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 1.84

AIDSR30F # Times Used Heroin and Cocaine before or during Sex Past 30 Days

Location: 647-650 (width: 4; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

- Study 30842 -

Question:

In the 30 days after your release, how many times have you used the following drugs immediately before or during sex? Heroin and cocaine mixed together (e.g. speedball)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	124	42.0 %
5	-	1	0.3 %
-9 (M)	Legitimate skip	170	57.6 %

Based upon 125 valid cases out of 295 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.45

AIDSR30G

Times Used Methadone before or during Sex Past 30 Days

Location:

651-654 (width: 4; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9

Question:

In the 30 days after your release, how many times have you used the following drugs immediately before or during sex? Nonprescription Methadone?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	125	42.4 %
-9 (M)	Legitimate skip	170	57.6 %

Based upon 125 valid cases out of 295 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

AIDSR30H

Times Used Opiates before or during Sex Past 30 Days

Location:

655-658 (width: 4; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9

Question:

In the 30 days after your release, how many times have you used the following drugs immediately before or during sex? Other opiates (e.g. Demerol, Codeine, Dilaudid)?

- Study 30842 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	124	42.0 %
13	-	1	0.3 %
-9 (M)	Legitimate skip	170	57.6 %

Based upon 125 valid cases out of 295 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 1.16

AIDSR30I # Times Used Amphetamines before or during Sex Past 30 Days

Location: 659-662 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: In the 30 days after your release, how many times have you used the following drugs immediately before or during sex? Amphetamines (e.g. speed, uppers, bennies)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	125	42.4 %
-9 (M)	Legitimate skip	170	57.6 %

Based upon 125 valid cases out of 295 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

AIDSR30J # Times Used Methamphetamines before or during Sex Past 30 Days

Location: 663-666 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: In the 30 days after your release, how many times have you used the following drugs immediately before or during sex? Methamphetamines?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	124	42.0 %
25	-	1	0.3 %

- Study 30842 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Legitimate skip	170	57.6 %

Based upon 125 valid cases out of 295 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 25.00
- Standard Deviation: 2.24

AIDSR30K # Times Used Other Drug before or during Sex Past 30 Days

Location: 667-670 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: In the 30 days after your release, how many times have you used the following drugs immediately before or during sex? Some other drug?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	124	42.0 %
1	-	1	0.3 %
-9 (M)	Legitimate skip	170	57.6 %

Based upon 125 valid cases out of 295 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

AIDSR30KOTH Other Drug Used Before or during Sex Past 30 Days (Specify)

Location: 671-770 (width: 100; decimal: 0)

Variable Type: character

Range of Missing Values (M): -9

Question: Specify other drug.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
xanax/valium	1	0.3 %
-9 (M)	294	99.7 %

Based upon 1 valid cases out of 295 total cases.

- Study 30842 -

RR1A Think unprotected sex strengthen relationship last 30 days

Location: 771-772 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: In the 30 days after your release, how often did you think that having unprotected sex would strengthen your relationship?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	240	81.4 %
2	-	11	3.7 %
3	-	5	1.7 %
4	-	3	1.0 %
5	-	12	4.1 %
6	-	6	2.0 %
7	-	3	1.0 %
8	-	1	0.3 %
9	-	3	1.0 %
10	EVERYDAY	11	3.7 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 1.87
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.20

RR1B Have unprotected sex strengthen relationship last 30 days

Location: 773-774 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: In the 30 days after your release, how often did you have unprotected sex to strengthen your relationship?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Never	249	84.4 %
2	-	11	3.7 %
3	-	3	1.0 %
4	-	4	1.4 %
5	-	4	1.4 %
6	-	3	1.0 %
7	-	5	1.7 %
8	-	2	0.7 %
9	-	2	0.7 %

- Study 30842 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	Every day	11	3.7 %
11	Unknown	1	0.3 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 1.78
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 11.00
- Standard Deviation: 2.20

RR1C Have unprotected sex strengthen relationship next 2 months

Location: 775-776 (width: 2; decimal: 0)

Variable Type: numeric

Question: In the next 2 months, how often will you have unprotected sex to strengthen your relationship?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	247	83.7 %
2	-	7	2.4 %
3	-	5	1.7 %
4	-	8	2.7 %
5	-	11	3.7 %
6	-	3	1.0 %
7	-	2	0.7 %
8	-	3	1.0 %
9	-	1	0.3 %
10	EVERYDAY	8	2.7 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 1.72
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.96

RR2A Feel good in a relationship last 30 days

Location: 777-778 (width: 2; decimal: 0)

Variable Type: numeric

Question: In the 30 days after your release, how often did you only feel good about yourself when you were in a relationship, even if it was a risky relationship?

- Study 30842 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	202	68.5 %
2	-	7	2.4 %
3	-	7	2.4 %
4	-	10	3.4 %
5	-	24	8.1 %
6	-	4	1.4 %
7	-	7	2.4 %
8	-	5	1.7 %
9	-	1	0.3 %
10	EVERYDAY	28	9.5 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 2.71
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.96

RR2B

Have unprotected sex to feel good in relationship last 30 days

Location: 779-780 (width: 2; decimal: 0)

Variable Type: numeric

Question: In the 30 days after your release, how often did you have unprotected sex in order to feel good about yourself when you were in a relationship, even if it was a risky relationship?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	255	86.4 %
2	-	7	2.4 %
3	-	1	0.3 %
4	-	9	3.1 %
5	-	8	2.7 %
6	-	5	1.7 %
7	-	3	1.0 %
8	-	2	0.7 %
9	-	1	0.3 %
10	EVERYDAY	4	1.4 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 1.57
- Median: 1.00

- Study 30842 -

- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.69

RR2C Have unprotected sex to feel good in relationship next 2 months

Location: 781-782 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: In the next 2 months, how often will you have unprotected sex in order to feel good about yourself when you were in a relationship, even if it is a risky relationship?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	252	85.4 %
2	-	10	3.4 %
3	-	4	1.4 %
4	-	5	1.7 %
5	-	8	2.7 %
6	-	3	1.0 %
7	-	4	1.4 %
8	-	2	0.7 %
9	-	1	0.3 %
10	EVERYDAY	6	2.0 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 1.61
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.80

RR3A Healthy choices about protection last 30 days

Location: 783-784 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: In the 30 days after your release, how often did you feel that you made healthy choices about using protection during sex when using drugs?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	180	61.0 %
2	-	2	0.7 %
3	-	5	1.7 %
4	-	5	1.7 %
5	-	14	4.7 %

- Study 30842 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	-	5	1.7 %
7	-	5	1.7 %
8	-	6	2.0 %
9	-	4	1.4 %
10	EVERYDAY	69	23.4 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 3.82
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 3.86

RR3B Have unprotected sex using drugs last 30 days

Location: 785-786 (width: 2; decimal: 0)

Variable Type: numeric

Question: In the 30 days after your release, how often did you have unprotected sex when using drugs?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	267	90.5 %
2	-	8	2.7 %
3	-	1	0.3 %
4	-	3	1.0 %
5	-	5	1.7 %
6	-	1	0.3 %
7	-	4	1.4 %
8	-	2	0.7 %
10	EVERYDAY	4	1.4 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 1.40
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.50

RR3C Have unprotected sex using drugs next 2 months

Location: 787-788 (width: 2; decimal: 0)

- Study 30842 -

Variable Type: numeric

Question: In the next 2 months, how often will you have unprotected sex when using drugs?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.3 %
1	NEVER	265	89.8 %
2	-	3	1.0 %
3	-	3	1.0 %
4	-	2	0.7 %
5	-	7	2.4 %
6	-	1	0.3 %
7	-	2	0.7 %
8	-	1	0.3 %
10	EVERYDAY	10	3.4 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 1.53
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.86

RR4A Partner safe by looks last 30 days

Location: 789-790 (width: 2; decimal: 0)

Variable Type: numeric

Question: In the 30 days after your release, how often did you feel that your partner was safe by the way your partner looked, talked, and/or acted?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	198	67.1 %
2	-	5	1.7 %
3	-	3	1.0 %
4	-	4	1.4 %
5	-	19	6.4 %
6	-	7	2.4 %
7	-	7	2.4 %
8	-	5	1.7 %
9	-	6	2.0 %
10	EVERYDAY	41	13.9 %

Based upon 295 valid cases out of 295 total cases.

- Study 30842 -

- Mean: 3.13
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 3.40

RR4B Have unprotected sex by partner looks last 30 days

Location: 791-792 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: In the 30 days after your release, how often did you have unprotected sex because you felt your partner was safe by the way your partner looked, talked, and/or acted?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	248	84.1 %
2	-	4	1.4 %
3	-	5	1.7 %
4	-	4	1.4 %
5	-	10	3.4 %
6	-	4	1.4 %
7	-	2	0.7 %
8	-	5	1.7 %
9	-	1	0.3 %
10	EVERYDAY	12	4.1 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 1.84
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.23

RR4C Have unprotected sex by partner looks next 2 months

Location: 793-794 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: In the next 2 months, how often will you have unprotected sex because you feel your partner is safe by the way your partner looks, talks, and/or acts?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	240	81.4 %
2	-	7	2.4 %
3	-	2	0.7 %

- Study 30842 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	-	6	2.0 %
5	-	11	3.7 %
6	-	5	1.7 %
7	-	3	1.0 %
8	-	3	1.0 %
9	-	1	0.3 %
10	EVERYDAY	17	5.8 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 2.01
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.45

RR5A

Not get HIV b/c not at risk last 30 days

Location: 795-796 (width: 2; decimal: 0)

Variable Type: numeric

Question: In the 30 days after your release, how often did you feel that you would not get HIV because you are not really at risk?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	188	63.7 %
2	-	4	1.4 %
3	-	3	1.0 %
4	-	5	1.7 %
5	-	13	4.4 %
6	-	4	1.4 %
7	-	3	1.0 %
8	-	7	2.4 %
9	-	7	2.4 %
10	EVERYDAY	61	20.7 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 3.61
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 3.78

- Study 30842 -

RR5B Have unprotected sex b/c not at risk HIV last 30 days

Location: 797-798 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: In the 30 days after your release, how often did you have unprotected sex because you felt that you were not really at risk for HIV?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	238	80.7 %
2	-	9	3.1 %
3	-	2	0.7 %
4	-	5	1.7 %
5	-	4	1.4 %
6	-	8	2.7 %
7	-	3	1.0 %
8	-	4	1.4 %
9	-	1	0.3 %
10	EVERYDAY	21	7.1 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 2.11
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.63

RR5C Have unprotected sex b/c not at risk HIV next 2 months

Location: 799-800 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: In the next 2 months, how often will you have unprotected sex because you feel that you are not really at risk for HIV?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	234	79.3 %
2	-	4	1.4 %
3	-	6	2.0 %
4	-	2	0.7 %
5	-	15	5.1 %
6	-	6	2.0 %
7	-	2	0.7 %
8	-	3	1.0 %
9	-	2	0.7 %

- Study 30842 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	EVERYDAY	21	7.1 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 2.19
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.65

RR6A No safe sex w/partner long time last 30 days

Location: 801-802 (width: 2; decimal: 0)

Variable Type: numeric

Question: In the 30 days after your release, how often did you feel that you did not need to practice safe sex because you have been with your partner for a long time?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	205	69.5 %
2	-	7	2.4 %
3	-	1	0.3 %
4	-	5	1.7 %
5	-	11	3.7 %
6	-	8	2.7 %
7	-	3	1.0 %
8	-	5	1.7 %
9	-	7	2.4 %
10	EVERYDAY	43	14.6 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 3.05
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 3.44

RR6B Have unprotected sex w/partner long time last 30 days

Location: 803-804 (width: 2; decimal: 0)

Variable Type: numeric

Question: In the 30 days after your release, how often did you have unprotected sex because you have been with your partner for a long time?

- Study 30842 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Unknown	1	0.3 %
1	Never	228	77.3 %
2	-	10	3.4 %
3	-	1	0.3 %
4	-	4	1.4 %
5	-	5	1.7 %
6	-	7	2.4 %
7	-	4	1.4 %
8	-	2	0.7 %
9	-	2	0.7 %
10	Every day	31	10.5 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 2.39
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 2.98

RR6C

Have unprotected sex w/partner long time next 2 months

Location: 805-806 (width: 2; decimal: 0)

Variable Type: numeric

Question: In the next 2 months, how often will you have unprotected sex because you have been with your partner for a long time?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	214	72.5 %
2	-	9	3.1 %
3	-	5	1.7 %
4	-	3	1.0 %
5	-	13	4.4 %
6	-	8	2.7 %
7	-	5	1.7 %
8	-	3	1.0 %
9	-	4	1.4 %
10	EVERYDAY	31	10.5 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 2.63

- Study 30842 -

- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 3.07

RR7A Use sex to get what want last 30 days

Location: 807-808 (width: 2; decimal: 0)

Variable Type: numeric

Question: In the 30 days after your release, how often did you feel that you had to use sex as a way to get what you wanted in a relationship?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	238	80.7 %
2	-	8	2.7 %
3	-	9	3.1 %
4	-	7	2.4 %
5	-	9	3.1 %
6	-	5	1.7 %
7	-	3	1.0 %
8	-	3	1.0 %
9	-	3	1.0 %
10	EVERYDAY	10	3.4 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 1.88
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.18

RR7B Have unprotected sex to get what want last 30 days

Location: 809-810 (width: 2; decimal: 0)

Variable Type: numeric

Question: In the 30 days after your release, how often did you have unprotected sex as a way to get what you wanted in a relationship?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	257	87.1 %
2	-	8	2.7 %
3	-	2	0.7 %
4	-	4	1.4 %

- Study 30842 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	-	9	3.1 %
6	-	4	1.4 %
7	-	4	1.4 %
9	-	1	0.3 %
10	EVERYDAY	6	2.0 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 1.56
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.75

RR7C

Have unprotected sex to get what want next 2 months

Location: 811-812 (width: 2; decimal: 0)

Variable Type: numeric

Question: In the next 2 months, how often will you have unprotected sex as a way to get what you want in a relationship?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NEVER	256	86.8 %
2	-	10	3.4 %
3	-	2	0.7 %
4	-	5	1.7 %
5	-	9	3.1 %
6	-	4	1.4 %
7	-	2	0.7 %
9	-	1	0.3 %
10	EVERYDAY	6	2.0 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 1.54
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.69

RRRHIV1

Is a cure for HIV

- Study 30842 -

Location: 813-814 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Please tell me to what extent do you believe the statement is true: There is a cure for HIV.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Definitely false	255	86.4 %
2	Maybe false	6	2.0 %
3	Undecided/not sure	6	2.0 %
4	Maybe true	15	5.1 %
5	Definitely true	13	4.4 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 1.39
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.06

RRRHIV2 Is no vaccination for Hepatitis B

Location: 815-816 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Please tell me to what extent do you believe the statement is true: There is no vaccination for Hepatitis B.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Definitely false	155	52.5 %
2	Maybe false	22	7.5 %
3	Undecided/not sure	55	18.6 %
4	Maybe true	24	8.1 %
5	Definitely true	39	13.2 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 2.22
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.48

RRRHIV3 Can get HIV sharing cottons/cookers/water

Location: 817-818 (width: 2; decimal: 0)
 Variable Type: numeric

- Study 30842 -

Question:

Please tell me to what extent do you believe the statement is true: If a woman injects drugs, she can get HIV through sharing cookers, cotton and rinse water.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Definitely false	13	4.4 %
2	Maybe false	1	0.3 %
3	Undecided/not sure	9	3.1 %
4	Maybe true	20	6.8 %
5	Definitely true	252	85.4 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 4.68
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.91

RRRHIV4

Crack/cocaine increase risk HIV/HBV/HCV

Location:

819-820 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Please tell me to what extent do you believe the statement is true: Crack and cocaine use can increase my risk for HIV, Hepatitis B, and Hepatitis C.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Definitely false	18	6.1 %
2	Maybe false	7	2.4 %
3	Undecided/not sure	9	3.1 %
4	Maybe true	34	11.5 %
5	Definitely true	227	76.9 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 4.51
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.09

RRRHIV5

Female/male condom should not be used same time

Location:

821-822 (width: 2; decimal: 0)

Variable Type:

numeric

- Study 30842 -

Question:

Please tell me to what extent do you believe the statement is true: A female and a male condom should never be used at the same time.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Definitely false	83	28.1 %
2	Maybe false	8	2.7 %
3	Undecided/not sure	45	15.3 %
4	Maybe true	20	6.8 %
5	Definitely true	139	47.1 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 3.42
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.71

RRRHIV6

Woman use drugs make healthy choices

Location:

823-824 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Please tell me to what extent do you believe the statement is true: Women can use drugs and still make healthy choices.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Definitely false	203	68.8 %
2	Maybe false	16	5.4 %
3	Undecided/not sure	15	5.1 %
4	Maybe true	30	10.2 %
5	Definitely true	31	10.5 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 1.88
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.44

RRRHIV7

Unhealthy relationship increase risk HIV

Location:

825-826 (width: 2; decimal: 0)

Variable Type:

numeric

- Study 30842 -

Question:

Please tell me to what extent do you believe the statement is true: An unhealthy relationship can increase a woman's risk of HIV.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Definitely false	13	4.4 %
2	Maybe false	5	1.7 %
3	Undecided/not sure	5	1.7 %
4	Maybe true	28	9.5 %
5	Definitely true	244	82.7 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 4.64
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.95

RRRHIV8

Use drugs in unhealthy relationship to keep going

Location:

827-828 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Please tell me to what extent do you believe the statement is true: Women sometimes use drugs in an unhealthy relationship to keep the relationship going.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Definitely false	5	1.7 %
2	Maybe false	4	1.4 %
3	Undecided/not sure	3	1.0 %
4	Maybe true	47	15.9 %
5	Definitely true	236	80.0 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 4.71
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.72

RRRHIV9

Can stop effect drugs/alcohol if try hard enough

Location:

829-830 (width: 2; decimal: 0)

Variable Type:

numeric

- Study 30842 -

Question:

Please tell me to what extent do you believe the statement is true: A woman can stop the effects of drugs and alcohol on her body if she tries hard enough.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Definitely false	127	43.1 %
2	Maybe false	12	4.1 %
3	Undecided/not sure	10	3.4 %
4	Maybe true	34	11.5 %
5	Definitely true	112	38.0 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 2.97
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.85

RRRHIV10

Sex w/o protection strengthen relationship

Location:

831-832 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Please tell me to what extent do you believe the statement is true: Having sex without protection will strengthen a relationship.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Definitely false	250	84.7 %
2	Maybe false	23	7.8 %
3	Undecided/not sure	8	2.7 %
4	Maybe true	5	1.7 %
5	Definitely true	9	3.1 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 1.31
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.86

RRRHIV11

Think good things about themselves in unhealthy relationship

Location:

833-834 (width: 2; decimal: 0)

Variable Type:

numeric

- Study 30842 -

Question:

Please tell me to what extent do you believe the statement is true: Women should only think good things about themselves when they are in a relationship, even if it is a risky relationship.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Definitely false	134	45.4 %
2	Maybe false	15	5.1 %
3	Undecided/not sure	27	9.2 %
4	Maybe true	28	9.5 %
5	Definitely true	91	30.8 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 2.75
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.77

RRRHIV12

Dangerous time when women leaves abusive relationship

Location:

835-836 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Please tell me to what extent do you believe the statement is true: The most dangerous time for an abused woman is when she attempts to leave the abusive relationship.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Definitely false	31	10.5 %
2	Maybe false	8	2.7 %
3	Undecided/not sure	20	6.8 %
4	Maybe true	39	13.2 %
5	Definitely true	197	66.8 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 4.23
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.32

RRRHIV13

Abuser says ok victim feel good about relationship

Location:

837-838 (width: 2; decimal: 0)

Variable Type:

numeric

- Study 30842 -

Question:

Please tell me to what extent do you believe the statement is true: When an abuser says everything is ok the victim should feel good about the relationship.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Definitely false	251	85.1 %
2	Maybe false	18	6.1 %
3	Undecided/not sure	10	3.4 %
4	Maybe true	6	2.0 %
5	Definitely true	10	3.4 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 1.33
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.90

RRRHIV14

Sex partner safe by looks/talks/acts

Location:

839-840 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Please tell me to what extent do you believe the statement is true: A woman can tell her sex partner is safe by the way he/she looks talks, and/or acts.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Definitely false	275	93.2 %
2	Maybe false	9	3.1 %
3	Undecided/not sure	4	1.4 %
4	Maybe true	3	1.0 %
5	Definitely true	4	1.4 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 1.14
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.61

RRRHIV15

W/sex partner long time no need safe sex

Location:

841-842 (width: 2; decimal: 0)

Variable Type:

numeric

- Study 30842 -

Question:

Please tell me to what extent do you believe the statement is true: If a woman has been with her sex partner for a long time, she doesn't need to practice safe sex.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Definitely false	239	81.0 %
2	Maybe false	19	6.4 %
3	Undecided/not sure	10	3.4 %
4	Maybe true	20	6.8 %
5	Definitely true	7	2.4 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 1.43
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.00

RRRHIV16

Women not get HIV not at risk

Location:

843-844 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Please tell me to what extent do you believe the statement is true: Women won't get HIV because we really aren't at risk.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Unknown	1	0.3 %
1	Definitely false	276	93.6 %
2	Maybe false	10	3.4 %
3	Undecided/not sure	4	1.4 %
4	Maybe true	1	0.3 %
5	Definitely true	3	1.0 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 1.11
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.52

RRRHIV17

Cant get HIV unprotected sex 1 time

Location:

845-846 (width: 2; decimal: 0)

Variable Type:

numeric

- Study 30842 -

Question:

Please tell me to what extent do you believe the statement is true: A woman can't get HIV just from having unprotected sex one time.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Definitely false	266	90.2 %
2	Maybe false	6	2.0 %
3	Undecided/not sure	2	0.7 %
4	Maybe true	5	1.7 %
5	Definitely true	16	5.4 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 1.30
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.99

RRRHIV18

Knowing relationship triggers avoid unprotected sex

Location:

847-848 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Please tell me to what extent do you believe the statement is true: If a woman has been with her sex partner for a long time, she doesn't need to practice safe sex.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Definitely false	35	11.9 %
2	Maybe false	7	2.4 %
3	Undecided/not sure	9	3.1 %
4	Maybe true	39	13.2 %
5	Definitely true	204	69.2 %
15	Unknown	1	0.3 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 4.29
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 15.00
- Standard Deviation: 1.49

RRRHIV19

Women use sex to get what want risky relationship

Location:

849-850 (width: 2; decimal: 0)

Variable Type:

numeric

- Study 30842 -

Question:

Please tell me to what extent do you believe the statement is true: Women have to use sex as a way to get what they want in a risky relationship.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Definitely false	198	67.1 %
2	Maybe false	14	4.7 %
3	Undecided/not sure	11	3.7 %
4	Maybe true	33	11.2 %
5	Definitely true	39	13.2 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 1.99
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.53

RRRHIV20

Safer for women have support people in life

Location:

851-852 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Please tell me to what extent do you believe the statement is true: It is safer for a woman to have several support people in her life so she does not have to rely on a sex partner to meet her needs.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Definitely false	20	6.8 %
2	Maybe false	1	0.3 %
3	Undecided/not sure	5	1.7 %
4	Maybe true	38	12.9 %
5	Definitely true	231	78.3 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 4.56
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.06

RRRHIV21

Women feel desperate leaving prison if no plan

Location:

853-854 (width: 2; decimal: 0)

Variable Type:

numeric

- Study 30842 -

Question:

Please tell me to what extent do you believe the statement is true: Women can feel very desparate when they leave prison and can end up being mistreated if they don't make plan before they leave prison.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Definitely false	7	2.4 %
2	Maybe false	2	0.7 %
3	Undecided/not sure	4	1.4 %
4	Maybe true	28	9.5 %
5	Definitely true	254	86.1 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 4.76
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.73

RRRTMS1

Sex w/o protection strengthen relationship

Location:

855-856 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Having sex without protection will strengthen my relationship.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Unknown	1	0.3 %
1	Definitely true	6	2.0 %
3	-	2	0.7 %
4	-	2	0.7 %
5	-	3	1.0 %
6	-	6	2.0 %
7	-	2	0.7 %
8	-	7	2.4 %
9	-	14	4.7 %
10	Definitely not true	252	85.4 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 9.45
- Median: 10.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.75

- Study 30842 -

RRRTMS2 Using drugs w/partner strengthen relationship

Location: 857-858 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Using drugs with my partner will strengthen my relationship.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Definitely true	2	0.7 %
5	-	2	0.7 %
6	-	4	1.4 %
7	-	2	0.7 %
8	-	7	2.4 %
9	-	6	2.0 %
10	Definitely not true	272	92.2 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 9.76
- Median: 10.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.03

RRRTMS3 Think good things about myself in relationship

Location: 859-860 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: I only think good things about myself when I am in a relationship, even if it is a risky relationship.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Definitely true	33	11.2 %
2	-	2	0.7 %
3	-	7	2.4 %
4	-	6	2.0 %
5	-	18	6.1 %
6	-	16	5.4 %
7	-	6	2.0 %
8	-	15	5.1 %
9	-	6	2.0 %
10	Definitely not true	186	63.1 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 7.95

- Study 30842 -

- Median: 10.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 3.16

RRRTMS4 Think good things about myself when not in risky relationship

Location: 861-862 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: I think good things about myself even when I am not in a risky relationship.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Definitely true	188	63.7 %
2	-	14	4.7 %
3	-	16	5.4 %
4	-	4	1.4 %
5	-	20	6.8 %
6	-	4	1.4 %
7	-	2	0.7 %
8	-	12	4.1 %
9	-	7	2.4 %
10	Definitely not true	28	9.5 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 2.91
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 3.11

RRRTMS5 Can use drugs make healthy choices protection

Location: 863-864 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: I can use drugs and always make healthy choices about protection.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Definitely true	22	7.5 %
2	-	2	0.7 %
3	-	3	1.0 %
4	-	5	1.7 %
5	-	11	3.7 %
6	-	9	3.1 %

- Study 30842 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	-	5	1.7 %
8	-	13	4.4 %
9	-	12	4.1 %
10	Definitely not true	213	72.2 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 8.61
- Median: 10.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.73

RRRTMS6 Dont make healthy choices HIV when use drugs

Location: 865-866 (width: 2; decimal: 0)

Variable Type: numeric

Question: I do not make health choices about HIV protection when I use drugs.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Definitely true	134	45.4 %
2	-	14	4.7 %
3	-	17	5.8 %
4	-	3	1.0 %
5	-	20	6.8 %
6	-	6	2.0 %
7	-	8	2.7 %
8	-	12	4.1 %
9	-	6	2.0 %
10	Definitely not true	75	25.4 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 4.46
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 3.86

RRRTMS7 Know partner safe from HIV by looks

Location: 867-868 (width: 2; decimal: 0)

- Study 30842 -

Variable Type: numeric

Question: I know my partner is safe from HIV by the way my partner looks.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Definitely true	2	0.7 %
2	-	1	0.3 %
4	-	2	0.7 %
5	-	2	0.7 %
6	-	3	1.0 %
8	-	9	3.1 %
9	-	6	2.0 %
10	Definitely not true	270	91.5 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 9.72
- Median: 10.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.19

RRRTMS8 Know partner safe from HIV by how talks

Location: 869-870 (width: 2; decimal: 0)

Variable Type: numeric

Question: I know my partner is safe from HIV by the way my partner talks.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Definitely true	3	1.0 %
2	-	1	0.3 %
3	-	1	0.3 %
5	-	2	0.7 %
6	-	3	1.0 %
7	-	1	0.3 %
8	-	9	3.1 %
9	-	9	3.1 %
10	Definitely not true	266	90.2 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 9.68
- Median: 10.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 10.00

- Study 30842 -

- Standard Deviation: 1.28

RRRTMS9 Know partner safe from HIV by how acts

Location: 871-872 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: I know my partner is safe from HIV by the way my partner acts.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Definitely true	3	1.0 %
2	-	1	0.3 %
5	-	3	1.0 %
6	-	3	1.0 %
7	-	3	1.0 %
8	-	10	3.4 %
9	-	10	3.4 %
10	Definitely not true	262	88.8 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 9.66
- Median: 10.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.27

RRRTMS10 Know partner is safe from HIV by looks/talks/acts

Location: 873-874 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: I know my partner is safe by the way my partner looks, talks, and/or acts.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Definitely true	2	0.7 %
2	-	3	1.0 %
5	-	2	0.7 %
6	-	3	1.0 %
7	-	1	0.3 %
8	-	8	2.7 %
9	-	8	2.7 %
10	Definitely not true	268	90.8 %

Based upon 295 valid cases out of 295 total cases.

- Study 30842 -

- Mean: 9.69
- Median: 10.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.27

RRRTMS11 Will not get HIV b/c not at risk

Location: 875-876 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: I will not get HIV because I'm not really at risk.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Definitely true	35	11.9 %
2	-	2	0.7 %
3	-	6	2.0 %
4	-	1	0.3 %
5	-	18	6.1 %
6	-	7	2.4 %
7	-	4	1.4 %
8	-	10	3.4 %
9	-	6	2.0 %
10	Definitely not true	206	69.8 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 8.19
- Median: 10.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 3.18

RRRTMS12 Will get HIV b/c at risk

Location: 877-878 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: I will get HIV because I am at risk.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Definitely true	64	21.7 %
2	-	6	2.0 %
3	-	12	4.1 %
4	-	11	3.7 %

- Study 30842 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	-	20	6.8 %
6	-	15	5.1 %
7	-	5	1.7 %
8	-	10	3.4 %
9	-	6	2.0 %
10	Definitely not true	146	49.5 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 6.69
- Median: 9.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 3.76

HIVKQ1 **Coughing/sneezing do not spread HIV**

Location: 879-880 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: True or False: Coughing and sneezing DO NOT spread HIV.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	False	44	14.9 %
1	True	251	85.1 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.85
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

HIVKQ2 **Can get HIV sharing water**

Location: 881-882 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: True or False: A person can get HIV by sharing a glass of water someone who has HIV.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	False	286	96.9 %
1	True	9	3.1 %

- Study 30842 -

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

HIVKQ3 Pulling out prevent woman HIV

Location: 883-884 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: True or False: Pulling out the penis before a man climaxes/cums keeps a woman from getting HIV during sex.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	False	286	96.9 %
1	True	9	3.1 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

HIVKQ4 Woman can get HIV anal sex w/man

Location: 885-886 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: True or False: A woman can get HIV if she has anal sex with a man.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	False	13	4.4 %
1	True	282	95.6 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.96
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

HIVKQ5 Showering after sex prevents HIV

Location: 887-888 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: True or False: Showering, or washing ones genitals/private parts after sex keeps a person from getting HIV.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	False	292	99.0 %
1	True	3	1.0 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

HIVKQ6 Pregnant women w/HIV have babies w/HIV

Location: 889-890 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: True or False: All pregnant women infected with HIV will have babies born with AIDS.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	False	235	79.7 %
1	True	60	20.3 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

HIVKQ7 Infected with HIV show serious signs

Location: 891-892 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: True or False: People who have been infected with HIV quickly show serious signs of being infected.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	False	282	95.6 %

- Study 30842 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	True	13	4.4 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

HIVKQ8 Vaccine for HIV

Location: 893-894 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: True or False: There is a vaccine that can stop adults from getting HIV.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	False	282	95.6 %
1	True	13	4.4 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

HIVKQ9 Can get HIV by tongue kissing

Location: 895-896 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: True or False: People are likely to get HIV by deep kissing, putting their tongue in their partners mouth, if their partner has HIV.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	False	262	88.8 %
1	True	33	11.2 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.11
- Median: 0.00

- Study 30842 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

HIVKQ10 **Woman cannot get HIV if sex on period**

Location: 897-898 (width: 2; decimal: 0)
Variable Type: numeric
Question: True or False: A woman cannot get HIV if she has sex during her period.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	False	283	95.9 %
1	True	12	4.1 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.20

HIVKQ11 **Female condom can decrease risk HIV**

Location: 899-900 (width: 2; decimal: 0)
Variable Type: numeric
Question: True or False: There is a female condom that can help decrease a womans chance of getting HIV.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	False	42	14.2 %
1	True	253	85.8 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.86
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

HIVKQ12 **Natural skin condom work better latex**

Location: 901-902 (width: 2; decimal: 0)
Variable Type: numeric

- Study 30842 -

Question: True or False: A natural skin condom works better against HIV than does a latex condom.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	False	253	85.8 %
1	True	42	14.2 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

HIVKQ13 Cannot get HIV if taking antibiotics

Location: 903-904 (width: 2; decimal: 0)

Variable Type: numeric

Question: True or False: A person will NOT get HIV if she or he is taking antibiotics.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	False	292	99.0 %
1	True	3	1.0 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

HIVKQ14 Sex w/more than 1 partner increase risk HIV

Location: 905-906 (width: 2; decimal: 0)

Variable Type: numeric

Question: True or False: Having sex with more than one partner can increase a persons chance of being infected with HIV.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	False	16	5.4 %
1	True	279	94.6 %

Based upon 295 valid cases out of 295 total cases.

- Study 30842 -

- Mean: 0.95
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

HIVKQ15 Taking test 1 week after sex tell if has HIV

Location: 907-908 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: True or False: Taking a test for HIV one week after having sex will tell a person if he/she has HIV.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	False	274	92.9 %
1	True	21	7.1 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

HIVKQ16 Can get HIV sitting in tub/swim with person w/HIV

Location: 909-910 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: True or False: A person can get HIV by sitting in a hot tub or a swimming pool with a person who has HIV.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	False	291	98.6 %
1	True	4	1.4 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.12

HIVKQ17 Can get HIV from oral sex

- Study 30842 -

Location: 911-912 (width: 2; decimal: 0)
Variable Type: numeric
Question: True or False: A person can get HIV from oral sex.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	False	31	10.5 %
1	True	264	89.5 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.89
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

HIVKQ18 **Vaseline/baby oil w/condom lowers risk HIV**

Location: 913-914 (width: 2; decimal: 0)
Variable Type: numeric
Question: True or False: Using Vaseline or baby oil with condoms lowers the chance of getting HIV.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	False	283	95.9 %
1	True	12	4.1 %

Based upon 295 valid cases out of 295 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.20