ICPSR 30842

Criminal Justice Drug Abuse Treatment Studies (CJDATS): Restructuring Risky Relationships-HIV (RRR-HIV), 2005-2008 [United States]

Carl Leukefeld
University of Kentucky. Center on Drug and
Alcohol Research

Data Collection Instrument for Restructuring Risky Relationships 90-Day Follow-up

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at: http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/30842/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

RRR-HIV 90-day FOLLOW-UP 3/8/07 DRAFT

Subject Number:	
Site Code (RI: 7000, DE: 6000, KY: 5000)	
Interviewer ID Number:	
NAME CODE (i.e. Jane Doe = DOJA)	
Date of Interview:	MO DAY YR
CODE A-D WITHOUT QUESTIONING RESI	PONDENT:
A. START TIME	: am/pm
B. INTERVIEW LOCATION	
2. Work furlough program 6.	Parole/probation office Community treatment program Other: specify
C. Number of days since last interview DAYS	<u> </u>
	treatment (do not include AA, NA, or other self-help)0=No 1=Yes
E. Is the client currently incarcerated? 0=No 1=Yes	

READ ALOUD TO RESPONDENT:

Hello, my name is _____, and I work for the _____ study. Thank you for agreeing to talk with me today. This interview usually takes a little over an hour to complete. I'm going to read you a set of questions exactly as they are worded so that each person is asked the same thing. I will need to keep things moving along, so I hope that I don't sound rude if I tell you we need to move on to the next question.

I will be asking primarily about your personal and family background, your friends, your criminal and legal involvement, and your drug use history. All of your answers will be kept confidential and will in no way affect your legal status, or any services or money you may receive. Many of my questions will refer to the first three months after your release or "in the last 30 days". I'll

It is very important that you be open and honest. Some questions may be sensitive or embarrassing to you, but they are necessary

try to be clear, but please ask me if you are not sure about the time period involved. to evaluate the intervention. Do you have any questions before we start? Day Month Year **Date of Release** Enter the date the client was released from the Institution where the baseline interview was completed. Month Last 30 days Enter the date 30 days prior to 90 day Interview date Month Day Year 90 days post release Enter the date 3-months after release from the

baseline institution.

PART A: SOCIODEMOGRAPHIC BACKGROUND

Let's begin with some general information.
1. What is your birthdate?
2. In the 3 months since your release, where have you been living most of the time? (i.e. over ½ of the time)
In the past 30 days, where have you been living most of the time? (i.e. over ½ of the time)
 Shelter (safe havens, transitional living center, low demand facilities, reception centers, other temporary day or evening facility) Street/outdoors (sidewalk, doorway, park, public or abandoned building) Institution (hospital, nursing home, jail/prison) Own/rent apartment, room, or house
5. Someone else's apartment, room or house6. Halfway house
7. Residential treatment
8. Other housed (specify)
3. How long have you been living there (at that place)?
 4. In the past 3 months, have you been living with a spouse, significant other, or domestic partner?
PART B. CRIMINAL BEHAVIOR
Now I'm going to ask you about your past <u>ARRESTS</u> – that is, the number of times and reasons. ["ARRESTED" MEANS <u>TAKEN INTO CUSTODY OR TO POLICE STATION</u>]
1. How much of your <u>income or source of support</u> in the 3 months since your release came from some kind of <u>ILLEGAL ACTIVITY</u> ?
How much of your <u>income or source of support</u> in the 30 days since your release came from some kind of <u>ILLEGAL ACTIVITY</u> ?
0. None 1. Less than half 2. About half 3. More than half 4. All
2. a. Altogether, how many TIMES were you <u>arrested</u> in the 3 months since your release? # ARRESTS
b. Altogether, how many TIMES were you <u>arrested</u> in the past 30 days?
What were the charges?

3. About how many of these arrests (refer to 2.a) were for things you did while using drugs or trying to get drugs? Page 3 of 21

	1 1	1 1
		RESTS
4. How many nights did you spend in jail during this 3 month period?		
	#	NIGHTS
How many nights did you spend in jail during the past 30 days?		 NIGHTS
. In the 3 months since your release, what is the total length of time that you were		
on probation?	DAYS	
Past 30 days?		
	DAYS	
#	2.115	
. In the 3 months since your release, what is the total length of time that you were		
. In the 3 months since your release, what is the total length of time that you were on parole?		
. In the 3 months since your release, what is the total length of time that you were on parole?	_ DAYS	
. In the 3 months since your release, what is the total length of time that you were on parole?# Past 30 days?	DAYS	
. In the 3 months since your release, what is the total length of time that you were on parole?	 DAYS	
. In the 3 months since your release, what is the total length of time that you were on parole? # Past 30 days? # . What is your CURRENT LEGAL STATUS? 0. None	 DAYS	
In the 3 months since your release, what is the total length of time that you were on parole?	 DAYS	<u> </u>
In the 3 months since your release, what is the total length of time that you were on parole?	 DAYS	
In the 3 months since your release, what is the total length of time that you were on parole?	 DAYS	
In the 3 months since your release, what is the total length of time that you were on parole?	 DAYS	
In the 3 months since your release, what is the total length of time that you were on parole? # Past 30 days? # What is your CURRENT LEGAL STATUS? 0. None 1. Probation with no jail/prison sentence 2. Probation with jail/prison sentence 3. Parole 4. Mandatory release from prison with mandated supervision time 5. Pretrial release (awaiting charge, trial, or sentence)	 DAYS	<u> </u>
In the 3 months since your release, what is the total length of time that you were on parole? # Past 30 days? # What is your CURRENT LEGAL STATUS? 0. None 1. Probation with no jail/prison sentence 2. Probation with jail/prison sentence 3. Parole 4. Mandatory release from prison with mandated supervision time 5. Pretrial release (awaiting charge, trial, or sentence) 6. Diversion program	 DAYS	<u> </u>
In the 3 months since your release, what is the total length of time that you were on parole?	 DAYS	
7. In the 3 months since your release, what is the total length of time that you were on parole? # Past 30 days? # # Past 30 days? # # # Past 30 days? # # # # # # # # # # # # # # # # # #	 DAYS	

PART C: DRUG AND TREATMENT HISTORY

1. Now I'd like to ask you about your drug and alcohol use. Remember that this information is confidential.

FOR EACH SEPARATE DRUG USED, ASK:

- a. Tell me how many days in the <u>3 months since your release</u> you used (drug name)?
- b. Tell me how many days in the past <u>30 days</u> you used (drug name)?

[RECORD RESPONSE IN "DRUG HISTORY CHART"]

FOR <u>DRUGS USED</u> THAT CAN BE <u>INJECTED</u> (SEE CHART), ASK –

- c. And how many days during the <u>last 3 months</u> did you <u>INJECT</u> (drug name)?
- d. And how many days during the <u>last 3 months</u> did you <u>INJECT</u> (drug name)?

DRUG HISTORY CHART

Type of Drugs (and examples of each)	Q1a. Number of days used in 3 months since release	Q1b. Number of days used in past 30 days	Q1c. Injected Last 3 months	Q1d. Injected Last 30 days
1. Alcohol			N/A	N/A
2. Tobacco			N/A	N/A
3. Inhalants (glue, spray, paint, toluene, liquid paper, etc.)			N/A	N/A
4. Marijuana/Hashish			N/A	N/A
5. <u>Hallucinogens</u> /LSD/Psychedelics/PCP/Mushrooms/Peyote			N/A	N/A
6. <u>Crack</u> /Freebase				
7. <u>Cocaine</u> (by itself)				
8. Heroin and Cocaine (mixed together)				
9. Heroin and Meth (mixed together)				
10. Heroin (by itself)				
11. <u>Street Methadone</u>				
12. Other Opiates/ OpiumMorphine Demerol/ Dilaudid/Percodan/ Viocodin/Oxycotin				
13. Methamphetamine/Speed/Ice/Ecstasy/Crystal				
14. Other Amphetamines/Uppers/Diet Pills				
15. <u>Librium</u> /Valium/Minor Tranquilizers				
16. <u>Barbiturates</u>				
17. Other Sedatives/Hypnotics/Quaaludes				
18. Non-prescription GHB				
19. <u>Ketamine</u>				
20. Other, specify				

^{2.} In the 3 months since your release have you gone to <u>self-help meetings</u> like AA, NA, CA, etc.? (include non-12-step groups such as Rational recovery, SOS and SMART)

O=No I=Yes*
F "YES", ASK:
a. About <u>how many meetings</u> have you attended in the last 3 months?
b. About how many meetings have you attended in the last 30 days?
c. Over <u>how many days</u> did you attend these meetings?

PART D: AIDS RISK ASSESSMENT

FOR ADMINISTRATIVE PURPOSES

In this set of questions, I need to get information about your drug use and sexual activities that could have exposed you to \underline{HIV} , the virus that causes \underline{AIDS} . A few questions are highly personal, but it is very important that you be open and honest in your answers. Remember that what you tell me is completely confidential.

1.	In the 3 months since your release, how many times did you <u>inject illegal drugs</u> with a needle?	*
	In the past 30 days, how many times did you <u>inject illegal drugs</u> with a no	eedle? *
		*IF "0", SKIP TO Q.8
2.	How many times did you use needles or syringes that were "dirty" – that is, that someone else had used and were not sterilized or cleaned with bleach before you used them?	3 months _
3.	And how many times did you use the <u>same cooker, cotton, or</u> <u>rinse water</u> that someone else had already used?	3 months 30 days
4.	Altogether, how many PEOPLE did you share the same works with? This means all the people who used the same needles or syringes, cooker, cotton, or rinse water before you did?	3 months _ 30 days _
5.	And how many of the times that you injected drugs were you with other people who were also injecting?	3 months _
6.	How many TIMES did you give or loan your used needles or syringes to someone else, who then used them without cleaning them with bleach	3 months _
7.	How many times did you:	
	a. Get needles or syringes legally, like at a pharmacy?	3 months 30 days

b. Give, sell or lend needles or works to a running partner, sex partner or someone else without cleaning the	nem?	3 months _
c. Clean your works or needles and then given, sold or lent them to others?		3 months _ 30 days
d. Cleaned your works with tap water only, boiling water, alcohol, or by heating with a match?		3 months 30 days _
e. Cleaned your works with bleach?		3 months 30 days _
f. Cleaned your works some other way?		3 months 30 days
If so, then how?		
 8. Now I have questions about <u>SEX</u>. How many different PEOPLE did you have <u>any kind of sex</u> w during that time (including vaginal, oral, or anal)? 9. How many of your partners were <u>female</u> and how many were <u>male</u>? 	Male: Male: Male:	:
10. Altogether, <u>how many times</u> did you have sex (including vaginal, oral, and anal)?	3 months	
a. How many of those times did it involve	30 days vaginal sex? 3 months	
b. How many of those times did it involve	30 days oral sex?	
c. How many of those times did it involves	30 days	

TOTAL TIMES SHOULD EQUAL THE SUM OF A6, A7 AND A8 BELOW] *IF "ONE OR MORE", ASK: a. When you had sex without using a condom that month, how many times was it: 1. with someone who is not your spouse or primary partner? 2. with someone who shot drugs with needles? 3. months	O NOT INCLUDE MASTURBATION]	30 days
i.e. condoms, dental dams, etc.)?		al, oral,
TOTAL TIMES SHOULD EQUAL THE SUM OF A6, A7 AND A8 BELOW] *IF "O", SKIP TO Q.12 F "ONE OR MORE", ASK: a. When you had sex without using a condom that month, how many times was it: 1. with someone who is not your spouse or primary partner? 2. with someone who shot drugs with needles? 3. with someone who sometimes smokes crack/cocaine, and/or Methamphetamine? 4. while you or your partner were "high" on drugs or alcohol? 5. while trading (giving/getting) sex for drugs, money, or gifts? 6. involving vaginal sex (penis to vagina)? 7. involving oral sex (mouth to penis/vagina)? 8. involving anal sex (penis to anus)? 30 days 31 months 30 days 32 months 33 months 30 days 34 months 35 months 36 days 37 months 38 months 39 days 30 days 40 months 30 days 41 months 30 days 42 months 30 days 31 months 32 months 33 months 34 months 35 months 36 days 47 involving oral sex (mouth to penis/vagina)? 37 months 38 months 39 days 40 months 30 days 41 months 30 days 42 months 30 days 43 months 30 days 44 months 30 days 45 months 30 days 46 months 30 days 47 involving oral sex (mouth to penis/vagina)? 38 months 39 days 40 months 30 days 40 months 30 days 41 months 30 days 42 months 30 days 43 months 30 days 44 months 30 days 45 months 30 days 46 months 30 days 47 involving oral sex (mouth to penis/vagina)? 39 days 40 months 41 months 42 months 43 months 44 months 45 months 46 months 47 months 48 months 49 months 40 months 40 months 40 months 40 months 40 months 41 months 41 months 42 months 42 months 43 months 44 months 44 months 45 months 46 months 47 months 48 months 49 months 40 months 40 months 40 months 40 months 40 months 41 months 41 months	e. condoms, dental dams, etc.)?	3 months
**IF "O", SKIP TO Q.12		
a. When you had sex without using a condom that month, how many times was it: 1. with someone who is not your spouse or primary partner? 2. with someone who shot drugs with needles? 3. months		
1. with someone who is not your spouse or primary partner? 2. with someone who shot drugs with needles? 3. months		*IF "0", SKIP TO Q.12
1. with someone who is not your spouse or primary partner? 2. with someone who shot drugs with needles? 3. months	F "ONE OR MORE", ASK:	
2. with someone who shot drugs with needles? 3. with someone who sometimes smokes crack/cocaine, and/or Methamphetamine? 4. while you or your partner were "high" on drugs or alcohol? 5. while trading (giving/getting) sex for drugs, money, or gifts? 6. involving vaginal sex (penis to vagina)? 7. involving oral sex (mouth to penis/vagina)? 8. involving anal sex (penis to anus)? 30 days 40 days 41 days 42 days 43 months 44 days 45 days 46 involving vaginal sex (penis to vagina)? 47 involving oral sex (mouth to penis/vagina)? 48 involving anal sex (penis to anus)? 49 days 40 days 40 days 40 days 40 days 40 days 40 days 41 days 42 days 43 months 43 days 44 days 45 days 46 days 47 involving oral sex (penis to anus)? 48 days 49 days 40 days 41 days 41 days 42 days 43 months 43 days 44 days 45 days 46 days 47 days 48 days 49 days 40 d	a. When you had sex without using a condom that month,	how many times was it:
2. with someone who shot drugs with needles? 3. with someone who sometimes smokes crack/cocaine, and/or Methamphetamine? 4. while you or your partner were "high" on drugs or alcohol? 5. while trading (giving/getting) sex for drugs, money, or gifts? 6. involving vaginal sex (penis to vagina)? 7. involving oral sex (mouth to penis/vagina)? 8. involving anal sex (penis to anus)? 30 days 40 days 41 days 42 days 43 months 44 days 45 days 46 involving vaginal sex (penis to vagina)? 47 involving oral sex (mouth to penis/vagina)? 48 involving anal sex (penis to anus)? 49 days 40 days 40 days 40 days 40 days 40 days 40 days 41 days 42 days 43 months 43 days 44 days 45 days 46 days 47 involving oral sex (penis to anus)? 48 involving anal sex (penis to anus)? 49 days 40 days 41 days 41 days 42 days 43 months 43 months 43 months 44 days 45 days 46 days 47 days 48 days 49 days 40 days 41 days 41 days 42 days 43 months 43 days 44 days 45 days 46 days 47 days 48 days 49 days 40 day	1 with company who is not your enough or mimory n	outnou? 2 months
2. with someone who shot drugs with needles? 3. months	1. With someone who is not your spouse of primary pa	
3. with someone who sometimes smokes crack/cocaine, and/or Methamphetamine? 3 months	2. with someone who shot drugs with needles?	•
Methamphetamine? 3 months		30 days
4. while you or your partner were "high" on drugs or alcohol? 3 months	3. with someone who sometimes smokes crack/cocair	ne, and/or
4. while you or your partner were "high" on drugs or alcohol? 3 months	Methamphetamine?	3 months
4. while you or your partner were "high" on drugs or alcohol? 3 months		11
5. while trading (giving/getting) sex for drugs, money, or gifts? 3 months		3 3 3 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
5. while trading (giving/getting) sex for drugs, money, or gifts? 3 months	4. while you or your partner were "high" on drugs or	<u>alcohol</u> ? 3 months
6. involving vaginal sex (penis to vagina)? 7. involving oral sex (mouth to penis/vagina)? 8. involving anal sex (penis to anus)? 3 months		30 days
6. involving vaginal sex (penis to vagina)? 7. involving oral sex (mouth to penis/vagina)? 8. involving anal sex (penis to anus)? 3 months	5. while trading (giving/getting) sex for drugs, money	, or gifts? 3 months
7. involving oral sex (mouth to penis/vagina)? 8. involving anal sex (penis to anus)? 3 months 4 months 4 months 5 months 6 months 7 months 9 months 1 months 1 months 1 months 1 months 1 months 2 months 3 months 3 months 4 months 3 months 4 months		
7. involving oral sex (mouth to penis/vagina)? 3. months	6 involving vacinal say (panis to vacina)?	2 months
7. involving oral sex (mouth to penis/vagina)? 8. involving anal sex (penis to anus)? 3 months	o. Involving <u>vaginar</u> sex (penis to vagina):	
8. involving anal sex (penis to anus)? 3 months		30 days
8. involving anal sex (penis to anus)? 3 months	7. involving <u>oral</u> sex (mouth to penis/vagina)?	
ow many <u>times in the past 30 days</u> have you used the following drugs immediately before or during state number of times had sex in 30 days [question 10 above]:		30 days
flow many times in the past 30 days have you used the following drugs immediately before or during stite number of times had sex in 30 days [question 10 above]:	8. involving anal sex (penis to anus)?	3 months
Iow many <u>times in the past 30 days</u> have you used the following drugs immediately before or during site number of times had sex in 30 days [question 10 above]:	ov myorying <u>man</u> our (points to unus).	
ite number of times had sex in 30 days [question 10 above]:		
		ving drugs immediately before or during se
lcohol? _ _ _ _	w many times in the past 30 days have you used the follow	
	·	
	number of times had sex in 30 days [question 10 above]:	

C. Crack?
D. Cocaine by itself (other than crack)
E. Heroin (by itself)? _ _
F. Heroin and cocaine mixed
G. Nonprescription Methadone?
H. Other opiates (e.g., Demerol
I. Amphetamines?
J. Methamphetamines?
K. Some other drug? (Specify)

HIV KNOWLEDGE QUESTIONNAIRE: HIV – KQ – 18 (Carey & Schroder, 2002).

Instructions: Please answer the following questions to the best of your knowledge by answering "true" or "false." If you don't know the response, try to make a guess based on your instinct.

you don't know the response, if you make a guess oused on your instinct.	True	False
1. Coughing and sneezing DO NOT spread HIV.	T	F
2. A person can get HIV by sharing a glass of water someone who has HIV.	T	F
3. Pulling out the penis before a man climaxes/cums keeps a woman from getting HIV during sex.	T	F
4. A woman can get HIV if she has anal sex with a man.	T	F
5. Showering, or washing one's genitals/private parts after sex keeps a person from getting HIV.	T	F
6. All pregnant women infected with HIV will have babies born with AIDS	T	F
7. People who have been infected with HIV quickly show serious signs of being infected.	T	F
8. There is a vaccine that can stop adults from getting HIV	T	F
9. People are likely to get HIV by deep kissing, putting their tongue in their partner's mouth, if their partner has HIV.	T	F
10. A woman cannot get HIV if she has sex during her period.	T	F
11. There is a female condom that can help decrease a woman's chance of getting HIV.	T	F
12. A natural skin condom works better against HIV than does a latex condom.	T	F
13. A person will NOT get HIV if she or he is taking antibiotics.	T	F
14. Having sex with more than one partner can increase a person's chance of being infected with HIV.	T	F
15. Taking a test for HIV one week after having sex will tell a person if he/she has HIV.	T	F

16. A person can get HIV by sitting in a hot tub or a swimming pool with a person who has HIV	T	F
17. A person can get HIV from oral sex.	T	F
18. Using Vaseline or baby oil with condoms lowers the chance of getting HIV.	Т	F

TCU - HIV Questionnaire: Intent to change HIV risk behavior

Texas Christian University TIC HIV Module Survey

- 1. A person who becomes infected with HIV
 - a. usually has less than 6 months to live.
 - b. should begin taking medicines that fight the virus as soon as possible.
 - c. likely became infected from a flea or tick bite.
 - d. must register with the CDC within one year.
 - e. all of the above.
- 2. The virus that causes HIV infection
 - a. can be passed to newborn babies through breast feeding.
 - b. is present in semen and vaginal fluids.
 - c. can be killed if it is caught in time.
 - d. was created in secret government laboratories.
 - e. answers a and b only.
- 3. Which of the following is not risky in terms of catching HIV?
 - a. vaginal sex
 - b. oral sex
 - c. anal/rectal sex
 - d. sharing drug injection syringes
 - e. donating blood
- 4. There is nothing a pregnant woman with HIV can do to help prevent her unborn child from becoming infected.
 - a. true
 - b. false
- 5. You can tell by looking if a sex partner is infected with HIV.
 - a. true
 - b. false

How strongly to you agree or disagree with the following statements? [CARD #10]

TCU TIC continued	Strongly	Disagree	Undecided	Agree	Strongly
	Disagree		(Not Sure)		Agree
6. HIV is not anything I have to worry about.	1	2	3	4	5
7. It is easy for me to talk with a sex partner	1	2	3	4	5
about condoms.					
8. I know how to stand up for myself when	1	2	3	4	5

someone tries to pressure me to take a risk.					
9. If I'm really turned on by a partner, I'll	1	2	3	4	5
risk not using a condom.					
10. It would be wrong to insist on using a	1	2	3	4	5
condom with your husband.					
11. Sex is not as risky as sharing needles	1	2	3	4	5
when it comes to HIV.					
12. If you are destined to get HIV, there is	1	2	3	4	5
nothing you can do about it.					
13. You believe that you could become	1	2	3	4	5
exposed to HIV.					
14. You think you could get HIV.	1	2	3	4	5
15. You want to make some changes now	1	2	3	4	5
that will reduce your HIV risk.					
16. You need help in dealing with your drug	1	2	3	4	5
use.					
17. You need help to change some of your	1	2	3	4	5
sex activities.					
18. You get tired of the problems caused by	1	2	3	4	5
drugs.					
19. You are going to change your drug use	1	2	3	4	5
activities to avoid HIV.					
20. You are going to change your sex	1	2	3	4	5
activities to avoid HIV.					
21. You already know what you must to do	1	2	3	4	5
to reduce your HIV risks.					
22. You feel sure of yourself in controlling	1	2	3	4	5
your risky drug use activities.					
23. You feel sure of yourself in controlling	1	2	3	4	5
your risky sex activities.					

PART E: RISKY SEX AND SAFE SEX PRACTICES

In this next set of questions, I will ask questions about sex for money and drugs and sexually transmitted infections. A few questions are highly personal, but it is very important that you be open and honest in your answers. Remember that what you tell me is completely confidential.

RBA (Section G) Sex for Money/Drugs

1.a. Have you given sex (tricked) to get drugs?

3 month $(0 = no, 1 = yes)$ 30 days $(0 = no, 1 = yes)$	
	*IF "0", SKIP TO Q. 2
1.b. How many times did you give sex to get drugs?	Past 30 days

Past 3 months |___||__||_

1.c.	When you gave sex	to get drugs,	, which drugs o	did you get?	Circle all that an	re mentioned.
------	-------------------	---------------	-----------------	--------------	--------------------	---------------

	<u>Mentioned</u>	Not Mentioned
A. Alcohol?	0	1
B. Marijuana?	0	1
C. Crack? (Weed, grass, reefer)	0	1
D. Cocaine by itself (other than crack)?	0	1
E. Heroin (by itself)?	0	1
F. Heroin and cocaine mixed together (e.g., speedball)	0 1	
G. Nonprescription Methadone?	0 1	
H. Other opiates (e.g., Demerol, Codeine, Dilaudid)?	0 1	
I. Amphetamines? (e.g., speed, uppers, bennies)	0 1	
J. Some other drug?	0 1	
(Specify)		

^	TT			1 .	1	• .1	0
7 a	Have v	zon given	someone	driigs to	have sex	w/1fh	VOII
2.u.	Trave y	ou given	BOILICOILC	arago to	Have ben	** 1 (11	you.

Past 30 days _		
Past 3 months		_

2.b. How many times did you give someone drugs to have sex with you?......

Past 30 days _		
Past 3 months		

2.c. What kind of drugs did you give to get sex? Circle all that are mentioned.

	Mentioned	Not Mentioned
A. Alcohol?	0	1
B. Marijuana?	0	1
C. Crack? (Weed, grass, reefer)	0	1
D. Cocaine by itself (other than crack)?	0	1
E. Heroin (by itself)?	0	1
F. Heroin and cocaine mixed together (e.g., speedball)	0	1
G. Nonprescription Methadone?	0	1
H. Other opiates (e.g., Demerol, Codeine, Dilaudid)?	0	1
I. Amphetamines? (e.g., speed, uppers, bennies)	0	1
J. Some other drug?	0	1
(Specify)		

3.a. Have you given sex to get money? (0 = no, 1 = yes)

Past 30 days	 	
Past 3 months		

*IF "0", SKIP TO Q. 4

3.b. How many times did you give sex to get money?.....

4.a. Have you given money to someone to have sex with you? $(0 = no, 1 = yes)$	Past 30 days Past 3 months
*	IF "0", SKIP TO Q. 5
4.b. How many times did you give someone money to have sex with you	1? Past 30 days Past 3 months
CONDOM SELF-EFFICACY SCALE	
These next questions ask about your feelings about using condoms, including be Please respond even if you are not sexually active or have not had a partner who how you think you would feel in such a situation. The possible responses to the	used condoms. In such cases, indicate
1= Strongly Disagree 4=Agree 2=Disagree 5=Strongly Agree 3=Undecided (Not Sure)	
1. I feel confident in my ability to put a condom on my partner.	
2. I feel confident I could purchase condoms without feeling embarrassed.	
3. I feel confident I could remember to carry a condom with me should I no	eed one.
4. I feel confident in my ability to discuss using condoms with any partner	I might have.
5. I feel confident in my ability to suggest using condoms with a new parts	ner.
6. I feel confident I could suggest using a condom without my partner feeli	ng "diseased."
7. I feel confident in my partner's ability to maintain an erection while using	ng a condom.
8. I would feel embarrassed to put a condom on myself or my partner.	
9. If I were to suggest using a condom to a partner, I would feel afraid that	he or she would reject me.
10. If I were unsure of my partner's feelings about using condoms, I would	not suggest using one.
11. I feel confident in my ability to use a condom correctly.	
12. I would feel comfortable discussing condom use with a sexual partner learning (e.g., hugging, kissing, caressing, etc).	before we ever had any sexual contact
13. I feel confident in my ability to persuade a partner to accept using a con-	ndom when we have intercourse.
14. I feel confident that I could gracefully remove and dispose of a condor	n when we have intercourse.

15. If my partner and I were to try to use a condom and did not succeed, I would feel embarrassed to try to use one again (example: not being able to unroll male condom, putting it on backwards, not being able to insert female condom).
16. I would not feel confident suggesting using condoms with a new partner because I would be afraid my partner would think I have had a homosexual experience.
17. I would not feel confident suggesting using condoms with a new partner because I would be afraid my partner would think I had a sexually transmitted disease.
18. I would not feel confident suggesting using condoms with a new partner because I would be afraid my partner would think I thought he/she had a sexually transmitted disease.
19. I would feel comfortable discussing condom use with a potential partner before we ever engaged in intercourse.
20. I feel confident in my ability to incorporate putting a condom on my partner into foreplay.
21. I feel confident that I could use a condom with a partner without "breaking the mood."
22. I feel confident in my ability to put a condom on my partner quickly.
23. I feel confident I could use a condom during intercourse without reducing any sexual sensations.
24. I feel confident that I would remember to use a condom even after I had been drinking.
25. I feel confident that I would remember to use a condom even if I were high.
26. If my partner did not want to use a condom during intercourse, I could easily convince him or her that it was necessary to do so.
27. I feel confident that I could use a condom successfully.
28. I feel confident I could stop foreplay to put a condom on myself or my partner even in the heat of passion.

AIDS DISCUSSION STRATEGY SCALE

INSTRUCTIONS: Suppose you wanted to talk to a potential or current sexual partner about AIDS. The following statements concern the types of things you might do if you wanted to discuss the topic of AIDS (Acquired Immune Deficiency Syndrome) with a sexual partner (either a current sexual partner or a future sexual partner). More specifically, we are interested in whether you would use each of the behaviors listed below. To provide your responses, use the following scale [CARD #11]

- 1. Definitely would not do this.
- 2. Might not do this
- 3. Not sure whether I would do this.
- 4. Might do this
- 5. Would definitely do this.

Behaviors			Scale		
1. I would drop hints about wanting to discuss the topic of AIDS.	1	2	3	4	5
2. I would simply tell my partner that I wanted to discuss AIDS with him/her.	1	2	3	4	5
3. I would continually attempt to discuss the issue of AIDS.	1	2	3	4	5
4. I would explain the reason that it's important for us to discuss AIDS.	1	2	3	4	5
5. I would subtly bring up the topic of AIDS.	1	2	3	4	5
6. I would make suggestions that we discuss AIDS.	1	2	3	4	5
7. I would use deception to get my partner to talk about AIDS.	1	2	3	4	5
8. I would tell my partner it's in his/her best interest to discuss the issue of AIDS.	1	2	3	4	5
9. I would give my partner a big hug to put her/him in a good mood to discuss AIDS.	1	2	3	4	5
10. I would tell my partner that we couldn't have sex until we discussed AIDS.	1	2	3	4	5
11. I would try to manipulate my partner into a discussion on AIDS.	1	2	3	4	5
12. I would keep bugging my partner to discuss the topic of AIDS.	1	2	3	4	5
13. I would promise sexual rewards if we first discussed AIDS.	1	2	3	4	5
14. I would repeatedly remind my partner that I want to discuss AIDS.	1	2	3	4	5
15. I would keep trying to discuss AIDS issues with my partner.	1	2	3	4	5
16. I would insist that my partner and I discuss AIDS.	1	2	3	4	5
17. I would drop subtle hints that I want to talk about AIDS.	1	2	3	4	5
18. I would refrain from sexual contact until we discussed AIDS.	1	2	3	4	5
19. I would withhold affection and act cold until s/he discuss the topic of AIDS with me.	1	2	3	4	5
20. I would get angry and demand that s/he talk about AIDS with me.	1	2	3	4	5
21. I would appeal to my partner's love/affection for me as a basis for our discussing AIDS.	1	2	3	4	5
22. I would refuse to interact further with my partner unless we first discussed AIDS.	1	2	3	4	5
23. I would act nice so that my partner could not refuse to discuss AIDS with me.	1	2	3	4	5
24. I would be especially sweet, charming, and pleasant before	1	2	3	4	5
bringing up the subject of AIDS. 25. I would tell my partner we are close enough to discuss	1	2	3	4	5

AIDS.					
26. I would tell my partner I have a lot of knowledge about the	1	2	3	4	5
topic of AIDS.					

RELATIONSHIP POWER: [CARD #13]

Relationship Control Scale: 1 = Strongly agree

2 = Agree

3 = Disagree

4 = Strongly disagree

1	2	3	4
1	2	3	4
1	2	3	4
1	2	3	4
1	2	3	4
1	2	3	4
1	2	3	4
1	2	3	4
1	2	3	4
1	2	3	4
1	2	3	4
1	2	3	4
1	2	3	4
1	2	3	4
1	2	3	4
	1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	1 2 3 1 2 3

Decision-Making Dominance Scale: [CARD #14]

1 = Your partner

2 = Both of you equally

3 = You

16. Who usually has more say about whose friends to go out with?	1	2	3
17. Who usually has more say about whether you have sex?	1	2	3
18. Who usually has more say about what you do together?	1	2	3
19. Who usually has more say about how often you see one another?	1	2	3
20. Who usually has more say about when you talk about	1	2	3
serious things?			
21. In general, who do you think has more power in your	1	2	3
relationship?			
22. Who usually has more say about whether you use condoms?	1	2	3
23. Who usually has more say about what types of sexual acts	1	2	3
you do?			

INSTRUCTIONS: Next, I would like to get some information about your attitudes and behaviors in relationships. The questions will be about your relationships during the past 2 months. If you weren't in a relationship in the past 2 months, please make a guess about what you would do if you were in a relationship. To provide your responses, use the following scale where 1=never and 10=everyday:

ITEMS SCALE

1	2	3	4	5	6	7	8	9	10
1	2	3	4	5	6	7	8	9	10
1	2	3	4	5	6	7	8	9	10
1	2	3	4	5	6	7	8	9	10
, 1	2	3	4	5	6	7	8	9	10
1	2	3	4	5	6	7	8	9	10
s 1	2	3	4	5	6	7	8	9	10
1	2	3	4	5	6	7	8	9	10
1	2	3	4	5	6	7	8	9	10
1	2	3	4	5	6	7	8	9	10
1	2	3	4	5	6	7	8	9	10
1	2	3	4	5	6	7	8	9	10
1	2	3	4	5	6	7	8	9	10
1	2	3	4	5	6	7	8	9	10
1	2	3	4	5	6	7	8	9	10
1	2	3	4	5	6	7	8	9	10
1	2	3	4	5	6	7	8	9	10
1	2	3	4	5	6	7	8	9	10
1	2	3	4						
1			4			7			10
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	1 2 3 1 2 3 1 2 3 1 2 3 1 2 3 1 2 3 1 2 3 1 2 3 1 2 3 1 2 3 1 2 3 1 2 3 1 2 3 1 2 3 1 2 3	1 2 3 4 1 2 3 4	1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 <td>1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5</td> <td>1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 <t< td=""><td>1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8</td><td>1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8</td></t<></td>	1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5	1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 <t< td=""><td>1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8</td><td>1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8</td></t<>	1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8	1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 8

RRR-HIV Knowledge about Relationships and HIV Scale

INSTRUCTIONS: I am going to read some statements. Please tell me to what extent do you believe the statement is true. If you don't know the response, try to make a guess based on your instinct. The possible responses to these questions are [CARD #15]

1= Definitely False 2=Maybe False 3=Undecided (Not Sure) 4=Maybe True 5=Definitely True

ITEMS					
1. There is a cure for HIV.	1	2	3	4	5
2. There is no vaccination for Hepatitis B.	1	2	3	4	5
3. If a woman injects drugs, she can get HIV through sharing cookers,	1	2	3	4	5
cotton, and rinse water.					
4. Crack and cocaine use can increase my risk for HIV, Hepatitis B, and	1	2	3	4	5
Hepatitis C.					
5. A female and a male condom should never be used at the same time.	1	2	3	4	5
6. Women can use drugs and still make healthy choices.	1	2	3	4	5
7. An unhealthy relationship can increase a woman's risk of HIV.	1	2	3	4	5
8. Women sometimes use drugs in an unhealthy relationship to keep the	1	2	3	4	5
relationship going.					
9. A woman can stop the effects of drugs and alcohol on her body if she	1	2	3	4	5
tries hard enough.					
10. Having sex without protection will strengthen a relationship.	1	2	3	4	5
11. Women should only think good things about themselves when they are	1	2	3	4	5
in a relationship, even if it is a risky relationship.					
12. The most dangerous time for an abused woman is when she attempts	1	2	3	4	5
to leave the abusive relationship					
13. When an abuser says everything is "ok" the victim should feel good	1	2	3	4	5
about the relationship.					
14. A women can tell her sex partner is safe by the way he/she looks,	1	2	3	4	5
talks, and/or acts.					
15. If a woman has been with her sex partner for a long time, she doesn't	1	2	3	4	5
need to practice safe sex.					
16. Women won't get HIV because we really aren't at risk.	1	2	3	4	5
17. A woman can't get HIV just from having unprotected sex one time.	1	2	3	4	5 5
18. Knowing about relationship triggers can help a woman avoid	1	2	3	4	5
situations where she might have unprotected sex.					
19. Women have to use sex as a way to get what they want in a risky	1	2	3	4	5
relationship					
20. It is safer for a woman to have several support people in her life so she	1	2	3	4	5
does not have to rely on a sex partner to meet her needs.					
21. Women can feel very desperate when they leave prison and can end up	1	2	3	4	5
being mistreated if they don't make plans before they leave prison.					

INTERVIEWER INSTRUCTIONS: Give this sheet to the participant and read the statement aloud. Ask the participant to circle the number that indicates how much she believes the statement is true.

1. Having sex without protection will strengther	n my relationship.
1567- Definitely True	8910 Definitely NOT True
2. Using drugs with my partner will strengthen my r	elationship.
1567- Definitely True	Definitely NOT True
3. I only think good things about myself when I am relationship.	in a relationship, even if it is a risky
167-	810
Definitely True	Definitely NOT True
4. I think good things about myself even when I'm	not in a risky relationship.
1	810
Definitely True	Definitely NOT True
5. I can use drugs and always make healthy choices	about protection.
167-	8910
Definitely True	Definitely NOT True
6. I don't make health choices about HIV protection	when I use drugs.
167-	8
Definitely True	Definitely NOT True
7. I know my partner is safe from HIV by the way m	ny partner looks.
1	8 0 10
Definitely True	Definitely NOT True
8. I know my partner is safe from HIV by the way r	ny partner talks.
1567-	8910
Definitely True	Definitely NOT True

9.	I know my partner	is safe from	HIV by the wa	y my partner acts.

1------3------3------5---------8------9------10
Definitely True Definitely NOT True

10. I know my partner is safe by the way my partner looks, talks, and/or acts.

1------3-------5-------6------7------8------9------10
Definitely True Definitely NOT True

11. I will not get HIV because I'm not really at risk.

1------8-----9-----10 Definitely True Definitely NOT True

12. I will get HIV because I am at risk.

1------2-----3------5------6------7------8------9------10
Definitely True Definitely NOT True

SELF-EFFICACY: This next set of questions asks about how comfortable you are in your abilities to do certain things. How sure are you that you would be able to: [CARD #12]

Use Response options are: 1 = Not at all sure

2 = A little sure

3 =Somewhat sure

4 = Pretty sure

5 = Very sure

ITEMS		SC	CALI	E	
1. Get the money needed to buy condoms?	1	2	3	4	5
2. Have a sexual relationship with only one person for a long period of time?	1	2	3	4	5
3. Ask your boyfriend/girlfriend if he/she has ever injected drugs such as	1	2	3	4	5
heroin or cocaine into his/her veins?					
4. Discuss preventing AIDS with your boyfriend/girlfriend?	1	2	3	4	5
5. Insist on using a condom during sex even if your boyfriend/girlfriend will	1	2	3	4	5
not use a condom?					
6. Use a condom correctly?	1	2	3	4	5

7. Ask your boyfriend/girlfriend about sexual relationships that he/she has	1	2	3	4	5
had in the past?					
8. (Say no to sex) with someone you have known for a few days or less?	1	2	3	4	5
9. (Say no to sex) with someone whose sex and drug use history is not	1	2	3	4	5
known to you?					
10. Use a condom every time that you had sexual intercourse?	1	2	3	4	5
11. Refuse to have sex if your boyfriend/girlfriend will not use a condom?	1	2	3	4	5
12. (Say no to sex) with someone who is pushing you to have sexual	1	2	3	4	5
intercourse?					
13. Walk into a store and buy condoms?	1	2	3	4	5
14. Ask your boyfriend/girlfriend if he/she has ever had a homosexual	1	2	3	4	5
experience?					
15. Use a condom during sex after you have been drinking?	1	2	3	4	5
16. (Say no to sex) with someone after you have been smoking marijuana?	1	2	3	4	5
17. Use a condom during sex after you have been using marijuana?	1	2	3	4	5
18. (Say no to sex) with someone you want to date again?	1	2	3	4	5
19. (Say no to sex) with someone after you have been drinking alcohol?	1	2	3	4	5
20. (Say no to sex) with someone who you want to fall in love with you?	1	2	3	4	5
21. (Say no to sex) with someone you have dated for a long time?	1	2	3	4	5
22. (Say no to sex) with someone with whom you have already had sexual	1	2	3	4	5
intercourse?					

ROSENBERG SELF-ESTEEM SCALE

INSTRUCTIONS: Next, I will read a list of statements regarding general feelings about yourself. Please tell me how much you agree or disagree with each statement using [CARD #13]

	Strongly agree	Agree	Disagree	Strongly disagree
1. On the whole, I am satisfied with myself.	4	3	2	1
2. * At times I think I am no good at all.	4	3	2	1
3. I feel that I have a number of good qualities.	4	3	2	1
4. I am able to do things as well as most other people.	4	3	2	1
5. * I feel I do not have much to be proud of.	4	3	2	1
6. * I certainly feel useless at times.	4	3	2	1
7. I feel that I'm a person of worth, at least on an equal plane with others.	4	3	2	1
8. * I wish I could have more respect for myself.	4	3	2	1
9. * All in all, I am inclined to feel that I am a failure.	4	3	2	1
10. I take a positive attitude toward myself.	4	3	2	1
Note: Items with an asterisk are reverse scored.				