

ICPSR 31263

**CRELES-2: Costa Rican Longevity  
and Healthy Aging Study - Wave 2,  
2006-2008 (Costa Rica Estudio de  
Longevidad y Envejecimiento  
Saludable, Ronda 2)**

Luis Rosero-Bixby  
*Universidad de Costa Rica*

Xinia Fernández  
*Universidad de Costa Rica*

William H. Dow  
*University of California-Berkeley*

Deceased Codebook

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

# Terms of Use

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/31263/terms>

## Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### NOTICE

#### WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

## ICPSR 31263

# CRELES-2: Costa Rican Longevity and Healthy Aging Study - Wave 2, 2006-2008 (Costa Rica Estudio de Longevidad y Envejecimiento Saludable, Ronda 2)

## Variable Description and Frequencies

**Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.**

**Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.**

**ICPSR has an FAQ on [copyright and survey instruments](#).**

# Deceased

## CASEID: Number of Elder

Value	Label	Unweighted Frequency	%
23	-	1	0.4 %
30	-	1	0.4 %
34	-	1	0.4 %
35	-	1	0.4 %
41	-	1	0.4 %
49	-	1	0.4 %
78	-	1	0.4 %
92	-	1	0.4 %
95	-	1	0.4 %
106	-	1	0.4 %
121	-	1	0.4 %
139	-	1	0.4 %
152	-	1	0.4 %
155	-	1	0.4 %
156	-	1	0.4 %
157	-	1	0.4 %
170	-	1	0.4 %
203	-	1	0.4 %
205	-	1	0.4 %
211	-	1	0.4 %
221	-	1	0.4 %
227	-	1	0.4 %
239	-	1	0.4 %
253	-	1	0.4 %
259	-	1	0.4 %
262	-	1	0.4 %
271	-	1	0.4 %
285	-	1	0.4 %
288	-	1	0.4 %
294	-	1	0.4 %
326	-	1	0.4 %
333	-	1	0.4 %
338	-	1	0.4 %
397	-	1	0.4 %
404	-	1	0.4 %
457	-	1	0.4 %
463	-	1	0.4 %
468	-	1	0.4 %

Value	Label	Unweighted Frequency	%
503	-	1	0.4 %
555	-	1	0.4 %
568	-	1	0.4 %
589	-	1	0.4 %
592	-	1	0.4 %
603	-	1	0.4 %
618	-	1	0.4 %
676	-	1	0.4 %
679	-	1	0.4 %
723	-	1	0.4 %
754	-	1	0.4 %
771	-	1	0.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 270 valid cases out of 270 total cases.

Location: 1-4 (width: 4; decimal: 0)

Variable Type: numeric

---

### A13AN: Was a widow

Value	Label	Unweighted Frequency	%
1	Yes	6	2.2 %
2	No	130	48.1 %
9	DK/NR	1	0.4 %
	<b>Missing Data</b>		
.	-	133	49.3 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 137 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 42-42 (width: 1; decimal: 0)

Variable Type: numeric

---

### A13BNA: day spouse died

Value	Label	Unweighted Frequency	%
1	-	1	0.4 %
7	-	1	0.4 %
16	-	1	0.4 %

Value	Label	Unweighted Frequency	%
17	-	1	0.4 %
20	-	1	0.4 %
26	-	1	0.4 %
9999	NS/NR	0	0.0 %
	<b>Missing Data</b>		
.	-	264	97.8 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 6 valid cases out of 270 total cases.

- Mean: 14.50
- Median: 16.50
- Minimum: 1
- Maximum: 26
- Standard Deviation: 9.05

Location: 43-44 (width: 2; decimal: 0)

Variable Type: numeric

---

### A13BNB: month spouse died

Value	Label	Unweighted Frequency	%
1	-	1	0.4 %
4	-	2	0.7 %
5	-	1	0.4 %
7	-	1	0.4 %
8	-	1	0.4 %
9999	NS/NR	0	0.0 %
	<b>Missing Data</b>		
.	-	264	97.8 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 6 valid cases out of 270 total cases.

- Mean: 4.83
- Median: 4.50
- Mode: 4.00
- Minimum: 1
- Maximum: 8
- Standard Deviation: 2.48

Location: 45-45 (width: 1; decimal: 0)

Variable Type: numeric

---

### A13BNC: year spouse died

Value	Label	Unweighted Frequency	%
2005	-	2	0.7 %
2006	-	4	1.5 %
9999	NS/NR	0	0.0 %
<b>Missing Data</b>			
.	-	264	97.8 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 6 valid cases out of 270 total cases.

- Mean: 2005.67
- Median: 2006.00
- Mode: 2006.00
- Minimum: 2005
- Maximum: 2006
- Standard Deviation: 0.52

Location: 46-49 (width: 4; decimal: 0)

Variable Type: numeric

## A13CN: Months since spouse died

Value	Label	Unweighted Frequency	%
0	Menos de 1 mes	0	0.0 %
99	NS/NR	0	0.0 %
<b>Missing Data</b>			
.	-	270	100.0 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 0 valid cases out of 270 total cases.

Location: 50-50 (width: 1; decimal: 0)

Variable Type: numeric

## AM1: Interviewer

Value	Label	Unweighted Frequency	%
3	"blank"	0	0.0 %
4	"blank"	0	0.0 %
5	"blank"	0	0.0 %
6	"blank"	0	0.0 %
7	"blank"	0	0.0 %
<b>Missing Data</b>			
.	-	270	100.0 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 0 valid cases out of 270 total cases.

Location: 24-24 (width: 1; decimal: 0)

Variable Type: numeric

## AM11: NumHijosFuera

Value	Label	Unweighted Frequency	%
0	-	45	16.7 %
1	-	31	11.5 %
2	-	13	4.8 %
3	-	29	10.7 %
4	-	30	11.1 %
5	-	22	8.1 %
6	-	24	8.9 %
7	-	24	8.9 %
8	-	15	5.6 %
9	-	19	7.0 %
10	-	10	3.7 %
11	-	1	0.4 %
12	-	4	1.5 %
13	-	2	0.7 %
	<b>Missing Data</b>		
.	-	1	0.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Mean: 4.32
- Median: 4.00
- Mode: 0.00
- Minimum: 0
- Maximum: 13
- Standard Deviation: 3.31

Location: 153-154 (width: 2; decimal: 0)

Variable Type: numeric

## AM4: Number of people in household

Value	Label	Unweighted Frequency	%
1	-	23	8.5 %
2	-	59	21.9 %
3	-	59	21.9 %
4	-	42	15.6 %
5	-	29	10.7 %
6	-	21	7.8 %
7	-	9	3.3 %
8	-	8	3.0 %



Value	Label	Unweighted Frequency	%
9	-	1	0.4 %
10	-	2	0.7 %
11	-	2	0.7 %
13	-	1	0.4 %
16	-	1	0.4 %
17	-	1	0.4 %
	<b>Missing Data</b>		
.	-	12	4.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 258 valid cases out of 270 total cases.

- Mean: 3.80
- Median: 3.00
- Minimum: 1
- Maximum: 17
- Standard Deviation: 2.34

*Location:* 52-53 (width: 2; decimal: 0)

*Variable Type:* numeric

## D10: HelpBathroom

Value	Label	Unweighted Frequency	%
1	Yes	191	70.7 %
2	No	7	2.6 %
9	DK/NR	0	0.0 %
	<b>Missing Data</b>		
.	-	72	26.7 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 198 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 2

*Location:* 234-234 (width: 1; decimal: 0)

*Variable Type:* numeric

## D11: DifficultyEating

Value	Label	Unweighted Frequency	%
1	Yes	146	54.1 %
2	No	123	45.6 %
9	DK/NR	0	0.0 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
.	-	1	0.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 2

Location: 235-235 (width: 1; decimal: 0)

Variable Type: numeric

---

## D12: HelpEating

Value	Label	Unweighted Frequency	%
1	Yes	143	53.0 %
2	No	3	1.1 %
9	DK/NR	0	0.0 %
	<b>Missing Data</b>		
.	-	124	45.9 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 146 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 2

Location: 236-236 (width: 1; decimal: 0)

Variable Type: numeric

---

## D13: DifficultyBed

Value	Label	Unweighted Frequency	%
1	Yes	193	71.5 %
2	No	76	28.1 %
9	DK/NR	0	0.0 %
	<b>Missing Data</b>		
.	-	1	0.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 2

Location: 237-237 (width: 1; decimal: 0)

Variable Type: numeric

---

## D14: ApparatusBed

Value	Label	Unweighted Frequency	%
1	Yes	121	44.8 %
2	No	71	26.3 %
9	DK/NR	1	0.4 %
<b>Missing Data</b>			
.	-	77	28.5 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 193 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

*Location:* 238-238 (width: 1; decimal: 0)  
*Variable Type:* numeric

## D15: HelpBed

Value	Label	Unweighted Frequency	%
1	Yes	182	67.4 %
2	No	10	3.7 %
9	DK/NR	1	0.4 %
<b>Missing Data</b>			
.	-	77	28.5 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 193 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

*Location:* 239-239 (width: 1; decimal: 0)  
*Variable Type:* numeric

## D16: DifficultyToilet

Value	Label	Unweighted Frequency	%
1	Yes	182	67.4 %
2	No	84	31.1 %
9	DK/NR	3	1.1 %
<b>Missing Data</b>			
.	-	1	0.4 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 240-240 (width: 1; decimal: 0)

Variable Type: numeric

## D17: ApparatusToilet

Value	Label	Unweighted Frequency	%
1	Yes	95	35.2 %
2	No	87	32.2 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	88	32.6 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 182 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 2

Location: 242-242 (width: 1; decimal: 0)

Variable Type: numeric

## D18: HelpToilet

Value	Label	Unweighted Frequency	%
1	Yes	119	44.1 %
2	No	63	23.3 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	88	32.6 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 182 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 2

Location: 243-243 (width: 1; decimal: 0)

Variable Type: numeric

## D19: DifficultyCuttingToenails

Value	Label	Unweighted Frequency	%
1	Yes	237	87.8 %
2	No	32	11.9 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	1	0.4 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 2

Location: 244-244 (width: 1; decimal: 0)

Variable Type: numeric

---

## D20: HelpCuttingToenails

Value	Label	Unweighted Frequency	%
1	Yes	233	86.3 %
2	No	4	1.5 %
9	DK/NR	0	0.0 %
	<b>Missing Data</b>		
.	-	33	12.2 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 237 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 2

Location: 245-245 (width: 1; decimal: 0)

Variable Type: numeric

---

## D29: Interviewee receives help

Value	Label	Unweighted Frequency	%
1	Yes	237	87.8 %
2	No	32	11.9 %
9	DK/NR	0	0.0 %
	<b>Missing Data</b>		
.	-	1	0.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 2

Location: 246-246 (width: 1; decimal: 0)

Variable Type: numeric

---

## D29B: Number of people who help

Value	Label	Unweighted Frequency	%
1	-	76	28.1 %
2	-	75	27.8 %

Value	Label	Unweighted Frequency	%
3	-	44	16.3 %
4	-	16	5.9 %
5	-	6	2.2 %
6	-	3	1.1 %
7	-	2	0.7 %
8	-	3	1.1 %
9	DK/NR	12	4.4 %
<b>Missing Data</b>			
.	-	33	12.2 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 237 valid cases out of 270 total cases.

- Mean: 2.60
- Median: 2.00
- Mode: 1.00
- Minimum: 1
- Maximum: 9
- Standard Deviation: 2.00

*Location:* 247-247 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### D30A: Member of the house who helps

Value	Label	Unweighted Frequency	%
1	Someone in the home not spouse	150	55.6 %
2	Children outside the home	23	8.5 %
3	Other people	44	16.3 %
4	Spouse	20	7.4 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	33	12.2 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 237 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 4

*Location:* 251-251 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### D30B: Child resident who help

Value	Label	Unweighted Frequency	%
1	-	8	3.0 %
2	-	82	30.4 %
3	-	44	16.3 %
4	-	9	3.3 %
5	-	5	1.9 %
6	-	2	0.7 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	120	44.4 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 150 valid cases out of 270 total cases.

- Mean: 2.51
- Median: 2.00
- Mode: 2.00
- Minimum: 1
- Maximum: 6
- Standard Deviation: 0.92

Location: 248-248 (width: 1; decimal: 0)

Variable Type: numeric

## D30C: Who helps

Value	Label	Unweighted Frequency	%
1	-	5	1.9 %
2	-	4	1.5 %
3	-	6	2.2 %
4	-	1	0.4 %
5	-	2	0.7 %
6	-	1	0.4 %
7	-	1	0.4 %
8	-	1	0.4 %
9	-	1	0.4 %
10	-	1	0.4 %
<b>Missing Data</b>			
.	-	247	91.5 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 23 valid cases out of 270 total cases.

- Mean: 3.70
- Median: 3.00
- Mode: 3.00
- Minimum: 1

- Maximum: 10
- Standard Deviation: 2.67

Location: 249-250 (width: 2; decimal: 0)  
 Variable Type: numeric

### D31: Child resident who help

Value	Label	Unweighted Frequency	%
1	-	6	2.2 %
2	-	7	2.6 %
4	-	1	0.4 %
8	-	1	0.4 %
20	-	1	0.4 %
24	-	2	0.7 %
30	Everyday	218	80.7 %
99	DK/NR	1	0.4 %
	<b>Missing Data</b>		
.	-	33	12.2 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 237 valid cases out of 270 total cases.

- Mean: 28.43
- Median: 30.00
- Mode: 30.00
- Minimum: 1
- Maximum: 99
- Standard Deviation: 8.25

Location: 252-253 (width: 2; decimal: 0)  
 Variable Type: numeric

### D6: DifficultyWalking

Value	Label	Unweighted Frequency	%
1	Yes	188	69.6 %
2	No	81	30.0 %
9	DK/NR	0	0.0 %
	<b>Missing Data</b>		
.	-	1	0.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 2

Location: 230-230 (width: 1; decimal: 0)



Variable Type: numeric

## D7: UseCrutches

Value	Label	Unweighted Frequency	%
1	Yes	146	54.1 %
2	No	42	15.6 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	82	30.4 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 188 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 2

Location: 231-231 (width: 1; decimal: 0)

Variable Type: numeric

## D8: DifficultyBathroom

Value	Label	Unweighted Frequency	%
1	Yes	198	73.3 %
2	No	70	25.9 %
9	DK/NR	1	0.4 %
<b>Missing Data</b>			
.	-	1	0.4 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 232-232 (width: 1; decimal: 0)

Variable Type: numeric

## D9: ApparatusBathroom

Value	Label	Unweighted Frequency	%
1	Yes	136	50.4 %
2	No	62	23.0 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	72	26.7 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 198 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 2

Location: 233-233 (width: 1; decimal: 0)

Variable Type: numeric

## DN1: Uses Diapers

Value	Label	Unweighted Frequency	%
1	Yes	160	59.3 %
2	No	22	8.1 %
9	DK/NR	0	0.0 %
	<b>Missing Data</b>		
.	-	88	32.6 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 182 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 2

Location: 241-241 (width: 1; decimal: 0)

Variable Type: numeric

## F17: Place of last consult

Value	Label	Unweighted Frequency	%
1	Hospital (CCSS)	94	34.8 %
2	Private hospital	2	0.7 %
3	Clinic (CCSS)	19	7.0 %
4	Private clinic	1	0.4 %
5	EBAIS	18	6.7 %
6	Private practice	8	3.0 %
7	Interviewee's home	87	32.2 %
8	At work	0	0.0 %
9	Other	2	0.7 %
99	DK/NR	0	0.0 %
	<b>Missing Data</b>		
.	-	39	14.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 231 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 119-119 (width: 1; decimal: 0)

Variable Type: numeric

## FILTRO14: Same household

Value	Label	Unweighted Frequency	%
1	Yes	237	87.8 %
2	No	32	11.9 %
	<b>Missing Data</b>		
.	-	1	0.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 2

Location: 26-26 (width: 1; decimal: 0)

Variable Type: numeric

## FN3: Loan apparatuses

Value	Label	Unweighted Frequency	%
1	Yes	99	36.7 %
2	No	157	58.1 %
3	The institution provides it	13	4.8 %
9	DK/NR	0	0.0 %
	<b>Missing Data</b>		
.	-	1	0.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 3

Location: 152-152 (width: 1; decimal: 0)

Variable Type: numeric

## G1M: Monetary support

Value	Label	Unweighted Frequency	%
1	Yes, only inside	18	6.7 %
2	Yes, only outside	56	20.7 %
3	Yes, outside and inside	38	14.1 %
4	No	151	55.9 %
9	DK/NR	6	2.2 %
	<b>Missing Data</b>		
.	-	1	0.4 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 155-155 (width: 1; decimal: 0)

Variable Type: numeric

## G2M: How much money received

Value	Label	Unweighted Frequency	%
9	-	1	0.4 %
10	-	2	0.7 %
12	-	1	0.4 %
15	-	2	0.7 %
20	-	1	0.4 %
24	-	1	0.4 %
30	-	5	1.9 %
40	-	1	0.4 %
45	-	1	0.4 %
50	-	1	0.4 %
60	-	2	0.7 %
100	-	4	1.5 %
115	-	1	0.4 %
117	-	1	0.4 %
120	-	3	1.1 %
130	-	1	0.4 %
135	-	1	0.4 %
150	-	3	1.1 %
180	-	4	1.5 %
200	-	1	0.4 %
300	-	1	0.4 %
350	-	2	0.7 %
360	-	2	0.7 %
390	-	1	0.4 %
400	-	1	0.4 %
450	-	1	0.4 %
500	-	1	0.4 %
600	-	2	0.7 %
750	-	2	0.7 %
1500	-	2	0.7 %
1900	-	1	0.4 %

Value	Label	Unweighted Frequency	%
3000	-	2	0.7 %
9999	DK/NR	57	21.1 %
<b>Missing Data</b>			
.	-	158	58.5 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 112 valid cases out of 270 total cases.

- Mean: 5269.20
- Median: 9999.00
- Mode: 9999.00
- Minimum: 9
- Maximum: 9999
- Standard Deviation: 4857.39

*Location:* 156-159 (width: 4; decimal: 0)

*Variable Type:* numeric

### G3: Received more than 40k

Value	Label	Unweighted Frequency	%
1	Sí	47	17.4 %
2	No	2	0.7 %
9	NS/NR	8	3.0 %
<b>Missing Data</b>			
.	-	213	78.9 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 57 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

*Location:* 160-160 (width: 1; decimal: 0)

*Variable Type:* numeric

### G4: Received more than 15k

Value	Label	Unweighted Frequency	%
1	Sí	2	0.7 %
2	No	0	0.0 %
9	NS/NR	0	0.0 %
<b>Missing Data</b>			
.	-	268	99.3 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 2 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 1

Location: 161-161 (width: 1; decimal: 0)  
 Variable Type: numeric

## G5: Received more than 60k

Value	Label	Unweighted Frequency	%
1	Si	45	16.7 %
2	No	2	0.7 %
9	NS/NR	0	0.0 %
<b>Missing Data</b>			
.	-	223	82.6 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 47 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 2

Location: 162-162 (width: 1; decimal: 0)  
 Variable Type: numeric

## G6MA: Who helped

Value	Label	Unweighted Frequency	%
1	Someone from home	27	10.0 %
2	Children outside home	56	20.7 %
3	Parents that lived outside the home	0	0.0 %
4	Siblings that lived outside the home	3	1.1 %
5	Neighbors	1	0.4 %
6	Son-/daughter-in-law, Grandchildren that live outside the home	3	1.1 %
7	Members of the home, all equally	3	1.1 %
8	People outside the home, all equally	5	1.9 %
9	People inside and outside the home, all equally	6	2.2 %
10	Other	8	3.0 %
99	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	158	58.5 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 112 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 10

Location: 166-167 (width: 2; decimal: 0)

Variable Type: numeric

## G6MB: Who helps from household

Value	Label	Unweighted Frequency	%
2	-	16	5.9 %
3	-	7	2.6 %
4	-	2	0.7 %
5	-	1	0.4 %
6	-	1	0.4 %
	<b>Missing Data</b>		
.	-	243	90.0 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 27 valid cases out of 270 total cases.

- Mean: 2.67
- Median: 2.00
- Mode: 2.00
- Minimum: 2
- Maximum: 6
- Standard Deviation: 1.04

Location: 163-163 (width: 1; decimal: 0)

Variable Type: numeric

## G6MC: Who helps from children outside household

Value	Label	Unweighted Frequency	%
1	-	14	5.2 %
2	-	13	4.8 %
3	-	10	3.7 %
4	-	7	2.6 %
5	-	3	1.1 %
6	-	4	1.5 %
8	-	2	0.7 %
10	-	3	1.1 %
	<b>Missing Data</b>		
.	-	214	79.3 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 56 valid cases out of 270 total cases.

- Mean: 3.27
- Median: 3.00
- Mode: 1.00
- Minimum: 1
- Maximum: 10

- Standard Deviation: 2.40

Location: 164-165 (width: 2; decimal: 0)

Variable Type: numeric

## GN0A: Subsidies

Value	Label	Unweighted Frequency	%
1	Yes	4	1.5 %
2	No	108	40.0 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	158	58.5 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 112 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 2

Location: 168-168 (width: 1; decimal: 0)

Variable Type: numeric

## GN0B: Money received before death

Value	Label	Unweighted Frequency	%
45	-	1	0.4 %
80	-	1	0.4 %
9998	10million or more	0	0.0 %
9999	DK/NR	2	0.7 %
<b>Missing Data</b>			
.	-	266	98.5 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 4 valid cases out of 270 total cases.

- Mean: 5030.75
- Median: 5039.50
- Mode: 9999.00
- Minimum: 45
- Maximum: 9999
- Standard Deviation: 5736.86

Location: 169-172 (width: 4; decimal: 0)

Variable Type: numeric

## GN0C: Subsidies Morethan 150k



Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	1	0.4 %
9	DK/NR	1	0.4 %
<b>Missing Data</b>			
.	-	268	99.3 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 2 valid cases out of 270 total cases.

- Minimum: 2
- Maximum: 9

*Location:* 173-173 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### GN0D: Subsidies Morethan 50k

Value	Label	Unweighted Frequency	%
1	Yes	1	0.4 %
2	No	0	0.0 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	269	99.6 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 1 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 1

*Location:* 174-174 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### GN0E: Subsidies Morethan 300k

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	0	0.0 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	270	100.0 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 0 valid cases out of 270 total cases.

*Location:* 175-175 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## GN1: Help with meals

Value	Label	Unweighted Frequency	%
1	Yes	206	76.3 %
2	No	53	19.6 %
9	DK/NR	1	0.4 %
	<b>Missing Data</b>		
.	-	10	3.7 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 260 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 176-176 (width: 1; decimal: 0)

Variable Type: numeric

---

## GN10: Who help with household chores

Value	Label	Unweighted Frequency	%
1	Children in the home	103	38.1 %
2	Children outside the home	28	10.4 %
3	Others in the home	93	34.4 %
4	Others outside the home	25	9.3 %
	<b>Missing Data</b>		
.	-	21	7.8 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 249 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 4

Location: 181-181 (width: 1; decimal: 0)

Variable Type: numeric

---

## GN11: Who help with errands

Value	Label	Unweighted Frequency	%
1	Children in the home	110	40.7 %
2	Children outside the home	39	14.4 %
3	Others in the home	73	27.0 %
4	Others outside the home	17	6.3 %
	<b>Missing Data</b>		
.	-	31	11.5 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 239 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 4

Location: 183-183 (width: 1; decimal: 0)

Variable Type: numeric

---

## GN12: Who help when ill

Value	Label	Unweighted Frequency	%
1	Children in the home	110	40.7 %
2	Children outside the home	40	14.8 %
3	Others in the home	88	32.6 %
4	Others outside the home	16	5.9 %
9	-	1	0.4 %
	<b>Missing Data</b>		
.	-	15	5.6 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 255 valid cases out of 270 total cases.

- Mean: 2.07
- Median: 2.00
- Mode: 1.00
- Minimum: 1
- Maximum: 9
- Standard Deviation: 1.10

Location: 185-185 (width: 1; decimal: 0)

Variable Type: numeric

---

## GN13: Who help visiting

Value	Label	Unweighted Frequency	%
1	Children in the home	87	32.2 %
2	Children outside the home	75	27.8 %
3	Others in the home	56	20.7 %
4	Others outside the home	34	12.6 %
	<b>Missing Data</b>		
.	-	18	6.7 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 252 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 4

Location: 187-187 (width: 1; decimal: 0)

Variable Type: numeric

---

## GN14: Who help in other things

Value	Label	Unweighted Frequency	%
1	Children in the home	0	0.0 %
2	Children outside the home	0	0.0 %
3	Others in the home	0	0.0 %
4	Others outside the home	4	1.5 %
	<b>Missing Data</b>		
.	-	266	98.5 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 4 valid cases out of 270 total cases.

- Minimum: 4
- Maximum: 4

*Location:* 229-229 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## GN2: Help with transport

Value	Label	Unweighted Frequency	%
1	Yes	198	73.3 %
2	No	58	21.5 %
9	DK/NR	4	1.5 %
	<b>Missing Data</b>		
.	-	10	3.7 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 260 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

*Location:* 178-178 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## GN3: Help with household chores

Value	Label	Unweighted Frequency	%
1	Yes	249	92.2 %
2	No	10	3.7 %
9	DK/NR	1	0.4 %
	<b>Missing Data</b>		
.	-	10	3.7 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 260 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 180-180 (width: 1; decimal: 0)  
 Variable Type: numeric

## GN4: Help with errands

Value	Label	Unweighted Frequency	%
1	Yes	239	88.5 %
2	No	20	7.4 %
9	DK/NR	1	0.4 %
<b>Missing Data</b>			
.	-	10	3.7 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 260 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 182-182 (width: 1; decimal: 0)  
 Variable Type: numeric

## GN5: Help when ill

Value	Label	Unweighted Frequency	%
1	Yes	255	94.4 %
2	No	3	1.1 %
9	DK/NR	2	0.7 %
<b>Missing Data</b>			
.	-	10	3.7 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 260 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 184-184 (width: 1; decimal: 0)  
 Variable Type: numeric

## GN6: Help visiting

Value	Label	Unweighted Frequency	%
1	Yes	252	93.3 %
2	No	11	4.1 %
9	DK/NR	6	2.2 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
.	-	1	0.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

*Location:* 186-186 (width: 1; decimal: 0)

*Variable Type:* numeric

## GN7: Other help

Value	Label	Unweighted Frequency	%
1	Yes, what other type of help?	4	1.5 %
2	No	245	90.7 %
9	DK/NR	11	4.1 %
	<b>Missing Data</b>		
.	-	10	3.7 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 260 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

*Location:* 228-228 (width: 1; decimal: 0)

*Variable Type:* numeric

## GN7A: Which other help

Value	Label	Unweighted Frequency	%
	-	266	98.5 %
diapers	-	1	0.4 %
emotional support	-	1	0.4 %
espiritual	-	1	0.4 %
food service	-	1	0.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 270 valid cases out of 270 total cases.

*Location:* 188-227 (width: 40; decimal: 0)

*Variable Type:* character

## GN8: Who Help with meals

Value	Label	Unweighted Frequency	%
1	Children in the home	80	29.6 %
2	Children outside the home	75	27.8 %
3	Others in the home	41	15.2 %
4	Others outside the home	10	3.7 %
	<b>Missing Data</b>		
.	-	64	23.7 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 206 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 4

Location: 177-177 (width: 1; decimal: 0)

Variable Type: numeric

## GN9: Who help with transport

Value	Label	Unweighted Frequency	%
1	Children in the home	64	23.7 %
2	Children outside the home	65	24.1 %
3	Others in the home	34	12.6 %
4	Others outside the home	35	13.0 %
	<b>Missing Data</b>		
.	-	72	26.7 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 198 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 4

Location: 179-179 (width: 1; decimal: 0)

Variable Type: numeric

## HORA1: Time1

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	270	100.0 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 0 valid cases out of 270 total cases.

Location: 23-23 (width: 1; decimal: 0)

Variable Type: numeric

---

## HORA2: Time 2

Value	Label	Unweighted Frequency	%
.	Missing Data		
.	-	270	100.0 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 0 valid cases out of 270 total cases.

Location: 291-291 (width: 1; decimal: 0)

Variable Type: numeric

---

## HORA3: Time 3

Value	Label	Unweighted Frequency	%
.	Missing Data		
.	-	270	100.0 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 0 valid cases out of 270 total cases.

Location: 292-292 (width: 1; decimal: 0)

Variable Type: numeric

---

## ID0A: Initial Identification time

Value	Label	Unweighted Frequency	%
1	-	1	0.4 %
20041104	-	1	0.4 %
20041105	-	1	0.4 %
20041108	-	2	0.7 %
20041109	-	1	0.4 %
20041112	-	2	0.7 %
20041115	-	2	0.7 %
20041116	-	2	0.7 %
20041119	-	3	1.1 %
20041122	-	2	0.7 %
20041123	-	2	0.7 %
20041124	-	1	0.4 %
20041203	-	1	0.4 %
20041206	-	1	0.4 %
20041208	-	1	0.4 %
20041210	-	1	0.4 %
20050101	-	1	0.4 %
20050104	-	1	0.4 %
20050105	-	2	0.7 %



Value	Label	Unweighted Frequency	%
20050106	-	2	0.7 %
20050110	-	1	0.4 %
20050112	-	1	0.4 %
20050113	-	2	0.7 %
20050119	-	2	0.7 %
20050120	-	1	0.4 %
20050125	-	1	0.4 %
20050127	-	2	0.7 %
20050202	-	1	0.4 %
20050207	-	3	1.1 %
20050209	-	1	0.4 %
20050210	-	1	0.4 %
20050211	-	1	0.4 %
20050214	-	1	0.4 %
20050217	-	1	0.4 %
20050225	-	1	0.4 %
20050303	-	2	0.7 %
20050308	-	3	1.1 %
20050310	-	1	0.4 %
20050311	-	2	0.7 %
20050315	-	1	0.4 %
20050316	-	1	0.4 %
20050317	-	1	0.4 %
20050318	-	1	0.4 %
20050328	-	1	0.4 %
20050329	-	1	0.4 %
20050330	-	1	0.4 %
20050401	-	1	0.4 %
20050403	-	1	0.4 %
20050413	-	1	0.4 %
20050414	-	1	0.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 270 valid cases out of 270 total cases.

- Mean: 19978638.94
- Median: 20050906.50
- Minimum: 1
- Maximum: 20060920
- Standard Deviation: 1220394.58

Location: 15-22 (width: 8; decimal: 0)

**ID2C: Year of birth**

Value	Label	Unweighted Frequency	%
0	-	3	1.1 %
1896	-	1	0.4 %
1899	-	1	0.4 %
1900	-	2	0.7 %
1901	-	4	1.5 %
1902	-	6	2.2 %
1903	-	5	1.9 %
1904	-	9	3.3 %
1905	-	10	3.7 %
1906	-	12	4.4 %
1907	-	3	1.1 %
1908	-	6	2.2 %
1909	-	6	2.2 %
1910	-	3	1.1 %
1911	-	2	0.7 %
1912	-	4	1.5 %
1913	-	8	3.0 %
1914	-	7	2.6 %
1915	-	4	1.5 %
1916	-	5	1.9 %
1917	-	11	4.1 %
1918	-	9	3.3 %
1919	-	13	4.8 %
1920	-	8	3.0 %
1921	-	11	4.1 %
1922	-	15	5.6 %
1923	-	8	3.0 %
1924	-	11	4.1 %
1925	-	14	5.2 %
1926	-	5	1.9 %
1927	-	4	1.5 %
1928	-	4	1.5 %
1929	-	6	2.2 %
1930	-	5	1.9 %
1931	-	6	2.2 %
1932	-	2	0.7 %
1933	-	5	1.9 %
1934	-	5	1.9 %
1935	-	3	1.1 %

Value	Label	Unweighted Frequency	%
1936	-	4	1.5 %
1937	-	6	2.2 %
1938	-	1	0.4 %
1939	-	3	1.1 %
1940	-	1	0.4 %
1941	-	1	0.4 %
1942	-	3	1.1 %
1943	-	1	0.4 %
1944	-	3	1.1 %
	<b>Missing Data</b>		
.	-	1	0.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Mean: 1897.88
- Median: 1920.00
- Mode: 1922.00
- Minimum: 0
- Maximum: 1944
- Standard Deviation: 202.22

*Location:* 10-13 (width: 4; decimal: 0)

*Variable Type:* numeric

#### ID4: Sex of the elder

Value	Label	Unweighted Frequency	%
1	Man	126	46.7 %
2	Woman	144	53.3 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 270 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 2

*Location:* 14-14 (width: 1; decimal: 0)

*Variable Type:* numeric

#### IDN1: Same interviewee from round1

Value	Label	Unweighted Frequency	%
1	Yes	259	95.9 %
2	No	1	0.4 %
3	Does not have a photo	9	3.3 %

Value	Label	Unweighted Frequency	%
.	Missing Data		
.	-	1	0.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 3

Location: 25-25 (width: 1; decimal: 0)

Variable Type: numeric

## IDSUJETO: Number of Elder

Value	Label	Unweighted Frequency	%
23	-	1	0.4 %
30	-	1	0.4 %
34	-	1	0.4 %
35	-	1	0.4 %
41	-	1	0.4 %
49	-	1	0.4 %
78	-	1	0.4 %
92	-	1	0.4 %
95	-	1	0.4 %
106	-	1	0.4 %
121	-	1	0.4 %
139	-	1	0.4 %
152	-	1	0.4 %
155	-	1	0.4 %
156	-	1	0.4 %
157	-	1	0.4 %
170	-	1	0.4 %
203	-	1	0.4 %
205	-	1	0.4 %
211	-	1	0.4 %
221	-	1	0.4 %
227	-	1	0.4 %
239	-	1	0.4 %
253	-	1	0.4 %
259	-	1	0.4 %
262	-	1	0.4 %
271	-	1	0.4 %
285	-	1	0.4 %
288	-	1	0.4 %

Value	Label	Unweighted Frequency	%
294	-	1	0.4 %
326	-	1	0.4 %
333	-	1	0.4 %
338	-	1	0.4 %
397	-	1	0.4 %
404	-	1	0.4 %
457	-	1	0.4 %
463	-	1	0.4 %
468	-	1	0.4 %
503	-	1	0.4 %
555	-	1	0.4 %
568	-	1	0.4 %
589	-	1	0.4 %
592	-	1	0.4 %
603	-	1	0.4 %
618	-	1	0.4 %
676	-	1	0.4 %
679	-	1	0.4 %
723	-	1	0.4 %
754	-	1	0.4 %
771	-	1	0.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 270 valid cases out of 270 total cases.

- Mean: 2300.71
- Minimum: 23
- Maximum: 5604
- Standard Deviation: 1527.41

*Location:* 5-8 (width: 4; decimal: 0)

*Variable Type:* numeric

### J34: Relationship with Proxy

Value	Label	Unweighted Frequency	%
1	Spouse	34	12.6 %
2	Child	149	55.2 %
3	Grandchild	27	10.0 %
4	Sibling	5	1.9 %
5	Other relative	31	11.5 %
6	Other non-relative	22	8.1 %

Value	Label	Unweighted Frequency	%
7	Domestic employee	1	0.4 %
	<b>Missing Data</b>		
.	-	1	0.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 7

Location: 27-27 (width: 1; decimal: 0)

Variable Type: numeric

---

## PROVINCIA: Province

Value	Label	Unweighted Frequency	%
1	-	106	39.3 %
2	-	49	18.1 %
3	-	33	12.2 %
4	-	14	5.2 %
5	-	24	8.9 %
6	-	22	8.1 %
7	-	22	8.1 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 270 valid cases out of 270 total cases.

- Mean: 2.83
- Median: 2.00
- Mode: 1.00
- Minimum: 1
- Maximum: 7
- Standard Deviation: 2.05

Location: 9-9 (width: 1; decimal: 0)

Variable Type: numeric

---

## RONDA: wave

Value	Label	Unweighted Frequency	%
2	-	270	100.0 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 270 valid cases out of 270 total cases.

- Mean: 2.00
- Median: 2.00
- Mode: 2.00

- Minimum: 2
- Maximum: 2
- Standard Deviation: 0.00

Location: 293-293 (width: 1; decimal: 0)

Variable Type: numeric

## SA1: Where elder died

Value	Label	Unweighted Frequency	%
1	in private home	120	44.4 %
2	in hospital	134	49.6 %
3	at a retirement/seniors home	10	3.7 %
4	Other	5	1.9 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	1	0.4 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 4

Location: 28-28 (width: 1; decimal: 0)

Variable Type: numeric

## SA2: Cause of death

Value	Label	Unweighted Frequency	%
1	Disease	252	93.3 %
2	Accident or violence	6	2.2 %
3	-	2	0.7 %
9	DK/NR	9	3.3 %
<b>Missing Data</b>			
.	-	1	0.4 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Mean: 1.30
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 9
- Standard Deviation: 1.45

Location: 29-29 (width: 1; decimal: 0)

Variable Type: numeric

### SA3: Illness that caused death

Value	Label	Unweighted Frequency	%
1	Cancer	33	12.2 %
2	Diabetes	9	3.3 %
3	Stroke	10	3.7 %
4	Heart attack or heart disease	65	24.1 %
5	Respiratory diseases	59	21.9 %
6	Other	56	20.7 %
7	Septic schock	7	2.6 %
9	DK/NR	13	4.8 %
	<b>Missing Data</b>		
.	-	18	6.7 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 252 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 30-30 (width: 1; decimal: 0)

Variable Type: numeric

### SA4B: Month of death

Value	Label	Unweighted Frequency	%
1	-	27	10.0 %
2	-	15	5.6 %
3	-	16	5.9 %
4	-	22	8.1 %
5	-	23	8.5 %
6	-	20	7.4 %
7	-	32	11.9 %
8	-	21	7.8 %
9	-	24	8.9 %
10	-	25	9.3 %
11	-	16	5.9 %
12	-	26	9.6 %
9999	DK/NR	2	0.7 %
	<b>Missing Data</b>		
.	-	1	0.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Mean: 80.94



- Median: 7.00
- Mode: 7.00
- Minimum: 1
- Maximum: 9999
- Standard Deviation: 860.00

*Location:* 31-34 (width: 4; decimal: 0)  
*Variable Type:* numeric

### SA4C: Year of death

Value	Label	Unweighted Frequency	%
2004	-	2	0.7 %
2005	-	59	21.9 %
2006	-	126	46.7 %
2007	-	72	26.7 %
2008	-	8	3.0 %
9999	DK/NR	2	0.7 %
	<b>Missing Data</b>		
.	-	1	0.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Mean: 2065.52
- Median: 2006.00
- Mode: 2006.00
- Minimum: 2004
- Maximum: 9999
- Standard Deviation: 687.91

*Location:* 35-38 (width: 4; decimal: 0)  
*Variable Type:* numeric

### SA5: months of dead

Value	Label	Unweighted Frequency	%
0	Menos de 1 mes	0	0.0 %
1	-	1	0.4 %
13	-	1	0.4 %
99	NS/NR	0	0.0 %
	<b>Missing Data</b>		
.	-	268	99.3 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 2 valid cases out of 270 total cases.

- Mean: 7.00
- Median: 7.00

- Minimum: 1
- Maximum: 13
- Standard Deviation: 8.49

Location: 39-40 (width: 2; decimal: 0)

Variable Type: numeric

## SA6: Marital status

Value	Label	Unweighted Frequency	%
1	Married/civil union	80	29.6 %
2	Widow(er)	137	50.7 %
3	Other	51	18.9 %
9	DK/NR	1	0.4 %
<b>Missing Data</b>			
.	-	1	0.4 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 41-41 (width: 1; decimal: 0)

Variable Type: numeric

## SA7: Changed house

Value	Label	Unweighted Frequency	%
1	Yes	44	16.3 %
2	No	214	79.3 %
3	Went to group home	4	1.5 %
4	Continued at retirement home	7	2.6 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	1	0.4 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 4

Location: 51-51 (width: 1; decimal: 0)

Variable Type: numeric

## SC1: Had Cancer

Value	Label	Unweighted Frequency	%
1	Yes	43	15.9 %
2	No	223	82.6 %
3	DK/NR	3	1.1 %
<b>Missing Data</b>			
.	-	1	0.4 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 3

*Location:* 54-54 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### SC10: Meds for heart disease

Value	Label	Unweighted Frequency	%
1	Yes	36	13.3 %
2	No	23	8.5 %
9	DK/NR	1	0.4 %
<b>Missing Data</b>			
.	-	210	77.8 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 60 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

*Location:* 64-64 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### SC11: Had other heart disease

Value	Label	Unweighted Frequency	%
1	Yes	60	22.2 %
2	No	204	75.6 %
9	DK/NR	5	1.9 %
<b>Missing Data</b>			
.	-	1	0.4 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 65-65 (width: 1; decimal: 0)  
Variable Type: numeric

## SC12: Had a stroke

Value	Label	Unweighted Frequency	%
1	Yes	32	11.9 %
2	No	235	87.0 %
9	DK/NR	2	0.7 %
<b>Missing Data</b>			
.	-	1	0.4 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 66-66 (width: 1; decimal: 0)  
Variable Type: numeric

## SC13: Falls

Value	Label	Unweighted Frequency	%
1	Yes	92	34.1 %
2	No	172	63.7 %
9	DK/NR	5	1.9 %
<b>Missing Data</b>			
.	-	1	0.4 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 67-67 (width: 1; decimal: 0)  
Variable Type: numeric

## SC14: Number of falls

Value	Label	Unweighted Frequency	%
1	-	53	19.6 %
2	-	17	6.3 %
3	-	14	5.2 %
4	-	4	1.5 %
5	-	2	0.7 %
99	DK/NR	2	0.7 %

Value	Label	Unweighted Frequency	%
.	Missing Data		
.	-	178	65.9 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 92 valid cases out of 270 total cases.

- Mean: 3.84
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 99
- Standard Deviation: 14.30

*Location:* 68-69 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### SC15: Had a fracture

Value	Label	Unweighted Frequency	%
1	Yes	25	9.3 %
2	No	67	24.8 %
9	DK/NR	0	0.0 %
	<b>Missing Data</b>		
.	-	178	65.9 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 92 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 2

*Location:* 70-70 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### SC16: Surgery because of a Fall

Value	Label	Unweighted Frequency	%
1	Yes	11	4.1 %
2	No	81	30.0 %
9	DK/NR	0	0.0 %
	<b>Missing Data</b>		
.	-	178	65.9 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 92 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 2

Location: 71-71 (width: 1; decimal: 0)  
Variable Type: numeric

## SC17: Smokes

Value	Label	Unweighted Frequency	%
1	Yes	22	8.1 %
2	No	247	91.5 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	1	0.4 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 2

Location: 72-72 (width: 1; decimal: 0)  
Variable Type: numeric

## SC18: Smoking Frequency

Value	Label	Unweighted Frequency	%
1	Daily	19	7.0 %
2	Not every day	3	1.1 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	248	91.9 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 22 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 2

Location: 73-73 (width: 1; decimal: 0)  
Variable Type: numeric

## SC19: Cigarettes per day

Value	Label	Unweighted Frequency	%
2	-	1	0.4 %
4	-	1	0.4 %
5	-	2	0.7 %
9	-	1	0.4 %
10	-	4	1.5 %
12	-	1	0.4 %

Value	Label	Unweighted Frequency	%
20	-	6	2.2 %
30	-	1	0.4 %
40	-	2	0.7 %
99	DK/NR	3	1.1 %
	<b>Missing Data</b>		
.	-	248	91.9 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 22 valid cases out of 270 total cases.

- Mean: 27.45
- Median: 20.00
- Mode: 20.00
- Minimum: 2
- Maximum: 99
- Standard Deviation: 30.87

Location: 74-75 (width: 2; decimal: 0)

Variable Type: numeric

---

## SC2: Body part where Cancer begun

Value	Label	Unweighted Frequency	%
1	Stomach	9	3.3 %
2	Other digestive	4	1.5 %
3	Urinary System	0	0.0 %
4	Leukemia	1	0.4 %
5	Lung	3	1.1 %
6	Other respiratory	1	0.4 %
7	Prostate	10	3.7 %
8	Uterus/cervix	1	0.4 %
9	Breast	3	1.1 %
10	Other	11	4.1 %
99	DK/NR	0	0.0 %
	<b>Missing Data</b>		
.	-	227	84.1 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 43 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 10

Location: 55-56 (width: 2; decimal: 0)

Variable Type: numeric

---

## SC20: weight

Value	Label	Unweighted Frequency	%
1	Had increased 5 Kilos or more	11	4.1 %
2	Had decreased 5 Kilos or more	110	40.7 %
3	Was more or less the same	144	53.3 %
9	DK/NR	4	1.5 %
	<b>Missing Data</b>		
.	-	1	0.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 76-76 (width: 1; decimal: 0)

Variable Type: numeric

## SC21: Chronic pain

Value	Label	Unweighted Frequency	%
1	Yes	110	40.7 %
2	No	157	58.1 %
3	DK/NR	2	0.7 %
	<b>Missing Data</b>		
.	-	1	0.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 3

Location: 77-77 (width: 1; decimal: 0)

Variable Type: numeric

## SC21A: Time of chronic pain

Value	Label	Unweighted Frequency	%
1	Less than 1 week	13	4.8 %
2	From 1 to 2 weeks	5	1.9 %
3	15 days to less than 1 month	14	5.2 %
4	From 1 to less than 3 months	31	11.5 %
5	3 Months or more	47	17.4 %
9	DK/NR	0	0.0 %
	<b>Missing Data</b>		
.	-	160	59.3 %



Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 110 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 5

Location: 78-78 (width: 1; decimal: 0)

Variable Type: numeric

## SC22: Depression

Value	Label	Unweighted Frequency	%
1	Yes	131	48.5 %
2	No	134	49.6 %
3	DK/NR	4	1.5 %
	<b>Missing Data</b>		
.	-	1	0.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 3

Location: 79-79 (width: 1; decimal: 0)

Variable Type: numeric

## SC22A: Time of Depression

Value	Label	Unweighted Frequency	%
1	Less than 1 week	5	1.9 %
2	From 1 to 2 weeks	6	2.2 %
3	15 days to less than 1 month	19	7.0 %
4	From 1 to less than 3 months	33	12.2 %
5	3 Months or more	67	24.8 %
9	DK/NR	1	0.4 %
	<b>Missing Data</b>		
.	-	139	51.5 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 131 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 80-80 (width: 1; decimal: 0)

Variable Type: numeric

## SC23: Stop walking

Value	Label	Unweighted Frequency	%
1	Yes	128	47.4 %
2	No	141	52.2 %
9	DK/NR	0	0.0 %
	<b>Missing Data</b>		
.	-	1	0.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 2

Location: 81-81 (width: 1; decimal: 0)

Variable Type: numeric

## SC23A: Time since stop walking

Value	Label	Unweighted Frequency	%
1	Less than 1 week	14	5.2 %
2	From 1 to 2 weeks	11	4.1 %
3	15 days to less than 1 month	19	7.0 %
4	From 1 to less than 3 months	23	8.5 %
5	3 Months or more	74	27.4 %
9	DK/NR	0	0.0 %
	<b>Missing Data</b>		
.	-	129	47.8 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 141 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 5

Location: 82-82 (width: 1; decimal: 0)

Variable Type: numeric

## SC24: Lack of sphincter control

Value	Label	Unweighted Frequency	%
1	Yes	177	65.6 %
2	No	90	33.3 %
3	DK/NR	2	0.7 %
	<b>Missing Data</b>		
.	-	1	0.4 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 3

Location: 83-83 (width: 1; decimal: 0)

Variable Type: numeric

## SC24A: Time since lack of sphincter control

Value	Label	Unweighted Frequency	%
1	Less than 1 week	10	3.7 %
2	From 1 to 2 weeks	11	4.1 %
3	15 days to less than 1 month	18	6.7 %
4	From 1 to less than 3 months	32	11.9 %
5	3 Months or more	105	38.9 %
9	DK/NR	1	0.4 %
	<b>Missing Data</b>		
.	-	93	34.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 177 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 84-84 (width: 1; decimal: 0)

Variable Type: numeric

## SC25: Less quantities of food

Value	Label	Unweighted Frequency	%
1	Yes	198	73.3 %
2	No	70	25.9 %
3	DK/NR	1	0.4 %
	<b>Missing Data</b>		
.	-	1	0.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 3

Location: 85-85 (width: 1; decimal: 0)

Variable Type: numeric

## SC25A: Time since less quantities of food

Value	Label	Unweighted Frequency	%
1	Less than 1 week	13	4.8 %
2	From 1 to 2 weeks	13	4.8 %
3	15 days to less than 1 month	33	12.2 %
4	From 1 to less than 3 months	67	24.8 %
5	3 Months or more	72	26.7 %
9	DK/NR	0	0.0 %
	<b>Missing Data</b>		
.	-	72	26.7 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 198 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 5

Location: 86-86 (width: 1; decimal: 0)

Variable Type: numeric

## SC26: Awarness

Value	Label	Unweighted Frequency	%
1	Yes	201	74.4 %
2	No	68	25.2 %
9	DK/NR	0	0.0 %
	<b>Missing Data</b>		
.	-	1	0.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 2

Location: 87-87 (width: 1; decimal: 0)

Variable Type: numeric

## SC26A: Time since loss of awarness

Value	Label	Unweighted Frequency	%
1	Less than 1 week	22	8.1 %
2	From 1 to 2 weeks	5	1.9 %
3	15 days to less than 1 month	14	5.2 %
4	From 1 to less than 3 months	8	3.0 %
5	3 Months or more	20	7.4 %

Value	Label	Unweighted Frequency	%
9	DK/NR	0	0.0 %
	<b>Missing Data</b>		
.	-	201	74.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 69 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 5

*Location:* 88-88 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## SC27: Intubation

Value	Label	Unweighted Frequency	%
1	Yes	68	25.2 %
2	No	196	72.6 %
3	DK/NR	5	1.9 %
	<b>Missing Data</b>		
.	-	1	0.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 3

*Location:* 89-89 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## SC27A: Time since intubation

Value	Label	Unweighted Frequency	%
1	Less than 1 week	29	10.7 %
2	From 1 to 2 weeks	9	3.3 %
3	15 days to less than 1 month	14	5.2 %
4	From 1 to less than 3 months	8	3.0 %
5	3 Months or more	8	3.0 %
9	DK/NR	0	0.0 %
	<b>Missing Data</b>		
.	-	202	74.8 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 68 valid cases out of 270 total cases.

- Minimum: 1

- Maximum: 5

Location: 90-90 (width: 1; decimal: 0)

Variable Type: numeric

## SC28: Stopped speaking

Value	Label	Unweighted Frequency	%
1	Yes	183	67.8 %
2	No	86	31.9 %
9	DK/NR	0	0.0 %
	<b>Missing Data</b>		
.	-	1	0.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 2

Location: 91-91 (width: 1; decimal: 0)

Variable Type: numeric

## SC28A: Time since stopped speaking

Value	Label	Unweighted Frequency	%
1	Less than 1 week	32	11.9 %
2	From 1 to 2 weeks	15	5.6 %
3	15 days to less than 1 month	19	7.0 %
4	From 1 to less than 3 months	6	2.2 %
5	3 Months or more	14	5.2 %
9	DK/NR	0	0.0 %
	<b>Missing Data</b>		
.	-	184	68.1 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 86 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 5

Location: 92-92 (width: 1; decimal: 0)

Variable Type: numeric

## SC29: Bed last 3 months

Value	Label	Unweighted Frequency	%
1	Yes	173	64.1 %

Value	Label	Unweighted Frequency	%
2	No	96	35.6 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	1	0.4 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 2

Location: 93-93 (width: 1; decimal: 0)

Variable Type: numeric

### SC3: Chemotherapy

Value	Label	Unweighted Frequency	%
0	No	32	11.9 %
1	Yes	11	4.1 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	227	84.1 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 43 valid cases out of 270 total cases.

- Minimum: 0
- Maximum: 1

Location: 57-57 (width: 1; decimal: 0)

Variable Type: numeric

### SC30: Time in bed

Value	Label	Unweighted Frequency	%
1	Less than 1 week	43	15.9 %
2	From 1 to 2 weeks	18	6.7 %
3	15 days to less than 1 month	27	10.0 %
4	From 1 to less than 3 months	85	31.5 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	97	35.9 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 173 valid cases out of 270 total cases.

- Minimum: 1

- Maximum: 4

Location: 94-94 (width: 1; decimal: 0)

Variable Type: numeric

## SC4: Surgery

Value	Label	Unweighted Frequency	%
0	No	30	11.1 %
1	Yes	13	4.8 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	227	84.1 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 43 valid cases out of 270 total cases.

- Minimum: 0
- Maximum: 1

Location: 58-58 (width: 1; decimal: 0)

Variable Type: numeric

## SC5: Radiation

Value	Label	Unweighted Frequency	%
0	No	34	12.6 %
1	Yes	9	3.3 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	227	84.1 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 43 valid cases out of 270 total cases.

- Minimum: 0
- Maximum: 1

Location: 59-59 (width: 1; decimal: 0)

Variable Type: numeric

## SC6: Medications for symptoms

Value	Label	Unweighted Frequency	%
0	No	13	4.8 %
1	Yes	30	11.1 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			



Value	Label	Unweighted Frequency	%
.	-	227	84.1 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 43 valid cases out of 270 total cases.

- Minimum: 0
- Maximum: 1

Location: 60-60 (width: 1; decimal: 0)

Variable Type: numeric

---

## SC7: Apparatuses

Value	Label	Unweighted Frequency	%
0	No	21	7.8 %
1	Yes	22	8.1 %
9	DK/NR	0	0.0 %
	<b>Missing Data</b>		
.	-	227	84.1 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 43 valid cases out of 270 total cases.

- Minimum: 0
- Maximum: 1

Location: 61-61 (width: 1; decimal: 0)

Variable Type: numeric

---

## SC8: Had a pulmonary disease

Value	Label	Unweighted Frequency	%
1	Yes	105	38.9 %
2	No	161	59.6 %
9	DK/NR	3	1.1 %
	<b>Missing Data</b>		
.	-	1	0.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 62-62 (width: 1; decimal: 0)

Variable Type: numeric

---

## SC9: Had a heart attack

Value	Label	Unweighted Frequency	%
1	Yes	60	22.2 %
2	No	203	75.2 %
9	DK/NR	6	2.2 %
<b>Missing Data</b>			
.	-	1	0.4 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

*Location:* 63-63 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### SD1: Insured

Value	Label	Unweighted Frequency	%
1	Yes	262	97.0 %
2	No	3	1.1 %
3	DK/NR	4	1.5 %
<b>Missing Data</b>			
.	-	1	0.4 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 3

*Location:* 95-95 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### SD10: Other surgery

Value	Label	Unweighted Frequency	%
0	No	18	6.7 %
1	Yes	15	5.6 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	237	87.8 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 33 valid cases out of 270 total cases.

- Minimum: 0
- Maximum: 1

Location: 109-109 (width: 1; decimal: 0)

Variable Type: numeric

## SD11: Expenses of hospitalization

Value	Label	Unweighted Frequency	%
0	Nothing	173	64.1 %
9999	DK/NR	3	1.1 %
	<b>Missing Data</b>		
.	-	94	34.8 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 176 valid cases out of 270 total cases.

- Minimum: 0
- Maximum: 9999

Location: 110-113 (width: 4; decimal: 0)

Variable Type: numeric

## SD12: ExpensesHospital more than250k

Value	Label	Unweighted Frequency	%
1	Yes	1	0.4 %
2	No	1	0.4 %
9	DK/NR	1	0.4 %
	<b>Missing Data</b>		
.	-	267	98.9 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 3 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 114-114 (width: 1; decimal: 0)

Variable Type: numeric

## SD13: ExpensesHospital more than130k

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	0	0.0 %
9	DK/NR	1	0.4 %
	<b>Missing Data</b>		
.	-	269	99.6 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 1 valid cases out of 270 total cases.

- Minimum: 9
- Maximum: 9

Location: 115-115 (width: 1; decimal: 0)

Variable Type: numeric

### SD14: ExpensesHospital more than 1million

Value	Label	Unweighted Frequency	%
1	Yes	1	0.4 %
2	No	0	0.0 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	269	99.6 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 1 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 1

Location: 116-116 (width: 1; decimal: 0)

Variable Type: numeric

### SD15: Number of consults

Value	Label	Unweighted Frequency	%
0	None	14	5.2 %
1	-	41	15.2 %
2	-	27	10.0 %
3	-	43	15.9 %
4	-	18	6.7 %
5	-	20	7.4 %
6	-	21	7.8 %
7	-	2	0.7 %
8	-	9	3.3 %
9	-	6	2.2 %
10	-	12	4.4 %
11	-	2	0.7 %
12	-	8	3.0 %
15	-	5	1.9 %
18	-	1	0.4 %
20	-	3	1.1 %
24	-	2	0.7 %
30	-	2	0.7 %

Value	Label	Unweighted Frequency	%
35	-	1	0.4 %
40	-	1	0.4 %
50	-	1	0.4 %
60	-	1	0.4 %
90	-	5	1.9 %
99	DK/NR	24	8.9 %
	<b>Missing Data</b>		
.	-	1	0.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Mean: 15.51
- Median: 4.00
- Mode: 3.00
- Minimum: 0
- Maximum: 99
- Standard Deviation: 29.38

*Location:* 117-118 (width: 2; decimal: 0)

*Variable Type:* numeric

---

## SD16: Expenses on Cosults

Value	Label	Unweighted Frequency	%
0	Nothing	152	56.3 %
8	-	1	0.4 %
9	-	1	0.4 %
10	-	1	0.4 %
12	-	2	0.7 %
14	-	1	0.4 %
15	-	3	1.1 %
16	-	1	0.4 %
20	-	4	1.5 %
23	-	1	0.4 %
25	-	4	1.5 %
30	-	4	1.5 %
35	-	2	0.7 %
36	-	1	0.4 %
40	-	2	0.7 %
41	-	1	0.4 %
45	-	5	1.9 %
50	-	2	0.7 %
60	-	7	2.6 %

Value	Label	Unweighted Frequency	%
73	-	1	0.4 %
75	-	1	0.4 %
81	-	1	0.4 %
90	-	2	0.7 %
100	-	4	1.5 %
120	-	1	0.4 %
135	-	1	0.4 %
150	-	2	0.7 %
160	-	2	0.7 %
180	-	1	0.4 %
200	-	3	1.1 %
240	-	1	0.4 %
250	-	1	0.4 %
280	-	1	0.4 %
300	-	2	0.7 %
950	-	1	0.4 %
9999	DK/NR	11	4.1 %
	<b>Missing Data</b>		
.	-	39	14.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 231 valid cases out of 270 total cases.

- Mean: 503.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 9999
- Standard Deviation: 2129.53

Location: 120-123 (width: 4; decimal: 0)

Variable Type: numeric

## SD17: ExpensesConsult more than65k

Value	Label	Unweighted Frequency	%
1	Yes	7	2.6 %
2	No	2	0.7 %
9	DK/NR	2	0.7 %
	<b>Missing Data</b>		
.	-	259	95.9 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 11 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 124-124 (width: 1; decimal: 0)  
 Variable Type: numeric

### SD18: ExpensesConsult more than15k

Value	Label	Unweighted Frequency	%
1	Yes	1	0.4 %
2	No	0	0.0 %
9	DK/NR	1	0.4 %
<b>Missing Data</b>			
.	-	268	99.3 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 2 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 125-125 (width: 1; decimal: 0)  
 Variable Type: numeric

### SD19: ExpensesConsult 500k

Value	Label	Unweighted Frequency	%
1	Yes	1	0.4 %
2	No	6	2.2 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	263	97.4 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 7 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 2

Location: 126-126 (width: 1; decimal: 0)  
 Variable Type: numeric

### SD2: Type of insurance

Value	Label	Unweighted Frequency	%
1	Salaried employee	1	0.4 %
2	Own or voluntary account	5	1.9 %
3	Granted by the State	34	12.6 %
4	Relative of salaried employee	30	11.1 %

Value	Label	Unweighted Frequency	%
5	Relative of own or voluntary account	5	1.9 %
6	Relative of someone who is granted by the State	0	0.0 %
7	Relative of a pensioned person	28	10.4 %
8	Other	1	0.4 %
9	Pension	156	57.8 %
99	DK/NR	2	0.7 %
	<b>Missing Data</b>		
.	-	8	3.0 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 262 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 99

*Location:* 96-97 (width: 2; decimal: 0)

*Variable Type:* numeric

## SD20: Expenses on Medications

Value	Label	Unweighted Frequency	%
0	Nothing	141	52.2 %
2	-	1	0.4 %
3	-	1	0.4 %
5	-	2	0.7 %
6	-	1	0.4 %
7	-	1	0.4 %
10	-	1	0.4 %
15	-	1	0.4 %
20	-	1	0.4 %
25	-	1	0.4 %
28	-	1	0.4 %
30	-	3	1.1 %
35	-	2	0.7 %
36	-	1	0.4 %
40	-	2	0.7 %
50	-	5	1.9 %
60	-	9	3.3 %
68	-	1	0.4 %
70	-	1	0.4 %
75	-	2	0.7 %
80	-	1	0.4 %
89	-	1	0.4 %
90	-	3	1.1 %



Value	Label	Unweighted Frequency	%
95	-	1	0.4 %
100	-	7	2.6 %
105	-	1	0.4 %
120	-	1	0.4 %
128	-	1	0.4 %
130	-	1	0.4 %
150	-	3	1.1 %
200	-	5	1.9 %
210	-	1	0.4 %
250	-	1	0.4 %
270	-	1	0.4 %
300	-	2	0.7 %
350	-	3	1.1 %
400	-	1	0.4 %
420	-	1	0.4 %
450	-	3	1.1 %
9999	DK/NR	53	19.6 %
	<b>Missing Data</b>		
.	-	1	0.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Mean: 2004.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 9999
- Standard Deviation: 3968.42

Location: 127-130 (width: 4; decimal: 0)

Variable Type: numeric

## SD21: ExpensesMeds more than90k

Value	Label	Unweighted Frequency	%
1	Yes	31	11.5 %
2	No	12	4.4 %
9	DK/NR	10	3.7 %
	<b>Missing Data</b>		
.	-	217	80.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 53 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 131-131 (width: 1; decimal: 0)  
 Variable Type: numeric

### SD22: ExpensesMeds more than40k

Value	Label	Unweighted Frequency	%
1	Yes	5	1.9 %
2	No	5	1.9 %
9	DK/NR	2	0.7 %
<b>Missing Data</b>			
.	-	258	95.6 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 12 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 132-132 (width: 1; decimal: 0)  
 Variable Type: numeric

### SD23: ExpensesMeds 180k

Value	Label	Unweighted Frequency	%
1	Yes	22	8.1 %
2	No	8	3.0 %
9	DK/NR	1	0.4 %
<b>Missing Data</b>			
.	-	239	88.5 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 31 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 133-133 (width: 1; decimal: 0)  
 Variable Type: numeric

### SD24A: Seniors home

Value	Label	Unweighted Frequency	%
1	Yes	5	1.9 %
2	No	249	92.2 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
.	-	16	5.9 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 254 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 2

Location: 134-134 (width: 1; decimal: 0)

Variable Type: numeric

---

### SD24B: nigts at Seniors home

Value	Label	Unweighted Frequency	%
2	-	2	0.7 %
30	-	1	0.4 %
150	-	1	0.4 %
240	-	1	0.4 %
270	-	1	0.4 %
300	-	1	0.4 %
351	-	1	0.4 %
360	-	1	0.4 %
365	-	9	3.3 %
999	DK/NR	2	0.7 %
	<b>Missing Data</b>		
.	-	250	92.6 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 20 valid cases out of 270 total cases.

- Mean: 349.40
- Median: 365.00
- Mode: 365.00
- Minimum: 2
- Maximum: 999
- Standard Deviation: 256.51

Location: 135-137 (width: 3; decimal: 0)

Variable Type: numeric

---

### SD24C: Expenses on Seniors home

Value	Label	Unweighted Frequency	%
0	None	1	0.4 %
100	-	1	0.4 %
110	-	1	0.4 %

Value	Label	Unweighted Frequency	%
180	-	1	0.4 %
384	-	2	0.7 %
420	-	2	0.7 %
520	-	1	0.4 %
540	-	1	0.4 %
550	-	1	0.4 %
600	-	1	0.4 %
800	-	1	0.4 %
1900	-	1	0.4 %
2000	-	1	0.4 %
2500	-	1	0.4 %
3000	-	1	0.4 %
9999	DK/NR	3	1.1 %
	<b>Missing Data</b>		
.	-	250	92.6 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 20 valid cases out of 270 total cases.

- Mean: 2220.25
- Median: 545.00
- Mode: 9999.00
- Minimum: 0
- Maximum: 9999
- Standard Deviation: 3454.79

*Location:* 138-141 (width: 4; decimal: 0)

*Variable Type:* numeric

---

## SD24D: Expenses seniorshome 500k

Value	Label	Unweighted Frequency	%
9	DK/NR	3	1.1 %
	<b>Missing Data</b>		
.	-	267	98.9 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 3 valid cases out of 270 total cases.

- Minimum: 9
- Maximum: 9

*Location:* 142-142 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## SD24E: Expenses seniorshome 250k

Value	Label	Unweighted Frequency	%
1	Sí	0	0.0 %
2	No	0	0.0 %
9	NS/NR	0	0.0 %
<b>Missing Data</b>			
.	-	270	100.0 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 0 valid cases out of 270 total cases.

Location: 143-143 (width: 1; decimal: 0)

Variable Type: numeric

### SD24F: Expenses seniorshome 2million

Value	Label	Unweighted Frequency	%
1	Sí	0	0.0 %
2	No	0	0.0 %
9	NS/NR	0	0.0 %
<b>Missing Data</b>			
.	-	270	100.0 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 0 valid cases out of 270 total cases.

Location: 144-144 (width: 1; decimal: 0)

Variable Type: numeric

### SD24G: Expenses Non medical

Value	Label	Unweighted Frequency	%
0	None	141	52.2 %
15	-	1	0.4 %
25	-	1	0.4 %
28	-	1	0.4 %
30	-	2	0.7 %
35	-	1	0.4 %
50	-	6	2.2 %
60	-	2	0.7 %
72	-	1	0.4 %
83	-	1	0.4 %
90	-	1	0.4 %
100	-	2	0.7 %
150	-	1	0.4 %
180	-	2	0.7 %
200	-	3	1.1 %

Value	Label	Unweighted Frequency	%
228	-	1	0.4 %
240	-	1	0.4 %
250	-	2	0.7 %
300	-	1	0.4 %
350	-	2	0.7 %
360	-	1	0.4 %
400	-	1	0.4 %
420	-	1	0.4 %
450	-	1	0.4 %
500	-	3	1.1 %
570	-	1	0.4 %
600	-	2	0.7 %
700	-	1	0.4 %
720	-	1	0.4 %
850	-	1	0.4 %
880	-	1	0.4 %
1200	-	1	0.4 %
1360	-	1	0.4 %
2000	-	1	0.4 %
3000	-	1	0.4 %
9999	DK/NR	78	28.9 %
	<b>Missing Data</b>		
.	-	1	0.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Mean: 2972.63
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 9999
- Standard Deviation: 4506.84

Location: 145-148 (width: 4; decimal: 0)

Variable Type: numeric

## SD25: Expenses Non medical 320k

Value	Label	Unweighted Frequency	%
1	Yes	50	18.5 %
2	No	12	4.4 %
9	DK/NR	16	5.9 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
.	-	192	71.1 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 78 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 149-149 (width: 1; decimal: 0)

Variable Type: numeric

---

### SD26: Expenses Non medical 130k

Value	Label	Unweighted Frequency	%
1	Yes	5	1.9 %
2	No	6	2.2 %
9	DK/NR	1	0.4 %
	<b>Missing Data</b>		
.	-	258	95.6 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 12 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 150-150 (width: 1; decimal: 0)

Variable Type: numeric

---

### SD27: Expenses Non medical 1million

Value	Label	Unweighted Frequency	%
1	Yes	15	5.6 %
2	No	32	11.9 %
9	DK/NR	3	1.1 %
	<b>Missing Data</b>		
.	-	220	81.5 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 50 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 151-151 (width: 1; decimal: 0)

Variable Type: numeric

---

### SD3: Nights in hospital

Value	Label	Unweighted Frequency	%
0	None	84	31.1 %
1	-	16	5.9 %
2	-	12	4.4 %
3	-	18	6.7 %
4	-	9	3.3 %
5	-	12	4.4 %
6	-	8	3.0 %
7	-	2	0.7 %
8	-	9	3.3 %
9	-	3	1.1 %
10	-	6	2.2 %
11	-	3	1.1 %
12	-	6	2.2 %
13	-	2	0.7 %
14	-	5	1.9 %
15	-	11	4.1 %
16	-	2	0.7 %
17	-	2	0.7 %
20	-	3	1.1 %
21	-	2	0.7 %
22	-	9	3.3 %
24	-	2	0.7 %
25	-	3	1.1 %
27	-	1	0.4 %
30	-	7	2.6 %
31	-	1	0.4 %
32	-	1	0.4 %
35	-	1	0.4 %
36	-	1	0.4 %
40	-	2	0.7 %
42	-	1	0.4 %
45	-	6	2.2 %
50	-	1	0.4 %
60	-	1	0.4 %
70	-	1	0.4 %
75	-	1	0.4 %
80	-	1	0.4 %
90	-	2	0.7 %
120	-	1	0.4 %
150	-	1	0.4 %
220	-	1	0.4 %
999	DK/NR	9	3.3 %



Value	Label	Unweighted Frequency	%
.	Missing Data		
.	-	1	0.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Mean: 44.70
- Median: 4.00
- Mode: 0.00
- Minimum: 0
- Maximum: 999
- Standard Deviation: 179.30

*Location:* 98-100 (width: 3; decimal: 0)

*Variable Type:* numeric

## SD4: Nights in CCSS hospital

Value	Label	Unweighted Frequency	%
0	None	7	2.6 %
1	-	15	5.6 %
2	-	12	4.4 %
3	-	18	6.7 %
4	-	8	3.0 %
5	-	11	4.1 %
6	-	8	3.0 %
7	-	2	0.7 %
8	-	9	3.3 %
9	-	2	0.7 %
10	-	5	1.9 %
11	-	3	1.1 %
12	-	6	2.2 %
13	-	2	0.7 %
14	-	5	1.9 %
15	-	11	4.1 %
16	-	2	0.7 %
17	-	2	0.7 %
20	-	3	1.1 %
21	-	2	0.7 %
22	-	9	3.3 %
24	-	1	0.4 %
25	-	3	1.1 %
27	-	1	0.4 %
30	-	7	2.6 %

Value	Label	Unweighted Frequency	%
31	-	1	0.4 %
32	-	1	0.4 %
35	-	1	0.4 %
36	-	1	0.4 %
40	-	2	0.7 %
42	-	1	0.4 %
45	-	5	1.9 %
50	-	1	0.4 %
60	-	1	0.4 %
70	-	1	0.4 %
75	-	1	0.4 %
80	-	1	0.4 %
88	-	1	0.4 %
90	-	1	0.4 %
120	-	1	0.4 %
150	-	1	0.4 %
220	-	1	0.4 %
999	DK/NR	0	0.0 %
	<b>Missing Data</b>		
.	-	94	34.8 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 176 valid cases out of 270 total cases.

- Mean: 16.67
- Median: 8.00
- Mode: 3.00
- Minimum: 0
- Maximum: 220
- Standard Deviation: 26.09

*Location:* 101-103 (width: 3; decimal: 0)

*Variable Type:* numeric

## SD5: Surgery in hospital

Value	Label	Unweighted Frequency	%
1	Yes	33	12.2 %
2	No	142	52.6 %
3	DK/NR	1	0.4 %
	<b>Missing Data</b>		
.	-	94	34.8 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 176 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 3

Location: 104-104 (width: 1; decimal: 0)  
 Variable Type: numeric

### SD6: Heart surgery

Value	Label	Unweighted Frequency	%
0	No	32	11.9 %
1	Yes	1	0.4 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	237	87.8 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 33 valid cases out of 270 total cases.

- Minimum: 0
- Maximum: 1

Location: 105-105 (width: 1; decimal: 0)  
 Variable Type: numeric

### SD7: Hip surgery

Value	Label	Unweighted Frequency	%
0	No	25	9.3 %
1	Yes	8	3.0 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	237	87.8 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 33 valid cases out of 270 total cases.

- Minimum: 0
- Maximum: 1

Location: 106-106 (width: 1; decimal: 0)  
 Variable Type: numeric

### SD8: Cancer surgery

Value	Label	Unweighted Frequency	%
0	No	30	11.1 %
1	Yes	3	1.1 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
.	-	237	87.8 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 33 valid cases out of 270 total cases.

- Minimum: 0
- Maximum: 1

Location: 107-107 (width: 1; decimal: 0)

Variable Type: numeric

---

## SD9: Amputation surgery

Value	Label	Unweighted Frequency	%
0	No	28	10.4 %
1	Yes	5	1.9 %
9	DK/NR	0	0.0 %
	<b>Missing Data</b>		
.	-	237	87.8 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 33 valid cases out of 270 total cases.

- Minimum: 0
- Maximum: 1

Location: 108-108 (width: 1; decimal: 0)

Variable Type: numeric

---

## SG1: Had assets/belongings

Value	Label	Unweighted Frequency	%
1	Yes	91	33.7 %
2	No	174	64.4 %
9	DK/NR	4	1.5 %
	<b>Missing Data</b>		
.	-	1	0.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 269 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 254-254 (width: 1; decimal: 0)

Variable Type: numeric

---

## SG10: Assets institution

Value	Label	Unweighted Frequency	%
0	No	87	32.2 %
1	Yes	4	1.5 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	179	66.3 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 91 valid cases out of 270 total cases.

- Minimum: 0
- Maximum: 1

*Location:* 267-267 (width: 1; decimal: 0)  
*Variable Type:* numeric

## SG11: Assets Not decided

Value	Label	Unweighted Frequency	%
0	No	83	30.7 %
1	Yes	8	3.0 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	179	66.3 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 91 valid cases out of 270 total cases.

- Minimum: 0
- Maximum: 1

*Location:* 268-268 (width: 1; decimal: 0)  
*Variable Type:* numeric

## SG12: Assets Nobody

Value	Label	Unweighted Frequency	%
0	No	91	33.7 %
1	Yes	0	0.0 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	179	66.3 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 91 valid cases out of 270 total cases.

- Minimum: 0
- Maximum: 0

Location: 269-269 (width: 1; decimal: 0)  
 Variable Type: numeric

### SG13A: Who got MoreAssets

Value	Label	Unweighted Frequency	%
1	Spouse	7	2.6 %
2	Children inside the home	7	2.6 %
3	Children outside the home	8	3.0 %
4	Other relative	1	0.4 %
5	Non-relative	2	0.7 %
6	No one, the government	0	0.0 %
7	Has not been decided	4	1.5 %
9	DK/NR	1	0.4 %
	<b>Missing Data</b>		
.	-	240	88.9 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 30 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 274-274 (width: 1; decimal: 0)  
 Variable Type: numeric

### SG13A1: Assets equally divided

Value	Label	Unweighted Frequency	%
1	Yes	48	17.8 %
2	No	30	11.1 %
9	DK/NR	5	1.9 %
	<b>Missing Data</b>		
.	-	187	69.3 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 83 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 270-270 (width: 1; decimal: 0)  
 Variable Type: numeric

### SG13B: MoreAssets which child in home

Value	Label	Unweighted Frequency	%
2	-	5	1.9 %

Value	Label	Unweighted Frequency	%
3	-	2	0.7 %
	<b>Missing Data</b>		
.	-	263	97.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 7 valid cases out of 270 total cases.

- Mean: 2.29
- Median: 2.00
- Mode: 2.00
- Minimum: 2
- Maximum: 3
- Standard Deviation: 0.49

Location: 271-271 (width: 1; decimal: 0)

Variable Type: numeric

---

### SG13C: MoreAssets which child outside home

Value	Label	Unweighted Frequency	%
1	-	1	0.4 %
2	-	1	0.4 %
4	-	2	0.7 %
5	-	1	0.4 %
6	-	1	0.4 %
7	-	1	0.4 %
10	-	1	0.4 %
	<b>Missing Data</b>		
.	-	262	97.0 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 8 valid cases out of 270 total cases.

- Mean: 4.88
- Median: 4.50
- Mode: 4.00
- Minimum: 1
- Maximum: 10
- Standard Deviation: 2.85

Location: 272-273 (width: 2; decimal: 0)

Variable Type: numeric

---

### SG14: Expenses on funeral

Value	Label	Unweighted Frequency	%
0	None	1	0.4 %

Value	Label	Unweighted Frequency	%
2	-	1	0.4 %
80	-	1	0.4 %
100	-	1	0.4 %
115	-	1	0.4 %
120	-	1	0.4 %
130	-	1	0.4 %
140	-	1	0.4 %
150	-	5	1.9 %
155	-	1	0.4 %
160	-	1	0.4 %
180	-	6	2.2 %
195	-	1	0.4 %
196	-	1	0.4 %
200	-	9	3.3 %
207	-	1	0.4 %
210	-	1	0.4 %
240	-	1	0.4 %
250	-	19	7.0 %
280	-	3	1.1 %
300	-	21	7.8 %
320	-	1	0.4 %
325	-	1	0.4 %
330	-	1	0.4 %
345	-	1	0.4 %
350	-	9	3.3 %
355	-	1	0.4 %
360	-	1	0.4 %
370	-	1	0.4 %
372	-	1	0.4 %
400	-	11	4.1 %
450	-	1	0.4 %
475	-	1	0.4 %
480	-	3	1.1 %
500	-	21	7.8 %
550	-	1	0.4 %
600	-	7	2.6 %
700	-	9	3.3 %
750	-	1	0.4 %
800	-	10	3.7 %
850	-	1	0.4 %
900	-	3	1.1 %
950	-	1	0.4 %



Value	Label	Unweighted Frequency	%
1000	-	10	3.7 %
1100	-	4	1.5 %
1200	-	1	0.4 %
1300	-	1	0.4 %
1400	-	2	0.7 %
1500	-	1	0.4 %
3000	-	1	0.4 %
	<b>Missing Data</b>		
.	-	1	0.4 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 269 valid cases out of 270 total cases.

- Mean: 3454.19
- Median: 600.00
- Mode: 9999.00
- Minimum: 0
- Maximum: 9999
- Standard Deviation: 4427.98

*Location:* 275-278 (width: 4; decimal: 0)

*Variable Type:* numeric

---

## SG15: Funeral Expenses morethan 250k

Value	Label	Unweighted Frequency	%
1	Yes	58	21.5 %
2	No	5	1.9 %
9	DK/NR	21	7.8 %
	<b>Missing Data</b>		
.	-	186	68.9 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 84 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

*Location:* 279-279 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## SG16: Funeral Expenses morethan 100k

Value	Label	Unweighted Frequency	%
1	Yes	5	1.9 %
2	No	0	0.0 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	265	98.1 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 5 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 1

*Location:* 280-280 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### SG17: Funeral Expenses morethan 800k

Value	Label	Unweighted Frequency	%
1	Yes	16	5.9 %
2	No	37	13.7 %
9	DK/NR	5	1.9 %
<b>Missing Data</b>			
.	-	212	78.5 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 58 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

*Location:* 281-281 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### SG18: Life Insurance

Value	Label	Unweighted Frequency	%
1	Yes	174	64.4 %
2	No	71	26.3 %
9	DK/NR	23	8.5 %
<b>Missing Data</b>			
.	-	2	0.7 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 268 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 282-282 (width: 1; decimal: 0)

Variable Type: numeric

## SG18A: Payment of life insurance

Value	Label	Unweighted Frequency	%
30	-	1	0.4 %
40	-	3	1.1 %
50	-	5	1.9 %
52	-	2	0.7 %
53	-	1	0.4 %
55	-	1	0.4 %
56	-	1	0.4 %
59	-	1	0.4 %
63	-	1	0.4 %
65	-	1	0.4 %
76	-	1	0.4 %
80	-	103	38.1 %
85	-	2	0.7 %
90	-	4	1.5 %
95	-	13	4.8 %
100	-	2	0.7 %
120	-	1	0.4 %
130	-	1	0.4 %
140	-	1	0.4 %
175	-	1	0.4 %
200	-	1	0.4 %
300	-	1	0.4 %
350	-	5	1.9 %
360	-	1	0.4 %
580	-	1	0.4 %
700	-	1	0.4 %
880	-	1	0.4 %
9999	DK/NR	17	6.3 %
	<b>Missing Data</b>		
.	-	96	35.6 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 174 valid cases out of 270 total cases.

- Mean: 1071.57
- Median: 80.00
- Mode: 80.00
- Minimum: 30
- Maximum: 9999
- Standard Deviation: 2947.82

Location: 283-286 (width: 4; decimal: 0)

Variable Type: numeric

### SG18B: Life insurance morethan 250k

Value	Label	Unweighted Frequency	%
1	Yes	1	0.4 %
2	No	10	3.7 %
9	DK/NR	6	2.2 %
<b>Missing Data</b>			
.	-	253	93.7 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 17 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 287-287 (width: 1; decimal: 0)

Variable Type: numeric

### SG18C: Life insurance morethan 100k

Value	Label	Unweighted Frequency	%
1	Yes	1	0.4 %
2	No	5	1.9 %
9	DK/NR	4	1.5 %
<b>Missing Data</b>			
.	-	260	96.3 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 10 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 288-288 (width: 1; decimal: 0)

Variable Type: numeric

### SG18D: Life insurance morethan 800k

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	1	0.4 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	269	99.6 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 1 valid cases out of 270 total cases.

- Minimum: 2
- Maximum: 2

Location: 289-289 (width: 1; decimal: 0)

Variable Type: numeric

## SG19: Arrange assets before passing away

Value	Label	Unweighted Frequency	%
1	Yes	108	40.0 %
2	No	151	55.9 %
9	DK/NR	9	3.3 %
<b>Missing Data</b>			
.	-	2	0.7 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 268 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 290-290 (width: 1; decimal: 0)

Variable Type: numeric

## SG2: Value of assets/belongings

Value	Label	Unweighted Frequency	%
1	1 million or less	5	1.9 %
3	-	2	0.7 %
4	-	4	1.5 %
5	-	2	0.7 %
6	-	6	2.2 %
8	-	2	0.7 %
9	-	1	0.4 %
10	-	5	1.9 %
12	-	2	0.7 %
15	-	2	0.7 %
18	-	2	0.7 %
20	-	4	1.5 %
22	-	1	0.4 %
25	-	1	0.4 %
44	-	1	0.4 %
50	-	2	0.7 %
99999	DK/NR	49	18.1 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
.	-	179	66.3 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 91 valid cases out of 270 total cases.

- Mean: 53851.21
- Median: 99999.00
- Mode: 99999.00
- Minimum: 1
- Maximum: 99999
- Standard Deviation: 50121.47

*Location:* 255-259 (width: 5; decimal: 0)

*Variable Type:* numeric

### SG3: ValueAssets morethan 10million

Value	Label	Unweighted Frequency	%
1	Yes	24	8.9 %
2	No	11	4.1 %
9	DK/NR	14	5.2 %
	<b>Missing Data</b>		
.	-	221	81.9 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 49 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

*Location:* 260-260 (width: 1; decimal: 0)

*Variable Type:* numeric

### SG4: ValueAssets morethan 5million

Value	Label	Unweighted Frequency	%
1	Yes	7	2.6 %
2	No	3	1.1 %
9	DK/NR	1	0.4 %
	<b>Missing Data</b>		
.	-	259	95.9 %
	<b>Total</b>	<b>270</b>	<b>100%</b>

Based upon 11 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 261-261 (width: 1; decimal: 0)

Variable Type: numeric

## SG5: ValueAssets morethan 20million

Value	Label	Unweighted Frequency	%
1	Yes	13	4.8 %
2	No	10	3.7 %
9	DK/NR	1	0.4 %
<b>Missing Data</b>			
.	-	246	91.1 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 24 valid cases out of 270 total cases.

- Minimum: 1
- Maximum: 9

Location: 262-262 (width: 1; decimal: 0)

Variable Type: numeric

## SG6: Assets to spouse

Value	Label	Unweighted Frequency	%
0	No	72	26.7 %
1	Yes	19	7.0 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	179	66.3 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 91 valid cases out of 270 total cases.

- Minimum: 0
- Maximum: 1

Location: 263-263 (width: 1; decimal: 0)

Variable Type: numeric

## SG7: Assets child insidehouse

Value	Label	Unweighted Frequency	%
0	No	53	19.6 %
1	Yes	38	14.1 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	179	66.3 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 91 valid cases out of 270 total cases.

- Minimum: 0
- Maximum: 1

Location: 264-264 (width: 1; decimal: 0)

Variable Type: numeric

---

### SG8: Assets child outsidehouse

Value	Label	Unweighted Frequency	%
0	No	55	20.4 %
1	Yes	36	13.3 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	179	66.3 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 91 valid cases out of 270 total cases.

- Minimum: 0
- Maximum: 1

Location: 265-265 (width: 1; decimal: 0)

Variable Type: numeric

---

### SG9: Assets to other relative

Value	Label	Unweighted Frequency	%
0	No	77	28.5 %
1	Yes	14	5.2 %
9	DK/NR	0	0.0 %
<b>Missing Data</b>			
.	-	179	66.3 %
<b>Total</b>		<b>270</b>	<b>100%</b>

Based upon 91 valid cases out of 270 total cases.

- Minimum: 0
- Maximum: 1

Location: 266-266 (width: 1; decimal: 0)

Variable Type: numeric