

ICPSR 31421

**New York City Health and Nutrition
Examination Survey (NYC HANES),
2004**

*New York City Department of Health and
Mental Hygiene*

*United States Department of Health and
Human Services. Centers for Disease
Control and Prevention. National Center
for Health Statistics*

Codebook for Audio Computer-Assisted
Self-Interview (ACASI)

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/31421/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTE FOR # 31421

*The New York City Health and Nutrition Examination Survey (NYC HANES)
Audio Computer-Assisted Self-Interview (ACASI)*

1) Unknown Variables:

- The following variables were included in the data deposited to ICPSR but do not appear in accompanying documentation nor the variable list and the questionnaire on the NYC HANES website www.nyc.gov/health/nychanes. No additional information was given for these variables:
 - **TUQ010**
 - **TUQ020.**

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--Audio Computer-Assisted Self-Interview (ACASI)

Variable Name and Label (Total Cases = 1725)		Percent of Cases with Missing Values
2.7% (2 of 75 variables)		have 0% Missing Values
6.7% (5 of 75 variables)		have 0% - 1% Missing Values
1.3% (1 of 75 variables)		have 1% - 3% Missing Values
0.0% (0 of 75 variables)		have 3% - 5% Missing Values
8.0% (6 of 75 variables)		have 5% - 10% Missing Values
SXQ030	Age when first had sexual intercourse	7.6%
SXQ255	Chance you have HIV or another STD	7.7%
SXQ260	Doctor ever told you had genital herpes	7.7%
SXQ265	Doctor ever told you had genital warts	7.7%
SXQ270	Doctor ever told you had gonorrhea	7.7%
SXQ272	Doctor ever told you had chlamydia	7.7%
0.0% (0 of 75 variables)		have 10% - 20% Missing Values
0.0% (0 of 75 variables)		have 20% - 40% Missing Values
73.3% (55 of 75 variables)		have 40% - 99% Missing Values
SXQ100	Females - # men sex intercourse partners/life	46.3%
SXQ120	Females - # men sex intercourse partners/year	47.2%
SXQ130	Females - # women sex intercourse partners/life	46.3%
SXQ150	Females - # women sex intercourse partners/year	94.2%
SXQ170	Males - # women sex intercourse partners/life	61.4%
SXQ190	Males - # women sex intercourse partners/year	62.8%
SXQ200	Males - # men sex intercourse partners/lifetime	61.4%
SXQ220	Males - # men sex intercourse partners/year	96.3%
SXQ235	Last encounter w/ main sexual partner	80.3%
SXQ241	# sexual intercourse partners/past month	80.3%
SXQ250	# times had sex with condom/past month	83.9%
SXQ280	Are you circumcised or uncircumcised	58.6%
SXQ292	Males - How you describe your sexual orientation	58.6%
SXQ294	Females - How you describe your sexual orientation	41.9%
DUQ110	# days used street drugs over past year	82.1%

Table 1: Distribution of Variables by Percentage of Missing Values--Audio Computer-Assisted Self-Interview (ACASI)

Variable Name and Label (Total Cases = 1725)		Percent of Cases with Missing Values
DUQ120	Ever used a needle to take street drugs	82.1%
DUQ130	# days used needle for street drugs/year	98.7%
DUQ510	Used illegal drugs last 12 months	82.1%
DUQ520A	Used Marijuana in the past 12 months	93.0%
DUQ520B	Used Hashish in the past 12 months	99.1%
DUQ520C	Used Inhalants in the past 12 months	99.8%
DUQ520D	Used LSD in the past 12 months	99.8%
DUQ520E	Used Psilocybin/mushrooms pst 12 mnth	99.2%
DUQ520F	Used Opium in the past 12 months	99.9%
DUQ520G	Used Cocaine in the past 12 months	96.1%
DUQ520H	Used Crack in the past 12 months	99.5%
DUQ520I	Used Heroin in the past 12 months	99.4%
DUQ520J	Used PCP in the past 12 months	99.9%
DUQ520L	Used Meth/Crystal meth past 12 months	99.8%
DUQ520M	Used Ecstasy in the past 12 months	98.6%
DUQ520N	Used other club drugs past 12 months	99.7%
DUQ530A	Used Marijuana > 5 times in 12 months	93.1%
DUQ530B	Used Hashish > 5 times in 12 months	99.1%
DUQ530C	Used Inhalants > 5 times in 12 months	99.8%
DUQ530D	Used LSD > 5 times in 12 months	99.8%
DUQ530E	Used Psylocybin/mush > 5 x in 12 mnths	99.2%
DUQ530F	Used Opium > 5 times in past 12 months	99.9%
DUQ530G	Used Cocaine > 5 times in 12 months	96.1%
DUQ530H	Used Crack > 5 times in 12 months	99.5%
DUQ530I	Used Heroin > 5 times in 12 months	99.4%
DUQ530J	Used PCP > 5 times in 12 months	99.9%
DUQ530L	Used Meth/Crystal > 5 x in 12 months	99.8%
DUQ530M	Used Ecstasy > 5 times in 12 months	98.6%
DUQ530N	Used other club drugs > 5 x pst 12 mnths	99.7%
DUQ540	Doctor prescribe medicines to you?	82.1%
DUQ550	Used any of these medicines > 5 times.	97.1%
DUQ560A	Used Sleeping pills when not prescribed	99.7%
DUQ560B	Used Tranquilizers when not prescribed	99.9%
DUQ560C	Used Valium when not prescribed	99.9%
DUQ560D	Used Xanax when not prescribed	99.9%
DUQ560F	Used Codeine when not prescribed	99.9%
DUQ560H	Used Oxycotin when not prescribed	99.9%

Table 1: Distribution of Variables by Percentage of Missing Values--Audio Computer-Assisted Self-Interview (ACASI)

Variable Name and Label (Total Cases = 1725)		Percent of Cases with Missing Values
DUQ560I	Used Percodan when not prescribed	99.9%
DUQ560J	Used Amphetamines when not prescribed	99.9%
DUQ560L	Used Methadone when not prescribed	99.9%
8.0% (6 of 75 variables)	have 100% missing values	
DUQ520K	Used Glue past 12 months	100.0%
DUQ530K	Used Glue > 5 times in 12 months?	100.0%
DUQ560E	Used Seconal when not prescribed	100.0%
DUQ560G	Used Darvon when not prescribed	100.0%
DUQ560K	Used Morphine when not prescribed	100.0%
DUQ560M	Used Buprenorphine when not prescribed	100.0%

ICPSR 31421

The New York City Health and Nutrition Examination Survey (NYC HANES)

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

The New York City Health and Nutrition Examination Survey (NYC HANES)

Audio Computer-Assisted Self-Interview (ACASI)

SP_ID Sample person identifier

Location: 1-6 (width: 6; decimal: 0)

Variable Type: numeric

Based upon 1725 valid cases out of 1725 total cases.

- Mean: 538454.34
- Minimum: 100230.00
- Maximum: 999718.00
- Standard Deviation: 267014.42

TUQ010 TUQ010

Location: 7-7 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	712	41.3 %
2	1009	58.5 %
7	4	0.2 %

Based upon 1725 valid cases out of 1725 total cases.

- Mean: 1.60
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 0.56

TUQ020 TUQ020

Location: 8-9 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	14	0.8 %
1	10	0.6 %
2	68	3.9 %
3	70	4.1 %
4	92	5.3 %
5	226	13.1 %

- Study 31421 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	397	23.0 %
7	345	20.0 %
8	299	17.3 %
9	68	3.9 %
10	22	1.3 %
11	3	0.2 %
12	8	0.5 %
13	3	0.2 %
16	1	0.1 %
19	1	0.1 %
22	2	0.1 %
23	4	0.2 %
25	1	0.1 %
30	1	0.1 %
31	1	0.1 %
32	1	0.1 %
33	1	0.1 %
35	1	0.1 %
44	2	0.1 %
47	1	0.1 %
51	1	0.1 %
54	1	0.1 %
55	9	0.5 %
56	3	0.2 %
57	1	0.1 %
59	1	0.1 %
60	1	0.1 %
65	1	0.1 %
66	16	0.9 %
67	2	0.1 %
69	1	0.1 %
71	1	0.1 %
77	13	0.8 %
80	1	0.1 %
87	1	0.1 %
88	9	0.5 %
90	1	0.1 %
95	1	0.1 %
99	1	0.1 %
. (M)	18	1.0 %

- Study 31421 -

Based upon 1707 valid cases out of 1725 total cases.

- Mean: 8.86
- Median: 6.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 12.87

SXQ020 Ever had sexual intercourse

Location: 10-10 (width: 1; decimal: 0)

Variable Type: numeric

Question:

The next set of questions is about your sexual behavior. By sex, we mean vaginal, oral, or anal sex. Please remember that your answers are strictly confidential.

Have you ever had sex?

VERBAL INSTRUCTIONS TO SP:

Please select yes, no.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1594	92.4 %
2	No	102	5.9 %
7	Refused	12	0.7 %
9	Do not know	12	0.7 %
. (M)	-	5	0.3 %

Based upon 1720 valid cases out of 1725 total cases.

- Mean: 1.16
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 0.86

SXQ030 Age when first had sexual intercourse

Location: 11-13 (width: 3; decimal: 0)

Variable Type: numeric

Question:

How old were you when you had sex for the first time?

VERBAL INSTRUCTIONS TO SP:

Please enter an age.

- Study 31421 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	9	0.5 %
2	-	3	0.2 %
5	-	6	0.3 %
6	-	2	0.1 %
7	-	7	0.4 %
8	-	5	0.3 %
9	-	14	0.8 %
10	-	6	0.3 %
11	-	14	0.8 %
12	-	31	1.8 %
13	-	58	3.4 %
14	-	94	5.4 %
15	-	144	8.3 %
16	-	223	12.9 %
17	-	194	11.2 %
18	-	227	13.2 %
19	-	124	7.2 %
20	-	105	6.1 %
21	-	102	5.9 %
22	-	48	2.8 %
23	-	42	2.4 %
24	-	25	1.4 %
25	-	24	1.4 %
26	-	15	0.9 %
27	-	12	0.7 %
28	-	10	0.6 %
29	-	5	0.3 %
30	-	8	0.5 %
31	-	1	0.1 %
32	-	2	0.1 %
33	-	2	0.1 %
34	-	2	0.1 %
35	-	3	0.2 %
36	-	2	0.1 %
38	-	2	0.1 %
40	-	1	0.1 %
42	-	1	0.1 %
777	Refused	12	0.7 %
999	Don't know	9	0.5 %
. (M)	-	131	7.6 %

- Study 31421 -

Based upon 1594 valid cases out of 1725 total cases.

- Mean: 28.93
- Median: 17.00
- Mode: 18.00
- Minimum: 1.00
- Maximum: 999.00
- Standard Deviation: 98.36

SXQ100

Females - # men sex intercourse partners/life

Location: 14-18 (width: 5; decimal: 0)

Variable Type: numeric

Question:

In your lifetime, with how many men have you had sex?

VERBAL INSTRUCTIONS TO SP:

Please enter a number or enter zero for none.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	6	0.3 %
1	-	181	10.5 %
2	-	116	6.7 %
3	-	111	6.4 %
4	-	76	4.4 %
5	-	88	5.1 %
6	-	51	3.0 %
7	-	33	1.9 %
8	-	28	1.6 %
9	-	19	1.1 %
10	-	47	2.7 %
11	-	6	0.3 %
12	-	11	0.6 %
13	-	8	0.5 %
14	-	2	0.1 %
15	-	20	1.2 %
16	-	4	0.2 %
17	-	1	0.1 %
18	-	4	0.2 %
19	-	1	0.1 %
20	-	27	1.6 %
21	-	3	0.2 %
22	-	3	0.2 %
23	-	1	0.1 %

- Study 31421 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
24	-	1	0.1 %
25	-	9	0.5 %
30	-	12	0.7 %
31	-	1	0.1 %
32	-	1	0.1 %
34	-	1	0.1 %
39	-	1	0.1 %
40	-	4	0.2 %
44	-	1	0.1 %
45	-	3	0.2 %
50	-	12	0.7 %
52	-	1	0.1 %
55	-	1	0.1 %
57	-	1	0.1 %
60	-	2	0.1 %
66	-	1	0.1 %
68	-	1	0.1 %
70	-	1	0.1 %
75	-	2	0.1 %
80	-	3	0.2 %
99	-	2	0.1 %
100	-	6	0.3 %
1000	-	1	0.1 %
1111	-	1	0.1 %
77777	Refused	6	0.3 %
99999	Don't know	5	0.3 %
. (M)	-	798	46.3 %

Based upon 927 valid cases out of 1725 total cases.

- Mean: 1053.41
- Median: 4.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99999.00
- Standard Deviation: 9595.96

SXQ120

Females - # men sex intercourse partners/year

Location:

19-23 (width: 5; decimal: 0)

Variable Type:

numeric

- Study 31421 -

Question:

In the past 12 months, with how many men have you had sex?

VERBAL INSTRUCTIONS TO SP:

Please enter a number or enter zero for none.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	171	9.9 %
1	-	593	34.4 %
2	-	68	3.9 %
3	-	28	1.6 %
4	-	11	0.6 %
5	-	13	0.8 %
6	-	4	0.2 %
7	-	2	0.1 %
8	-	1	0.1 %
9	-	1	0.1 %
10	-	3	0.2 %
11	-	1	0.1 %
20	-	1	0.1 %
40	-	1	0.1 %
60	-	1	0.1 %
100	-	1	0.1 %
77777	Refused	3	0.2 %
99999	Don't know	7	0.4 %
. (M)	-	815	47.2 %

Based upon 910 valid cases out of 1725 total cases.

- Mean: 1026.99
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99999.00
- Standard Deviation: 9793.61

SXQ130

Females - # women sex intercourse partners/life

Location: 24-28 (width: 5; decimal: 0)

Variable Type: numeric

Question:

In your lifetime, with how many women have you had sex?

VERBAL INSTRUCTIONS TO SP:

Please enter a number or enter zero for none.

- Study 31421 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	814	47.2 %
1	-	42	2.4 %
2	-	19	1.1 %
3	-	16	0.9 %
4	-	3	0.2 %
5	-	8	0.5 %
6	-	1	0.1 %
7	-	1	0.1 %
8	-	4	0.2 %
10	-	4	0.2 %
12	-	1	0.1 %
50	-	1	0.1 %
77777	Refused	8	0.5 %
99999	Don't know	5	0.3 %
. (M)	-	798	46.3 %

Based upon 927 valid cases out of 1725 total cases.

- Mean: 1210.94
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99999.00
- Standard Deviation: 10236.61

SXQ150

Females - # women sex intercourse partners/year

Location: 29-33 (width: 5; decimal: 0)

Variable Type: numeric

Question:

In the past 12 months, with how many women have you had sex?

VERBAL INSTRUCTIONS TO SP:

Please enter a number or enter zero for none.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	63	3.7 %
1	-	21	1.2 %
2	-	6	0.3 %
3	-	4	0.2 %
4	-	1	0.1 %
5	-	2	0.1 %

- Study 31421 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	-	1	0.1 %
77777	Refused	1	0.1 %
99999	Don't know	1	0.1 %
.(M)	-	1625	94.2 %

Based upon 100 valid cases out of 1725 total cases.

- Mean: 1778.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99999.00
- Standard Deviation: 12606.22

SXQ170

Males - # women sex intercourse partners/life

Location: 34-38 (width: 5; decimal: 0)

Variable Type: numeric

Question:

In your lifetime, with how many women have you had sex?

VERBAL INSTRUCTIONS TO SP:

Please enter a number or enter zero for none.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	18	1.0 %
1	-	64	3.7 %
2	-	40	2.3 %
3	-	55	3.2 %
4	-	34	2.0 %
5	-	56	3.2 %
6	-	36	2.1 %
7	-	22	1.3 %
8	-	19	1.1 %
9	-	15	0.9 %
10	-	48	2.8 %
11	-	5	0.3 %
12	-	20	1.2 %
13	-	6	0.3 %
14	-	4	0.2 %
15	-	31	1.8 %
16	-	7	0.4 %

- Study 31421 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
17	-	3	0.2 %
18	-	1	0.1 %
19	-	4	0.2 %
20	-	29	1.7 %
21	-	2	0.1 %
22	-	3	0.2 %
23	-	3	0.2 %
24	-	2	0.1 %
25	-	24	1.4 %
26	-	1	0.1 %
27	-	3	0.2 %
30	-	21	1.2 %
32	-	2	0.1 %
34	-	1	0.1 %
35	-	5	0.3 %
36	-	1	0.1 %
40	-	9	0.5 %
45	-	6	0.3 %
48	-	1	0.1 %
50	-	15	0.9 %
55	-	1	0.1 %
60	-	5	0.3 %
65	-	2	0.1 %
66	-	1	0.1 %
70	-	1	0.1 %
75	-	1	0.1 %
80	-	1	0.1 %
85	-	2	0.1 %
86	-	1	0.1 %
96	-	1	0.1 %
100	-	8	0.5 %
102	-	1	0.1 %
123	-	2	0.1 %
150	-	2	0.1 %
180	-	1	0.1 %
200	-	2	0.1 %
222	-	1	0.1 %
250	-	2	0.1 %
300	-	1	0.1 %
360	-	1	0.1 %

- Study 31421 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
450	-	1	0.1 %
500	-	1	0.1 %
650	-	1	0.1 %
1500	-	1	0.1 %
2000	-	1	0.1 %
9999	-	1	0.1 %
77777	Refused	2	0.1 %
99999	Don't know	5	0.3 %
. (M)	-	1059	61.4 %

Based upon 666 valid cases out of 1725 total cases.

- Mean: 1024.14
- Median: 8.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99999.00
- Standard Deviation: 9617.26

SXQ190

Males - # women sex intercourse partners/year

Location: 39-43 (width: 5; decimal: 0)

Variable Type: numeric

Question:

In the past 12 months, with how many women have you had sex?

VERBAL INSTRUCTIONS TO SP:

Please enter a number or enter zero for none.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	89	5.2 %
1	-	377	21.9 %
2	-	64	3.7 %
3	-	35	2.0 %
4	-	14	0.8 %
5	-	19	1.1 %
6	-	10	0.6 %
7	-	1	0.1 %
8	-	3	0.2 %
9	-	3	0.2 %
10	-	1	0.1 %
11	-	1	0.1 %

- Study 31421 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
12	-	2	0.1 %
13	-	1	0.1 %
15	-	5	0.3 %
17	-	2	0.1 %
18	-	1	0.1 %
23	-	1	0.1 %
25	-	2	0.1 %
30	-	2	0.1 %
40	-	1	0.1 %
42	-	1	0.1 %
89	-	1	0.1 %
100	-	1	0.1 %
500	-	1	0.1 %
77777	Refused	2	0.1 %
99999	Don't know	1	0.1 %
. (M)	-	1084	62.8 %

Based upon 641 valid cases out of 1725 total cases.

- Mean: 401.75
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99999.00
- Standard Deviation: 5862.37

SXQ200

Males - # men sex intercourse partners/lifetime

Location: 44-48 (width: 5; decimal: 0)

Variable Type: numeric

Question:

In your lifetime, with how many men have you had sex?

VERBAL INSTRUCTIONS TO SP:

Please enter a number or enter zero for none.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	591	34.3 %
1	-	12	0.7 %
2	-	7	0.4 %
3	-	7	0.4 %
4	-	1	0.1 %

- Study 31421 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	-	3	0.2 %
6	-	1	0.1 %
8	-	1	0.1 %
9	-	1	0.1 %
10	-	1	0.1 %
15	-	1	0.1 %
18	-	1	0.1 %
20	-	2	0.1 %
23	-	1	0.1 %
25	-	2	0.1 %
30	-	3	0.2 %
40	-	1	0.1 %
46	-	1	0.1 %
48	-	1	0.1 %
49	-	1	0.1 %
50	-	2	0.1 %
60	-	2	0.1 %
80	-	1	0.1 %
100	-	6	0.3 %
125	-	1	0.1 %
500	-	1	0.1 %
1000	-	1	0.1 %
5000	-	1	0.1 %
77777	Refused	6	0.3 %
99999	Don't know	6	0.3 %
. (M)	-	1059	61.4 %

Based upon 666 valid cases out of 1725 total cases.

- Mean: 1613.66
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99999.00
- Standard Deviation: 11926.25

SXQ220

Males - # men sex intercourse partners/year

Location: 49-51 (width: 3; decimal: 0)

Variable Type: numeric

Question:

In the past 12 months, with how many men have you had sex?

- Study 31421 -

VERBAL INSTRUCTIONS TO SP:

Please enter a number or enter zero for none.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	28	1.6 %
1	13	0.8 %
2	3	0.2 %
3	3	0.2 %
4	4	0.2 %
5	2	0.1 %
7	2	0.1 %
10	1	0.1 %
15	2	0.1 %
20	1	0.1 %
25	1	0.1 %
30	1	0.1 %
48	1	0.1 %
100	1	0.1 %
. (M)	1662	96.3 %

Based upon 63 valid cases out of 1725 total cases.

- Mean: 5.25
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 14.65

SXQ235

Last encounter w/ main sexual partner

Location: 52-52 (width: 1; decimal: 0)

Variable Type: numeric

Question: For this survey, we use the term 'main sexual partner' to describe someone who is your spouse, lover, or anyone else you feel committed to or have a special relationship with. The last time you had sex, was it with your main sexual partner?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	232	13.4 %
2	No	105	6.1 %
7	Refused	2	0.1 %
9	Do not know	1	0.1 %
. (M)	-	1385	80.3 %

Based upon 340 valid cases out of 1725 total cases.

- Study 31421 -

- Mean: 1.37
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 0.76

SXQ241 # sexual intercourse partners/past month

Location: 53-57 (width: 5; decimal: 0)

Variable Type: numeric

Question:

In the past 30 days, with how many people have you had sex?

VERBAL INSTRUCTIONS TO SP:

Please enter a number or enter zero for none.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	60	3.5 %
1	-	187	10.8 %
2	-	55	3.2 %
3	-	15	0.9 %
4	-	4	0.2 %
5	-	5	0.3 %
6	-	2	0.1 %
8	-	2	0.1 %
10	-	4	0.2 %
14	-	1	0.1 %
30	-	2	0.1 %
77777	Refused	1	0.1 %
99999	Don't know	2	0.1 %
. (M)	-	1385	80.3 %

Based upon 340 valid cases out of 1725 total cases.

- Mean: 818.53
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99999.00
- Standard Deviation: 8727.45

SXQ250 # times had sex with condom/past month

Location: 58-62 (width: 5; decimal: 0)

- Study 31421 -

Variable Type: numeric

Question: In the past 30 days, how many times have you had sex without using a condom?

VERBAL INSTRUCTIONS TO SP:
Please enter a number or enter zero for none.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	116	6.7 %
1	-	38	2.2 %
2	-	22	1.3 %
3	-	14	0.8 %
4	-	12	0.7 %
5	-	23	1.3 %
6	-	5	0.3 %
8	-	9	0.5 %
9	-	1	0.1 %
10	-	12	0.7 %
12	-	3	0.2 %
15	-	8	0.5 %
20	-	2	0.1 %
25	-	1	0.1 %
30	-	5	0.3 %
35	-	1	0.1 %
36	-	1	0.1 %
40	-	1	0.1 %
50	-	1	0.1 %
55	-	1	0.1 %
99999	Don't know	1	0.1 %
. (M)	-	1448	83.9 %

Based upon 277 valid cases out of 1725 total cases.

- Mean: 365.00
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99999.00
- Standard Deviation: 6008.12

SXQ255 Chance you have HIV or another STD

Location: 63-63 (width: 1; decimal: 0)

Variable Type: numeric

- Study 31421 -

Question:

Sexually transmitted diseases include HIV, genital warts, gonorrhea (also clap or GC), chlamydia and syphilis. What is the chance that you currently have HIV or any other sexually transmitted disease? Would you say...

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	High	30	1.7 %
2	Medium	40	2.3 %
3	Low	256	14.8 %
4	None	1209	70.1 %
7	Refused	11	0.6 %
9	Do not know	46	2.7 %
. (M)	-	133	7.7 %

Based upon 1592 valid cases out of 1725 total cases.

- Mean: 3.90
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 1.10

SXQ260

Doctor ever told you had genital herpes

Location:

64-64 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

Has a doctor or other health care professional ever told you that you had genital herpes?

VERBAL INSTRUCTIONS TO SP:

Please select yes, no.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	79	4.6 %
2	No	1496	86.7 %
7	Refused	6	0.3 %
9	Do not know	11	0.6 %
. (M)	-	133	7.7 %

Based upon 1592 valid cases out of 1725 total cases.

- Mean: 2.02
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 9.00

- Study 31421 -

- Standard Deviation: 0.69

SXQ265 Doctor ever told you had genital warts

Location: 65-65 (width: 1; decimal: 0)

Variable Type: numeric

Question: Has a doctor or other health care professional ever told you that you had genital warts?

VERBAL INSTRUCTIONS TO SP:

Please select yes, no.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	65	3.8 %
2	No	1516	87.9 %
7	Refused	1	0.1 %
9	Do not know	10	0.6 %
. (M)	-	133	7.7 %

Based upon 1592 valid cases out of 1725 total cases.

- Mean: 2.01
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 0.60

SXQ270 Doctor ever told you had gonorrhea

Location: 66-66 (width: 1; decimal: 0)

Variable Type: numeric

Question: In the past 12 months, has a doctor or other health care professional told you that you had gonorrhea, sometimes called GC or clap?

VERBAL INSTRUCTIONS TO SP:

Please select yes, no.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	12	0.7 %
2	No	1574	91.2 %
7	Refused	1	0.1 %
9	Do not know	5	0.3 %
. (M)	-	133	7.7 %

- Study 31421 -

Based upon 1592 valid cases out of 1725 total cases.

- Mean: 2.02
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 0.42

SXQ272 Doctor ever told you had chlamydia

Location: 67-67 (width: 1; decimal: 0)

Variable Type: numeric

Question:

In the past 12 months, has a doctor or other health care professional told you that you had chlamydia?

VERBAL INSTRUCTIONS TO SP:

Please select yes, no.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	23	1.3 %
2	No	1557	90.3 %
7	Refused	4	0.2 %
9	Do not know	8	0.5 %
. (M)	-	133	7.7 %

Based upon 1592 valid cases out of 1725 total cases.

- Mean: 2.03
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 0.57

SXQ280 Are you circumcised or uncircumcised

Location: 68-68 (width: 1; decimal: 0)

Variable Type: numeric

Question:

Are you circumcised or uncircumcised? HAND CARD SXQ1 - CLINICAL SKETCH OF CIRCUMCISED PENIS HAND CARD SXQ2 - CLINICAL SKETCH OF UNCIRCUMCISED PENIS INSTRUCTIONS TO SP: Please select circumcised, uncircumcised. Press a picture button to illustrate a choice.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	382	22.1 %
2	No	279	16.2 %

- Study 31421 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	Refused	15	0.9 %
9	Do not know	39	2.3 %
. (M)	-	1010	58.6 %

Based upon 715 valid cases out of 1725 total cases.

- Mean: 1.95
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 1.93

SXQ292

Males - How you describe your sexual orientation

Location: 69-69 (width: 1; decimal: 0)

Variable Type: numeric

Question: Do you think of yourself as... Heterosexual or straight (that is, sexually attracted only to women), Homosexual or gay (that is, sexually attracted only to men), Bisexual (that is, sexually attracted to men and women), Something else or You're not sure?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Heterosexual or straight (attracted to women)	626	36.3 %
2	Homosexual or gay (attracted to men)	27	1.6 %
3	Bisexual (attracted to men and women)	14	0.8 %
4	Something else	5	0.3 %
5	Not sure?	31	1.8 %
7	Refused	1	0.1 %
9	Do not know	11	0.6 %
. (M)	-	1010	58.6 %

Based upon 715 valid cases out of 1725 total cases.

- Mean: 1.40
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 1.32

SXQ294

Females - How you describe your sexual orientation

Location: 70-70 (width: 1; decimal: 0)

Variable Type: numeric

- Study 31421 -

Question:

Do you think of yourself as... Heterosexual or straight (that is, sexually attracted only to men), Homosexual or gay (that is, sexually attracted only to women), Bisexual (that is, sexually attracted to men and women), Something else or You're not sure?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Heterosexual or straight (attracted to men)	874	50.7 %
2	Homosexual or lesbian (attracted to women)	15	0.9 %
3	Bisexual (attracted to men and women)	31	1.8 %
4	Something else	11	0.6 %
5	Not sure?	32	1.9 %
7	Refused	10	0.6 %
9	Do not know	30	1.7 %
. (M)	-	722	41.9 %

Based upon 1003 valid cases out of 1725 total cases.

- Mean: 1.54
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 1.65

DUQ100

Ever used cocaine or other street drug

Location:

71-71 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

The following questions ask about drug use.

Have you ever used cocaine, including crack or freebase, or other street drugs? Do not include marijuana.

VERBAL INSTRUCTIONS TO SP:

Please select yes, no.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	309	17.9 %
2	No	1401	81.2 %
7	Refused	3	0.2 %
9	Do not know	5	0.3 %
. (M)	-	7	0.4 %

Based upon 1718 valid cases out of 1725 total cases.

- Mean: 1.85
- Median: 2.00

- Study 31421 -

- Mode: 2.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 0.59

DUQ110 # days used street drugs over past year

Location: 72-74 (width: 3; decimal: 0)

Variable Type: numeric

Question:

In the past 12 months, how many days have you used cocaine, including crack or freebase, or other street drugs?

VERBAL INSTRUCTIONS TO SP:
Please enter a number.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	217	12.6 %
1	-	23	1.3 %
2	-	14	0.8 %
3	-	8	0.5 %
4	-	2	0.1 %
5	-	4	0.2 %
6	-	2	0.1 %
7	-	2	0.1 %
8	-	2	0.1 %
9	-	1	0.1 %
10	-	5	0.3 %
12	-	3	0.2 %
14	-	1	0.1 %
15	-	3	0.2 %
20	-	4	0.2 %
25	-	2	0.1 %
28	-	1	0.1 %
35	-	1	0.1 %
45	-	1	0.1 %
50	-	2	0.1 %
60	-	3	0.2 %
85	-	1	0.1 %
90	-	1	0.1 %
100	-	1	0.1 %
150	-	2	0.1 %
777	Refused	1	0.1 %
999	Don't know	2	0.1 %

- Study 31421 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1416	82.1 %

Based upon 309 valid cases out of 1725 total cases.

- Mean: 13.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 92.56

DUQ120 Ever used a needle to take street drugs

Location: 75-75 (width: 1; decimal: 0)

Variable Type: numeric

Question:

Have you ever used a needle to take street drugs?

VERBAL INSTRUCTIONS TO SP:

Please select yes, no.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	23	1.3 %
2	No	286	16.6 %
. (M)	-	1416	82.1 %

Based upon 309 valid cases out of 1725 total cases.

- Mean: 1.93
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.26

DUQ130 # days used needle for street drugs/year

Location: 76-77 (width: 2; decimal: 0)

Variable Type: numeric

Question:

In the past 12 months, how many days have you used a needle to take street drugs?

VERBAL INSTRUCTIONS TO SP:

Please enter a number.

- Study 31421 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	20	1.2 %
1	1	0.1 %
2	1	0.1 %
40	1	0.1 %
. (M)	1702	98.7 %

Based upon 23 valid cases out of 1725 total cases.

- Mean: 1.87
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 8.32

DUQ510 Used illegal drugs last 12 months

Location: 78-78 (width: 1; decimal: 0)

Variable Type: numeric

Question:

Now I'd like to ask about your experience with specific drugs. In the past 12 months, have you taken or used any of these drugs? Marijuana, Hashish, Inhalants, LSD, Psilocybin or mushrooms, Opium, Cocaine, Heroin, PCP, Glue, Methamphetamine or Crystal meth, Ecstasy, Other club drugs (Special K, GHB, etc.)?

VERBAL INSTRUCTIONS TO SP:

Please select yes, no.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	140	8.1 %
2	No	168	9.7 %
7	Refused	1	0.1 %
. (M)	-	1416	82.1 %

Based upon 309 valid cases out of 1725 total cases.

- Mean: 1.56
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 0.59

DUQ520A Used Marijuana in the past 12 months

- Study 31421 -

Location: 79-80 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Used Marijuana in the past 12 months

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	Marijuana	119	6.9 %
77	Refused	1	0.1 %
. (M)	-	1605	93.0 %

Based upon 120 valid cases out of 1725 total cases.

- Mean: 10.56
- Median: 10.00
- Mode: 10.00
- Minimum: 10.00
- Maximum: 77.00
- Standard Deviation: 6.12

DUQ520B Used Hashish in the past 12 months

Location: 81-82 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Used Hashish in the past 12 months

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
11	Hashish	15	0.9 %
. (M)	-	1710	99.1 %

Based upon 15 valid cases out of 1725 total cases.

- Mean: 11.00
- Median: 11.00
- Mode: 11.00
- Minimum: 11.00
- Maximum: 11.00
- Standard Deviation: 0.00

DUQ520C Used Inhalants in the past 12 months

Location: 83-84 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Used Inhalants in the past 12 months

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
12	Inhalants	4	0.2 %
. (M)	-	1721	99.8 %

- Study 31421 -

Based upon 4 valid cases out of 1725 total cases.

- Mean: 12.00
- Median: 12.00
- Mode: 12.00
- Minimum: 12.00
- Maximum: 12.00
- Standard Deviation: 0.00

DUQ520D Used LSD in the past 12 months

Location: 85-86 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Used LSD in the past 12 months

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
13	LSD	3	0.2 %
. (M)	-	1722	99.8 %

Based upon 3 valid cases out of 1725 total cases.

- Mean: 13.00
- Median: 13.00
- Mode: 13.00
- Minimum: 13.00
- Maximum: 13.00
- Standard Deviation: 0.00

DUQ520E Used Psilocybin/mushrooms pst 12 mnth

Location: 87-88 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Used Psilocybin/mushrooms pst 12 mnth

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
14	Psilocybin or mushrooms	13	0.8 %
. (M)	-	1712	99.2 %

Based upon 13 valid cases out of 1725 total cases.

- Mean: 14.00
- Median: 14.00
- Mode: 14.00
- Minimum: 14.00
- Maximum: 14.00
- Standard Deviation: 0.00

- Study 31421 -

DUQ520F Used Opium in the past 12 months

Location: 89-90 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Used Opium in the past 12 months

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	Opium	1	0.1 %
. (M)	-	1724	99.9 %

Based upon 1 valid cases out of 1725 total cases.

- Mean: 15.00
- Median: 15.00
- Mode: 15.00
- Minimum: 15.00
- Maximum: 15.00
- Standard Deviation: 0.00

DUQ520G Used Cocaine in the past 12 months

Location: 91-92 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Used Cocaine in the past 12 months

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
16	Cocaine	68	3.9 %
. (M)	-	1657	96.1 %

Based upon 68 valid cases out of 1725 total cases.

- Mean: 16.00
- Median: 16.00
- Mode: 16.00
- Minimum: 16.00
- Maximum: 16.00
- Standard Deviation: 0.00

DUQ520H Used Crack in the past 12 months

Location: 93-94 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Used Crack in the past 12 months

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
17	Crack	9	0.5 %
. (M)	-	1716	99.5 %

- Study 31421 -

Based upon 9 valid cases out of 1725 total cases.

- Mean: 17.00
- Median: 17.00
- Mode: 17.00
- Minimum: 17.00
- Maximum: 17.00
- Standard Deviation: 0.00

DUQ520I Used Heroin in the past 12 months

Location: 95-96 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Used Heroin in the past 12 months

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	Heroin	10	0.6 %
. (M)	-	1715	99.4 %

Based upon 10 valid cases out of 1725 total cases.

- Mean: 18.00
- Median: 18.00
- Mode: 18.00
- Minimum: 18.00
- Maximum: 18.00
- Standard Deviation: 0.00

DUQ520J Used PCP in the past 12 months

Location: 97-98 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Used PCP in the past 12 months

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
19	PCP	1	0.1 %
. (M)	-	1724	99.9 %

Based upon 1 valid cases out of 1725 total cases.

- Mean: 19.00
- Median: 19.00
- Mode: 19.00
- Minimum: 19.00
- Maximum: 19.00
- Standard Deviation: 0.00

- Study 31421 -

DUQ520K Used Glue past 12 months

Location: 99-99 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Used Glue past 12 months

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	1725	100.0 %

Based upon 0 valid cases out of 1725 total cases.

DUQ520L Used Meth/Crystal meth past 12 months

Location: 100-101 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Used Meth/Crystal meth past 12 months

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
21	Methamphetamines or Crystal meth	3	0.2 %
. (M)	-	1722	99.8 %

Based upon 3 valid cases out of 1725 total cases.

- Mean: 21.00
- Median: 21.00
- Mode: 21.00
- Minimum: 21.00
- Maximum: 21.00
- Standard Deviation: 0.00

DUQ520M Used Ecstasy in the past 12 months

Location: 102-103 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Used Ecstasy in the past 12 months

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
22	Ecstasy	24	1.4 %
. (M)	-	1701	98.6 %

Based upon 24 valid cases out of 1725 total cases.

- Mean: 22.00
- Median: 22.00
- Mode: 22.00
- Minimum: 22.00
- Maximum: 22.00
- Standard Deviation: 0.00

- Study 31421 -

DUQ520N Used other club drugs past 12 months

Location: 104-105 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Used other club drugs past 12 months

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
23	Other club drugs (such as Special K, GHB, etc.)	6	0.3 %
. (M)	-	1719	99.7 %

Based upon 6 valid cases out of 1725 total cases.

- Mean: 23.00
- Median: 23.00
- Mode: 23.00
- Minimum: 23.00
- Maximum: 23.00
- Standard Deviation: 0.00

DUQ530A Used Marijuana > 5 times in 12 months

Location: 106-106 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Used Marijuana > 5 times in 12 months

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	82	4.8 %
2	No	37	2.1 %
. (M)	-	1606	93.1 %

Based upon 119 valid cases out of 1725 total cases.

- Mean: 1.31
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.46

DUQ530B Used Hashish > 5 times in 12 months

Location: 107-107 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Used Hashish > 5 times in 12 months

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	5	0.3 %

- Study 31421 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	No	10	0.6 %
. (M)	-	1710	99.1 %

Based upon 15 valid cases out of 1725 total cases.

- Mean: 1.67
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.49

DUQ530C **Used Inhalants > 5 times in 12 months**

Location: 108-108 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Used Inhalants > 5 times in 12 months

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	2	0.1 %
2	No	2	0.1 %
. (M)	-	1721	99.8 %

Based upon 4 valid cases out of 1725 total cases.

- Mean: 1.50
- Median: 1.50
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.58

DUQ530D **Used LSD > 5 times in 12 months**

Location: 109-109 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Used LSD > 5 times in 12 months

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	No	3	0.2 %
. (M)	-	1722	99.8 %

Based upon 3 valid cases out of 1725 total cases.

- Mean: 2.00
- Median: 2.00

- Study 31421 -

- Mode: 2.00
- Minimum: 2.00
- Maximum: 2.00
- Standard Deviation: 0.00

DUQ530E Used Psylocybin/mush > 5 x in 12 mnths

Location: 110-110 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Used Psylocybin/mush > 5 x in 12 mnths

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	2	0.1 %
2	No	11	0.6 %
. (M)	-	1712	99.2 %

Based upon 13 valid cases out of 1725 total cases.

- Mean: 1.85
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.38

DUQ530F Used Opium > 5 times in past 12 months

Location: 111-111 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Used Opium > 5 times in past 12 months

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1	0.1 %
. (M)	-	1724	99.9 %

Based upon 1 valid cases out of 1725 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

DUQ530G Used Cocaine > 5 times in 12 months

Location: 112-112 (width: 1; decimal: 0)

- Study 31421 -

Variable Type: numeric
 Question: Used Cocaine > 5 times in 12 months

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	33	1.9 %
2	No	35	2.0 %
. (M)	-	1657	96.1 %

Based upon 68 valid cases out of 1725 total cases.

- Mean: 1.51
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

DUQ530H **Used Crack > 5 times in 12 months**

Location: 113-113 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Used Crack > 5 times in 12 months

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	7	0.4 %
2	No	2	0.1 %
. (M)	-	1716	99.5 %

Based upon 9 valid cases out of 1725 total cases.

- Mean: 1.22
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.44

DUQ530I **Used Heroin > 5 times in 12 months**

Location: 114-114 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Used Heroin > 5 times in 12 months

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	5	0.3 %
2	No	5	0.3 %

- Study 31421 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1715	99.4 %

Based upon 10 valid cases out of 1725 total cases.

- Mean: 1.50
- Median: 1.50
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.53

DUQ530J Used PCP > 5 times in 12 months

Location: 115-115 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Used PCP > 5 times in 12 months

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1	0.1 %
. (M)	-	1724	99.9 %

Based upon 1 valid cases out of 1725 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

DUQ530K Used Glue > 5 times in 12 months?

Location: 116-116 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Used Glue > 5 times in 12 months?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	1725	100.0 %

Based upon 0 valid cases out of 1725 total cases.

DUQ530L Used Meth/Crystal > 5 x in 12 months

Location: 117-117 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Used Meth/Crystal > 5 x in 12 months

- Study 31421 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1	0.1 %
2	No	2	0.1 %
. (M)	-	1722	99.8 %

Based upon 3 valid cases out of 1725 total cases.

- Mean: 1.67
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.58

DUQ530M Used Ecstasy > 5 times in 12 months

Location: 118-118 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Used Ecstasy > 5 times in 12 months

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	6	0.3 %
2	No	18	1.0 %
. (M)	-	1701	98.6 %

Based upon 24 valid cases out of 1725 total cases.

- Mean: 1.75
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.44

DUQ530N Used other club drugs > 5 x pst 12 mnths

Location: 119-119 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Used other club drugs > 5 x pst 12 mnths

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	2	0.1 %
2	No	4	0.2 %
. (M)	-	1719	99.7 %

Based upon 6 valid cases out of 1725 total cases.

- Study 31421 -

- Mean: 1.67
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.52

DUQ540 Doctor prescribe medicines to you?

Location: 120-120 (width: 1; decimal: 0)

Variable Type: numeric

Question:

In the past 12 months, has a doctor prescribed any of the following medicines for you? Sleeping pills, Percodan, Amphetamines, Tranquilizers, Valium, Seconal, Morphine, Codeine, Methadone, Xanax, Darvon, Oxycotin, Buprenorphine?

VERBAL INSTRUCTIONS TO SP:

Please select yes, no.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	50	2.9 %
2	No	258	15.0 %
9	Do not know	1	0.1 %
. (M)	-	1416	82.1 %

Based upon 309 valid cases out of 1725 total cases.

- Mean: 1.86
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 0.55

DUQ550 Used any of these medicines > 5 times.

Location: 121-121 (width: 1; decimal: 0)

Variable Type: numeric

Question:

In the past 12 months, have you used any of these medicines more than 5 times when they were not prescribed for you, to get high, to relax, or to make you feel better, more active, or alert? Sleeping pills, Tranquilizers, Valium, Xanax, Seconal, Codeine, Darvon, Oxycotin, Percodan, Amphetamines, Morphine, Methadone, Buprenorphine?

VERBAL INSTRUCTIONS TO SP:

Please select yes, no.

- Study 31421 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	9	0.5 %
2	No	41	2.4 %
. (M)	-	1675	97.1 %

Based upon 50 valid cases out of 1725 total cases.

- Mean: 1.82
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.39

DUQ560A Used Sleeping pills when not prescribed

Location: 122-123 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Used Sleeping pills when not prescribed

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	Sleeping pills	5	0.3 %
99	Do not know	1	0.1 %
. (M)	-	1719	99.7 %

Based upon 6 valid cases out of 1725 total cases.

- Mean: 24.83
- Median: 10.00
- Mode: 10.00
- Minimum: 10.00
- Maximum: 99.00
- Standard Deviation: 36.33

DUQ560B Used Tranquilizers when not prescribed

Location: 124-125 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Used Tranquilizers when not prescribed

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
11	Tranquilizers	1	0.1 %
. (M)	-	1724	99.9 %

Based upon 1 valid cases out of 1725 total cases.

- Study 31421 -

- Mean: 11.00
- Median: 11.00
- Mode: 11.00
- Minimum: 11.00
- Maximum: 11.00
- Standard Deviation: 0.00

DUQ560C Used Valium when not prescribed

Location: 126-127 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Used Valium when not prescribed

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
12	Valium	2	0.1 %
. (M)	-	1723	99.9 %

Based upon 2 valid cases out of 1725 total cases.

- Mean: 12.00
- Median: 12.00
- Mode: 12.00
- Minimum: 12.00
- Maximum: 12.00
- Standard Deviation: 0.00

DUQ560D Used Xanax when not prescribed

Location: 128-129 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Used Xanax when not prescribed

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
13	Xanax	2	0.1 %
. (M)	-	1723	99.9 %

Based upon 2 valid cases out of 1725 total cases.

- Mean: 13.00
- Median: 13.00
- Mode: 13.00
- Minimum: 13.00
- Maximum: 13.00
- Standard Deviation: 0.00

DUQ560E Used Seconal when not prescribed

- Study 31421 -

Location: 130-130 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Used Seconal when not prescribed

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	1725	100.0 %

Based upon 0 valid cases out of 1725 total cases.

DUQ560F Used Codeine when not prescribed

Location: 131-132 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Used Codeine when not prescribed

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	Codeine	1	0.1 %
. (M)	-	1724	99.9 %

Based upon 1 valid cases out of 1725 total cases.

- Mean: 15.00
- Median: 15.00
- Mode: 15.00
- Minimum: 15.00
- Maximum: 15.00
- Standard Deviation: 0.00

DUQ560G Used Darvon when not prescribed

Location: 133-133 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Used Darvon when not prescribed

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	1725	100.0 %

Based upon 0 valid cases out of 1725 total cases.

DUQ560H Used Oxycotin when not prescribed

Location: 134-135 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Used Oxycotin when not prescribed

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
17	Oxycotin	1	0.1 %

- Study 31421 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1724	99.9 %

Based upon 1 valid cases out of 1725 total cases.

- Mean: 17.00
- Median: 17.00
- Mode: 17.00
- Minimum: 17.00
- Maximum: 17.00
- Standard Deviation: 0.00

DUQ560I Used Percodan when not prescribed

Location: 136-137 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Used Percodan when not prescribed

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	Percodan	1	0.1 %
. (M)	-	1724	99.9 %

Based upon 1 valid cases out of 1725 total cases.

- Mean: 18.00
- Median: 18.00
- Mode: 18.00
- Minimum: 18.00
- Maximum: 18.00
- Standard Deviation: 0.00

DUQ560J Used Amphetamines when not prescribed

Location: 138-139 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Used Amphetamines when not prescribed

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
19	Amphetamines	2	0.1 %
. (M)	-	1723	99.9 %

Based upon 2 valid cases out of 1725 total cases.

- Mean: 19.00
- Median: 19.00
- Mode: 19.00

- Study 31421 -

- Minimum: 19.00
- Maximum: 19.00
- Standard Deviation: 0.00

DUQ560K Used Morphine when not prescribed

Location: 140-140 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Used Morphine when not prescribed

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	1725	100.0 %

Based upon 0 valid cases out of 1725 total cases.

DUQ560L Used Methadone when not prescribed

Location: 141-142 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Used Methadone when not prescribed

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
21	Methadone	1	0.1 %
. (M)	-	1724	99.9 %

Based upon 1 valid cases out of 1725 total cases.

- Mean: 21.00
- Median: 21.00
- Mode: 21.00
- Minimum: 21.00
- Maximum: 21.00
- Standard Deviation: 0.00

DUQ560M Used Buprenorphine when not prescribed

Location: 143-143 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Used Buprenorphine when not prescribed

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	1725	100.0 %

Based upon 0 valid cases out of 1725 total cases.

DUQ570 Spent time in a correctional facility

Location: 144-144 (width: 1; decimal: 0)

- Study 31421 -

Variable Type: numeric

Question:

Now I'm going to ask you about your experiences in institutions such as jails, prison, correctional facilities or detention centers. Have you ever spent any time in a correctional facility, jail, prison, or detention center as an adult, that is, 18 years old or older?

VERBAL INSTRUCTIONS TO SP:

Please select yes, no.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	160	9.3 %
2	No	1549	89.8 %
7	Refused	1	0.1 %
9	Do not know	8	0.5 %
. (M)	-	7	0.4 %

Based upon 1718 valid cases out of 1725 total cases.

- Mean: 1.94
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 0.58

DUQ580

Frightened for safety.

Location: 145-145 (width: 1; decimal: 0)

Variable Type: numeric

Question:

In the past 12 months, have you been frightened for the safety of yourself, your children or friends because of anger or threats of an intimate partner?

VERBAL INSTRUCTIONS TO SP:

Please select yes, no.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	62	3.6 %
2	No	1638	95.0 %
7	Refused	5	0.3 %
9	Do not know	13	0.8 %
. (M)	-	7	0.4 %

Based upon 1718 valid cases out of 1725 total cases.

- Mean: 2.03

- Study 31421 -

- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 0.69

DUQ590

Sustained injuries.

Location: 146-146 (width: 1; decimal: 0)

Variable Type: numeric

Question:

In the past 12 months, have you sustained injuries such as bruises, cuts, a black eye, or broken bones as a result of behavior of an intimate partner?

VERBAL INSTRUCTIONS TO SP:

Please select yes, no.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	41	2.4 %
2	No	1668	96.7 %
7	Refused	4	0.2 %
9	Do not know	5	0.3 %
. (M)	-	7	0.4 %

Based upon 1718 valid cases out of 1725 total cases.

- Mean: 2.01
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 0.47

DATA DOCUMENTATION

ACASI

(Audio Computer-Assisted Self-Interview)

Interview Setting and Mode of Administration

ACASI was conducted in either English or Spanish. The participant listened to a recorded voice through a headset while reading the question on the screen and then indicated responses to each question by touching the computer screen; the process provided total privacy for the participant. This component was intended to be self-administered due to the sensitivity of the questions on sexual behavior and drug use. Questions were asked on lifetime and current sexual behavior for men and women, history of sexually transmitted diseases, sexual orientation, circumcision status (men only), lifetime and current use of street drugs, the intravenous use of drugs, illicit use of prescription medications, incarceration history and domestic violence. Proxy respondents or translators were not used when the respondents could not self-report.

Quality Assurance and Quality Control

The ACASI system had built-in consistency checks, including range checks, valid response checks, and checks for logical relationships. Soft edits alerted the respondents to a potential error or problem, but allowed the respondents to proceed after confirming that the entered value was correct. Hard edits prohibited the respondents from continuing with the ACASI until the error was corrected. Respondents also had the right to refuse to answer any questions.

Data Processing and Editing

Sexual Behavior (SXQ)

- Responses to SXQ030 (age at first sexual intercourse) that were 9 years or less were grouped and coded as 9 years or younger.

Analytic Notes

Analytic Notes are available for several variables in ACASI and are provided below by section. Analysts are encouraged to also refer to NHANES Data, Documentation, and Codebooks on specific sections by component for other notes and documentation (http://www.cdc.gov/nchs/about/major/nhanes/nhanes2003-2004/nhanes03_04.htm). In general, analysts are advised to carefully review question wording, skip patterns and check items to understand targets and eligibility for a particular item. Additionally, analysts may find that ACASI variables should be utilized in conjunction with variables from other survey components (e.g., CAPI, Labs).

[‘Previously Used Recodes’](#) are provided for some measures if available. However, before using the recodes analysts must consider whether the recode is appropriate to their analysis and should review relevant published literature and clinical guidelines for standard definitions of

specific health outcomes. The list of 'Previously Used Recodes' is not exhaustive; the recodes are intended to help analysts understand how variables can be used in defining outcomes. Users may find that cutoffs or categories can be redefined using similar variables.

Analysts should refer to all materials under 'Using the Data' before analyzing the data. These materials provide guidance on how to use the data as well as the documentation available on the website. The Analytic Guidelines describe the specific weights in detail and when to use each one. The sample programs also illustrate examples for using each type of weight.

Sexual Behavior (SXQ)

- Men and women who reported ever having had sex in **SXQ020** were asked separately about the number and gender of lifetime and current sexual partners.
 - Note that responses of refused and don't know in **SXQ100, SXQ120, SXQ130, SXQ150, SXQ170, SXQ190, SXQ200** and **SXQ220** were coded as number values and should be interpreted and/or recoded appropriately.
 - To obtain the total number of lifetime sexual partners for women regardless of the gender of the partner, number responses from **SXQ100** and **SXQ130** can be added to form a new continuous variable. However, responses of refused and don't know were coded as number values and should be recategorized first. See 'Previously Used Recodes' for lifetime number of sexual partners.
 - To obtain the total number of lifetime sexual partners for men regardless of the gender of the partner, number responses from **SXQ170** and **SXQ200** can be added to form a new continuous variable. However, responses of refused and don't know were coded as number values and should be recategorized first. See 'Previously Used Recodes' for lifetime number of sexual partners.
 - A single variable for the total number of lifetime sexual partners for each SP can be obtained by combining the above two recodes. Those who reported 'No' to ever having sex in **SXQ020** can be recoded as having 0 (zero) lifetime partners if necessary for the analysis. See 'Previously Used Recodes' for lifetime number of sexual partners.
 - To obtain the total number of current sexual partners for women regardless of the gender of the partner, number responses from **SXQ120** and **SXQ150** can be added to form a new continuous variable. However, responses of refused and don't know were coded as number values and should be recategorized first. Note that women who never had a male lifetime sexual partner were not asked about male sexual partners in the past 12 months and women who never had a female lifetime sexual partner were not asked about female sexual partners in the past 12 months. See 'Previously Used Recodes' for current number of sexual partners.
 - To obtain the total number of current sexual partners for men regardless of the gender of the partner, number responses from **SXQ190** and **SXQ220** can be added to form a new continuous variable. However, responses of refused and don't know were coded as number values and should be recategorized first.

Data Documentation - ACASI

Note that men who never had a female lifetime sexual partner were not asked about female sexual partners in the past 12 months and men who never had a male lifetime sexual partner were not asked about male sexual partners in the past 12 months. See 'Previously Used Recodes' for current number of sexual partners.

- A single variable for the total number of current sexual partners for each SP can be obtained by combining the above two recodes. Those who reported 'No' to ever having sex in **SXQ020** can be recoded as having 0 (zero) current partners if necessary for the analysis. See 'Previously Used Recodes' for current number of partners.
- **SXQ200** is asked of men only and can be used to classify men who have sex with men, or 'MSM'.

Drug Use (DUQ)

- The series of specific drug use questions (**DUQ510-DUQ560**) was asked only of respondents who initially reported using "cocaine, including crack or freebase, or other street drugs not including marijuana" (**DUQ100**).
- **DUQ100** and **DUQ120** can be used together to determine needle use to take street drugs. See 'Previously Used Recode' for drug use.

**2004 New York City Health and Nutrition Examination Survey Codebook
ACASI Component**

VARIABLE NAME: SXQ020 SAS FORMAT NAME: SXQ020F.
SAS Label: Ever had sexual intercourse
Question: Have you ever had sex?
Instructions: Please select Yes, No.

Value	Value Label	Cumulative		Percent	Weighted		Skip to
		Frequency	Frequency		Percent	Percent	
1	Yes	1594	1594	92.41	92.48		
2	No	102	1696	5.91	5.61	SXQ275 (CI)	
7	Refused	12	1708	0.70	0.84	SXQ275 (CI)	
9	Do not know	12	1720	0.70	0.70	SXQ275 (CI)	
Not Asked or Missing = 5							

VARIABLE NAME: SXQ030 SAS FORMAT NAME: SXQ030F.
SAS Label: Age when first had sexual intercourse
Question: How old were you when you had sex for the first time?
Instructions: Please enter an age.

Value	Value Label	Cumulative		Percent	Weighted		Skip to
		Frequency	Frequency		Percent	Percent	
1 - 42	Range	1573	1573	91.19	91.18		
777	Refused	12	1585	0.70	0.84		
999	Don't know	9	1594	0.52	0.46		
Not Asked or Missing = 131							

VARIABLE NAME: SXQ100 SAS FORMAT NAME: SXQ100F.
SAS Label: # men sex partners in lifetime [Females Only]
Question: In your lifetime, with how many men have you had sex?
Instructions: Please enter a number or enter zero for none.

Value	Value Label	Cumulative		Percent	Weighted		Skip to
		Frequency	Frequency		Percent	Percent	
0 - 1111	Range	916	916	53.10	48.65		
77777	Refused	6	922	0.35	0.33		
99999	Don't know	5	927	0.29	0.23		
Not Asked or Missing = 798							

VARIABLE NAME: SXQ120 SAS FORMAT NAME: SXQ120F.
SAS Label: # men sex partners in past year [Females Only]
Question: In the past 12 months, with how many men have you had sex?
Instructions: Please enter a number or enter zero for none.

Value	Value Label	Cumulative		Percent	Weighted		Skip to
		Frequency	Frequency		Percent	Percent	
0 - 100	Range	900	900	52.17	47.85		
77777	Refused	3	903	0.17	0.16		
99999	Don't know	7	910	0.41	0.32		
Not Asked or Missing = 815							

VARIABLE NAME: SXQ130 SAS FORMAT NAME: SXQ130F.
SAS Label: # women sex partners in lifetime [Females Only]
Question: In your lifetime, with how many women have you had sex?
Instructions: Please enter a number or enter zero for none.

Value	Value Label	Cumulative		Percent	Weighted		Skip to
		Frequency	Frequency		Percent	Percent	
0 - 50	Range	914	914	52.99	48.53		
77777	Refused	8	922	0.46	0.41		
99999	Don't know	5	927	0.29	0.27		
Not Asked or Missing = 798							

VARIABLE NAME: SXQ150 SAS FORMAT NAME: SXQ150F.
SAS Label: # women sex partners in past year [Females Only]
Question: In the past 12 months, with how many women have you had sex?
Instructions: Please enter a number or enter zero for none.

Value	Value Label	Cumulative		Percent	Weighted		Skip to
		Frequency	Frequency		Percent	Percent	
0 - 10	Range	98	98	5.68	5.08		
77777	Refused	1	99	0.06	0.10		

**2004 New York City Health and Nutrition Examination Survey Codebook
ACASI Component**

VARIABLE NAME: SXQ150 SAS FORMAT NAME: SXQ150F.
 SAS Label: # women sex partners in past year [Females Only]
 Question: In the past 12 months, with how many women have you had sex?
 Instructions: Please enter a number or enter zero for none.

Value	Value Label	Cumulative		Percent	Weighted Percent	Skip to
		Frequency	Frequency			
99999	Don't know	1	100	0.06	0.04	
Not Asked or Missing = 1625						

VARIABLE NAME: SXQ170 SAS FORMAT NAME: SXQ170F.
 SAS Label: # women sex partners in lifetime [Males Only]
 Question: In your lifetime, with how many women have you had sex?
 Instructions: Please enter a number or enter zero for none.

Value	Value Label	Cumulative		Percent	Weighted Percent	Skip to
		Frequency	Frequency			
0 - 9999	Range	659	659	38.20	42.51	
77777	Refused	2	661	0.12	0.09	
99999	Don't know	5	666	0.29	0.60	
Not Asked or Missing = 1059						

VARIABLE NAME: SXQ190 SAS FORMAT NAME: SXQ190F.
 SAS Label: # women sex partners in past year [Males Only]
 Question: In the past 12 months, with how many women have you had sex?
 Instructions: Please enter a number or enter zero for none.

Value	Value Label	Cumulative		Percent	Weighted Percent	Skip to
		Frequency	Frequency			
0 - 500	Range	638	638	36.99	40.88	
77777	Refused	2	640	0.12	0.17	
99999	Don't know	1	641	0.06	0.22	
Not Asked or Missing = 1084						

VARIABLE NAME: SXQ200 SAS FORMAT NAME: SXQ200F.
 SAS Label: # men sex partners in lifetime [Males Only]
 Question: In your lifetime, with how many men have you had sex?
 Instructions: Please enter a number or enter zero for none.

Value	Value Label	Cumulative		Percent	Weighted Percent	Skip to
		Frequency	Frequency			
0 - 5000	Range	654	654	37.91	42.29	
77777	Refused	6	660	0.35	0.43	
99999	Don't know	6	666	0.35	0.46	
Not Asked or Missing = 1059						

VARIABLE NAME: SXQ220 SAS FORMAT NAME: SXQ220F.
 SAS Label: # men sex partners in past year [Males Only]
 Question: In the past 12 months, with how many men have you had sex?
 Instructions: Please enter a number or enter zero for none.

Value	Value Label	Cumulative		Percent	Weighted Percent	Skip to
		Frequency	Frequency			
0 - 100	Range	63	63	3.65	4.27	
Not Asked or Missing = 1662						

VARIABLE NAME: SXQ235 SAS FORMAT NAME: SXQ235F.
 SAS Label: Last encounter w/ main sexual partner
 Question: For this survey, we use the term 'main sexual partner' to describe someone who is your spouse, lover, or anyone else you feel committed to or have a special relationship with. The last time you had sex, was it with your main sexual partner?
 Instructions: Please select Yes, No.

Value	Value Label	Cumulative		Percent	Weighted Percent	Skip to
		Frequency	Frequency			
1	Yes	232	232	13.45	11.80	
2	No	105	337	6.09	6.00	
7	Refused	2	339	0.12	0.09	
9	Do not know	1	340	0.06	0.03	
Not Asked or Missing = 1385						

**2004 New York City Health and Nutrition Examination Survey Codebook
ACASI Component**

VARIABLE NAME: SXQ241 SAS FORMAT NAME: SXQ241F.
 SAS Label: # sex partners in past 30 days
 Question: In the past 30 days, with how many people have you had sex?
 Instructions: Please enter a number or enter zero for none.

Value	Value Label	Frequency	Cumulative	Percent	Weighted	Skip to
			Frequency		Percent	
0 - 30	Range	337	337	19.54	17.75	
77777	77777	1	338	0.06	0.06	SXQ255
99999	99999	2	340	0.12	0.11	SXQ255

Not Asked or Missing = 1385

VARIABLE NAME: SXQ250 SAS FORMAT NAME: SXQ250F.
 SAS Label: # times had sex with condom in past 30 days
 Question: In the past 30 days, how many times have you had sex without using a condom?
 Instructions: Please enter a number or enter zero for none.

Value	Value Label	Frequency	Cumulative	Percent	Weighted	Skip to
			Frequency		Percent	
0 - 55	Range	276	276	16.00	14.27	
99999	99999	1	277	0.06	0.07	

Not Asked or Missing = 1448

VARIABLE NAME: SXQ255 SAS FORMAT NAME: SXQ255F.
 SAS Label: Chance you have HIV or another STD
 Question: Sexually transmitted diseases include HIV, genital warts, gonorrhea (also clap or GC), chlamydia and syphilis. What is the chance that you currently have HIV or any other sexually transmitted disease? Would you say ...
 Instructions:

Value	Value Label	Frequency	Cumulative	Percent	Weighted	Skip to
			Frequency		Percent	
1	high	30	30	1.74	1.82	
2	medium	40	70	2.32	1.90	
3	low	256	326	14.84	14.45	
4	none	1209	1535	70.09	70.76	
7	Refused	11	1546	0.64	0.74	
9	Do not know	46	1592	2.67	2.68	

Not Asked or Missing = 133

VARIABLE NAME: SXQ260 SAS FORMAT NAME: SXQ260F.
 SAS Label: Doctor ever told you had genital herpes
 Question: Has a doctor or other health care professional ever told you that you had genital herpes?
 Instructions: Please select Yes, No.

Value	Value Label	Frequency	Cumulative	Percent	Weighted	Skip to
			Frequency		Percent	
1	Yes	79	79	4.58	4.56	
2	No	1496	1575	86.72	86.80	
7	Refused	6	1581	0.35	0.48	
9	Do not know	11	1592	0.64	0.51	

Not Asked or Missing = 133

VARIABLE NAME: SXQ265 SAS FORMAT NAME: SXQ265F.
 SAS Label: Doctor ever told you had genital warts
 Question: Has a doctor or other health care professional ever told you that you had genital warts?
 Instructions: Please select Yes, No.

Value	Value Label	Frequency	Cumulative	Percent	Weighted	Skip to
			Frequency		Percent	
1	Yes	65	65	3.77	3.84	
2	No	1516	1581	87.88	87.91	
7	Refused	1	1582	0.06	0.04	
9	Do not know	10	1592	0.58	0.55	

Not Asked or Missing = 133

**2004 New York City Health and Nutrition Examination Survey Codebook
ACASI Component**

VARIABLE NAME: SXQ270 SAS FORMAT NAME: SXQ270F.

SAS Label: Doctor ever told you had gonorrhoea

Question: In the past 12 months, has a doctor or other health care professional told you that you had gonorrhoea, sometimes called GC or clap?

Instructions: Please select Yes, No.

Value	Value Label	Frequency	Cumulative Frequency	Percent	Weighted Percent	Skip to
1	Yes	12	12	0.70	0.65	
2	No	1574	1586	91.25	91.30	
7	Refused	1	1587	0.06	0.20	
9	Do not know	5	1592	0.29	0.20	
Not Asked or Missing = 133						

VARIABLE NAME: SXQ272 SAS FORMAT NAME: SXQ272F.

SAS Label: Doctor ever told you had chlamydia

Question: In the past 12 months, has a doctor or other health care professional told you that you had chlamydia?

Instructions: Please select Yes, No.

Value	Value Label	Frequency	Cumulative Frequency	Percent	Weighted Percent	Skip to
1	Yes	23	23	1.33	1.15	
2	No	1557	1580	90.26	90.38	
7	Refused	4	1584	0.23	0.37	
9	Do not know	8	1592	0.46	0.45	
Not Asked or Missing = 133						

VARIABLE NAME: SXQ280 SAS FORMAT NAME: SXQ280F.

SAS Label: Are you circumcised or uncircumcised [Males Only]

Question: Are you circumcised or uncircumcised?

Instructions: Please select circumcised, uncircumcised.

Value	Value Label	Frequency	Cumulative Frequency	Percent	Weighted Percent	Skip to
1	Circumcised	382	382	22.14	25.09	
2	Uncircumcised	279	661	16.17	17.77	
7	Refused	15	676	0.87	1.27	
9	Do not know	39	715	2.26	2.11	
Not Asked or Missing = 1010						

VARIABLE NAME: SXQ292 SAS FORMAT NAME: SXQ292F.

SAS Label: How you describe your sexual orientation [Males Only]

Question: Do you think of yourself as...

Instructions: Heterosexual or straight (that is, sexually attracted only to women); homosexual or gay (that is, sexually attracted only to men); bisexual (that is,

Value	Value Label	Frequency	Cumulative Frequency	Percent	Weighted Percent	Skip to
1	Heterosexual or straight (attracted to women)	626	626	36.29	40.61	EOS
2	Homosexual or gay (attracted to men)	27	653	1.57	1.60	EOS
3	Bisexual (attracted to men and women)	14	667	0.81	0.93	EOS
4	Something else	5	672	0.29	0.26	EOS
5	Not sure?	31	703	1.80	1.94	EOS
7	Refused	1	704	0.06	0.07	EOS
9	Do not know	11	715	0.64	0.83	EOS
Not Asked or Missing = 1010						

VARIABLE NAME: SXQ294 SAS FORMAT NAME: SXQ294F.

SAS Label: How you describe your sexual orientation [Females Only]

Question: Do you think of yourself as...

Instructions: Heterosexual or straight (that is, sexually attracted only to men); homosexual or lesbian (that is, sexually attracted only to women); bisexual (that

Value	Value Label	Frequency	Cumulative Frequency	Percent	Weighted Percent	Skip to
1	Heterosexual or straight (attracted to men)	874	874	50.67	46.58	EOS
2	Homosexual or lesbian (attracted to women)	15	889	0.87	0.81	EOS

**2004 New York City Health and Nutrition Examination Survey Codebook
ACASI Component**

VARIABLE NAME: SXQ294 SAS FORMAT NAME: SXQ294F.

SAS Label: How you describe your sexual orientation [Females Only]

Question: Do you think of yourself as...

Instructions: Heterosexual or straight (that is, sexually attracted only to men); homosexual or lesbian (that is, sexually attracted only to women); bisexual (that

Value	Value Label	Frequency	Cumulative Frequency	Percent	Weighted Percent	Skip to
3	Bisexual (attracted to men and women)	31	920	1.80	1.53	EOS
4	Something else	11	931	0.64	0.60	EOS
5	Not sure	32	963	1.86	1.69	EOS
7	Refused	10	973	0.58	0.62	EOS
9	Do not know	30	1003	1.74	1.41	EOS

Not Asked or Missing = 722

VARIABLE NAME: DUQ100 SAS FORMAT NAME: DUQ100F.

SAS Label: Ever used cocaine or other street drug

Question: Have you ever used cocaine, including crack or freebase, or other street drugs? Do not include marijuana.

Instructions: Please select Yes, No.

Value	Value Label	Frequency	Cumulative Frequency	Percent	Weighted Percent	Skip to
1	Yes	309	309	17.91	18.24	
2	No	1401	1710	81.22	80.84	DUQ570
7	Refused	3	1713	0.17	0.14	DUQ570
9	Do not know	5	1718	0.29	0.28	DUQ570

Not Asked or Missing = 7

VARIABLE NAME: DUQ110 SAS FORMAT NAME: DUQ110F.

SAS Label: #days used street drugs over past year

Question: In the past 12 months, how many days have you used cocaine, including crack or freebase, or other street drugs?

Instructions: Please enter a number.

Value	Value Label	Frequency	Cumulative Frequency	Percent	Weighted Percent	Skip to
0 - 150	Range	306	306	17.74	18.12	
777	Refused	1	307	0.06	0.04	
999	Don't know	2	309	0.12	0.08	

Not Asked or Missing = 1416

VARIABLE NAME: DUQ120 SAS FORMAT NAME: DUQ120F.

SAS Label: Ever used a needle to take street drugs

Question: Have you ever used a needle to take street drugs?

Instructions: Please select Yes, No.

Value	Value Label	Frequency	Cumulative Frequency	Percent	Weighted Percent	Skip to
1	Yes	23	23	1.33	1.53	
2	No	286	309	16.58	16.71	DUQ510

Not Asked or Missing = 1416

VARIABLE NAME: DUQ130 SAS FORMAT NAME: DUQ130F.

SAS Label: #days used needle for street drugs/year

Question: In the past 12 months, how many days have you used a needle to take street drugs?

Instructions: Please enter a number.

Value	Value Label	Frequency	Cumulative Frequency	Percent	Weighted Percent	Skip to
0 - 40	Range	23	23	1.33	1.53	

Not Asked or Missing = 1702

**2004 New York City Health and Nutrition Examination Survey Codebook
ACASI Component**

VARIABLE NAME: DUQ510 SAS FORMAT NAME: DUQ510F.

SAS Label: Used illegal drugs last 12 months

Question: In the past 12 months, have you taken or used any of these drugs? Marijuana, Hashish, Inhalants, LSD, Psilocybin or mushrooms, Opium, Cocaine, Heroin, PCP, Glue, Methamphetamines or Crystal meth, Ecstasy, other club drugs (such as Special K, GHB, etc.)?

Instructions: Please select Yes, No.

Value	Value Label	Frequency	Cumulative Frequency	Percent	Weighted Percent	Skip to
1	Yes	140	140	8.12	7.87	
2	No	168	308	9.74	10.33	DUQ540
7	Refused	1	309	0.06	0.05	DUQ540

Not Asked or Missing = 1416

VARIABLE NAME: DUQ520a SAS FORMAT NAME: DUQ520aF.

SAS Label: Used Marijuana in the past 12 months

Question: Which ones?

Instructions: Please mark all that apply.

Value	Value Label	Frequency	Cumulative Frequency	Percent	Weighted Percent	Skip to
10	Marijuana	119	119	6.90	6.80	
77	Refused	1	120	0.06	0.05	DUQ540

Not Asked or Missing = 1605

VARIABLE NAME: DUQ520b SAS FORMAT NAME: DUQ520bF.

SAS Label: Used Hashish in the past 12 months

Question: Which ones?

Instructions: Please mark all that apply.

Value	Value Label	Frequency	Cumulative Frequency	Percent	Weighted Percent	Skip to
11	Hashish	15	15	0.87	0.94	

Not Asked or Missing = 1710

VARIABLE NAME: DUQ520c SAS FORMAT NAME: DUQ520cF.

SAS Label: Used Inhalants in the past 12 months

Question: Which ones?

Instructions: Please mark all that apply.

Value	Value Label	Frequency	Cumulative Frequency	Percent	Weighted Percent	Skip to
12	Inhalants	4	4	0.23	0.26	

Not Asked or Missing = 1721

VARIABLE NAME: DUQ520d SAS FORMAT NAME: DUQ520dF.

SAS Label: Used LSD in the past 12 months

Question: Which ones?

Instructions: Please mark all that apply.

Value	Value Label	Frequency	Cumulative Frequency	Percent	Weighted Percent	Skip to
13	LSD	3	3	0.17	0.19	

Not Asked or Missing = 1722

VARIABLE NAME: DUQ520e SAS FORMAT NAME: DUQ520eF.

SAS Label: Used Psilocybin/mushrooms past 12 month

Question: Which ones?

Instructions: Please mark all that apply.

Value	Value Label	Frequency	Cumulative Frequency	Percent	Weighted Percent	Skip to
14	Psilocybin or mushrooms	13	13	0.75	0.76	

Not Asked or Missing = 1712

**2004 New York City Health and Nutrition Examination Survey Codebook
ACASI Component**

VARIABLE NAME: DUQ520f SAS FORMAT NAME: DUQ520fF.
SAS Label: Used Opium in the past 12 months
Question: Which ones?
Instructions: Please mark all that apply.

Value	Value Label	Cumulative		Percent	Weighted Percent	Skip to
		Frequency	Frequency			
15	Opium	1	1	0.06	0.07	
Not Asked or Missing = 1724						

VARIABLE NAME: DUQ520g SAS FORMAT NAME: DUQ520gF.
SAS Label: Used Cocaine in the past 12 months
Question: Which ones?
Instructions: Please mark all that apply.

Value	Value Label	Cumulative		Percent	Weighted Percent	Skip to
		Frequency	Frequency			
16	Cocaine	68	68	3.94	3.60	
Not Asked or Missing = 1657						

VARIABLE NAME: DUQ520h SAS FORMAT NAME: DUQ520hF.
SAS Label: Used Crack in the past 12 months
Question: Which ones?
Instructions: Please mark all that apply.

Value	Value Label	Cumulative		Percent	Weighted Percent	Skip to
		Frequency	Frequency			
17	Crack	9	9	0.52	0.45	
Not Asked or Missing = 1716						

VARIABLE NAME: DUQ520i SAS FORMAT NAME: DUQ520iF.
SAS Label: Used Heroin in the past 12 months
Question: Which ones?
Instructions: Please mark all that apply.

Value	Value Label	Cumulative		Percent	Weighted Percent	Skip to
		Frequency	Frequency			
18	Heroin	10	10	0.58	0.49	
Not Asked or Missing = 1715						

VARIABLE NAME: DUQ520j SAS FORMAT NAME: DUQ520jF.
SAS Label: Used PCP in the past 12 months
Question: Which ones?
Instructions: Please mark all that apply.

Value	Value Label	Cumulative		Percent	Weighted Percent	Skip to
		Frequency	Frequency			
19	PCP	1	1	0.06	0.04	
Not Asked or Missing = 1724						

VARIABLE NAME: DUQ520l SAS FORMAT NAME: DUQ520lF.
SAS Label: Used Meth/Crystal meth past 12 months
Question: Which ones?
Instructions: Please mark all that apply.

Value	Value Label	Cumulative		Percent	Weighted Percent	Skip to
		Frequency	Frequency			
21	Methamphetamines or Crystal meth	3	3	0.17	0.15	
Not Asked or Missing = 1722						

VARIABLE NAME: DUQ520m SAS FORMAT NAME: DUQ520mF.
SAS Label: Used Ecstasy in the past 12 months
Question: Which ones?
Instructions: Please mark all that apply.

Value	Value Label	Cumulative		Percent	Weighted Percent	Skip to
		Frequency	Frequency			
22	Ecstasy	24	24	1.39	1.20	
Not Asked or Missing = 1701						

**2004 New York City Health and Nutrition Examination Survey Codebook
ACASI Component**

VARIABLE NAME: DUQ520n SAS FORMAT NAME: DUQ520nF.

SAS Label: Used other club drugs past 12 months

Question: Which ones?

Instructions: Please mark all that apply.

Value	Value Label	Frequency	Cumulative Frequency	Percent	Weighted Percent	Skip to
23	Other club drugs (such as Special K, GHB, etc.)	6	6	0.35	0.35	

Not Asked or Missing = 1719

VARIABLE NAME: DUQ530a SAS FORMAT NAME: DUQ530aF.

SAS Label: Used Marijuana > 5 times in 12 months

Question: In the past 12 months, have you taken or used Marijuana more than 5 times?

Instructions: Please select Yes, No.

Value	Value Label	Frequency	Cumulative Frequency	Percent	Weighted Percent	Skip to
1	Yes	82	82	4.75	4.65	
2	No	37	119	2.14	2.15	

Not Asked or Missing = 1606

VARIABLE NAME: DUQ530b SAS FORMAT NAME: DUQ530bF.

SAS Label: Used Hashish > 5 times in 12 months

Question: In the past 12 months, have you taken or used Hashish more than 5 times?

Instructions: Please select Yes, No.

Value	Value Label	Frequency	Cumulative Frequency	Percent	Weighted Percent	Skip to
1	Yes	5	5	0.29	0.30	
2	No	10	15	0.58	0.64	

Not Asked or Missing = 1710

VARIABLE NAME: DUQ530c SAS FORMAT NAME: DUQ530cF.

SAS Label: Used Inhalants > 5 times in 12 months

Question: In the past 12 months, have you taken or used Inhalants more than 5 times?

Instructions: Please select Yes, No.

Value	Value Label	Frequency	Cumulative Frequency	Percent	Weighted Percent	Skip to
1	Yes	2	2	0.12	0.13	
2	No	2	4	0.12	0.12	

Not Asked or Missing = 1721

VARIABLE NAME: DUQ530d SAS FORMAT NAME: DUQ530dF.

SAS Label: Used LSD > 5 times in 12 months

Question: In the past 12 months, have you taken or used LSD more than 5 times?

Instructions: Please select Yes, No.

Value	Value Label	Frequency	Cumulative Frequency	Percent	Weighted Percent	Skip to
2	No	3	3	0.17	0.19	

Not Asked or Missing = 1722

VARIABLE NAME: DUQ530e SAS FORMAT NAME: DUQ530eF.

SAS Label: Used Psylocybin/mush > 5 times in 12 months

Question: In the past 12 months, have you taken or used Psilocybin or mushrooms more than 5 times?

Instructions: Please select Yes, No.

Value	Value Label	Frequency	Cumulative Frequency	Percent	Weighted Percent	Skip to
1	Yes	2	2	0.12	0.11	
2	No	11	13	0.64	0.65	

Not Asked or Missing = 1712

**2004 New York City Health and Nutrition Examination Survey Codebook
ACASI Component**

VARIABLE NAME: DUQ530f SAS FORMAT NAME: DUQ530fF.

SAS Label: Used Opium > 5 times in past 12 months

Question: In the past 12 months, have you taken or used Opium more than 5 times?

Instructions: Please select Yes, No.

Value	Value Label	Frequency	Cumulative		Percent	Weighted		Skip to
			Frequency	Frequency		Percent	Percent	
1	Yes	1	1	1	0.06	0.07		
Not Asked or Missing = 1724								

VARIABLE NAME: DUQ530g SAS FORMAT NAME: DUQ530gF.

SAS Label: Used Cocaine > 5 times in 12 months

Question: In the past 12 months, have you taken or used Cocaine more than 5 times?

Instructions: Please select Yes, No.

Value	Value Label	Frequency	Cumulative		Percent	Weighted		Skip to
			Frequency	Frequency		Percent	Percent	
1	Yes	33	33	33	1.91	1.73		
2	No	35	68	68	2.03	1.87		
Not Asked or Missing = 1657								

VARIABLE NAME: DUQ530h SAS FORMAT NAME: DUQ530hF.

SAS Label: Used Crack > 5 times in 12 months

Question: In the past 12 months, have you taken or used Crack more than 5 times?

Instructions: Please select Yes, No.

Value	Value Label	Frequency	Cumulative		Percent	Weighted		Skip to
			Frequency	Frequency		Percent	Percent	
1	Yes	7	7	7	0.41	0.35		
2	No	2	9	9	0.12	0.10		
Not Asked or Missing = 1716								

VARIABLE NAME: DUQ530i SAS FORMAT NAME: DUQ530iF.

SAS Label: Used Heroin > 5 times in 12 months

Question: In the past 12 months, have you taken or used Heroin more than 5 times?

Instructions: Please select Yes, No.

Value	Value Label	Frequency	Cumulative		Percent	Weighted		Skip to
			Frequency	Frequency		Percent	Percent	
1	Yes	5	5	5	0.29	0.22		
2	No	5	10	10	0.29	0.27		
Not Asked or Missing = 1715								

VARIABLE NAME: DUQ530j SAS FORMAT NAME: DUQ530jF.

SAS Label: Used PCP > 5 times in 12 months

Question: In the past 12 months, have you taken or used PCP more than 5 times?

Instructions: Please select Yes, No.

Value	Value Label	Frequency	Cumulative		Percent	Weighted		Skip to
			Frequency	Frequency		Percent	Percent	
1	Yes	1	1	1	0.06	0.04		
Not Asked or Missing = 1724								

VARIABLE NAME: DUQ530l SAS FORMAT NAME: DUQ530lF.

SAS Label: Used Meth/Crystal > 5 times in 12 months

Question: In the past 12 months, have you taken or used Methamphetamines or Crystal meth more than 5 times?

Instructions: Please select Yes, No.

Value	Value Label	Frequency	Cumulative		Percent	Weighted		Skip to
			Frequency	Frequency		Percent	Percent	
1	Yes	1	1	1	0.06	0.07		
2	No	2	3	3	0.12	0.09		
Not Asked or Missing = 1722								

**2004 New York City Health and Nutrition Examination Survey Codebook
ACASI Component**

VARIABLE NAME: DUQ530m SAS FORMAT NAME: DUQ530mF.

SAS Label: Used Ecstasy > 5 times in 12 months

Question: In the past 12 months, have you taken or used Ecstasy more than 5 times?

Instructions: Please select Yes, No.

Value	Value Label	Frequency	Cumulative		Percent	Weighted		Skip to
			Frequency	Frequency		Percent	Percent	
1	Yes	6	6	6	0.35	0.29		
2	No	18	24	24	1.04	0.91		
Not Asked or Missing = 1701								

VARIABLE NAME: DUQ530n SAS FORMAT NAME: DUQ530nF.

SAS Label: Used other club drugs > 5 times past 12 months

Question: In the past 12 months, have you taken or used other club drugs (such as Special K, GHB, etc.) more than 5 times?

Instructions: Please select Yes, No.

Value	Value Label	Frequency	Cumulative		Percent	Weighted		Skip to
			Frequency	Frequency		Percent	Percent	
1	Yes	2	2	2	0.12	0.11		
2	No	4	6	6	0.23	0.25		
Not Asked or Missing = 1719								

VARIABLE NAME: DUQ540 SAS FORMAT NAME: DUQ540F.

SAS Label: Doctor prescribe medicines to you?

Question: In the past 12 months, has a doctor prescribed any of the following medicines for you? Sleeping pills, Percodan, Amphetamines, Tranquilizers, Valium, Seconal, Morphine, Codeine, Methadone, Xanax, Darvon, Oxycotin, Burpenorphine?

Instructions: Please select Yes, No.

Value	Value Label	Frequency	Cumulative		Percent	Weighted		Skip to
			Frequency	Frequency		Percent	Percent	
1	Yes	50	50	50	2.90	2.94		
2	No	258	308	308	14.96	15.23		DUQ570
9	Do not know	1	309	309	0.06	0.08		DUQ570
Not Asked or Missing = 1416								

VARIABLE NAME: DUQ550 SAS FORMAT NAME: DUQ550F.

SAS Label: Used any of these medicines > 5 times.

Question: In the past 12 months, have you used any of these medicines more than 5 times when they were not prescribed for you, to get high, to relax, or to make you feel better, more active, or alert? Sleeping pills, tranquilizers, Valium, Xanax, Seconal, Codeine, Darvon, Oxycotin, Percodan, Amphetamines, Morphine, Methadone, Buprenorphine?

Instructions: Please select Yes, No.

Value	Value Label	Frequency	Cumulative		Percent	Weighted		Skip to
			Frequency	Frequency		Percent	Percent	
1	Yes	9	9	9	0.52	0.48		
2	No	41	50	50	2.38	2.46		DUQ570
Not Asked or Missing = 1675								

VARIABLE NAME: DUQ560a SAS FORMAT NAME: DUQ560aF.

SAS Label: Used Sleeping pills when not prescribed

Question: Which ones?

Instructions: Please mark all that apply.

Value	Value Label	Frequency	Cumulative		Percent	Weighted		Skip to
			Frequency	Frequency		Percent	Percent	
10	Sleeping pills	5	5	5	0.29	0.23		
99	Do not know	1	6	6	0.06	0.04		
Not Asked or Missing = 1719								

VARIABLE NAME: DUQ560b SAS FORMAT NAME: DUQ560bF.

SAS Label: Used Tranquilizers when not prescribed

Question: Which ones?

Instructions: Please mark all that apply.

Value	Value Label	Frequency	Cumulative		Percent	Weighted		Skip to
			Frequency	Frequency		Percent	Percent	
11	Tranquilizers	1	1	1	0.06	0.06		
Not Asked or Missing = 1724								

**2004 New York City Health and Nutrition Examination Survey Codebook
ACASI Component**

VARIABLE NAME: DUQ560c SAS FORMAT NAME: DUQ560cF.
 SAS Label: Used Valium when not prescribed
 Question: Which ones?
 Instructions: Please mark all that apply.

Value	Value Label	Frequency	Cumulative Frequency	Percent	Weighted Percent	Skip to
12	Valium	2	2	0.12	0.11	
Not Asked or Missing = 1723						

VARIABLE NAME: DUQ560d SAS FORMAT NAME: DUQ560dF.
 SAS Label: Used Xanax when not prescribed
 Question: Which ones?
 Instructions: Please mark all that apply.

Value	Value Label	Frequency	Cumulative Frequency	Percent	Weighted Percent	Skip to
13	Xanax	2	2	0.12	0.11	
Not Asked or Missing = 1723						

VARIABLE NAME: DUQ560f SAS FORMAT NAME: DUQ560fF.
 SAS Label: Used Codeine when not prescribed
 Question: Which ones?
 Instructions: Please mark all that apply.

Value	Value Label	Frequency	Cumulative Frequency	Percent	Weighted Percent	Skip to
15	Codeine	1	1	0.06	0.07	
Not Asked or Missing = 1724						

VARIABLE NAME: DUQ560h SAS FORMAT NAME: DUQ560hF.
 SAS Label: Used Oxycotin when not prescribed
 Question: Which ones?
 Instructions: Please mark all that apply.

Value	Value Label	Frequency	Cumulative Frequency	Percent	Weighted Percent	Skip to
17	Oxycotin	1	1	0.06	0.07	
Not Asked or Missing = 1724						

VARIABLE NAME: DUQ560i SAS FORMAT NAME: DUQ560iF.
 SAS Label: Used Percodan when not prescribed
 Question: Which ones?
 Instructions: Please mark all that apply.

Value	Value Label	Frequency	Cumulative Frequency	Percent	Weighted Percent	Skip to
18	Percodan	1	1	0.06	0.07	
Not Asked or Missing = 1724						

VARIABLE NAME: DUQ560j SAS FORMAT NAME: DUQ560jF.
 SAS Label: Used Amphetamines when not prescribed
 Question: Which ones?
 Instructions: Please mark all that apply.

Value	Value Label	Frequency	Cumulative Frequency	Percent	Weighted Percent	Skip to
19	Amphetamines	2	2	0.12	0.10	
Not Asked or Missing = 1723						

**2004 New York City Health and Nutrition Examination Survey Codebook
ACASI Component**

VARIABLE NAME: DUQ5601 SAS FORMAT NAME: DUQ5601F.

SAS Label: Used Methadone when not prescribed

Question: Which ones?

Instructions: Please mark all that apply.

Value	Value Label	Frequency	Cumulative Frequency	Percent	Weighted Percent	Skip to
21	Methadone	1	1	0.06	0.03	
Not Asked or Missing = 1724						

VARIABLE NAME: DUQ570 SAS FORMAT NAME: DUQ570F.

SAS Label: Spent time in a correctional facility

Question: Have you ever spent any time in a correctional facility, jail, prison, or detention center as an adult, that is 18 years old or older?

Instructions: Please select Yes, No.

Value	Value Label	Frequency	Cumulative Frequency	Percent	Weighted Percent	Skip to
1	Yes	160	160	9.28	8.94	
2	No	1549	1709	89.80	89.98	
7	Refused	1	1710	0.06	0.05	
9	Do not know	8	1718	0.46	0.53	
Not Asked or Missing = 7						

VARIABLE NAME: DUQ580 SAS FORMAT NAME: DUQ580F.

SAS Label: Frightened for safety

Question: In the past 12 months, have you been frightened for the safety of yourself, your children or friends because of anger or threats of an intimate partner?

Instructions: Please select Yes, No.

Value	Value Label	Frequency	Cumulative Frequency	Percent	Weighted Percent	Skip to
1	Yes	62	62	3.59	3.26	
2	No	1638	1700	94.96	95.16	
7	Refused	5	1705	0.29	0.20	
9	Do not know	13	1718	0.75	0.87	
Not Asked or Missing = 7						

VARIABLE NAME: DUQ590 SAS FORMAT NAME: DUQ590F.

SAS Label: Sustained injuries

Question: In the past 12 months, have you sustained injuries such as bruises, cuts, a black eye, or broken bones as a result of behavior of an intimate partner?

Instructions: Please select Yes, No.

Value	Value Label	Frequency	Cumulative Frequency	Percent	Weighted Percent	Skip to
1	Yes	41	41	2.38	2.20	
2	No	1668	1709	96.70	96.80	
7	Refused	4	1713	0.23	0.24	
9	Do not know	5	1718	0.29	0.26	
Not Asked or Missing = 7						