

ICPSR 31621

**Criminal Justice Drug Abuse
Treatment Studies (CJ-DATS):
Transitional Care Management
(TCM), Increasing Aftercare
Participation for Parolees,
2004-2008 [United States]**

Michael Prendergast
*University of California-Los Angeles. Pacific
Coast Research Center*

Variable Description and Frequencies for TCM
Barriers to Treatment/Recovery I

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/31621/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTE FOR # 31621
Criminal Justice Drug Abuse Treatment Studies (CJDATS):
Transitional Care Management (TCM): Increasing Aftercare
Participation for Parolees
Part 10 - TCM Barriers to Treatment/Recovery I

Note: To protect respondent privacy, the direct identifiers have been removed and the sensitive variables or texts have been masked or recoded.

ICPSR 31621

Criminal Justice Drug Abuse Treatment Studies (CJ-DATS): Transitional Care Management (TCM), Increasing Aftercare Participation for Parolees, 2004-2008 [United States]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

ICPSR has an FAQ on [copyright and survey instruments](#).

TCM Barriers to Treatment/Recovery I

CASEID: CASE IDENTIFICATION NUMBER

Based upon 66 valid cases out of 66 total cases.

Location: 1-2 (width: 2; decimal: 0)

Variable Type: numeric

CJDID: CJDATS STUDY ID NUMBER

CJDATS Study ID Number

Value	Label	Unweighted Frequency	%
7100	Tcm	66	100.0 %
	Total	66	100%

Based upon 66 valid cases out of 66 total cases.

Location: 3-6 (width: 4; decimal: 0)

Variable Type: numeric

RCTR: RESEARCH CENTER

Research Center

Value	Label	Unweighted Frequency	%
2	University of Kentucky	8	12.1 %
3	Connecticut	8	12.1 %
7	UCLA	40	60.6 %
9	NDRI Rocky Mountains	10	15.2 %
	Total	66	100%

Based upon 66 valid cases out of 66 total cases.

Location: 7-8 (width: 2; decimal: 0)

Variable Type: numeric

SITE: RESEARCH SITE

Site

Value	Label	Unweighted Frequency	%
5101	Site1	1	1.5 %
5102	Site2	0	0.0 %
5103	Site3	0	0.0 %
5104	Site4	9	13.6 %
5105	Site5	0	0.0 %
5201	Site6	3	4.5 %
5202	Site7	0	0.0 %

Value	Label	Unweighted Frequency	%
5203	Site8	0	0.0 %
5204	Site9	1	1.5 %
5205	Site10	2	3.0 %
5206	Site11	0	0.0 %
5207	Site12	2	3.0 %
5208	Site13	0	0.0 %
5209	Site14	0	0.0 %
5210	Site15	0	0.0 %
5211	Site16	0	0.0 %
5212	Site17	0	0.0 %
5213	Site18	0	0.0 %
5214	Site19	0	0.0 %
5215	Site20	0	0.0 %
5401	Site21	2	3.0 %
5402	Site22	3	4.5 %
5403	Site23	1	1.5 %
5404	Site24	1	1.5 %
5405	Site25	0	0.0 %
5406	Site26	1	1.5 %
5501	Site27	7	10.6 %
5502	Site28	32	48.5 %
5503	Site29	1	1.5 %
	Total	66	100%

Based upon 66 valid cases out of 66 total cases.

Location: 9-12 (width: 4; decimal: 0)

Variable Type: numeric

STAFFID: STAFF ID

Case manager

Value	Label	Unweighted Frequency	%
107	-	10	15.2 %
202	-	1	1.5 %
206	-	2	3.0 %
211	-	5	7.6 %
404	-	8	12.1 %
503	-	22	33.3 %
504	-	18	27.3 %
	Total	66	100%

Based upon 66 valid cases out of 66 total cases.

Location: 13-15 (width: 3; decimal: 0)
Variable Type: numeric

SCDATE: DATE FORM COMPLETED

Date of Assessment

Based upon 66 valid cases out of 66 total cases.

Location: 16-26 (width: 11; decimal: 0)
Variable Type: character

WAVE: INTERVIEW VISIT/WAVE

Treatment phase

Value	Label	Unweighted Frequency	%
0	0	1	1.5 %
1	Baseline	65	98.5 %
2	Case management	0	0.0 %
3	3-month follow-up	0	0.0 %
4	9-month follow-up	0	0.0 %
	Total	66	100%

Based upon 66 valid cases out of 66 total cases.

Location: 27-27 (width: 1; decimal: 0)
Variable Type: numeric

COND: STUDY CONDITION

Group assignment

Value	Label	Unweighted Frequency	%
0	Control	0	0.0 %
1	Treatment	66	100.0 %
	Total	66	100%

Based upon 66 valid cases out of 66 total cases.

Location: 28-28 (width: 1; decimal: 0)
Variable Type: numeric

CID: CLIENT ID NUMBER

ID Number

Based upon 66 valid cases out of 66 total cases.

Location: 29-32 (width: 4; decimal: 0)
Variable Type: numeric

SESSION: SESSION NUMBER

Session

Value	Label	Unweighted Frequency	%
0	-	6	9.1 %
1	-	6	9.1 %
3	-	11	16.7 %
4	-	8	12.1 %
5	-	3	4.5 %
6	-	8	12.1 %
7	-	3	4.5 %
8	-	3	4.5 %
9	-	1	1.5 %
10	-	2	3.0 %
11	-	2	3.0 %
12	-	7	10.6 %
13	-	3	4.5 %
14	-	2	3.0 %
17	-	1	1.5 %
	Total	66	100%

Based upon 66 valid cases out of 66 total cases.

Location: 33-34 (width: 2; decimal: 0)

Variable Type: numeric

BARI01: BARRIERS TO SPECIFIED GOAL/OBJECTIVE

Indicate additional goals/objectives on this form. Barriers to specified goal/objective 1.

Based upon 65 valid cases out of 66 total cases.

Location: 35-149 (width: 115; decimal: 0)

Variable Type: character

(Range of) Missing Values: -8

BARI02: BARRIERS TO SPECIFIED GOAL/OBJECTIVE

Indicate additional goals/objectives on this form. Barriers to specified goal/objective 2.

Based upon 20 valid cases out of 66 total cases.

Location: 150-239 (width: 90; decimal: 0)

Variable Type: character

(Range of) Missing Values: -3 , -8 , -9

BARI03: BARRIERS TO SPECIFIED GOAL/OBJECTIVE

Indicate additional goals/objectives on this form. Barriers to specified goal/objective 3.

Based upon 8 valid cases out of 66 total cases.

Location: 240-284 (width: 45; decimal: 0)

Variable Type: character

(Range of) Missing Values: -3 , -8 , -9

BARI04: BARRIERS TO SPECIFIED GOAL/OBJECTIVE

Indicate additional goals/objectives on this form. Barriers to specified goal/objective 4.

Based upon 7 valid cases out of 66 total cases.

Location: 285-334 (width: 50; decimal: 0)

Variable Type: character

(Range of) Missing Values: -3 , -8 , -9

BARI05: BARRIERS TO SPECIFIED GOAL/OBJECTIVE

Indicate additional goals/objectives on this form. Barriers to specified goal/objective 5 .

Based upon 7 valid cases out of 66 total cases.

Location: 335-379 (width: 45; decimal: 0)

Variable Type: character

(Range of) Missing Values: -3 , -8 , -9

BARI06: BARRIERS TO SPECIFIED GOAL/OBJECTIVE

Indicate additional goals/objectives on this form. Barriers to specified goal/objective 6.

Based upon 5 valid cases out of 66 total cases.

Location: 380-399 (width: 20; decimal: 0)

Variable Type: character

(Range of) Missing Values: -3 , -8 , -9

BARI0A: OTHER GOAL/OBJECTIVE

Indicate additional goals/objectives on this form. Other goal/objective.

Based upon 66 valid cases out of 66 total cases.

Location: 400-419 (width: 20; decimal: 0)

Variable Type: character