



ICPSR 31703

Systematic Review of School Based Programs to Reduce Bullying and Victimization, 1983-2009

David P. Farrington
Cambridge University

Maria M. Ttofi
Cambridge University

Bully Data, Part B Codebook



National Institute of Justice
Data Resources Program

ICPSR

P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/31703/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR CODEBOOK NOTES
Bully Data, Part B

- 1) Users should be aware that ICPSR transposed and converted the original Microsoft Excel data provided by the principal investigators to SPSS, SAS, and Stata formats for dissemination purposes. The unmodified Original Bully Data (Part 11) and Original Victim Data (Part 12) are available in Microsoft Excel format. ICPSR also created a tab-delimited version of the original Part 11 and Part 12 data for preservation purposes. Given the structure of the original data files, ICPSR converted the Original Bully Data into four parts and converted the Original Victim Data into five parts. Parts 1-4 represent transposed versions of the Original Bully Data in SPSS, SAS, and Stata formats and Parts 5-9 represent transposed versions of the Original Victim Data in SPSS, SAS, and Stata formats. The following table summarizes the relationship between the original Microsoft Excel Bully and Victim Data files and the corresponding SPSS, SAS, and Stata data parts.

Part Number	Part Name	Source Data	Cell Ranges
1	Bully Data, Part A	Original Bully Data (Part 11)	A1:AA64, H125:O188, A191:O254
2	Bully Data, Part B	Original Bully Data (Part 11)	A67:AA123*, A125:E181
3	Bully Data, Part C	Original Bully Data (Part 11)	AB1:AM71
4	Bully Data, Part D	Original Bully Data (Part 11)	AN48:AR60
5	Victim Data, Part A	Original Victim Data (Part 12)	A1:AC64, A191:E254
6	Victim Data, Part B	Original Victim Data (Part 12)	A67:AC123*, A125:E181
7	Victim Data, Part C	Original Victim Data (Part 12)	H125:K188, N125:Q188
8	Victim Data, Part D	Original Victim Data (Part 12)	AD48:AM71
9	Victim Data, Part E	Original Victim Data (Part 12)	AN48:AR60

*Note: ICPSR did not convert all of the original data in Microsoft Excel format into SPSS, SAS, and Stata files. Specifically, in the Original Bully Data (Part 11), the cells that were not transposed and converted by ICPSR are cells Z117:AA140. In the Original Victim Data (Part 12), the cells that were not transposed and converted by ICPSR are cells AB117:AC140. These cell ranges overlap with some cell ranges in the above table.

ICPSR recoded the 14 values corresponding to cells Z117:AA123 in the Original Bully Data (Part 11) to -9 "Blank" in the Bully Data, Part B (Dataset 2). ICPSR recoded the 14 values corresponding to cells AB117:AC123 in the Original Victim Data (Part 12) to -9 "Blank" in the Victim Data, Part B (Dataset 6).

- 2) After converting the original MS Excel data into SPSS, SAS, and Stata formats, ICPSR made the following modifications and enhancements to Datasets 1-9:
 - ICPSR assigned variable names based upon column and/or row headings in the original MS Excel files. In instances where two variables had the same name in the original MS Excel data, ICPSR appended the number “2” to the variable name of the second variable.
 - ICPSR either assigned variable labels based upon information included in the project's report (Farrington and Ttofi, 2009; NCJ 229377) or repeated variable names as variable labels. The principal investigators did not provide ICPSR with any labeling information or data documentation describing the MS Excel Original Bully Data (Part 11) and/or the Original Victim Data (Part 12).
 - ICPSR recoded blanks in numeric variables to -9 and labeled them Blank.
 - ICPSR adjusted the formats of numeric variables to have a maximum of eight decimal places.
- 3) The project's report (Farrington and Ttofi, 2009; NCJ 229377) indicates that 89 reports (describing 53 different program evaluations) concerned with bullying prevention were included in this study. Of the 89 reports, only 44 provided data that permitted the calculation of an effect size for bullying or victimization (Part 10). Similarly, the Bully Data filesets and the Victim Data filesets do not include data on all 89 reports that were eligible for inclusion in the study.

ICPSR 31703

Systematic Review of School-Based Programs to Reduce Bullying and Victimization, 1983-2009

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

ICPSR has an FAQ on [copyright and survey instruments](#).

Bully Data, Part B

ODDS_RATIO: ODDS RATIO

Value	Label	Unweighted Frequency	%
Alsaker	-	1	3.3 %
Ciucci	-	1	3.3 %
Cross1	-	1	3.3 %
Cross2	-	1	3.3 %
EversHS	-	1	3.3 %
EversMS	-	1	3.3 %
Fekkes1	-	1	3.3 %
Fekkes2	-	1	3.3 %
Gini	-	1	3.3 %
Jenson	-	1	3.3 %
Martin	-	1	3.3 %
Melton	-	1	3.3 %
O'Moore	-	1	3.3 %
Olweus810	-	1	3.3 %
OlweusB1	-	1	3.3 %
OlweusB2	-	1	3.3 %
OlweusNN	-	1	3.3 %
OlweusO1	-	1	3.3 %
OlweusO47	-	1	3.3 %
Ortega	-	1	3.3 %
Paglioc	-	1	3.3 %
Pepler1	-	1	3.3 %
Pepler2	-	1	3.3 %
Pepler3	-	1	3.3 %
Pepler4	-	1	3.3 %
Rican	-	1	3.3 %
Rosenb1	-	1	3.3 %
Rosenb2	-	1	3.3 %
Salmiv07	-	1	3.3 %
Whitney	-	1	3.3 %
	Total	30	100%

Based upon 30 valid cases out of 30 total cases.

Location: 1-9 (width: 9; decimal: 0)

Variable Type: character

EB_PERCENT: EXPERIMENTAL,BEFORE; PERCENT

Value	Label	Unweighted Frequency	%
2.8000	-	1	3.3 %
3.6000	-	1	3.3 %
4.4100	-	1	3.3 %
5.0200	-	1	3.3 %
5.0860	-	2	6.7 %
5.1859	-	1	3.3 %
5.6000	-	1	3.3 %
5.7000	-	1	3.3 %
8.4400	-	1	3.3 %
10.6000	-	2	6.7 %
11.1000	-	1	3.3 %
13.0000	-	2	6.7 %
19.0000	-	1	3.3 %
24.0000	-	1	3.3 %
26.0000	-	2	6.7 %
32.0000	-	2	6.7 %
41.4000	-	1	3.3 %
44.0000	-	1	3.3 %
46.7000	-	1	3.3 %
67.6000	-	1	3.3 %
75.9000	-	1	3.3 %
	Missing Data		
-9.0000	Blank	4	13.3 %
	Total	30	100%

Based upon 26 valid cases out of 30 total cases.

- Mean: 20.9165
- Median: 12.0500
- Minimum: 3
- Maximum: 76
- Standard Deviation: 20.0884

Location: 10-16 (width: 7; decimal: 4)

Variable Type: numeric

(Range of) Missing Values: -9.0000

EB_N: EXPERIMENTAL,BEFORE; N

Value	Label	Unweighted Frequency	%
25	-	1	3.3 %
63	-	1	3.3 %
100	-	1	3.3 %
150	-	1	3.3 %

Value	Label	Unweighted Frequency	%
167	-	1	3.3 %
266	-	1	3.3 %
300	-	4	13.3 %
531	-	1	3.3 %
929	-	2	6.7 %
1038	-	2	6.7 %
1088	-	1	3.3 %
1101	-	2	6.7 %
1278	-	1	3.3 %
1449	-	1	3.3 %
1663	-	1	3.3 %
2370	-	1	3.3 %
3077	-	1	3.3 %
3336	-	1	3.3 %
3904	-	1	3.3 %
8295	-	1	3.3 %
	Missing Data		
-9	Blank	4	13.3 %
	Total	30	100%

Based upon 26 valid cases out of 30 total cases.

- Mean: 1349.92
- Median: 983.50
- Mode: 300.00
- Minimum: 25
- Maximum: 8295
- Standard Deviation: 1762.36

Location: 17-20 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

CB_PERCENT: CONTROL,BEFORE; PERCENT

Value	Label	Unweighted Frequency	%
4.1000	-	1	3.3 %
5.1350	-	2	6.7 %
5.5000	-	1	3.3 %
5.5965	-	1	3.3 %
5.7000	-	1	3.3 %
6.2000	-	2	6.7 %
7.2800	-	1	3.3 %
9.9600	-	1	3.3 %
11.2000	-	2	6.7 %

Value	Label	Unweighted Frequency	%
13.3000	-	1	3.3 %
15.1000	-	2	6.7 %
19.0000	-	1	3.3 %
19.1000	-	1	3.3 %
20.8300	-	1	3.3 %
23.0000	-	4	13.3 %
31.7000	-	1	3.3 %
43.9000	-	1	3.3 %
71.5000	-	1	3.3 %
78.1000	-	1	3.3 %
Missing Data			
-9.0000	Blank	4	13.3 %
Total		30	100%

Based upon 26 valid cases out of 30 total cases.

- Mean: 19.3399
- Median: 14.2000
- Mode: 23.0000
- Minimum: 4
- Maximum: 78
- Standard Deviation: 18.9434

Location: 21-27 (width: 7; decimal: 4)

Variable Type: numeric

(Range of) Missing Values: -9.0000

CB_N: CONTROL,BEFORE; N

Value	Label	Unweighted Frequency	%
24	-	1	3.3 %
47	-	1	3.3 %
98	-	1	3.3 %
140	-	1	3.3 %
161	-	1	3.3 %
303	-	4	13.3 %
309	-	1	3.3 %
483	-	1	3.3 %
834	-	2	6.7 %
919	-	2	6.7 %
1110	-	2	6.7 %
1111	-	1	3.3 %
1177	-	1	3.3 %
1445	-	1	3.3 %
1689	-	1	3.3 %

Value	Label	Unweighted Frequency	%
2305	-	1	3.3 %
2485	-	1	3.3 %
2519	-	1	3.3 %
2682	-	1	3.3 %
8370	-	1	3.3 %
	Missing Data		
-9	Blank	4	13.3 %
	Total	30	100%

Based upon 26 valid cases out of 30 total cases.

- Mean: 1230.12
- Median: 876.50
- Mode: 303.00
- Minimum: 24
- Maximum: 8370
- Standard Deviation: 1668.53

Location: 28-31 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

BEF_A: BEF A

Value	Label	Unweighted Frequency	%
14.000000	-	1	3.3 %
56.007000	-	1	3.3 %
64.106000	-	1	3.3 %
81.000000	-	1	3.3 %
87.900000	-	1	3.3 %
89.011000	-	1	3.3 %
172.044000	-	1	3.3 %
204.000000	-	2	6.7 %
222.000000	-	2	6.7 %
830.526000	-	2	6.7 %
903.060000	-	2	6.7 %
1040.019200	-	1	3.3 %
1045.000000	-	2	6.7 %
1206.432000	-	1	3.3 %
1366.407000	-	1	3.3 %
1579.517400	-	1	3.3 %
2169.972000	-	1	3.3 %
2967.040000	-	1	3.3 %
2990.844000	-	1	3.3 %
3162.998376	-	1	3.3 %

Value	Label	Unweighted Frequency	%
7996.380000	-	1	3.3 %
	Missing Data		
-9.000000	Blank	4	13.3 %
	Total	30	100%

Based upon 26 valid cases out of 30 total cases.

- Mean: 1209.72499908
- Median: 866.79300000
- Minimum: 14
- Maximum: 7996
- Standard Deviation: 1681.53918159

Location: 32-44 (width: 13; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.000000

BEF_B: BEF B

Value	Label	Unweighted Frequency	%
6.993000	-	1	3.3 %
11.000000	-	1	3.3 %
19.000000	-	1	3.3 %
47.980800	-	1	3.3 %
56.000000	-	2	6.7 %
62.100000	-	1	3.3 %
71.568000	-	1	3.3 %
77.989000	-	1	3.3 %
78.000000	-	2	6.7 %
82.593000	-	1	3.3 %
83.482600	-	1	3.3 %
86.156000	-	1	3.3 %
96.000000	-	2	6.7 %
98.474000	-	2	6.7 %
134.940000	-	2	6.7 %
173.001624	-	1	3.3 %
200.028000	-	1	3.3 %
201.894000	-	1	3.3 %
298.620000	-	1	3.3 %
358.956000	-	1	3.3 %
936.960000	-	1	3.3 %
	Missing Data		
-9.000000	Blank	4	13.3 %
	Total	30	100%

Based upon 26 valid cases out of 30 total cases.

- Mean: 140.198078
- Median: 84.819300
- Minimum: 7
- Maximum: 937
- Standard Deviation: 181.919507

Location: 45-54 (width: 10; decimal: 6)
 Variable Type: numeric
 (Range of) Missing Values: -9.000000

BEF_C: BEF C

Value	Label	Unweighted Frequency	%
19.000800	-	1	3.3 %
38.023000	-	1	3.3 %
78.540000	-	1	3.3 %
84.966000	-	1	3.3 %
88.065000	-	1	3.3 %
105.777000	-	1	3.3 %
109.963000	-	1	3.3 %
233.310000	-	4	13.3 %
740.592000	-	2	6.7 %
780.231000	-	2	6.7 %
1053.000000	-	2	6.7 %
1065.449000	-	1	3.3 %
1104.026000	-	1	3.3 %
1355.410000	-	1	3.3 %
1566.040800	-	1	3.3 %
2012.850000	-	1	3.3 %
2176.000675	-	1	3.3 %
2268.107600	-	1	3.3 %
2534.490000	-	1	3.3 %
7892.910000	-	1	3.3 %
	Missing Data		
-9.000000	Blank	4	13.3 %
	Total	30	100%

Based upon 26 valid cases out of 30 total cases.

- Mean: 1099.25018750
- Median: 760.41150000
- Mode: 233.31000000
- Minimum: 19
- Maximum: 7893
- Standard Deviation: 1583.35252360

Location: 55-67 (width: 13; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.000000

BEF_D: BEF D

Value	Label	Unweighted Frequency	%
4.999200	-	1	3.3 %
8.977000	-	1	3.3 %
13.034000	-	1	3.3 %
45.551000	-	1	3.3 %
51.037000	-	1	3.3 %
57.000000	-	2	6.7 %
61.460000	-	1	3.3 %
69.690000	-	4	13.3 %
72.974000	-	1	3.3 %
89.590000	-	1	3.3 %
93.408000	-	2	6.7 %
122.959200	-	1	3.3 %
128.999325	-	1	3.3 %
138.769000	-	2	6.7 %
147.510000	-	1	3.3 %
220.935000	-	1	3.3 %
250.892400	-	1	3.3 %
377.223000	-	1	3.3 %
472.150000	-	1	3.3 %
477.090000	-	1	3.3 %
	Missing Data		
-9.000000	Blank	4	13.3 %
	Total	30	100%

Based upon 26 valid cases out of 30 total cases.

- Mean: 130.865197
- Median: 81.282000
- Mode: 69.690000
- Minimum: 5
- Maximum: 477
- Standard Deviation: 129.123251

Location: 68-77 (width: 10; decimal: 6)

Variable Type: numeric

(Range of) Missing Values: -9.000000

OR_B: ODDS RATIO, BEFORE

Value	Label	Unweighted Frequency	%
0.33486054	-	1	3.3 %
0.63474026	-	2	6.7 %
0.65397924	-	1	3.3 %
0.65695532	-	1	3.3 %
0.72069120	-	1	3.3 %
0.74279835	-	1	3.3 %
0.85014985	-	2	6.7 %
0.89312447	-	1	3.3 %
1.01012414	-	2	6.7 %
1.06374299	-	2	6.7 %
1.08387001	-	1	3.3 %
1.09351738	-	1	3.3 %
1.13235391	-	1	3.3 %
1.19026909	-	2	6.7 %
1.20001642	-	1	3.3 %
1.20242915	-	1	3.3 %
1.43272462	-	1	3.3 %
1.48554703	-	1	3.3 %
1.61859314	-	1	3.3 %
1.89087852	-	1	3.3 %
2.02040816	-	1	3.3 %
	Missing Data		
-9.00000000	Blank	4	13.3 %
	Total	30	100%

Based upon 26 valid cases out of 30 total cases.

- Mean: 1.06387693
- Median: 1.06374299
- Minimum: 0
- Maximum: 2
- Standard Deviation: 0.39378372

Location: 78-88 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

LOR_B: NATURAL LOGARITHM OF ODDS RATIO, BEFORE

Value	Label	Unweighted Frequency	%
-1.09404113	-	1	3.3 %
-0.45453940	-	2	6.7 %
-0.42467967	-	1	3.3 %
-0.42013927	-	1	3.3 %

Value	Label	Unweighted Frequency	%
-0.32754453	-	1	3.3 %
-0.29733067	-	1	3.3 %
-0.16234265	-	2	6.7 %
-0.11302933	-	1	3.3 %
0.01007323	-	2	6.7 %
0.06179381	-	2	6.7 %
0.08053798	-	1	3.3 %
0.08939945	-	1	3.3 %
0.12429858	-	1	3.3 %
0.17417941	-	2	6.7 %
0.18233524	-	1	3.3 %
0.18434380	-	1	3.3 %
0.35957796	-	1	3.3 %
0.39578307	-	1	3.3 %
0.48155734	-	1	3.3 %
0.63704155	-	1	3.3 %
0.70329955	-	1	3.3 %
	Missing Data		
-9.00000000	Blank	4	13.3 %
	Total	30	100%

Based upon 26 valid cases out of 30 total cases.

- Mean: -0.00693313
- Median: 0.06179381
- Minimum: -1
- Maximum: 1
- Standard Deviation: 0.39043051

Location: 89-99 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

VARLOR_B: VARLOR B

Value	Label	Unweighted Frequency	%
0.00401910	-	1	3.3 %
0.00569653	-	1	3.3 %
0.00988680	-	1	3.3 %
0.01430799	-	1	3.3 %
0.01700594	-	2	6.7 %
0.01911496	-	1	3.3 %
0.02138298	-	1	3.3 %
0.02341501	-	2	6.7 %

Value	Label	Unweighted Frequency	%
0.02447979	-	1	3.3 %
0.02473915	-	1	3.3 %
0.03265706	-	1	3.3 %
0.03395403	-	2	6.7 %
0.03596042	-	2	6.7 %
0.03641248	-	1	3.3 %
0.03730761	-	2	6.7 %
0.03769360	-	1	3.3 %
0.05306000	-	1	3.3 %
0.05616722	-	1	3.3 %
0.15346909	-	1	3.3 %
0.29855071	-	1	3.3 %
0.41499903	-	1	3.3 %
	Missing Data		
-9.00000000	Blank	4	13.3 %
	Total	30	100%

Based upon 26 valid cases out of 30 total cases.

- Mean: 0.05776625
- Median: 0.03330555
- Minimum: 0
- Maximum: 0
- Standard Deviation: 0.09373751

Location: 100-110 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

SELOR_B: STANDARD ERROR OF NATURAL LOGARITHM OF ODDS RATIO, BEFORE

Value	Label	Unweighted Frequency	%
0.06339635	-	1	3.3 %
0.07547536	-	1	3.3 %
0.09943241	-	1	3.3 %
0.11961599	-	1	3.3 %
0.13040682	-	2	6.7 %
0.13825688	-	1	3.3 %
0.14622921	-	1	3.3 %
0.15301965	-	2	6.7 %
0.15646019	-	1	3.3 %
0.15728685	-	1	3.3 %
0.18071265	-	1	3.3 %
0.18426620	-	2	6.7 %

Value	Label	Unweighted Frequency	%
0.18963233	-	2	6.7 %
0.19082054	-	1	3.3 %
0.19315177	-	2	6.7 %
0.19414840	-	1	3.3 %
0.23034756	-	1	3.3 %
0.23699624	-	1	3.3 %
0.39175131	-	1	3.3 %
0.54639795	-	1	3.3 %
0.64420418	-	1	3.3 %
Missing Data			
-9.00000000	Blank	4	13.3 %
Total		30	100%

Based upon 26 valid cases out of 30 total cases.

- Mean: 0.20278791
- Median: 0.18248942
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.13156385

Location: 111-121 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

EA_PERCENT: EXPERIMENTAL,AFTER; PERCENT

Value	Label	Unweighted Frequency	%
2.3000	-	1	3.3 %
2.6000	-	1	3.3 %
3.1000	-	1	3.3 %
3.4173	-	1	3.3 %
3.6000	-	1	3.3 %
4.1000	-	2	6.7 %
4.3100	-	1	3.3 %
4.4000	-	1	3.3 %
5.2300	-	1	3.3 %
5.2400	-	1	3.3 %
6.6000	-	1	3.3 %
7.1000	-	1	3.3 %
7.9235	-	1	3.3 %
14.0000	-	1	3.3 %
16.0000	-	1	3.3 %
16.4000	-	1	3.3 %

Value	Label	Unweighted Frequency	%
17.0000	-	1	3.3 %
17.5000	-	1	3.3 %
20.0000	-	2	6.7 %
20.8000	-	1	3.3 %
27.0000	-	1	3.3 %
28.0000	-	1	3.3 %
40.1000	-	1	3.3 %
40.7000	-	1	3.3 %
49.2000	-	1	3.3 %
49.7000	-	1	3.3 %
61.7000	-	1	3.3 %
Missing Data			
-9.0000	Blank	1	3.3 %
Total		30	100%

Based upon 29 valid cases out of 30 total cases.

- Mean: 17.3145
- Median: 14.0000
- Minimum: 2
- Maximum: 62
- Standard Deviation: 16.5394

Location: 122-128 (width: 7; decimal: 4)

Variable Type: numeric

(Range of) Missing Values: -9.0000

EA_N: EXPERIMENTAL,AFTER; N

Value	Label	Unweighted Frequency	%
25	-	1	3.3 %
63	-	1	3.3 %
98	-	1	3.3 %
152	-	1	3.3 %
163	-	2	6.7 %
169	-	1	3.3 %
240	-	2	6.7 %
248	-	1	3.3 %
266	-	1	3.3 %
369	-	1	3.3 %
531	-	1	3.3 %
686	-	1	3.3 %
741	-	1	3.3 %
783	-	1	3.3 %

Value	Label	Unweighted Frequency	%
910	-	1	3.3 %
983	-	1	3.3 %
992	-	1	3.3 %
1098	-	1	3.3 %
1103	-	1	3.3 %
1126	-	1	3.3 %
1296	-	1	3.3 %
1526	-	1	3.3 %
3022	-	1	3.3 %
3336	-	1	3.3 %
3827	-	1	3.3 %
4612	-	1	3.3 %
8473	-	1	3.3 %
	Missing Data		
-9	Blank	1	3.3 %
	Total	30	100%

Based upon 29 valid cases out of 30 total cases.

- Mean: 1284.17
- Median: 741.00
- Minimum: 25
- Maximum: 8473
- Standard Deviation: 1822.87

Location: 129-132 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

CA_PERCENT: CONTROL,AFTER; PERCENT

Value	Label	Unweighted Frequency	%
5.0325	-	1	3.3 %
5.1000	-	1	3.3 %
5.5000	-	1	3.3 %
5.6000	-	1	3.3 %
6.2000	-	2	6.7 %
6.2400	-	1	3.3 %
6.4000	-	1	3.3 %
6.5000	-	1	3.3 %
7.3000	-	1	3.3 %
7.3500	-	1	3.3 %
8.9350	-	1	3.3 %
10.4900	-	1	3.3 %

Value	Label	Unweighted Frequency	%
11.2000	-	1	3.3 %
13.7000	-	1	3.3 %
15.2000	-	1	3.3 %
17.8000	-	1	3.3 %
22.0000	-	1	3.3 %
23.0000	-	4	13.3 %
23.4000	-	1	3.3 %
25.0000	-	1	3.3 %
33.5000	-	1	3.3 %
45.0000	-	1	3.3 %
51.4000	-	1	3.3 %
67.0000	-	1	3.3 %
73.7000	-	1	3.3 %
	Missing Data		
-9.0000	Blank	1	3.3 %
	Total	30	100%

Based upon 29 valid cases out of 30 total cases.

- Mean: 19.9223
- Median: 13.7000
- Mode: 23.0000
- Minimum: 5
- Maximum: 74
- Standard Deviation: 18.3639

Location: 133-139 (width: 7; decimal: 4)

Variable Type: numeric

(Range of) Missing Values: -9.0000

CA_N: CONTROL,AFTER; N

Value	Label	Unweighted Frequency	%
24	-	1	3.3 %
47	-	1	3.3 %
98	-	1	3.3 %
141	-	1	3.3 %
165	-	1	3.3 %
181	-	1	3.3 %
303	-	4	13.3 %
309	-	1	3.3 %
331	-	1	3.3 %
440	-	1	3.3 %
483	-	1	3.3 %
665	-	1	3.3 %

Value	Label	Unweighted Frequency	%
718	-	1	3.3 %
874	-	1	3.3 %
875	-	1	3.3 %
895	-	1	3.3 %
1108	-	1	3.3 %
1168	-	1	3.3 %
1177	-	1	3.3 %
1294	-	1	3.3 %
1445	-	1	3.3 %
2305	-	1	3.3 %
2436	-	1	3.3 %
2682	-	1	3.3 %
4103	-	1	3.3 %
8222	-	1	3.3 %
	Missing Data		
-9	Blank	1	3.3 %
	Total	30	100%

Based upon 29 valid cases out of 30 total cases.

- Mean: 1151.66
- Median: 665.00
- Mode: 303.00
- Minimum: 24
- Maximum: 8222
- Standard Deviation: 1653.27

Location: 140-143 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

AFT_A: AFT A

Value	Label	Unweighted Frequency	%
18.000000	-	1	3.3 %
51.975000	-	1	3.3 %
85.007000	-	1	3.3 %
91.042000	-	1	3.3 %
91.048000	-	1	3.3 %
101.878000	-	1	3.3 %
136.920000	-	1	3.3 %
140.180000	-	1	3.3 %
175.200000	-	1	3.3 %
192.000000	-	1	3.3 %
235.004800	-	1	3.3 %

Value	Label	Unweighted Frequency	%
269.748000	-	1	3.3 %
292.248000	-	1	3.3 %
464.319000	-	1	3.3 %
615.030000	-	1	3.3 %
641.000000	-	1	3.3 %
829.312000	-	1	3.3 %
872.690000	-	1	3.3 %
952.527000	-	1	3.3 %
1011.000000	-	1	3.3 %
1063.292000	-	1	3.3 %
1067.110200	-	1	3.3 %
1238.976000	-	1	3.3 %
1463.434000	-	1	3.3 %
2952.494000	-	1	3.3 %
3061.600000	-	1	3.3 %
3221.998872	-	1	3.3 %
4413.222800	-	1	3.3 %
8252.702000	-	1	3.3 %
	Missing Data		
-9.000000	Blank	1	3.3 %
	Total	30	100%

Based upon 29 valid cases out of 30 total cases.

- Mean: 1172.44685076
- Median: 615.03000000
- Minimum: 18
- Maximum: 8253
- Standard Deviation: 1761.46541446

Location: 144-156 (width: 13; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.000000

AFT_B: AFT B

Value	Label	Unweighted Frequency	%
6.958000	-	1	3.3 %
7.000000	-	1	3.3 %
11.025000	-	1	3.3 %
12.995200	-	1	3.3 %
22.820000	-	1	3.3 %
26.080000	-	1	3.3 %
30.473000	-	1	3.3 %

Value	Label	Unweighted Frequency	%
37.310000	-	1	3.3 %
39.708000	-	1	3.3 %
45.000000	-	1	3.3 %
48.000000	-	1	3.3 %
57.024000	-	1	3.3 %
58.889800	-	1	3.3 %
60.952000	-	1	3.3 %
62.566000	-	1	3.3 %
64.800000	-	1	3.3 %
69.506000	-	1	3.3 %
76.752000	-	1	3.3 %
83.993000	-	1	3.3 %
87.000000	-	1	3.3 %
114.001128	-	1	3.3 %
125.970000	-	1	3.3 %
162.688000	-	1	3.3 %
164.122000	-	1	3.3 %
198.777200	-	1	3.3 %
220.298000	-	1	3.3 %
261.252000	-	1	3.3 %
318.681000	-	1	3.3 %
765.400000	-	1	3.3 %
	Missing Data		
-9.000000	Blank	1	3.3 %
	Total	30	100%

Based upon 29 valid cases out of 30 total cases.

- Mean: 111.72556303
- Median: 62.56600000
- Minimum: 7
- Maximum: 765
- Standard Deviation: 148.52524327

Location: 157-168 (width: 12; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.000000

AFT_C: AFT C

Value	Label	Unweighted Frequency	%
18.000000	-	1	3.3 %
36.002000	-	1	3.3 %
68.526000	-	1	3.3 %

Value	Label	Unweighted Frequency	%
87.024000	-	1	3.3 %
101.970000	-	1	3.3 %
109.725000	-	1	3.3 %
127.029000	-	1	3.3 %
162.013100	-	1	3.3 %
233.310000	-	4	13.3 %
285.653000	-	1	3.3 %
394.900000	-	1	3.3 %
411.400000	-	1	3.3 %
546.630000	-	1	3.3 %
742.000000	-	1	3.3 %
818.064000	-	1	3.3 %
830.000000	-	1	3.3 %
1009.000000	-	1	3.3 %
1102.592000	-	1	3.3 %
1104.026000	-	1	3.3 %
1198.891000	-	1	3.3 %
1355.410000	-	1	3.3 %
1900.080000	-	1	3.3 %
2189.000875	-	1	3.3 %
2534.490000	-	1	3.3 %
3846.972800	-	1	3.3 %
7802.678000	-	1	3.3 %
	Missing Data		
-9.000000	Blank	1	3.3 %
	Total	30	100%

Based upon 29 valid cases out of 30 total cases.

- Mean: 1024.66609569
- Median: 411.40000000
- Mode: 233.31000000
- Minimum: 18
- Maximum: 7803
- Standard Deviation: 1577.70459385

Location: 169-181 (width: 13; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.000000

AFT_D: AFT D

Value	Label	Unweighted Frequency	%
6.000000	-	1	3.3 %
10.976000	-	1	3.3 %

Value	Label	Unweighted Frequency	%
10.998000	-	1	3.3 %
18.986900	-	1	3.3 %
28.600000	-	1	3.3 %
45.347000	-	1	3.3 %
55.275000	-	1	3.3 %
55.936000	-	1	3.3 %
65.000000	-	1	3.3 %
65.408000	-	1	3.3 %
69.690000	-	4	13.3 %
72.474000	-	1	3.3 %
72.974000	-	1	3.3 %
89.590000	-	1	3.3 %
95.109000	-	1	3.3 %
99.000000	-	1	3.3 %
115.999125	-	1	3.3 %
118.370000	-	1	3.3 %
133.000000	-	1	3.3 %
147.510000	-	1	3.3 %
207.030000	-	1	3.3 %
256.027200	-	1	3.3 %
323.100000	-	1	3.3 %
355.971000	-	1	3.3 %
419.322000	-	1	3.3 %
535.920000	-	1	3.3 %
	Missing Data		
-9.000000	Blank	1	3.3 %
	Total	30	100%

Based upon 29 valid cases out of 30 total cases.

- Mean: 126.989077
- Median: 72.474000
- Mode: 69.690000
- Minimum: 6
- Maximum: 536
- Standard Deviation: 130.506373

Location: 182-191 (width: 10; decimal: 6)

Variable Type: numeric

(Range of) Missing Values: -9.000000

OR_A: ODDS RATIO, AFTER

Value	Label	Unweighted Frequency	%
0.60446564	-	1	3.3 %

Value	Label	Unweighted Frequency	%
0.75249845	-	1	3.3 %
0.80759981	-	1	3.3 %
0.85714286	-	1	3.3 %
0.91371376	-	1	3.3 %
1.05724918	-	1	3.3 %
1.07038113	-	1	3.3 %
1.11552878	-	1	3.3 %
1.12820513	-	1	3.3 %
1.14018660	-	1	3.3 %
1.19209292	-	1	3.3 %
1.19480519	-	1	3.3 %
1.19772756	-	1	3.3 %
1.28890601	-	1	3.3 %
1.44013428	-	1	3.3 %
1.47759793	-	1	3.3 %
1.49770063	-	1	3.3 %
1.54605024	-	1	3.3 %
1.56818182	-	1	3.3 %
1.62605974	-	1	3.3 %
1.65029819	-	1	3.3 %
1.73950367	-	1	3.3 %
1.83487941	-	1	3.3 %
2.01321229	-	1	3.3 %
2.09632915	-	1	3.3 %
2.11932566	-	1	3.3 %
2.12430293	-	1	3.3 %
2.13730356	-	1	3.3 %
2.47227973	-	1	3.3 %
	Missing Data		
-9.00000000	Blank	1	3.3 %
	Total	30	100%

Based upon 29 valid cases out of 30 total cases.

- Mean: 1.43667801
- Median: 1.44013428
- Minimum: 1
- Maximum: 2
- Standard Deviation: 0.48416036

Location: 192-202 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

Value	Label	Unweighted Frequency	%
-0.50341045	-	1	3.3 %
-0.28435634	-	1	3.3 %
-0.21368863	-	1	3.3 %
-0.15415068	-	1	3.3 %
-0.09023793	-	1	3.3 %
0.05567042	-	1	3.3 %
0.06801479	-	1	3.3 %
0.10932854	-	1	3.3 %
0.12062799	-	1	3.3 %
0.13119193	-	1	3.3 %
0.17571052	-	1	3.3 %
0.17798316	-	1	3.3 %
0.18042606	-	1	3.3 %
0.25379380	-	1	3.3 %
0.36473636	-	1	3.3 %
0.39041775	-	1	3.3 %
0.40393102	-	1	3.3 %
0.43570344	-	1	3.3 %
0.44991687	-	1	3.3 %
0.48615975	-	1	3.3 %
0.50095599	-	1	3.3 %
0.55359983	-	1	3.3 %
0.60697876	-	1	3.3 %
0.69973160	-	1	3.3 %
0.74018779	-	1	3.3 %
0.75109795	-	1	3.3 %
0.75344372	-	1	3.3 %
0.75954501	-	1	3.3 %
0.90514069	-	1	3.3 %
	Missing Data		
-9.00000000	Blank	1	3.3 %
	Total	30	100%

Based upon 29 valid cases out of 30 total cases.

- Mean: 0.30442930
- Median: 0.36473636
- Minimum: -1
- Maximum: 1
- Standard Deviation: 0.35374372

Location: 203-213 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

VARLOR_A: VARLOR A

Value	Label	Unweighted Frequency	%
0.00402538	-	1	3.3 %
0.00717344	-	1	3.3 %
0.00942313	-	1	3.3 %
0.01091893	-	1	3.3 %
0.01621906	-	1	3.3 %
0.01815979	-	1	3.3 %
0.01984181	-	1	3.3 %
0.02189970	-	1	3.3 %
0.02217191	-	1	3.3 %
0.02357546	-	1	3.3 %
0.02659013	-	1	3.3 %
0.02856619	-	1	3.3 %
0.03252727	-	1	3.3 %
0.03453920	-	1	3.3 %
0.03747267	-	1	3.3 %
0.03977527	-	1	3.3 %
0.04037172	-	1	3.3 %
0.04200365	-	1	3.3 %
0.04467707	-	1	3.3 %
0.05206054	-	1	3.3 %
0.05296575	-	1	3.3 %
0.05459462	-	1	3.3 %
0.06428250	-	1	3.3 %
0.06534411	-	1	3.3 %
0.06959030	-	1	3.3 %
0.14004695	-	1	3.3 %
0.22864482	-	1	3.3 %
0.25730236	-	1	3.3 %
0.42063492	-	1	3.3 %
	Missing Data		
-9.00000000	Blank	1	3.3 %
	Total	30	100%

Based upon 29 valid cases out of 30 total cases.

- Mean: 0.06501375
- Median: 0.03747267
- Minimum: 0
- Maximum: 0
- Standard Deviation: 0.09046189

Location: 214-224 (width: 11; decimal: 8)

Variable Type: numeric
 (Range of) Missing Values: -9.00000000

SELOR_A: STANDARD ERROR OF NATURAL LOGARITHM OF ODDS RATIO, AFTER

Value	Label	Unweighted Frequency	%
0.06344586	-	1	3.3 %
0.08469617	-	1	3.3 %
0.09707281	-	1	3.3 %
0.10449368	-	1	3.3 %
0.12735407	-	1	3.3 %
0.13475828	-	1	3.3 %
0.14086097	-	1	3.3 %
0.14798548	-	1	3.3 %
0.14890235	-	1	3.3 %
0.15354303	-	1	3.3 %
0.16306479	-	1	3.3 %
0.16901536	-	1	3.3 %
0.18035317	-	1	3.3 %
0.18584724	-	1	3.3 %
0.19357860	-	1	3.3 %
0.19943737	-	1	3.3 %
0.20092715	-	1	3.3 %
0.20494793	-	1	3.3 %
0.21136951	-	1	3.3 %
0.22816780	-	1	3.3 %
0.23014288	-	1	3.3 %
0.23365493	-	1	3.3 %
0.25353993	-	1	3.3 %
0.25562494	-	1	3.3 %
0.26379973	-	1	3.3 %
0.37422848	-	1	3.3 %
0.47816820	-	1	3.3 %
0.50724980	-	1	3.3 %
0.64856374	-	1	3.3 %
	Missing Data		
-9.00000000	Blank	1	3.3 %
	Total	30	100%

Based upon 29 valid cases out of 30 total cases.

- Mean: 0.22016532
- Median: 0.19357860
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.13088823

Location: 225-235 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

LORA_B: NATURAL LOGARITHM OF ODDS RATIO, AFTER-NATURAL LOGARITHM OF ODDS RATIO, BEFORE

Value	Label	Unweighted Frequency	%
-0.56520426	-	1	3.3 %
-0.27230519	-	1	3.3 %
-0.26441734	-	1	3.3 %
-0.00612339	-	1	3.3 %
0.00153111	-	1	3.3 %
0.09925531	-	1	3.3 %
0.12111870	-	1	3.3 %
0.13578293	-	1	3.3 %
0.18104411	-	1	3.3 %
0.24085077	-	1	3.3 %
0.32339304	-	1	3.3 %
0.34032581	-	1	3.3 %
0.41795865	-	1	3.3 %
0.42930125	-	1	3.3 %
0.55584399	-	1	3.3 %
0.58133834	-	1	3.3 %
0.76932141	-	1	3.3 %
0.90445627	-	1	3.3 %
0.92563566	-	1	3.3 %
0.93989045	-	1	3.3 %
	Missing Data		
-9.00000000	Blank	10	33.3 %
	Total	30	100%

Based upon 20 valid cases out of 30 total cases.

- Mean: 0.29294988
- Median: 0.28212191
- Minimum: -1
- Maximum: 1
- Standard Deviation: 0.41405038

Location: 236-246 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

VLORDIFF: VLORDIFF

Value	Label	Unweighted Frequency	%
0.00603336	-	1	3.3 %
0.02094365	-	1	3.3 %
0.02435083	-	1	3.3 %
0.02491875	-	1	3.3 %
0.03244262	-	1	3.3 %
0.03498877	-	1	3.3 %
0.04443539	-	1	3.3 %
0.04566230	-	1	3.3 %
0.04906400	-	1	3.3 %
0.05417460	-	1	3.3 %
0.05529697	-	1	3.3 %
0.05825950	-	1	3.3 %
0.06047812	-	1	3.3 %
0.07367740	-	1	3.3 %
0.07884041	-	1	3.3 %
0.07916304	-	1	3.3 %
0.08307138	-	1	3.3 %
0.30807858	-	1	3.3 %
0.39539665	-	1	3.3 %
0.62672546	-	1	3.3 %
	Missing Data		
-9.00000000	Blank	10	33.3 %
	Total	30	100%

Based upon 20 valid cases out of 30 total cases.

- Mean: 0.10780009
- Median: 0.05473579
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.15558164

Location: 247-257 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

SELORDIFF: SELORDIFF

Value	Label	Unweighted Frequency	%
0.07767467	-	1	3.3 %
0.14471922	-	1	3.3 %
0.15604754	-	1	3.3 %
0.15785674	-	1	3.3 %
0.18011835	-	1	3.3 %

Value	Label	Unweighted Frequency	%
0.18705287	-	1	3.3 %
0.21079704	-	1	3.3 %
0.21368740	-	1	3.3 %
0.22150395	-	1	3.3 %
0.23275438	-	1	3.3 %
0.23515308	-	1	3.3 %
0.24137004	-	1	3.3 %
0.24592299	-	1	3.3 %
0.27143581	-	1	3.3 %
0.28078534	-	1	3.3 %
0.28135927	-	1	3.3 %
0.28822107	-	1	3.3 %
0.55504827	-	1	3.3 %
0.62880574	-	1	3.3 %
0.79165994	-	1	3.3 %
	Missing Data		
-9.00000000	Blank	10	33.3 %
	Total	30	100%

Based upon 20 valid cases out of 30 total cases.

- Mean: 0.28009869
- Median: 0.23395373
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.17575347

Location: 258-268 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

Z: Z

Value	Label	Unweighted Frequency	%
-2.55166672	-	1	3.3 %
-1.67504630	-	1	3.3 %
-0.43305137	-	1	3.3 %
-0.03399648	-	1	3.3 %
0.01057984	-	1	3.3 %
0.41121635	-	1	3.3 %
0.47110689	-	1	3.3 %
0.56680320	-	1	3.3 %
0.64477765	-	1	3.3 %
1.02422970	-	1	3.3 %

Value	Label	Unweighted Frequency	%
1.18724012	-	1	3.3 %
1.38387143	-	1	3.3 %
1.66766696	-	1	3.3 %
2.03656208	-	1	3.3 %
2.07240078	-	1	3.3 %
2.49764729	-	1	3.3 %
2.73430268	-	1	3.3 %
2.97158764	-	1	3.3 %
3.33211852	-	1	3.3 %
5.38088709	-	1	3.3 %
	Missing Data		
-9.00000000	Blank	10	33.3 %
	Total	30	100%

Based upon 20 valid cases out of 30 total cases.

- Mean: 1.18496187
- Median: 1.10573491
- Minimum: -3
- Maximum: 5
- Standard Deviation: 1.78812032

Location: 269-279 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

ORDIFF: ORDIFF

Value	Label	Unweighted Frequency	%
0.56824406	-	1	3.3 %
0.76162179	-	1	3.3 %
0.76765310	-	1	3.3 %
0.99389532	-	1	3.3 %
1.00153228	-	1	3.3 %
1.10434821	-	1	3.3 %
1.12875889	-	1	3.3 %
1.14543323	-	1	3.3 %
1.19846804	-	1	3.3 %
1.27233115	-	1	3.3 %
1.38180835	-	1	3.3 %
1.40540541	-	1	3.3 %
1.51885787	-	1	3.3 %
1.53618374	-	1	3.3 %
1.74341178	-	1	3.3 %

Value	Label	Unweighted Frequency	%
1.78843035	-	1	3.3 %
2.15830116	-	1	3.3 %
2.47058824	-	1	3.3 %
2.52347183	-	1	3.3 %
2.55970098	-	1	3.3 %
	Missing Data		
-9.00000000	Blank	10	33.3 %
	Total	30	100%

Based upon 20 valid cases out of 30 total cases.

- Mean: 1.45142229
- Median: 1.32706975
- Minimum: 1
- Maximum: 3
- Standard Deviation: 0.59306690

Location: 280-290 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

ORLOCI: ODDS RATIO FOR LOW CONFIDENCE INTERVAL

Value	Label	Unweighted Frequency	%
0.22206960	-	1	3.3 %
0.36811790	-	1	3.3 %
0.54239376	-	1	3.3 %
0.56337120	-	1	3.3 %
0.65107505	-	1	3.3 %
0.68809390	-	1	3.3 %
0.69122136	-	1	3.3 %
0.69826587	-	1	3.3 %
0.74251768	-	1	3.3 %
0.75418426	-	1	3.3 %
0.80247926	-	1	3.3 %
0.85022101	-	1	3.3 %
0.86789611	-	1	3.3 %
1.01627000	-	1	3.3 %
1.01769459	-	1	3.3 %
1.13330683	-	1	3.3 %
1.20830720	-	1	3.3 %
1.24340954	-	1	3.3 %
1.30436495	-	1	3.3 %
1.45127444	-	1	3.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9.00000000	Blank	10	33.3 %
	Total	30	100%

Based upon 20 valid cases out of 30 total cases.

- Mean: 0.84082673
- Median: 0.77833176
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.31839197

Location: 291-301 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

ORHICI: ODDS RATIO FOR HI CONFIDENCE INTERVAL

Value	Label	Unweighted Frequency	%
0.87716820	-	1	3.3 %
1.04600889	-	1	3.3 %
1.33000243	-	1	3.3 %
1.41468738	-	1	3.3 %
1.71591419	-	1	3.3 %
1.76862254	-	1	3.3 %
1.77241067	-	1	3.3 %
1.87619580	-	1	3.3 %
2.01515522	-	1	3.3 %
2.01728151	-	1	3.3 %
2.07795321	-	1	3.3 %
2.27580736	-	1	3.3 %
2.32208024	-	1	3.3 %
2.51548997	-	1	3.3 %
2.61209885	-	1	3.3 %
2.82225698	-	1	3.3 %
3.74636331	-	1	3.3 %
4.20582493	-	1	3.3 %
7.48971148	-	1	3.3 %
12.07991231	-	1	3.3 %
	Missing Data		
-9.00000000	Blank	10	33.3 %
	Total	30	100%

Based upon 20 valid cases out of 30 total cases.

- Mean: 2.89904727
- Median: 2.04761736
- Minimum: 1
- Maximum: 12
- Standard Deviation: 2.59714324

Location: 302-312 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

VLOR1_7: VLOR1.7

Value	Label	Unweighted Frequency	%
0.01040132	-	1	3.3 %
0.03610621	-	1	3.3 %
0.04198008	-	1	3.3 %
0.04295915	-	1	3.3 %
0.05593007	-	1	3.3 %
0.06031956	-	1	3.3 %
0.07660524	-	1	3.3 %
0.07872040	-	1	3.3 %
0.08458482	-	1	3.3 %
0.09339533	-	1	3.3 %
0.09533027	-	1	3.3 %
0.10043756	-	1	3.3 %
0.10426240	-	1	3.3 %
0.12701755	-	1	3.3 %
0.13591842	-	1	3.3 %
0.13647463	-	1	3.3 %
0.14321249	-	1	3.3 %
0.53111793	-	1	3.3 %
0.68165157	-	1	3.3 %
1.08045527	-	1	3.3 %
	Missing Data		
-9.00000000	Blank	10	33.3 %
	Total	30	100%

Based upon 20 valid cases out of 30 total cases.

- Mean: 0.18584401
- Median: 0.09436280
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.26821792

Location: 313-323 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

SELOR1_3: SELOR1.3

Value	Label	Unweighted Frequency	%
0.10198685	-	1	3.3 %
0.19001633	-	1	3.3 %
0.20489042	-	1	3.3 %
0.20726589	-	1	3.3 %
0.23649539	-	1	3.3 %
0.24560041	-	1	3.3 %
0.27677651	-	1	3.3 %
0.28057155	-	1	3.3 %
0.29083469	-	1	3.3 %
0.30560650	-	1	3.3 %
0.30875600	-	1	3.3 %
0.31691886	-	1	3.3 %
0.32289689	-	1	3.3 %
0.35639521	-	1	3.3 %
0.36867115	-	1	3.3 %
0.36942472	-	1	3.3 %
0.37843426	-	1	3.3 %
0.72877838	-	1	3.3 %
0.82562193	-	1	3.3 %
1.03944950	-	1	3.3 %
	Missing Data		
-9.00000000	Blank	10	33.3 %
	Total	30	100%

Based upon 20 valid cases out of 30 total cases.

- Mean: 0.36776957
- Median: 0.30718125
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.23076430

Location: 324-334 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

Z_CORR: Z CORR

Value	Label	Unweighted Frequency	%
-1.94338669	-	1	3.3 %
-1.27573975	-	1	3.3 %
-0.32981826	-	1	3.3 %
-0.02589222	-	1	3.3 %

Value	Label	Unweighted Frequency	%
0.00805776	-	1	3.3 %
0.31318839	-	1	3.3 %
0.35880190	-	1	3.3 %
0.43168561	-	1	3.3 %
0.49107209	-	1	3.3 %
0.78006832	-	1	3.3 %
0.90421944	-	1	3.3 %
1.05397672	-	1	3.3 %
1.27011954	-	1	3.3 %
1.55107546	-	1	3.3 %
1.57837074	-	1	3.3 %
1.90224470	-	1	3.3 %
2.08248491	-	1	3.3 %
2.26320460	-	1	3.3 %
2.53779019	-	1	3.3 %
4.09816229	-	1	3.3 %
	Missing Data		
-9.00000000	Blank	10	33.3 %
	Total	30	100%

Based upon 20 valid cases out of 30 total cases.

- Mean: 0.90248429
- Median: 0.84214388
- Minimum: -2
- Maximum: 4
- Standard Deviation: 1.36185858

Location: 335-345 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

ORLOCI_X: ORLOCI X

Value	Label	Unweighted Frequency	%
0.15099264	-	1	3.3 %
0.32134491	-	1	3.3 %
0.33372747	-	1	3.3 %
0.51137173	-	1	3.3 %
0.54555687	-	1	3.3 %
0.58184491	-	1	3.3 %
0.59338867	-	1	3.3 %
0.60485292	-	1	3.3 %
0.62521833	-	1	3.3 %

Value	Label	Unweighted Frequency	%
0.65128917	-	1	3.3 %
0.69011233	-	1	3.3 %
0.69467513	-	1	3.3 %
0.74635636	-	1	3.3 %
0.89298928	-	1	3.3 %
0.92478668	-	1	3.3 %
0.98250446	-	1	3.3 %
1.04628830	-	1	3.3 %
1.07730998	-	1	3.3 %
1.22865695	-	1	3.3 %
1.24366720	-	1	3.3 %
	Missing Data		
-9.00000000	Blank	10	33.3 %
	Total	30	100%

Based upon 20 valid cases out of 30 total cases.

- Mean: 0.72234671
- Median: 0.67070075
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.29717291

Location: 346-356 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

ORHICI_X: ORHICI X

Value	Label	Unweighted Frequency	%
1.00484342	-	1	3.3 %
1.15237360	-	1	3.3 %
1.45348354	-	1	3.3 %
1.57997271	-	1	3.3 %
1.85494097	-	1	3.3 %
1.95626871	-	1	3.3 %
2.05528859	-	1	3.3 %
2.06468621	-	1	3.3 %
2.33033615	-	1	3.3 %
2.40491386	-	1	3.3 %
2.46857131	-	1	3.3 %
2.64265265	-	1	3.3 %
2.64640923	-	1	3.3 %
2.82136496	-	1	3.3 %

Value	Label	Unweighted Frequency	%
3.25543878	-	1	3.3 %
3.84169548	-	1	3.3 %
4.45218003	-	1	3.3 %
4.96786858	-	1	3.3 %
10.52803069	-	1	3.3 %
19.63299313	-	1	3.3 %
	Missing Data		
-9.00000000	Blank	10	33.3 %
	Total	30	100%

Based upon 20 valid cases out of 30 total cases.

- Mean: 3.75571563
- Median: 2.43674259
- Minimum: 1
- Maximum: 20
- Standard Deviation: 4.26738325

Location: 357-367 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

LOR_NUM: LOR NUM

Value	Label	Unweighted Frequency	%
2.52682259	-	1	3.3 %
14.81905888	-	1	3.3 %
15.42204778	-	1	3.3 %
18.54843704	-	1	3.3 %
18.86609952	-	1	3.3 %
38.61574040	-	1	3.3 %
59.87414013	-	1	3.3 %
78.12432696	-	1	3.3 %
182.07995196	-	1	3.3 %
	Missing Data		
-9.00000000	Blank	21	70.0 %
	Total	30	100%

Based upon 9 valid cases out of 30 total cases.

- Mean: 47.65295836
- Median: 18.86609952
- Minimum: 3
- Maximum: 182
- Standard Deviation: 55.96781507

Location: 368-379 (width: 12; decimal: 8)

Variable Type: numeric
 (Range of) Missing Values: -9.00000000

LOR_DEN: LOR DEN

Value	Label	Unweighted Frequency	%
22.65962250	-	1	3.3 %
29.63230751	-	1	3.3 %
35.28133042	-	1	3.3 %
58.20655173	-	1	3.3 %
73.45227752	-	1	3.3 %
75.42817195	-	1	3.3 %
97.97775476	-	1	3.3 %
207.26677586	-	1	3.3 %
314.94854431	-	1	3.3 %
Missing Data			
-9.00000000	Blank	21	70.0 %
Total		30	100%

Based upon 9 valid cases out of 30 total cases.

- Mean: 101.65037073
- Median: 73.45227752
- Minimum: 23
- Maximum: 315
- Standard Deviation: 97.38166846

Location: 380-391 (width: 12; decimal: 8)
 Variable Type: numeric
 (Range of) Missing Values: -9.00000000

LOR_FIN: LOR FIN

Value	Label	Unweighted Frequency	%
-0.26441734	-	1	3.3 %
-0.00612339	-	1	3.3 %
0.11151212	-	1	3.3 %
0.16100000	-	1	3.3 %
0.25012007	-	1	3.3 %
0.26495381	-	1	3.3 %
0.28887476	-	1	3.3 %
0.48615975	-	1	3.3 %
0.50009804	-	1	3.3 %
0.52572557	-	1	3.3 %
0.52572952	-	1	3.3 %
0.57812603	-	1	3.3 %
0.75109795	-	1	3.3 %

Value	Label	Unweighted Frequency	%
0.75954501	-	1	3.3 %
0.79736801	-	1	3.3 %
Missing Data			
-9.00000000	Blank	15	50.0 %
Total		30	100%

Based upon 15 valid cases out of 30 total cases.

- Mean: 0.38198466
- Median: 0.48615975
- Minimum: -0
- Maximum: 1
- Standard Deviation: 0.30309657

Location: 392-402 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

VLORFIN: VLOR FIN

Value	Label	Unweighted Frequency	%
0.00547709	-	1	3.3 %
0.00832261	-	1	3.3 %
0.01760604	-	1	3.3 %
0.02286944	-	1	3.3 %
0.02348464	-	1	3.3 %
0.02834360	-	1	3.3 %
0.02963584	-	1	3.3 %
0.03374695	-	1	3.3 %
0.04295915	-	1	3.3 %
0.04413136	-	1	3.3 %
0.05593007	-	1	3.3 %
0.09136591	-	1	3.3 %
0.11271859	-	1	3.3 %
0.13515917	-	1	3.3 %
0.24158100	-	1	3.3 %
Missing Data			
-9.00000000	Blank	15	50.0 %
Total		30	100%

Based upon 15 valid cases out of 30 total cases.

- Mean: 0.05955543
- Median: 0.03374695
- Minimum: 0
- Maximum: 0

- Standard Deviation: 0.06307896

Location: 403-413 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

W: W

Value	Label	Unweighted Frequency	%
0.92553577	-	1	3.3 %
1.46702514	-	1	3.3 %
1.88282102	-	1	3.3 %
4.13939844	-	1	3.3 %
6.98263118	-	1	3.3 %
7.35735464	-	1	3.3 %
7.39868411	-	1	3.3 %
8.87165144	-	1	3.3 %
10.70717343	-	1	3.3 %
10.94500082	-	1	3.3 %
17.87946986	-	1	3.3 %
22.65962250	-	1	3.3 %
23.27792743	-	1	3.3 %
23.82081979	-	1	3.3 %
29.63230751	-	1	3.3 %
33.74292854	-	1	3.3 %
35.28133042	-	1	3.3 %
42.58103045	-	1	3.3 %
43.72647649	-	1	3.3 %
56.79869841	-	1	3.3 %
96.14167032	-	1	3.3 %
120.15465267	-	1	3.3 %
182.57886627	-	1	3.3 %
	Missing Data		
-9.00000000	Blank	7	23.3 %
	Total	30	100%

Based upon 23 valid cases out of 30 total cases.

- Mean: 34.30230768
- Median: 22.65962250
- Minimum: 1
- Maximum: 183
- Standard Deviation: 44.00519163

Location: 414-425 (width: 12; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

WES: WES

Value	Label	Unweighted Frequency	%
-6.15508768	-	1	3.3 %
-0.39947856	-	1	3.3 %
-0.10948297	-	1	3.3 %
0.86990223	-	1	3.3 %
0.94812213	-	1	3.3 %
1.19118814	-	1	3.3 %
1.33200573	-	1	3.3 %
1.74280628	-	1	3.3 %
2.52682259	-	1	3.3 %
3.10909369	-	1	3.3 %
4.31303984	-	1	3.3 %
6.22449039	-	1	3.3 %
7.70348732	-	1	3.3 %
8.31322081	-	1	3.3 %
8.94031755	-	1	3.3 %
10.93686929	-	1	3.3 %
14.81905888	-	1	3.3 %
18.54843704	-	1	3.3 %
22.38593646	-	1	3.3 %
34.70964645	-	1	3.3 %
40.18324306	-	1	3.3 %
45.28946490	-	1	3.3 %
105.55359534	-	1	3.3 %
	Missing Data		
-9.00000000	Blank	7	23.3 %
	Total	30	100%

Based upon 23 valid cases out of 30 total cases.

- Mean: 14.47724778
- Median: 6.22449039
- Minimum: -6
- Maximum: 106
- Standard Deviation: 24.02998242

Location: 426-437 (width: 12; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

WESSQ: WESSQ

Value	Label	Unweighted Frequency	%
0.00067041	-	1	3.3 %

Value	Label	Unweighted Frequency	%
0.10878008	-	1	3.3 %
0.12873880	-	1	3.3 %
0.19178129	-	1	3.3 %
0.24115179	-	1	3.3 %
0.28177135	-	1	3.3 %
0.81761279	-	1	3.3 %
1.61320365	-	1	3.3 %
1.62751192	-	1	3.3 %
2.09682636	-	1	3.3 %
2.33523391	-	1	3.3 %
2.36877122	-	1	3.3 %
2.49125418	-	1	3.3 %
2.73553049	-	1	3.3 %
3.61853489	-	1	3.3 %
6.31426542	-	1	3.3 %
7.41098229	-	1	3.3 %
9.75146097	-	1	3.3 %
10.02674079	-	1	3.3 %
11.76885918	-	1	3.3 %
16.79493416	-	1	3.3 %
36.11237033	-	1	3.3 %
61.02328115	-	1	3.3 %
	Missing Data		
-9.00000000	Blank	7	23.3 %
	Total	30	100%

Based upon 23 valid cases out of 30 total cases.

- Mean: 7.82001163
- Median: 2.36877122
- Minimum: 0
- Maximum: 61
- Standard Deviation: 14.11124073

Location: 438-448 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

WSQ: WSQ

Value	Label	Unweighted Frequency	%
0.85661646	-	1	3.3 %
2.15216278	-	1	3.3 %
3.54501499	-	1	3.3 %

Value	Label	Unweighted Frequency	%
17.13461945	-	1	3.3 %
48.75713825	-	1	3.3 %
54.13066736	-	1	3.3 %
54.74052651	-	1	3.3 %
78.70619934	-	1	3.3 %
114.64356291	-	1	3.3 %
119.79304299	-	1	3.3 %
319.67544239	-	1	3.3 %
513.45849190	-	1	3.3 %
541.86190534	-	1	3.3 %
567.43145562	-	1	3.3 %
878.07364838	-	1	3.3 %
1138.58522637	-	1	3.3 %
1244.77227648	-	1	3.3 %
1813.14415411	-	1	3.3 %
1912.00474647	-	1	3.3 %
3226.09214144	-	1	3.3 %
9243.22077239	-	1	3.3 %
14437.14055922	-	1	3.3 %
33335.04240754	-	1	3.3 %
	Missing Data		
-9.00000000	Blank	7	23.3 %
	Total	30	100%

Based upon 23 valid cases out of 30 total cases.

- Mean: 3028.91142516
- Median: 513.45849190
- Minimum: 1
- Maximum: 33335
- Standard Deviation: 7434.79445476

Location: 449-462 (width: 14; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

SELOR_FIN: SELOR FIN

Value	Label	Unweighted Frequency	%
0.07400733	-	1	3.3 %
0.09122833	-	1	3.3 %
0.13268774	-	1	3.3 %
0.15122645	-	1	3.3 %
0.15324698	-	1	3.3 %

Value	Label	Unweighted Frequency	%
0.16835558	-	1	3.3 %
0.17215063	-	1	3.3 %
0.18370343	-	1	3.3 %
0.20726589	-	1	3.3 %
0.21007466	-	1	3.3 %
0.23649539	-	1	3.3 %
0.30226795	-	1	3.3 %
0.33573589	-	1	3.3 %
0.36764000	-	1	3.3 %
0.49150890	-	1	3.3 %
Missing Data			
-9.00000000	Blank	15	50.0 %
Total		30	100%

Based upon 15 valid cases out of 30 total cases.

- Mean: 0.21850634
- Median: 0.18370343
- Minimum: 0
- Maximum: 0
- Standard Deviation: 0.11249004

Location: 463-473 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

Z_FIN: Z FIN

Value	Label	Unweighted Frequency	%
-1.27573975	-	1	3.3 %
-0.02589222	-	1	3.3 %
0.43792841	-	1	3.3 %
0.53082139	-	1	3.3 %
1.44804225	-	1	3.3 %
1.52814721	-	1	3.3 %
1.53908129	-	1	3.3 %
1.65394392	-	1	3.3 %
2.51282021	-	1	3.3 %
2.72231194	-	1	3.3 %
3.12273293	-	1	3.3 %
3.16650293	-	1	3.3 %
3.43057709	-	1	3.3 %
6.00935690	-	1	3.3 %
7.81173996	-	1	3.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9.00000000	Blank	15	50.0 %
	Total	30	100%

Based upon 15 valid cases out of 30 total cases.

- Mean: 2.30749163
- Median: 1.65394392
- Minimum: -1
- Maximum: 8
- Standard Deviation: 2.30183611

Location: 474-484 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

OR_FIN: OR FIN

Value	Label	Unweighted Frequency	%
0.76765310	-	1	3.3 %
0.99389532	-	1	3.3 %
1.11796730	-	1	3.3 %
1.17468497	-	1	3.3 %
1.28417960	-	1	3.3 %
1.30337077	-	1	3.3 %
1.33492453	-	1	3.3 %
1.62605974	-	1	3.3 %
1.64888292	-	1	3.3 %
1.69168584	-	1	3.3 %
1.69169253	-	1	3.3 %
1.78269458	-	1	3.3 %
2.11932566	-	1	3.3 %
2.13730356	-	1	3.3 %
2.21969102	-	1	3.3 %
	Missing Data		
-9.00000000	Blank	15	50.0 %
	Total	30	100%

Based upon 15 valid cases out of 30 total cases.

- Mean: 1.52626743
- Median: 1.62605974
- Minimum: 1
- Maximum: 2
- Standard Deviation: 0.43470291

Location: 485-495 (width: 11; decimal: 8)

Variable Type: numeric
 (Range of) Missing Values: -9.00000000

ORLOCI_2: ORLOCI

Value	Label	Unweighted Frequency	%
0.51137173	-	1	3.3 %
0.57145222	-	1	3.3 %
0.62521833	-	1	3.3 %
0.74064474	-	1	3.3 %
0.80875481	-	1	3.3 %
0.84207804	-	1	3.3 %
0.93010163	-	1	3.3 %
0.95477098	-	1	3.3 %
1.11635313	-	1	3.3 %
1.15031903	-	1	3.3 %
1.18187225	-	1	3.3 %
1.21622595	-	1	3.3 %
1.25277551	-	1	3.3 %
1.54198672	-	1	3.3 %
1.71137994	-	1	3.3 %
	Missing Data		
-9.00000000	Blank	15	50.0 %
	Total	30	100%

Based upon 15 valid cases out of 30 total cases.

- Mean: 1.01035367
- Median: 0.95477098
- Minimum: 1
- Maximum: 2
- Standard Deviation: 0.34606423

Location: 496-506 (width: 11; decimal: 8)
 Variable Type: numeric
 (Range of) Missing Values: -9.00000000

ORHICI_2: ORHICI

Value	Label	Unweighted Frequency	%
1.15237360	-	1	3.3 %
1.57997271	-	1	3.3 %
1.59629015	-	1	3.3 %
1.68751739	-	1	3.3 %
1.72723854	-	1	3.3 %
1.82644060	-	1	3.3 %
2.06097753	-	1	3.3 %

Value	Label	Unweighted Frequency	%
2.28436856	-	1	3.3 %
2.35303613	-	1	3.3 %
2.36353117	-	1	3.3 %
2.41469842	-	1	3.3 %
2.87897977	-	1	3.3 %
3.13993496	-	1	3.3 %
3.86511021	-	1	3.3 %
5.55365013	-	1	3.3 %
	Missing Data		
-9.00000000	Blank	15	50.0 %
	Total	30	100%

Based upon 15 valid cases out of 30 total cases.

- Mean: 2.43227466
- Median: 2.28436856
- Minimum: 1
- Maximum: 6
- Standard Deviation: 1.10678401

Location: 507-517 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

CORRVAR: CORRVAR

Value	Label	Unweighted Frequency	%
0.01040132	-	1	3.3 %
0.01802610	-	1	3.3 %
0.02087162	-	1	3.3 %
0.02834360	-	1	3.3 %
0.03374695	-	1	3.3 %
0.03603365	-	1	3.3 %
0.04218485	-	1	3.3 %
0.05285807	-	1	3.3 %
0.05383714	-	1	3.3 %
0.05500935	-	1	3.3 %
0.06680805	-	1	3.3 %
0.09339533	-	1	3.3 %
0.10391493	-	1	3.3 %
0.11271859	-	1	3.3 %
0.13591842	-	1	3.3 %
0.14321249	-	1	3.3 %
0.14603715	-	1	3.3 %

Value	Label	Unweighted Frequency	%
0.25413001	-	1	3.3 %
0.53111793	-	1	3.3 %
0.68165157	-	1	3.3 %
1.08045527	-	1	3.3 %
Missing Data			
-9.00000000	Blank	9	30.0 %
Total		30	100%

Based upon 21 valid cases out of 30 total cases.

- Mean: 0.17622249
- Median: 0.06680805
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.26815730

Location: 518-528 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

CORR_W_TOT: CORR W TOT

Value	Label	Unweighted Frequency	%
0.92553577	-	1	3.3 %
1.46702514	-	1	3.3 %
1.88282102	-	1	3.3 %
3.93499373	-	1	3.3 %
6.84757248	-	1	3.3 %
6.98263118	-	1	3.3 %
7.35735464	-	1	3.3 %
8.87165144	-	1	3.3 %
9.62325639	-	1	3.3 %
10.70717343	-	1	3.3 %
14.96825498	-	1	3.3 %
18.17872887	-	1	3.3 %
18.57453936	-	1	3.3 %
18.91858771	-	1	3.3 %
23.70519054	-	1	3.3 %
27.75183688	-	1	3.3 %
29.63230751	-	1	3.3 %
35.28133000	-	1	3.3 %
47.91194421	-	1	3.3 %
55.47511660	-	1	3.3 %
96.14167032	-	1	3.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9.00000000	Blank	9	30.0 %
	Total	30	100%

Based upon 21 valid cases out of 30 total cases.

- Mean: 21.19712010
- Median: 14.96825498
- Minimum: 1
- Maximum: 96
- Standard Deviation: 22.74944767

Location: 529-540 (width: 12; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

CORR_WES: CORR WES

Value	Label	Unweighted Frequency	%
-4.91143031	-	1	3.3 %
-0.39947856	-	1	3.3 %
-0.09165647	-	1	3.3 %
0.86990223	-	1	3.3 %
0.94812213	-	1	3.3 %
1.10245917	-	1	3.3 %
1.33200573	-	1	3.3 %
1.74280628	-	1	3.3 %
2.02714864	-	1	3.3 %
2.95556573	-	1	3.3 %
4.31303984	-	1	3.3 %
6.11813958	-	1	3.3 %
6.22449039	-	1	3.3 %
6.28078060	-	1	3.3 %
7.30929641	-	1	3.3 %
13.84055138	-	1	3.3 %
14.58985023	-	1	3.3 %
14.81905888	-	1	3.3 %
18.54843700	-	1	3.3 %
32.07160899	-	1	3.3 %
40.18324306	-	1	3.3 %
	Missing Data		
-9.00000000	Blank	9	30.0 %
	Total	30	100%

Based upon 21 valid cases out of 30 total cases.

- Mean: 8.08923528
- Median: 4.31303984
- Minimum: -5
- Maximum: 40
- Standard Deviation: 11.11232252

Location: 541-551 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

CORR_WESSQ: CORR WESSQ

Value	Label	Unweighted Frequency	%
0.00056125	-	1	3.3 %
0.10878008	-	1	3.3 %
0.12873880	-	1	3.3 %
0.17749593	-	1	3.3 %
0.22605165	-	1	3.3 %
0.24115179	-	1	3.3 %
0.81761279	-	1	3.3 %
1.29866735	-	1	3.3 %
1.61320365	-	1	3.3 %
1.66411676	-	1	3.3 %
1.97856376	-	1	3.3 %
2.09682636	-	1	3.3 %
2.21991937	-	1	3.3 %
3.61853489	-	1	3.3 %
3.99818596	-	1	3.3 %
5.55173965	-	1	3.3 %
7.41098229	-	1	3.3 %
7.67025732	-	1	3.3 %
9.75146100	-	1	3.3 %
16.79493416	-	1	3.3 %
18.54143202	-	1	3.3 %
	Missing Data		
-9.00000000	Blank	9	30.0 %
	Total	30	100%

Based upon 21 valid cases out of 30 total cases.

- Mean: 4.09091509
- Median: 1.97856376
- Minimum: 0
- Maximum: 19
- Standard Deviation: 5.31173296

Location: 552-562 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

CORRVAR_T: CORRVAR T

Value	Label	Unweighted Frequency	%
0.02681845	-	1	3.3 %
0.02966398	-	1	3.3 %
0.03174269	-	1	3.3 %
0.04482601	-	1	3.3 %
0.04968497	-	1	3.3 %
0.05097721	-	1	3.3 %
0.05508832	-	1	3.3 %
0.06332145	-	1	3.3 %
0.06430052	-	1	3.3 %
0.06547273	-	1	3.3 %
0.07727144	-	1	3.3 %
0.11270728	-	1	3.3 %
0.11473670	-	1	3.3 %
0.13405995	-	1	3.3 %
0.15650054	-	1	3.3 %
0.15725979	-	1	3.3 %
0.16455386	-	1	3.3 %
0.26292237	-	1	3.3 %
0.55245930	-	1	3.3 %
0.70299294	-	1	3.3 %
1.10179664	-	1	3.3 %
	Missing Data		
-9.00000000	Blank	9	30.0 %
	Total	30	100%

Based upon 21 valid cases out of 30 total cases.

- Mean: 0.19138844
- Median: 0.07727144
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.27060438

Location: 563-573 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

CORR_W: CORR W

Value	Label	Unweighted Frequency	%
0.90760850	-	1	3.3 %

Value	Label	Unweighted Frequency	%
1.42248938	-	1	3.3 %
1.81008810	-	1	3.3 %
3.80340409	-	1	3.3 %
6.07703766	-	1	3.3 %
6.35890472	-	1	3.3 %
6.38975436	-	1	3.3 %
7.45934909	-	1	3.3 %
8.71560716	-	1	3.3 %
8.87254111	-	1	3.3 %
12.94139220	-	1	3.3 %
15.27353425	-	1	3.3 %
15.55197371	-	1	3.3 %
15.79243622	-	1	3.3 %
18.15266856	-	1	3.3 %
19.61660974	-	1	3.3 %
20.12681036	-	1	3.3 %
22.30847911	-	1	3.3 %
31.50331988	-	1	3.3 %
33.71092198	-	1	3.3 %
37.28775666	-	1	3.3 %
	Missing Data		
-9.00000000	Blank	9	30.0 %
	Total	30	100%

Based upon 21 valid cases out of 30 total cases.

- Mean: 14.00393747
- Median: 12.94139220
- Minimum: 1
- Maximum: 37
- Standard Deviation: 10.62819315

Location: 574-584 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

CORR_WES2: CORR WES

Value	Label	Unweighted Frequency	%
-4.11221154	-	1	3.3 %
-0.38735124	-	1	3.3 %
-0.07924520	-	1	3.3 %
0.82515799	-	1	3.3 %
0.85305256	-	1	3.3 %

Value	Label	Unweighted Frequency	%
1.02875045	-	1	3.3 %
1.15124226	-	1	3.3 %
1.67548210	-	1	3.3 %
1.70318422	-	1	3.3 %
2.85672902	-	1	3.3 %
3.62643528	-	1	3.3 %
5.06671657	-	1	3.3 %
5.10716395	-	1	3.3 %
5.19749553	-	1	3.3 %
6.73909436	-	1	3.3 %
9.07811395	-	1	3.3 %
9.73823450	-	1	3.3 %
10.58125842	-	1	3.3 %
11.72813787	-	1	3.3 %
13.16708515	-	1	3.3 %
21.55702277	-	1	3.3 %
	Missing Data		
-9.00000000	Blank	9	30.0 %
	Total	30	100%

Based upon 21 valid cases out of 30 total cases.

- Mean: 5.10007376
- Median: 3.62643528
- Minimum: -4
- Maximum: 22
- Standard Deviation: 5.87653024

Location: 585-595 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000