



ICPSR 31703

# Systematic Review of School Based Programs to Reduce Bullying and Victimization, 1983-2009

David P. Farrington  
*Cambridge University*

Maria M. Ttofi  
*Cambridge University*

Victim Data, Part C Codebook



National Institute of Justice  
Data Resources Program

# ICPSR

P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)



# Terms of Use

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/31703/terms>

## Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### NOTICE

#### WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.



**ICPSR CODEBOOK NOTES**  
**Victim Data, Part C**

- 1) Users should be aware that ICPSR transposed and converted the original Microsoft Excel data provided by the principal investigators to SPSS, SAS, and Stata formats for dissemination purposes. The unmodified Original Bully Data (Part 11) and Original Victim Data (Part 12) are available in Microsoft Excel format. ICPSR also created a tab-delimited version of the original Part 11 and Part 12 data for preservation purposes. Given the structure of the original data files, ICPSR converted the Original Bully Data into four parts and converted the Original Victim Data into five parts. Parts 1-4 represent transposed versions of the Original Bully Data in SPSS, SAS, and Stata formats and Parts 5-9 represent transposed versions of the Original Victim Data in SPSS, SAS, and Stata formats. The following table summarizes the relationship between the original Microsoft Excel Bully and Victim Data files and the corresponding SPSS, SAS, and Stata data parts.

<b>Part Number</b>	<b>Part Name</b>	<b>Source Data</b>	<b>Cell Ranges</b>
1	Bully Data, Part A	Original Bully Data (Part 11)	A1:AA64, H125:O188, A191:O254
2	Bully Data, Part B	Original Bully Data (Part 11)	A67:AA123*, A125:E181
3	Bully Data, Part C	Original Bully Data (Part 11)	AB1:AM71
4	Bully Data, Part D	Original Bully Data (Part 11)	AN48:AR60
5	Victim Data, Part A	Original Victim Data (Part 12)	A1:AC64, A191:E254
6	Victim Data, Part B	Original Victim Data (Part 12)	A67:AC123*, A125:E181
7	Victim Data, Part C	Original Victim Data (Part 12)	H125:K188, N125:Q188
8	Victim Data, Part D	Original Victim Data (Part 12)	AD48:AM71
9	Victim Data, Part E	Original Victim Data (Part 12)	AN48:AR60

\*Note: ICPSR did not convert all of the original data in Microsoft Excel format into SPSS, SAS, and Stata files. Specifically, in the Original Bully Data (Part 11), the cells that were not transposed and converted by ICPSR are cells Z117:AA140. In the Original Victim Data (Part 12), the cells that were not transposed and converted by ICPSR are cells AB117:AC140. These cell ranges overlap with some cell ranges in the above table.

ICPSR recoded the 14 values corresponding to cells Z117:AA123 in the Original Bully Data (Part 11) to -9 "Blank" in the Bully Data, Part B (Dataset 2). ICPSR recoded the 14 values corresponding to cells AB117:AC123 in the Original Victim Data (Part 12) to -9 "Blank" in the Victim Data, Part B (Dataset 6).

- 2) After converting the original MS Excel data into SPSS, SAS, and Stata formats, ICPSR made the following modifications and enhancements to Datasets 1-9:
  - ICPSR assigned variable names based upon column and/or row headings in the original MS Excel files. In instances where two variables had the same name in the original MS Excel data, ICPSR appended the number “2” to the variable name of the second variable.
  - ICPSR either assigned variable labels based upon information included in the project's report (Farrington and Ttofi, 2009; NCJ 229377) or repeated variable names as variable labels. The principal investigators did not provide ICPSR with any labeling information or data documentation describing the MS Excel Original Bully Data (Part 11) and/or the Original Victim Data (Part 12).
  - ICPSR recoded blanks in numeric variables to -9 and labeled them Blank.
  - ICPSR adjusted the formats of numeric variables to have a maximum of eight decimal places.
- 3) The Victim Data, Part A (Dataset 5) and the Victim Data, Part C (Dataset 7) are similarly structured and each dataset contains 64 variables. However, ICPSR is disseminating Dataset 5 and Dataset 7 as separate datasets because, in the Original Victim Data (Dataset 12), there are some minor differences in the heading information of the respective cell ranges, which resulted in several variable name and variable label differences. For analysis purposes, secondary users may want to consider merging Dataset 5 and Dataset 7.
- 4) The project's report (Farrington and Ttofi, 2009; NCJ 229377) indicates that 89 reports (describing 53 different program evaluations) concerned with bullying prevention were included in this study. Of the 89 reports, only 44 provided data that permitted the calculation of an effect size for bullying or victimization (Part 10). Similarly, the Bully Data filesets and the Victim Data filesets do not include data on all 89 reports that were eligible for inclusion in the study.

# ICPSR 31703

## Systematic Review of School-Based Programs to Reduce Bullying and Victimization, 1983-2009

### Variable Description and Frequencies

**Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.**

**Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.**

ICPSR has an FAQ on [copyright and survey instruments](#).

# Victim Data, Part C

## PUBLICATION: PUBLICATIONS BY ERTESVAG ON VICTIMIZATION PREVENTION PROGRAMS

Value	Label	Unweighted Frequency	%
Ertesva10	-	1	16.7 %
Ertesvag5	-	1	16.7 %
Ertesvag6	-	1	16.7 %
Ertesvag7	-	1	16.7 %
Ertesvag8	-	1	16.7 %
Ertesvag9	-	1	16.7 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

Location: 1-9 (width: 9; decimal: 0)

Variable Type: character

## A1\_MEAN: A1 MEAN

Value	Label	Unweighted Frequency	%
0.21	-	1	16.7 %
0.26	-	1	16.7 %
0.27	-	1	16.7 %
0.39	-	1	16.7 %
0.50	-	1	16.7 %
0.53	-	1	16.7 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 0.36
- Median: 0.33
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.13

Location: 10-13 (width: 4; decimal: 2)

Variable Type: numeric

## C\_MEAN: C MEAN

Value	Label	Unweighted Frequency	%
0.26	-	1	16.7 %
0.30	-	1	16.7 %
0.35	-	1	16.7 %
0.44	-	1	16.7 %



Value	Label	Unweighted Frequency	%
0.46	-	1	16.7 %
0.54	-	1	16.7 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 0.39
- Median: 0.40
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.11

Location: 14-17 (width: 4; decimal: 2)

Variable Type: numeric

---

### A3\_MEAN: A3 MEAN

Value	Label	Unweighted Frequency	%
0.24	-	2	33.3 %
0.32	-	1	16.7 %
0.39	-	1	16.7 %
0.44	-	2	33.3 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 0.34
- Median: 0.35
- Minimum: 0
- Maximum: 0
- Standard Deviation: 0.09

Location: 18-21 (width: 4; decimal: 2)

Variable Type: numeric

---

### C\_MEAN2: C MEAN2

Value	Label	Unweighted Frequency	%
0.26	-	1	16.7 %
0.30	-	1	16.7 %
0.35	-	1	16.7 %
0.44	-	1	16.7 %
0.46	-	1	16.7 %
0.54	-	1	16.7 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 0.39
- Median: 0.40
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.11

Location: 22-25 (width: 4; decimal: 2)  
 Variable Type: numeric

### A1\_SD: A1 SD

Value	Label	Unweighted Frequency	%
0.34	-	2	33.3 %
0.46	-	1	16.7 %
0.52	-	1	16.7 %
0.53	-	1	16.7 %
0.57	-	1	16.7 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 0.46
- Median: 0.49
- Mode: 0.34
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.10

Location: 26-29 (width: 4; decimal: 2)  
 Variable Type: numeric

### C\_SD: C SD

Value	Label	Unweighted Frequency	%
0.39	-	1	16.7 %
0.46	-	1	16.7 %
0.49	-	1	16.7 %
0.51	-	1	16.7 %
0.57	-	1	16.7 %
0.60	-	1	16.7 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 0.50
- Median: 0.50
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.08

Location: 30-33 (width: 4; decimal: 2)  
Variable Type: numeric

### A3\_SD: A3 SD

Value	Label	Unweighted Frequency	%
0.34	-	1	16.7 %
0.40	-	1	16.7 %
0.46	-	2	33.3 %
0.54	-	1	16.7 %
0.55	-	1	16.7 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 0.46
- Median: 0.46
- Mode: 0.46
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.08

Location: 34-37 (width: 4; decimal: 2)  
Variable Type: numeric

### C\_SD2: C SD2

Value	Label	Unweighted Frequency	%
0.39	-	1	16.7 %
0.46	-	1	16.7 %
0.49	-	1	16.7 %
0.51	-	1	16.7 %
0.57	-	1	16.7 %
0.60	-	1	16.7 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 0.50
- Median: 0.50
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.08

Location: 38-41 (width: 4; decimal: 2)  
Variable Type: numeric

### A1\_N: A1 N

Value	Label	Unweighted Frequency	%
99	-	1	16.7 %
126	-	1	16.7 %
128	-	2	33.3 %
129	-	1	16.7 %
160	-	1	16.7 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 128.33
- Median: 128.00
- Mode: 128.00
- Minimum: 99
- Maximum: 160
- Standard Deviation: 19.34

*Location:* 42-44 (width: 3; decimal: 0)

*Variable Type:* numeric

---

## C\_N: C N

Value	Label	Unweighted Frequency	%
95	-	1	16.7 %
112	-	1	16.7 %
118	-	1	16.7 %
123	-	1	16.7 %
147	-	1	16.7 %
152	-	1	16.7 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 124.50
- Median: 120.50
- Minimum: 95
- Maximum: 152
- Standard Deviation: 21.60

*Location:* 45-47 (width: 3; decimal: 0)

*Variable Type:* numeric

---

## A3\_N: A3 N

Value	Label	Unweighted Frequency	%
122	-	1	16.7 %
123	-	1	16.7 %
124	-	1	16.7 %

Value	Label	Unweighted Frequency	%
140	-	2	33.3 %
143	-	1	16.7 %
<b>Total</b>		<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 132.00
- Median: 132.00
- Mode: 140.00
- Minimum: 122
- Maximum: 143
- Standard Deviation: 9.94

*Location:* 48-50 (width: 3; decimal: 0)

*Variable Type:* numeric

## C\_N2: C N2

Value	Label	Unweighted Frequency	%
95	-	1	16.7 %
112	-	1	16.7 %
118	-	1	16.7 %
123	-	1	16.7 %
147	-	1	16.7 %
152	-	1	16.7 %
<b>Total</b>		<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 124.50
- Median: 120.50
- Minimum: 95
- Maximum: 152
- Standard Deviation: 21.60

*Location:* 51-53 (width: 3; decimal: 0)

*Variable Type:* numeric

## SP\_B\_NUM: POOLED STANDARD DEVIATION,BEFORE; NUM

Value	Label	Unweighted Frequency	%
6.41643203	-	1	16.7 %
7.16161993	-	1	16.7 %
7.37014247	-	1	16.7 %
7.95010692	-	1	16.7 %
8.57547666	-	1	16.7 %
8.99823316	-	1	16.7 %

Value	Label	Unweighted Frequency	%
	Total	6	100%

Based upon 6 valid cases out of 6 total cases.

- Mean: 7.74533520
- Median: 7.66012470
- Minimum: 6
- Maximum: 9
- Standard Deviation: 0.95376059

Location: 54-63 (width: 10; decimal: 8)

Variable Type: numeric

---

### SP\_B\_DEN: POOLED STANDARD DEVIATION,BEFORE; DEN

Value	Label	Unweighted Frequency	%
14.45683229	-	1	16.7 %
14.86606875	-	1	16.7 %
15.55634919	-	1	16.7 %
15.77973384	-	1	16.7 %
16.70329309	-	1	16.7 %
17.46424920	-	1	16.7 %
	Total	6	100%

Based upon 6 valid cases out of 6 total cases.

- Mean: 15.80442106
- Median: 15.66804152
- Minimum: 14
- Maximum: 17
- Standard Deviation: 1.12442430

Location: 64-74 (width: 11; decimal: 8)

Variable Type: numeric

---

### SP\_B: POOLED STANDARD DEVIATION, BEFORE

Value	Label	Unweighted Frequency	%
0.43161593	-	1	16.7 %
0.46706380	-	1	16.7 %
0.49537961	-	1	16.7 %
0.51105223	-	1	16.7 %
0.51340036	-	1	16.7 %
0.51523733	-	1	16.7 %
	Total	6	100%

Based upon 6 valid cases out of 6 total cases.

- Mean: 0.48895821
- Median: 0.50321592
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.03342123

Location: 75-84 (width: 10; decimal: 8)  
 Variable Type: numeric

### D\_B: STANDARD MEAN DIFFERENCE, BEFORE

Value	Label	Unweighted Frequency	%
-0.07791191	-	1	16.7 %
0.00000000	-	1	16.7 %
0.01956747	-	1	16.7 %
0.09704266	-	1	16.7 %
0.16149232	-	1	16.7 %
0.19269316	-	1	16.7 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 0.06548062
- Median: 0.05830507
- Minimum: -0
- Maximum: 0
- Standard Deviation: 0.10330013

Location: 85-94 (width: 10; decimal: 8)  
 Variable Type: numeric

### SE\_D\_B: STANDARD ERROR OF STANDARD MEAN DIFFERENCE, BEFORE

Value	Label	Unweighted Frequency	%
0.11424851	-	1	16.7 %
0.11971168	-	1	16.7 %
0.12626394	-	1	16.7 %
0.12810575	-	1	16.7 %
0.13542088	-	1	16.7 %
0.13794775	-	1	16.7 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 0.12694975
- Median: 0.12718484
- Minimum: 0
- Maximum: 0
- Standard Deviation: 0.00903586

Location: 95-104 (width: 10; decimal: 8)  
Variable Type: numeric

## MULT1\_31: MULT1.31

Value	Label	Unweighted Frequency	%
0.15000829	-	1	16.7 %
0.15718143	-	1	16.7 %
0.16578455	-	1	16.7 %
0.16820286	-	1	16.7 %
0.17780762	-	1	16.7 %
0.18112539	-	1	16.7 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 0.16668502
- Median: 0.16699370
- Minimum: 0
- Maximum: 0
- Standard Deviation: 0.01186409

Location: 105-114 (width: 10; decimal: 8)  
Variable Type: numeric

## SP\_A\_NUM: POOLED STANDARD DEVIATION, AFTER; NUM

Value	Label	Unweighted Frequency	%
7.13441658	-	1	16.7 %
7.36062497	-	1	16.7 %
7.69141079	-	1	16.7 %
7.83351773	-	1	16.7 %
8.20895852	-	1	16.7 %
8.33660003	-	1	16.7 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 7.76092144
- Median: 7.76246426
- Minimum: 7
- Maximum: 8
- Standard Deviation: 0.46797235

Location: 115-124 (width: 10; decimal: 8)  
Variable Type: numeric

## SP\_A\_DEN: POOLED STANDARD DEVIATION, AFTER; DEN



Value	Label	Unweighted Frequency	%
14.66287830	-	1	16.7 %
15.29705854	-	1	16.7 %
15.62049935	-	1	16.7 %
16.09347694	-	1	16.7 %
16.88194302	-	1	16.7 %
17.02938637	-	1	16.7 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 15.93087375
- Median: 15.85698814
- Minimum: 15
- Maximum: 17
- Standard Deviation: 0.92125664

*Location:* 125-135 (width: 11; decimal: 8)

*Variable Type:* numeric

---

### SP\_A: POOLED STANDARD DEVIATION, AFTER

Value	Label	Unweighted Frequency	%
0.46000000	-	1	16.7 %
0.48117911	-	1	16.7 %
0.48625674	-	1	16.7 %
0.48656317	-	1	16.7 %
0.49239212	-	1	16.7 %
0.51801112	-	1	16.7 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 0.48740038
- Median: 0.48640996
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.01872661

*Location:* 136-146 (width: 11; decimal: 8)

*Variable Type:* numeric

---

### D\_A: STANDARD MEAN DIFFERENCE, AFTER

Value	Label	Unweighted Frequency	%
-0.36994169	-	1	16.7 %
-0.04061803	-	1	16.7 %
0.15217391	-	1	16.7 %

Value	Label	Unweighted Frequency	%
0.19304605	-	1	16.7 %
0.22860510	-	1	16.7 %
0.41130536	-	1	16.7 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 0.09576178
- Median: 0.17260998
- Minimum: -0
- Maximum: 0
- Standard Deviation: 0.27031124

Location: 147-156 (width: 10; decimal: 8)

Variable Type: numeric

---

### SE\_D\_A: STANDARD ERROR OF STANDARD MEAN DIFFERENCE,AFTER

Value	Label	Unweighted Frequency	%
0.11714011	-	1	16.7 %
0.11809140	-	1	16.7 %
0.12436874	-	1	16.7 %
0.12751534	-	1	16.7 %
0.13035754	-	1	16.7 %
0.13683215	-	1	16.7 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 0.12571755
- Median: 0.12594204
- Minimum: 0
- Maximum: 0
- Standard Deviation: 0.00750794

Location: 157-166 (width: 10; decimal: 8)

Variable Type: numeric

---

### MULT1\_31\_2: MULT1.31-2

Value	Label	Unweighted Frequency	%
0.15380496	-	1	16.7 %
0.15505401	-	1	16.7 %
0.16329615	-	1	16.7 %
0.16742764	-	1	16.7 %
0.17115945	-	1	16.7 %
0.17966061	-	1	16.7 %

Value	Label	Unweighted Frequency	%
	Total	6	100%

Based upon 6 valid cases out of 6 total cases.

- Mean: 0.16506714
- Median: 0.16536189
- Minimum: 0
- Maximum: 0
- Standard Deviation: 0.00985793

Location: 167-176 (width: 10; decimal: 8)

Variable Type: numeric

---

### LOR\_B: NATURAL LOGARITHM OF ODDS RATIO, BEFORE

Value	Label	Unweighted Frequency	%
-0.14132397	-	1	16.7 %
0.00000000	-	1	16.7 %
0.03549333	-	1	16.7 %
0.17602514	-	1	16.7 %
0.29293001	-	1	16.7 %
0.34952505	-	1	16.7 %
	Total	6	100%

Based upon 6 valid cases out of 6 total cases.

- Mean: 0.11877493
- Median: 0.10575923
- Minimum: -0
- Maximum: 0
- Standard Deviation: 0.18737553

Location: 177-186 (width: 10; decimal: 8)

Variable Type: numeric

---

### LOR\_A: NATURAL LOGARITHM OF ODDS RATIO, AFTER

Value	Label	Unweighted Frequency	%
-0.67103516	-	1	16.7 %
-0.07367683	-	1	16.7 %
0.27602741	-	1	16.7 %
0.35016515	-	1	16.7 %
0.41466553	-	1	16.7 %
0.74606449	-	1	16.7 %
	Total	6	100%

Based upon 6 valid cases out of 6 total cases.

- Mean: 0.17370176
- Median: 0.31309628
- Minimum: -1
- Maximum: 1
- Standard Deviation: 0.49031605

Location: 187-197 (width: 11; decimal: 8)  
 Variable Type: numeric

### LOR: NATURAL LOGARITHM OF ODDS RATIO

Value	Label	Unweighted Frequency	%
-0.33203926	-	1	16.7 %
0.07188249	-	1	16.7 %
0.14001091	-	1	16.7 %
0.19748585	-	1	16.7 %
0.35723885	-	1	16.7 %
0.45161897	-	1	16.7 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 0.14769963
- Median: 0.16874838
- Minimum: -0
- Maximum: 0
- Standard Deviation: 0.27375503

Location: 198-207 (width: 10; decimal: 8)  
 Variable Type: numeric

### SELOR\_B: STANDARD ERROR OF NATURAL LOGARITHM OF ODDS RATIO, BEFORE

Value	Label	Unweighted Frequency	%
0	-	6	100.0 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 0
- Standard Deviation: 0.00

Location: 208-208 (width: 1; decimal: 0)  
 Variable Type: numeric

### SELOR\_A: STANDARD ERROR OF NATURAL LOGARITHM OF ODDS RATIO, AFTER

Value	Label	Unweighted Frequency	%
0	-	6	100.0 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 0
- Standard Deviation: 0.00

*Location:* 209-209 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## SELORDIFF: SELORDIFF

Value	Label	Unweighted Frequency	%
0	-	6	100.0 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 0
- Standard Deviation: 0.00

*Location:* 210-210 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## VLORDIFF: VLORDIFF

Value	Label	Unweighted Frequency	%
0	-	6	100.0 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 0
- Standard Deviation: 0.00

*Location:* 211-211 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## LOR\_NUM: LOR NUM

Value	Label	Unweighted Frequency	%
-6.31852216	-	1	16.7 %
1.80783975	-	1	16.7 %
3.06632197	-	1	16.7 %
4.37243079	-	1	16.7 %
7.01583823	-	1	16.7 %
11.80911984	-	1	16.7 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 3.62550474
- Median: 3.71937638
- Minimum: -6
- Maximum: 12
- Standard Deviation: 6.02534776

*Location:* 212-222 (width: 11; decimal: 8)

*Variable Type:* numeric

---

## LOR\_DEN: LOR DEN

Value	Label	Unweighted Frequency	%
19.02944292	-	1	16.7 %
19.63906865	-	1	16.7 %
21.90059361	-	1	16.7 %
22.14047612	-	1	16.7 %
25.14993076	-	1	16.7 %
26.14841423	-	1	16.7 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 22.33465438
- Median: 22.02053487
- Minimum: 19
- Maximum: 26
- Standard Deviation: 2.85962461

*Location:* 223-233 (width: 11; decimal: 8)

*Variable Type:* numeric

---

## VARLORB: VARLORB

Value	Label	Unweighted Frequency	%
0.07403797	-	1	16.7 %

Value	Label	Unweighted Frequency	%
0.08128801	-	1	16.7 %
0.09042991	-	1	16.7 %
0.09308737	-	1	16.7 %
0.10402189	-	1	16.7 %
0.10794007	-	1	16.7 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 0.09180087
- Median: 0.09175864
- Minimum: 0
- Maximum: 0
- Standard Deviation: 0.01295687

Location: 234-244 (width: 11; decimal: 8)

Variable Type: numeric

---

## VARLORA: VARLORA

Value	Label	Unweighted Frequency	%
0.07783317	-	1	16.7 %
0.07910246	-	1	16.7 %
0.08773562	-	1	16.7 %
0.09223130	-	1	16.7 %
0.09638862	-	1	16.7 %
0.10620128	-	1	16.7 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 0.08991541
- Median: 0.08998346
- Minimum: 0
- Maximum: 0
- Standard Deviation: 0.01077170

Location: 245-255 (width: 11; decimal: 8)

Variable Type: numeric

---

## SELOR2B: SELOR2B

Value	Label	Unweighted Frequency	%
0.27209920	-	1	16.7 %
0.28511052	-	1	16.7 %
0.30071567	-	1	16.7 %
0.30510222	-	1	16.7 %

Value	Label	Unweighted Frequency	%
0.32252425	-	1	16.7 %
0.32854234	-	1	16.7 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 0.30234903
- Median: 0.30290894
- Minimum: 0
- Maximum: 0
- Standard Deviation: 0.02152020

Location: 256-266 (width: 11; decimal: 8)

Variable Type: numeric

## SELOR2A: SELOR2A

Value	Label	Unweighted Frequency	%
0.27898596	-	1	16.7 %
0.28125160	-	1	16.7 %
0.29620199	-	1	16.7 %
0.30369607	-	1	16.7 %
0.31046517	-	1	16.7 %
0.32588538	-	1	16.7 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 0.29941436
- Median: 0.29994903
- Minimum: 0
- Maximum: 0
- Standard Deviation: 0.01788124

Location: 267-277 (width: 11; decimal: 8)

Variable Type: numeric

## SELOR2DIF: SELOR2DIF

Value	Label	Unweighted Frequency	%
0.19555878	-	1	16.7 %
0.19940296	-	1	16.7 %
0.21252329	-	1	16.7 %
0.21368403	-	1	16.7 %
0.22565219	-	1	16.7 %
0.22923819	-	1	16.7 %
	<b>Total</b>	<b>6</b>	<b>100%</b>



Based upon 6 valid cases out of 6 total cases.

- Mean: 0.21267657
- Median: 0.21310366
- Minimum: 0
- Maximum: 0
- Standard Deviation: 0.01351222

Location: 278-287 (width: 10; decimal: 8)  
Variable Type: numeric

---

## VLOR2DIF: VLOR2DIF

Value	Label	Unweighted Frequency	%
0.03824324	-	1	16.7 %
0.03976154	-	1	16.7 %
0.04516615	-	1	16.7 %
0.04566086	-	1	16.7 %
0.05091891	-	1	16.7 %
0.05255015	-	1	16.7 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 0.04538347
- Median: 0.04541350
- Minimum: 0
- Maximum: 0
- Standard Deviation: 0.00573961

Location: 288-297 (width: 10; decimal: 8)  
Variable Type: numeric

---

## ZLOR2DIF: ZLOR2DIF

Value	Label	Unweighted Frequency	%
-1.44844656	-	1	16.7 %
0.36048860	-	1	16.7 %
0.65522402	-	1	16.7 %
0.92924336	-	1	16.7 %
1.58313927	-	1	16.7 %
2.30937708	-	1	16.7 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 0.73150430
- Median: 0.79223369
- Minimum: -1
- Maximum: 2

- Standard Deviation: 1.27669279

Location: 298-308 (width: 11; decimal: 8)

Variable Type: numeric

## ODDS\_RATIO: ODDS RATIO

Value	Label	Unweighted Frequency	%
0.71745915	-	1	16.7 %
1.07452907	-	1	16.7 %
1.15028634	-	1	16.7 %
1.21833583	-	1	16.7 %
1.42937723	-	1	16.7 %
1.57085329	-	1	16.7 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 1.19347349
- Median: 1.18431109
- Minimum: 1
- Maximum: 2
- Standard Deviation: 0.29708140

Location: 309-318 (width: 10; decimal: 8)

Variable Type: numeric

## ORLOC12: ORLOC12

Value	Label	Unweighted Frequency	%
0.45778936	-	1	16.7 %
0.72691385	-	1	16.7 %
0.75668382	-	1	16.7 %
0.80327369	-	1	16.7 %
0.91847605	-	1	16.7 %
1.07071190	-	1	16.7 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 0.78897478
- Median: 0.77997876
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.20539177

Location: 319-328 (width: 10; decimal: 8)

Variable Type: numeric

## ORHIC12: ORHIC12

Value	Label	Unweighted Frequency	%
1.12442027	-	1	16.7 %
1.58837630	-	1	16.7 %
1.74862820	-	1	16.7 %
1.84786606	-	1	16.7 %
2.22446657	-	1	16.7 %
2.30461625	-	1	16.7 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 6 valid cases out of 6 total cases.

- Mean: 1.80639561
- Median: 1.79824713
- Minimum: 1
- Maximum: 2
- Standard Deviation: 0.43374804

Location: 329-338 (width: 10; decimal: 8)

Variable Type: numeric

---

## LOR\_NUM2: LOR NUM2

Value	Label	Unweighted Frequency	%
21.75302842	-	1	16.7 %
	<b>Missing Data</b>		
-9.00000000	Blank	5	83.3 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 1 valid cases out of 6 total cases.

- Mean: 21.75302842
- Median: 21.75302842
- Mode: 21.75302842
- Minimum: 22
- Maximum: 22
- Standard Deviation: 0.00000000

Location: 339-349 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

---

## LOR\_DEN2: LOR DEN

Value	Label	Unweighted Frequency	%
134.00792629	-	1	16.7 %
	<b>Missing Data</b>		
-9.00000000	Blank	5	83.3 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 1 valid cases out of 6 total cases.

- Mean: 134.00792629
- Median: 134.00792629
- Mode: 134.00792629
- Minimum: 134
- Maximum: 134
- Standard Deviation: 0.00000000

*Location:* 350-361 (width: 12; decimal: 8)  
*Variable Type:* numeric  
*(Range of) Missing Values:* -9.00000000

---

## LOR\_FIN: LOR FIN

Value	Label	Unweighted Frequency	%
0.16232643	-	1	16.7 %
	<b>Missing Data</b>		
-9.00000000	Blank	5	83.3 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 1 valid cases out of 6 total cases.

- Mean: 0.16232643
- Median: 0.16232643
- Mode: 0.16232643
- Minimum: 0
- Maximum: 0
- Standard Deviation: 0.00000000

*Location:* 362-372 (width: 11; decimal: 8)  
*Variable Type:* numeric  
*(Range of) Missing Values:* -9.00000000

---

## VLOR\_FIN: VLOR FIN

Value	Label	Unweighted Frequency	%
0.00746225	-	1	16.7 %
	<b>Missing Data</b>		
-9.00000000	Blank	5	83.3 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 1 valid cases out of 6 total cases.

- Mean: 0.00746225
- Median: 0.00746225
- Mode: 0.00746225
- Minimum: 0
- Maximum: 0
- Standard Deviation: 0.00000000

Location: 373-382 (width: 10; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

## W: W

Value	Label	Unweighted Frequency	%
134.00792629	-	1	16.7 %
	<b>Missing Data</b>		
-9.00000000	Blank	5	83.3 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 1 valid cases out of 6 total cases.

- Mean: 134.00792629
- Median: 134.00792629
- Mode: 134.00792629
- Minimum: 134
- Maximum: 134
- Standard Deviation: 0.00000000

Location: 383-394 (width: 12; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

## WES: WES

Value	Label	Unweighted Frequency	%
21.75302842	-	1	16.7 %
	<b>Missing Data</b>		
-9.00000000	Blank	5	83.3 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 1 valid cases out of 6 total cases.

- Mean: 21.75302842
- Median: 21.75302842
- Mode: 21.75302842
- Minimum: 22
- Maximum: 22
- Standard Deviation: 0.00000000

Location: 395-405 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

## WESSQ: WESSQ

Value	Label	Unweighted Frequency	%
3.53109147	-	1	16.7 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9.00000000	Blank	5	83.3 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 1 valid cases out of 6 total cases.

- Mean: 3.53109147
- Median: 3.53109147
- Mode: 3.53109147
- Minimum: 4
- Maximum: 4
- Standard Deviation: 0.00000000

*Location:* 406-416 (width: 11; decimal: 8)

*Variable Type:* numeric

*(Range of) Missing Values:* -9.00000000

---

## WSQ: WSQ

Value	Label	Unweighted Frequency	%
17958.1243073	-	1	16.7 %
	<b>Missing Data</b>		
-9.00000000	Blank	5	83.3 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 1 valid cases out of 6 total cases.

- Mean: 17958.12430730
- Median: 17958.12430730
- Mode: 17958.12430730
- Minimum: 17958
- Maximum: 17958
- Standard Deviation: 0.00000000

*Location:* 417-430 (width: 14; decimal: 8)

*Variable Type:* numeric

*(Range of) Missing Values:* -9.00000000

---

## SELOR\_FIN: SELOR FIN

Value	Label	Unweighted Frequency	%
0.08638429	-	1	16.7 %
	<b>Missing Data</b>		
-9.00000000	Blank	5	83.3 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 1 valid cases out of 6 total cases.

- Mean: 0.08638429

- Median: 0.08638429
- Mode: 0.08638429
- Minimum: 0
- Maximum: 0
- Standard Deviation: 0.00000000

Location: 431-441 (width: 11; decimal: 8)  
 Variable Type: numeric  
 (Range of Missing Values: -9.00000000)

## Z\_FIN: Z FIN

Value	Label	Unweighted Frequency	%
1.87911987	-	1	16.7 %
<b>Missing Data</b>			
-9.00000000	Blank	5	83.3 %
<b>Total</b>		<b>6</b>	<b>100%</b>

Based upon 1 valid cases out of 6 total cases.

- Mean: 1.87911987
- Median: 1.87911987
- Mode: 1.87911987
- Minimum: 2
- Maximum: 2
- Standard Deviation: 0.00000000

Location: 442-452 (width: 11; decimal: 8)  
 Variable Type: numeric  
 (Range of Missing Values: -9.00000000)

## OR\_FIN: OR FIN

Value	Label	Unweighted Frequency	%
1.17624414	-	1	16.7 %
<b>Missing Data</b>			
-9.00000000	Blank	5	83.3 %
<b>Total</b>		<b>6</b>	<b>100%</b>

Based upon 1 valid cases out of 6 total cases.

- Mean: 1.17624414
- Median: 1.17624414
- Mode: 1.17624414
- Minimum: 1
- Maximum: 1
- Standard Deviation: 0.00000000

Location: 453-463 (width: 11; decimal: 8)  
 Variable Type: numeric  
 (Range of Missing Values: -9.00000000)

---

## ORLOCI: ODDS RATIO FOR LOW CONFIDENCE INTERVAL

Value	Label	Unweighted Frequency	%
0.99303758	-	1	16.7 %
	<b>Missing Data</b>		
-9.00000000	Blank	5	83.3 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 1 valid cases out of 6 total cases.

- Mean: 0.99303758
- Median: 0.99303758
- Mode: 0.99303758
- Minimum: 1
- Maximum: 1
- Standard Deviation: 0.00000000

*Location:* 464-474 (width: 11; decimal: 8)

*Variable Type:* numeric

*(Range of) Missing Values:* -9.00000000

---

## ORHICI: ODDS RATIO FOR HI CONFIDENCE INTERVAL

Value	Label	Unweighted Frequency	%
1.39325068	-	1	16.7 %
	<b>Missing Data</b>		
-9.00000000	Blank	5	83.3 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 1 valid cases out of 6 total cases.

- Mean: 1.39325068
- Median: 1.39325068
- Mode: 1.39325068
- Minimum: 1
- Maximum: 1
- Standard Deviation: 0.00000000

*Location:* 475-485 (width: 11; decimal: 8)

*Variable Type:* numeric

*(Range of) Missing Values:* -9.00000000

---

## CORRVAR\_T: CORRVAR T

Value	Label	Unweighted Frequency	%
0.05073427	-	1	16.7 %
	<b>Missing Data</b>		
-9.00000000	Blank	5	83.3 %
	<b>Total</b>	<b>6</b>	<b>100%</b>



Based upon 1 valid cases out of 6 total cases.

- Mean: 0.05073427
- Median: 0.05073427
- Mode: 0.05073427
- Minimum: 0
- Maximum: 0
- Standard Deviation: 0.00000000

Location: 486-496 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

---

## CORR\_W\_TOT: CORR W TOT

Value	Label	Unweighted Frequency	%
19.71054412	-	1	16.7 %
	<b>Missing Data</b>		
-9.00000000	Blank	5	83.3 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 1 valid cases out of 6 total cases.

- Mean: 19.71054412
- Median: 19.71054412
- Mode: 19.71054412
- Minimum: 20
- Maximum: 20
- Standard Deviation: 0.00000000

Location: 497-507 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

---

## CORR\_WES: CORR WES

Value	Label	Unweighted Frequency	%
3.19954228	-	1	16.7 %
	<b>Missing Data</b>		
-9.00000000	Blank	5	83.3 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 1 valid cases out of 6 total cases.

- Mean: 3.19954228
- Median: 3.19954228
- Mode: 3.19954228
- Minimum: 3
- Maximum: 3
- Standard Deviation: 0.00000000

Location: 508-518 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

## CORR\_WESSQ: CORR WESSQ

Value	Label	Unweighted Frequency	%
0.51937028	-	1	16.7 %
	<b>Missing Data</b>		
-9.00000000	Blank	5	83.3 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 1 valid cases out of 6 total cases.

- Mean: 0.51937028
- Median: 0.51937028
- Mode: 0.51937028
- Minimum: 1
- Maximum: 1
- Standard Deviation: 0.00000000

Location: 519-529 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

## CORRVAR: CORRVAR

Value	Label	Unweighted Frequency	%
0.06061947	-	1	16.7 %
	<b>Missing Data</b>		
-9.00000000	Blank	5	83.3 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 1 valid cases out of 6 total cases.

- Mean: 0.06061947
- Median: 0.06061947
- Mode: 0.06061947
- Minimum: 0
- Maximum: 0
- Standard Deviation: 0.00000000

Location: 530-540 (width: 11; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -9.00000000

## CORR\_W: CORR W

Value	Label	Unweighted Frequency	%
16.49635118	-	1	16.7 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9.00000000	Blank	5	83.3 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 1 valid cases out of 6 total cases.

- Mean: 16.49635118
- Median: 16.49635118
- Mode: 16.49635118
- Minimum: 16
- Maximum: 16
- Standard Deviation: 0.00000000

*Location:* 541-551 (width: 11; decimal: 8)

*Variable Type:* numeric

*(Range of) Missing Values:* -9.00000000

---

## CORR\_WES2: CORR WES

Value	Label	Unweighted Frequency	%
2.67779381	-	1	16.7 %
	<b>Missing Data</b>		
-9.00000000	Blank	5	83.3 %
	<b>Total</b>	<b>6</b>	<b>100%</b>

Based upon 1 valid cases out of 6 total cases.

- Mean: 2.67779381
- Median: 2.67779381
- Mode: 2.67779381
- Minimum: 3
- Maximum: 3
- Standard Deviation: 0.00000000

*Location:* 552-562 (width: 11; decimal: 8)

*Variable Type:* numeric

*(Range of) Missing Values:* -9.00000000