

ICPSR 33444

**Center for Education and Drug
Abuse Research (CEDAR):
Etiological and Prospective Family
Study in Southwestern
Pennsylvania, Baseline Data,
1990-2011**

Ralph E. Tarter
University of Pittsburgh

Drug Use Chart - Mother, Variable Description
and Frequencies

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/33444/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #33444

*Center for Education and Drug Abuse Research (CEDAR): Etiological and Prospective Family Study in Southwestern Pennsylvania, Baseline Data, 1990-2011 [United States]
Part 12: Drug Use Chart - Mother*

- 1) For confidentiality reasons, ICPSR masked information in some character variables in the data. Changed text is denoted by square brackets, [].
- 2) Valid values in character variables may not be displayed in the frequency tables. Refer to the frequencies for missing data and/or the statement below the table for information on how many cases contain valid values.
- 3) Due to the means by which SAS sets the length of a variable based on the first occurrence of the variable, ICPSR removed value labels from the following long character variables for the SAS transport files and the SAS setup files.

UD38B

UD39B

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--Drug Use Chart - Mother

Variable Name and Label (Total Cases = 759)	Percent of Cases with Missing Values
93.5% (43 of 46 variables)	have 0% Missing Values
0.0% (0 of 46 variables)	have 0% - 1% Missing Values
0.0% (0 of 46 variables)	have 1% - 3% Missing Values
0.0% (0 of 46 variables)	have 3% - 5% Missing Values
0.0% (0 of 46 variables)	have 5% - 10% Missing Values
0.0% (0 of 46 variables)	have 10% - 20% Missing Values
0.0% (0 of 46 variables)	have 20% - 40% Missing Values
6.5% (3 of 46 variables)	have 40% - 99% Missing Values
UD38B	Specify: _____ 99.3%
UD39B	Specify: _____ 99.3%
UD40B	How many per day? _____ 89.9%
0.0% (0 of 46 variables)	have 100% missing values

ICPSR 33444

Center for Education and Drug Abuse Research (CEDAR): Etiological and Prospective Family Study in Southwestern Pennsylvania, Baseline Data, 1990-2011 [United States]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Center for Education and Drug Abuse Research (CEDAR): Etiological and Prospective Family Study in Southwestern Pennsylvania, Baseline Data, 1990-2011 [United States]

Drug Use Chart - Mother

ID Subject ID

Location: 1-11 (width: 11; decimal: 0)
Variable Type: character
Based upon 759 valid cases out of 759 total cases.

ASSID Assessment ID

Location: 12-22 (width: 11; decimal: 0)
Variable Type: character
Based upon 759 valid cases out of 759 total cases.

VISIT Visit Number

Location: 23-24 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	759	100.0 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

UD01 Beer

Location: 25-26 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	89	11.7 %
1	Yes	670	88.3 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.88

- Study 33444 -

- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

UD02 Wine (Wine Coolers)

Location: 27-28 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	47	6.2 %
1	Yes	712	93.8 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.94
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

UD03 Liquor

Location: 29-30 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	80	10.5 %
1	Yes	679	89.5 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.89
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

UD04 Amphetamine (Uppers, Crystal, Meth, Speedball, Ice, Dexedrine, Black Beauties, Bennies, Ritalin, Jelly Beans, Wake-Ups, Speed)

Location: 31-32 (width: 2; decimal: 0)

Variable Type: numeric

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	545	71.8 %
1	Yes	214	28.2 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

UD05 Cocaine (Crack, Crank, Powder, Coke, Flake, Blow, Happy Dust, Freebase, Snow, Toot)

Location: 33-34 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	560	73.8 %
1	Yes	199	26.2 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

UD06 Prescription Diet Pills (Preludin, Tenuate, Tepanil, Sanorex)

Location: 35-36 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	614	80.9 %
1	Yes	145	19.1 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00

- Study 33444 -

- Standard Deviation: 0.39

UD07 Over the Counter Diet Pills (Non-prescribed: Dextrim, Acutrim, Apadrine)

Location: 37-38 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	530	69.8 %
1	Yes	229	30.2 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

UD08 Caffeine Pills (No Doze)

Location: 39-40 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	587	77.3 %
1	Yes	172	22.7 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

UD09 Heroin (Smack, Horse, 'N', Joy Powder)

Location: 41-42 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	715	94.2 %
1	Yes	44	5.8 %

Based upon 759 valid cases out of 759 total cases.

- Study 33444 -

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

UD10 Synthetic Heroin (China White, T's, and Blues)

Location: 43-44 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	741	97.6 %
1	Yes	18	2.4 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

UD11 Morphine

Location: 45-46 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	689	90.8 %
1	Yes	70	9.2 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

UD12 Methadone

Location: 47-48 (width: 2; decimal: 0)

Variable Type: numeric

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	724	95.4 %
1	Yes	35	4.6 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

UD13 Codeine (Tussinex, Percodan)

Location: 49-50 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	525	69.2 %
1	Yes	234	30.8 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

UD14 Other Prescription Painkillers (Demoral, Dilaudid, Darvon)

Location: 51-52 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	501	66.0 %
1	Yes	258	34.0 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00

- Study 33444 -

- Standard Deviation: 0.47

UD15 Barbiturates (Downers: Seconal, Reds)

Location: 53-54 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	687	90.5 %
1	Yes	72	9.5 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

UD16 Quaaludes (Ludes)

Location: 55-56 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	661	87.1 %
1	Yes	98	12.9 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

UD17 Benzodiazepines (Xanax, Librium, Valium, Dalmane, Serax, Halcion, Ativan)

Location: 57-58 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	621	81.8 %
1	Yes	138	18.2 %

Based upon 759 valid cases out of 759 total cases.

- Study 33444 -

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

UD18 Meprobamate (Miltown)

Location: 59-60 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	752	99.1 %
1	Yes	7	0.9 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

UD19 Doriden

Location: 61-62 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	750	98.8 %
1	Yes	9	1.2 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

UD20 Placidyl (Bam)

Location: 63-64 (width: 2; decimal: 0)

Variable Type: numeric

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	740	97.5 %
1	Yes	19	2.5 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

UD21 LSD (Acid, Window Pane, A-Bomb)

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	653	86.0 %
1	Yes	106	14.0 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

UD22 Psilocybin (Mushrooms, Fungus)

Location: 67-68 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	713	93.9 %
1	Yes	46	6.1 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00

- Study 33444 -

- Standard Deviation: 0.24

UD23 Peyote (Mescaline, Buttons)

Location: 69-70 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	705	92.9 %
1	Yes	54	7.1 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

UD24 Ecstasy (MDMA, MDA)

Location: 71-72 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	749	98.7 %
1	Yes	10	1.3 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

UD25 PCP (Angel Dust, Sherms)

Location: 73-74 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	721	95.0 %
1	Yes	38	5.0 %

Based upon 759 valid cases out of 759 total cases.

- Study 33444 -

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

UD26 Marijuana and Hashish (Reefer, Smoke, Herb, Shish, Pot, Weed)

Location: 75-76 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	270	35.6 %
1	Yes	489	64.4 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.64
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

UD27 Amyl Nitrate (Poppers, Rush, Pops, Lockerroom)

Location: 77-78 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	704	92.8 %
1	Yes	55	7.2 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

UD28 Nitrous Oxide (Laughing Gas, Whippets, Chargers, Silly Man)

Location: 79-80 (width: 2; decimal: 0)

Variable Type: numeric

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	690	90.9 %
1	Yes	69	9.1 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

UD29

Glue

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	744	98.0 %
1	Yes	15	2.0 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

UD30

Gasoline

Location: 83-84 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	758	99.9 %
1	Yes	1	0.1 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00

- Study 33444 -

- Standard Deviation: 0.04

UD31 Whiteout or Correct-o-Type

Location: 85-86 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	759	100.0 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

UD32 Smoking Tobacco (Cigarettes, Pipes, Cigars)

Location: 87-88 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	278	36.6 %
1	Yes	481	63.4 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.63
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

UD33 Chewing Tobacco

Location: 89-90 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	752	99.1 %
1	Yes	7	0.9 %

Based upon 759 valid cases out of 759 total cases.

- Study 33444 -

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

UD34 Snuff Tobacco

Location: 91-92 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	752	99.1 %
1	Yes	7	0.9 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

UD35 Cough Syrup (To get high)

Location: 93-94 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	723	95.3 %
1	Yes	36	4.7 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

UD36 Nyquil (To get high)

Location: 95-96 (width: 2; decimal: 0)

Variable Type: numeric

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	749	98.7 %
1	Yes	10	1.3 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

UD37 Anabolic Steroids (Roids, Juice)

Location: 97-98 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	756	99.6 %
1	Yes	3	0.4 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.06

UD38A Other over the counter drugs

Location: 99-100 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	701	92.4 %
1	Yes	58	7.6 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00

- Study 33444 -

- Standard Deviation: 0.27

UD38B Specify: _____

Location: 101-130 (width: 30; decimal: 0)
 Variable Type: character
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2 (M)	N/A	754	99.3 %

Based upon 5 valid cases out of 759 total cases.

UD39A Other drugs

Location: 131-132 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	720	94.9 %
1	Yes	39	5.1 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

UD39B Specify: _____

Location: 133-162 (width: 30; decimal: 0)
 Variable Type: character
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2 (M)	N/A	754	99.3 %

Based upon 5 valid cases out of 759 total cases.

UD40A Caffeine drinks (Coffee, Soda, Tea)

Location: 163-164 (width: 2; decimal: 0)
 Variable Type: numeric

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	180	23.7 %
1	Yes	579	76.3 %

Based upon 759 valid cases out of 759 total cases.

- Mean: 0.76
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

UD40B

How many per day? _____

Location: 165-166 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	13	1.7 %
2	-	16	2.1 %
3	-	13	1.7 %
4	-	7	0.9 %
5	-	9	1.2 %
6	-	8	1.1 %
7	-	1	0.1 %
8	-	4	0.5 %
9	-	2	0.3 %
10	-	2	0.3 %
16	-	1	0.1 %
20	-	1	0.1 %
-2 (M)	N/A	180	23.7 %
-1 (M)	Missing, response refusal	502	66.1 %

Based upon 77 valid cases out of 759 total cases.

- Mean: 4.13
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 3.30