

ICPSR 33444

**Center for Education and Drug
Abuse Research (CEDAR):
Etiological and Prospective Family
Study in Southwestern
Pennsylvania, Baseline Data,
1990-2011**

Ralph E. Tarter
University of Pittsburgh

Child Behavior Checklist, Variable Description
and Frequencies

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/33444/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--Child Behavior Checklist

Variable Name and Label (Total Cases = 738)	Percent of Cases with Missing Values
41.2% (91 of 221 variables)	have 0% Missing Values
33.0% (73 of 221 variables)	have 0% - 1% Missing Values
2.3% (5 of 221 variables)	have 1% - 3% Missing Values
0.9% (2 of 221 variables)	have 3% - 5% Missing Values
3.6% (8 of 221 variables)	have 5% - 10% Missing Values
CBCLID	2nd sport b) Compared to others of the same age, about how much time does he/she spend in each? 8.0%
CBCLIIB	1st hobby a) Compared to others of the same age, about how much time does he/she spend in each? 6.6%
CBCLIIC	1st hobby a) Compared to others of the same age, how well does he/she do each one? 8.8%
CBCLIVB	1st Job a) Compared to others of the same age, how well does he/she carry them out? 6.4%
CBCLVIA	VI) Compared to others of his/her age, how well does your child: a) Get along with his/her brothers & sisters? 6.2%
TOT_HYPER	Total score for Hyperactivity Scale 9.6%
T_HYPER	T score for Hyperactivity Scale 9.6%
CT_HYPER	Clinical T score for Hyperactive Scale 9.6%
1.4% (3 of 221 variables)	have 10% - 20% Missing Values
CBCLIE	2nd sport b) Compared to others of the same age, how well does he/she do each one? 10.2%
CBCLIVC	2nd Job b) Compared to others of the same age, how well does he/she carry them out? 15.6%
CBCLC56H	h) Other 10.2%
8.1% (18 of 221 variables)	have 20% - 40% Missing Values
CBCLIF	3rd sport c) Compared to others of the same age, about how much time does he/she spend in each? 22.5%
CBCLIG	3rd sport c) Compared to others of the same age, how well does he/she do each one? 23.2%
CBCLIID	2nd hobby b) Compared to others of the same age, about how much time does he/she spend in each? 22.9%

Table 1: Distribution of Variables by Percentage of Missing Values--Child Behavior Checklist

Variable Name and Label (Total Cases = 738)	Percent of Cases with Missing Values
CBCLIIIE 2nd hobby b) Compared to others of the same age, how well does he/she do each one?	24.9%
CBCLIIIB 1st Organization a) Compared to others of the same age, about how active is he/she in each?	25.6%
CBCLIVD 3rd Job c) Compared to others of the same age, how well does he/she carry them out?	36.9%
TOT_DEP Total score for Depressed Scale	22.5%
TOT_UNCOM Total score for Uncommunicative Scale	28.2%
TOT_OBS Total score for Obsessive Compulsive Scale	28.2%
TOT_SOCWD Total score for Social Withdrawal Scale	32.1%
T_DEP T score for Depressed Scale	22.5%
T_UNCOM T score for Uncommunicative Scale	28.2%
T_OBS T score for Obsessive Compulsive Scale	28.2%
T_SOCWD T score for Social Withdrawal Scale	32.1%
CT_DEP Clinical T score for Depressed Scale	22.5%
CT_UNCOM Clinical T score for Uncommunicative Scale	28.2%
CT_OBS Clinical T score for Obsessive Compulsive Scale	28.2%
CT_SOCWD Clinical T score for Social Withdrawal Scale	32.1%
9.5% (21 of 221 variables)	have 40% - 99% Missing Values
CBCLIIF 3rd hobby c) Compared to others of the same age, about how much time does he/she spend in each?	46.5%
CBCLIIG 3rd hobby c) Compared to others of the same age, how well does he/she do each one?	47.4%
CBCLIIIC 2nd Organization b) Compared to others of the same age, about how active is he/she in each?	54.3%
CBCLIIID 3rd Organization c) Compared to others of the same age, about how active is he/she in each?	77.8%
CBCLVIIIE VII) 1. For ages 6 and older - performance in academic subjects e) Other	56.0%
CBCLC113 113. Does your child have any problems that were not listed	83.9%
TOT_IMM Total score for Immature Scale	67.9%
TOT_HOST Total score for Hostile Withdrawal Scale	77.5%
TOT_SEXPROB Total score for Sex Problems Scale	81.4%
TOT_CRUEL Total score for Cruel Scale	72.0%
TOT_ANX_OBS Total score for Anxious_Obsessive Scale	90.4%
T_IMM T score for Immature Scale	67.9%
T_HOST T score for Hostile Withdrawal Scale	77.5%
T_SEXPROB T score for Sex Problems Scale	81.4%
T_CRUEL T score for Cruel Scale	71.8%
T_ANX_OBS T score for Anxious Obsessive Scale	90.4%

Table 1: Distribution of Variables by Percentage of Missing Values--Child Behavior Checklist

Variable Name and Label (Total Cases = 738)		Percent of Cases with Missing Values
CT_IMM	Clinical T score for Immature Scale	67.9%
CT_HOST	Clinical T score for Hostile Withdrawal Scale	77.5%
CT_SEXPB	Clinical T score for Sex Problems Scale	81.4%
CT_CRUEL	Clinical T score for Cruel Scale	71.8%
CT_ANX_OBS	Clinical T score for Anxious Obsessive Scale	90.4%
0.0% (0 of 221 variables)	have 100% missing values	

ICPSR 33444

Center for Education and Drug Abuse Research (CEDAR): Etiological and Prospective Family Study in Southwestern Pennsylvania, Baseline Data, 1990-2011 [United States]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Center for Education and Drug Abuse Research (CEDAR): Etiological and Prospective Family Study in Southwestern Pennsylvania, Baseline Data, 1990-2011 [United States]

Child Behavior Checklist

ID Subject ID

Location: 1-11 (width: 11; decimal: 0)
Variable Type: character
Based upon 738 valid cases out of 738 total cases.

ASSID Assessment ID

Location: 12-22 (width: 11; decimal: 0)
Variable Type: character
Based upon 738 valid cases out of 738 total cases.

VISIT Visit

Location: 23-24 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	738	100.0 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

CBCLIA I) Number of sports your child most likes to take part in.

Location: 25-26 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	ZERO	11	1.5 %
1	ONE	37	5.0 %
2	TWO	107	14.5 %
3	THREE	583	79.0 %

Based upon 738 valid cases out of 738 total cases.

- Study 33444 -

- Mean: 2.71
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.63

CBCLIB **1st sport a) Compared to others of the same age, about how much time does he/she spend in each?**

Location: 27-28 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than average	63	8.5 %
2	Average	436	59.1 %
3	More than Average	220	29.8 %
-2 (M)	Missing, N/A	19	2.6 %

Based upon 719 valid cases out of 738 total cases.

- Mean: 2.22
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.59

CBCLIC **1st sport a) Compared to others of the same age, how well does he/she do each one?**

Location: 29-30 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Below Average	21	2.8 %
2	Average	385	52.2 %
3	Above Average	303	41.1 %
-2 (M)	Missing, N/A	29	3.9 %

Based upon 709 valid cases out of 738 total cases.

- Mean: 2.40
- Median: 2.00
- Mode: 2.00

- Study 33444 -

- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.55

CBCLID **2nd sport b) Compared to others of the same age, about how much time does he/she spend in each?**

Location: 31-32 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than average	100	13.6 %
2	Average	470	63.7 %
3	More than Average	109	14.8 %
-2 (M)	Missing, N/A	59	8.0 %

Based upon 679 valid cases out of 738 total cases.

- Mean: 2.01
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.56

CBCLIE **2nd sport b) Compared to others of the same age, how well does he/she do each one?**

Location: 33-34 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Below Average	31	4.2 %
2	Average	448	60.7 %
3	Above Average	184	24.9 %
-2 (M)	Missing, N/A	75	10.2 %

Based upon 663 valid cases out of 738 total cases.

- Mean: 2.23
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.52

- Study 33444 -

CBCLIF 3rd sport c) Compared to others of the same age, about how much time does he/she spend in each?

Location: 35-36 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than average	104	14.1 %
2	Average	393	53.3 %
3	More than Average	75	10.2 %
-2 (M)	Missing, N/A	166	22.5 %

Based upon 572 valid cases out of 738 total cases.

- Mean: 1.95
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.56

CBCLIG 3rd sport c) Compared to others of the same age, how well does he/she do each one?

Location: 37-38 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Below Average	35	4.7 %
2	Average	403	54.6 %
3	Above Average	129	17.5 %
-2 (M)	Missing, N/A	171	23.2 %

Based upon 567 valid cases out of 738 total cases.

- Mean: 2.17
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.51

CBCLIIA II) Number of favorite hobbies, activities, and games, other than sports.

Location: 39-40 (width: 2; decimal: 0)
 Variable Type: numeric

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	ZERO	33	4.5 %
1	ONE	124	16.8 %
2	TWO	179	24.3 %
3	THREE	402	54.5 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 2.29
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.90

CBCLIIB 1st hobby a) Compared to others of the same age, about how much time does he/she spend in each?

Location: 41-42 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than average	52	7.0 %
2	Average	358	48.5 %
3	More than Average	279	37.8 %
-2 (M)	Missing, N/A	49	6.6 %

Based upon 689 valid cases out of 738 total cases.

- Mean: 2.33
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.61

CBCLIIC 1st hobby a) Compared to others of the same age, how well does he/she do each one?

Location: 43-44 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Below Average	9	1.2 %
2	Average	318	43.1 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Above Average	346	46.9 %
-2 (M)	Missing, N/A	65	8.8 %

Based upon 673 valid cases out of 738 total cases.

- Mean: 2.50
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.53

CBCLIID 2nd hobby b) Compared to others of the same age, about how much time does he/she spend in each?

Location: 45-46 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than average	52	7.0 %
2	Average	340	46.1 %
3	More than Average	177	24.0 %
-2 (M)	Missing, N/A	169	22.9 %

Based upon 569 valid cases out of 738 total cases.

- Mean: 2.22
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.60

CBCLIE 2nd hobby b) Compared to others of the same age, how well does he/she do each one?

Location: 47-48 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Below Average	14	1.9 %
2	Average	313	42.4 %
3	Above Average	227	30.8 %
-2 (M)	Missing, N/A	184	24.9 %

- Study 33444 -

Based upon 554 valid cases out of 738 total cases.

- Mean: 2.38
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.54

CBCLIIF 3rd hobby c) Compared to others of the same age, about how much time does he/she spend in each?

Location: 49-50 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than average	35	4.7 %
2	Average	264	35.8 %
3	More than Average	96	13.0 %
-2 (M)	Missing, N/A	343	46.5 %

Based upon 395 valid cases out of 738 total cases.

- Mean: 2.15
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.56

CBCLIIG 3rd hobby c) Compared to others of the same age, how well does he/she do each one?

Location: 51-52 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Below Average	12	1.6 %
2	Average	221	29.9 %
3	Above Average	155	21.0 %
-2 (M)	Missing, N/A	350	47.4 %

Based upon 388 valid cases out of 738 total cases.

- Mean: 2.37

- Study 33444 -

- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.54

CBCLIIIA III) Number of organizations, clubs, teams or groups your child belongs to.

Location: 53-54 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	ZERO	184	24.9 %
1	ONE	216	29.3 %
2	TWO	173	23.4 %
3	THREE	165	22.4 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 1.43
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.09

CBCLIIIB 1st Organization a) Compared to others of the same age, about how active is he/she in each?

Location: 55-56 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Active	26	3.5 %
2	Average	348	47.2 %
3	More Active	175	23.7 %
-2 (M)	Missing, N/A	189	25.6 %

Based upon 549 valid cases out of 738 total cases.

- Mean: 2.27
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.54

- Study 33444 -

CBCLIIC 2nd Organization b) Compared to others of the same age, about how active is he/she in each?

Location: 57-58 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Active	15	2.0 %
2	Average	234	31.7 %
3	More Active	88	11.9 %
-2 (M)	Missing, N/A	401	54.3 %

Based upon 337 valid cases out of 738 total cases.

- Mean: 2.22
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.51

CBCLIID 3rd Organization c) Compared to others of the same age, about how active is he/she in each?

Location: 59-60 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Active	12	1.6 %
2	Average	108	14.6 %
3	More Active	44	6.0 %
-2 (M)	Missing, N/A	574	77.8 %

Based upon 164 valid cases out of 738 total cases.

- Mean: 2.20
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.55

CBCLIVA VI) Number of jobs, chores, your child has.

Location: 61-62 (width: 2; decimal: 0)
 Variable Type: numeric

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	ZERO	37	5.0 %
1	ONE	71	9.6 %
2	TWO	158	21.4 %
3	THREE	472	64.0 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 2.44
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.86

CBCLIVB 1st Job a) Compared to others of the same age, how well does he/she carry them out?

Location: 63-64 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Below Average	109	14.8 %
2	Average	424	57.5 %
3	Above Average	158	21.4 %
-2 (M)	Missing, N/A	47	6.4 %

Based upon 691 valid cases out of 738 total cases.

- Mean: 2.07
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.62

CBCLIVC 2nd Job b) Compared to others of the same age, how well does he/she carry them out?

Location: 65-66 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Below Average	104	14.1 %
2	Average	412	55.8 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Above Average	107	14.5 %
-2 (M)	Missing, N/A	115	15.6 %

Based upon 623 valid cases out of 738 total cases.

- Mean: 2.00
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.58

CBCLIVD 3rd Job c) Compared to others of the same age, how well does he/she carry them out?

Location: 67-68 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Below Average	63	8.5 %
2	Average	308	41.7 %
3	Above Average	95	12.9 %
-2 (M)	Missing, N/A	272	36.9 %

Based upon 466 valid cases out of 738 total cases.

- Mean: 2.07
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.58

CBCLVA V) 1. About how many close friends does your child have?

Location: 69-70 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , 0

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	None	25	3.4 %
2	1	60	8.1 %
3	2 to 3	368	49.9 %
4	more than 4	284	38.5 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0 (M)	Undocumented	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 3.24
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.74

CBCLVB 2. About how many time a week does your child do things with any friends outside of regular school hours?

Location: 71-72 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than 1	68	9.2 %
2	1 to 2	216	29.3 %
3	3 or more	444	60.2 %
-2 (M)	Missing, N/A	10	1.4 %

Based upon 728 valid cases out of 738 total cases.

- Mean: 2.52
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.66

CBCLVIA VI) Compared to others of his/her age, how well does your child: a) Get along with his/her brothers & sisters?

Location: 73-74 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Worse	38	5.1 %
2	About Average	506	68.6 %
3	Better	148	20.1 %
-2 (M)	Missing, N/A	46	6.2 %

- Study 33444 -

Based upon 692 valid cases out of 738 total cases.

- Mean: 2.16
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.49

CBCLVIB VI) Compared to others of his/her age, how well does your child: b) Get along with other kids?

Location: 75-76 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Worse	17	2.3 %
2	About Average	497	67.3 %
3	Better	223	30.2 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 2.28
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.50

CBCLVIC VI) Compared to others of his/her age, how well does your child: c) Behave with his/her parents?

Location: 77-78 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Worse	17	2.3 %
2	About Average	443	60.0 %
3	Better	277	37.5 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 2.35

- Study 33444 -

- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.52

CBCLVID VI) Compared to others of his/her age, how well does your child: d) Play and work alone?

Location: 79-80 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Worse	28	3.8 %
2	About Average	414	56.1 %
3	Better	294	39.8 %
-2 (M)	Missing, N/A	2	0.3 %

Based upon 736 valid cases out of 738 total cases.

- Mean: 2.36
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.55

CBCLVIIA VII) 1. For ages 6 and older - performance in academic subjects a) Reading, English or Language Arts

Location: 81-82 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Failing	12	1.6 %
2	Below Average	55	7.5 %
3	Average	275	37.3 %
4	Above Average	393	53.3 %
-2 (M)	Missing, N/A	3	0.4 %

Based upon 735 valid cases out of 738 total cases.

- Mean: 3.43
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00

- Study 33444 -

- Maximum: 4.00
- Standard Deviation: 0.70

CBCLVIIB VII) 1. For ages 6 and older - performance in academic subjects b) History or Social Studies

Location: 83-84 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Failing	6	0.8 %
2	Below Average	45	6.1 %
3	Average	309	41.9 %
4	Above Average	373	50.5 %
-2 (M)	Missing, N/A	5	0.7 %

Based upon 733 valid cases out of 738 total cases.

- Mean: 3.43
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.65

CBCLVIIC VII) 1. For ages 6 and older - performance in academic subjects c) Math

Location: 85-86 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Failing	7	0.9 %
2	Below Average	55	7.5 %
3	Average	248	33.6 %
4	Above Average	421	57.0 %
-2 (M)	Missing, N/A	7	0.9 %

Based upon 731 valid cases out of 738 total cases.

- Mean: 3.48
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.68

- Study 33444 -

CBCLVIID VII) 1. For ages 6 and older - performance in academic subjects d) Science

Location: 87-88 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Failing	7	0.9 %
2	Below Average	33	4.5 %
3	Average	288	39.0 %
4	Above Average	398	53.9 %
-2 (M)	Missing, N/A	12	1.6 %

Based upon 726 valid cases out of 738 total cases.

- Mean: 3.48
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.63

CBCLVIIE VII) 1. For ages 6 and older - performance in academic subjects e) Other

Location: 89-90 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Failing	2	0.3 %
2	Below Average	6	0.8 %
3	Average	145	19.6 %
4	Above Average	172	23.3 %
-2 (M)	Missing, N/A	413	56.0 %

Based upon 325 valid cases out of 738 total cases.

- Mean: 3.50
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.57

CBCLVIIF 2. Does your child receive special remedial services or attend a special class or special school?

Location: 91-92 (width: 2; decimal: 0)

- Study 33444 -

Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	169	22.9 %
2	No	565	76.6 %
-2 (M)	Missing, N/A	4	0.5 %

Based upon 734 valid cases out of 738 total cases.

- Mean: 1.77
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.42

CBCLVIIG 3. Has your child repeated any grades?

Location: 93-94 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	84	11.4 %
2	No	652	88.3 %
-2 (M)	Missing, N/A	2	0.3 %

Based upon 736 valid cases out of 738 total cases.

- Mean: 1.89
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.32

CBCLVIIIH 4. Has your child had any academic or other problems in school?

Location: 95-96 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	176	23.8 %
2	No	557	75.5 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2 (M)	Missing, N/A	5	0.7 %

Based upon 733 valid cases out of 738 total cases.

- Mean: 1.76
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.43

CBCLC1 Describe your child now or within the past 6 months: 1. Acts too young for his/her age

Location: 97-98 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	554	75.1 %
1	Somewhat or Sometimes True	151	20.5 %
2	Very True or Often True	29	3.9 %
-2 (M)	Missing, N/A	4	0.5 %

Based upon 734 valid cases out of 738 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.53

CBCLC2 2. Allergy

Location: 99-100 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	493	66.8 %
1	Somewhat or Sometimes True	89	12.1 %
2	Very True or Often True	132	17.9 %
-2 (M)	Missing, N/A	24	3.3 %

Based upon 714 valid cases out of 738 total cases.

- Study 33444 -

- Mean: 0.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.79

CBCLC3

3. Argues a lot

Location: 101-102 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	289	39.2 %
1	Somewhat or Sometimes True	353	47.8 %
2	Very True or Often True	94	12.7 %
-2 (M)	Missing, N/A	2	0.3 %

Based upon 736 valid cases out of 738 total cases.

- Mean: 0.74
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.67

CBCLC4

4. Asthma

Location: 103-104 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	638	86.4 %
1	Somewhat or Sometimes True	52	7.0 %
2	Very True or Often True	43	5.8 %
-2 (M)	Missing, N/A	5	0.7 %

Based upon 733 valid cases out of 738 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 33444 -

- Maximum: 2.00
- Standard Deviation: 0.52

CBCLC5 5. Behaves like opposite sex

Location: 105-106 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	708	95.9 %
1	Somewhat or Sometimes True	24	3.3 %
2	Very True or Often True	5	0.7 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.24

CBCLC6 6. Bowel movements outside toilet

Location: 107-108 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	724	98.1 %
1	Somewhat or Sometimes True	7	0.9 %
2	Very True or Often True	3	0.4 %
-2 (M)	Missing, N/A	4	0.5 %

Based upon 734 valid cases out of 738 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.16

CBCLC7 7. Bragging, boasting

- Study 33444 -

Location: 109-110 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	467	63.3 %
1	Somewhat or Sometimes True	252	34.1 %
2	Very True or Often True	19	2.6 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.54

CBCLC8 8. Can't concentrate, can't pay attention for long

Location: 111-112 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	489	66.3 %
1	Somewhat or Sometimes True	179	24.3 %
2	Very True or Often True	65	8.8 %
-2 (M)	Missing, N/A	5	0.7 %

Based upon 733 valid cases out of 738 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.65

CBCLC9 9. Can't get his/her mind off certain thoughts, obsessions

Location: 113-114 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	639	86.6 %
1	Somewhat or Sometimes True	80	10.8 %
2	Very True or Often True	18	2.4 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.43

CBCLC10 10. Can't sit still, restless, or hyperactive

Location: 115-116 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	508	68.8 %
1	Somewhat or Sometimes True	169	22.9 %
2	Very True or Often True	60	8.1 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.63

CBCLC11 11. Clings to adults or too dependent

Location: 117-118 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	636	86.2 %
1	Somewhat or Sometimes True	87	11.8 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Very True or Often True	15	2.0 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.42

CBCLC12 12. Complains of loneliness

Location: 119-120 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	642	87.0 %
1	Somewhat or Sometimes True	87	11.8 %
2	Very True or Often True	7	0.9 %
-2 (M)	Missing, N/A	2	0.3 %

Based upon 736 valid cases out of 738 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.37

CBCLC13 13. Confused or seems to be in a fog

Location: 121-122 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	689	93.4 %
1	Somewhat or Sometimes True	41	5.6 %
2	Very True or Often True	8	1.1 %

Based upon 738 valid cases out of 738 total cases.

- Study 33444 -

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.31

CBCLC14 14. Cries a lot

Location: 123-124 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	667	90.4 %
1	Somewhat or Sometimes True	65	8.8 %
2	Very True or Often True	6	0.8 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.33

CBCLC15 15. Cruel to animals

Location: 125-126 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	720	97.6 %
1	Somewhat or Sometimes True	17	2.3 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

- Study 33444 -

CBCLC16 16. Cruelty, bullying or meanness to others

Location: 127-128 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	658	89.2 %
1	Somewhat or Sometimes True	73	9.9 %
2	Very True or Often True	5	0.7 %
-2 (M)	Missing, N/A	2	0.3 %

Based upon 736 valid cases out of 738 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.34

CBCLC17 17. Day-dreams or gets lost in his/her thoughts

Location: 129-130 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	548	74.3 %
1	Somewhat or Sometimes True	160	21.7 %
2	Very True or Often True	29	3.9 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.54

CBCLC18 18. Deliberately harms self or attempts suicide

Location: 131-132 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	731	99.1 %
1	Somewhat or Sometimes True	5	0.7 %
2	Very True or Often True	1	0.1 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.11

CBCLC19 19. Demands his/her own things

Location: 133-134 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	533	72.2 %
1	Somewhat or Sometimes True	170	23.0 %
2	Very True or Often True	35	4.7 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.56

CBCLC20 20. Destroys his/her owns things

Location: 135-136 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	670	90.8 %
1	Somewhat or Sometimes True	58	7.9 %
2	Very True or Often True	9	1.2 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2 (M)	Missing, N/A	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.34

CBCLC21 21. Destroys things belonging to his/her family or others

Location: 137-138 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	663	89.8 %
1	Somewhat or Sometimes True	69	9.3 %
2	Very True or Often True	6	0.8 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.34

CBCLC22 22. Disobedient at home

Location: 139-140 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	426	57.7 %
1	Somewhat or Sometimes True	286	38.8 %
2	Very True or Often True	26	3.5 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.46

- Study 33444 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.56

CBCLC23 23. Disobedient at school

Location: 141-142 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	572	77.5 %
1	Somewhat or Sometimes True	144	19.5 %
2	Very True or Often True	22	3.0 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.50

CBCLC24 24. Doesn't eat well

Location: 143-144 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	625	84.7 %
1	Somewhat or Sometimes True	99	13.4 %
2	Very True or Often True	12	1.6 %
-2 (M)	Missing, N/A	2	0.3 %

Based upon 736 valid cases out of 738 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.41

- Study 33444 -

CBCLC25 25. Doesn't get along with other kids

Location: 145-146 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	631	85.5 %
1	Somewhat or Sometimes True	99	13.4 %
2	Very True or Often True	8	1.1 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.39

CBCLC26 26. Doesn't seem to feel guilty after misbehaving

Location: 147-148 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	595	80.6 %
1	Somewhat or Sometimes True	119	16.1 %
2	Very True or Often True	22	3.0 %
-2 (M)	Missing, N/A	2	0.3 %

Based upon 736 valid cases out of 738 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.48

CBCLC27 27. Easily jealous

Location: 149-150 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	555	75.2 %
1	Somewhat or Sometimes True	163	22.1 %
2	Very True or Often True	20	2.7 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.50

CBCLC28

28. Eats or drinks things that are not food, don't include sweets

Location: 151-152 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	722	97.8 %
1	Somewhat or Sometimes True	11	1.5 %
2	Very True or Often True	5	0.7 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.20

CBCLC29

29. Fears certain animals, situations or places other than school

Location: 153-154 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	620	84.0 %
1	Somewhat or Sometimes True	89	12.1 %
2	Very True or Often True	27	3.7 %
-2 (M)	Missing, N/A	2	0.3 %

- Study 33444 -

Based upon 736 valid cases out of 738 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.48

CBCLC30 30. Fears going to school

Location: 155-156 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	708	95.9 %
1	Somewhat or Sometimes True	23	3.1 %
2	Very True or Often True	4	0.5 %
-2 (M)	Missing, N/A	3	0.4 %

Based upon 735 valid cases out of 738 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.23

CBCLC31 31. Fears he/she might think or do something bad

Location: 157-158 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	694	94.0 %
1	Somewhat or Sometimes True	43	5.8 %
2	Very True or Often True	1	0.1 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 33444 -

- Maximum: 2.00
- Standard Deviation: 0.25

CBCLC32 32. Feels he/she has to be perfect

Location: 159-160 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	489	66.3 %
1	Somewhat or Sometimes True	214	29.0 %
2	Very True or Often True	34	4.6 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.57

CBCLC33 33. Feels or complains that no one loves him/her

Location: 161-162 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	603	81.7 %
1	Somewhat or Sometimes True	121	16.4 %
2	Very True or Often True	12	1.6 %
-2 (M)	Missing, N/A	2	0.3 %

Based upon 736 valid cases out of 738 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.44

CBCLC34 34. Feels other are out to get him/her

- Study 33444 -

Location: 163-164 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	687	93.1 %
1	Somewhat or Sometimes True	44	6.0 %
2	Very True or Often True	6	0.8 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.29

CBCLC35 35. Feels worthless or inferior

Location: 165-166 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	613	83.1 %
1	Somewhat or Sometimes True	110	14.9 %
2	Very True or Often True	14	1.9 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.44

CBCLC36 36. Gets hurt a lot, accident-prone

Location: 167-168 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	649	87.9 %
1	Somewhat or Sometimes True	80	10.8 %
2	Very True or Often True	9	1.2 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.37

CBCLC37

37. Gets in many fights

Location: 169-170 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	681	92.3 %
1	Somewhat or Sometimes True	48	6.5 %
2	Very True or Often True	9	1.2 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.33

CBCLC38

38. Gets teased a lot

Location: 171-172 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	552	74.8 %
1	Somewhat or Sometimes True	158	21.4 %
2	Very True or Often True	26	3.5 %
-2 (M)	Missing, N/A	2	0.3 %

- Study 33444 -

Based upon 736 valid cases out of 738 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.52

CBCLC39 **39. Hangs around with other who get in trouble**

Location: 173-174 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	630	85.4 %
1	Somewhat or Sometimes True	95	12.9 %
2	Very True or Often True	12	1.6 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.41

CBCLC40 **40. Hears sounds or voices that aren't there**

Location: 175-176 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	737	99.9 %
2	Very True or Often True	1	0.1 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00

- Study 33444 -

- Standard Deviation: 0.07

CBCLC41 41. Impulsive or acts without thinking

Location: 177-178 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	523	70.9 %
1	Somewhat or Sometimes True	181	24.5 %
2	Very True or Often True	34	4.6 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.56

CBCLC42 42. Would rather be alone than with others

Location: 179-180 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	582	78.9 %
1	Somewhat or Sometimes True	146	19.8 %
2	Very True or Often True	10	1.4 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.45

CBCLC43 43. Lying or cheating

Location: 181-182 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	576	78.0 %
1	Somewhat or Sometimes True	139	18.8 %
2	Very True or Often True	23	3.1 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.50

CBCLC44

44. Bites fingernails

Location: 183-184 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	529	71.7 %
1	Somewhat or Sometimes True	134	18.2 %
2	Very True or Often True	74	10.0 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.66

CBCLC45

45. Nervous, high-strung or tense

Location: 185-186 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	600	81.3 %
1	Somewhat or Sometimes True	114	15.4 %
2	Very True or Often True	22	3.0 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2 (M)	Missing, N/A	2	0.3 %

Based upon 736 valid cases out of 738 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.48

CBCLC46 46. Nervous movements or twitching

Location: 187-188 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	678	91.9 %
1	Somewhat or Sometimes True	45	6.1 %
2	Very True or Often True	14	1.9 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.36

CBCLC47 47. Nightmares

Location: 189-190 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	644	87.3 %
1	Somewhat or Sometimes True	87	11.8 %
2	Very True or Often True	7	0.9 %

Based upon 738 valid cases out of 738 total cases.

- Study 33444 -

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.37

CBCLC48 48. Not liked by other kids

Location: 191-192 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	660	89.4 %
1	Somewhat or Sometimes True	72	9.8 %
2	Very True or Often True	6	0.8 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.34

CBCLC49 49. Constipated, doesn't move bowels

Location: 193-194 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	700	94.9 %
1	Somewhat or Sometimes True	30	4.1 %
2	Very True or Often True	8	1.1 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.28

- Study 33444 -

CBCLC50 50. Too fearful or anxious

Location: 195-196 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	682	92.4 %
1	Somewhat or Sometimes True	48	6.5 %
2	Very True or Often True	8	1.1 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.32

CBCLC51 51. Feels dizzy

Location: 197-198 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	720	97.6 %
1	Somewhat or Sometimes True	17	2.3 %
2	Very True or Often True	1	0.1 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.17

CBCLC52 52. Feels too guilty

Location: 199-200 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -2

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	709	96.1 %
1	Somewhat or Sometimes True	28	3.8 %
2	Very True or Often True	1	0.1 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.20

CBCLC53

53. Overeating

Location: 201-202 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	625	84.7 %
1	Somewhat or Sometimes True	85	11.5 %
2	Very True or Often True	28	3.8 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.48

CBCLC54

54. Over tired

Location: 203-204 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	672	91.1 %
1	Somewhat or Sometimes True	61	8.3 %
2	Very True or Often True	5	0.7 %

Based upon 738 valid cases out of 738 total cases.

- Study 33444 -

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.32

CBCLC55 55. Overweight

Location: 205-206 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	609	82.5 %
1	Somewhat or Sometimes True	86	11.7 %
2	Very True or Often True	42	5.7 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.54

CBCLC56A 56. Physical problems without known medical causes: a) Aches or pains (not stomach or headaches)

Location: 207-208 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	678	91.9 %
1	Somewhat or Sometimes True	55	7.5 %
2	Very True or Often True	2	0.3 %
-2 (M)	Missing, N/A	3	0.4 %

Based upon 735 valid cases out of 738 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00

- Study 33444 -

- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.28

CBCLC56B

b) Headaches

Location: 209-210 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	573	77.6 %
1	Somewhat or Sometimes True	141	19.1 %
2	Very True or Often True	23	3.1 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.50

CBCLC56C

c) Nausea, feels sick

Location: 211-212 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	675	91.5 %
1	Somewhat or Sometimes True	55	7.5 %
2	Very True or Often True	6	0.8 %
-2 (M)	Missing, N/A	2	0.3 %

Based upon 736 valid cases out of 738 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.31

CBCLC56D

d) Problems with eyes

- Study 33444 -

Location: 213-214 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	693	93.9 %
1	Somewhat or Sometimes True	21	2.8 %
2	Very True or Often True	21	2.8 %
-2 (M)	Missing, N/A	3	0.4 %

Based upon 735 valid cases out of 738 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.37

CBCLC56E e) Rashes or other skin problems

Location: 215-216 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	651	88.2 %
1	Somewhat or Sometimes True	70	9.5 %
2	Very True or Often True	16	2.2 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.40

CBCLC56F f) Stomachaches or cramps

Location: 217-218 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	640	86.7 %
1	Somewhat or Sometimes True	85	11.5 %
2	Very True or Often True	11	1.5 %
-2 (M)	Missing, N/A	2	0.3 %

Based upon 736 valid cases out of 738 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.39

CBCLC56G

g) Vomiting, throwing up

Location: 219-220 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	717	97.2 %
1	Somewhat or Sometimes True	18	2.4 %
2	Very True or Often True	1	0.1 %
-2 (M)	Missing, N/A	2	0.3 %

Based upon 736 valid cases out of 738 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.17

CBCLC56H

h) Other

Location: 221-222 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	646	87.5 %
1	Somewhat or Sometimes True	9	1.2 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Very True or Often True	8	1.1 %
-2 (M)	Missing, N/A	75	10.2 %

Based upon 663 valid cases out of 738 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.25

CBCLC57 **57. Physically attacks people**

Location: 223-224 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	700	94.9 %
1	Somewhat or Sometimes True	32	4.3 %
2	Very True or Often True	4	0.5 %
-2 (M)	Missing, N/A	2	0.3 %

Based upon 736 valid cases out of 738 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.25

CBCLC58 **58. Picks nose, skin or other parts or body**

Location: 225-226 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	593	80.4 %
1	Somewhat or Sometimes True	120	16.3 %
2	Very True or Often True	21	2.8 %
-2 (M)	Missing, N/A	4	0.5 %

- Study 33444 -

Based upon 734 valid cases out of 738 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.48

CBCLC59 **59. Plays with own sex parts in public**

Location: 227-228 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	733	99.3 %
1	Somewhat or Sometimes True	5	0.7 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.08

CBCLC60 **60. Plays with own sex parts too much**

Location: 229-230 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	728	98.6 %
1	Somewhat or Sometimes True	9	1.2 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

- Study 33444 -

CBCLC61 61. Poor school work

Location: 231-232 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	569	77.1 %
1	Somewhat or Sometimes True	141	19.1 %
2	Very True or Often True	28	3.8 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.52

CBCLC62 62. Poorly coordinated or clumsy

Location: 233-234 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	666	90.2 %
1	Somewhat or Sometimes True	62	8.4 %
2	Very True or Often True	10	1.4 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.36

CBCLC63 63. Prefers being with older kids

Location: 235-236 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	521	70.6 %
1	Somewhat or Sometimes True	193	26.2 %
2	Very True or Often True	24	3.3 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.53

CBCLC64 **64. Prefers being with younger kids**

Location: 237-238 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	578	78.3 %
1	Somewhat or Sometimes True	142	19.2 %
2	Very True or Often True	14	1.9 %
-2 (M)	Missing, N/A	4	0.5 %

Based upon 734 valid cases out of 738 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.47

CBCLC65 **65. Refuses to talk**

Location: 239-240 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	675	91.5 %
1	Somewhat or Sometimes True	57	7.7 %
2	Very True or Often True	6	0.8 %

- Study 33444 -

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.32

CBCLC66 66. Repeats certain acts over and over, compulsions

Location: 241-242 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	710	96.2 %
1	Somewhat or Sometimes True	22	3.0 %
2	Very True or Often True	6	0.8 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.25

CBCLC67 67. Runs away from home

Location: 243-244 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	729	98.8 %
1	Somewhat or Sometimes True	9	1.2 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

- Study 33444 -

CBCLC68 68. Screams a lot

Location: 245-246 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	663	89.8 %
1	Somewhat or Sometimes True	64	8.7 %
2	Very True or Often True	11	1.5 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.36

CBCLC69 69. Secretive, keeps things to self

Location: 247-248 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	581	78.7 %
1	Somewhat or Sometimes True	141	19.1 %
2	Very True or Often True	15	2.0 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.47

CBCLC70 70. Sees things that aren't there

Location: 249-250 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	735	99.6 %
1	Somewhat or Sometimes True	1	0.1 %
-2 (M)	Missing, N/A	2	0.3 %

Based upon 736 valid cases out of 738 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.04

CBCLC71 **71. Self-conscious or easily embarrassed**

Location: 251-252 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	467	63.3 %
1	Somewhat or Sometimes True	242	32.8 %
2	Very True or Often True	29	3.9 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.57

CBCLC72 **72. Sets fires**

Location: 253-254 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	716	97.0 %
1	Somewhat or Sometimes True	18	2.4 %
2	Very True or Often True	3	0.4 %
-2 (M)	Missing, N/A	1	0.1 %

- Study 33444 -

Based upon 737 valid cases out of 738 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.20

CBCLC73 73. Sexual problems

Location: 255-256 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	735	99.6 %
1	Somewhat or Sometimes True	2	0.3 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.05

CBCLC74 74. Showing off or clowning

Location: 257-258 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	406	55.0 %
1	Somewhat or Sometimes True	293	39.7 %
2	Very True or Often True	39	5.3 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00

- Study 33444 -

- Standard Deviation: 0.60

CBCLC75 75. Shy or timid

Location: 259-260 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	496	67.2 %
1	Somewhat or Sometimes True	213	28.9 %
2	Very True or Often True	29	3.9 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.56

CBCLC76 76. Sleeps less than most kids

Location: 261-262 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	672	91.1 %
1	Somewhat or Sometimes True	57	7.7 %
2	Very True or Often True	7	0.9 %
-2 (M)	Missing, N/A	2	0.3 %

Based upon 736 valid cases out of 738 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.33

CBCLC77 77. Sleeps more than most kids during day and/or night

Location: 263-264 (width: 2; decimal: 0)
 Variable Type: numeric

- Study 33444 -

Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	709	96.1 %
1	Somewhat or Sometimes True	26	3.5 %
2	Very True or Often True	2	0.3 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.21

CBCLC78 78. Smears or plays with bowel movements

Location: 265-266 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	736	99.7 %
1	Somewhat or Sometimes True	2	0.3 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.05

CBCLC79 79. Speech problems

Location: 267-268 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	698	94.6 %
1	Somewhat or Sometimes True	32	4.3 %
2	Very True or Often True	8	1.1 %

- Study 33444 -

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.29

CBCLC80 80. Stares blankly

Location: 269-270 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	705	95.5 %
1	Somewhat or Sometimes True	27	3.7 %
2	Very True or Often True	5	0.7 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.25

CBCLC81 81. Steals at home

Location: 271-272 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	707	95.8 %
1	Somewhat or Sometimes True	26	3.5 %
2	Very True or Often True	5	0.7 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 33444 -

- Maximum: 2.00
- Standard Deviation: 0.25

CBCLC82 82. Steals outside the home

Location: 273-274 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	707	95.8 %
1	Somewhat or Sometimes True	28	3.8 %
2	Very True or Often True	2	0.3 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.22

CBCLC83 83. Stores up things he/she doesn't need

Location: 275-276 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	661	89.6 %
1	Somewhat or Sometimes True	61	8.3 %
2	Very True or Often True	16	2.2 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.39

CBCLC84 84. Strange behavior

Location: 277-278 (width: 2; decimal: 0)

- Study 33444 -

Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	727	98.5 %
1	Somewhat or Sometimes True	9	1.2 %
2	Very True or Often True	2	0.3 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.15

CBCLC85 **85. Strange ideas**

Location: 279-280 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	729	98.8 %
1	Somewhat or Sometimes True	6	0.8 %
2	Very True or Often True	2	0.3 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.14

CBCLC86 **86. Stubborn, sullen or irritable**

Location: 281-282 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	455	61.7 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Somewhat or Sometimes True	255	34.6 %
2	Very True or Often True	27	3.7 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.56

CBCLC87 **87. Sudden changes in mood or feelings**

Location: 283-284 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	618	83.7 %
1	Somewhat or Sometimes True	111	15.0 %
2	Very True or Often True	9	1.2 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.41

CBCLC88 **88. Sulks a lot**

Location: 285-286 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	633	85.8 %
1	Somewhat or Sometimes True	95	12.9 %
2	Very True or Often True	9	1.2 %
-2 (M)	Missing, N/A	1	0.1 %

- Study 33444 -

Based upon 737 valid cases out of 738 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.39

CBCLC89 89. Suspicious

Location: 287-288 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	709	96.1 %
1	Somewhat or Sometimes True	27	3.7 %
2	Very True or Often True	1	0.1 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.20

CBCLC90 90. Swearing or obscene language

Location: 289-290 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	654	88.6 %
1	Somewhat or Sometimes True	75	10.2 %
2	Very True or Often True	8	1.1 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00

- Study 33444 -

- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.36

CBCLC91 91. Talks about killing self

Location: 291-292 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	717	97.2 %
1	Somewhat or Sometimes True	20	2.7 %
2	Very True or Often True	1	0.1 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.18

CBCLC92 92. Talks or walks in sleep

Location: 293-294 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	649	87.9 %
1	Somewhat or Sometimes True	76	10.3 %
2	Very True or Often True	13	1.8 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.39

CBCLC93 93. Talks to much

Location: 295-296 (width: 2; decimal: 0)

- Study 33444 -

Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	535	72.5 %
1	Somewhat or Sometimes True	169	22.9 %
2	Very True or Often True	34	4.6 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.56

CBCLC94 94. Teases a lot

Location: 297-298 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	532	72.1 %
1	Somewhat or Sometimes True	179	24.3 %
2	Very True or Often True	26	3.5 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.53

CBCLC95 95. Temper tantrums or hot temper

Location: 299-300 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	536	72.6 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Somewhat or Sometimes True	166	22.5 %
2	Very True or Often True	35	4.7 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.56

CBCLC96 96. Thinks about sex too much

Location: 301-302 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	721	97.7 %
1	Somewhat or Sometimes True	14	1.9 %
2	Very True or Often True	1	0.1 %
-2 (M)	Missing, N/A	2	0.3 %

Based upon 736 valid cases out of 738 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.15

CBCLC97 97. Threatens people

Location: 303-304 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	704	95.4 %
1	Somewhat or Sometimes True	29	3.9 %
2	Very True or Often True	5	0.7 %

- Study 33444 -

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.25

CBCLC98 98. Thumb-sucking

Location: 305-306 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	702	95.1 %
1	Somewhat or Sometimes True	17	2.3 %
2	Very True or Often True	19	2.6 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.35

CBCLC99 99. Too concerned with neatness or cleanliness

Location: 307-308 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	702	95.1 %
1	Somewhat or Sometimes True	30	4.1 %
2	Very True or Often True	6	0.8 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00

- Study 33444 -

- Standard Deviation: 0.26

CBCLC100 **100. Trouble sleeping**

Location: 309-310 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	688	93.2 %
1	Somewhat or Sometimes True	40	5.4 %
2	Very True or Often True	7	0.9 %
-2 (M)	Missing, N/A	3	0.4 %

Based upon 735 valid cases out of 738 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.30

CBCLC101 **101. Truancy, skips school**

Location: 311-312 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	727	98.5 %
1	Somewhat or Sometimes True	9	1.2 %
2	Very True or Often True	2	0.3 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.15

CBCLC102 **102. Under active, slow moving, or lacks energy**

Location: 313-314 (width: 2; decimal: 0)
 Variable Type: numeric

- Study 33444 -

Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	679	92.0 %
1	Somewhat or Sometimes True	53	7.2 %
2	Very True or Often True	6	0.8 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.31

CBCLC103 **103. Unhappy, sad, or depressed**

Location: 315-316 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	657	89.0 %
1	Somewhat or Sometimes True	76	10.3 %
2	Very True or Often True	5	0.7 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.34

CBCLC104 **104. Unusually loud**

Location: 317-318 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	640	86.7 %
1	Somewhat or Sometimes True	83	11.2 %
2	Very True or Often True	14	1.9 %

- Study 33444 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.14

CBCLC107 **107. Wets self during day**

Location: 323-324 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	737	99.9 %
1	Somewhat or Sometimes True	1	0.1 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.04

CBCLC108 **108. Wets the bed**

Location: 325-326 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	683	92.5 %
1	Somewhat or Sometimes True	41	5.6 %
2	Very True or Often True	14	1.9 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.35

CBCLC109 **109. Whining**

Location: 327-328 (width: 2; decimal: 0)

- Study 33444 -

Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	568	77.0 %
1	Somewhat or Sometimes True	157	21.3 %
2	Very True or Often True	13	1.8 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.47

CBCLC110 **110. Wishes to be of opposite sex**

Location: 329-330 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	735	99.6 %
1	Somewhat or Sometimes True	2	0.3 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.05

CBCLC111 **111. Withdrawn, doesn't get involved with other**

Location: 331-332 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	680	92.1 %
1	Somewhat or Sometimes True	55	7.5 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Very True or Often True	2	0.3 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 737 valid cases out of 738 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.28

CBCLC112

112. Worries

Location: 333-334 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	565	76.6 %
1	Somewhat or Sometimes True	151	20.5 %
2	Very True or Often True	20	2.7 %
-2 (M)	Missing, N/A	2	0.3 %

Based upon 736 valid cases out of 738 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.50

CBCLC113

113. Does your child have any problems that were not listed

Location: 335-336 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not True	98	13.3 %
1	Somewhat or Sometimes True	8	1.1 %
2	Very True or Often True	13	1.8 %
-2 (M)	Missing, N/A	619	83.9 %

- Study 33444 -

Based upon 119 valid cases out of 738 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.65

TOT_ACT	Total score for Activity Scale
----------------	---------------------------------------

Location: 337-344 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.0

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	-	1	0.1 %
1.0	-	1	0.1 %
2.0	-	3	0.4 %
2.5	-	4	0.5 %
3.0	-	6	0.8 %
3.5	-	7	0.9 %
4.0	-	15	2.0 %
4.5	-	18	2.4 %
5.0	-	28	3.8 %
5.5	-	21	2.8 %
6.0	-	44	6.0 %
6.5	-	36	4.9 %
7.0	-	46	6.2 %
7.5	-	54	7.3 %
8.0	-	64	8.7 %
8.5	-	80	10.8 %
9.0	-	85	11.5 %
9.5	-	93	12.6 %
10.0	-	73	9.9 %
10.5	-	31	4.2 %
11.0	-	19	2.6 %
11.5	-	6	0.8 %
-2.0 (M)	Missing, N/A	3	0.4 %

Based upon 735 valid cases out of 738 total cases.

- Mean: 7.966
- Median: 8.500

- Study 33444 -

- Mode: 9.500
- Minimum: 0.000
- Maximum: 11.500
- Standard Deviation: 1.966

TOT_SOC **Total score for Social Scale**

Location: 345-352 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.0

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.5	-	2	0.3 %
2.0	-	5	0.7 %
2.5	-	11	1.5 %
3.0	-	9	1.2 %
3.5	-	12	1.6 %
4.0	-	33	4.5 %
4.5	-	29	3.9 %
5.0	-	66	8.9 %
5.5	-	42	5.7 %
6.0	-	61	8.3 %
6.5	-	58	7.9 %
7.0	-	64	8.7 %
7.5	-	73	9.9 %
8.0	-	46	6.2 %
8.5	-	63	8.5 %
9.0	-	50	6.8 %
9.5	-	44	6.0 %
10.0	-	26	3.5 %
10.5	-	27	3.7 %
11.0	-	9	1.2 %
11.5	-	5	0.7 %
12.0	-	1	0.1 %
-2.0 (M)	Missing, N/A	2	0.3 %

Based upon 736 valid cases out of 738 total cases.

- Mean: 7.004
- Median: 7.000
- Mode: 7.500
- Minimum: 1.500
- Maximum: 12.000
- Standard Deviation: 2.063

- Study 33444 -

TOT_SCH **Total score for School Scale**

Location: 353-360 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.0

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	-	2	0.3 %
0.5	-	1	0.1 %
1.5	-	5	0.7 %
2.0	-	7	0.9 %
2.5	-	13	1.8 %
3.0	-	28	3.8 %
3.5	-	33	4.5 %
4.0	-	82	11.1 %
4.5	-	66	8.9 %
5.0	-	198	26.8 %
5.5	-	93	12.6 %
6.0	-	201	27.2 %
-2.0 (M)	Missing, N/A	9	1.2 %

Based upon 729 valid cases out of 738 total cases.

- Mean: 4.920
- Median: 5.000
- Mode: 6.000
- Minimum: 0.000
- Maximum: 6.000
- Standard Deviation: 1.035

TOT_COM **Total score for Social Competence Scale**

Location: 361-368 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.0

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5.5	-	1	0.1 %
7.5	-	1	0.1 %
9.0	-	1	0.1 %
10.0	-	2	0.3 %
10.5	-	1	0.1 %
11.0	-	1	0.1 %
11.5	-	2	0.3 %
12.0	-	6	0.8 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
12.5	-	12	1.6 %
13.0	-	7	0.9 %
13.5	-	12	1.6 %
14.0	-	9	1.2 %
14.5	-	12	1.6 %
15.0	-	17	2.3 %
15.5	-	17	2.3 %
16.0	-	24	3.3 %
16.5	-	17	2.3 %
17.0	-	32	4.3 %
17.5	-	29	3.9 %
18.0	-	27	3.7 %
18.5	-	43	5.8 %
19.0	-	30	4.1 %
19.5	-	37	5.0 %
20.0	-	28	3.8 %
20.5	-	45	6.1 %
21.0	-	27	3.7 %
21.5	-	41	5.6 %
22.0	-	38	5.1 %
22.5	-	33	4.5 %
23.0	-	33	4.5 %
23.5	-	26	3.5 %
24.0	-	21	2.8 %
24.5	-	26	3.5 %
25.0	-	14	1.9 %
25.5	-	20	2.7 %
26.0	-	16	2.2 %
26.5	-	7	0.9 %
27.0	-	3	0.4 %
27.5	-	5	0.7 %
28.0	-	1	0.1 %
28.5	-	1	0.1 %
-2.0 (M)	Missing, N/A	13	1.8 %

Based upon 725 valid cases out of 738 total cases.

- Mean: 19.898
- Median: 20.000
- Mode: 20.500
- Minimum: 5.500

- Study 33444 -

- Maximum: 28.500
- Standard Deviation: 3.721

TOT_BEH **Total score for Behavior Problems Scale**

Location: 369-376 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	-	24	3.3 %
1.000	-	22	3.0 %
2.000	-	18	2.4 %
3.000	-	27	3.7 %
4.000	-	34	4.6 %
5.000	-	36	4.9 %
6.000	-	24	3.3 %
7.000	-	29	3.9 %
8.000	-	27	3.7 %
9.000	-	27	3.7 %
10.000	-	32	4.3 %
11.000	-	20	2.7 %
12.000	-	17	2.3 %
13.000	-	27	3.7 %
14.000	-	23	3.1 %
15.000	-	18	2.4 %
16.000	-	21	2.8 %
17.000	-	22	3.0 %
18.000	-	14	1.9 %
19.000	-	23	3.1 %
20.000	-	11	1.5 %
21.000	-	12	1.6 %
22.000	-	17	2.3 %
23.000	-	11	1.5 %
24.000	-	13	1.8 %
25.000	-	19	2.6 %
26.000	-	10	1.4 %
27.000	-	7	0.9 %
28.000	-	8	1.1 %
29.000	-	6	0.8 %
30.000	-	8	1.1 %
31.000	-	8	1.1 %
32.000	-	8	1.1 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
33.000	-	5	0.7 %
34.000	-	6	0.8 %
35.000	-	7	0.9 %
36.000	-	4	0.5 %
37.000	-	8	1.1 %
38.000	-	7	0.9 %
39.000	-	4	0.5 %
40.000	-	3	0.4 %
41.000	-	3	0.4 %
42.000	-	4	0.5 %
43.000	-	4	0.5 %
44.000	-	3	0.4 %
45.000	-	2	0.3 %
46.000	-	6	0.8 %
47.000	-	2	0.3 %
48.000	-	3	0.4 %
49.000	-	2	0.3 %
50.000	-	1	0.1 %
51.000	-	3	0.4 %
52.000	-	2	0.3 %
53.000	-	1	0.1 %
54.000	-	1	0.1 %
55.000	-	1	0.1 %
56.000	-	3	0.4 %
57.000	-	2	0.3 %
58.000	-	2	0.3 %
59.000	-	1	0.1 %
60.000	-	1	0.1 %
61.000	-	1	0.1 %
62.000	-	1	0.1 %
63.000	-	1	0.1 %
64.000	-	2	0.3 %
65.000	-	1	0.1 %
66.000	-	3	0.4 %
68.000	-	2	0.3 %
73.000	-	1	0.1 %
74.000	-	2	0.3 %
75.000	-	1	0.1 %
76.000	-	2	0.3 %
77.000	-	2	0.3 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
80.000	-	1	0.1 %
83.000	-	1	0.1 %
85.000	-	1	0.1 %
101.000	-	1	0.1 %
104.000	-	1	0.1 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 18.253
- Median: 14.000
- Mode: 5.000
- Minimum: 0.000
- Maximum: 104.000
- Standard Deviation: 16.505

TOT_INT	Total score for Internalizing Scale
----------------	--

Location: 377-384 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	-	89	12.1 %
1.000	-	69	9.3 %
2.000	-	82	11.1 %
3.000	-	61	8.3 %
4.000	-	68	9.2 %
5.000	-	52	7.0 %
6.000	-	46	6.2 %
7.000	-	42	5.7 %
8.000	-	29	3.9 %
9.000	-	23	3.1 %
10.000	-	21	2.8 %
11.000	-	19	2.6 %
12.000	-	19	2.6 %
13.000	-	15	2.0 %
14.000	-	11	1.5 %
15.000	-	9	1.2 %
16.000	-	14	1.9 %
17.000	-	12	1.6 %
18.000	-	6	0.8 %
19.000	-	9	1.2 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
20.000	-	6	0.8 %
21.000	-	3	0.4 %
22.000	-	3	0.4 %
23.000	-	7	0.9 %
24.000	-	2	0.3 %
25.000	-	2	0.3 %
26.000	-	4	0.5 %
27.000	-	2	0.3 %
28.000	-	2	0.3 %
29.000	-	2	0.3 %
30.000	-	1	0.1 %
32.000	-	1	0.1 %
33.000	-	1	0.1 %
35.000	-	2	0.3 %
37.000	-	1	0.1 %
44.000	-	1	0.1 %
45.000	-	1	0.1 %
47.000	-	1	0.1 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 6.657
- Median: 4.500
- Mode: 0.000
- Minimum: 0.000
- Maximum: 47.000
- Standard Deviation: 6.974

TOT_EXT	Total score for Externalizing Scale
----------------	--

Location: 385-392 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	-	76	10.3 %
1.000	-	66	8.9 %
2.000	-	52	7.0 %
3.000	-	63	8.5 %
4.000	-	49	6.6 %
5.000	-	49	6.6 %
6.000	-	32	4.3 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7.000	-	26	3.5 %
8.000	-	38	5.1 %
9.000	-	29	3.9 %
10.000	-	24	3.3 %
11.000	-	25	3.4 %
12.000	-	29	3.9 %
13.000	-	18	2.4 %
14.000	-	19	2.6 %
15.000	-	16	2.2 %
16.000	-	4	0.5 %
17.000	-	11	1.5 %
18.000	-	7	0.9 %
19.000	-	11	1.5 %
20.000	-	9	1.2 %
21.000	-	5	0.7 %
22.000	-	11	1.5 %
23.000	-	6	0.8 %
24.000	-	6	0.8 %
25.000	-	4	0.5 %
26.000	-	9	1.2 %
27.000	-	9	1.2 %
28.000	-	6	0.8 %
29.000	-	4	0.5 %
31.000	-	1	0.1 %
32.000	-	5	0.7 %
33.000	-	3	0.4 %
34.000	-	1	0.1 %
35.000	-	1	0.1 %
36.000	-	1	0.1 %
39.000	-	1	0.1 %
41.000	-	2	0.3 %
42.000	-	1	0.1 %
43.000	-	1	0.1 %
46.000	-	1	0.1 %
47.000	-	3	0.4 %
48.000	-	1	0.1 %
50.000	-	2	0.3 %
51.000	-	1	0.1 %

Based upon 738 valid cases out of 738 total cases.

- Study 33444 -

- Mean: 8.923
- Median: 6.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 51.000
- Standard Deviation: 9.235

TOT_SCHAN **Total score for Schizoid or Anxious Scale**

Location: 393-400 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	-	429	58.1 %
1.000	-	167	22.6 %
2.000	-	70	9.5 %
3.000	-	35	4.7 %
4.000	-	18	2.4 %
5.000	-	9	1.2 %
6.000	-	3	0.4 %
7.000	-	2	0.3 %
8.000	-	2	0.3 %
9.000	-	1	0.1 %
10.000	-	2	0.3 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 0.821
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 10.000
- Standard Deviation: 1.375

TOT_DEP **Total score for Depressed Scale**

Location: 401-408 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	-	176	23.8 %
1.000	-	109	14.8 %
2.000	-	69	9.3 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3.000	-	43	5.8 %
4.000	-	47	6.4 %
5.000	-	31	4.2 %
6.000	-	34	4.6 %
7.000	-	9	1.2 %
8.000	-	10	1.4 %
9.000	-	8	1.1 %
10.000	-	13	1.8 %
11.000	-	7	0.9 %
12.000	-	1	0.1 %
14.000	-	3	0.4 %
15.000	-	3	0.4 %
16.000	-	3	0.4 %
17.000	-	3	0.4 %
18.000	-	2	0.3 %
21.000	-	1	0.1 %
-2.000 (M)	Missing, N/A	166	22.5 %

Based upon 572 valid cases out of 738 total cases.

- Mean: 2.797
- Median: 2.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 21.000
- Standard Deviation: 3.515

TOT_UNCOM	Total score for Uncommunicative Scale
------------------	--

Location: 409-416 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	-	169	22.9 %
1.000	-	112	15.2 %
2.000	-	80	10.8 %
3.000	-	57	7.7 %
4.000	-	38	5.1 %
5.000	-	26	3.5 %
6.000	-	19	2.6 %
7.000	-	7	0.9 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8.000	-	12	1.6 %
9.000	-	1	0.1 %
10.000	-	5	0.7 %
11.000	-	1	0.1 %
12.000	-	2	0.3 %
16.000	-	1	0.1 %
-2.000 (M)	Missing, N/A	208	28.2 %

Based upon 530 valid cases out of 738 total cases.

- Mean: 2.064
- Median: 1.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 16.000
- Standard Deviation: 2.376

TOT_OBS	Total score for Obsessive Compulsive Scale
----------------	---

Location: 417-424 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	-	183	24.8 %
1.000	-	130	17.6 %
2.000	-	83	11.2 %
3.000	-	42	5.7 %
4.000	-	29	3.9 %
5.000	-	11	1.5 %
6.000	-	20	2.7 %
7.000	-	11	1.5 %
8.000	-	5	0.7 %
9.000	-	3	0.4 %
10.000	-	4	0.5 %
11.000	-	4	0.5 %
12.000	-	2	0.3 %
13.000	-	1	0.1 %
15.000	-	1	0.1 %
17.000	-	1	0.1 %
-2.000 (M)	Missing, N/A	208	28.2 %

Based upon 530 valid cases out of 738 total cases.

- Study 33444 -

- Mean: 1.906
- Median: 1.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 17.000
- Standard Deviation: 2.509

TOT_SOM **Total score for Somatic Complaints Scale**

Location: 425-432 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	-	408	55.3 %
1.000	-	141	19.1 %
2.000	-	75	10.2 %
3.000	-	49	6.6 %
4.000	-	28	3.8 %
5.000	-	12	1.6 %
6.000	-	13	1.8 %
7.000	-	4	0.5 %
8.000	-	4	0.5 %
9.000	-	2	0.3 %
10.000	-	2	0.3 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 1.065
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 10.000
- Standard Deviation: 1.678

TOT_SOCWD **Total score for Social Withdrawal Scale**

Location: 433-440 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	-	229	31.0 %
1.000	-	117	15.9 %
2.000	-	42	5.7 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3.000	-	39	5.3 %
4.000	-	26	3.5 %
5.000	-	16	2.2 %
6.000	-	17	2.3 %
7.000	-	2	0.3 %
8.000	-	6	0.8 %
9.000	-	3	0.4 %
10.000	-	1	0.1 %
11.000	-	2	0.3 %
13.000	-	1	0.1 %
-2.000 (M)	Missing, N/A	237	32.1 %

Based upon 501 valid cases out of 738 total cases.

- Mean: 1.473
- Median: 1.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 13.000
- Standard Deviation: 2.104

TOT_HYPER	Total score for Hyperactivity Scale
------------------	--

Location: 441-448 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	-	193	26.2 %
1.000	-	120	16.3 %
2.000	-	72	9.8 %
3.000	-	52	7.0 %
4.000	-	72	9.8 %
5.000	-	33	4.5 %
6.000	-	41	5.6 %
7.000	-	21	2.8 %
8.000	-	15	2.0 %
9.000	-	11	1.5 %
10.000	-	12	1.6 %
11.000	-	4	0.5 %
12.000	-	6	0.8 %
13.000	-	7	0.9 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
15.000	-	3	0.4 %
16.000	-	2	0.3 %
17.000	-	1	0.1 %
18.000	-	2	0.3 %
-2.000 (M)	Missing, N/A	71	9.6 %

Based upon 667 valid cases out of 738 total cases.

- Mean: 2.912
- Median: 2.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 18.000
- Standard Deviation: 3.336

TOT_AGG	Total score for Aggressive Scale
----------------	---

Location: 449-456 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	-	111	15.0 %
1.000	-	87	11.8 %
2.000	-	88	11.9 %
3.000	-	58	7.9 %
4.000	-	62	8.4 %
5.000	-	43	5.8 %
6.000	-	42	5.7 %
7.000	-	37	5.0 %
8.000	-	35	4.7 %
9.000	-	20	2.7 %
10.000	-	23	3.1 %
11.000	-	21	2.8 %
12.000	-	13	1.8 %
13.000	-	18	2.4 %
14.000	-	11	1.5 %
15.000	-	10	1.4 %
16.000	-	11	1.5 %
17.000	-	9	1.2 %
18.000	-	8	1.1 %
19.000	-	3	0.4 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
20.000	-	8	1.1 %
21.000	-	2	0.3 %
22.000	-	2	0.3 %
23.000	-	2	0.3 %
24.000	-	1	0.1 %
25.000	-	3	0.4 %
26.000	-	1	0.1 %
27.000	-	1	0.1 %
28.000	-	3	0.4 %
29.000	-	1	0.1 %
30.000	-	2	0.3 %
31.000	-	1	0.1 %
33.000	-	1	0.1 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 5.741
- Median: 4.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 33.000
- Standard Deviation: 5.956

TOT_DEL	Total score for Delinquent Scale
----------------	---

Location: 457-464 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	-	406	55.0 %
1.000	-	124	16.8 %
2.000	-	70	9.5 %
3.000	-	47	6.4 %
4.000	-	32	4.3 %
5.000	-	23	3.1 %
6.000	-	8	1.1 %
7.000	-	5	0.7 %
8.000	-	7	0.9 %
9.000	-	3	0.4 %
10.000	-	2	0.3 %
11.000	-	2	0.3 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
12.000	-	3	0.4 %
13.000	-	2	0.3 %
16.000	-	3	0.4 %
17.000	-	1	0.1 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 1.332
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 17.000
- Standard Deviation: 2.358

TOT_IMM Total score for Immature Scale

Location: 465-472 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	-	98	13.3 %
1.000	-	57	7.7 %
2.000	-	34	4.6 %
3.000	-	17	2.3 %
4.000	-	9	1.2 %
5.000	-	11	1.5 %
6.000	-	2	0.3 %
7.000	-	6	0.8 %
10.000	-	1	0.1 %
13.000	-	1	0.1 %
15.000	-	1	0.1 %
-2.000 (M)	Missing, N/A	501	67.9 %

Based upon 237 valid cases out of 738 total cases.

- Mean: 1.515
- Median: 1.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 15.000
- Standard Deviation: 2.140

TOT_HOST Total score for Hostile Withdrawal Scale

- Study 33444 -

Location: 473-480 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	-	65	8.8 %
1.000	-	36	4.9 %
2.000	-	14	1.9 %
3.000	-	16	2.2 %
4.000	-	14	1.9 %
5.000	-	2	0.3 %
6.000	-	6	0.8 %
7.000	-	4	0.5 %
8.000	-	2	0.3 %
9.000	-	1	0.1 %
10.000	-	2	0.3 %
11.000	-	2	0.3 %
12.000	-	1	0.1 %
13.000	-	1	0.1 %
-2.000 (M)	Missing, N/A	572	77.5 %

Based upon 166 valid cases out of 738 total cases.

- Mean: 2.012
- Median: 1.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 13.000
- Standard Deviation: 2.712

TOT_SEXPB **Total score for Sex Problems Scale**

Location: 481-488 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	-	86	11.7 %
1.000	-	22	3.0 %
2.000	-	24	3.3 %
3.000	-	4	0.5 %
4.000	-	1	0.1 %
-2.000 (M)	Missing, N/A	601	81.4 %

Based upon 137 valid cases out of 738 total cases.

- Study 33444 -

- Mean: 0.628
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 4.000
- Standard Deviation: 0.924

TOT_CRUEL **Total score for Cruel Scale**

Location: 489-496 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	-	169	22.9 %
1.000	-	22	3.0 %
2.000	-	7	0.9 %
3.000	-	4	0.5 %
4.000	-	3	0.4 %
10.000	-	1	0.1 %
12.000	-	1	0.1 %
-2.000 (M)	Missing, N/A	531	72.0 %

Based upon 207 valid cases out of 738 total cases.

- Mean: 0.396
- Median: 0.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 12.000
- Standard Deviation: 1.295

TOT_ANX_OBS **Total score for Anxious_Obsessive Scale**

Location: 497-504 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.000	-	17	2.3 %
1.000	-	14	1.9 %
2.000	-	3	0.4 %
3.000	-	11	1.5 %
4.000	-	5	0.7 %
5.000	-	5	0.7 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6.000	-	5	0.7 %
7.000	-	3	0.4 %
8.000	-	6	0.8 %
9.000	-	1	0.1 %
10.000	-	1	0.1 %
-2.000 (M)	Missing, N/A	667	90.4 %

Based upon 71 valid cases out of 738 total cases.

- Mean: 3.042
- Median: 3.000
- Mode: 0.000
- Minimum: 0.000
- Maximum: 10.000
- Standard Deviation: 2.841

T_ACT

T score for Activity Scale

Location: 505-512 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10.000	-	1	0.1 %
16.000	-	1	0.1 %
21.000	-	2	0.3 %
23.000	-	1	0.1 %
24.000	-	1	0.1 %
27.000	-	8	1.1 %
31.000	-	7	0.9 %
32.000	-	3	0.4 %
33.000	-	10	1.4 %
34.000	-	6	0.8 %
35.000	-	8	1.1 %
36.000	-	12	1.6 %
37.000	-	5	0.7 %
38.000	-	18	2.4 %
39.000	-	13	1.8 %
40.000	-	8	1.1 %
41.000	-	23	3.1 %
42.000	-	21	2.8 %
43.000	-	11	1.5 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
44.000	-	25	3.4 %
45.000	-	4	0.5 %
46.000	-	42	5.7 %
47.000	-	10	1.4 %
48.000	-	44	6.0 %
50.000	-	14	1.9 %
51.000	-	50	6.8 %
53.000	-	63	8.5 %
54.000	-	17	2.3 %
55.000	-	307	41.6 %
99.000	-	3	0.4 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 49.278
- Median: 53.000
- Mode: 55.000
- Minimum: 10.000
- Maximum: 99.000
- Standard Deviation: 8.156

T_SOC

T score for Social Scale

Location: 513-520 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
19.000	-	2	0.3 %
20.000	-	2	0.3 %
21.000	-	2	0.3 %
23.000	-	2	0.3 %
24.000	-	9	1.2 %
25.000	-	1	0.1 %
27.000	-	9	1.2 %
28.000	-	3	0.4 %
30.000	-	3	0.4 %
31.000	-	10	1.4 %
32.000	-	5	0.7 %
33.000	-	12	1.6 %
34.000	-	14	1.9 %
35.000	-	5	0.7 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
36.000	-	43	5.8 %
38.000	-	16	2.2 %
40.000	-	41	5.6 %
41.000	-	4	0.5 %
42.000	-	26	3.5 %
43.000	-	11	1.5 %
44.000	-	1	0.1 %
45.000	-	18	2.4 %
46.000	-	40	5.4 %
47.000	-	20	2.7 %
48.000	-	46	6.2 %
49.000	-	24	3.3 %
51.000	-	40	5.4 %
52.000	-	16	2.2 %
53.000	-	2	0.3 %
54.000	-	49	6.6 %
55.000	-	260	35.2 %
99.000	-	2	0.3 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 47.434
- Median: 50.000
- Mode: 55.000
- Minimum: 19.000
- Maximum: 99.000
- Standard Deviation: 9.069

T_SCH **T score for School Scale**

Location: 521-528 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10.000	-	2	0.3 %
14.000	-	1	0.1 %
19.000	-	1	0.1 %
20.000	-	1	0.1 %
22.000	-	3	0.4 %
24.000	-	1	0.1 %
26.000	-	7	0.9 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
27.000	-	2	0.3 %
30.000	-	2	0.3 %
33.000	-	14	1.9 %
34.000	-	5	0.7 %
37.000	-	27	3.7 %
38.000	-	27	3.7 %
39.000	-	20	2.7 %
40.000	-	13	1.8 %
43.000	-	62	8.4 %
45.000	-	49	6.6 %
47.000	-	40	5.4 %
48.000	-	16	2.2 %
52.000	-	142	19.2 %
53.000	-	26	3.5 %
55.000	-	268	36.3 %
99.000	-	9	1.2 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 49.225
- Median: 52.000
- Mode: 55.000
- Minimum: 10.000
- Maximum: 99.000
- Standard Deviation: 9.472

T_COM	T score for Social Competence Scale
--------------	--

Location: 529-536 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
19.000	-	1	0.1 %
22.000	-	1	0.1 %
24.000	-	1	0.1 %
25.000	-	1	0.1 %
26.000	-	3	0.4 %
27.000	-	2	0.3 %
28.000	-	4	0.5 %
29.000	-	15	2.0 %
30.000	-	8	1.1 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
31.000	-	3	0.4 %
32.000	-	10	1.4 %
33.000	-	6	0.8 %
34.000	-	5	0.7 %
35.000	-	4	0.5 %
36.000	-	15	2.0 %
37.000	-	26	3.5 %
38.000	-	9	1.2 %
39.000	-	21	2.8 %
40.000	-	28	3.8 %
41.000	-	12	1.6 %
42.000	-	28	3.8 %
43.000	-	15	2.0 %
44.000	-	32	4.3 %
45.000	-	33	4.5 %
46.000	-	3	0.4 %
47.000	-	32	4.3 %
48.000	-	29	3.9 %
49.000	-	21	2.8 %
50.000	-	11	1.5 %
51.000	-	14	1.9 %
52.000	-	45	6.1 %
53.000	-	17	2.3 %
54.000	-	38	5.1 %
55.000	-	17	2.3 %
56.000	-	20	2.7 %
57.000	-	7	0.9 %
58.000	-	24	3.3 %
59.000	-	10	1.4 %
60.000	-	26	3.5 %
61.000	-	7	0.9 %
62.000	-	31	4.2 %
63.000	-	9	1.2 %
64.000	-	10	1.4 %
65.000	-	1	0.1 %
66.000	-	14	1.9 %
67.000	-	3	0.4 %
68.000	-	6	0.8 %
69.000	-	7	0.9 %
70.000	-	4	0.5 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
71.000	-	16	2.2 %
72.000	-	9	1.2 %
73.000	-	2	0.3 %
75.000	-	2	0.3 %
77.000	-	5	0.7 %
78.000	-	2	0.3 %
99.000	-	13	1.8 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 50.623
- Median: 50.000
- Mode: 52.000
- Minimum: 19.000
- Maximum: 99.000
- Standard Deviation: 12.894

T_BEH	T score for Behavior Problems Scale
--------------	--

Location: 537-544 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
30.000	-	28	3.8 %
32.000	-	17	2.3 %
33.000	-	11	1.5 %
34.000	-	11	1.5 %
35.000	-	4	0.5 %
36.000	-	20	2.7 %
37.000	-	4	0.5 %
38.000	-	28	3.8 %
39.000	-	15	2.0 %
40.000	-	30	4.1 %
41.000	-	28	3.8 %
42.000	-	14	1.9 %
43.000	-	32	4.3 %
44.000	-	26	3.5 %
45.000	-	20	2.7 %
46.000	-	35	4.7 %
47.000	-	31	4.2 %
48.000	-	34	4.6 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
49.000	-	22	3.0 %
50.000	-	21	2.8 %
51.000	-	26	3.5 %
52.000	-	22	3.0 %
53.000	-	29	3.9 %
54.000	-	23	3.1 %
55.000	-	19	2.6 %
56.000	-	18	2.4 %
57.000	-	15	2.0 %
58.000	-	15	2.0 %
59.000	-	19	2.6 %
60.000	-	8	1.1 %
61.000	-	23	3.1 %
62.000	-	8	1.1 %
63.000	-	15	2.0 %
64.000	-	9	1.2 %
65.000	-	7	0.9 %
66.000	-	8	1.1 %
67.000	-	3	0.4 %
68.000	-	9	1.2 %
69.000	-	5	0.7 %
70.000	-	2	0.3 %
71.000	-	6	0.8 %
72.000	-	3	0.4 %
73.000	-	2	0.3 %
74.000	-	3	0.4 %
75.000	-	5	0.7 %
76.000	-	1	0.1 %
77.000	-	1	0.1 %
78.000	-	1	0.1 %
82.000	-	1	0.1 %
83.000	-	1	0.1 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 48.877
- Median: 48.000
- Mode: 46.000
- Minimum: 30.000
- Maximum: 83.000
- Standard Deviation: 10.531

- Study 33444 -

T_INT T score for Internalizing Scale

Location: 545-552 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
35.000	-	63	8.5 %
36.000	-	16	2.2 %
37.000	-	10	1.4 %
39.000	-	33	4.5 %
40.000	-	36	4.9 %
41.000	-	40	5.4 %
43.000	-	54	7.3 %
44.000	-	18	2.4 %
45.000	-	14	1.9 %
46.000	-	34	4.6 %
47.000	-	17	2.3 %
48.000	-	63	8.5 %
49.000	-	32	4.3 %
50.000	-	24	3.3 %
51.000	-	27	3.7 %
52.000	-	35	4.7 %
53.000	-	7	0.9 %
54.000	-	16	2.2 %
55.000	-	17	2.3 %
56.000	-	12	1.6 %
57.000	-	20	2.7 %
58.000	-	27	3.7 %
59.000	-	21	2.8 %
60.000	-	3	0.4 %
61.000	-	17	2.3 %
62.000	-	4	0.5 %
63.000	-	12	1.6 %
64.000	-	15	2.0 %
65.000	-	11	1.5 %
66.000	-	4	0.5 %
67.000	-	12	1.6 %
68.000	-	4	0.5 %
69.000	-	6	0.8 %
70.000	-	3	0.4 %
71.000	-	3	0.4 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
72.000	-	1	0.1 %
74.000	-	4	0.5 %
78.000	-	1	0.1 %
79.000	-	1	0.1 %
80.000	-	1	0.1 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 48.888
- Median: 48.000
- Minimum: 35.000
- Maximum: 80.000
- Standard Deviation: 9.425

T_EXT	T score for Externalizing Scale
--------------	--

Location: 553-560 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
31.000	-	26	3.5 %
34.000	-	17	2.3 %
36.000	-	20	2.7 %
37.000	-	28	3.8 %
38.000	-	27	3.7 %
40.000	-	24	3.3 %
41.000	-	58	7.9 %
43.000	-	46	6.2 %
44.000	-	41	5.6 %
45.000	-	24	3.3 %
46.000	-	36	4.9 %
48.000	-	33	4.5 %
49.000	-	30	4.1 %
50.000	-	16	2.2 %
51.000	-	31	4.2 %
52.000	-	18	2.4 %
53.000	-	25	3.4 %
54.000	-	11	1.5 %
55.000	-	35	4.7 %
56.000	-	24	3.3 %
57.000	-	24	3.3 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
58.000	-	10	1.4 %
59.000	-	13	1.8 %
60.000	-	8	1.1 %
61.000	-	15	2.0 %
62.000	-	10	1.4 %
63.000	-	17	2.3 %
64.000	-	4	0.5 %
65.000	-	15	2.0 %
66.000	-	8	1.1 %
67.000	-	13	1.8 %
68.000	-	4	0.5 %
69.000	-	3	0.4 %
70.000	-	2	0.3 %
71.000	-	6	0.8 %
72.000	-	2	0.3 %
73.000	-	1	0.1 %
74.000	-	1	0.1 %
75.000	-	4	0.5 %
76.000	-	1	0.1 %
77.000	-	1	0.1 %
78.000	-	3	0.4 %
79.000	-	3	0.4 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 49.149
- Median: 48.000
- Mode: 41.000
- Minimum: 31.000
- Maximum: 79.000
- Standard Deviation: 10.194

T_SCHAN	T score for Schizoid or Anxious Scale
----------------	--

Location: 561-568 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
55.000	-	523	70.9 %
56.000	-	34	4.6 %
57.000	-	1	0.1 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
58.000	-	25	3.4 %
59.000	-	41	5.6 %
60.000	-	14	1.9 %
61.000	-	17	2.3 %
63.000	-	20	2.7 %
64.000	-	11	1.5 %
65.000	-	13	1.8 %
67.000	-	1	0.1 %
68.000	-	20	2.7 %
70.000	-	2	0.3 %
72.000	-	6	0.8 %
73.000	-	1	0.1 %
74.000	-	3	0.4 %
76.000	-	2	0.3 %
79.000	-	2	0.3 %
80.000	-	1	0.1 %
83.000	-	1	0.1 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 56.976
- Median: 55.000
- Mode: 55.000
- Minimum: 55.000
- Maximum: 83.000
- Standard Deviation: 4.205

T_DEP

T score for Depressed Scale

Location: 569-576 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
55.000	-	419	56.8 %
57.000	-	12	1.6 %
58.000	-	29	3.9 %
59.000	-	18	2.4 %
60.000	-	8	1.1 %
61.000	-	25	3.4 %
62.000	-	3	0.4 %
63.000	-	9	1.2 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
64.000	-	7	0.9 %
65.000	-	6	0.8 %
67.000	-	15	2.0 %
68.000	-	3	0.4 %
69.000	-	3	0.4 %
73.000	-	3	0.4 %
74.000	-	2	0.3 %
75.000	-	3	0.4 %
77.000	-	3	0.4 %
78.000	-	2	0.3 %
79.000	-	1	0.1 %
82.000	-	1	0.1 %
-2.000 (M)	Missing, N/A	166	22.5 %

Based upon 572 valid cases out of 738 total cases.

- Mean: 57.037
- Median: 55.000
- Mode: 55.000
- Minimum: 55.000
- Maximum: 82.000
- Standard Deviation: 4.425

T_UNCOM	T score for Uncommunicative Scale
----------------	--

Location: 577-584 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
55.000	-	374	50.7 %
56.000	-	14	1.9 %
58.000	-	8	1.1 %
59.000	-	44	6.0 %
61.000	-	10	1.4 %
62.000	-	4	0.5 %
63.000	-	32	4.3 %
66.000	-	21	2.8 %
68.000	-	1	0.1 %
69.000	-	2	0.3 %
73.000	-	9	1.2 %
75.000	-	3	0.4 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
78.000	-	4	0.5 %
81.000	-	1	0.1 %
84.000	-	2	0.3 %
100.000	-	1	0.1 %
-2.000 (M)	Missing, N/A	208	28.2 %

Based upon 530 valid cases out of 738 total cases.

- Mean: 57.402
- Median: 55.000
- Mode: 55.000
- Minimum: 55.000
- Maximum: 100.000
- Standard Deviation: 5.154

T_OBS T score for Obsessive Compulsive Scale

Location: 585-592 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
55.000	-	396	53.7 %
56.000	-	30	4.1 %
57.000	-	21	2.8 %
60.000	-	21	2.8 %
62.000	-	17	2.3 %
64.000	-	17	2.3 %
66.000	-	6	0.8 %
70.000	-	5	0.7 %
71.000	-	4	0.5 %
72.000	-	2	0.3 %
73.000	-	4	0.5 %
74.000	-	2	0.3 %
75.000	-	2	0.3 %
78.000	-	2	0.3 %
80.000	-	1	0.1 %
-2.000 (M)	Missing, N/A	208	28.2 %

Based upon 530 valid cases out of 738 total cases.

- Mean: 56.715
- Median: 55.000

- Study 33444 -

- Mode: 55.000
- Minimum: 55.000
- Maximum: 80.000
- Standard Deviation: 4.180

T_SOM **T score for Somatic Complaints Scale**

Location: 593-600 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
55.000	-	420	56.9 %
56.000	-	48	6.5 %
57.000	-	21	2.8 %
58.000	-	69	9.3 %
59.000	-	22	3.0 %
60.000	-	14	1.9 %
61.000	-	13	1.8 %
63.000	-	55	7.5 %
65.000	-	5	0.7 %
66.000	-	22	3.0 %
67.000	-	5	0.7 %
68.000	-	3	0.4 %
69.000	-	8	1.1 %
70.000	-	9	1.2 %
72.000	-	12	1.6 %
74.000	-	7	0.9 %
76.000	-	1	0.1 %
79.000	-	2	0.3 %
81.000	-	2	0.3 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 57.804
- Median: 55.000
- Mode: 55.000
- Minimum: 55.000
- Maximum: 81.000
- Standard Deviation: 4.741

T_SOCWD **T score for Social Withdrawal Scale**

Location: 601-608 (width: 8; decimal: 3)
 Variable Type: numeric

- Study 33444 -

Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
55.000	-	346	46.9 %
56.000	-	11	1.5 %
57.000	-	31	4.2 %
59.000	-	14	1.9 %
62.000	-	25	3.4 %
63.000	-	6	0.8 %
65.000	-	20	2.7 %
66.000	-	8	1.1 %
69.000	-	12	1.6 %
70.000	-	13	1.8 %
73.000	-	2	0.3 %
74.000	-	1	0.1 %
76.000	-	5	0.7 %
78.000	-	1	0.1 %
79.000	-	4	0.5 %
85.000	-	1	0.1 %
91.000	-	1	0.1 %
-2.000 (M)	Missing, N/A	237	32.1 %

Based upon 501 valid cases out of 738 total cases.

- Mean: 57.691
- Median: 55.000
- Mode: 55.000
- Minimum: 55.000
- Maximum: 91.000
- Standard Deviation: 5.446

T_HYPER T score for Hyperactivity Scale

Location: 609-616 (width: 8; decimal: 3)

Variable Type: numeric

Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
55.000	-	437	59.2 %
56.000	-	41	5.6 %
58.000	-	50	6.8 %
60.000	-	14	1.9 %
62.000	-	41	5.6 %
65.000	-	21	2.8 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
66.000	-	9	1.2 %
67.000	-	10	1.4 %
68.000	-	12	1.6 %
69.000	-	3	0.4 %
70.000	-	1	0.1 %
73.000	-	10	1.4 %
75.000	-	1	0.1 %
78.000	-	6	0.8 %
81.000	-	3	0.4 %
85.000	-	2	0.3 %
86.000	-	3	0.4 %
88.000	-	1	0.1 %
90.000	-	2	0.3 %
-2.000 (M)	Missing, N/A	71	9.6 %

Based upon 667 valid cases out of 738 total cases.

- Mean: 57.792
- Median: 55.000
- Mode: 55.000
- Minimum: 55.000
- Maximum: 90.000
- Standard Deviation: 5.772

T_AGG

T score for Aggressive Scale

Location: 617-624 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
55.000	-	543	73.6 %
56.000	-	38	5.1 %
57.000	-	8	1.1 %
58.000	-	21	2.8 %
59.000	-	13	1.8 %
60.000	-	6	0.8 %
61.000	-	23	3.1 %
62.000	-	7	0.9 %
63.000	-	16	2.2 %
64.000	-	3	0.4 %
65.000	-	13	1.8 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
66.000	-	3	0.4 %
67.000	-	12	1.6 %
68.000	-	3	0.4 %
69.000	-	4	0.5 %
70.000	-	6	0.8 %
71.000	-	3	0.4 %
72.000	-	1	0.1 %
73.000	-	1	0.1 %
75.000	-	1	0.1 %
76.000	-	3	0.4 %
77.000	-	1	0.1 %
78.000	-	1	0.1 %
79.000	-	3	0.4 %
80.000	-	1	0.1 %
81.000	-	1	0.1 %
82.000	-	1	0.1 %
83.000	-	1	0.1 %
86.000	-	1	0.1 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 56.969
- Median: 55.000
- Mode: 55.000
- Minimum: 55.000
- Maximum: 86.000
- Standard Deviation: 4.637

T_DEL	T score for Delinquent Scale
--------------	-------------------------------------

Location: 625-632 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
55.000	-	310	42.0 %
57.000	-	221	29.9 %
59.000	-	17	2.3 %
60.000	-	5	0.7 %
61.000	-	59	8.0 %
63.000	-	8	1.1 %
64.000	-	15	2.0 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
65.000	-	21	2.8 %
66.000	-	10	1.4 %
67.000	-	19	2.6 %
68.000	-	19	2.6 %
69.000	-	4	0.5 %
70.000	-	2	0.3 %
72.000	-	8	1.1 %
73.000	-	3	0.4 %
75.000	-	5	0.7 %
76.000	-	4	0.5 %
78.000	-	2	0.3 %
79.000	-	1	0.1 %
81.000	-	2	0.3 %
83.000	-	1	0.1 %
84.000	-	1	0.1 %
86.000	-	1	0.1 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 58.459
- Median: 57.000
- Mode: 55.000
- Minimum: 55.000
- Maximum: 86.000
- Standard Deviation: 5.132

T_IMM

T score for Immature Scale

Location: 633-640 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
55.000	-	120	16.3 %
57.000	-	6	0.8 %
58.000	-	44	6.0 %
59.000	-	2	0.3 %
62.000	-	29	3.9 %
64.000	-	2	0.3 %
66.000	-	1	0.1 %
67.000	-	11	1.5 %
68.000	-	4	0.5 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
69.000	-	7	0.9 %
73.000	-	6	0.8 %
77.000	-	1	0.1 %
79.000	-	2	0.3 %
80.000	-	1	0.1 %
88.000	-	1	0.1 %
-2.000 (M)	Missing, N/A	501	67.9 %

Based upon 237 valid cases out of 738 total cases.

- Mean: 58.806
- Median: 55.000
- Mode: 55.000
- Minimum: 55.000
- Maximum: 88.000
- Standard Deviation: 5.693

T_HOST T score for Hostile Withdrawal Scale

Location: 641-648 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
55.000	-	101	13.7 %
57.000	-	14	1.9 %
60.000	-	16	2.2 %
62.000	-	14	1.9 %
64.000	-	8	1.1 %
66.000	-	4	0.5 %
68.000	-	2	0.3 %
70.000	-	1	0.1 %
72.000	-	2	0.3 %
73.000	-	2	0.3 %
75.000	-	1	0.1 %
76.000	-	1	0.1 %
-2.000 (M)	Missing, N/A	572	77.5 %

Based upon 166 valid cases out of 738 total cases.

- Mean: 57.855
- Median: 55.000
- Mode: 55.000

- Study 33444 -

- Minimum: 55.000
- Maximum: 76.000
- Standard Deviation: 4.639

T_SEXPROB T score for Sex Problems Scale

Location: 649-656 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
55.000	-	108	14.6 %
57.000	-	1	0.1 %
63.000	-	23	3.1 %
70.000	-	4	0.5 %
74.000	-	1	0.1 %
-2.000 (M)	Missing, N/A	601	81.4 %

Based upon 137 valid cases out of 738 total cases.

- Mean: 56.934
- Median: 55.000
- Mode: 55.000
- Minimum: 55.000
- Maximum: 74.000
- Standard Deviation: 4.044

T_CRUEL T score for Cruel Scale

Location: 657-664 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
55.000	-	2	0.3 %
56.000	-	117	15.9 %
57.000	-	52	7.0 %
60.000	-	1	0.1 %
62.000	-	10	1.4 %
63.000	-	12	1.6 %
65.000	-	5	0.7 %
66.000	-	1	0.1 %
68.000	-	4	0.5 %
70.000	-	3	0.4 %
82.000	-	1	0.1 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2.000 (M)	Missing, N/A	530	71.8 %

Based upon 208 valid cases out of 738 total cases.

- Mean: 57.774
- Median: 56.000
- Mode: 56.000
- Minimum: 55.000
- Maximum: 82.000
- Standard Deviation: 3.617

T_ANX_OBS T score for Anxious Obsessive Scale

Location: 665-672 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
55.000	-	45	6.1 %
56.000	-	5	0.7 %
57.000	-	6	0.8 %
59.000	-	4	0.5 %
61.000	-	3	0.4 %
63.000	-	5	0.7 %
64.000	-	1	0.1 %
65.000	-	1	0.1 %
71.000	-	1	0.1 %
-2.000 (M)	Missing, N/A	667	90.4 %

Based upon 71 valid cases out of 738 total cases.

- Mean: 56.775
- Median: 55.000
- Mode: 55.000
- Minimum: 55.000
- Maximum: 71.000
- Standard Deviation: 3.239

CT_SCHAN Clinical T score for Schizoid or Anxious Scale

Location: 673-680 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
37.000	-	183	24.8 %
39.000	-	95	12.9 %
40.000	-	39	5.3 %
41.000	-	206	27.9 %
42.000	-	34	4.6 %
43.000	-	25	3.4 %
44.000	-	15	2.0 %
45.000	-	41	5.6 %
46.000	-	17	2.3 %
47.000	-	3	0.4 %
48.000	-	28	3.8 %
49.000	-	13	1.8 %
51.000	-	3	0.4 %
52.000	-	18	2.4 %
56.000	-	8	1.1 %
58.000	-	1	0.1 %
60.000	-	3	0.4 %
64.000	-	2	0.3 %
67.000	-	2	0.3 %
73.000	-	1	0.1 %
75.000	-	1	0.1 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 41.435
- Median: 41.000
- Mode: 41.000
- Minimum: 37.000
- Maximum: 75.000
- Standard Deviation: 4.818

CT_DEP Clinical T score for Depressed Scale

Location: 681-688 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
32.000	-	62	8.4 %
33.000	-	138	18.7 %
34.000	-	97	13.1 %
36.000	-	65	8.8 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
37.000	-	15	2.0 %
38.000	-	32	4.3 %
39.000	-	36	4.9 %
40.000	-	12	1.6 %
41.000	-	19	2.6 %
42.000	-	31	4.2 %
43.000	-	4	0.5 %
44.000	-	11	1.5 %
46.000	-	7	0.9 %
47.000	-	11	1.5 %
48.000	-	1	0.1 %
49.000	-	12	1.6 %
50.000	-	2	0.3 %
51.000	-	2	0.3 %
52.000	-	1	0.1 %
53.000	-	1	0.1 %
55.000	-	2	0.3 %
57.000	-	2	0.3 %
59.000	-	3	0.4 %
60.000	-	3	0.4 %
61.000	-	1	0.1 %
62.000	-	1	0.1 %
67.000	-	1	0.1 %
-2.000 (M)	Missing, N/A	166	22.5 %

Based upon 572 valid cases out of 738 total cases.

- Mean: 36.925
- Median: 34.000
- Mode: 33.000
- Minimum: 32.000
- Maximum: 67.000
- Standard Deviation: 5.623

CT_UNCOM Clinical T score for Uncommunicative Scale

Location: 689-696 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
33.000	-	121	16.4 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
34.000	-	48	6.5 %
36.000	-	112	15.2 %
37.000	-	25	3.4 %
39.000	-	68	9.2 %
41.000	-	14	1.9 %
42.000	-	52	7.0 %
44.000	-	10	1.4 %
45.000	-	24	3.3 %
46.000	-	4	0.5 %
47.000	-	8	1.1 %
48.000	-	18	2.4 %
51.000	-	12	1.6 %
52.000	-	1	0.1 %
54.000	-	5	0.7 %
57.000	-	4	0.5 %
60.000	-	1	0.1 %
63.000	-	2	0.3 %
82.000	-	1	0.1 %
-2.000 (M)	Missing, N/A	208	28.2 %

Based upon 530 valid cases out of 738 total cases.

- Mean: 38.426
- Median: 36.000
- Mode: 33.000
- Minimum: 33.000
- Maximum: 82.000
- Standard Deviation: 5.842

CT_OBS

Clinical T score for Obsessive Compulsive Scale

Location: 697-704 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
35.000	-	115	15.6 %
36.000	-	68	9.2 %
37.000	-	91	12.3 %
39.000	-	53	7.2 %
40.000	-	39	5.3 %
41.000	-	30	4.1 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
43.000	-	51	6.9 %
45.000	-	9	1.2 %
46.000	-	12	1.6 %
47.000	-	17	2.3 %
48.000	-	9	1.2 %
49.000	-	8	1.1 %
50.000	-	4	0.5 %
52.000	-	2	0.3 %
53.000	-	2	0.3 %
54.000	-	4	0.5 %
56.000	-	7	0.9 %
58.000	-	2	0.3 %
59.000	-	2	0.3 %
60.000	-	1	0.1 %
62.000	-	1	0.1 %
64.000	-	1	0.1 %
66.000	-	1	0.1 %
68.000	-	1	0.1 %
-2.000 (M)	Missing, N/A	208	28.2 %

Based upon 530 valid cases out of 738 total cases.

- Mean: 39.702
- Median: 37.000
- Mode: 35.000
- Minimum: 35.000
- Maximum: 68.000
- Standard Deviation: 5.479

CT_SOM

Clinical T score for Somatic Complaints Scale

Location: 705-712 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
36.000	-	1	0.1 %
39.000	-	59	8.0 %
40.000	-	126	17.1 %
41.000	-	225	30.5 %
42.000	-	57	7.7 %
44.000	-	56	7.6 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
45.000	-	69	9.3 %
46.000	-	12	1.6 %
47.000	-	16	2.2 %
48.000	-	4	0.5 %
49.000	-	15	2.0 %
50.000	-	35	4.7 %
52.000	-	8	1.1 %
54.000	-	25	3.4 %
55.000	-	3	0.4 %
57.000	-	1	0.1 %
58.000	-	6	0.8 %
60.000	-	4	0.5 %
62.000	-	6	0.8 %
67.000	-	5	0.7 %
71.000	-	1	0.1 %
75.000	-	2	0.3 %
80.000	-	2	0.3 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 43.645
- Median: 41.000
- Mode: 41.000
- Minimum: 36.000
- Maximum: 80.000
- Standard Deviation: 5.617

CT_SOCWD	Clinical T score for Social Withdrawal Scale
-----------------	---

Location: 713-720 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
33.000	-	1	0.1 %
34.000	-	169	22.9 %
35.000	-	59	8.0 %
37.000	-	117	15.9 %
40.000	-	42	5.7 %
42.000	-	14	1.9 %
44.000	-	31	4.2 %
47.000	-	28	3.8 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
49.000	-	4	0.5 %
50.000	-	8	1.1 %
53.000	-	13	1.8 %
54.000	-	1	0.1 %
57.000	-	2	0.3 %
58.000	-	1	0.1 %
60.000	-	5	0.7 %
61.000	-	1	0.1 %
63.000	-	3	0.4 %
70.000	-	1	0.1 %
76.000	-	1	0.1 %
-2.000 (M)	Missing, N/A	237	32.1 %

Based upon 501 valid cases out of 738 total cases.

- Mean: 38.579
- Median: 37.000
- Mode: 34.000
- Minimum: 33.000
- Maximum: 76.000
- Standard Deviation: 6.359

CT_HYPER

Clinical T score for Hyperactive Scale

Location: 721-728 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
29.000	-	144	19.5 %
31.000	-	87	11.8 %
33.000	-	85	11.5 %
34.000	-	22	3.0 %
35.000	-	33	4.5 %
36.000	-	40	5.4 %
37.000	-	13	1.8 %
38.000	-	61	8.3 %
39.000	-	12	1.6 %
40.000	-	30	4.1 %
41.000	-	10	1.4 %
42.000	-	5	0.7 %
43.000	-	36	4.9 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
44.000	-	5	0.7 %
45.000	-	18	2.4 %
46.000	-	3	0.4 %
48.000	-	15	2.0 %
50.000	-	11	1.5 %
51.000	-	1	0.1 %
52.000	-	11	1.5 %
55.000	-	7	0.9 %
57.000	-	3	0.4 %
59.000	-	7	0.9 %
64.000	-	3	0.4 %
67.000	-	2	0.3 %
69.000	-	1	0.1 %
71.000	-	2	0.3 %
-2.000 (M)	Missing, N/A	71	9.6 %

Based upon 667 valid cases out of 738 total cases.

- Mean: 36.316
- Median: 34.000
- Mode: 29.000
- Minimum: 29.000
- Maximum: 71.000
- Standard Deviation: 7.543

CT_AGG Clinical T score for Aggressive Scale

Location: 729-736 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
29.000	-	39	5.3 %
30.000	-	36	4.9 %
31.000	-	42	5.7 %
32.000	-	81	11.0 %
33.000	-	66	8.9 %
34.000	-	76	10.3 %
35.000	-	63	8.5 %
36.000	-	51	6.9 %
37.000	-	44	6.0 %
38.000	-	26	3.5 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
39.000	-	41	5.6 %
40.000	-	22	3.0 %
41.000	-	13	1.8 %
42.000	-	23	3.1 %
43.000	-	14	1.9 %
44.000	-	15	2.0 %
45.000	-	15	2.0 %
46.000	-	17	2.3 %
47.000	-	7	0.9 %
48.000	-	7	0.9 %
49.000	-	5	0.7 %
50.000	-	8	1.1 %
51.000	-	4	0.5 %
52.000	-	4	0.5 %
53.000	-	2	0.3 %
54.000	-	1	0.1 %
55.000	-	4	0.5 %
56.000	-	2	0.3 %
57.000	-	1	0.1 %
58.000	-	2	0.3 %
59.000	-	1	0.1 %
60.000	-	1	0.1 %
62.000	-	3	0.4 %
65.000	-	1	0.1 %
67.000	-	1	0.1 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 36.646
- Median: 35.000
- Mode: 32.000
- Minimum: 29.000
- Maximum: 67.000
- Standard Deviation: 6.215

CT_DEL	Clinical T score for Delinquent Scale
---------------	--

Location:	737-744 (width: 8; decimal: 3)
Variable Type:	numeric
Range of Missing Values (M):	-2.000

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
32.000	-	31	4.2 %
34.000	-	12	1.6 %
35.000	-	7	0.9 %
36.000	-	74	10.0 %
37.000	-	6	0.8 %
38.000	-	219	29.7 %
39.000	-	5	0.7 %
40.000	-	84	11.4 %
41.000	-	116	15.7 %
42.000	-	59	8.0 %
44.000	-	9	1.2 %
45.000	-	23	3.1 %
46.000	-	21	2.8 %
47.000	-	19	2.6 %
48.000	-	1	0.1 %
49.000	-	14	1.9 %
50.000	-	3	0.4 %
51.000	-	5	0.7 %
52.000	-	7	0.9 %
53.000	-	1	0.1 %
54.000	-	2	0.3 %
55.000	-	1	0.1 %
56.000	-	6	0.8 %
57.000	-	3	0.4 %
59.000	-	2	0.3 %
61.000	-	2	0.3 %
63.000	-	1	0.1 %
66.000	-	2	0.3 %
68.000	-	1	0.1 %
69.000	-	1	0.1 %
72.000	-	1	0.1 %

Based upon 738 valid cases out of 738 total cases.

- Mean: 40.382
- Median: 40.000
- Mode: 38.000
- Minimum: 32.000
- Maximum: 72.000
- Standard Deviation: 5.182

- Study 33444 -

CT_IMM Clinical T score for Immature Scale

Location: 745-752 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
35.000	-	1	0.1 %
36.000	-	27	3.7 %
38.000	-	83	11.2 %
40.000	-	9	1.2 %
41.000	-	44	6.0 %
42.000	-	6	0.8 %
44.000	-	2	0.3 %
45.000	-	25	3.4 %
46.000	-	4	0.5 %
48.000	-	2	0.3 %
49.000	-	11	1.5 %
50.000	-	4	0.5 %
52.000	-	7	0.9 %
53.000	-	1	0.1 %
56.000	-	6	0.8 %
61.000	-	1	0.1 %
64.000	-	2	0.3 %
65.000	-	1	0.1 %
75.000	-	1	0.1 %
-2.000 (M)	Missing, N/A	501	67.9 %

Based upon 237 valid cases out of 738 total cases.

- Mean: 41.734
- Median: 40.000
- Mode: 38.000
- Minimum: 35.000
- Maximum: 75.000
- Standard Deviation: 6.009

CT_HOST Clinical T score for Hostile Withdrawal Scale

Location: 753-760 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
35.000	-	65	8.8 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
37.000	-	36	4.9 %
39.000	-	14	1.9 %
40.000	-	16	2.2 %
42.000	-	14	1.9 %
44.000	-	2	0.3 %
46.000	-	6	0.8 %
47.000	-	4	0.5 %
49.000	-	2	0.3 %
51.000	-	1	0.1 %
53.000	-	2	0.3 %
54.000	-	2	0.3 %
56.000	-	1	0.1 %
58.000	-	1	0.1 %
-2.000 (M)	Missing, N/A	572	77.5 %

Based upon 166 valid cases out of 738 total cases.

- Mean: 38.614
- Median: 37.000
- Mode: 35.000
- Minimum: 35.000
- Maximum: 58.000
- Standard Deviation: 4.759

CT_SEXPB **Clinical T score for Sex Problems Scale**

Location: 761-768 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
38.000	-	86	11.7 %
40.000	-	1	0.1 %
44.000	-	22	3.0 %
49.000	-	23	3.1 %
55.000	-	4	0.5 %
60.000	-	1	0.1 %
-2.000 (M)	Missing, N/A	601	81.4 %

Based upon 137 valid cases out of 738 total cases.

- Mean: 41.482
- Median: 38.000

- Study 33444 -

- Mode: 38.000
- Minimum: 38.000
- Maximum: 60.000
- Standard Deviation: 5.115

CT_CRUEL Clinical T score for Cruel Scale

Location: 769-776 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
34.000	-	1	0.1 %
38.000	-	1	0.1 %
40.000	-	52	7.0 %
41.000	-	117	15.9 %
42.000	-	10	1.4 %
43.000	-	1	0.1 %
45.000	-	17	2.3 %
49.000	-	2	0.3 %
53.000	-	4	0.5 %
56.000	-	2	0.3 %
69.000	-	1	0.1 %
-2.000 (M)	Missing, N/A	530	71.8 %

Based upon 208 valid cases out of 738 total cases.

- Mean: 41.673
- Median: 41.000
- Mode: 41.000
- Minimum: 34.000
- Maximum: 69.000
- Standard Deviation: 3.289

CT_ANX_OBS Clinical T score for Anxious Obsessive Scale

Location: 777-784 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2.000

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
33.000	-	16	2.2 %
35.000	-	15	2.0 %
36.000	-	3	0.4 %
37.000	-	11	1.5 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
39.000	-	5	0.7 %
40.000	-	6	0.8 %
42.000	-	4	0.5 %
43.000	-	3	0.4 %
45.000	-	5	0.7 %
46.000	-	1	0.1 %
48.000	-	1	0.1 %
56.000	-	1	0.1 %
-2.000 (M)	Missing, N/A	667	90.4 %

Based upon 71 valid cases out of 738 total cases.

- Mean: 37.676
- Median: 37.000
- Mode: 33.000
- Minimum: 33.000
- Maximum: 56.000
- Standard Deviation: 4.554

IC_A Intraclass correlation of profile: Schizoid Social Withdrawal

Location: 785-792 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>
-2 (M)	Missing, N/A

Based upon 738 valid cases out of 738 total cases.

- Mean: -0.555
- Minimum: -0.924
- Maximum: 0.796
- Standard Deviation: 0.312

IC_B Intraclass correlation of profile: Depressed Social Withdrawal Aggressive

Location: 793-800 (width: 8; decimal: 3)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>
-2 (M)	Missing, N/A

Based upon 738 valid cases out of 738 total cases.

- Study 33444 -

- Mean: -0.581
- Minimum: -0.940
- Maximum: 0.867
- Standard Deviation: 0.322

IC_C **Intraclass correlation of profile: Schizoid or Anxious**

Location: 801-808 (width: 8; decimal: 3)
Variable Type: numeric
Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>
-2 (M)	Missing, N/A

Based upon 738 valid cases out of 738 total cases.

- Mean: -0.458
- Minimum: -0.900
- Maximum: 0.813
- Standard Deviation: 0.291

IC_D **Intraclass correlation of profile: Somatic Complaints**

Location: 809-816 (width: 8; decimal: 3)
Variable Type: numeric
Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>
-2 (M)	Missing, N/A

Based upon 738 valid cases out of 738 total cases.

- Mean: -0.270
- Minimum: -0.952
- Maximum: 0.857
- Standard Deviation: 0.377

IC_E **Intraclass correlation of profile: Hyperactive**

Location: 817-824 (width: 8; decimal: 3)
Variable Type: numeric
Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>
-2 (M)	Missing, N/A

Based upon 738 valid cases out of 738 total cases.

- Mean: -0.586

- Study 33444 -

- Minimum: -0.938
- Maximum: 0.692
- Standard Deviation: 0.283

IC_F **Intraclass correlation of profile: Delinquent**

Location: 825-832 (width: 8; decimal: 3)

Variable Type: numeric

Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>
-2 (M)	Missing, N/A

Based upon 738 valid cases out of 738 total cases.

- Mean: -0.489
- Minimum: -0.916
- Maximum: 0.783
- Standard Deviation: 0.288