

ICPSR 33444

**Center for Education and Drug
Abuse Research (CEDAR):
Etiological and Prospective Family
Study in Southwestern
Pennsylvania, Baseline Data,
1990-2011**

Ralph E. Tarter
University of Pittsburgh

Family Assessment Measure - Self Rating
Scale - Mother, Variable Description and
Frequencies

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/33444/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #33444

*Center for Education and Drug Abuse Research (CEDAR): Etiological and Prospective Family Study in Southwestern Pennsylvania, Baseline Data, 1990-2011 [United States]
Part 25: Family Assessment Measure - Self Rating Scale - Mother*

- 1) Due to SPSS restrictions, variable **CON** has been renamed to **CONTROL**, allowing for the production of the full product suite of files.

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--Family Assessment Measure - Self Rating Scale - Mother

Variable Name and Label (Total Cases = 740)	Percent of Cases with Missing Values
86.5% (45 of 52 variables)	have 0% Missing Values
13.5% (7 of 52 variables)	have 0% - 1% Missing Values
0.0% (0 of 52 variables)	have 1% - 3% Missing Values
0.0% (0 of 52 variables)	have 3% - 5% Missing Values
0.0% (0 of 52 variables)	have 5% - 10% Missing Values
0.0% (0 of 52 variables)	have 10% - 20% Missing Values
0.0% (0 of 52 variables)	have 20% - 40% Missing Values
0.0% (0 of 52 variables)	have 40% - 99% Missing Values
0.0% (0 of 52 variables)	have 100% missing values

ICPSR 33444

Center for Education and Drug Abuse Research (CEDAR): Etiological and Prospective Family Study in Southwestern Pennsylvania, Baseline Data, 1990-2011 [United States]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Center for Education and Drug Abuse Research (CEDAR): Etiological and Prospective Family Study in Southwestern Pennsylvania, Baseline Data, 1990-2011 [United States]

Family Assessment Measure - Self Rating Scale - Mother

ID Subject ID

Location: 1-11 (width: 11; decimal: 0)
Variable Type: character
Based upon 740 valid cases out of 740 total cases.

ASSID Assessment ID

Location: 12-22 (width: 11; decimal: 0)
Variable Type: character
Based upon 740 valid cases out of 740 total cases.

VISIT Visit

Location: 23-24 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	740	100.0 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

FAS1 1. My family and I usually see our problems the same way.

Location: 25-26 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	15	2.0 %
2	Disagree	213	28.8 %
3	Agree	460	62.2 %
4	Strongly Agree	52	7.0 %

- Study 33444 -

Based upon 740 valid cases out of 740 total cases.

- Mean: 2.74
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.61

FAS2 **2. My family expects too much of me.**

Location: 27-28 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	52	7.0 %
2	Disagree	373	50.4 %
3	Agree	267	36.1 %
4	Strongly Agree	48	6.5 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 2.42
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.72

FAS3 **3. My family knows what I mean when I say something.**

Location: 29-30 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	8	1.1 %
2	Disagree	69	9.3 %
3	Agree	563	76.1 %
4	Strongly Agree	100	13.5 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 3.02
- Median: 3.00
- Mode: 3.00

- Study 33444 -

- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.52

FAS4

4. When I'm upset, my family knows what's bothering me.

Location: 31-32 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	10	1.4 %
2	Disagree	185	25.0 %
3	Agree	476	64.3 %
4	Strongly Agree	69	9.3 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 2.82
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.60

FAS5

5. My family doesn't care about me.

Location: 33-34 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	436	58.9 %
2	Disagree	286	38.6 %
3	Agree	13	1.8 %
4	Strongly Agree	4	0.5 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 739 valid cases out of 740 total cases.

- Mean: 1.44
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.56

- Study 33444 -

FAS6 **6. When someone in the family makes a mistake, I don't make a big deal of it.**

Location: 35-36 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	12	1.6 %
2	Disagree	193	26.1 %
3	Agree	487	65.8 %
4	Strongly Agree	48	6.5 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 2.77
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.58

FAS7 **7. I argue a lot with my family about the importance of religion.**

Location: 37-38 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	262	35.4 %
2	Disagree	408	55.1 %
3	Agree	59	8.0 %
4	Strongly Agree	11	1.5 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 1.76
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.66

FAS8 **8. When my family has a problem, it's up to me to solve it.**

Location: 39-40 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	64	8.6 %
2	Disagree	393	53.1 %
3	Agree	239	32.3 %
4	Strongly Agree	44	5.9 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 2.36
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.72

FAS9 9. I do my share of family duties.

Location: 41-42 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	8	1.1 %
2	Disagree	28	3.8 %
3	Agree	378	51.1 %
4	Strongly Agree	325	43.9 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 739 valid cases out of 740 total cases.

- Mean: 3.38
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.61

FAS10 10. I often don't understand what other family members are saying.

Location: 43-44 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	172	23.2 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Disagree	510	68.9 %
3	Agree	53	7.2 %
4	Strongly Agree	5	0.7 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 1.85
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.56

FAS11

11. If someone in the family has upset me, I keep it to myself.

Location: 45-46 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	130	17.6 %
2	Disagree	520	70.3 %
3	Agree	80	10.8 %
4	Strongly Agree	10	1.4 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 1.96
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.58

FAS12

12. I stay out of other family members' business.

Location: 47-48 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	104	14.1 %
2	Disagree	511	69.1 %
3	Agree	115	15.5 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Strongly Agree	10	1.4 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 2.04
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.59

FAS13

13. I get angry when others in the family don't do what I want.

Location: 49-50 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	21	2.8 %
2	Disagree	273	36.9 %
3	Agree	409	55.3 %
4	Strongly Agree	37	5.0 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 2.62
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.63

FAS14

14. I think education is much more important than my family does.

Location: 51-52 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	99	13.4 %
2	Disagree	459	62.0 %
3	Agree	149	20.1 %
4	Strongly Agree	33	4.5 %

Based upon 740 valid cases out of 740 total cases.

- Study 33444 -

- Mean: 2.16
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.70

FAS15

15. I have trouble accepting someone else's answer to a family problem.

Location: 53-54 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	51	6.9 %
2	Disagree	555	75.0 %
3	Agree	127	17.2 %
4	Strongly Agree	7	0.9 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 2.12
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.51

FAS16

16. What I expect of the rest of the family is fair.

Location: 55-56 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	4	0.5 %
2	Disagree	24	3.2 %
3	Agree	598	80.8 %
4	Strongly Agree	114	15.4 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 3.11
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00

- Study 33444 -

- Maximum: 4.00
- Standard Deviation: 0.44

FAS17 **17. If I'm upset with another family member, I let someone else tell them about it.**

Location: 57-58 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	246	33.2 %
2	Disagree	463	62.6 %
3	Agree	26	3.5 %
4	Strongly Agree	5	0.7 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 1.72
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.56

FAS18 **18. When I'm upset, I get over it quickly.**

Location: 59-60 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	14	1.9 %
2	Disagree	186	25.1 %
3	Agree	457	61.8 %
4	Strongly Agree	83	11.2 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 2.82
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.64

FAS19 **19. My family doesn't let me be myself.**

- Study 33444 -

Location: 61-62 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	173	23.4 %
2	Disagree	460	62.2 %
3	Agree	91	12.3 %
4	Strongly Agree	16	2.2 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 1.93
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.66

FAS20 20. My family knows what to expect from me.

Location: 63-64 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	5	0.7 %
2	Disagree	50	6.8 %
3	Agree	554	74.9 %
4	Strongly Agree	131	17.7 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 3.10
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.51

FAS21 21. My family and I have the same views about what is right and wrong.

Location: 65-66 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	6	0.8 %
2	Disagree	92	12.4 %
3	Agree	478	64.6 %
4	Strongly Agree	164	22.2 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 3.08
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.61

FAS22

22. I keep on trying when things don't work out in the family.

Location: 67-68 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	4	0.5 %
2	Disagree	20	2.7 %
3	Agree	526	71.1 %
4	Strongly Agree	190	25.7 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 3.22
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.51

FAS23

23. I am tired of being blamed for family problems.

Location: 69-70 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	156	21.1 %
2	Disagree	423	57.2 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Agree	124	16.8 %
4	Strongly Agree	36	4.9 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 739 valid cases out of 740 total cases.

- Mean: 2.05
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.76

FAS24

24. Often, I don't say what I would like to because I can't find the words.

Location: 71-72 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	145	19.6 %
2	Disagree	430	58.1 %
3	Agree	142	19.2 %
4	Strongly Agree	23	3.1 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 2.06
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.71

FAS25

25. I am able to let others in the family know how I really feel.

Location: 73-74 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	13	1.8 %
2	Disagree	77	10.4 %
3	Agree	463	62.6 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Strongly Agree	187	25.3 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 3.11
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.64

FAS26 26. I really care about my family.

Location: 75-76 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	3	0.4 %
2	Disagree	4	0.5 %
3	Agree	100	13.5 %
4	Strongly Agree	633	85.5 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 3.84
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.41

FAS27 27. I'm not as responsible as I should be in the family.

Location: 77-78 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	329	44.5 %
2	Disagree	318	43.0 %
3	Agree	79	10.7 %
4	Strongly Agree	14	1.9 %

Based upon 740 valid cases out of 740 total cases.

- Study 33444 -

- Mean: 1.70
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.73

FAS28

28. My family and I have the same views about being successful.

Location: 79-80 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	7	0.9 %
2	Disagree	138	18.6 %
3	Agree	503	68.0 %
4	Strongly Agree	92	12.4 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 2.92
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.59

FAS29

29. When problems come up in my family, I let other people solve them.

Location: 81-82 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	198	26.8 %
2	Disagree	519	70.1 %
3	Agree	19	2.6 %
4	Strongly Agree	4	0.5 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 1.77
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00

- Study 33444 -

- Maximum: 4.00
- Standard Deviation: 0.51

FAS30

30. My family complains that I always try to be the center of attention.

Location: 83-84 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	239	32.3 %
2	Disagree	473	63.9 %
3	Agree	25	3.4 %
4	Strongly Agree	3	0.4 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 1.72
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.54

FAS31

31. I'm available when others want to talk to me.

Location: 85-86 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	1	0.1 %
2	Disagree	33	4.5 %
3	Agree	477	64.5 %
4	Strongly Agree	229	30.9 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 3.26
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.54

FAS32

32. I take it out on my family when I'm upset.

- Study 33444 -

Location: 87-88 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	84	11.4 %
2	Disagree	380	51.4 %
3	Agree	250	33.8 %
4	Strongly Agree	26	3.5 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 2.29
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.71

FAS33 33. I know I can count on the rest of my family.

Location: 89-90 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	16	2.2 %
2	Disagree	65	8.8 %
3	Agree	362	48.9 %
4	Strongly Agree	297	40.1 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 3.27
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.71

FAS34 34. I don't need to be reminded what I have to do in the family.

Location: 91-92 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	6	0.8 %
2	Disagree	30	4.1 %
3	Agree	438	59.2 %
4	Strongly Agree	266	35.9 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 3.30
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.58

FAS35 35. I argue with my family about how to spend my spare time.

Location: 93-94 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	137	18.5 %
2	Disagree	478	64.6 %
3	Agree	108	14.6 %
4	Strongly Agree	17	2.3 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 2.01
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.65

FAS36 36. My family can depend on me in a crisis.

Location: 95-96 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	4	0.5 %
2	Disagree	6	0.8 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Agree	231	31.2 %
4	Strongly Agree	499	67.4 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 3.66
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.52

FAS37

37. I never argue about who should do what in our family.

Location: 97-98 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	63	8.5 %
2	Disagree	527	71.2 %
3	Agree	135	18.2 %
4	Strongly Agree	15	2.0 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 2.14
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.57

FAS38

38. I listen to what other family members have to say, even when I disagree.

Location: 99-100 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	3	0.4 %
2	Disagree	27	3.6 %
3	Agree	571	77.2 %
4	Strongly Agree	139	18.8 %

- Study 33444 -

Based upon 740 valid cases out of 740 total cases.

- Mean: 3.14
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.47

FAS39

39. When I'm with my family, I get too upset too easily.

Location: 101-102 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	178	24.1 %
2	Disagree	462	62.4 %
3	Agree	87	11.8 %
4	Strongly Agree	13	1.8 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 1.91
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.65

FAS40

40. I worry too much about the rest of my family.

Location: 103-104 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	49	6.6 %
2	Disagree	355	48.0 %
3	Agree	247	33.4 %
4	Strongly Agree	89	12.0 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 2.51
- Median: 2.00
- Mode: 2.00

- Study 33444 -

- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.79

FAS41 **41. I always get my way in our family.**

Location: 105-106 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	110	14.9 %
2	Disagree	553	74.7 %
3	Agree	65	8.8 %
4	Strongly Agree	11	1.5 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 739 valid cases out of 740 total cases.

- Mean: 1.97
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.54

FAS42 **42. My family leaves it to me to decide what's right and wrong.**

Location: 107-108 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Strongly Disagree	74	10.0 %
2	Disagree	450	60.8 %
3	Agree	183	24.7 %
4	Strongly Agree	33	4.5 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 2.24
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.69

- Study 33444 -

TA Task Accomplishment

Location: 109-110 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	-	3	0.4 %
7	-	11	1.5 %
8	-	28	3.8 %
9	-	45	6.1 %
10	-	91	12.3 %
11	-	164	22.2 %
12	-	155	20.9 %
13	-	146	19.7 %
14	-	54	7.3 %
15	-	38	5.1 %
16	-	2	0.3 %
17	-	2	0.3 %
18	-	1	0.1 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 11.63
- Median: 12.00
- Mode: 11.00
- Minimum: 6.00
- Maximum: 18.00
- Standard Deviation: 1.83

RP Role Performance

Location: 111-112 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	-	2	0.3 %
7	-	13	1.8 %
8	-	11	1.5 %
9	-	30	4.1 %
10	-	50	6.8 %
11	-	69	9.3 %
12	-	153	20.7 %
13	-	180	24.3 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
14	-	134	18.1 %
15	-	62	8.4 %
16	-	22	3.0 %
17	-	4	0.5 %
18	-	5	0.7 %
19	-	1	0.1 %
20	-	2	0.3 %
-2 (M)	Missing, N/A	2	0.3 %

Based upon 738 valid cases out of 740 total cases.

- Mean: 12.56
- Median: 13.00
- Mode: 13.00
- Minimum: 6.00
- Maximum: 20.00
- Standard Deviation: 2.00

COM **Communication**

Location: 113-114 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	-	27	3.6 %
7	-	32	4.3 %
8	-	43	5.8 %
9	-	54	7.3 %
10	-	65	8.8 %
11	-	102	13.8 %
12	-	243	32.8 %
13	-	100	13.5 %
14	-	41	5.5 %
15	-	21	2.8 %
16	-	9	1.2 %
17	-	2	0.3 %
18	-	1	0.1 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 11.20
- Median: 12.00

- Study 33444 -

- Mode: 12.00
- Minimum: 6.00
- Maximum: 18.00
- Standard Deviation: 2.18

AE Affective Expression

Location: 115-116 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	-	2	0.3 %
7	-	15	2.0 %
8	-	24	3.2 %
9	-	39	5.3 %
10	-	53	7.2 %
11	-	83	11.2 %
12	-	144	19.5 %
13	-	161	21.8 %
14	-	114	15.4 %
15	-	60	8.1 %
16	-	22	3.0 %
17	-	12	1.6 %
18	-	5	0.7 %
19	-	3	0.4 %
20	-	1	0.1 %
21	-	1	0.1 %
22	-	1	0.1 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 12.41
- Median: 13.00
- Mode: 13.00
- Minimum: 6.00
- Maximum: 22.00
- Standard Deviation: 2.25

AI Involvement

Location: 117-118 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	-	1	0.1 %
7	-	3	0.4 %
8	-	19	2.6 %
9	-	61	8.2 %
10	-	120	16.2 %
11	-	132	17.8 %
12	-	150	20.3 %
13	-	131	17.7 %
14	-	77	10.4 %
15	-	30	4.1 %
16	-	7	0.9 %
17	-	5	0.7 %
18	-	1	0.1 %
19	-	1	0.1 %
20	-	1	0.1 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 739 valid cases out of 740 total cases.

- Mean: 11.73
- Median: 12.00
- Mode: 12.00
- Minimum: 6.00
- Maximum: 20.00
- Standard Deviation: 1.88

CONTROL

Control

Location: 119-120 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	-	2	0.3 %
7	-	7	0.9 %
8	-	13	1.8 %
9	-	41	5.5 %
10	-	73	9.9 %
11	-	115	15.5 %
12	-	176	23.8 %
13	-	156	21.1 %
14	-	93	12.6 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	-	39	5.3 %
16	-	14	1.9 %
17	-	4	0.5 %
18	-	3	0.4 %
19	-	3	0.4 %
-2 (M)	Missing, N/A	1	0.1 %

Based upon 739 valid cases out of 740 total cases.

- Mean: 12.12
- Median: 12.00
- Mode: 12.00
- Minimum: 6.00
- Maximum: 19.00
- Standard Deviation: 1.90

VN Values & Norms

Location: 121-122 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	-	2	0.3 %
7	-	6	0.8 %
8	-	9	1.2 %
9	-	26	3.5 %
10	-	52	7.0 %
11	-	83	11.2 %
12	-	142	19.2 %
13	-	197	26.6 %
14	-	102	13.8 %
15	-	70	9.5 %
16	-	28	3.8 %
17	-	16	2.2 %
18	-	5	0.7 %
19	-	1	0.1 %
20	-	1	0.1 %

Based upon 740 valid cases out of 740 total cases.

- Mean: 12.68
- Median: 13.00

- Study 33444 -

- Mode: 13.00
- Minimum: 6.00
- Maximum: 20.00
- Standard Deviation: 1.99