ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 33444

Center for Education and Drug Abuse Research (CEDAR): Etiological and Prospective Family Study in Southwestern Pennsylvania, Baseline Data, 1990-2011

Ralph E. Tarter
University of Pittsburgh

Psychiatric History Marker for DSM-III-R - Father, Data Collection Instrument

Inter-university Consortium for Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/33444/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

PSYCHIATRIC HISTORY MARKER for DSM-III-R

File name: CEDAR_psychiatric_history_DSMIII_dad.sav
CEDAR_psychiatric_history_DSMIII_ic.sav
CEDAR_psychiatric_history_DSMIII_mom.sav

Done by: Father, Mother, Index Case

Source: Center for Education and Drug Abuse Research (CEDAR) (unpublished). University of Pittsburgh.

COLUMN	QUESTION TEXT
ID	SUBJECT ID:
ASSID	ASSESSMENT ID:
VISIT	VISIT NUMBER:
	I. PSYCHIATRIC DISORDER
PH01	DIAGNOSIS #
PB02	1 = DEFINITE 2 = PROBABLE
	DSM-III-R
PH02A	TEXT
PH06	DSM III-R Code
	ICD-10
PH07A	TEXT
PH11	ICD-10 Code
	II. CHRONOLOGY (LIFETIME)
PH12	1) Age of onset **(Years)**
PH13	2) Age of offset **(Years**
	III. COURSE SINCE THE ONSET OF THE SYNDROME
PB03	1) Continuous or single episodes DK = -1 Yes = 1 No = 0
PB04	2) Fluctuating without clear-cut episodes DK = -1 Yes = 1 No = 0
PB05	3 a) Clear-cut episodes DK = -1 Yes = 1 No = 0
PH14	b) Number of episodes _____

COLUMN	COLUMN	
		IV. CONTRIBUTING FACTORS
CURRENT	PAST	
PH15	PH16	1) Age of onset
PH17	PH18	2) Age of offset
PH19A	PH20A	3) Duration in days

CURRENT	PAST		Responses for questions B, C, D
PB06	PB07	B. DRUG OR ALCOHOL	1 = None
PB08	PB09	C. MEDICATION	2 = Antecedent Consequence
PB010	PB11	D. PHYSICAL ILLNESS	3 = Exacerbation
			4 = Maintenance
			5 = Alleviate
PB012	PB13	E. ENVIRONMENTAL STRESSORS	1 = None
			2 = Antecedent or Consequent
			3 = Exacerbation
			4 = Maintenance
		V. TREATMENT	**-1 = DK 0 = NO 1 = YES**
PB14	PB15	A. 1) Inpatient	
PB16	PB17	2) Outpatient	
PB18	PB19	3) Medication	
		B. MODALITY	
PB20	PB21	1) Individual therapy	
PB22	PB23	2) Group Therapy	
PB24	PB25	3) Family Therapy	
PB26	PB27	4) Specific Behavioral Technique	
PB28	PB29	5) Vocational training	
PB30	PB31	6) Neuroleptics	
PB32	PB33	7) Lithium	
PB34	PB35	8) Antidepressants	
PB36	PB37	9) Minor Tranquilizers	
PB38	PB39	10) Stimulants	
PB40	PB41	11) Anticonvulsants	
PB42	PB43	12) Anti-Parkinson's medication	
PB44	PB45	13) Other/Unspecified medication	
PB46	PB47	14) ECT	
PB48	PB49	15) Other/Unspecified modality	
		VI. SOCIAL FUNCTIONING AFFECTED	
PB50	PB51	1) Family	
PB52	PB53	2) Peers	
PB54	PB55	3) Work/school	
PB56	PB57	4) Community	
PB58		**VII. GLOBAL ASSESSMENT SCALE** (where applicable) (01-90) -2 = N/A **See below**	

	Subscales
DIAG#	Diagnosis number
DEF_PRO	Definite/Probable
CURRENT	Current
PAST	Past
NO_DX	No diagnosis
DSM_III_R	DSM-III-R code
ICD_10	ICD-10 code
ONSET_AGE	Age of onset
OFFSET_AGE	Age of offset

MODIFIED GLOBAL ASSESSMENT OF FUNCTIONING SCALE (GAFS-M)

CODE	
90 | 81	Good functioning in all areas, interested and involved in a wide range of activities, socially effective
80 | 71	No more than slight impairment in social and occupational functioning (e.g., missing a few deadlines or appointments) or school function (e.g., temporarily falling behind in school work)
70 | | 61	Some difficulty in social or occupational functioning (e.g., frequent work absences, work occasionally incomplete or judged "not up to standards") or school functioning (e.g., occasional truancy, or theft within the household) but generally functioning pretty well; has some meaningful interpersonal relationships
60 | 51	Moderate difficulty in social, occupational, or school functioning (e.g., few friends, conflicts with co-workers , unable to complete work assignments, unsatisfactory work performance)
50 | 41	Serious impairment in social, occupational, or school functioning (e.g., no friends, unable to keep a job at expected or prior level of performance)
40 | 31	Major impairment in several areas, such as work or school, family relations, judgment (e.g., avoids friends, neglects family, is unable to work, if a child, he/she frequently beats up younger children, is failing in school)
30 | 21	Inability to function in almost all areas (e.g., stays in bed all day; no job, home, or friends)
20 | 11	Occasionally fails to maintain minimal personal hygiene (e.g., smears feces); unable to function independently
10 | 01	Persistent inability to maintain minimal personal hygiene unable to function without harming self or others or without considerable external support (e.g., requires nursing care and supervision)