ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 33444

Center for Education and Drug Abuse Research (CEDAR): Etiological and Prospective Family Study in Southwestern Pennsylvania, Baseline Data, 1990-2011

Ralph E. Tarter
University of Pittsburgh

Psychiatric History Marker for DSM-III-R - Mother, Variable Description and Frequencies

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/33444/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #33444

Center for Education and Drug Abuse Research (CEDAR): Etiological and Prospective Family Study in Southwestern Pennsylvania, Baseline Data, 1990-2011 [United States]
Part 33: Psychiatric History Marker for DSM-III-R - Mother

1) For confidentiality reasons, ICPSR masked information in some character variables in the data. Changed text is denoted by square brackets, [ ].

2) Valid values in character variables may not be displayed in the frequency tables. Refer to the frequencies for missing data and/or the statement below the table for information on how many cases contain valid values.

3) A character variable appears to have been truncated in the original dataset. ICPSR attempted to widen this variable; however, this technique did not resolve the problem of values being truncated in the following character variable: PH07A.

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--Psychiatric History Marker for DSM-III-R - Mother

Variable Name and Label (Total Cases = 1615)		Percent of Cases with Missing Values
14.5% (11 of 76 variables)	have 0% Missing Values	
0.0% (0 of 76 variables)	have 0% - 1% Missing Values	
0.0% (0 of 76 variables)	have 1% - 3% Missing Values	
0.0% (0 of 76 variables)	have 3% - 5% Missing Values	
0.0% (0 of 76 variables)	have 5% - 10% Missing Values	
6.6% (5 of 76 variables)	have 10% - 20% Missing Values	
PH12	Age of onset (Years)	17.8%
PH13	Age of offset (Years)	17.7%
PB03	Continuous or single episodes	17.6%
PB04	Fluctuating without clear-cut episodes	17.6%
PB05	Clear-cut episodes	17.6%
38.2% (29 of 76 variables)	have 20% - 40% Missing Values	
PH16	Past - Age of onset (Years)	37.3%
PH18	Past - Age of offset (Years)	37.2%
PH20A	Past - Duration (Days)	37.3%
PB10	Current - PHYSICAL ILLNESS	37.2%
PB11	Past - PHYSICAL ILLNESS	37.2%
PB12	Current - ENVIRONMENTAL STRESSORS	37.2%
PB13	Past - ENVIRONMENTAL STRESSORS	37.2%
PB29	Past - MODALITY Vocational training	37.2%
PB30	Current - MODALITY Neuroleptics	37.2%
PB31	Past - MODALITY Neuroleptics	37.2%
PB32	Current - MODALITY Lithium	37.2%
PB33	Past - MODALITY Lithium	37.2%
PB34	Current - MODALITY Antidepressants	37.2%
PB35	Past - MODALITY Antidepressants	37.2%
PB36	Current- MODALITY Minor Tranquilizers	37.2%
PB37	Past - MODALITY Minor Tranquilizers	37.2%
PB38	Current - MODALITY Stimulants	37.2%

Table 1: Distribution of Variables by Percentage of Missing Values--Psychiatric History Marker for DSM-III-R - Mother

Variable Name and Label (Total Cases = 1615)		Percent of Cases with Missing Values
PB39	Past - MODALITY Stimulants	37.2%
PB40	Current - MODALITY Anticonvulsants	37.2%
PB41	Past - MODALITY Anticonvulsants	37.2%
PB42	Curren - MODALITY Antiparkin medication	37.2%
PB43	Past - MODALITY Antiparkin medication	37.2%
PB51	Past - SOCIAL FUNCTIONING Family	37.2%
PB52	Current - SOCIAL FUNCTIONING Peers	37.2%
PB53	Past - SOCIAL FUNCTIONING Peers	37.2%
PB54	Current - SOCIAL FUNCTIONING Work/school	37.2%
PB55	Past - SOCIAL FUNCTIONING Work/school	37.2%
PB56	Current - SOCIAL FUNCTIONING Community	37.2%
PB57	Past - SOCIAL FUNCTIONING Community	37.2%
40.8% (31 of 76 variables)	have 40% - 99% Missing Values	
PH14	Number of episodes	90.2%
PH15	Current - Age of onset (Years)	78.1%
PH17	Current - Age of offset (Years)	78.1%
PH19A	Current - Duration (Days)	78.1%
PB06	Current - DRUG OR ALCOHOL	78.1%
PB07	Past - DRUG OR ALCOHOL	78.1%
PB08	Current- MEDICATION	78.1%
PB09	Past - MEDICATION	78.1%
PB14	Current - TREATMENT Inpatient	78.1%
PB15	Past - TREATMENT Inpatient	78.1%
PB16	Current - TREATMENT Outpatient	78.1%
PB17	Past - TREATMENT Outpatient	78.1%
PB18	Current - TREATMENT Medication	78.1%
PB19	Past - TREATMENT Medication	78.1%
PB20	Current -MODALITY Individual therapy	78.1%
PB21	Past - MODALITY Individual therapy	78.1%
PB22	Current - MODALITY Group Therapy	78.1%
PB23	Past - MODALITY Group Therapy	78.1%
PB24	Current - MODALITY Family Therapy	78.1%
PB25	Past - MODALITY Family Therapy	78.1%
PB26	Current - MODALITY Specific Behavioral Technique	78.1%
PB27	Past - MODALITY Specific Behavioral Technique	78.1%
PB28	Current - MODALITY Vocational training	78.1%
PB44	Current - MODALITY Other/Unspecified medication	78.1%

Table 1: Distribution of Variables by Percentage of Missing Values--Psychiatric History Marker for DSM-III-R - Mother

Variable Name and Label (Total Cases = 1615)		Percent of Cases with Missing Values
PB45	Past - MODALITY Other/Unspecified medication	78.1%
PB46	Current - MODALITY ECT	78.1%
PB47	Past - MODALITY ECT	78.1%
PB48	Current - MODALITY Other/Unspecified modality	78.1%
PB49	Past - MODALITY Other/Unspecified modality	78.1%
PB50	Current - SOCIAL FUNCTIONING Family	78.1%
PB58	VII. Global Assessment Scale (where applicable) (01-90)	84.5%
0.0% (0 of 76 variables)	have 100% missing values	

ICPSR 33444

Center for Education and Drug Abuse Research (CEDAR): Etiological and Prospective Family Study in Southwestern Pennsylvania, Baseline Data, 1990-2011 [United States]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Center for Education and Drug Abuse Research (CEDAR): Etiological and Prospective Family Study in Southwestern Pennsylvania, Baseline Data, 1990-2011 [United States]

Psychiatric History Marker for DSM-III-R - Mother

ID	SUBJECT ID

Location: 1-11 (width: 11; decimal: 0)

Variable Type: character

Based upon 1615 valid cases out of 1615 total cases.

ASSID	ASSESSMENT ID

Location: 12-22 (width: 11; decimal: 0)

Variable Type: character

Based upon 1615 valid cases out of 1615 total cases.

VISIT	VISIT NUMBER

Location: 23-24 (width: 2; decimal: 0)

Variable Type: numeric

Value	*Unweighted Frequency*	*%*
1	1615	100.0 %

Based upon 1615 valid cases out of 1615 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

PH01	DIAGNOSIS #

Location: 25-26 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -1

Value	*Label*	*Unweighted Frequency*	*%*
1	-	760	47.1 %
2	-	301	18.6 %
3	-	193	12.0 %
4	-	129	8.0 %
5	-	83	5.1 %

Value	*Label*	*Unweighted Frequency*	*%*
6	-	55	3.4 %
7	-	32	2.0 %
8	-	24	1.5 %
9	-	17	1.1 %
10	-	9	0.6 %
11	-	6	0.4 %
12	-	4	0.2 %
13	-	2	0.1 %

Based upon 1615 valid cases out of 1615 total cases.

- Mean: 2.48
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 13.00
- Standard Deviation: 2.07

PB02 **DEFINITE or PROBABLE**

Location: 27-28 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -1

Value	*Label*	*Unweighted Frequency*	*%*
1	DEFINITE	1615	100.0 %

Based upon 1615 valid cases out of 1615 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

PH02A **DSM-III-R text**

Location: 29-228 (width: 200; decimal: 0)

Variable Type: character

Range of Missing Values (M): -1

Value	*Label*
-1 (M)	DK

Based upon 1615 valid cases out of 1615 total cases.

PH06	DSM-III-R Code

Location: 229-238 (width: 10; decimal: 0)
Variable Type: character
Based upon 1615 valid cases out of 1615 total cases.

PH07A	ICD-10 text

Location: 239-263 (width: 25; decimal: 0)
Variable Type: character
Range of Missing Values (M): -2 , -1

Value	*Label*
-2 (M)	N/A
-1 (M)	DK

Based upon 1615 valid cases out of 1615 total cases.

PH11	ICD-10 Code

Location: 264-273 (width: 10; decimal: 0)
Variable Type: character
Based upon 1615 valid cases out of 1615 total cases.

PH12	Age of onset (Years)

Location: 274-275 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
2	-	4	0.2 %
3	-	3	0.2 %
4	-	7	0.4 %
5	-	67	4.1 %
6	-	44	2.7 %
7	-	18	1.1 %
8	-	27	1.7 %
9	-	20	1.2 %
10	-	24	1.5 %
11	-	9	0.6 %
12	-	53	3.3 %
13	-	55	3.4 %
14	-	54	3.3 %
15	-	70	4.3 %
16	-	56	3.5 %

Value	*Label*	*Unweighted Frequency*	*%*
17	-	48	3.0 %
18	-	107	6.6 %
19	-	56	3.5 %
20	-	43	2.7 %
21	-	44	2.7 %
22	-	26	1.6 %
23	-	37	2.3 %
24	-	41	2.5 %
25	-	43	2.7 %
26	-	25	1.5 %
27	-	29	1.8 %
28	-	39	2.4 %
29	-	25	1.5 %
30	-	45	2.8 %
31	-	21	1.3 %
32	-	29	1.8 %
33	-	29	1.8 %
34	-	26	1.6 %
35	-	21	1.3 %
36	-	11	0.7 %
37	-	16	1.0 %
38	-	12	0.7 %
39	-	11	0.7 %
40	-	11	0.7 %
41	-	4	0.2 %
42	-	4	0.2 %
43	-	3	0.2 %
44	-	7	0.4 %
45	-	3	0.2 %
47	-	1	0.1 %
-2 (M)	N/A	285	17.6 %
-1 (M)	DK	2	0.1 %

Based upon 1328 valid cases out of 1615 total cases.

- Mean: 20.07
- Median: 18.00
- Mode: 18.00
- Minimum: 2.00
- Maximum: 47.00
- Standard Deviation: 9.44

PH13	Age of offset (Years)

Location: 276-277 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
6	-	1	0.1 %
7	-	5	0.3 %
8	-	5	0.3 %
9	-	4	0.2 %
10	-	9	0.6 %
11	-	5	0.3 %
12	-	20	1.2 %
13	-	16	1.0 %
14	-	24	1.5 %
15	-	36	2.2 %
16	-	43	2.7 %
17	-	50	3.1 %
18	-	91	5.6 %
19	-	20	1.2 %
20	-	31	1.9 %
21	-	39	2.4 %
22	-	16	1.0 %
23	-	40	2.5 %
24	-	29	1.8 %
25	-	36	2.2 %
26	-	32	2.0 %
27	-	27	1.7 %
28	-	41	2.5 %
29	-	33	2.0 %
30	-	48	3.0 %
31	-	59	3.7 %
32	-	48	3.0 %
33	-	53	3.3 %
34	-	52	3.2 %
35	-	67	4.1 %
36	-	40	2.5 %
37	-	53	3.3 %
38	-	51	3.2 %
39	-	36	2.2 %
40	-	42	2.6 %

Value	*Label*	*Unweighted Frequency*	*%*
41	-	25	1.5 %
42	-	26	1.6 %
43	-	17	1.1 %
44	-	10	0.6 %
45	-	15	0.9 %
46	-	7	0.4 %
47	-	12	0.7 %
48	-	4	0.2 %
49	-	8	0.5 %
50	-	1	0.1 %
51	-	2	0.1 %
-2 (M)	N/A	285	17.6 %
-1 (M)	DK	1	0.1 %

Based upon 1329 valid cases out of 1615 total cases.

- Mean: 28.43
- Median: 30.00
- Mode: 18.00
- Minimum: 6.00
- Maximum: 51.00
- Standard Deviation: 9.62

PB03 **Continuous or single episodes**

Location: 278-279 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
1	Yes	1090	67.5 %
2	No	240	14.9 %
-2 (M)	N/A	285	17.6 %

Based upon 1330 valid cases out of 1615 total cases.

- Mean: 1.18
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.38

PB04 **Fluctuating without clear-cut episodes**

Location: 280-281 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
1	Yes	94	5.8 %
2	No	1236	76.5 %
-2 (M)	N/A	285	17.6 %

Based upon 1330 valid cases out of 1615 total cases.

- Mean: 1.93
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.26

PB05 **Clear-cut episodes**

Location: 282-283 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
1	Yes	148	9.2 %
2	No	1182	73.2 %
-2 (M)	N/A	285	17.6 %

Based upon 1330 valid cases out of 1615 total cases.

- Mean: 1.89
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.31

PH14 **Number of episodes**

Location: 284-285 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
1	-	7	0.4 %

Value	*Label*	*Unweighted Frequency*	*%*
2	-	92	5.7 %
3	-	23	1.4 %
4	-	17	1.1 %
5	-	9	0.6 %
6	-	2	0.1 %
7	-	1	0.1 %
8	-	2	0.1 %
10	-	2	0.1 %
12	-	1	0.1 %
15	-	1	0.1 %
16	-	1	0.1 %
36	-	1	0.1 %
-2 (M)	N/A	1456	90.2 %

Based upon 159 valid cases out of 1615 total cases.

- Mean: 3.19
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 36.00
- Standard Deviation: 3.41

CURR	**Current -- yes/no**

Location: 286-286 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -1

Value	*Label*	*Unweighted Frequency*	*%*
0	No	1261	78.1 %
1	Yes	354	21.9 %

Based upon 1615 valid cases out of 1615 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

PAST	**Past -- yes/no**

Location: 287-287 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -1

Value	*Label*	*Unweighted Frequency*	*%*
0	No	600	37.2 %
1	Yes	1015	62.8 %

Based upon 1615 valid cases out of 1615 total cases.

- Mean: 0.63
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

PH15 **Current - Age of onset (Years)**

Location: 288-289 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
2	-	2	0.1 %
3	-	1	0.1 %
4	-	2	0.1 %
5	-	15	0.9 %
6	-	11	0.7 %
7	-	2	0.1 %
8	-	8	0.5 %
9	-	4	0.2 %
10	-	6	0.4 %
11	-	2	0.1 %
12	-	2	0.1 %
13	-	9	0.6 %
14	-	2	0.1 %
15	-	13	0.8 %
16	-	11	0.7 %
17	-	8	0.5 %
18	-	45	2.8 %
19	-	10	0.6 %
20	-	13	0.8 %
21	-	4	0.2 %

Value	*Label*	*Unweighted Frequency*	*%*
22	-	7	0.4 %
23	-	9	0.6 %
24	-	5	0.3 %
25	-	11	0.7 %
26	-	9	0.6 %
27	-	6	0.4 %
28	-	10	0.6 %
29	-	9	0.6 %
30	-	17	1.1 %
31	-	5	0.3 %
32	-	14	0.9 %
33	-	8	0.5 %
34	-	11	0.7 %
35	-	12	0.7 %
36	-	6	0.4 %
37	-	9	0.6 %
38	-	3	0.2 %
39	-	4	0.2 %
40	-	9	0.6 %
41	-	2	0.1 %
42	-	2	0.1 %
43	-	5	0.3 %
44	-	6	0.4 %
45	-	3	0.2 %
46	-	1	0.1 %
49	-	1	0.1 %
-2 (M)	N/A	1261	78.1 %

Based upon 354 valid cases out of 1615 total cases.

- Mean: 23.42
- Median: 22.50
- Mode: 18.00
- Minimum: 2.00
- Maximum: 49.00
- Standard Deviation: 10.84

PH16	**Past - Age of onset (Years)**
Location:	290-291 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
2	-	2	0.1 %
3	-	2	0.1 %
4	-	5	0.3 %
5	-	52	3.2 %
6	-	32	2.0 %
7	-	13	0.8 %
8	-	19	1.2 %
9	-	14	0.9 %
10	-	17	1.1 %
11	-	6	0.4 %
12	-	47	2.9 %
13	-	46	2.8 %
14	-	47	2.9 %
15	-	56	3.5 %
16	-	43	2.7 %
17	-	37	2.3 %
18	-	58	3.6 %
19	-	44	2.7 %
20	-	29	1.8 %
21	-	34	2.1 %
22	-	16	1.0 %
23	-	31	1.9 %
24	-	33	2.0 %
25	-	35	2.2 %
26	-	22	1.4 %
27	-	25	1.5 %
28	-	31	1.9 %
29	-	20	1.2 %
30	-	31	1.9 %
31	-	17	1.1 %
32	-	22	1.4 %
33	-	24	1.5 %
34	-	20	1.2 %
35	-	21	1.3 %
36	-	11	0.7 %
37	-	12	0.7 %
38	-	12	0.7 %
39	-	9	0.6 %
40	-	6	0.4 %
41	-	3	0.2 %

Value	*Label*	*Unweighted Frequency*	*%*
42	-	3	0.2 %
44	-	2	0.1 %
45	-	2	0.1 %
47	-	2	0.1 %
-2 (M)	N/A	600	37.2 %
-1 (M)	DK	2	0.1 %

Based upon 1013 valid cases out of 1615 total cases.

- Mean: 20.18
- Median: 19.00
- Mode: 18.00
- Minimum: 2.00
- Maximum: 47.00
- Standard Deviation: 9.42

PH17 **Current - Age of offset (Years)**

Location: 292-293 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
27	-	4	0.2 %
28	-	7	0.4 %
29	-	5	0.3 %
30	-	3	0.2 %
31	-	28	1.7 %
32	-	19	1.2 %
33	-	27	1.7 %
34	-	18	1.1 %
35	-	32	2.0 %
36	-	15	0.9 %
37	-	36	2.2 %
38	-	26	1.6 %
39	-	22	1.4 %
40	-	23	1.4 %
41	-	14	0.9 %
42	-	14	0.9 %
43	-	14	0.9 %
44	-	8	0.5 %
45	-	12	0.7 %

Value	*Label*	*Unweighted Frequency*	*%*
46	-	4	0.2 %
47	-	9	0.6 %
48	-	3	0.2 %
49	-	8	0.5 %
50	-	1	0.1 %
51	-	2	0.1 %
-2 (M)	N/A	1261	78.1 %

Based upon 354 valid cases out of 1615 total cases.

- Mean: 37.36
- Median: 37.00
- Mode: 37.00
- Minimum: 27.00
- Maximum: 51.00
- Standard Deviation: 5.18

PH18 **Past - Age of offset (Years)**

Location: 294-295 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
6	-	2	0.1 %
7	-	5	0.3 %
8	-	5	0.3 %
9	-	4	0.2 %
10	-	11	0.7 %
11	-	5	0.3 %
12	-	20	1.2 %
13	-	16	1.0 %
14	-	24	1.5 %
15	-	40	2.5 %
16	-	46	2.8 %
17	-	55	3.4 %
18	-	97	6.0 %
19	-	24	1.5 %
20	-	32	2.0 %
21	-	42	2.6 %
22	-	18	1.1 %
23	-	42	2.6 %

Value	*Label*	*Unweighted Frequency*	*%*
24	-	33	2.0 %
25	-	39	2.4 %
26	-	35	2.2 %
27	-	27	1.7 %
28	-	34	2.1 %
29	-	28	1.7 %
30	-	47	2.9 %
31	-	33	2.0 %
32	-	29	1.8 %
33	-	26	1.6 %
34	-	33	2.0 %
35	-	33	2.0 %
36	-	22	1.4 %
37	-	15	0.9 %
38	-	24	1.5 %
39	-	12	0.7 %
40	-	19	1.2 %
41	-	11	0.7 %
42	-	11	0.7 %
43	-	3	0.2 %
44	-	2	0.1 %
45	-	3	0.2 %
46	-	3	0.2 %
47	-	3	0.2 %
48	-	1	0.1 %
-2 (M)	N/A	600	37.2 %
-1 (M)	DK	1	0.1 %

Based upon 1014 valid cases out of 1615 total cases.

- Mean: 24.83
- Median: 24.00
- Mode: 18.00
- Minimum: 6.00
- Maximum: 48.00
- Standard Deviation: 8.64

PH19A	**Current - Duration (Days)**
Location:	296-301 (width: 6; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
21	-	1	0.1 %
30	-	8	0.5 %
42	-	1	0.1 %
60	-	2	0.1 %
90	-	8	0.5 %
120	-	6	0.4 %
150	-	2	0.1 %
180	-	8	0.5 %
210	-	4	0.2 %
240	-	5	0.3 %
300	-	2	0.1 %
365	-	6	0.4 %
420	-	1	0.1 %
510	-	1	0.1 %
540	-	1	0.1 %
570	-	1	0.1 %
630	-	1	0.1 %
730	-	7	0.4 %
990	-	1	0.1 %
1095	-	14	0.9 %
1260	-	2	0.1 %
1350	-	1	0.1 %
1460	-	11	0.7 %
1825	-	7	0.4 %
1830	-	1	0.1 %
1980	-	2	0.1 %
2070	-	1	0.1 %
2190	-	6	0.4 %
2250	-	1	0.1 %
2280	-	1	0.1 %
2340	-	1	0.1 %
2400	-	1	0.1 %
2555	-	7	0.4 %
2920	-	6	0.4 %
3285	-	7	0.4 %
3650	-	12	0.7 %
4015	-	6	0.4 %
4380	-	15	0.9 %
4745	-	9	0.6 %
5110	-	9	0.6 %

Value	*Label*	*Unweighted Frequency*	*%*
5475	-	14	0.9 %
5840	-	14	0.9 %
6205	-	15	0.9 %
6570	-	8	0.5 %
6935	-	8	0.5 %
7300	-	12	0.7 %
7665	-	10	0.6 %
8030	-	4	0.2 %
8395	-	10	0.6 %
8760	-	14	0.9 %
9125	-	4	0.2 %
9490	-	8	0.5 %
9855	-	9	0.6 %
10220	-	4	0.2 %
10585	-	2	0.1 %
10950	-	4	0.2 %
11315	-	4	0.2 %
11680	-	2	0.1 %
12045	-	4	0.2 %
12410	-	3	0.2 %
12775	-	2	0.1 %
13505	-	2	0.1 %
14235	-	3	0.2 %
14600	-	2	0.1 %
15695	-	1	0.1 %
16060	-	1	0.1 %
16790	-	3	0.2 %
24455	-	1	0.1 %
-2 (M)	N/A	1261	78.1 %

Based upon 354 valid cases out of 1615 total cases.

- Mean: 5171.52
- Median: 4927.50
- Minimum: 21.00
- Maximum: 24455.00
- Standard Deviation: 4070.13

PH20A	**Past - Duration (Days)**
Location:	302-306 (width: 5; decimal: 0)
Variable Type:	numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
10	-	1	0.1 %
14	-	7	0.4 %
21	-	6	0.4 %
28	-	2	0.1 %
30	-	19	1.2 %
35	-	1	0.1 %
42	-	5	0.3 %
49	-	1	0.1 %
60	-	21	1.3 %
90	-	37	2.3 %
120	-	21	1.3 %
150	-	8	0.5 %
180	-	58	3.6 %
210	-	7	0.4 %
240	-	12	0.7 %
270	-	11	0.7 %
300	-	3	0.2 %
330	-	2	0.1 %
365	-	115	7.1 %
390	-	1	0.1 %
480	-	1	0.1 %
540	-	17	1.1 %
600	-	2	0.1 %
690	-	1	0.1 %
730	-	103	6.4 %
750	-	2	0.1 %
810	-	1	0.1 %
900	-	4	0.2 %
960	-	1	0.1 %
1050	-	1	0.1 %
1095	-	87	5.4 %
1200	-	2	0.1 %
1260	-	2	0.1 %
1320	-	1	0.1 %
1350	-	1	0.1 %
1440	-	1	0.1 %
1460	-	71	4.4 %
1620	-	1	0.1 %
1680	-	1	0.1 %

Value	*Label*	*Unweighted Frequency*	*%*
1825	-	65	4.0 %
1830	-	2	0.1 %
1860	-	2	0.1 %
1920	-	1	0.1 %
1980	-	2	0.1 %
2190	-	52	3.2 %
2280	-	1	0.1 %
2400	-	1	0.1 %
2550	-	1	0.1 %
2555	-	37	2.3 %
2850	-	1	0.1 %
2920	-	22	1.4 %
3285	-	28	1.7 %
3650	-	20	1.2 %
4015	-	22	1.4 %
4380	-	26	1.6 %
4745	-	24	1.5 %
5110	-	13	0.8 %
5475	-	7	0.4 %
5840	-	6	0.4 %
6205	-	5	0.3 %
6570	-	9	0.6 %
6935	-	2	0.1 %
7300	-	4	0.2 %
7665	-	2	0.1 %
8030	-	6	0.4 %
8395	-	4	0.2 %
8760	-	6	0.4 %
9490	-	1	0.1 %
10950	-	2	0.1 %
12045	-	1	0.1 %
-2 (M)	N/A	602	37.3 %

Based upon 1013 valid cases out of 1615 total cases.

- Mean: 1716.54
- Median: 1095.00
- Mode: 365.00
- Minimum: 10.00
- Maximum: 12045.00
- Standard Deviation: 1899.37

PB06	Current - DRUG OR ALCOHOL

Location: 307-308 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
1	None	293	18.1 %
2	Antecedent Consequence	22	1.4 %
3	Exacerbation	22	1.4 %
4	Maintenance	8	0.5 %
5	Alleviate	9	0.6 %
-2 (M)	N/A	1261	78.1 %

Based upon 354 valid cases out of 1615 total cases.

- Mean: 1.36
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.89

PB07	Past - DRUG OR ALCOHOL

Location: 309-310 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
1	None	286	17.7 %
2	Antecedent Consequence	4	0.2 %
3	Exacerbation	2	0.1 %
4	Maintenance	12	0.7 %
5	Alleviate	49	3.0 %
-2 (M)	N/A	1261	78.1 %
-1 (M)	DK	1	0.1 %

Based upon 353 valid cases out of 1615 total cases.

- Mean: 1.68
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.45

PB08	Current- MEDICATION

Location: 311-312 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
1	None	322	19.9 %
2	Antecedent Consequence	15	0.9 %
3	Exacerbation	12	0.7 %
4	Maintenance	5	0.3 %
-2 (M)	N/A	1261	78.1 %

Based upon 354 valid cases out of 1615 total cases.

- Mean: 1.15
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.53

PB09	Past - MEDICATION

Location: 313-314 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
1	None	198	12.3 %
2	Antecedent Consequence	94	5.8 %
3	Exacerbation	56	3.5 %
4	Maintenance	6	0.4 %
-2 (M)	N/A	1261	78.1 %

Based upon 354 valid cases out of 1615 total cases.

- Mean: 1.63
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.81

PB10	Current - PHYSICAL ILLNESS

Location: 315-316 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
1	None	899	55.7 %
2	Antecedent Consequence	39	2.4 %
3	Exacerbation	48	3.0 %
4	Maintenance	18	1.1 %
5	Alleviate	11	0.7 %
-2 (M)	N/A	599	37.1 %
-1 (M)	DK	1	0.1 %

Based upon 1015 valid cases out of 1615 total cases.

- Mean: 1.23
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.71

PB11 **Past - PHYSICAL ILLNESS**

Location: 317-318 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
1	None	915	56.7 %
2	Antecedent Consequence	8	0.5 %
3	Exacerbation	5	0.3 %
4	Maintenance	16	1.0 %
5	Alleviate	71	4.4 %
-2 (M)	N/A	599	37.1 %
-1 (M)	DK	1	0.1 %

Based upon 1015 valid cases out of 1615 total cases.

- Mean: 1.34
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.08

PB12 **Current - ENVIRONMENTAL STRESSORS**

Location: 319-320 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
1	None	957	59.3 %
2	Antecedent Consequence	33	2.0 %
3	Exacerbation	14	0.9 %
4	Maintenance	8	0.5 %
5	Alleviate	3	0.2 %
-2 (M)	N/A	599	37.1 %
-1 (M)	DK	1	0.1 %

Based upon 1015 valid cases out of 1615 total cases.

- Mean: 1.10
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.44

PB13 **Past - ENVIRONMENTAL STRESSORS**

Location: 321-322 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
1	None	573	35.5 %
2	Antecedent Consequence	341	21.1 %
3	Exacerbation	92	5.7 %
4	Maintenance	9	0.6 %
-2 (M)	N/A	599	37.1 %
-1 (M)	DK	1	0.1 %

Based upon 1015 valid cases out of 1615 total cases.

- Mean: 1.54
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.70

PB14	Current - TREATMENT Inpatient

Location: 323-324 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
1	Yes	49	3.0 %
2	No	305	18.9 %
-2 (M)	N/A	1261	78.1 %

Based upon 354 valid cases out of 1615 total cases.

- Mean: 1.86
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.35

PB15	Past - TREATMENT Inpatient

Location: 325-326 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
1	Yes	108	6.7 %
2	No	246	15.2 %
-2 (M)	N/A	1261	78.1 %

Based upon 354 valid cases out of 1615 total cases.

- Mean: 1.69
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.46

PB16	Current - TREATMENT Outpatient

Location: 327-328 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	1	0.1 %
1	Yes	74	4.6 %
2	No	279	17.3 %
-2 (M)	N/A	1261	78.1 %

Based upon 354 valid cases out of 1615 total cases.

- Mean: 1.79
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.42

PB17 **Past - TREATMENT Outpatient**

Location: 329-330 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	1	0.1 %
1	Yes	96	5.9 %
2	No	257	15.9 %
-2 (M)	N/A	1261	78.1 %

Based upon 354 valid cases out of 1615 total cases.

- Mean: 1.72
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.45

PB18 **Current - TREATMENT Medication**

Location: 331-332 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	1	0.1 %
1	Yes	42	2.6 %

Value	*Label*	*Unweighted Frequency*	*%*
2	No	311	19.3 %
-2 (M)	N/A	1261	78.1 %

Based upon 354 valid cases out of 1615 total cases.

- Mean: 1.88
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.34

PB19 **Past - TREATMENT Medication**

Location: 333-334 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	1	0.1 %
1	Yes	11	0.7 %
2	No	342	21.2 %
-2 (M)	N/A	1261	78.1 %

Based upon 354 valid cases out of 1615 total cases.

- Mean: 1.96
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.20

PB20 **Current -MODALITY Individual therapy**

Location: 335-336 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	1	0.1 %
1	Yes	6	0.4 %
2	No	347	21.5 %
-2 (M)	N/A	1261	78.1 %

Based upon 354 valid cases out of 1615 total cases.

- Mean: 1.98
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.17

PB21 **Past - MODALITY Individual therapy**

Location: 337-338 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	1	0.1 %
2	No	353	21.9 %
-2 (M)	N/A	1261	78.1 %

Based upon 354 valid cases out of 1615 total cases.

- Mean: 1.99
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.11

PB22 **Current - MODALITY Group Therapy**

Location: 339-340 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	1	0.1 %
1	Yes	4	0.2 %
2	No	349	21.6 %
-2 (M)	N/A	1261	78.1 %

Based upon 354 valid cases out of 1615 total cases.

- Mean: 1.98
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00

- Maximum: 2.00
- Standard Deviation: 0.15

PB23 **Past - MODALITY Group Therapy**

Location: 341-342 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	1	0.1 %
1	Yes	5	0.3 %
2	No	348	21.5 %
-2 (M)	N/A	1261	78.1 %

Based upon 354 valid cases out of 1615 total cases.

- Mean: 1.98
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.16

PB24 **Current - MODALITY Family Therapy**

Location: 343-344 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	1	0.1 %
1	Yes	51	3.2 %
2	No	302	18.7 %
-2 (M)	N/A	1261	78.1 %

Based upon 354 valid cases out of 1615 total cases.

- Mean: 1.85
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.37

PB25 **Past - MODALITY Family Therapy**

Location: 345-346 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	1	0.1 %
1	Yes	29	1.8 %
2	No	324	20.1 %
-2 (M)	N/A	1261	78.1 %

Based upon 354 valid cases out of 1615 total cases.

- Mean: 1.91
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.29

PB26 **Current - MODALITY Specific Behavioral Technique**

Location: 347-348 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	1	0.1 %
1	Yes	1	0.1 %
2	No	352	21.8 %
-2 (M)	N/A	1261	78.1 %

Based upon 354 valid cases out of 1615 total cases.

- Mean: 1.99
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.12

PB27 **Past - MODALITY Specific Behavioral Technique**

Location: 349-350 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	1	0.1 %
1	Yes	4	0.2 %
2	No	349	21.6 %
-2 (M)	N/A	1261	78.1 %

Based upon 354 valid cases out of 1615 total cases.

- Mean: 1.98
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.15

PB28 **Current - MODALITY Vocational training**

Location: 351-352 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	1	0.1 %
1	Yes	2	0.1 %
2	No	351	21.7 %
-2 (M)	N/A	1261	78.1 %

Based upon 354 valid cases out of 1615 total cases.

- Mean: 1.99
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.13

PB29 **Past - MODALITY Vocational training**

Location: 353-354 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	3	0.2 %
1	Yes	113	7.0 %

Value	*Label*	*Unweighted Frequency*	*%*
2	No	899	55.7 %
-2 (M)	N/A	599	37.1 %
-1 (M)	DK	1	0.1 %

Based upon 1015 valid cases out of 1615 total cases.

- Mean: 1.88
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.33

PB30 **Current - MODALITY Neuroleptics**

Location: 355-356 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	3	0.2 %
1	Yes	243	15.0 %
2	No	769	47.6 %
-2 (M)	N/A	599	37.1 %
-1 (M)	DK	1	0.1 %

Based upon 1015 valid cases out of 1615 total cases.

- Mean: 1.75
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.44

PB31 **Past - MODALITY Neuroleptics**

Location: 357-358 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	2	0.1 %
1	Yes	108	6.7 %

Value	*Label*	*Unweighted Frequency*	*%*
2	No	905	56.0 %
-2 (M)	N/A	599	37.1 %
-1 (M)	DK	1	0.1 %

Based upon 1015 valid cases out of 1615 total cases.

- Mean: 1.89
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.32

PB32 **Current - MODALITY Lithium**

Location: 359-360 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	2	0.1 %
1	Yes	243	15.0 %
2	No	770	47.7 %
-2 (M)	N/A	599	37.1 %
-1 (M)	DK	1	0.1 %

Based upon 1015 valid cases out of 1615 total cases.

- Mean: 1.76
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.43

PB33 **Past - MODALITY Lithium**

Location: 361-362 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	3	0.2 %
1	Yes	103	6.4 %

Value	*Label*	*Unweighted Frequency*	*%*
2	No	909	56.3 %
-2 (M)	N/A	599	37.1 %
-1 (M)	DK	1	0.1 %

Based upon 1015 valid cases out of 1615 total cases.

- Mean: 1.89
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.32

PB34 **Current - MODALITY Antidepressants**

Location: 363-364 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	3	0.2 %
1	Yes	29	1.8 %
2	No	983	60.9 %
-2 (M)	N/A	599	37.1 %
-1 (M)	DK	1	0.1 %

Based upon 1015 valid cases out of 1615 total cases.

- Mean: 1.97
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.20

PB35 **Past - MODALITY Antidepressants**

Location: 365-366 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	2	0.1 %
1	Yes	7	0.4 %

Value	Label	Unweighted Frequency	%
2	No	1006	62.3 %
-2 (M)	N/A	599	37.1 %
-1 (M)	DK	1	0.1 %

Based upon 1015 valid cases out of 1615 total cases.

- Mean: 1.99
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.12

PB36 **Current- MODALITY Minor Tranquilizers**

Location: 367-368 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	Label	Unweighted Frequency	%
0	Don't know	2	0.1 %
1	Yes	2	0.1 %
2	No	1011	62.6 %
-2 (M)	N/A	599	37.1 %
-1 (M)	DK	1	0.1 %

Based upon 1015 valid cases out of 1615 total cases.

- Mean: 1.99
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.10

PB37 **Past - MODALITY Minor Tranquilizers**

Location: 369-370 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	Label	Unweighted Frequency	%
0	Don't know	2	0.1 %
1	Yes	4	0.2 %

Value	*Label*	*Unweighted Frequency*	*%*
2	No	1009	62.5 %
-2 (M)	N/A	599	37.1 %
-1 (M)	DK	1	0.1 %

Based upon 1015 valid cases out of 1615 total cases.

- Mean: 1.99
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.11

PB38 **Current - MODALITY Stimulants**

Location: 371-372 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	2	0.1 %
1	Yes	7	0.4 %
2	No	1006	62.3 %
-2 (M)	N/A	599	37.1 %
-1 (M)	DK	1	0.1 %

Based upon 1015 valid cases out of 1615 total cases.

- Mean: 1.99
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.12

PB39 **Past - MODALITY Stimulants**

Location: 373-374 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	2	0.1 %
1	Yes	76	4.7 %

Value	*Label*	*Unweighted Frequency*	*%*
2	No	937	58.0 %
-2 (M)	N/A	599	37.1 %
-1 (M)	DK	1	0.1 %

Based upon 1015 valid cases out of 1615 total cases.

- Mean: 1.92
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.28

PB40 **Current - MODALITY Anticonvulsants**

Location: 375-376 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	2	0.1 %
1	Yes	14	0.9 %
2	No	999	61.9 %
-2 (M)	N/A	599	37.1 %
-1 (M)	DK	1	0.1 %

Based upon 1015 valid cases out of 1615 total cases.

- Mean: 1.98
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.15

PB41 **Past - MODALITY Anticonvulsants**

Location: 377-378 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	2	0.1 %
2	No	1013	62.7 %

Value	Label	Unweighted Frequency	%
-2 (M)	N/A	599	37.1 %
-1 (M)	DK	1	0.1 %

Based upon 1015 valid cases out of 1615 total cases.

- Mean: 2.00
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.09

PB42 **Curren - MODALITY Antiparkin medication**

Location: 379-380 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	Label	Unweighted Frequency	%
0	Don't know	2	0.1 %
2	No	1013	62.7 %
-2 (M)	N/A	599	37.1 %
-1 (M)	DK	1	0.1 %

Based upon 1015 valid cases out of 1615 total cases.

- Mean: 2.00
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.09

PB43 **Past - MODALITY Antiparkin medication**

Location: 381-382 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	Label	Unweighted Frequency	%
0	Don't know	2	0.1 %
2	No	1013	62.7 %
-2 (M)	N/A	599	37.1 %
-1 (M)	DK	1	0.1 %

Based upon 1015 valid cases out of 1615 total cases.

- Mean: 2.00
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.09

PB44 **Current - MODALITY Other/Unspecified medication**

Location: 383-384 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	1	0.1 %
1	Yes	16	1.0 %
2	No	337	20.9 %
-2 (M)	N/A	1261	78.1 %

Based upon 354 valid cases out of 1615 total cases.

- Mean: 1.95
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.23

PB45 **Past - MODALITY Other/Unspecified medication**

Location: 385-386 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	1	0.1 %
1	Yes	1	0.1 %
2	No	352	21.8 %
-2 (M)	N/A	1261	78.1 %

Based upon 354 valid cases out of 1615 total cases.

- Mean: 1.99
- Median: 2.00
- Mode: 2.00

- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.12

PB46 **Current - MODALITY ECT**

Location: 387-388 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	1	0.1 %
1	Yes	1	0.1 %
2	No	352	21.8 %
-2 (M)	N/A	1261	78.1 %

Based upon 354 valid cases out of 1615 total cases.

- Mean: 1.99
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.12

PB47 **Past - MODALITY ECT**

Location: 389-390 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	2	0.1 %
1	Yes	229	14.2 %
2	No	123	7.6 %
-2 (M)	N/A	1261	78.1 %

Based upon 354 valid cases out of 1615 total cases.

- Mean: 1.34
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.49

PB48 **Current - MODALITY Other/Unspecified modality**

Location: 391-392 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	6	0.4 %
1	Yes	97	6.0 %
2	No	251	15.5 %
-2 (M)	N/A	1261	78.1 %

Based upon 354 valid cases out of 1615 total cases.

- Mean: 1.69
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.50

PB49 **Past - MODALITY Other/Unspecified modality**

Location: 393-394 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	4	0.2 %
1	Yes	135	8.4 %
2	No	215	13.3 %
-2 (M)	N/A	1261	78.1 %

Based upon 354 valid cases out of 1615 total cases.

- Mean: 1.60
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.51

PB50 **Current - SOCIAL FUNCTIONING Family**

Location: 395-396 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	1	0.1 %
1	Yes	98	6.1 %
2	No	255	15.8 %
-2 (M)	N/A	1261	78.1 %

Based upon 354 valid cases out of 1615 total cases.

- Mean: 1.72
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.46

PB51 **Past - SOCIAL FUNCTIONING Family**

Location: 397-398 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	2	0.1 %
1	Yes	25	1.5 %
2	No	988	61.2 %
-2 (M)	N/A	599	37.1 %
-1 (M)	DK	1	0.1 %

Based upon 1015 valid cases out of 1615 total cases.

- Mean: 1.97
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.18

PB52 **Current - SOCIAL FUNCTIONING Peers**

Location: 399-400 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	*Label*	*Unweighted Frequency*	*%*
0	Don't know	2	0.1 %

Value	Label	Unweighted Frequency	%
2	No	1013	62.7 %
-2 (M)	N/A	599	37.1 %
-1 (M)	DK	1	0.1 %

Based upon 1015 valid cases out of 1615 total cases.

- Mean: 2.00
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.09

PB53 **Past - SOCIAL FUNCTIONING Peers**

Location: 401-402 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	Label	Unweighted Frequency	%
0	Don't know	2	0.1 %
1	Yes	12	0.7 %
2	No	1001	62.0 %
-2 (M)	N/A	599	37.1 %
-1 (M)	DK	1	0.1 %

Based upon 1015 valid cases out of 1615 total cases.

- Mean: 1.98
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.14

PB54 **Current - SOCIAL FUNCTIONING Work/school**

Location: 403-404 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	Label	Unweighted Frequency	%
0	Don't know	7	0.4 %
1	Yes	624	38.6 %

Value	Label	Unweighted Frequency	%
2	No	384	23.8 %
-2 (M)	N/A	599	37.1 %
-1 (M)	DK	1	0.1 %

Based upon 1015 valid cases out of 1615 total cases.

- Mean: 1.37
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.50

PB55 **Past - SOCIAL FUNCTIONING Work/school**

Location: 405-406 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	Label	Unweighted Frequency	%
0	Don't know	10	0.6 %
1	Yes	337	20.9 %
2	No	668	41.4 %
-2 (M)	N/A	599	37.1 %
-1 (M)	DK	1	0.1 %

Based upon 1015 valid cases out of 1615 total cases.

- Mean: 1.65
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.50

PB56 **Current - SOCIAL FUNCTIONING Community**

Location: 407-408 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	Label	Unweighted Frequency	%
0	Don't know	14	0.9 %
1	Yes	521	32.3 %

Value	Label	Unweighted Frequency	%
2	No	480	29.7 %
-2 (M)	N/A	599	37.1 %
-1 (M)	DK	1	0.1 %

Based upon 1015 valid cases out of 1615 total cases.

- Mean: 1.46
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.53

PB57 Past - SOCIAL FUNCTIONING Community

Location: 409-410 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	Label	Unweighted Frequency	%
0	Don't know	6	0.4 %
1	Yes	235	14.6 %
2	No	773	47.9 %
-2 (M)	N/A	600	37.2 %
-1 (M)	DK	1	0.1 %

Based upon 1014 valid cases out of 1615 total cases.

- Mean: 1.76
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.44

PB58 VII. Global Assessment Scale (where applicable) (01-90)

Location: 411-413 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

Value	Label	Unweighted Frequency	%
10	-	1	0.1 %
25	-	1	0.1 %

Value	*Label*	*Unweighted Frequency*	*%*
30	-	1	0.1 %
31	-	9	0.6 %
35	-	2	0.1 %
40	-	13	0.8 %
41	-	3	0.2 %
45	-	5	0.3 %
50	-	12	0.7 %
51	-	7	0.4 %
53	-	1	0.1 %
55	-	7	0.4 %
60	-	22	1.4 %
61	-	10	0.6 %
63	-	1	0.1 %
65	-	18	1.1 %
68	-	2	0.1 %
69	-	1	0.1 %
70	-	23	1.4 %
71	-	13	0.8 %
73	-	1	0.1 %
75	-	17	1.1 %
78	-	1	0.1 %
80	-	40	2.5 %
81	-	16	1.0 %
83	-	1	0.1 %
85	-	5	0.3 %
87	-	2	0.1 %
88	-	1	0.1 %
89	-	1	0.1 %
90	-	13	0.8 %
-2 (M)	N/A	1363	84.4 %
-1 (M)	DK	2	0.1 %

Based upon 250 valid cases out of 1615 total cases.

- Mean: 66.12
- Median: 70.00
- Mode: 80.00
- Minimum: 10.00
- Maximum: 90.00
- Standard Deviation: 16.01