

ICPSR 33444

**Center for Education and Drug
Abuse Research (CEDAR):
Etiological and Prospective Family
Study in Southwestern
Pennsylvania, Baseline Data,
1990-2011**

Ralph E. Tarter
University of Pittsburgh

Psychiatric History Marker for DSM-IV - Father,
Variable Description and Frequencies

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/33444/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #33444

*Center for Education and Drug Abuse Research (CEDAR): Etiological and Prospective Family Study in Southwestern Pennsylvania, Baseline Data, 1990-2011 [United States]
Part 35: Psychiatric History Marker for DSM-IV - Father*

- 1) For confidentiality reasons, ICPSR masked information in some character variables in the data. Changed text is denoted by square brackets, [].
- 2) Valid values in character variables may not be displayed in the frequency tables. Refer to the frequencies for missing data and/or the statement below the table for information on how many cases contain valid values.

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--Psychiatric History Marker for DSM-IV - Father

Variable Name and Label (Total Cases = 2221)	Percent of Cases with Missing Values
13.2% (10 of 76 variables)	have 0% Missing Values
1.3% (1 of 76 variables)	have 0% - 1% Missing Values
0.0% (0 of 76 variables)	have 1% - 3% Missing Values
0.0% (0 of 76 variables)	have 3% - 5% Missing Values
0.0% (0 of 76 variables)	have 5% - 10% Missing Values
6.6% (5 of 76 variables)	have 10% - 20% Missing Values
D410	Age of onset (Years) 14.4%
D411	Age of offset (Years) 13.2%
D412	Continuous or single episodes 13.1%
D413	Fluctuating without clear-cut episodes 13.1%
D414	Clear-cut episodes 13.2%
38.2% (29 of 76 variables)	have 20% - 40% Missing Values
D417	Past - Age of onset (Years) 32.6%
D419	Past - Age of offset (Years) 31.6%
D421D	Past - Duration (Days) 32.7%
D423	Past - DRUG OR ALCOHOL 31.5%
D425	Past - MEDICATION 31.3%
D427	Past - PHYSICAL ILLNESS 31.3%
D429	Past - ENVIRONMENTAL STRESSORS 31.4%
D431	Past - TREATMENT Inpatient 31.4%
D433	Past - TREATMENT Outpatient 31.4%
D435	Past - TREATMENT Medication 31.5%
D437	Past - MODALITY Individual therapy 31.5%
D439	Past - MODALITY Group Therapy 31.5%
D441	Past - MODALITY Family Therapy 31.5%
D443	Past - MODALITY Specific Behavioral Technique 31.5%
D445	Past -MODALITY Vocational training 31.6%
D447	Past - MODALITY Neuroleptics 31.6%
D449	Past -MODALITY Lithium 31.6%

Table 1: Distribution of Variables by Percentage of Missing Values--Psychiatric History Marker for DSM-IV - Father

Variable Name and Label (Total Cases = 2221)		Percent of Cases with Missing Values
D451	Past - MODALITY Antidepressants	31.6%
D453	Past - MODALITY Minor Tranquilizers	31.6%
D455	Past - MODALITY Stimulants	31.6%
D457	Past - MODALITY Anticonvulsants	31.6%
D459	Past - MODALITY Antiparkin medication	31.6%
D461	Past - MODALITY Other/Unspecified medication	31.6%
D463	Past - MODALITY ECT	31.5%
D465	Past - MODALITY Other/Unspecified modality	31.5%
D467	Past - SOCIAL FUNCTIONING Family	32.0%
D469	Past - SOCIAL FUNCTIONING Peers	32.0%
D471	Past - SOCIAL FUNCTIONING Work/school	32.0%
D473	Past - SOCIAL FUNCTIONING Community	31.8%
40.8% (31 of 76 variables) have 40% - 99% Missing Values		
D415	Number of episodes	92.4%
D416	Current - Age of onset (Years)	79.1%
D418	Current - Age of offset (Years)	79.0%
D420D	Current - Duration (Days)	79.1%
D422	Current - DRUG OR ALCOHOL	78.9%
D424	Current - MEDICATION	78.9%
D426	Current - PHYSICAL ILLNESS	78.9%
D428	Current - ENVIRONMENTAL STRESSORS	78.9%
D430	Current - TREATMENT Inpatient	79.0%
D432	Current - TREATMENT Outpatient	79.0%
D434	Current - TREATMENT Medication	79.0%
D436	Current - MODALITY Individual therapy	79.0%
D438	Current - MODALITY Group Therapy	79.0%
D440	Current - MODALITY Family Therapy	79.0%
D442	Current -MODALITY Specific Behavioral Technique	79.0%
D444	Current - MODALITY Vocational training	79.0%
D446	Current - MODALITY Neuroleptics	79.0%
D448	Current - MODALITY Lithium	79.0%
D450	Current -MODALITY Antidepressants	79.0%
D452	Current - MODALITY Minor Tranquilizers	79.0%
D454	Current - MODALITY Stimulants	79.0%
D456	Current - MODALITY Anticonvulsants	79.0%
D458	Current -MODALITY Antiparkin medication	79.0%
D460	Current - MODALITY Other/Unspecified medication	79.0%

Table 1: Distribution of Variables by Percentage of Missing Values--Psychiatric History Marker for DSM-IV - Father

Variable Name and Label (Total Cases = 2221)		Percent of Cases with Missing Values
D462	Current -MODALITY ECT	79.0%
D464	Current- MODALITY Other/Unspecified modality	79.0%
D466	Current - SOCIAL FUNCTIONING Family	79.5%
D468	Current - SOCIAL FUNCTIONING Peers	79.4%
D470	Current -SOCIAL FUNCTIONING Work/school	79.5%
D472	Current - SOCIAL FUNCTIONING Community	79.2%
D474	VII. Global Assessment Scale (where applicable) (01-90)	87.1%
0.0% (0 of 76 variables)		have 100% missing values

ICPSR 33444

Center for Education and Drug Abuse Research (CEDAR): Etiological and Prospective Family Study in Southwestern Pennsylvania, Baseline Data, 1990-2011 [United States]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Center for Education and Drug Abuse Research (CEDAR): Etiological and Prospective Family Study in Southwestern Pennsylvania, Baseline Data, 1990-2011 [United States]

Psychiatric History Marker for DSM-IV - Father

ID SUBJECT ID

Location: 1-11 (width: 11; decimal: 0)
Variable Type: character
Based upon 2221 valid cases out of 2221 total cases.

ASSID ASSESSMENT ID

Location: 12-22 (width: 11; decimal: 0)
Variable Type: character
Based upon 2221 valid cases out of 2221 total cases.

VISIT VISIT NUMBER

Location: 23-24 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	2221	100.0 %

Based upon 2221 valid cases out of 2221 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

D401 DIAGNOSIS

Location: 25-26 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	775	34.9 %
2	-	389	17.5 %
3	-	311	14.0 %
4	-	228	10.3 %
5	-	183	8.2 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	-	129	5.8 %
7	-	92	4.1 %
8	-	54	2.4 %
9	-	32	1.4 %
10	-	14	0.6 %
11	-	7	0.3 %
12	-	5	0.2 %
13	-	2	0.1 %

Based upon 2221 valid cases out of 2221 total cases.

- Mean: 3.04
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 13.00
- Standard Deviation: 2.26

D402 **DEFINITE or PROBABLE**

Location: 27-28 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	DEFINITE	2221	100.0 %

Based upon 2221 valid cases out of 2221 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

D403A **DSM-IV text**

Location: 29-228 (width: 200; decimal: 0)
 Variable Type: character
 Range of Missing Values (M): -1

<i>Value</i>	<i>Label</i>
-1 (M)	DK

Based upon 2221 valid cases out of 2221 total cases.

- Study 33444 -

D407 DSM-IV Code

Location: 229-238 (width: 10; decimal: 0)
 Variable Type: character
 Based upon 2221 valid cases out of 2221 total cases.

D408 ICD-10 text

Location: 239-338 (width: 100; decimal: 0)
 Variable Type: character
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>
-2 (M)	N/A
-1 (M)	DK

Based upon 2221 valid cases out of 2221 total cases.

D409 ICD-10 Code

Location: 339-348 (width: 10; decimal: 0)
 Variable Type: character
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>
-2 (M)	N/A
-1 (M)	DK

Based upon 2221 valid cases out of 2221 total cases.

D410 Age of onset (Years)

Location: 349-350 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	-	6	0.3 %
4	-	10	0.5 %
5	-	41	1.8 %
6	-	31	1.4 %
7	-	7	0.3 %
8	-	19	0.9 %
9	-	9	0.4 %
10	-	35	1.6 %
11	-	18	0.8 %
12	-	61	2.7 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
13	-	98	4.4 %
14	-	68	3.1 %
15	-	89	4.0 %
16	-	125	5.6 %
17	-	94	4.2 %
18	-	294	13.2 %
19	-	93	4.2 %
20	-	82	3.7 %
21	-	76	3.4 %
22	-	64	2.9 %
23	-	44	2.0 %
24	-	39	1.8 %
25	-	72	3.2 %
26	-	43	1.9 %
27	-	32	1.4 %
28	-	38	1.7 %
29	-	21	0.9 %
30	-	39	1.8 %
31	-	20	0.9 %
32	-	31	1.4 %
33	-	19	0.9 %
34	-	27	1.2 %
35	-	24	1.1 %
36	-	24	1.1 %
37	-	19	0.9 %
38	-	13	0.6 %
39	-	6	0.3 %
40	-	15	0.7 %
41	-	7	0.3 %
42	-	13	0.6 %
43	-	11	0.5 %
44	-	1	0.0 %
45	-	4	0.2 %
46	-	4	0.2 %
47	-	2	0.1 %
48	-	4	0.2 %
50	-	2	0.1 %
51	-	1	0.0 %
52	-	2	0.1 %
54	-	2	0.1 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
56	-	2	0.1 %
-2 (M)	N/A	270	12.2 %
-1 (M)	DK	50	2.3 %

Based upon 1901 valid cases out of 2221 total cases.

- Mean: 20.42
- Median: 18.00
- Mode: 18.00
- Minimum: 3.00
- Maximum: 56.00
- Standard Deviation: 8.62

D411	Age of offset (Years)
-------------	------------------------------

Location: 351-352 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	-	3	0.1 %
8	-	5	0.2 %
9	-	5	0.2 %
10	-	5	0.2 %
11	-	9	0.4 %
12	-	17	0.8 %
13	-	22	1.0 %
14	-	23	1.0 %
15	-	60	2.7 %
16	-	40	1.8 %
17	-	39	1.8 %
18	-	161	7.2 %
19	-	31	1.4 %
20	-	58	2.6 %
21	-	63	2.8 %
22	-	66	3.0 %
23	-	43	1.9 %
24	-	45	2.0 %
25	-	70	3.2 %
26	-	47	2.1 %
27	-	50	2.3 %
28	-	47	2.1 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
29	-	33	1.5 %
30	-	75	3.4 %
31	-	43	1.9 %
32	-	55	2.5 %
33	-	51	2.3 %
34	-	63	2.8 %
35	-	100	4.5 %
36	-	59	2.7 %
37	-	55	2.5 %
38	-	60	2.7 %
39	-	59	2.7 %
40	-	51	2.3 %
41	-	45	2.0 %
42	-	50	2.3 %
43	-	40	1.8 %
44	-	31	1.4 %
45	-	33	1.5 %
46	-	22	1.0 %
47	-	9	0.4 %
48	-	6	0.3 %
49	-	5	0.2 %
50	-	19	0.9 %
51	-	15	0.7 %
52	-	5	0.2 %
53	-	10	0.5 %
54	-	11	0.5 %
55	-	3	0.1 %
57	-	2	0.1 %
58	-	5	0.2 %
60	-	3	0.1 %
-2 (M)	N/A	270	12.2 %
-1 (M)	DK	24	1.1 %

Based upon 1927 valid cases out of 2221 total cases.

- Mean: 29.65
- Median: 30.00
- Mode: 18.00
- Minimum: 6.00
- Maximum: 60.00
- Standard Deviation: 10.49

- Study 33444 -

D412 Continuous or single episodes

Location: 353-354 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	241	10.9 %
1	Yes	1688	76.0 %
-2 (M)	N/A	270	12.2 %
-1 (M)	DK	22	1.0 %

Based upon 1929 valid cases out of 2221 total cases.

- Mean: 0.88
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.33

D413 Fluctuating without clear-cut episodes

Location: 355-356 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1851	83.3 %
1	Yes	78	3.5 %
-2 (M)	N/A	270	12.2 %
-1 (M)	DK	22	1.0 %

Based upon 1929 valid cases out of 2221 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.20

D414 Clear-cut episodes

Location: 357-358 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1761	79.3 %
1	Yes	167	7.5 %
-2 (M)	N/A	271	12.2 %
-1 (M)	DK	22	1.0 %

Based upon 1928 valid cases out of 2221 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

D415 **Number of episodes**

Location: 359-360 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	2	0.1 %
2	-	127	5.7 %
3	-	25	1.1 %
4	-	5	0.2 %
5	-	2	0.1 %
6	-	2	0.1 %
7	-	1	0.0 %
10	-	1	0.0 %
12	-	2	0.1 %
50	-	1	0.0 %
-2 (M)	N/A	2053	92.4 %

Based upon 168 valid cases out of 2221 total cases.

- Mean: 2.76
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 3.94

CURR **Current -- was present during last 6 months**

- Study 33444 -

Location: 361-362 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1753	78.9 %
1	Yes	468	21.1 %

Based upon 2221 valid cases out of 2221 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

PAST Past -- was present more than 6 months ago

Location: 363-364 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	676	30.4 %
1	Yes	1544	69.5 %
-1 (M)	DK	1	0.0 %

Based upon 2220 valid cases out of 2221 total cases.

- Mean: 0.70
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

D416 Current - Age of onset (Years)

Location: 365-366 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	-	2	0.1 %
5	-	9	0.4 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	-	4	0.2 %
7	-	1	0.0 %
8	-	3	0.1 %
9	-	2	0.1 %
10	-	6	0.3 %
11	-	2	0.1 %
12	-	6	0.3 %
13	-	5	0.2 %
14	-	9	0.4 %
15	-	8	0.4 %
16	-	19	0.9 %
17	-	14	0.6 %
18	-	107	4.8 %
19	-	15	0.7 %
20	-	12	0.5 %
21	-	12	0.5 %
22	-	8	0.4 %
23	-	11	0.5 %
24	-	8	0.4 %
25	-	18	0.8 %
26	-	7	0.3 %
27	-	11	0.5 %
28	-	8	0.4 %
29	-	5	0.2 %
30	-	17	0.8 %
31	-	6	0.3 %
32	-	13	0.6 %
33	-	4	0.2 %
34	-	9	0.4 %
35	-	13	0.6 %
36	-	6	0.3 %
37	-	12	0.5 %
38	-	5	0.2 %
39	-	11	0.5 %
40	-	13	0.6 %
41	-	7	0.3 %
42	-	5	0.2 %
43	-	8	0.4 %
44	-	2	0.1 %
45	-	7	0.3 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
47	-	2	0.1 %
48	-	4	0.2 %
49	-	1	0.0 %
50	-	1	0.0 %
51	-	1	0.0 %
52	-	2	0.1 %
54	-	1	0.0 %
55	-	1	0.0 %
56	-	2	0.1 %
-2 (M)	N/A	1752	78.9 %
-1 (M)	DK	4	0.2 %

Based upon 465 valid cases out of 2221 total cases.

- Mean: 24.87
- Median: 21.00
- Mode: 18.00
- Minimum: 4.00
- Maximum: 56.00
- Standard Deviation: 10.73

D417 Past - Age of onset (Years)

Location: 367-368 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	-	6	0.3 %
4	-	8	0.4 %
5	-	32	1.4 %
6	-	27	1.2 %
7	-	6	0.3 %
8	-	16	0.7 %
9	-	6	0.3 %
10	-	29	1.3 %
11	-	16	0.7 %
12	-	54	2.4 %
13	-	92	4.1 %
14	-	58	2.6 %
15	-	79	3.6 %
16	-	101	4.5 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
17	-	74	3.3 %
18	-	178	8.0 %
19	-	77	3.5 %
20	-	68	3.1 %
21	-	64	2.9 %
22	-	56	2.5 %
23	-	35	1.6 %
24	-	35	1.6 %
25	-	52	2.3 %
26	-	33	1.5 %
27	-	27	1.2 %
28	-	33	1.5 %
29	-	22	1.0 %
30	-	27	1.2 %
31	-	19	0.9 %
32	-	23	1.0 %
33	-	15	0.7 %
34	-	19	0.9 %
35	-	18	0.8 %
36	-	17	0.8 %
37	-	15	0.7 %
38	-	10	0.5 %
39	-	3	0.1 %
40	-	8	0.4 %
41	-	6	0.3 %
42	-	11	0.5 %
43	-	6	0.3 %
45	-	2	0.1 %
46	-	5	0.2 %
47	-	2	0.1 %
48	-	1	0.0 %
50	-	1	0.0 %
52	-	2	0.1 %
54	-	1	0.0 %
56	-	1	0.0 %
-2 (M)	N/A	677	30.5 %
-1 (M)	DK	48	2.2 %

Based upon 1496 valid cases out of 2221 total cases.

- Mean: 20.09

- Study 33444 -

- Median: 18.00
- Mode: 18.00
- Minimum: 3.00
- Maximum: 56.00
- Standard Deviation: 8.45

D418 **Current - Age of offset (Years)**

Location: 369-370 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
25	-	1	0.0 %
26	-	1	0.0 %
29	-	9	0.4 %
30	-	5	0.2 %
31	-	16	0.7 %
32	-	20	0.9 %
33	-	19	0.9 %
34	-	18	0.8 %
35	-	39	1.8 %
36	-	23	1.0 %
37	-	26	1.2 %
38	-	26	1.2 %
39	-	35	1.6 %
40	-	25	1.1 %
41	-	25	1.1 %
42	-	30	1.4 %
43	-	25	1.1 %
44	-	22	1.0 %
45	-	25	1.1 %
46	-	15	0.7 %
47	-	6	0.3 %
48	-	4	0.2 %
49	-	4	0.2 %
50	-	9	0.4 %
51	-	15	0.7 %
52	-	1	0.0 %
53	-	9	0.4 %
54	-	5	0.2 %
55	-	1	0.0 %
57	-	1	0.0 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
58	-	4	0.2 %
60	-	3	0.1 %
-2 (M)	N/A	1752	78.9 %
-1 (M)	DK	2	0.1 %

Based upon 467 valid cases out of 2221 total cases.

- Mean: 40.03
- Median: 39.00
- Mode: 35.00
- Minimum: 25.00
- Maximum: 60.00
- Standard Deviation: 6.39

D419 Past - Age of offset (Years)

Location: 371-372 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	-	2	0.1 %
6	-	3	0.1 %
8	-	5	0.2 %
9	-	6	0.3 %
10	-	5	0.2 %
11	-	9	0.4 %
12	-	18	0.8 %
13	-	23	1.0 %
14	-	26	1.2 %
15	-	60	2.7 %
16	-	40	1.8 %
17	-	41	1.8 %
18	-	163	7.3 %
19	-	36	1.6 %
20	-	64	2.9 %
21	-	68	3.1 %
22	-	65	2.9 %
23	-	48	2.2 %
24	-	47	2.1 %
25	-	73	3.3 %
26	-	48	2.2 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
27	-	50	2.3 %
28	-	53	2.4 %
29	-	27	1.2 %
30	-	76	3.4 %
31	-	30	1.4 %
32	-	42	1.9 %
33	-	32	1.4 %
34	-	50	2.3 %
35	-	58	2.6 %
36	-	40	1.8 %
37	-	27	1.2 %
38	-	35	1.6 %
39	-	24	1.1 %
40	-	23	1.0 %
41	-	16	0.7 %
42	-	18	0.8 %
43	-	15	0.7 %
44	-	8	0.4 %
45	-	8	0.4 %
46	-	8	0.4 %
47	-	4	0.2 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	11	0.5 %
52	-	3	0.1 %
53	-	1	0.0 %
54	-	6	0.3 %
55	-	1	0.0 %
57	-	1	0.0 %
58	-	1	0.0 %
-2 (M)	N/A	677	30.5 %
-1 (M)	DK	24	1.1 %

Based upon 1520 valid cases out of 2221 total cases.

- Mean: 26.12
- Median: 25.00
- Mode: 18.00
- Minimum: 3.00
- Maximum: 58.00
- Standard Deviation: 9.16

- Study 33444 -

D420D **Current - Duration (Days)**

Location: 373-378 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
14	-	1	0.0 %
21	-	1	0.0 %
30	-	4	0.2 %
42	-	1	0.0 %
44	-	1	0.0 %
60	-	7	0.3 %
90	-	4	0.2 %
120	-	1	0.0 %
150	-	2	0.1 %
180	-	9	0.4 %
210	-	1	0.0 %
365	-	11	0.5 %
510	-	1	0.0 %
540	-	3	0.1 %
570	-	1	0.0 %
730	-	12	0.5 %
750	-	1	0.0 %
780	-	1	0.0 %
840	-	1	0.0 %
870	-	1	0.0 %
900	-	2	0.1 %
930	-	1	0.0 %
960	-	1	0.0 %
1050	-	2	0.1 %
1095	-	9	0.4 %
1260	-	1	0.0 %
1290	-	1	0.0 %
1350	-	1	0.0 %
1410	-	1	0.0 %
1460	-	9	0.4 %
1560	-	1	0.0 %
1620	-	1	0.0 %
1680	-	2	0.1 %
1770	-	1	0.0 %
1825	-	8	0.4 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1950	-	1	0.0 %
1980	-	2	0.1 %
2040	-	2	0.1 %
2100	-	1	0.0 %
2190	-	7	0.3 %
2310	-	2	0.1 %
2340	-	3	0.1 %
2400	-	1	0.0 %
2460	-	1	0.0 %
2490	-	1	0.0 %
2555	-	12	0.5 %
2580	-	1	0.0 %
2700	-	1	0.0 %
2760	-	1	0.0 %
2920	-	9	0.4 %
3285	-	9	0.4 %
3650	-	14	0.6 %
4015	-	7	0.3 %
4380	-	8	0.4 %
4745	-	9	0.4 %
5110	-	11	0.5 %
5475	-	17	0.8 %
5840	-	20	0.9 %
6205	-	21	0.9 %
6570	-	15	0.7 %
6935	-	12	0.5 %
7300	-	19	0.9 %
7665	-	26	1.2 %
8030	-	16	0.7 %
8395	-	17	0.8 %
8760	-	16	0.7 %
9125	-	12	0.5 %
9490	-	4	0.2 %
9855	-	11	0.5 %
10220	-	6	0.3 %
10585	-	3	0.1 %
10950	-	3	0.1 %
11680	-	5	0.2 %
12045	-	4	0.2 %
12410	-	5	0.2 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
12775	-	3	0.1 %
13140	-	6	0.3 %
13505	-	6	0.3 %
13870	-	1	0.0 %
14600	-	2	0.1 %
14965	-	2	0.1 %
15330	-	1	0.0 %
15695	-	1	0.0 %
17155	-	1	0.0 %
18250	-	1	0.0 %
-2 (M)	N/A	1757	79.1 %

Based upon 464 valid cases out of 2221 total cases.

- Mean: 5587.17
- Median: 5840.00
- Mode: 7665.00
- Minimum: 14.00
- Maximum: 18250.00
- Standard Deviation: 3812.86

D421D

Past - Duration (Days)

Location: 379-384 (width: 6; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	-	1	0.0 %
14	-	7	0.3 %
21	-	5	0.2 %
28	-	1	0.0 %
30	-	21	0.9 %
35	-	1	0.0 %
42	-	4	0.2 %
56	-	2	0.1 %
60	-	17	0.8 %
90	-	34	1.5 %
120	-	10	0.5 %
150	-	7	0.3 %
180	-	45	2.0 %
210	-	3	0.1 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
240	-	6	0.3 %
270	-	2	0.1 %
300	-	3	0.1 %
330	-	1	0.0 %
365	-	146	6.6 %
420	-	1	0.0 %
450	-	2	0.1 %
510	-	1	0.0 %
540	-	9	0.4 %
600	-	1	0.0 %
630	-	1	0.0 %
690	-	1	0.0 %
720	-	1	0.0 %
730	-	162	7.3 %
780	-	1	0.0 %
810	-	1	0.0 %
870	-	1	0.0 %
900	-	10	0.5 %
960	-	1	0.0 %
1020	-	1	0.0 %
1080	-	1	0.0 %
1095	-	126	5.7 %
1110	-	1	0.0 %
1260	-	5	0.2 %
1320	-	1	0.0 %
1460	-	132	5.9 %
1590	-	1	0.0 %
1620	-	2	0.1 %
1680	-	1	0.0 %
1740	-	1	0.0 %
1770	-	1	0.0 %
1800	-	1	0.0 %
1825	-	98	4.4 %
1860	-	1	0.0 %
1980	-	4	0.2 %
2190	-	88	4.0 %
2310	-	1	0.0 %
2340	-	3	0.1 %
2460	-	1	0.0 %
2555	-	81	3.6 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2910	-	1	0.0 %
2920	-	52	2.3 %
3285	-	52	2.3 %
3650	-	38	1.7 %
4015	-	43	1.9 %
4380	-	30	1.4 %
4745	-	27	1.2 %
5110	-	25	1.1 %
5475	-	15	0.7 %
5840	-	32	1.4 %
6205	-	12	0.5 %
6570	-	22	1.0 %
6935	-	12	0.5 %
7300	-	11	0.5 %
7665	-	15	0.7 %
8030	-	8	0.4 %
8395	-	9	0.4 %
8760	-	4	0.2 %
9125	-	5	0.2 %
9490	-	3	0.1 %
9855	-	1	0.0 %
10220	-	3	0.1 %
10585	-	1	0.0 %
10950	-	4	0.2 %
11315	-	2	0.1 %
11680	-	1	0.0 %
12045	-	2	0.1 %
12410	-	2	0.1 %
12775	-	1	0.0 %
13140	-	1	0.0 %
15330	-	1	0.0 %
-2 (M)	N/A	726	32.7 %

Based upon 1495 valid cases out of 2221 total cases.

- Mean: 2291.08
- Median: 1460.00
- Mode: 730.00
- Minimum: 7.00
- Maximum: 15330.00
- Standard Deviation: 2287.97

- Study 33444 -

D422 Current - DRUG OR ALCOHOL

Location: 385-386 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	None	342	15.4 %
2	Antecedent Consequence	47	2.1 %
3	Exacerbation	61	2.7 %
4	Maintenance	7	0.3 %
5	Alleviate	11	0.5 %
-2 (M)	N/A	1752	78.9 %
-1 (M)	DK	1	0.0 %

Based upon 468 valid cases out of 2221 total cases.

- Mean: 1.50
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.94

D423 Past - DRUG OR ALCOHOL

Location: 387-388 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	None	1292	58.2 %
2	Antecedent Consequence	89	4.0 %
3	Exacerbation	96	4.3 %
4	Maintenance	29	1.3 %
5	Alleviate	16	0.7 %
-2 (M)	N/A	677	30.5 %
-1 (M)	DK	22	1.0 %

Based upon 1522 valid cases out of 2221 total cases.

- Mean: 1.28
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00

- Study 33444 -

- Standard Deviation: 0.76

D424 Current - MEDICATION

Location: 389-390 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	None	416	18.7 %
2	Antecedent Consequence	3	0.1 %
3	Exacerbation	2	0.1 %
4	Maintenance	19	0.9 %
5	Alleviate	29	1.3 %
-2 (M)	N/A	1752	78.9 %

Based upon 469 valid cases out of 2221 total cases.

- Mean: 1.38
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.11

D425 Past - MEDICATION

Location: 391-392 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	None	1457	65.6 %
2	Antecedent Consequence	5	0.2 %
3	Exacerbation	1	0.0 %
4	Maintenance	13	0.6 %
5	Alleviate	49	2.2 %
-2 (M)	N/A	677	30.5 %
-1 (M)	DK	19	0.9 %

Based upon 1525 valid cases out of 2221 total cases.

- Mean: 1.16
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00

- Study 33444 -

- Maximum: 5.00
- Standard Deviation: 0.76

D426 Current - PHYSICAL ILLNESS

Location: 393-394 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	None	421	19.0 %
2	Antecedent Consequence	30	1.4 %
3	Exacerbation	13	0.6 %
4	Maintenance	3	0.1 %
5	Alleviate	2	0.1 %
-2 (M)	N/A	1752	78.9 %

Based upon 469 valid cases out of 2221 total cases.

- Mean: 1.16
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.53

D427 Past - PHYSICAL ILLNESS

Location: 395-396 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	None	1454	65.5 %
2	Antecedent Consequence	40	1.8 %
3	Exacerbation	25	1.1 %
4	Maintenance	4	0.2 %
5	Alleviate	2	0.1 %
-2 (M)	N/A	677	30.5 %
-1 (M)	DK	19	0.9 %

Based upon 1525 valid cases out of 2221 total cases.

- Mean: 1.07
- Median: 1.00
- Mode: 1.00

- Study 33444 -

- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.36

D428 Current - ENVIRONMENTAL STRESSORS

Location: 397-398 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	None	289	13.0 %
2	Antecedent Consequence	100	4.5 %
3	Exacerbation	66	3.0 %
4	Maintenance	13	0.6 %
-2 (M)	N/A	1752	78.9 %
-1 (M)	DK	1	0.0 %

Based upon 468 valid cases out of 2221 total cases.

- Mean: 1.58
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.83

D429 Past - ENVIRONMENTAL STRESSORS

Location: 399-400 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	None	1062	47.8 %
2	Antecedent Consequence	354	15.9 %
3	Exacerbation	93	4.2 %
4	Maintenance	14	0.6 %
-2 (M)	N/A	677	30.5 %
-1 (M)	DK	21	0.9 %

Based upon 1523 valid cases out of 2221 total cases.

- Mean: 1.38
- Median: 1.00
- Mode: 1.00

- Study 33444 -

- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.64

D430 Current - TREATMENT Inpatient

Location: 401-402 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	330	14.9 %
1	Yes	137	6.2 %
-2 (M)	N/A	1752	78.9 %
-1 (M)	DK	2	0.1 %

Based upon 467 valid cases out of 2221 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

D431 Past - TREATMENT Inpatient

Location: 403-404 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1286	57.9 %
1	Yes	237	10.7 %
-2 (M)	N/A	677	30.5 %
-1 (M)	DK	21	0.9 %

Based upon 1523 valid cases out of 2221 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

D432 Current - TREATMENT Outpatient

- Study 33444 -

Location: 405-406 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	314	14.1 %
1	Yes	153	6.9 %
-2 (M)	N/A	1752	78.9 %
-1 (M)	DK	2	0.1 %

Based upon 467 valid cases out of 2221 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

D433 Past - TREATMENT Outpatient

Location: 407-408 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1244	56.0 %
1	Yes	280	12.6 %
-2 (M)	N/A	677	30.5 %
-1 (M)	DK	20	0.9 %

Based upon 1524 valid cases out of 2221 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

D434 Current - TREATMENT Medication

Location: 409-410 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	403	18.1 %
1	Yes	64	2.9 %
-2 (M)	N/A	1752	78.9 %
-1 (M)	DK	2	0.1 %

Based upon 467 valid cases out of 2221 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

D435 Past - TREATMENT Medication

Location: 411-412 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1410	63.5 %
1	Yes	111	5.0 %
-2 (M)	N/A	677	30.5 %
-1 (M)	DK	23	1.0 %

Based upon 1521 valid cases out of 2221 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

D436 Current - MODALITY Individual therapy

Location: 413-414 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	311	14.0 %
1	Yes	155	7.0 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2 (M)	N/A	1752	78.9 %
-1 (M)	DK	3	0.1 %

Based upon 466 valid cases out of 2221 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

D437 **Past - MODALITY Individual therapy**

Location: 415-416 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1216	54.8 %
1	Yes	306	13.8 %
-2 (M)	N/A	678	30.5 %
-1 (M)	DK	21	0.9 %

Based upon 1522 valid cases out of 2221 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

D438 **Current - MODALITY Group Therapy**

Location: 417-418 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	345	15.5 %
1	Yes	121	5.4 %
-2 (M)	N/A	1752	78.9 %
-1 (M)	DK	3	0.1 %

- Study 33444 -

Based upon 466 valid cases out of 2221 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

D439 Past - MODALITY Group Therapy

Location: 419-420 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1294	58.3 %
1	Yes	228	10.3 %
-2 (M)	N/A	678	30.5 %
-1 (M)	DK	21	0.9 %

Based upon 1522 valid cases out of 2221 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

D440 Current - MODALITY Family Therapy

Location: 421-422 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	446	20.1 %
1	Yes	20	0.9 %
-2 (M)	N/A	1752	78.9 %
-1 (M)	DK	3	0.1 %

Based upon 466 valid cases out of 2221 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00

- Study 33444 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.20

D441 Past - MODALITY Family Therapy

Location: 423-424 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1485	66.9 %
1	Yes	37	1.7 %
-2 (M)	N/A	678	30.5 %
-1 (M)	DK	21	0.9 %

Based upon 1522 valid cases out of 2221 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

D442 Current -MODALITY Specific Behavioral Technique

Location: 425-426 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	462	20.8 %
1	Yes	4	0.2 %
-2 (M)	N/A	1752	78.9 %
-1 (M)	DK	3	0.1 %

Based upon 466 valid cases out of 2221 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

D443 Past - MODALITY Specific Behavioral Technique

- Study 33444 -

Location: 427-428 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1520	68.4 %
1	Yes	2	0.1 %
-2 (M)	N/A	678	30.5 %
-1 (M)	DK	21	0.9 %

Based upon 1522 valid cases out of 2221 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.04

D444 Current - MODALITY Vocational training

Location: 429-430 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	466	21.0 %
-2 (M)	N/A	1752	78.9 %
-1 (M)	DK	3	0.1 %

Based upon 466 valid cases out of 2221 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

D445 Past -MODALITY Vocational training

Location: 431-432 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1518	68.3 %
1	Yes	1	0.0 %
-2 (M)	N/A	678	30.5 %
-1 (M)	DK	24	1.1 %

Based upon 1519 valid cases out of 2221 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.03

D446 Current - MODALITY Neuroleptics

Location: 433-434 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	464	20.9 %
1	Yes	2	0.1 %
-2 (M)	N/A	1752	78.9 %
-1 (M)	DK	3	0.1 %

Based upon 466 valid cases out of 2221 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.07

D447 Past - MODALITY Neuroleptics

Location: 435-436 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1518	68.3 %
1	Yes	1	0.0 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2 (M)	N/A	678	30.5 %
-1 (M)	DK	24	1.1 %

Based upon 1519 valid cases out of 2221 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.03

D448 **Current - MODALITY Lithium**

Location: 437-438 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	460	20.7 %
1	Yes	6	0.3 %
-2 (M)	N/A	1752	78.9 %
-1 (M)	DK	3	0.1 %

Based upon 466 valid cases out of 2221 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

D449 **Past -MODALITY Lithium**

Location: 439-440 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1513	68.1 %
1	Yes	6	0.3 %
-2 (M)	N/A	678	30.5 %
-1 (M)	DK	24	1.1 %

- Study 33444 -

Based upon 1519 valid cases out of 2221 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.06

D450 Current -MODALITY Antidepressants

Location: 441-442 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	439	19.8 %
1	Yes	27	1.2 %
-2 (M)	N/A	1752	78.9 %
-1 (M)	DK	3	0.1 %

Based upon 466 valid cases out of 2221 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

D451 Past - MODALITY Antidepressants

Location: 443-444 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1476	66.5 %
1	Yes	43	1.9 %
-2 (M)	N/A	678	30.5 %
-1 (M)	DK	24	1.1 %

Based upon 1519 valid cases out of 2221 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00

- Study 33444 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

D452 Current - MODALITY Minor Tranquilizers

Location: 445-446 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	450	20.3 %
1	Yes	16	0.7 %
-2 (M)	N/A	1752	78.9 %
-1 (M)	DK	3	0.1 %

Based upon 466 valid cases out of 2221 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

D453 Past - MODALITY Minor Tranquilizers

Location: 447-448 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1494	67.3 %
1	Yes	25	1.1 %
-2 (M)	N/A	678	30.5 %
-1 (M)	DK	24	1.1 %

Based upon 1519 valid cases out of 2221 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

D454 Current - MODALITY Stimulants

- Study 33444 -

Location: 449-450 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	465	20.9 %
1	Yes	1	0.0 %
-2 (M)	N/A	1752	78.9 %
-1 (M)	DK	3	0.1 %

Based upon 466 valid cases out of 2221 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.05

D455 Past - MODALITY Stimulants

Location: 451-452 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1516	68.3 %
1	Yes	3	0.1 %
-2 (M)	N/A	678	30.5 %
-1 (M)	DK	24	1.1 %

Based upon 1519 valid cases out of 2221 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.04

D456 Current - MODALITY Anticonvulsants

Location: 453-454 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	465	20.9 %
1	Yes	1	0.0 %
-2 (M)	N/A	1752	78.9 %
-1 (M)	DK	3	0.1 %

Based upon 466 valid cases out of 2221 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.05

D457 Past - MODALITY Anticonvulsants

Location: 455-456 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1515	68.2 %
1	Yes	4	0.2 %
-2 (M)	N/A	678	30.5 %
-1 (M)	DK	24	1.1 %

Based upon 1519 valid cases out of 2221 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.05

D458 Current -MODALITY Antiparkin medication

Location: 457-458 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	466	21.0 %
-2 (M)	N/A	1752	78.9 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1 (M)	DK	3	0.1 %

Based upon 466 valid cases out of 2221 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

D459 Past - MODALITY Antiparkin medication

Location: 459-460 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1519	68.4 %
-2 (M)	N/A	678	30.5 %
-1 (M)	DK	24	1.1 %

Based upon 1519 valid cases out of 2221 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

D460 Current - MODALITY Other/Unspecified medication

Location: 461-462 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	436	19.6 %
1	Yes	30	1.4 %
-2 (M)	N/A	1753	78.9 %
-1 (M)	DK	2	0.1 %

Based upon 466 valid cases out of 2221 total cases.

- Study 33444 -

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

D461 Past - MODALITY Other/Unspecified medication

Location: 463-464 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1482	66.7 %
1	Yes	37	1.7 %
-2 (M)	N/A	678	30.5 %
-1 (M)	DK	24	1.1 %

Based upon 1519 valid cases out of 2221 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

D462 Current -MODALITY ECT

Location: 465-466 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	463	20.8 %
1	Yes	3	0.1 %
-2 (M)	N/A	1752	78.9 %
-1 (M)	DK	3	0.1 %

Based upon 466 valid cases out of 2221 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 33444 -

- Maximum: 1.00
- Standard Deviation: 0.08

D463 Past - MODALITY ECT

Location: 467-468 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1522	68.5 %
-2 (M)	N/A	678	30.5 %
-1 (M)	DK	21	0.9 %

Based upon 1522 valid cases out of 2221 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

D464 Current- MODALITY Other/Unspecified modality

Location: 469-470 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	453	20.4 %
1	Yes	13	0.6 %
-2 (M)	N/A	1752	78.9 %
-1 (M)	DK	3	0.1 %

Based upon 466 valid cases out of 2221 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

D465 Past - MODALITY Other/Unspecified modality

Location: 471-472 (width: 2; decimal: 0)

- Study 33444 -

Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1506	67.8 %
1	Yes	16	0.7 %
-2 (M)	N/A	678	30.5 %
-1 (M)	DK	21	0.9 %

Based upon 1522 valid cases out of 2221 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

D466 Current - SOCIAL FUNCTIONING Family

Location: 473-474 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	117	5.3 %
1	Yes	339	15.3 %
-2 (M)	N/A	1752	78.9 %
-1 (M)	DK	13	0.6 %

Based upon 456 valid cases out of 2221 total cases.

- Mean: 0.74
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

D467 Past - SOCIAL FUNCTIONING Family

Location: 475-476 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	584	26.3 %
1	Yes	926	41.7 %
-2 (M)	N/A	678	30.5 %
-1 (M)	DK	33	1.5 %

Based upon 1510 valid cases out of 2221 total cases.

- Mean: 0.61
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

D468 Current - SOCIAL FUNCTIONING Peers

Location: 477-478 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	265	11.9 %
1	Yes	192	8.6 %
-2 (M)	N/A	1752	78.9 %
-1 (M)	DK	12	0.5 %

Based upon 457 valid cases out of 2221 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

D469 Past - SOCIAL FUNCTIONING Peers

Location: 479-480 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1010	45.5 %
1	Yes	500	22.5 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2 (M)	N/A	678	30.5 %
-1 (M)	DK	33	1.5 %

Based upon 1510 valid cases out of 2221 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

D470 **Current -SOCIAL FUNCTIONING Work/school**

Location: 481-482 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	170	7.7 %
1	Yes	285	12.8 %
-2 (M)	N/A	1752	78.9 %
-1 (M)	DK	14	0.6 %

Based upon 455 valid cases out of 2221 total cases.

- Mean: 0.63
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

D471 **Past - SOCIAL FUNCTIONING Work/school**

Location: 483-484 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	600	27.0 %
1	Yes	911	41.0 %
-2 (M)	N/A	678	30.5 %
-1 (M)	DK	32	1.4 %

- Study 33444 -

Based upon 1511 valid cases out of 2221 total cases.

- Mean: 0.60
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

D472 Current - SOCIAL FUNCTIONING Community

Location: 485-486 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	200	9.0 %
1	Yes	261	11.8 %
-2 (M)	N/A	1752	78.9 %
-1 (M)	DK	8	0.4 %

Based upon 461 valid cases out of 2221 total cases.

- Mean: 0.57
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

D473 Past - SOCIAL FUNCTIONING Community

Location: 487-488 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	753	33.9 %
1	Yes	761	34.3 %
-2 (M)	N/A	679	30.6 %
-1 (M)	DK	28	1.3 %

Based upon 1514 valid cases out of 2221 total cases.

- Mean: 0.50
- Median: 1.00
- Mode: 1.00

- Study 33444 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

D474 VII. Global Assessment Scale (where applicable) (01-90)

Location: 489-491 (width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	-	1	0.0 %
21	-	2	0.1 %
27	-	1	0.0 %
30	-	1	0.0 %
31	-	9	0.4 %
35	-	4	0.2 %
37	-	1	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	21	0.9 %
41	-	18	0.8 %
42	-	1	0.0 %
43	-	1	0.0 %
45	-	2	0.1 %
50	-	15	0.7 %
51	-	14	0.6 %
54	-	1	0.0 %
55	-	22	1.0 %
59	-	1	0.0 %
60	-	30	1.4 %
61	-	13	0.6 %
62	-	1	0.0 %
63	-	1	0.0 %
65	-	15	0.7 %
70	-	24	1.1 %
71	-	10	0.5 %
73	-	1	0.0 %
75	-	14	0.6 %
78	-	1	0.0 %
80	-	25	1.1 %
81	-	14	0.6 %
85	-	7	0.3 %

- Study 33444 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
90	-	14	0.6 %
-2 (M)	N/A	1934	87.1 %

Based upon 287 valid cases out of 2221 total cases.

- Mean: 60.82
- Median: 60.00
- Mode: 60.00
- Minimum: 10.00
- Maximum: 90.00
- Standard Deviation: 16.60