

ICPSR 33581

**Addiction Health Evaluation and
Disease (AHEAD) Management
Study in Boston, Massachusetts,
2006-2010**

Richard Saitz
Boston Medical Center

Jeffrey H. Samet
Boston Medical Center

Codebook for First Supplement Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/33581/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #33581

*Addiction Health Evaluation and Disease (AHEAD) Management Study in Boston,
Massachusetts, 2006-2010
Part 5: First Supplement Data*

- 1) A maximum of 50 valid values are displayed per variable in the frequency tables.
- 2) Due to a limitation in STATA, variable labels in the STATA data file (.dta) will not exceed 80 total characters. Please consult the STATA dictionary file (.dct) for complete variable labels.
- 3) The full variable label for the variable VQ2A is over 256, and the full variable label was not retained in the data file. The full text for this label is: Have you ever been persistently irritable (arguments or verbal/phys fights/shouted at people outside family)? Have you or others noticed that you have been more irritable or overreacted, compared to other people, even in situations that you felt were justified?

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--First Supplement Data

Variable Name and Label (Total Cases = 549)	Percent of Cases with Missing Values
43.0% (34 of 79 variables)	have 0% Missing Values
15.2% (12 of 79 variables)	have 0% - 1% Missing Values
0.0% (0 of 79 variables)	have 1% - 3% Missing Values
0.0% (0 of 79 variables)	have 3% - 5% Missing Values
0.0% (0 of 79 variables)	have 5% - 10% Missing Values
0.0% (0 of 79 variables)	have 10% - 20% Missing Values
10.1% (8 of 79 variables)	have 20% - 40% Missing Values
VQ3A	During the times when felt high/full of energy/irritable: Felt you could do things others couldn't do, or that you were an especially important person? 31.9%
VQ3B	During the times when felt high/full of energy/irritable: Needed less sleep (feel rested after only a few hrs of sleep)? 31.9%
VQ3C	During the times when felt high/full of energy/irritable: talked too much without stopping, or so fast that people had difficulty understanding? 31.9%
VQ3D	During the times when felt high/full of energy/irritable: Had racing thoughts? 31.9%
VQ3E	During the times when felt high/full of energy/irritable: Became easily distracted so that any little interruption could distract you? 31.9%
VQ3F	During the times when felt high/full of energy/irritable: Became so active or physically restless that others were worried about you? 32.1%
VQ3G	During the times when you felt high/full of energy/irritable: Wanted so much to engage in pleasurable activities that you ignored the risks or consequences? 31.9%
VQ3H	ARE 3 OR MORE #3 ANSWERS CODED YES (OR 4 IF #1a IS NO [PAST EPISODE] OR #1b IS NO [CURRENT EPISODE])? 31.9%
31.6% (25 of 79 variables)	have 40% - 99% Missing Values
VQ4A	Did these symptoms last at least a week and cause significant problems at home, at work, socially, or at school, or were you hospitalized fo these problems? 56.6%
WQ1B	Did the spells peak within 10 minutes? 53.2%
WQ2	At any time in the past, did any of those spells or attacks come on unexpectedly or occur in an unpredictable or unprovoked manner? 64.5%

Table 1: Distribution of Variables by Percentage of Missing Values--First Supplement Data

Variable Name and Label (Total Cases = 549)	Percent of Cases with Missing Values
WQ3	Have you ever had one such attack followed by a month or more of persistent fear of having another attack, or worries about the consequences of the attack? 69.2%
WQ4A	During the worst spell that you can remember: Did you have skipping, racing or pounding of your heart? 69.2%
WQ4B	During the worst spell that you can remember: Did you have sweating or clammy hands? 69.2%
WQ4C	During the worst spell that you can remember: Were you trembling or shaking? 69.2%
WQ4D	During the worst spell that you can remember: Did you have shortness of breath or difficulty breathing? 69.2%
WQ4E	During the worst spell that you can remember: Did you have a choking sensation or a lump in your throat? 69.2%
WQ4F	During the worst spell that you can remember: Did you have chest pain, pressure or discomfort? 69.2%
WQ4G	During the worst spell that you can remember: Did you have nausea, stomach problems or sudden diarrhea? 69.2%
WQ4H	During the worst spell that you can remember: Did you feel dizzy, unsteady, lightheaded or faint? 69.2%
WQ4I	During the worst spell that you can remember: Did things around you feel strange, unreal, detached or unfamiliar, or did you feel outside of or detached from part or all of your body? 69.2%
WQ4J	During the worst spell that you can remember: Did you fear that you were losing control or going crazy? 69.2%
WQ4K	During the worst spell that you can remember: Did you fear that you were dying? 69.2%
WQ4L	During the worst spell that you can remember: Did you have tingling or numbness in parts of your body? 69.2%
WQ4M	During the worst spell that you can remember: Did you have hot flushes or chills? 69.2%
WQ6	IF #5 = NO, ARE 1, 2 OR 3 SYPMTOMS IN #4a-m CODED YES? 86.3%
WQ7	In the past month, did you have such attacks repeatedly (2 or more) followed by persistent fear of having another attack? 83.4%
XQ2A	Since you were 15 years old: Repeatedly behaved in way others consider irresponsible, like failing to pay for things you owed, deliberately being impulsive or deliberately not working to support yourself? 48.1%
XQ2B	Since you were 15 years old: Done illegal things even if didn't get caught (i.e., destroying property/shoplifting/stealing/selling drugs/committing a felony)? 48.1%
XQ2C	Since you were 15 years old: Been in physical fights repeatedly (including physical fights with your spouse or children)? 48.1%
XQ2D	Since you were 15 years old: Often lied or conned other people to get money or pleasure, or lied just for fun? 48.1%

Table 1: Distribution of Variables by Percentage of Missing Values--First Supplement Data

Variable Name and Label (Total Cases = 549)	Percent of Cases with Missing Values
XQ2E	Since you were 15 years old: Exposed others to danger without caring? 48.1%
XQ2F	Since you were 15 years old: Felt no guilt after hurting, mistreating, lying to, or stealing from others, or after damaging property? 48.1%
0.0% (0 of 79 variables)	have 100% missing values

ICPSR 33581

Addiction Health Evaluation and Disease (AHEAD) Management Study in Boston, Massachusetts, 2006-2010

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Addiction Health Evaluation and Disease (AHEAD) Management Study in Boston, Massachusetts, 2006-2010

First Supplement Data

Variables

ID: New Study ID

Location: 1-3 (width: 3; decimal: 0)

Variable Type: numeric

Based upon 549 valid cases out of 549 total cases.

- Mean: 380.20
- Minimum: 101
- Maximum: 663
- Standard Deviation: 162.80

VISIT: Visit (month)

Location: 4-5 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	477	86.9 %
6	52	9.5 %
12	20	3.6 %

Based upon 549 valid cases out of 549 total cases.

- Mean: 3.61
- Median: 3.00
- Mode: 3.00
- Minimum: 3
- Maximum: 12
- Standard Deviation: 1.85

VISITDATE: Days from baseline to first supplement

Location: 6-8 (width: 3; decimal: 0)

Variable Type: numeric

Based upon 549 valid cases out of 549 total cases.

- Mean: 122.60
- Median: 93.00
- Mode: 92.00
- Minimum: 1
- Maximum: 934
- Standard Deviation: 88.00

- Study 33581 -

VISITYEAR: Year of assessment

Location: 9-12 (width: 4; decimal: 0)

Variable Type: numeric

Value	Unweighted Frequency	%
2006	17	3.1 %
2007	278	50.6 %
2008	243	44.3 %
2009	11	2.0 %

Based upon 549 valid cases out of 549 total cases.

- Mean: 2007.45
- Median: 2007.00
- Mode: 2007.00
- Minimum: 2006
- Maximum: 2009
- Standard Deviation: 0.59

TIMEPOINT: Time Point

Location: 13-13 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	3 month	477	86.9 %
2	6 month	52	9.5 %
3	12 month	20	3.6 %

Based upon 549 valid cases out of 549 total cases.

- Mean: 1.17
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 3
- Standard Deviation: 0.46

ADMSPAN: Administered in Spanish?

Location: 14-15 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

Value	Label	Unweighted Frequency	%
0	No	546	99.5 %
1	Yes	2	0.4 %
<i>Missing Data</i>			

- Study 33581 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Missing	1	0.2 %

Based upon 548 valid cases out of 549 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.06

VQ1A: Have you ever had a period of time when you were feeling high/so full of energy that you got into trouble, or other people thought you were not your usual self?

Location: 16-17 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	292	53.2 %
1	Yes	257	46.8 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %

Based upon 549 valid cases out of 549 total cases.

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.50

VQ1B: IF YES: Are you currently feeling 'up' or 'high' or full of energy?

Location: 18-19 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	485	88.3 %
1	Yes	64	11.7 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %

Based upon 549 valid cases out of 549 total cases.

- Mean: 0.12
- Median: 0.00

- Study 33581 -

- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.32

VQ2A: Have you ever been persistently irritable (arguments or verbal/phys fights/shouted at people outside family)? Have you or others noticed that you have been more irritable or overreacted, compared to other people, even in situations that you felt were just

Location: 20-21 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

Value	Label	Unweighted Frequency	%
0	No	216	39.3 %
1	Yes	333	60.7 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %

Based upon 549 valid cases out of 549 total cases.

- Mean: 0.61
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.49

VQ2B: IF YES: Are you currently feeling persistently irritable?

Location: 22-23 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

Value	Label	Unweighted Frequency	%
0	No	450	82.0 %
1	Yes	98	17.9 %
<i>Missing Data</i>			
-9 (M)	Missing	1	0.2 %

Based upon 548 valid cases out of 549 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.38

VQ2C: IS #1a OR #2a CODED YES?

- Study 33581 -

Location: 24-25 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

Value	Label	Unweighted Frequency	%
0	No	175	31.9 %
1	Yes	374	68.1 %
Missing Data			
-9 (M)	Missing	0	0.0 %

Based upon 549 valid cases out of 549 total cases.

- Mean: 0.68
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.47

VQ3A: During the times when felt high/full of energy/irritable: Felt you could do things others couldn't do, or that you were an especially important person?

Location: 26-27 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9 , -8

Value	Label	Unweighted Frequency	%
0	No	220	40.1 %
1	Yes	154	28.1 %
Missing Data			
-9 (M)	Missing	0	0.0 %
-8 (M)	Out of the universe	175	31.9 %

Based upon 374 valid cases out of 549 total cases.

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.49

VQ3B: During the times when felt high/full of energy/irritable: Needed less sleep (feel rested after only a few hrs of sleep)?

Location: 28-29 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9 , -8

- Study 33581 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	185	33.7 %
1	Yes	189	34.4 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %
-8 (M)	Out of the universe	175	31.9 %

Based upon 374 valid cases out of 549 total cases.

- Mean: 0.51
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.50

VQ3C: During the times when felt high/full of energy/irritable: talked too much without stopping, or so fast that people had difficulty understanding?

Location: 30-31 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values (M): -9 , -8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	189	34.4 %
1	Yes	185	33.7 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %
-8 (M)	Out of the universe	175	31.9 %

Based upon 374 valid cases out of 549 total cases.

- Mean: 0.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.50

VQ3D: During the times when felt high/full of energy/irritable: Had racing thoughts?

Location: 32-33 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values (M): -9 , -8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	100	18.2 %
1	Yes	274	49.9 %

- Study 33581 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %
-8 (M)	Out of the universe	175	31.9 %

Based upon 374 valid cases out of 549 total cases.

- Mean: 0.73
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.44

VQ3E: During the times when felt high/full of energy/irritable: Became easily distracted so that any little interruption could distract you?

Location: 34-35 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values (M): -9 , -8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	94	17.1 %
1	Yes	280	51.0 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %
-8 (M)	Out of the universe	175	31.9 %

Based upon 374 valid cases out of 549 total cases.

- Mean: 0.75
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.43

VQ3F: During the times when felt high/full of energy/irritable: Became so active or physically restless that others were worried about you?

Location: 36-37 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values (M): -9 , -8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	159	29.0 %
1	Yes	214	39.0 %
<i>Missing Data</i>			

- Study 33581 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Missing	1	0.2 %
-8 (M)	Out of the universe	175	31.9 %

Based upon 373 valid cases out of 549 total cases.

- Mean: 0.57
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.50

VQ3G: During the times when you felt high/full of energy/irritable: Wanted so much to engage in pleasurable activities that you ignored the risks or consequences?

Location: 38-39 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values (M): -9 , -8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	149	27.1 %
1	Yes	225	41.0 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %
-8 (M)	Out of the universe	175	31.9 %

Based upon 374 valid cases out of 549 total cases.

- Mean: 0.60
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.49

VQ3H: ARE 3 OR MORE #3 ANSWERS CODED YES (OR 4 IF #1a IS NO [PAST EPISODE] OR #1b IS NO [CURRENT EPISODE])?

Location: 40-41 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values (M): -9 , -8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	135	24.6 %
1	Yes	239	43.5 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %
-8 (M)	Out of the universe	175	31.9 %

- Study 33581 -

Based upon 374 valid cases out of 549 total cases.

- Mean: 0.64
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.48

VQ4A: Did these symptoms last at least a week and cause significant problems at home, at work, socially, or at school, or were you hospitalized for these problems?

Location: 42-43 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9 , -8

Value	Label	Unweighted Frequency	%
0	No	94	17.1 %
1	Yes	144	26.2 %
Missing Data			
-9 (M)	Missing	1	0.2 %
-8 (M)	Out of the universe	310	56.5 %

Based upon 238 valid cases out of 549 total cases.

- Mean: 0.61
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.49

VQ4B: The episode explored was a: Hypomanic episode

Location: 44-45 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

Value	Label	Unweighted Frequency	%
0	Unchecked	455	82.9 %
1	Checked	94	17.1 %
Missing Data			
-9 (M)	Missing	0	0.0 %

Based upon 549 valid cases out of 549 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0

- Study 33581 -

- Maximum: 1
- Standard Deviation: 0.38

VQ4C: The episode explored was a: Manic episode

Location: 46-47 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

Value	Label	Unweighted Frequency	%
0	Unchecked	405	73.8 %
1	Checked	144	26.2 %
Missing Data			
-9 (M)	Missing	0	0.0 %

Based upon 549 valid cases out of 549 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.44

VQ4D: IS #4 CODED NO?

Location: 48-49 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

Value	Label	Unweighted Frequency	%
0	Unchecked	454	82.7 %
1	Checked	94	17.1 %
Missing Data			
-9 (M)	Missing	1	0.2 %

Based upon 548 valid cases out of 549 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.38

VQ4E: SPECIFY IF THE EPISODE IS CURRENT

Location: 50-51 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

- Study 33581 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Unchecked	503	91.6 %
1	Checked	46	8.4 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %

Based upon 549 valid cases out of 549 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.28

VQ4F: SPECIFY IF THE EPISODE IS PAST

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Unchecked	501	91.3 %
1	Checked	48	8.7 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %

Based upon 549 valid cases out of 549 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.28

VQ4G: IS #4 CODED YES?

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Unchecked	404	73.6 %
1	Checked	144	26.2 %
<i>Missing Data</i>			
-9 (M)	Missing	1	0.2 %

Based upon 548 valid cases out of 549 total cases.

- Study 33581 -

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.44

VQ4H: SPECIFY IF THE EPISODE IS CURRENT

Location: 56-57 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

Value	Label	Unweighted Frequency	%
0	Unchecked	478	87.1 %
1	Checked	71	12.9 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %

Based upon 549 valid cases out of 549 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.34

VQ4I: SPECIFY IF THE EPISODE IS PAST

Location: 58-59 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

Value	Label	Unweighted Frequency	%
0	Unchecked	477	86.9 %
1	Checked	72	13.1 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %

Based upon 549 valid cases out of 549 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.34

- Study 33581 -

WQ1A: Have you, on more than one occasion, had spells/attacks when you suddenly felt anxious/frightened/uncomfortable/uneasy, even in situations where most people would not feel that way?

Location: 60-61 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

Value	Label	Unweighted Frequency	%
0	No	292	53.2 %
1	Yes	257	46.8 %
Missing Data			
-9 (M)	Missing	0	0.0 %

Based upon 549 valid cases out of 549 total cases.

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.50

WQ1B: Did the spells peak within 10 minutes?

Location: 62-63 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9 , -8

Value	Label	Unweighted Frequency	%
0	No	62	11.3 %
1	Yes	195	35.5 %
Missing Data			
-9 (M)	Missing	0	0.0 %
-8 (M)	Out of the universe	292	53.2 %

Based upon 257 valid cases out of 549 total cases.

- Mean: 0.76
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.43

WQ2: At any time in the past, did any of those spells or attacks come on unexpectedly or occur in an unpredictable or unprovoked manner?

Location: 64-65 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9 , -8

- Study 33581 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	26	4.7 %
1	Yes	169	30.8 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %
-8 (M)	Out of the universe	354	64.5 %

Based upon 195 valid cases out of 549 total cases.

- Mean: 0.87
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.34

WQ3: Have you ever had one such attack followed by a month or more of persistent fear of having another attack, or worries about the consequences of the attack?

Location: 66-67 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values (M): -9 , -8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	71	12.9 %
1	Yes	98	17.9 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %
-8 (M)	Out of the universe	380	69.2 %

Based upon 169 valid cases out of 549 total cases.

- Mean: 0.58
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.50

WQ4A: During the worst spell that you can remember: Did you have skipping, racing or pounding of your heart?

Location: 68-69 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values (M): -9 , -8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	27	4.9 %
1	Yes	142	25.9 %

- Study 33581 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %
-8 (M)	Out of the universe	380	69.2 %

Based upon 169 valid cases out of 549 total cases.

- Mean: 0.84
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.37

WQ4B: During the worst spell that you can remember: Did you have sweating or clammy hands?

Location: 70-71 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9 , -8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	28	5.1 %
1	Yes	141	25.7 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %
-8 (M)	Out of the universe	380	69.2 %

Based upon 169 valid cases out of 549 total cases.

- Mean: 0.83
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.37

WQ4C: During the worst spell that you can remember: Were you trembling or shaking?

Location: 72-73 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9 , -8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	40	7.3 %
1	Yes	129	23.5 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %
-8 (M)	Out of the universe	380	69.2 %

- Study 33581 -

Based upon 169 valid cases out of 549 total cases.

- Mean: 0.76
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.43

WQ4D: During the worst spell that you can remember: Did you have shortness of breath or difficulty breathing?

Location: 74-75 (width: 2; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values (M): -9 , -8

Value	Label	Unweighted Frequency	%
0	No	41	7.5 %
1	Yes	128	23.3 %
Missing Data			
-9 (M)	Missing	0	0.0 %
-8 (M)	Out of the universe	380	69.2 %

Based upon 169 valid cases out of 549 total cases.

- Mean: 0.76
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.43

WQ4E: During the worst spell that you can remember: Did you have a choking sensation or a lump in your throat?

Location: 76-77 (width: 2; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values (M): -9 , -8

Value	Label	Unweighted Frequency	%
0	No	110	20.0 %
1	Yes	59	10.7 %
Missing Data			
-9 (M)	Missing	0	0.0 %
-8 (M)	Out of the universe	380	69.2 %

Based upon 169 valid cases out of 549 total cases.

- Mean: 0.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0

- Study 33581 -

- Maximum: 1
- Standard Deviation: 0.48

WQ4F: During the worst spell that you can remember: Did you have chest pain, pressure or discomfort?

Location: 78-79 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9 , -8

Value	Label	Unweighted Frequency	%
0	No	74	13.5 %
1	Yes	95	17.3 %
Missing Data			
-9 (M)	Missing	0	0.0 %
-8 (M)	Out of the universe	380	69.2 %

Based upon 169 valid cases out of 549 total cases.

- Mean: 0.56
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.50

WQ4G: During the worst spell that you can remember: Did you have nausea, stomach problems or sudden diarrhea?

Location: 80-81 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9 , -8

Value	Label	Unweighted Frequency	%
0	No	70	12.8 %
1	Yes	99	18.0 %
Missing Data			
-9 (M)	Missing	0	0.0 %
-8 (M)	Out of the universe	380	69.2 %

Based upon 169 valid cases out of 549 total cases.

- Mean: 0.59
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.49

WQ4H: During the worst spell that you can remember: Did you feel dizzy, unsteady, lightheaded or faint?

Location: 82-83 (width: 2; decimal: 0)

- Study 33581 -

Variable Type: numeric

(Range of) Missing Values (M): -9 , -8

Value	Label	Unweighted Frequency	%
0	No	59	10.7 %
1	Yes	110	20.0 %
Missing Data			
-9 (M)	Missing	0	0.0 %
-8 (M)	Out of the universe	380	69.2 %

Based upon 169 valid cases out of 549 total cases.

- Mean: 0.65
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.48

WQ4I: During the worst spell that you can remember: Did things around you feel strange, unreal, detached or unfamiliar, or did you feel outside of or detached from part or all of your body?

Location: 84-85 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9 , -8

Value	Label	Unweighted Frequency	%
0	No	62	11.3 %
1	Yes	107	19.5 %
Missing Data			
-9 (M)	Missing	0	0.0 %
-8 (M)	Out of the universe	380	69.2 %

Based upon 169 valid cases out of 549 total cases.

- Mean: 0.63
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.48

WQ4J: During the worst spell that you can remember: Did you fear that you were losing control or going crazy?

Location: 86-87 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9 , -8

- Study 33581 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	45	8.2 %
1	Yes	124	22.6 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %
-8 (M)	Out of the universe	380	69.2 %

Based upon 169 valid cases out of 549 total cases.

- Mean: 0.73
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.44

WQ4K: During the worst spell that you can remember: Did you fear that you were dying?

Location: 88-89 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values (M): -9 , -8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	118	21.5 %
1	Yes	51	9.3 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %
-8 (M)	Out of the universe	380	69.2 %

Based upon 169 valid cases out of 549 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.46

WQ4L: During the worst spell that you can remember: Did you have tingling or numbness in parts of your body?

Location: 90-91 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values (M): -9 , -8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	71	12.9 %
1	Yes	98	17.9 %
<i>Missing Data</i>			

- Study 33581 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Missing	0	0.0 %
-8 (M)	Out of the universe	380	69.2 %

Based upon 169 valid cases out of 549 total cases.

- Mean: 0.58
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.50

WQ4M: During the worst spell that you can remember: Did you have hot flushes or chills?

Location: 92-93 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values (M): -9 , -8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	53	9.7 %
1	Yes	116	21.1 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %
-8 (M)	Out of the universe	380	69.2 %

Based upon 169 valid cases out of 549 total cases.

- Mean: 0.69
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.47

WQ5: ARE BOTH #3 AND 4 OR MORE #4 ANSWERS CODED YES?

Location: 94-95 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	455	82.9 %
1	Yes	94	17.1 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %

Based upon 549 valid cases out of 549 total cases.

- Study 33581 -

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.38

WQ6: IF #5 = NO, ARE 1, 2 OR 3 SYPMTOMS IN #4a-m CODED YES?

Location: 96-97 (width: 2; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values (M): -9 , -8

Value	Label	Unweighted Frequency	%
0	No	0	0.0 %
1	Yes	75	13.7 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %
-8 (M)	Out of the universe	474	86.3 %

Based upon 75 valid cases out of 549 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 1
- Standard Deviation: 0.00

WQ7: In the past month, did you have such attacks repeatedly (2 or more) followed by persistent fear of having another attack?

Location: 98-99 (width: 2; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values (M): -9 , -8

Value	Label	Unweighted Frequency	%
0	No	37	6.7 %
1	Yes	54	9.8 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %
-8 (M)	Out of the universe	458	83.4 %

Based upon 91 valid cases out of 549 total cases.

- Mean: 0.59
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.49

- Study 33581 -

XQ1A: Before you were 15 years old, did you: Repeatedly skip school or run away from home overnight?

Location: 100-101 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

Value	Label	Unweighted Frequency	%
0	No	272	49.5 %
1	Yes	277	50.5 %
Missing Data			
-9 (M)	Missing	0	0.0 %

Based upon 549 valid cases out of 549 total cases.

- Mean: 0.50
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.50

XQ1B: Before you were 15 years old, did you: Repeatedly lie, cheat, 'con' others, or steal?

Location: 102-103 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

Value	Label	Unweighted Frequency	%
0	No	247	45.0 %
1	Yes	302	55.0 %
Missing Data			
-9 (M)	Missing	0	0.0 %

Based upon 549 valid cases out of 549 total cases.

- Mean: 0.55
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.50

XQ1C: Before you were 15 years old, did you: Start fights or bully, threaten, or intimidate others?

Location: 104-105 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

Value	Label	Unweighted Frequency	%
0	No	357	65.0 %

- Study 33581 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	192	35.0 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %

Based upon 549 valid cases out of 549 total cases.

- Mean: 0.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.48

XQ1D: Before you were 15 years old, did you: Deliberately destroy things or start fires?

Location: 106-107 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	403	73.4 %
1	Yes	146	26.6 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %

Based upon 549 valid cases out of 549 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.44

XQ1E: Before you were 15 years old, did you: Deliberately hurt animals or people?

Location: 108-109 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	489	89.1 %
1	Yes	60	10.9 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %

Based upon 549 valid cases out of 549 total cases.

- Study 33581 -

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.31

XQ1F: Before you were 15 years old, did you: Force someone to have sex with you?

Location: 110-111 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

Value	Label	Unweighted Frequency	%
0	No	544	99.1 %
1	Yes	5	0.9 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %

Based upon 549 valid cases out of 549 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.10

XQ1G: ARE 2 OR MORE #1 ANSWERS CODED YES?

Location: 112-113 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

Value	Label	Unweighted Frequency	%
0	No	264	48.1 %
1	Yes	285	51.9 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %

Based upon 549 valid cases out of 549 total cases.

- Mean: 0.52
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.50

- Study 33581 -

XQ2A: Since you were 15 years old: Repeatedly behaved in way others consider irresponsible, like failing to pay for things you owed, deliberately being impulsive or deliberately not working to support yourself?

Location: 114-115 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9 , -8

Value	Label	Unweighted Frequency	%
0	No	68	12.4 %
1	Yes	217	39.5 %
Missing Data			
-9 (M)	Missing	0	0.0 %
-8 (M)	Out of the universe	264	48.1 %

Based upon 285 valid cases out of 549 total cases.

- Mean: 0.76
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.43

XQ2B: Since you were 15 years old: Done illegal things even if didn't get caught (i.e., destroying property/shoplifting/stealing/selling drugs/committing a felony)?

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9 , -8

Value	Label	Unweighted Frequency	%
0	No	17	3.1 %
1	Yes	268	48.8 %
Missing Data			
-9 (M)	Missing	0	0.0 %
-8 (M)	Out of the universe	264	48.1 %

Based upon 285 valid cases out of 549 total cases.

- Mean: 0.94
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.24

XQ2C: Since you were 15 years old: Been in physical fights repeatedly (including physical fights with your spouse or children)?

Location: 118-119 (width: 2; decimal: 0)

Variable Type: numeric

- Study 33581 -

(Range of) Missing Values (M): -9 , -8

Value	Label	Unweighted Frequency	%
0	No	87	15.8 %
1	Yes	198	36.1 %
Missing Data			
-9 (M)	Missing	0	0.0 %
-8 (M)	Out of the universe	264	48.1 %

Based upon 285 valid cases out of 549 total cases.

- Mean: 0.69
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.46

XQ2D: Since you were 15 years old: Often lied or conned other people to get money or pleasure, or lied just for fun?

Location: 120-121 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9 , -8

Value	Label	Unweighted Frequency	%
0	No	45	8.2 %
1	Yes	240	43.7 %
Missing Data			
-9 (M)	Missing	0	0.0 %
-8 (M)	Out of the universe	264	48.1 %

Based upon 285 valid cases out of 549 total cases.

- Mean: 0.84
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.37

XQ2E: Since you were 15 years old: Exposed others to danger without caring?

Location: 122-123 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9 , -8

Value	Label	Unweighted Frequency	%
0	No	127	23.1 %
1	Yes	158	28.8 %

- Study 33581 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %
-8 (M)	Out of the universe	264	48.1 %

Based upon 285 valid cases out of 549 total cases.

- Mean: 0.55
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.50

XQ2F: Since you were 15 years old: Felt no guilt after hurting, mistreating, lying to, or stealing from others, or after damaging property?

Location: 124-125 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9 , -8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	174	31.7 %
1	Yes	111	20.2 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %
-8 (M)	Out of the universe	264	48.1 %

Based upon 285 valid cases out of 549 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.49

XQ2G: ARE 3 OR MORE #2 QUESTIONS CODED YES?

Location: 126-127 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	306	55.7 %
1	Yes	243	44.3 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %

- Study 33581 -

Based upon 549 valid cases out of 549 total cases.

- Mean: 0.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.50

YQ1: Have you often become frantic when you thought that someone you really care about was going to leave you?

Location: 128-129 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	230	41.9 %
1	Yes	318	57.9 %
<i>Missing Data</i>			
-9 (M)	Missing	1	0.2 %

Based upon 548 valid cases out of 549 total cases.

- Mean: 0.58
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.49

YQ2: Do your relationships with people you really care about have lots of ups and downs?

Location: 130-131 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	118	21.5 %
1	Yes	430	78.3 %
<i>Missing Data</i>			
-9 (M)	Missing	1	0.2 %

Based upon 548 valid cases out of 549 total cases.

- Mean: 0.78
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.41

- Study 33581 -

YQ3: Have you abruptly changed your sense of who you are and where you are headed?

Location: 132-133 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

Value	Label	Unweighted Frequency	%
0	No	191	34.8 %
1	Yes	357	65.0 %
Missing Data			
-9 (M)	Missing	1	0.2 %

Based upon 548 valid cases out of 549 total cases.

- Mean: 0.65
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.48

YQ4: Does your sense of who you are often change dramatically?

Location: 134-135 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

Value	Label	Unweighted Frequency	%
0	No	340	61.9 %
1	Yes	209	38.1 %
Missing Data			
-9 (M)	Missing	0	0.0 %

Based upon 549 valid cases out of 549 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.49

YQ5: Have there been lots of sudden changes in your goals, career plans, religious beliefs, and so on?

Location: 136-137 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

Value	Label	Unweighted Frequency	%
0	No	198	36.1 %

- Study 33581 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	351	63.9 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %

Based upon 549 valid cases out of 549 total cases.

- Mean: 0.64
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.48

YQ6: Have you often done things impulsively?

Location: 138-139 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	147	26.8 %
1	Yes	402	73.2 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %

Based upon 549 valid cases out of 549 total cases.

- Mean: 0.73
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.44

YQ7: Have you tried to hurt or kill yourself or threatened to do so?

Location: 140-141 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	440	80.1 %
1	Yes	108	19.7 %
<i>Missing Data</i>			
-9 (M)	Missing	1	0.2 %

Based upon 548 valid cases out of 549 total cases.

- Study 33581 -

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.40

YQ8: Have you ever cut, burned, or scratched yourself on purpose?

Location: 142-143 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

Value	Label	Unweighted Frequency	%
0	No	455	82.9 %
1	Yes	94	17.1 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %

Based upon 549 valid cases out of 549 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.38

YQ9: Are you a 'moody' person?

Location: 144-145 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

Value	Label	Unweighted Frequency	%
0	No	262	47.7 %
1	Yes	286	52.1 %
<i>Missing Data</i>			
-9 (M)	Missing	1	0.2 %

Based upon 548 valid cases out of 549 total cases.

- Mean: 0.52
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.50

YQ10: Do you often feel empty inside?

- Study 33581 -

Location: 146-147 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

Value	Label	Unweighted Frequency	%
0	No	224	40.8 %
1	Yes	324	59.0 %
Missing Data			
-9 (M)	Missing	1	0.2 %

Based upon 548 valid cases out of 549 total cases.

- Mean: 0.59
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.49

YQ11: Do you often have temper outbursts or get so angry that you lose control?

Location: 148-149 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

Value	Label	Unweighted Frequency	%
0	No	360	65.6 %
1	Yes	189	34.4 %
Missing Data			
-9 (M)	Missing	0	0.0 %

Based upon 549 valid cases out of 549 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.48

YQ12: Do you hit people or throw things when you get angry?

Location: 150-151 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

Value	Label	Unweighted Frequency	%
0	No	428	78.0 %
1	Yes	120	21.9 %

- Study 33581 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
<i>Missing Data</i>			
-9 (M)	Missing	1	0.2 %

Based upon 548 valid cases out of 549 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.41

YQ13: Do you get suspicious of other people or feel especially spaced out when you are under a lot of stress?

Location: 152-153 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	245	44.6 %
1	Yes	304	55.4 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %

Based upon 549 valid cases out of 549 total cases.

- Mean: 0.55
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.50

HYPOMANIC: MINI (hypo)manic episode

Location: 154-155 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	312	56.8 %
1	Current	117	21.3 %
2	Past,not current	120	21.9 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %

Based upon 549 valid cases out of 549 total cases.

- Study 33581 -

- Mean: 0.65
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 2
- Standard Deviation: 0.82

PANIC: MINI panic disorder

Location: 156-157 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

Value	Label	Unweighted Frequency	%
0	None	455	82.9 %
1	Current	54	9.8 %
2	Past, not current	40	7.3 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %

Based upon 549 valid cases out of 549 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 2
- Standard Deviation: 0.58

APD: MINI antisocial personality disorder lifetime

Location: 158-159 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9

Value	Label	Unweighted Frequency	%
0	No	306	55.7 %
1	Yes	243	44.3 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %

Based upon 549 valid cases out of 549 total cases.

- Mean: 0.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.50

BPD: SCID-II borderline personality disorder

Location: 160-161 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values (M): -9 , -8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	165	30.1 %
1	Yes	381	69.4 %
<i>Missing Data</i>			
-9 (M)	Missing	0	0.0 %
-8 (M)	Out of the universe	3	0.5 %

Based upon 546 valid cases out of 549 total cases.

- Mean: 0.70
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.46