

ICPSR 34081

State Court Statistics, 2009

National Center for State Courts

Codebook for Trial Court Data -- Five Major
Categories

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/34081/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

Table of Contents

Study Description.....	4
Citation.....	4
Study Scope.....	4
Subject Information.....	4
Abstract.....	4
Summary Data Description.....	4
Methodology and Processing.....	5
Data Collection Methodology.....	5
Data Access.....	7
Dataset Availability.....	7
Data Use Statement.....	7
File Description.....	8
Trial Court Data -- Five Major Categories.....	8
Variable Description.....	9
Trial Court Data -- Five Major Categories.....	10

Study Description

Citation

Title Statement

Title: State Court Statistics, 2009

Identification No.: 34081

Responsibility Statement

Authoring Entity: National Center for State Courts

Production Statement

Producer: Inter-university Consortium for Political and Social Research

Place of Production: Ann Arbor, MI: Inter-university Consortium for Political and Social Research

Funding Agency: United States Department of Justice. Office of Justice Programs. Bureau of Justice Statistics. State Justice Institute.

Distribution Statement

Distributor: Inter-university Consortium for Political and Social Research (ICPSR), *Institute for Social Research, University of Michigan*

Series Statement

Series Name: State Court Statistics Series

Series Information: This data collection provides comparable measures of state appellate and trial court caseloads by type of case for the 50 states, the District of Columbia, and Puerto Rico. Court caseloads are tabulated according to generic reporting categories developed by the Court Statistics and Technology Committee of the Conference of State Court Administrators. These categories describe differences in the unit of count and the point of count when compiling each court's caseload. Major areas of investigation include: (1) case filings in state appellate and trial courts, (2) case dispositions in state appellate and trial courts, and (3) appellate opinions. Within each of these areas of investigation, cases are separated by main case type. Types include civil cases, capital punishment cases, other criminal cases, juvenile cases, administrative agency appeals, and several other types.

Study Scope

Subject Information

Keyword(s): appellate courts, caseloads, case processing, court cases, disposition (legal), legal appeals, state courts, statistical data, trial courts

Topic Classification(s): Social Institutions and Behavior, Crime and the Criminal Justice System, Court Case Processing

Abstract

The State Court Statistics Program provides comparable measures of state appellate and trial court caseloads by type of case for the 50 states, the District of Columbia, and Puerto Rico. Court caseloads are tabulated according to generic reporting categories developed by the Court Statistics Project Committee of the Conference of State Court Administrators. These categories describe differences in the unit of count and the point of count when compiling each court's caseload. Major areas of investigation include (1) case filings in state appellate and trial courts, (2) case processing and dispositions in state appellate and trial courts, and (3) appellate opinions. Within each of these areas of state government investigation, cases are separated by main case type, including civil cases, capital punishment cases, other criminal cases, domestic relations cases, juvenile cases, traffic violation cases, and administrative agency appeals.

Summary Data Description

- Study 34081 -

Time Period: January 1, 2009 - December 31, 2009

Date(s) of Collection: 2009

Geographic Coverage: United States

Geographic Unit: State

Unit of Analysis: Courts

Universe: State appellate and trial court cases in the United States.

Kind of Data: Aggregate data

Notes

For additional information please see the Court Statistics Project Web site: http://www.ncsconline.org/d_research/csp/CSP_Main_Page.html

Methodology and Processing

Data Collection Methodology

Data Collector: National Center for State Courts

Frequency of Data Collection: Annually

Sources Statement:

Data Source:: Published annual reports of administrative court offices and unpublished statistics provided by state administrative offices of the court and clerks of state appellate courts.

Characteristics of Data Collection Situation:

Information for the CSP's national caseload databases comes from published and unpublished sources supplied by state court administrators and appellate court clerks. Published data are typically taken from official state court annual reports and Web sites, so they take many forms and vary greatly in detail. Data from published sources are often supplemented by unpublished data received from the state courts in many formats, including internal management memoranda and computer-generated output. States also report and verify data electronically through spreadsheet templates provided by the Court Statistics Project.

The CSP data collection effort to build a comprehensive statistical profile of the work of state appellate and trial courts nationally is underway throughout the year. Extensive telephone contacts and follow-up correspondence are used to collect missing data, confirm the accuracy of available data, and determine the legal jurisdiction of each court. Information is also collected on the number of judges per court or court system (from annual reports, offices of state court administrators, and appellate court clerks), the state populations (based on United States Bureau of the Census revised estimates), and special characteristics regarding subject matter jurisdiction and court structure.

Notes

1. Beginning with the 2009 data, a new data part has been added, titled Appellate Court Data - Grand Totals.

2. Beginning with the 2007 data, a new appellate framework was implemented. The appellate data is now contained in six separate files: Four Major Categories, Appeal by Right Caseloads, Appeal by Permission Caseloads, Death Penalty Caseloads, Original Proceeding/Other Appellate Matter Caseloads, and Grand Totals.

Each major category includes:

- a caseload summary to report incoming, outgoing, and pending caseloads;
- the manner of disposition to show how cases were disposed before the court;
- the type of court opinion to capture the extent to which the court elaborated on the merits of the case or the reasoning for its decision; and
- the case outcome to describe how the court ruled in a case.

3. Beginning with the 2005 study, the Trial Court Data is contained in 6 separate files: Five Major Categories, Civil Caseloads, Domestic Relations Caseloads, Criminal Caseloads, Juvenile Caseloads, and Traffic Violations Caseloads.

- Study 34081 -

4. Changes in Baseline Data Collection for the Court Statistics Project in Data Year 2003

As a result of the implementation of the State Court Guide to Statistical Reporting (Guide) by the National Center for State Courts' Court Statistics Project (CSP), the state trial court caseload data housed in the Inter-university Consortium for Political and Social Research (ICPSR) from prior to data year 2003 is generally not comparable to data submitted thereafter. The differences and distinctions outlined here are critical to the understanding of the current data collection, and users are strongly cautioned to note and understand the definitions of the new data elements.

The Caseload Summary - Status Categories

Previous categories:

- Begin Pending
- Filed
- Disposed
- End Pending

New categories:

- Begin Pending - Active
- Begin Pending - Inactive
- Newly Filed - "Incoming"
- Reopened - "Incoming"
- Reactivated - "Incoming"
- Entry of Judgment - "Outgoing"
- Reopened Disposition - "Outgoing"
- Placed on Inactive Status - "Outgoing"
- End Pending - Active - "Outgoing"
- End Pending - Inactive - "Outgoing"

The first and most sweeping change brought about by the Guide is the introduction of several new "status categories" that affect all trial court case types. The State Court Model Statistical Dictionary, 1989, upon which previous data collections were based, recommended four status categories: begin pending, filed, disposed, and end pending. The Guide detailed and expanded these four categories to ten, and none of these ten new categories is truly comparable to any of the previous four.

Begin Pending caseloads are now divided into two discrete categories: Begin Pending - Active and Begin Pending - Inactive. This distinction allows courts to separate cases that are actively moving toward a disposition from those that are not, thereby permitting a more accurate and fair calculation of the age of the active pending caseload. These categories reflect the pending caseloads at the beginning of the reporting period.

Cases that were previously reported as filed can now be more accurately reported in one of three new categories: Newly Filed, Reopened, or Reactivated (collectively referred to as Incoming - see below). However, neither newly filed nor incoming is necessarily comparable with the formerly used filed category.

Similarly, cases that were previously reported as disposed can now be reported in one of three new categories: Entry of Judgment, Reopened Disposition, or Placed on Inactive Status (collectively referred to as Outgoing - see below). Again, neither entry of judgment nor outgoing is necessarily comparable to the formerly used disposed category.

End Pending caseloads are also divided into two discrete new categories: End Pending - Active and End Pending - Inactive. This distinction allows courts to separate cases that are actively moving toward a disposition from those that are not, thereby permitting a more accurate and fair calculation of the age of the active pending caseload. These categories are comparable to the begin pending categories but reflect the caseloads at the end of the reporting period.

As neither the CSP, nor most court systems, previously distinguished reopened and reactivated cases from newly filed cases, or reopened dispositions and cases placed on inactive status from entries of judgment, the five case type-specific datasets report only the aggregate categories of Incoming and Outgoing in association with individual case types. This is in an effort to produce some level of comparability with the former categories of Filed and Disposed.

- Study 34081 -

New Case Types

Included in this expansion and revision of the data collected by the CSP was a substantial increase in the number of individual case types recommended for collection by state courts. Additionally, some case types that were previously collected became re-categorized under the Guide (e.g., domestic violence moved from domestic relations to criminal).

Variable Naming Conventions

ICPSR users should note that a variable naming convention is used throughout these datasets. The CSP continues to use a maximum of eight characters for variable names to help with backward compatibility. In the convention, the first four characters denote the case type and the second four indicate the status category. For example, the variable called "JDRGBPAC" refers to the Juvenile delinquency DRuG case type and the Begin Pending-Active status category.

Data Quality Footnotes

Each data element that expresses a court caseload value has associated with it a "quality footnote." These alphabetic codes indicate whether the associated numeric value is complete (denoted by the letter "A"), incomplete or overinclusive, and the extent to which it is incomplete or overinclusive (denoted by letters i, C, O, V, and X [see the data dictionary for definitions of these codes]), or missing (denoted by the letter "Z"). Each Z footnote accompanies a negative value. Negative one (-1) indicates that the court does not have jurisdiction over that particular case type and hence no caseload value is expected. Values of -2, -4, and -5 indicate that the court does have jurisdiction but is unable to report that particular data element because the data are unavailable, the data were not able to be distinguished and were therefore reported in the "other" category, or that the data were collapsed into another case type, respectively.

Data Access

Dataset Availability

Location: Inter-university Consortium for Political and Social Research

Extent of Collection: 12 data files + machine-readable documentation (PDF) + SAS setup files + SPSS setup files + Stata setup files + SAS supplemental syntax files + Stata supplemental syntax files + SAS transport files + SPSS system files + Stata system files.

Data Use Statement:

Citation Requirement: Publications based on ICPSR data collections should acknowledge those sources by means of bibliographic citations. To ensure that such source attributions are captured for social science bibliographic utilities, citations must appear in footnotes or in the reference section of publications.

Deposit Requirement: To provide funding agencies with essential information about use of archival resources and to facilitate the exchange of information about ICPSR participants' research activities, users of ICPSR data are requested to send to ICPSR bibliographic citations for each completed manuscript or thesis abstract. Visit the ICPSR Web site for more information on submitting citations.

Data Files Description

File-by-File Description

File Name: Trial Court Data -- Five Major Categories

File Structure (rectangular)

File Dimensions:

- No. of Cases: 182
- No. of Variables: 160

ICPSR 34081

State Court Statistics, 2009

Trial Court Data -- Five Major Categories

Variable Description

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

State Court Statistics, 2009

Trial Court Data -- Five Major Categories

Variable List

<i>Variable Name</i>	<i>Variable Label</i>	<i>Page</i>
LABEL	ENTIRE COURT STATE AND NAME	13
STATENAM	NAME OF STATE	14
STATEAB	POSTAL ABBREVIATION OF STATE	14
COURTNAM	NAME OF COURT	15
CRITYPE	TYPE OF COURT	15
SINGLETIERED	IS THIS COURT CONSIDERED SINGLE TIERED?	15
STATE	NUMERIC CODE FOR STATE	15
COURT	NUMERIC CODE FOR COURT	17
TOTJUDGE	TOTAL JUDGES IN THE COURT	22
FTJUDGES	FULL TIME JUDGES IN THE COURT	22
PARTTIME	PART TIME JUDGES IN THE COURT	22
OTHJUDGE	OTHER JUDICIAL OFFICERS IN THE COURT	22
TOTALPOP	TOTAL POPULATION IN STATE	22
ADULTPOP	ADULT POPULATION IN STATE	22
JUVPOP	JUVENILE POPULATION IN STATE	22
DATAYEAR	YEAR OF REPORTED DATA	22
TCIVBPAC	TOTAL CIVIL BEGIN PENDING - ACTIVE	22
TCIVBPAQ	TOTAL CIVIL BEGIN PENDING - ACTIVE QTY	23
TCIVBPIN	TOTAL CIVIL BEGIN PENDING - INACTIVE	23
TCIVBPIQ	TOTAL CIVIL BEGIN PENDING - INACTIVE QTY	23
TCIVFILE	TOTAL CIVIL NEW FILING CASES	23
TCIVFILQ	TOTAL CIVIL NEW FILING CASES QTY	24
TCIVREFI	TOTAL CIVIL REOPENED CASES	24
TCIVREFQ	TOTAL CIVIL REOPENED CASES QTY	24
TCIVREAC	TOTAL CIVIL REACTIVATED CASES	24
TCIVREAQ	TOTAL CIVIL REACTIVATED CASES QTY	25
TCIVINC	TOTAL CIVIL INCOMING CASES	25
TCIVINCQ	TOTAL CIVIL INCOMING CASES QTY	25
TCIVDISP	TOTAL CIVIL ENTRY OF JUDGMENT CASES	25
TCIVDSPQ	TOTAL CIVIL ENTRY OF JUDGMENT CASES QTY	26
TCIVREDS	TOTAL CIVIL REOPENED DISPOSITIONS	26
TCIVREDQ	TOTAL CIVIL REOPENED DISPOSITIONS QTY	26
TCIVPLIN	TOTAL CIVIL CASES PLACED INACTIVE	26
TCIVPLIQ	TOTAL CIVIL CASES PLACED INACTIVE QTY	26
TCIVOUT	TOTAL CIVIL OUTGOING CASES	27
TCIVOUTQ	TOTAL CIVIL OUTGOING CASES QTY	27

- Study 34081 -

<i>Variable Name</i>	<i>Variable Label</i>	<i>Page</i>
TCIVEPAC	TOTAL CIVIL END PENDING - ACTIVE	27
TCIVEPAQ	TOTAL CIVIL END PENDING - ACTIVE QTY	27
TCIVEPIN	TOTAL CIVIL END PENDING - INACTIVE	28
TCIVEPIQ	TOTAL CIVIL END PENDING - INACTIVE QTY	28
DMRLBPAC	TOTAL DOMESTIC BEGIN PENDING - ACTIVE	28
DMRLBPAQ	TOTAL DOMESTIC BEGIN PENDING - ACTIVE QTY	28
DMRLBPIN	TOTAL DOMESTIC BEGIN PENDING - INACTIVE	29
DMRLBPIQ	TOTAL DOMESTIC BEGIN PENDING - INACTIVE QTY	29
DMRLFILE	TOTAL DOMESTIC NEW FILING CASES	29
DMRLFILQ	TOTAL DOMESTIC NEW FILING CASES QTY	29
DMRLREFI	TOTAL DOMESTIC REOPENED CASES	30
DMRLREFQ	TOTAL DOMESTIC REOPENED CASES QTY	30
DMRLREAC	TOTAL DOMESTIC REACTIVATED CASES	30
DMRLREAQ	TOTAL DOMESTIC REACTIVATED CASES QTY	30
DMRLINC	TOTAL DOMESTIC INCOMING CASES	31
DMRLINCQ	TOTAL DOMESTIC INCOMING CASES QTY	31
DMRLDISP	TOTAL DOMESTIC ENTRY OF JUDGMENT CASES	31
DMRLDSPQ	TOTAL DOMESTIC ENTRY OF JUDGMENT CASES QTY	31
DMRLREDS	TOTAL DOMESTIC REOPENED DISPOSITIONS	32
DMRLREDQ	TOTAL DOMESTIC REOPENED DISPOSITIONS QTY	32
DMRLPLIN	TOTAL DOMESTIC CASES PLACED INACTIVE	32
DMRLPLIQ	TOTAL DOMESTIC CASES PLACED INACTIVE QTY	32
DMRLOUT	TOTAL DOMESTIC OUTGOING CASES	33
DMRLOUTQ	TOTAL DOMESTIC OUTGOING CASES QTY	33
DMRLEPAC	TOTAL DOMESTIC END PENDING - ACTIVE	33
DMRLEPAQ	TOTAL DOMESTIC END PENDING - ACTIVE QTY	33
DMRLEPIN	TOTAL DOMESTIC END PENDING - INACTIVE	33
DMRLEPIQ	TOTAL DOMESTIC END PENDING - INACTIVE QTY	34
TCRMBPAC	TOTAL CRIMINAL BEGIN PENDING - ACTIVE	34
TCRMBPAQ	TOTAL CRIMINAL BEGIN PENDING - ACTIVE QTY	34
TCRMBPIN	TOTAL CRIMINAL BEGIN PENDING - INACTIVE	34
TCRMBPIQ	TOTAL CRIMINAL BEGIN PENDING - INACTIVE QTY	35
TCRMFILE	TOTAL CRIMINAL NEW FILING CASES	35
TCRMFILQ	TOTAL CRIMINAL NEW FILING CASES QTY	35
TCRMREFI	TOTAL CRIMINAL REOPENED CASES	35
TCRMREFQ	TOTAL CRIMINAL REOPENED CASES QTY	36
TCRMREAC	TOTAL CRIMINAL REACTIVATED CASES	36
TCRMREAQ	TOTAL CRIMINAL REACTIVATED CASES QTY	36
TCRMINC	TOTAL CRIMINAL INCOMING CASES	36
TCRMINCQ	TOTAL CRIMINAL INCOMING CASES QTY	37
TCRMDISP	TOTAL CRIMINAL ENTRY OF JUDGMENT CASES	37
TCRMDSPQ	TOTAL CRIMINAL ENTRY OF JUDGMENT CASES QTY	37

- Study 34081 -

<i>Variable Name</i>	<i>Variable Label</i>	<i>Page</i>
TCRMREDS	TOTAL CRIMINAL REOPENED DISPOSITIONS	37
TCRMREDQ	TOTAL CRIMINAL REOPENED DISPOSITIONS QTY	38
TCRMPLIN	TOTAL CRIMINAL CASES PLACED INACTIVE	38
TCRMPLIQ	TOTAL CRIMINAL CASES PLACED INACTIVE QTY	38
TCRMOUT	TOTAL CRIMINAL OUTGOING CASES	38
TCRMOUTQ	TOTAL CRIMINAL OUTGOING CASES QTY	39
TCRMEPAC	TOTAL CRIMINAL END PENDING - ACTIVE	39
TCRMEPAQ	TOTAL CRIMINAL END PENDING - ACTIVE QTY	39
TCRMEPIN	TOTAL CRIMINAL END PENDING - INACTIVE	39
TCRMEPIQ	TOTAL CRIMINAL END PENDING - INACTIVE QTY	39
TJUVPAC	TOTAL JUVENILE BEGIN PENDING - ACTIVE	40
TJUVPAQ	TOTAL JUVENILE BEGIN PENDING - ACTIVE QTY	40
TJUVBIN	TOTAL JUVENILE BEGIN PENDING - INACTIVE	40
TJUVBIQ	TOTAL JUVENILE BEGIN PENDING - INACTIVE QTY	40
TJUVPFILE	TOTAL JUVENILE NEW FILING CASES	41
TJUVFILQ	TOTAL JUVENILE NEW FILING CASES QTY	41
TJUVREFI	TOTAL JUVENILE REOPENED CASES	41
TJUVREFQ	TOTAL JUVENILE REOPENED CASES QTY	41
TJUVREAC	TOTAL JUVENILE REACTIVATED CASES	42
TJUVREAQ	TOTAL JUVENILE REACTIVATED CASES QTY	42
TJUVINC	TOTAL JUVENILE INCOMING CASES	42
TJUVINCQ	TOTAL JUVENILE INCOMING CASES QTY	42
TJUVDISP	TOTAL JUVENILE ENTRY OF JUDGMENT CASES	43
TJUVDSPQ	TOTAL JUVENILE ENTRY OF JUDGMENT CASES QTY	43
TJUVREDS	TOTAL JUVENILE REOPENED DISPOSITIONS	43
TJUVREDQ	TOTAL JUVENILE REOPENED DISPOSITIONS QTY	43
TJUVPLIN	TOTAL JUVENILE CASES PLACED INACTIVE	44
TJUVPLIQ	TOTAL JUVENILE CASES PLACED INACTIVE QTY	44
TJUVOUT	TOTAL JUVENILE OUTGOING CASES	44
TJUVOUTQ	TOTAL JUVENILE OUTGOING CASES QTY	44
TJUVEPAC	TOTAL JUVENILE END PENDING - ACTIVE	45
TJUVEPAQ	TOTAL JUVENILE END PENDING - ACTIVE QTY	45
TJUVEPIN	TOTAL JUVENILE END PENDING - INACTIVE	45
TJUVEPIQ	TOTAL JUVENILE END PENDING - INACTIVE QTY	45
TTRFBPAC	TOTAL TRAFFIC BEGIN PENDING - ACTIVE	46
TTRFBPAQ	TOTAL TRAFFIC BEGIN PENDING - ACTIVE QTY	46
TTRFBPIN	TOTAL TRAFFIC BEGIN PENDING - INACTIVE	46
TTRFBPIQ	TOTAL TRAFFIC BEGIN PENDING - INACTIVE QTY	46
TTRFFILE	TOTAL TRAFFIC NEW FILING CASES	46
TTRFFILQ	TOTAL TRAFFIC NEW FILING CASES QTY	47
TTRRFREFI	TOTAL TRAFFIC REOPENED CASES	47
TTRRFREFQ	TOTAL TRAFFIC REOPENED CASES QTY	47

- Study 34081 -

<i>Variable Name</i>	<i>Variable Label</i>	<i>Page</i>
TTRFREAC	TOTAL TRAFFIC REACTIVATED CASES	47
TTRFREAQ	TOTAL TRAFFIC REACTIVATED CASES QTY	48
TTRFINC	TOTAL TRAFFIC INCOMING CASES	48
TTRFINCQ	TOTAL TRAFFIC INCOMING CASES QTY	48
TTRFDISP	TOTAL TRAFFIC ENTRY OF JUDGMENT CASES	48
TTRFDSPQ	TOTAL TRAFFIC ENTRY OF JUDGMENT CASES QTY	49
TTRFREDS	TOTAL TRAFFIC REOPENED DISPOSITIONS	49
TTRFREDQ	TOTAL TRAFFIC REOPENED DISPOSITIONS QTY	49
TTRFPLIN	TOTAL TRAFFIC CASES PLACED INACTIVE	49
TTRFPLIQ	TOTAL TRAFFIC CASES PLACED INACTIVE QTY	50
TTRFOUT	TOTAL TRAFFIC OUTGOING CASES	50
TTRFOUTQ	TOTAL TRAFFIC OUTGOING CASES QTY	50
TTRFEPAC	TOTAL TRAFFIC END PENDING - ACTIVE	50
TTRFEPAQ	TOTAL TRAFFIC END PENDING - ACTIVE QTY	51
TTRFEPIN	TOTAL TRAFFIC END PENDING - INACTIVE	51
TTRFEPIQ	TOTAL TRAFFIC END PENDING - INACTIVE QTY	51
GRTLBPAC	GRAND TOTAL BEGIN PENDING - ACTIVE	51
GRTLBPAQ	GRAND TOTAL BEGIN PENDING - ACTIVE QTY	52
GRTLBPIN	GRAND TOTAL BEGIN PENDING - INACTIVE	52
GRTLBPIQ	GRAND TOTAL BEGIN PENDING - INACTIVE QTY	52
GRTLFILE	GRAND TOTAL NEW FILING CASES	52
GRTLFIQ	GRAND TOTAL NEW FILING CASES QTY	52
GRTLREFI	GRAND TOTAL REOPENED CASES	53
GRTLREFQ	GRAND TOTAL REOPENED CASES QTY	53
GRTLREAC	GRAND TOTAL REACTIVATED CASES	53
GRTLREAQ	GRAND TOTAL REACTIVATED CASES QTY	53
GRTLINC	GRAND TOTAL INCOMING CASES	54
GRTLINCQ	GRAND TOTAL INCOMING CASES QTY	54
GRTLDISP	GRAND TOTAL ENTRY OF JUDGMENT CASES	54
GRTLDSPQ	GRAND TOTAL ENTRY OF JUDGMENT CASES QTY	54
GRTLREDS	GRAND TOTAL REOPENED DISPOSITIONS	55
GRTLREDQ	GRAND TOTAL REOPENED DISPOSITIONS QTY	55
GRTLPLIN	GRAND TOTAL CASES PLACED INACTIVE	55
GRTLPLIQ	GRAND TOTAL CASES PLACED INACTIVE QTY	55
GRTLOUT	GRAND TOTAL OUTGOING CASES	56
GRTLOUTQ	GRAND TOTAL OUTGOING CASES QTY	56
GRTLEPAC	GRAND TOTAL END PENDING - ACTIVE	56
GRTLEPAQ	GRAND TOTAL END PENDING - ACTIVE QTY	56
GRTLEPIN	GRAND TOTAL END PENDING - INACTIVE	57
GRTLEPIQ	GRAND TOTAL END PENDING - INACTIVE QTY	57

LABEL - ENTIRE COURT STATE AND NAME

- Study 34081 -

Location: 1-50 (width: 50; decimal: 0)

Variable Type: character

STATENAM - NAME OF STATE

Location: 51-70 (width: 20; decimal: 0)

Variable Type: character

STATEAB - POSTAL ABBREVIATION OF STATE

Location: 71-72 (width: 2; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
AK	Alaska
AL	Alabama
AR	Arkansas
AZ	Arizona
CA	California
CO	Colorado
CT	Connecticut
DC	District of Columbia
DE	Delaware
FL	Florida
GA	Georgia
HI	Hawaii
IA	Iowa
ID	Idaho
IL	Illinois
IN	Indiana
KS	Kansas
KY	Kentucky
LA	Louisiana
MA	Massachusetts
MD	Maryland
ME	Maine
MI	Michigan
MN	Minnesota
MO	Missouri
MS	Mississippi
MT	Montana
NC	North Carolina
ND	North Dakota
NE	Nebraska
NH	New Hampshire

- Study 34081 -

<i>Value</i>	<i>Label</i>
NJ	New Jersey
NM	New Mexico
NV	Nevada
NY	New York
OH	Ohio
OK	Oklahoma
OR	Oregon
PA	Pennsylvania
PR	Puerto Rico
RI	Rhode Island
SC	South Carolina
SD	South Dakota
TN	Tennessee
TX	Texas
UT	Utah
VA	Virginia
VT	Vermont
WA	Washington
WI	Wisconsin
WV	West Virginia
WY	Wyoming

COURTNAM - NAME OF COURT

Location: 73-112 (width: 40; decimal: 0)

Variable Type: character

CRTTYPE - TYPE OF COURT

Location: 113-113 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
1	General jurisdiction
2	Limited jurisdiction

SINGLETIERED - IS THIS COURT CONSIDERED SINGLE TIERED?

Location: 114-114 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
0	No
1	Yes

STATE - NUMERIC CODE FOR STATE

- Study 34081 -

Location: 115-116 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
1	Alabama
2	Alaska
3	Arizona
4	Arkansas
5	California
6	Colorado
7	Connecticut
8	Delaware
9	District of Columbia
10	Florida
11	Georgia
12	Hawaii
13	Idaho
14	Illinois
15	Indiana
16	Iowa
17	Kansas
18	Kentucky
19	Louisiana
20	Maine
21	Maryland
22	Massachusetts
23	Michigan
24	Minnesota
25	Mississippi
26	Missouri
27	Montana
28	Nebraska
29	Nevada
30	New Hampshire
31	New Jersey
32	New Mexico
33	New York
34	North Carolina
35	North Dakota
36	Ohio
37	Oklahoma
38	Oregon

- Study 34081 -

<i>Value</i>	<i>Label</i>
39	Pennsylvania
40	Puerto Rico
41	Rhode Island
42	South Carolina
43	South Dakota
44	Tennessee
45	Texas
46	Utah
47	Vermont
48	Virginia
49	Washington
50	West Virginia
51	Wisconsin
52	Wyoming

COURT - NUMERIC CODE FOR COURT

Location: 117-119 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
11	Alabama Circuit
13	Alabama District
15	Alabama Municipal
17	Alabama Probate
21	Alaska Superior
23	Alaska District
31	Arizona Superior
33	Arizona Justice Of The Peace
35	Arizona Municipal
36	Arizona Tax
43	Arkansas Circuit
44	Arkansas City
48	Arkansas District
51	California Superior
61	Colorado District, Denver Juvenile, Denver Probate
63	Colorado Water
65	Colorado County
67	Colorado Municipal
71	Connecticut Superior
73	Connecticut Probate
81	Delaware Court Of Chancery
82	Delaware Superior

- Study 34081 -

<i>Value</i>	<i>Label</i>
84	Delaware Aldermans
85	Delaware Court Of Common Pleas
86	Delaware Family
87	Delaware Justice Of The Peace
91	District Of Columbia Superior
101	Florida Circuit
103	Florida County
111	Georgia Superior
112	Georgia Civil
113	Georgia County Recorders
114	Georgia Juvenile
115	Georgia Magistrate
116	Georgia Municipal
117	Georgia Municipal And City Of Atlanta
118	Georgia Probate
119	Georgia State
121	Hawaii Circuit
123	Hawaii District
131	Idaho District
133	Idaho Magistrates Division
141	Illinois Circuit
151	Indiana Superior And Circuit
153	Indiana City And Town
154	Indiana County
155	Indiana Probate
158	Indiana Small Claims Court Of Marion County
161	Iowa District
171	Kansas District
173	Kansas Municipal
181	Kentucky Circuit
183	Kentucky District
185	Kentucky Family
191	Louisiana District
193	Louisiana Family And Juvenile
194	Louisiana City And Parish
196	Louisiana Justice Of The Peace
198	Louisiana Mayors
201	Maine Superior
205	Maine District
207	Maine Probate
211	Maryland Circuit

- Study 34081 -

<i>Value</i>	<i>Label</i>
213	Maryland District
215	Maryland Orphans
221	Massachusetts Superior Court
222	Massachusetts District Court
225	Massachusetts Boston Municipal Court
226	Massachusetts Housing Court
227	Massachusetts Juvenile Court
228	Massachusetts Land Court
229	Massachusetts Probate & Family Court
231	Michigan Circuit
233	Michigan Court Of Claims
234	Michigan District
236	Michigan Municipal
237	Michigan Probate
241	Minnesota District
251	Mississippi Chancery
253	Mississippi Circuit
254	Mississippi County
257	Mississippi Justice
258	Mississippi Municipal
261	Missouri Circuit
263	Missouri Municipal
271	Montana District
273	Montana Water
274	Montana Workers Compensation
276	Montana City
277	Montana Justice Of The Peace
278	Montana Municipal
281	Nebraska District
283	Nebraska County
285	Nebraska Separate Juvenile
287	Nebraska Workers Compensation
291	Nevada District
293	Nevada Justice
295	Nevada Municipal
301	New Hampshire Superior
303	New Hampshire District
307	New Hampshire Probate
309	New Hampshire Family Division
311	New Jersey Superior
313	New Jersey Municipal

- Study 34081 -

<i>Value</i>	<i>Label</i>
317	New Jersey Tax
321	New Mexico District
323	New Mexico Magistrate
325	New Mexico Municipal
327	New Mexico Probate
328	New Mexico Metropolitan Ct Of Bernalillo County
331	New York Supreme And County
332	New York Court Of Claims
334	New York District And City
335	New York Family
336	New York Surrogates
337	New York Town And Village Justice
338	New York Civil Court Of The City Of New York
339	New York Criminal Court Of The City Of New York
341	North Carolina Superior
343	North Carolina District
351	North Dakota District
355	North Dakota Municipal
361	Ohio Court Of Common Pleas
363	Ohio County
365	Ohio Court Of Claims
367	Ohio Mayors
368	Ohio Municipal
371	Oklahoma District
373	Oklahoma Court Of Tax Review
375	Oklahoma Municipal Court Not Of Record
377	Oklahoma Municipal Criminal Court Of Record
381	Oregon Circuit
383	Oregon Tax
384	Oregon County
387	Oregon Justice
388	Oregon Municipal
391	Pennsylvania Court Of Common Pleas
393	Pennsylvania District Justice
395	Pennsylvania Philadelphia Municipal
397	Pennsylvania Philadelphia Traffic
398	Pennsylvania Pittsburgh City Magistrates
401	Puerto Rico Court Of First Instance
411	Rhode Island Superior
412	Rhode Island Workers Compensation
413	Rhode Island District

- Study 34081 -

<i>Value</i>	<i>Label</i>
415	Rhode Island Family
417	Rhode Island Municipal
418	Rhode Island Probate
419	Rhode Island Traffic Tribunal
421	South Carolina Circuit
423	South Carolina Family
425	South Carolina Magistrate
427	South Carolina Municipal
428	South Carolina Probate
431	South Dakota Circuit
433	South Dakota Magistrate
441	Tennessee Circuit, Criminal, And Chancery
443	Tennessee General Sessions
445	Tennessee Juvenile
446	Tennessee Municipal
448	Tennessee Probate
451	Texas District
453	Texas County-Level
455	Texas Justice Of The Peace
457	Texas Municipal
461	Utah District
465	Utah Justice
467	Utah Juvenile
471	Vermont District
473	Vermont Superior
474	Vermont Family
475	Vermont Probate
477	Vermont Environmental
478	Vermont Judicial Bureau
481	Virginia Circuit
483	Virginia District
491	Washington Superior
492	Washington District
493	Washington Municipal
501	West Virginia Circuit
503	West Virginia Magistrate
505	West Virginia Municipal
507	West Virginia Family
511	Wisconsin Circuit
513	Wisconsin Municipal
521	Wyoming District

- Study 34081 -

<i>Value</i>	<i>Label</i>
523	Wyoming Circuit
525	Wyoming Justice Of The Peace
527	Wyoming Municipal

TOTJUDGE - TOTAL JUDGES IN THE COURT

Location: 120-123 (width: 4; decimal: 0)

Variable Type: numeric

FTJUDGES - FULL TIME JUDGES IN THE COURT

Location: 124-127 (width: 4; decimal: 0)

Variable Type: numeric

PARTTIME - PART TIME JUDGES IN THE COURT

Location: 128-131 (width: 4; decimal: 0)

Variable Type: numeric

OTHJUDGE - OTHER JUDICIAL OFFICERS IN THE COURT

Location: 132-135 (width: 4; decimal: 0)

Variable Type: numeric

TOTALPOP - TOTAL POPULATION IN STATE

Location: 136-146 (width: 11; decimal: 0)

Variable Type: numeric

ADULTPOP - ADULT POPULATION IN STATE

Location: 147-157 (width: 11; decimal: 0)

Variable Type: numeric

JUVPOP - JUVENILE POPULATION IN STATE

Location: 158-168 (width: 11; decimal: 0)

Variable Type: numeric

DATAYEAR - YEAR OF REPORTED DATA

Location: 169-172 (width: 4; decimal: 0)

Variable Type: numeric

TCIVBPAC - TOTAL CIVIL BEGIN PENDING - ACTIVE

Location: 173-183 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable

- Study 34081 -

<i>Value</i>	<i>Label</i>
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TCIVBPAQ - TOTAL CIVIL BEGIN PENDING - ACTIVE QTY

Location: 184-184 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TCIVBPIN - TOTAL CIVIL BEGIN PENDING - INACTIVE

Location: 185-195 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TCIVBPIQ - TOTAL CIVIL BEGIN PENDING - INACTIVE QTY

Location: 196-196 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TCIVFILE - TOTAL CIVIL NEW FILING CASES

Location: 197-207 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type

- Study 34081 -

<i>Value</i>	<i>Label</i>
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TCIVFILQ - TOTAL CIVIL NEW FILING CASES QTY

Location: 208-208 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TCIVREFI - TOTAL CIVIL REOPENED CASES

Location: 209-219 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TCIVREFQ - TOTAL CIVIL REOPENED CASES QTY

Location: 220-220 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TCIVREAC - TOTAL CIVIL REACTIVATED CASES

Location: 221-231 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available

- Study 34081 -

<i>Value</i>	<i>Label</i>
-1	Court has no jurisdiction over this type of case

TCIVREQ - TOTAL CIVIL REACTIVATED CASES QTY

Location: 232-232 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TCIVINC - TOTAL CIVIL INCOMING CASES

Location: 233-243 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TCIVINCQ - TOTAL CIVIL INCOMING CASES QTY

Location: 244-244 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TCIVDISP - TOTAL CIVIL ENTRY OF JUDGMENT CASES

Location: 245-255 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TCIVDSPQ - TOTAL CIVIL ENTRY OF JUDGMENT CASES QTY

Location: 256-256 (width: 1; decimal: 0)

Variable Type: character

Value	Label
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TCIVREDS - TOTAL CIVIL REOPENED DISPOSITIONS

Location: 257-267 (width: 11; decimal: 0)

Variable Type: numeric

Value	Label
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TCIVREDQ - TOTAL CIVIL REOPENED DISPOSITIONS QTY

Location: 268-268 (width: 1; decimal: 0)

Variable Type: character

Value	Label
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TCIVPLIN - TOTAL CIVIL CASES PLACED INACTIVE

Location: 269-279 (width: 11; decimal: 0)

Variable Type: numeric

Value	Label
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TCIVPLIQ - TOTAL CIVIL CASES PLACED INACTIVE QTY

Location: 280-280 (width: 1; decimal: 0)

- Study 34081 -

Variable Type: character

Value	Label
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TCIVOUT - TOTAL CIVIL OUTGOING CASES

Location: 281-291 (width: 11; decimal: 0)

Variable Type: numeric

Value	Label
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TCIVOUTQ - TOTAL CIVIL OUTGOING CASES QTY

Location: 292-292 (width: 1; decimal: 0)

Variable Type: character

Value	Label
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TCIVEPAC - TOTAL CIVIL END PENDING - ACTIVE

Location: 293-303 (width: 11; decimal: 0)

Variable Type: numeric

Value	Label
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TCIVEPAQ - TOTAL CIVIL END PENDING - ACTIVE QTY

Location: 304-304 (width: 1; decimal: 0)

Variable Type: character

- Study 34081 -

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TCIVEPIN - TOTAL CIVIL END PENDING - INACTIVE

Location: 305-315 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TCIVEPIQ - TOTAL CIVIL END PENDING - INACTIVE QTY

Location: 316-316 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

DMRLBPAC - TOTAL DOMESTIC BEGIN PENDING - ACTIVE

Location: 317-327 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

DMRLBPAQ - TOTAL DOMESTIC BEGIN PENDING - ACTIVE QTY

Location: 328-328 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete

- Study 34081 -

<i>Value</i>	<i>Label</i>
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

DMRLBPIN - TOTAL DOMESTIC BEGIN PENDING - INACTIVE

Location: 329-339 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

DMRLBPIQ - TOTAL DOMESTIC BEGIN PENDING - INACTIVE QTY

Location: 340-340 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

DMRLFILE - TOTAL DOMESTIC NEW FILING CASES

Location: 341-351 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

DMRLFILQ - TOTAL DOMESTIC NEW FILING CASES QTY

Location: 352-352 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive

- Study 34081 -

<i>Value</i>	<i>Label</i>
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

DMRLREFI - TOTAL DOMESTIC REOPENED CASES

Location: 353-363 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

DMRLREFQ - TOTAL DOMESTIC REOPENED CASES QTY

Location: 364-364 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

DMRLREAC - TOTAL DOMESTIC REACTIVATED CASES

Location: 365-375 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

DMRLREQ - TOTAL DOMESTIC REACTIVATED CASES QTY

Location: 376-376 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive

- Study 34081 -

<i>Value</i>	<i>Label</i>
Z	Data are missing or not applicable
i	Incomplete

DMRLINC - TOTAL DOMESTIC INCOMING CASES

Location: 377-387 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

DMRLINCQ - TOTAL DOMESTIC INCOMING CASES QTY

Location: 388-388 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

DMRLDISP - TOTAL DOMESTIC ENTRY OF JUDGMENT CASES

Location: 389-399 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

DMRLDSPQ - TOTAL DOMESTIC ENTRY OF JUDGMENT CASES QTY

Location: 400-400 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable

- Study 34081 -

<i>Value</i>	<i>Label</i>
i	Incomplete

DMRLREDS - TOTAL DOMESTIC REOPENED DISPOSITIONS

Location: 401-411 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

DMRLREDQ - TOTAL DOMESTIC REOPENED DISPOSITIONS QTY

Location: 412-412 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

DMRLPLIN - TOTAL DOMESTIC CASES PLACED INACTIVE

Location: 413-423 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

DMRLPLIQ - TOTAL DOMESTIC CASES PLACED INACTIVE QTY

Location: 424-424 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

DMRLOUT - TOTAL DOMESTIC OUTGOING CASES

Location: 425-435 (width: 11; decimal: 0)

Variable Type: numeric

Value	Label
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

DMRLOUTQ - TOTAL DOMESTIC OUTGOING CASES QTY

Location: 436-436 (width: 1; decimal: 0)

Variable Type: character

Value	Label
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

DMRLEPAC - TOTAL DOMESTIC END PENDING - ACTIVE

Location: 437-447 (width: 11; decimal: 0)

Variable Type: numeric

Value	Label
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

DMRLEPAQ - TOTAL DOMESTIC END PENDING - ACTIVE QTY

Location: 448-448 (width: 1; decimal: 0)

Variable Type: character

Value	Label
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

DMRLEPIN - TOTAL DOMESTIC END PENDING - INACTIVE

Location: 449-459 (width: 11; decimal: 0)

- Study 34081 -

Variable Type: numeric

Value	Label
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

DMRLEPIQ - TOTAL DOMESTIC END PENDING - INACTIVE QTY

Location: 460-460 (width: 1; decimal: 0)

Variable Type: character

Value	Label
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TCRMBPAC - TOTAL CRIMINAL BEGIN PENDING - ACTIVE

Location: 461-471 (width: 11; decimal: 0)

Variable Type: numeric

Value	Label
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TCRMBPAQ - TOTAL CRIMINAL BEGIN PENDING - ACTIVE QTY

Location: 472-472 (width: 1; decimal: 0)

Variable Type: character

Value	Label
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TCRMBPIN - TOTAL CRIMINAL BEGIN PENDING - INACTIVE

Location: 473-483 (width: 11; decimal: 0)

Variable Type: numeric

- Study 34081 -

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TCRMBPIQ - TOTAL CRIMINAL BEGIN PENDING - INACTIVE QTY

Location: 484-484 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TCRMFILE - TOTAL CRIMINAL NEW FILING CASES

Location: 485-495 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TCRMFILQ - TOTAL CRIMINAL NEW FILING CASES QTY

Location: 496-496 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TCRMREFI - TOTAL CRIMINAL REOPENED CASES

Location: 497-507 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable

- Study 34081 -

<i>Value</i>	<i>Label</i>
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TCRMREFQ - TOTAL CRIMINAL REOPENED CASES QTY

Location: 508-508 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TCRMREAC - TOTAL CRIMINAL REACTIVATED CASES

Location: 509-519 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TCRMREQ - TOTAL CRIMINAL REACTIVATED CASES QTY

Location: 520-520 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TCRMINC - TOTAL CRIMINAL INCOMING CASES

Location: 521-531 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type

- Study 34081 -

<i>Value</i>	<i>Label</i>
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TCRMINCQ - TOTAL CRIMINAL INCOMING CASES QTY

Location: 532-532 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TCRMDISP - TOTAL CRIMINAL ENTRY OF JUDGMENT CASES

Location: 533-543 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TCRMDSPQ - TOTAL CRIMINAL ENTRY OF JUDGMENT CASES QTY

Location: 544-544 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TCRMREDS - TOTAL CRIMINAL REOPENED DISPOSITIONS

Location: 545-555 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available

- Study 34081 -

<i>Value</i>	<i>Label</i>
-1	Court has no jurisdiction over this type of case

TCRMREDQ - TOTAL CRIMINAL REOPENED DISPOSITIONS QTY

Location: 556-556 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TCRMPLIN - TOTAL CRIMINAL CASES PLACED INACTIVE

Location: 557-567 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TCRMPLIQ - TOTAL CRIMINAL CASES PLACED INACTIVE QTY

Location: 568-568 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TCRMOUT - TOTAL CRIMINAL OUTGOING CASES

Location: 569-579 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TCRMOUTQ - TOTAL CRIMINAL OUTGOING CASES QTY

Location: 580-580 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TCRMEPAC - TOTAL CRIMINAL END PENDING - ACTIVE

Location: 581-591 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TCRMEPAQ - TOTAL CRIMINAL END PENDING - ACTIVE QTY

Location: 592-592 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TCRMEPIN - TOTAL CRIMINAL END PENDING - INACTIVE

Location: 593-603 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TCRMEPIQ - TOTAL CRIMINAL END PENDING - INACTIVE QTY

Location: 604-604 (width: 1; decimal: 0)

- Study 34081 -

Variable Type: character

Value	Label
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TJUVBPAC - TOTAL JUVENILE BEGIN PENDING - ACTIVE

Location: 605-615 (width: 11; decimal: 0)

Variable Type: numeric

Value	Label
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TJUVBPAQ - TOTAL JUVENILE BEGIN PENDING - ACTIVE QTY

Location: 616-616 (width: 1; decimal: 0)

Variable Type: character

Value	Label
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TJUVBPIN - TOTAL JUVENILE BEGIN PENDING - INACTIVE

Location: 617-627 (width: 11; decimal: 0)

Variable Type: numeric

Value	Label
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TJUVBPIQ - TOTAL JUVENILE BEGIN PENDING - INACTIVE QTY

Location: 628-628 (width: 1; decimal: 0)

Variable Type: character

- Study 34081 -

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TJUVFILE - TOTAL JUVENILE NEW FILING CASES

Location: 629-639 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TJUVFILQ - TOTAL JUVENILE NEW FILING CASES QTY

Location: 640-640 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TJUVREFI - TOTAL JUVENILE REOPENED CASES

Location: 641-651 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TJUVREFQ - TOTAL JUVENILE REOPENED CASES QTY

Location: 652-652 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete

- Study 34081 -

<i>Value</i>	<i>Label</i>
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TJUVREAC - TOTAL JUVENILE REACTIVATED CASES

Location: 653-663 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TJUVREQ - TOTAL JUVENILE REACTIVATED CASES QTY

Location: 664-664 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TJUVINC - TOTAL JUVENILE INCOMING CASES

Location: 665-675 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TJUVINCQ - TOTAL JUVENILE INCOMING CASES QTY

Location: 676-676 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive

- Study 34081 -

<i>Value</i>	<i>Label</i>
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TJUVDISP - TOTAL JUVENILE ENTRY OF JUDGMENT CASES

Location: 677-687 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TJUVDSPQ - TOTAL JUVENILE ENTRY OF JUDGMENT CASES QTY

Location: 688-688 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TJUVREDS - TOTAL JUVENILE REOPENED DISPOSITIONS

Location: 689-699 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TJUVREDQ - TOTAL JUVENILE REOPENED DISPOSITIONS QTY

Location: 700-700 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive

- Study 34081 -

<i>Value</i>	<i>Label</i>
Z	Data are missing or not applicable
i	Incomplete

TJUVPLIN - TOTAL JUVENILE CASES PLACED INACTIVE

Location: 701-711 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TJUVPLIQ - TOTAL JUVENILE CASES PLACED INACTIVE QTY

Location: 712-712 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TJUVOUT - TOTAL JUVENILE OUTGOING CASES

Location: 713-723 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TJUVOUTQ - TOTAL JUVENILE OUTGOING CASES QTY

Location: 724-724 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable

- Study 34081 -

<i>Value</i>	<i>Label</i>
i	Incomplete

TJUVEPAC - TOTAL JUVENILE END PENDING - ACTIVE

Location: 725-735 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TJUVEPAQ - TOTAL JUVENILE END PENDING - ACTIVE QTY

Location: 736-736 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TJUVEPIN - TOTAL JUVENILE END PENDING - INACTIVE

Location: 737-747 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TJUVEPIQ - TOTAL JUVENILE END PENDING - INACTIVE QTY

Location: 748-748 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TTRFBPAC - TOTAL TRAFFIC BEGIN PENDING - ACTIVE

Location: 749-759 (width: 11; decimal: 0)

Variable Type: numeric

Value	Label
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TTRFBPAQ - TOTAL TRAFFIC BEGIN PENDING - ACTIVE QTY

Location: 760-760 (width: 1; decimal: 0)

Variable Type: character

Value	Label
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TTRFBPIN - TOTAL TRAFFIC BEGIN PENDING - INACTIVE

Location: 761-771 (width: 11; decimal: 0)

Variable Type: numeric

Value	Label
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TTRFBPIQ - TOTAL TRAFFIC BEGIN PENDING - INACTIVE QTY

Location: 772-772 (width: 1; decimal: 0)

Variable Type: character

Value	Label
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TTRFFILE - TOTAL TRAFFIC NEW FILING CASES

Location: 773-783 (width: 11; decimal: 0)

- Study 34081 -

Variable Type: numeric

Value	Label
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TTRFFILQ - TOTAL TRAFFIC NEW FILING CASES QTY

Location: 784-784 (width: 1; decimal: 0)

Variable Type: character

Value	Label
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TTRFREFI - TOTAL TRAFFIC REOPENED CASES

Location: 785-795 (width: 11; decimal: 0)

Variable Type: numeric

Value	Label
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TTRFREFQ - TOTAL TRAFFIC REOPENED CASES QTY

Location: 796-796 (width: 1; decimal: 0)

Variable Type: character

Value	Label
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TTRFREAC - TOTAL TRAFFIC REACTIVATED CASES

Location: 797-807 (width: 11; decimal: 0)

Variable Type: numeric

- Study 34081 -

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TTRFREQ - TOTAL TRAFFIC REACTIVATED CASES QTY

Location: 808-808 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TTRFINC - TOTAL TRAFFIC INCOMING CASES

Location: 809-819 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TTRFINCQ - TOTAL TRAFFIC INCOMING CASES QTY

Location: 820-820 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TTRFDISP - TOTAL TRAFFIC ENTRY OF JUDGMENT CASES

Location: 821-831 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable

- Study 34081 -

<i>Value</i>	<i>Label</i>
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TTRFDSPQ - TOTAL TRAFFIC ENTRY OF JUDGMENT CASES QTY

Location: 832-832 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TTRFREDS - TOTAL TRAFFIC REOPENED DISPOSITIONS

Location: 833-843 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TTRFREDQ - TOTAL TRAFFIC REOPENED DISPOSITIONS QTY

Location: 844-844 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TTRFPLIN - TOTAL TRAFFIC CASES PLACED INACTIVE

Location: 845-855 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type

- Study 34081 -

<i>Value</i>	<i>Label</i>
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TTRFPLIQ - TOTAL TRAFFIC CASES PLACED INACTIVE QTY

Location: 856-856 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TTRFOUT - TOTAL TRAFFIC OUTGOING CASES

Location: 857-867 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TTRFOUTQ - TOTAL TRAFFIC OUTGOING CASES QTY

Location: 868-868 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TTRFEPAC - TOTAL TRAFFIC END PENDING - ACTIVE

Location: 869-879 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available

- Study 34081 -

<i>Value</i>	<i>Label</i>
-1	Court has no jurisdiction over this type of case

TTRFEPAQ - TOTAL TRAFFIC END PENDING - ACTIVE QTY

Location: 880-880 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

TTRFEPIN - TOTAL TRAFFIC END PENDING - INACTIVE

Location: 881-891 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

TTRFEPIQ - TOTAL TRAFFIC END PENDING - INACTIVE QTY

Location: 892-892 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

GRTLBPAC - GRAND TOTAL BEGIN PENDING - ACTIVE

Location: 893-903 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

GRTLBPQA - GRAND TOTAL BEGIN PENDING - ACTIVE QTY

Location: 904-904 (width: 1; decimal: 0)

Variable Type: character

Value	Label
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

GRTLBPIN - GRAND TOTAL BEGIN PENDING - INACTIVE

Location: 905-915 (width: 11; decimal: 0)

Variable Type: numeric

Value	Label
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

GRTLBPQI - GRAND TOTAL BEGIN PENDING - INACTIVE QTY

Location: 916-916 (width: 1; decimal: 0)

Variable Type: character

Value	Label
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

GRTLFILE - GRAND TOTAL NEW FILING CASES

Location: 917-927 (width: 11; decimal: 0)

Variable Type: numeric

Value	Label
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

GRTLFIQI - GRAND TOTAL NEW FILING CASES QTY

Location: 928-928 (width: 1; decimal: 0)

- Study 34081 -

Variable Type: character

Value	Label
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

GRTLREFI - GRAND TOTAL REOPENED CASES

Location: 929-939 (width: 11; decimal: 0)

Variable Type: numeric

Value	Label
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

GRTLREFQ - GRAND TOTAL REOPENED CASES QTY

Location: 940-940 (width: 1; decimal: 0)

Variable Type: character

Value	Label
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

GRTLREAC - GRAND TOTAL REACTIVATED CASES

Location: 941-951 (width: 11; decimal: 0)

Variable Type: numeric

Value	Label
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

GRTLREQ - GRAND TOTAL REACTIVATED CASES QTY

Location: 952-952 (width: 1; decimal: 0)

Variable Type: character

- Study 34081 -

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

GRTLINC - GRAND TOTAL INCOMING CASES

Location: 953-963 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

GRTLINCQ - GRAND TOTAL INCOMING CASES QTY

Location: 964-964 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

GRTLDISP - GRAND TOTAL ENTRY OF JUDGMENT CASES

Location: 965-975 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

GRTLDSQPQ - GRAND TOTAL ENTRY OF JUDGMENT CASES QTY

Location: 976-976 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete

- Study 34081 -

<i>Value</i>	<i>Label</i>
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

GRTLREDS - GRAND TOTAL REOPENED DISPOSITIONS

Location: 977-987 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

GRTLREDQ - GRAND TOTAL REOPENED DISPOSITIONS QTY

Location: 988-988 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

GRTLPLIN - GRAND TOTAL CASES PLACED INACTIVE

Location: 989-999 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

GRTLPLIQ - GRAND TOTAL CASES PLACED INACTIVE QTY

Location: 1000-1000 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive

- Study 34081 -

<i>Value</i>	<i>Label</i>
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

GRTLOUT - GRAND TOTAL OUTGOING CASES

Location: 1001-1011 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

GRTLOUTQ - GRAND TOTAL OUTGOING CASES QTY

Location: 1012-1012 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete

GRTLEPAC - GRAND TOTAL END PENDING - ACTIVE

Location: 1013-1023 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

GRTLEPAQ - GRAND TOTAL END PENDING - ACTIVE QTY

Location: 1024-1024 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive

- Study 34081 -

<i>Value</i>	<i>Label</i>
Z	Data are missing or not applicable
i	Incomplete

GRTLEPIN - GRAND TOTAL END PENDING - INACTIVE

Location: 1025-1035 (width: 11; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-6	Not applicable
-5	Data are collapsed with another case type
-2	Data are not available
-1	Court has no jurisdiction over this type of case

GRTLEPIQ - GRAND TOTAL END PENDING - INACTIVE QTY

Location: 1036-1036 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
A	Complete
C	Overinclusive
O	Incomplete and overinclusive
Z	Data are missing or not applicable
i	Incomplete