

ICPSR 34122

**Perception and Memory
Experiments Using Drug Names
[2010, Canada]**

Bruce L. Lambert
BLL Consulting, Inc.

Valentina Jelincic
Institute for Safe Medication Practices Canada

David U
Institute for Safe Medication Practices Canada

Codebook for Progressive Demasking
Experiment Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/34122/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR # 34122

Perception and Memory Experiments Using Drug Names [2010, Canada]

Progressive Demasking Experiment Data

- 1) **Sequential Record Identifier:** ICPSR created a unique sequential record identifier variable name **CASEID**.

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--Progressive Demasking Experiment Data

Variable Name and Label (Total Cases = 3024)	Percent of Cases with Missing Values	
90.2% (46 of 51 variables)	have 0% Missing Values	
0.0% (0 of 51 variables)	have 0% - 1% Missing Values	
3.9% (2 of 51 variables)	have 1% - 3% Missing Values	
0.0% (0 of 51 variables)	have 3% - 5% Missing Values	
0.0% (0 of 51 variables)	have 5% - 10% Missing Values	
0.0% (0 of 51 variables)	have 10% - 20% Missing Values	
0.0% (0 of 51 variables)	have 20% - 40% Missing Values	
3.9% (2 of 51 variables)	have 40% - 99% Missing Values	
DEGREE2	Second degree	72.2%
DEGREE3	Third degree	97.2%
2.0% (1 of 51 variables)	have 100% missing values	
CONTEXT2	Second practice context	100.0%

ICPSR 34122

Perception and Memory Experiments Using Drug Names [2010, Canada]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Perception and Memory Experiments Using Drug Names [2010, Canada]

Progressive Demasking Experiment Data

CASEID	Sequential Record Identifier
--------	------------------------------

Location: 1-6 (width: 6; decimal: 0)

Variable Type: numeric

Based upon 3024 valid cases out of 3024 total cases.

ID	Participant ID
----	----------------

Location: 7-15 (width: 9; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
subject31	84	2.8 %
subject32	84	2.8 %
subject33	84	2.8 %
subject34	84	2.8 %
subject35	84	2.8 %
subject36	84	2.8 %
subject37	84	2.8 %
subject38	84	2.8 %
subject39	84	2.8 %
subject40	84	2.8 %
subject41	84	2.8 %
subject42	84	2.8 %
subject43	84	2.8 %
subject44	84	2.8 %
subject45	84	2.8 %
subject46	84	2.8 %
subject47	84	2.8 %
subject48	84	2.8 %
subject49	84	2.8 %
subject50	84	2.8 %
subject51	84	2.8 %
subject52	84	2.8 %
subject53	84	2.8 %
subject54	84	2.8 %
subject55	84	2.8 %
subject56	84	2.8 %
subject57	84	2.8 %
subject58	84	2.8 %

- Study 34122 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
subject59	84	2.8 %
subject60	84	2.8 %
subject61	84	2.8 %
subject62	84	2.8 %
subject63	84	2.8 %
subject64	84	2.8 %
subject65	84	2.8 %
subject66	84	2.8 %

Based upon 3024 valid cases out of 3024 total cases.

TRIAL

Sequential trial number

Location: 16-17 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
11	36	1.2 %
12	36	1.2 %
13	36	1.2 %
14	36	1.2 %
15	36	1.2 %
16	36	1.2 %
17	36	1.2 %
18	36	1.2 %
19	36	1.2 %
20	36	1.2 %
21	36	1.2 %
22	36	1.2 %
23	36	1.2 %
24	36	1.2 %
25	36	1.2 %
26	36	1.2 %
27	36	1.2 %
28	36	1.2 %
29	36	1.2 %
30	36	1.2 %
31	36	1.2 %
32	36	1.2 %
33	36	1.2 %
34	36	1.2 %

- Study 34122 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
35	36	1.2 %
36	36	1.2 %
37	36	1.2 %
38	36	1.2 %
39	36	1.2 %
40	36	1.2 %
41	36	1.2 %
42	36	1.2 %
43	36	1.2 %
44	36	1.2 %
45	36	1.2 %
46	36	1.2 %
47	36	1.2 %
48	36	1.2 %
49	36	1.2 %
50	36	1.2 %
51	36	1.2 %
52	36	1.2 %
53	36	1.2 %
54	36	1.2 %
55	36	1.2 %
56	36	1.2 %
57	36	1.2 %
58	36	1.2 %
59	36	1.2 %
60	36	1.2 %
61	36	1.2 %
62	36	1.2 %
63	36	1.2 %
64	36	1.2 %
65	36	1.2 %
66	36	1.2 %
67	36	1.2 %
68	36	1.2 %
69	36	1.2 %
70	36	1.2 %
71	36	1.2 %
72	36	1.2 %
73	36	1.2 %
74	36	1.2 %

- Study 34122 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
75	36	1.2 %
76	36	1.2 %
77	36	1.2 %
78	36	1.2 %
79	36	1.2 %
80	36	1.2 %
81	36	1.2 %
82	36	1.2 %
83	36	1.2 %
84	36	1.2 %
85	36	1.2 %
86	36	1.2 %
87	36	1.2 %
88	36	1.2 %
89	36	1.2 %
90	36	1.2 %
91	36	1.2 %
92	36	1.2 %
93	36	1.2 %
94	36	1.2 %

Based upon 3024 valid cases out of 3024 total cases.

- Mean: 52.50
- Median: 52.50
- Minimum: 11.00
- Maximum: 94.00
- Standard Deviation: 24.25

TARGET_ID	ID number for target (stimulus) name
------------------	---

Location: 18-20 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	36	1.2 %
2	36	1.2 %
3	36	1.2 %
4	36	1.2 %
5	36	1.2 %
6	36	1.2 %
7	36	1.2 %

- Study 34122 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	36	1.2 %
9	36	1.2 %
10	36	1.2 %
13	36	1.2 %
14	36	1.2 %
15	36	1.2 %
16	36	1.2 %
17	36	1.2 %
18	36	1.2 %
19	36	1.2 %
20	36	1.2 %
23	36	1.2 %
24	36	1.2 %
25	36	1.2 %
27	36	1.2 %
28	36	1.2 %
29	36	1.2 %
31	36	1.2 %
32	36	1.2 %
33	36	1.2 %
34	36	1.2 %
37	36	1.2 %
38	36	1.2 %
39	36	1.2 %
40	36	1.2 %
41	36	1.2 %
42	36	1.2 %
43	36	1.2 %
44	36	1.2 %
45	36	1.2 %
47	36	1.2 %
48	36	1.2 %
49	36	1.2 %
50	36	1.2 %
51	36	1.2 %
52	36	1.2 %
54	36	1.2 %
55	36	1.2 %
56	36	1.2 %
60	36	1.2 %

- Study 34122 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
61	36	1.2 %
62	36	1.2 %
63	36	1.2 %
64	36	1.2 %
65	36	1.2 %
66	36	1.2 %
67	36	1.2 %
68	36	1.2 %
69	36	1.2 %
70	36	1.2 %
71	36	1.2 %
72	36	1.2 %
74	36	1.2 %
75	36	1.2 %
76	36	1.2 %
77	36	1.2 %
79	36	1.2 %
80	36	1.2 %
83	36	1.2 %
84	36	1.2 %
86	36	1.2 %
87	36	1.2 %
88	36	1.2 %
90	36	1.2 %
91	36	1.2 %
92	36	1.2 %
93	36	1.2 %
95	36	1.2 %
96	36	1.2 %
97	36	1.2 %
98	36	1.2 %
99	36	1.2 %
100	36	1.2 %
101	36	1.2 %
102	36	1.2 %
104	36	1.2 %
105	36	1.2 %

Based upon 3024 valid cases out of 3024 total cases.

- Mean: 52.55

- Study 34122 -

- Median: 51.50
- Minimum: 1.00
- Maximum: 105.00
- Standard Deviation: 30.84

TARGET	Target Name
--------	-------------

Location: 21-69 (width: 49; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
act-hib	36	1.2 %
amevive	36	1.2 %
amygdales	36	1.2 %
apo-sulin	36	1.2 %
apo-verap	36	1.2 %
aquasol e	36	1.2 %
arthron 5	36	1.2 %
artichaut	36	1.2 %
atropinum	36	1.2 %
baciject	36	1.2 %
betaject	36	1.2 %
betaseron	36	1.2 %
blueberry	36	1.2 %
bss plus	36	1.2 %
carthamex	36	1.2 %
center-al	36	1.2 %
cetecal d	36	1.2 %
cetrotide	36	1.2 %
cystadane	36	1.2 %
dalmacol	36	1.2 %
dangguisu	36	1.2 %
dexasone	36	1.2 %
diazemuls	36	1.2 %
diphenist	36	1.2 %
dukoral	36	1.2 %
epipen jr	36	1.2 %
euglucon	36	1.2 %
eurocal d	36	1.2 %
extraneal	36	1.2 %
florable	36	1.2 %
formulex	36	1.2 %
fortaplex	36	1.2 %

- Study 34122 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
glonoinum	36	1.2 %
glutamine	36	1.2 %
hemabate	36	1.2 %
hepatinum	36	1.2 %
homeoslim	36	1.2 %
hydergine	36	1.2 %
immucyst	36	1.2 %
intron a	36	1.2 %
kidrolase	36	1.2 %
lectopam	36	1.2 %
lescol xl	36	1.2 %
mazepine	36	1.2 %
melaton-3	36	1.2 %
modu chol	36	1.2 %
neisvac-c	36	1.2 %
neulasta	36	1.2 %
norventyl	36	1.2 %
nu-cimet	36	1.2 %
nu-pindol	36	1.2 %
osteomate	36	1.2 %
ovidrel	36	1.2 %
pain ease	36	1.2 %
parsitan	36	1.2 %
parvolex	36	1.2 %
pegasys	36	1.2 %
pegetron	36	1.2 %
pregnyl	36	1.2 %
priorix	36	1.2 %
protylol	36	1.2 %
pulmozyme	36	1.2 %
quelicin	36	1.2 %
remodulin	36	1.2 %
repronex	36	1.2 %
robaximol	36	1.2 %
rogitine	36	1.2 %
sensipar	36	1.2 %
serostim	36	1.2 %
stemgen	36	1.2 %
suprefact	36	1.2 %
taxotere	36	1.2 %

- Study 34122 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
tebrazid	36	1.2 %
thyrogen	36	1.2 %
typherix	36	1.2 %
typhim vi	36	1.2 %
ulcidine	36	1.2 %
ultra efa	36	1.2 %
uristatin	36	1.2 %
valtaxin	36	1.2 %
varilrix	36	1.2 %
vascoray	36	1.2 %
vivotif	36	1.2 %
yohimbine	36	1.2 %

Based upon 3024 valid cases out of 3024 total cases.

RESPONSE

Response Name

Location:

70-81 (width: 12; decimal: 0)

Variable Type:

character

Based upon 3024 valid cases out of 3024 total cases.

NN

Neighbor Name

Location:

82-126 (width: 45; decimal: 0)

Variable Type:

character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
abrotanum	36	1.2 %
actos	36	1.2 %
amatine	36	1.2 %
amygdeel	36	1.2 %
apo-gain	36	1.2 %
apo-peram	36	1.2 %
artechol	36	1.2 %
arthron	36	1.2 %
atasol 8	36	1.2 %
baciject	36	1.2 %
betaject	36	1.2 %
betaxin	36	1.2 %
betullus	36	1.2 %
bilberry	36	1.2 %
cardamom	36	1.2 %

- Study 34122 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
cetacaine	36	1.2 %
choroide	36	1.2 %
cical	36	1.2 %
control	36	1.2 %
dalmane	36	1.2 %
depakene	36	1.2 %
diazepam	36	1.2 %
digest	36	1.2 %
dipentum	36	1.2 %
doloral	36	1.2 %
epipen	36	1.2 %
estrogel	36	1.2 %
eupion	36	1.2 %
euro d	36	1.2 %
florasil	36	1.2 %
formule a	36	1.2 %
formulex	36	1.2 %
glutapure	36	1.2 %
glycerinum	36	1.2 %
hemoban	36	1.2 %
hepaton-s	36	1.2 %
homeocap	36	1.2 %
hytrin	36	1.2 %
imuran	36	1.2 %
ironol	36	1.2 %
karsesse	36	1.2 %
lescol	36	1.2 %
lycopus	36	1.2 %
melatonin	36	1.2 %
monurol	36	1.2 %
mycamine	36	1.2 %
nervosyl	36	1.2 %
neuleptil	36	1.2 %
nevanac	36	1.2 %
nu-indo	36	1.2 %
nu-nifed	36	1.2 %
osteocit	36	1.2 %
oxytrol	36	1.2 %
pain aid	36	1.2 %
pariodex	36	1.2 %

- Study 34122 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
parnate	36	1.2 %
pegalax	36	1.2 %
pronal	36	1.2 %
propofol	36	1.2 %
protrin	72	2.4 %
pulminum	36	1.2 %
quetiapine	36	1.2 %
reactine	36	1.2 %
reparagen	36	1.2 %
robaxin	36	1.2 %
robitussin	36	1.2 %
senior	36	1.2 %
serofin	36	1.2 %
sialgen	36	1.2 %
suplevit	36	1.2 %
taxol	36	1.2 %
thyplex	36	1.2 %
thyrocsin	36	1.2 %
tofranil	36	1.2 %
typherix	36	1.2 %
ultra mega	36	1.2 %
urixin	72	2.4 %
varizig	36	1.2 %
vasotec	36	1.2 %
vivotif I	36	1.2 %
voltaren	36	1.2 %
yasmin	36	1.2 %

Based upon 3024 valid cases out of 3024 total cases.

NN_SUB	Nearest neighbor substitution?
---------------	---------------------------------------

Location: 127-127 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3017	99.8 %
1	7	0.2 %

Based upon 3024 valid cases out of 3024 total cases.

- Mean: 0.00

- Study 34122 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.05

RT **Reaction Time**

Location: 128-132 (width: 5; decimal: 0)
Variable Type: numeric
Based upon 3024 valid cases out of 3024 total cases.

- Mean: 1089.68
- Minimum: 269.00
- Maximum: 10965.00
- Standard Deviation: 963.48

SCORE **Score (correct or error)**

Location: 133-133 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Incorrect	1337	44.2 %
1	Correct	1687	55.8 %

Based upon 3024 valid cases out of 3024 total cases.

- Mean: 0.56
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

LENGTH **Length of name in characters**

Location: 134-134 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	324	10.7 %
8	1116	36.9 %
9	1584	52.4 %

Based upon 3024 valid cases out of 3024 total cases.

- Study 34122 -

- Mean: 8.42
- Median: 9.00
- Mode: 9.00
- Minimum: 7.00
- Maximum: 9.00
- Standard Deviation: 0.68

MEAN_PCT_CORRECT	Mean Percent Correct
------------------	----------------------

Location: 135-143 (width: 9; decimal: 8)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.08333334	72	2.4 %
0.11111111	36	1.2 %
0.16666667	36	1.2 %
0.30555555	72	2.4 %
0.33333334	108	3.6 %
0.36111110	108	3.6 %
0.38888890	144	4.8 %
0.41666666	72	2.4 %
0.44444445	180	6.0 %
0.47222221	216	7.1 %
0.50000000	252	8.3 %
0.52777779	144	4.8 %
0.55555558	180	6.0 %
0.58333331	72	2.4 %
0.61111110	72	2.4 %
0.63888890	216	7.1 %
0.66666669	144	4.8 %
0.69444442	216	7.1 %
0.72222221	288	9.5 %
0.75000000	72	2.4 %
0.77777779	72	2.4 %
0.80555558	72	2.4 %
0.83333331	36	1.2 %
0.86111110	36	1.2 %
0.88888890	72	2.4 %
0.91666669	36	1.2 %

Based upon 3024 valid cases out of 3024 total cases.

- Mean: 0.55787037

- Study 34122 -

- Median: 0.55555558
- Mode: 0.72222221
- Minimum: 0.08333334
- Maximum: 0.91666669
- Standard Deviation: 0.17990782

HANDED **Left Handed**

Location: 144-144 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Are you right-handed?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Righty	2856	94.4 %
1	Lefty	168	5.6 %

Based upon 3024 valid cases out of 3024 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

LANGUAGE **Language**

Location: 145-154 (width: 10; decimal: 0)
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	84	2.8 %
Cantonese	168	5.6 %
English	2268	75.0 %
French	420	13.9 %
Vietnamese	84	2.8 %

Based upon 3024 valid cases out of 3024 total cases.

LICENSED **Licensed to practice**

Location: 155-155 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: If you are a physician, nurse, or pharmacist, are you currently licensed and practicing in Canada?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Licensed	2436	80.6 %

- Study 34122 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Unlicensed	588	19.4 %

Based upon 3024 valid cases out of 3024 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

GENDER **Female**

Location: 156-156 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Your sex. (Circle the number of your answer)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	420	13.9 %
2	Female	2604	86.1 %

Based upon 3024 valid cases out of 3024 total cases.

- Mean: 1.86
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.35

AGE **Age**

Location: 157-158 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Your present age: _____ years

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
22	84	2.8 %
23	84	2.8 %
24	168	5.6 %
25	84	2.8 %
27	252	8.3 %
29	336	11.1 %
30	252	8.3 %

- Study 34122 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
35	168	5.6 %
40	168	5.6 %
41	84	2.8 %
43	84	2.8 %
44	84	2.8 %
45	84	2.8 %
46	84	2.8 %
47	168	5.6 %
48	252	8.3 %
49	84	2.8 %
51	84	2.8 %
52	84	2.8 %
55	168	5.6 %
56	168	5.6 %

Based upon 3024 valid cases out of 3024 total cases.

- Mean: 38.50
- Median: 40.00
- Mode: 29.00
- Minimum: 22.00
- Maximum: 56.00
- Standard Deviation: 10.92

JOB	Profession
------------	-------------------

Location: 159-159 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Which of the following best describes you? (Circle number)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	M.D.	168	5.6 %
2	R.N.	1260	41.7 %
3	R.Ph	924	30.6 %
4	Consumer	0	0.0 %
5	Other	672	22.2 %
6	Pharmacy Technician	0	0.0 %
7	Pharmacy Student	0	0.0 %

Based upon 3024 valid cases out of 3024 total cases.

- Mean: 2.92
- Median: 3.00

- Study 34122 -

- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.23

JOB_DETAIL **Job Description Detail**

Location: 160-178 (width: 19; decimal: 0)
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	2352	77.8 %
Nurse Practitioner	84	2.8 %
Pharmacy Assistant	84	2.8 %
Pharmacy Student	84	2.8 %
Pharmacy assistant	84	2.8 %
Pharmacy technician	84	2.8 %
pharmacy student	168	5.6 %
pharmacy technician	84	2.8 %

Based upon 3024 valid cases out of 3024 total cases.

DEGREE **Degree**

Location: 179-179 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Which advanced degree(s)/designation(s) do you hold? (Circle number(s))

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	84	2.8 %
1	M.D.	84	2.8 %
2	PharmD	336	11.1 %
3	R.N.	1176	38.9 %
4	R.Ph	336	11.1 %
5	B.S.	588	19.4 %
6	Other degree	420	13.9 %

Based upon 3024 valid cases out of 3024 total cases.

- Mean: 3.67
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.47

- Study 34122 -

DEGREE2 Second degree

Location: 180-180 (width: 1; decimal: 0)

Variable Type: numeric

Question: Which advanced degree(s)/designation(s) do you hold? (Circle number(s))

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	0	0.0 %
1	M.D.	0	0.0 %
2	PharmD	0	0.0 %
3	R.N.	0	0.0 %
4	R.Ph	0	0.0 %
5	B.S.	504	16.7 %
6	Other degree	336	11.1 %
. (M)	-	2184	72.2 %

Based upon 840 valid cases out of 3024 total cases.

- Mean: 5.40
- Median: 5.00
- Mode: 5.00
- Minimum: 5.00
- Maximum: 6.00
- Standard Deviation: 0.49

DEGREE3 Third degree

Location: 181-181 (width: 1; decimal: 0)

Variable Type: numeric

Question: Which advanced degree(s)/designation(s) do you hold? (Circle number(s))

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	0	0.0 %
1	M.D.	0	0.0 %
2	PharmD	0	0.0 %
3	R.N.	0	0.0 %
4	R.Ph	0	0.0 %
5	B.S.	0	0.0 %
6	Other degree	84	2.8 %
. (M)	-	2940	97.2 %

Based upon 84 valid cases out of 3024 total cases.

- Mean: 6.00
- Median: 6.00
- Mode: 6.00

- Study 34122 -

- Minimum: 6.00
- Maximum: 6.00
- Standard Deviation: 0.00

DEGREE_DETAIL

Degree detail

Location: 182-209 (width: 28; decimal: 0)
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	2184	72.2 %
ACPR	84	2.8 %
B.Ed, M.Ed, BScN	84	2.8 %
BSc Archeology	84	2.8 %
BScN	84	2.8 %
BScPH	84	2.8 %
CPhT	168	5.6 %
RPh	84	2.8 %
Year 4, M.Pharm	84	2.8 %
pharmacy technician diploma	84	2.8 %

Based upon 3024 valid cases out of 3024 total cases.

EXPERIENCE

Yrs. of Experience

Location: 210-214 (width: 5; decimal: 2)
 Variable Type: numeric
 Question: If you are a physician, nurse, or pharmacist, how long have you been practicing?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	420	13.9 %
0.75	84	2.8 %
2.00	252	8.3 %
2.50	84	2.8 %
3.00	168	5.6 %
3.50	84	2.8 %
4.00	168	5.6 %
5.00	168	5.6 %
10.00	84	2.8 %
14.00	84	2.8 %
15.00	84	2.8 %
19.00	168	5.6 %
20.00	168	5.6 %
21.00	84	2.8 %

- Study 34122 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
23.00	84	2.8 %
24.00	84	2.8 %
26.00	252	8.3 %
29.00	84	2.8 %
34.00	168	5.6 %
35.00	168	5.6 %
. (M)	84	2.8 %

Based upon 2940 valid cases out of 3024 total cases.

- Mean: 13.34
- Median: 10.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 35.00
- Standard Deviation: 12.10

SPECIALTY

Specialty

Location:

215-253 (width: 39; decimal: 0)

Variable Type:

character

Question:

If you are a physician, nurse, or pharmacist, how would you describe your specialty, if any?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	420	13.9 %
Acute Care Service	84	2.8 %
Ambulatory care	84	2.8 %
Anesthesia	84	2.8 %
Critical Care	84	2.8 %
ED	84	2.8 %
Emergency	84	2.8 %
HIV/Surgery	84	2.8 %
IVRommm/sterile preparation	84	2.8 %
Medical Surgical	84	2.8 %
None	84	2.8 %
PICU	168	5.6 %
Pediatric Intense Care	84	2.8 %
Pediatric Intensive Care unit	84	2.8 %
Pediatric Intesive care	168	5.6 %
Pediatric Surgery	84	2.8 %
Pediatric Surgery and Rehab	84	2.8 %
Pediatric oncology	84	2.8 %

- Study 34122 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
Pediatrics	252	8.3 %
Pediatrics/Oncology	84	2.8 %
Surgery	84	2.8 %
Surgical Pediatric	84	2.8 %
neonatal care + child development	84	2.8 %
nursing education medicine	84	2.8 %
oncology	84	2.8 %
pediatric nurse	84	2.8 %
psychiatry	84	2.8 %
surgical/peds	84	2.8 %

Based upon 3024 valid cases out of 3024 total cases.

CONTEXT

Practice Context

Location: 254-254 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Which of the following best describes your primary practice context?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Hospital	2772	91.7 %
1	Clinic	168	5.6 %
2	Community Pharm	0	0.0 %
3	Other	84	2.8 %

Based upon 3024 valid cases out of 3024 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.54

CONTEXT2

Second practice context

Location: 255-255 (width: 1; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	3024	100.0 %

Based upon 0 valid cases out of 3024 total cases.

- Study 34122 -

CONTEXT_DETAIL Practice context description

Location: 256-272 (width: 17; decimal: 0)
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	2940	97.2 %
undecided	84	2.8 %

Based upon 3024 valid cases out of 3024 total cases.

DATE Date of data collection

Location: 273-281 (width: 9; decimal: 0)
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
30-Mar-10	3024	100.0 %

Based upon 3024 valid cases out of 3024 total cases.

LANG_F Language

Location: 282-282 (width: 1; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Cantonese	168	5.6 %
2	English	2268	75.0 %
3	Engllish	0	0.0 %
4	French	420	13.9 %
5	German	0	0.0 %
6	Gujarati	0	0.0 %
7	Punjabi	0	0.0 %
8	Serbian	0	0.0 %
9	Vietnamese	84	2.8 %
. (M)	-	84	2.8 %

Based upon 2940 valid cases out of 3024 total cases.

- Mean: 2.43
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 1.36

- Study 34122 -

BLOCK Experiment Block

Location: 283-289 (width: 7; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
non_otc	3024	100.0 %

Based upon 3024 valid cases out of 3024 total cases.

DRUGCLASS Type of Drug

Location: 290-297 (width: 8; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
biologi	756	25.0 %
nhp	756	25.0 %
rx_inj	756	25.0 %
rx_oral	756	25.0 %

Based upon 3024 valid cases out of 3024 total cases.

GROUP Control

Location: 298-304 (width: 7; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
control	2880	95.2 %
test	144	4.8 %

Based upon 3024 valid cases out of 3024 total cases.

PREVREPT Previously Reported Error

Location: 305-307 (width: 3; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
no	2916	96.4 %
yes	108	3.6 %

Based upon 3024 valid cases out of 3024 total cases.

DRUGCLASS_F Type of Drug

Location: 308-308 (width: 1; decimal: 0)

Variable Type: numeric

- Study 34122 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Biologic	756	25.0 %
2	NHP	756	25.0 %
3	Rx_inj	756	25.0 %
4	Rx_oral	756	25.0 %

Based upon 3024 valid cases out of 3024 total cases.

- Mean: 2.50
- Median: 2.50
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.12

GROUP_F	Control
----------------	----------------

Location: 309-309 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Control	2880	95.2 %
2	Test	144	4.8 %

Based upon 3024 valid cases out of 3024 total cases.

- Mean: 1.05
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.21

PREVREPT_F	Previously Reported Error
-------------------	----------------------------------

Location: 310-310 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2916	96.4 %
2	Yes	108	3.6 %

Based upon 3024 valid cases out of 3024 total cases.

- Mean: 1.04
- Median: 1.00
- Mode: 1.00

- Study 34122 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
17	84	2.8 %
27	168	5.6 %
31	84	2.8 %
34	84	2.8 %
39	84	2.8 %
41	84	2.8 %
42	168	5.6 %
45	168	5.6 %
46	84	2.8 %
47	84	2.8 %
48	84	2.8 %
51	84	2.8 %
54	84	2.8 %
55	84	2.8 %
58	252	8.3 %
60	84	2.8 %
62	84	2.8 %
64	168	5.6 %
67	168	5.6 %
69	84	2.8 %
71	84	2.8 %
73	84	2.8 %
77	84	2.8 %
78	84	2.8 %

Based upon 3024 valid cases out of 3024 total cases.

- Mean: 46.86
- Median: 47.50
- Minimum: 8.00
- Maximum: 78.00
- Standard Deviation: 19.47

PCT_CORRECT	Percent Correct
--------------------	------------------------

Location: 320-327 (width: 8; decimal: 5)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
9.52381	84	2.8 %
16.66667	84	2.8 %
19.04762	252	8.3 %

- Study 34122 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
20.23809	84	2.8 %
32.14286	168	5.6 %
36.90476	84	2.8 %
40.47619	84	2.8 %
46.42857	84	2.8 %
48.80952	84	2.8 %
50.00000	168	5.6 %
53.57143	168	5.6 %
54.76191	84	2.8 %
55.95238	84	2.8 %
57.14286	84	2.8 %
60.71429	84	2.8 %
64.28571	84	2.8 %
65.47619	84	2.8 %
69.04762	252	8.3 %
71.42857	84	2.8 %
73.80952	84	2.8 %
76.19048	168	5.6 %
79.76190	168	5.6 %
82.14286	84	2.8 %
84.52381	84	2.8 %
86.90476	84	2.8 %
91.66666	84	2.8 %
92.85714	84	2.8 %

Based upon 3024 valid cases out of 3024 total cases.

- Mean: 55.78704
- Median: 56.54762
- Minimum: 9.52381
- Maximum: 92.85714
- Standard Deviation: 23.17509

MEAN_FAM	Mean Familiarity of Target Name
-----------------	--

Location: 328-336 (width: 9; decimal: 7)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.111112	72	2.4 %
1.1136752	36	1.2 %
1.1388888	36	1.2 %

- Study 34122 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.1666666	108	3.6 %
1.1692308	36	1.2 %
1.1944444	72	2.4 %
1.2222222	144	4.8 %
1.2722223	36	1.2 %
1.2777778	108	3.6 %
1.3055556	36	1.2 %
1.3113799	36	1.2 %
1.3333334	36	1.2 %
1.3611112	36	1.2 %
1.3888888	72	2.4 %
1.4166666	36	1.2 %
1.4444444	108	3.6 %
1.5000000	72	2.4 %
1.5277778	108	3.6 %
1.5363247	36	1.2 %
1.5833334	72	2.4 %
1.6388888	108	3.6 %
1.6666666	36	1.2 %
1.6910256	36	1.2 %
1.6944444	144	4.8 %
1.7222222	36	1.2 %
1.7500000	36	1.2 %
1.8055556	36	1.2 %
1.8358974	36	1.2 %
1.8611112	36	1.2 %
1.8888888	108	3.6 %
1.9166666	144	4.8 %
1.9444444	72	2.4 %
1.9722222	36	1.2 %
1.9756410	36	1.2 %
2.0059829	36	1.2 %
2.0277777	36	1.2 %
2.0833333	36	1.2 %
2.1111112	36	1.2 %
2.1388888	36	1.2 %
2.1666667	36	1.2 %
2.2500000	36	1.2 %
2.3611112	36	1.2 %
2.4166667	72	2.4 %

- Study 34122 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2.4444444	36	1.2 %
2.4722223	36	1.2 %
2.6213675	36	1.2 %
2.6388888	36	1.2 %
2.9444444	36	1.2 %
3.0833333	36	1.2 %
3.2500000	36	1.2 %
3.3380342	36	1.2 %
3.4350426	36	1.2 %
3.9166667	36	1.2 %
4.1666665	36	1.2 %
4.3611112	36	1.2 %
4.4444447	36	1.2 %

Based upon 3024 valid cases out of 3024 total cases.

- Mean: 1.8802942
- Median: 1.6944444
- Minimum: 1.1111112
- Maximum: 4.4444447
- Standard Deviation: 0.7443706

N_TEST_CORRECT Number of Test Names Correctly Identified

Location: 337-337 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	336	11.1 %
1	336	11.1 %
2	756	25.0 %
3	924	30.6 %
4	672	22.2 %

Based upon 3024 valid cases out of 3024 total cases.

- Mean: 2.42
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.26

- Study 34122 -

N_CONTROL_CORRECT **Number of Control Names Correctly Identified**

Location: 338-339 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	84	2.8 %
14	84	2.8 %
15	84	2.8 %
16	168	5.6 %
17	84	2.8 %
26	168	5.6 %
30	84	2.8 %
32	84	2.8 %
37	84	2.8 %
39	168	5.6 %
40	84	2.8 %
42	84	2.8 %
43	84	2.8 %
44	168	5.6 %
46	84	2.8 %
48	84	2.8 %
51	84	2.8 %
52	84	2.8 %
54	84	2.8 %
55	168	5.6 %
56	84	2.8 %
60	84	2.8 %
61	168	5.6 %
63	84	2.8 %
64	84	2.8 %
65	84	2.8 %
67	84	2.8 %
69	84	2.8 %
73	84	2.8 %
74	84	2.8 %

Based upon 3024 valid cases out of 3024 total cases.

- Mean: 44.44
- Median: 45.00
- Minimum: 6.00
- Maximum: 74.00
- Standard Deviation: 18.36

- Study 34122 -

PCT_TEST_CORRECT Percent of Test Names Correctly Identified

Location: 340-342 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	336	11.1 %
25	336	11.1 %
50	756	25.0 %
75	924	30.6 %
100	672	22.2 %

Based upon 3024 valid cases out of 3024 total cases.

- Mean: 60.42
- Median: 75.00
- Mode: 75.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 31.39

PCT_CONTROL_CORRECT Percent of Control Names Correctly Identified

Location: 343-347 (width: 5; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
7.50	84	2.8 %
17.50	84	2.8 %
18.75	84	2.8 %
20.00	168	5.6 %
21.25	84	2.8 %
32.50	168	5.6 %
37.50	84	2.8 %
40.00	84	2.8 %
46.25	84	2.8 %
48.75	168	5.6 %
50.00	84	2.8 %
52.50	84	2.8 %
53.75	84	2.8 %
55.00	168	5.6 %
57.50	84	2.8 %
60.00	84	2.8 %
63.75	84	2.8 %

- Study 34122 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
65.00	84	2.8 %
67.50	84	2.8 %
68.75	168	5.6 %
70.00	84	2.8 %
75.00	84	2.8 %
76.25	168	5.6 %
78.75	84	2.8 %
80.00	84	2.8 %
81.25	84	2.8 %
83.75	84	2.8 %
86.25	84	2.8 %
91.25	84	2.8 %
92.50	84	2.8 %

Based upon 3024 valid cases out of 3024 total cases.

- Mean: 55.56
- Median: 56.25
- Minimum: 7.50
- Maximum: 92.50
- Standard Deviation: 22.95

TOT_INCORRECT

Total incorrect responses for this participant

Location: 348-349 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	84	2.8 %
7	84	2.8 %
11	84	2.8 %
13	84	2.8 %
15	84	2.8 %
17	168	5.6 %
20	168	5.6 %
22	84	2.8 %
24	84	2.8 %
26	252	8.3 %
29	84	2.8 %
30	84	2.8 %
33	84	2.8 %
36	84	2.8 %

- Study 34122 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
37	84	2.8 %
38	84	2.8 %
39	168	5.6 %
42	168	5.6 %
43	84	2.8 %
45	84	2.8 %
50	84	2.8 %
53	84	2.8 %
57	168	5.6 %
67	84	2.8 %
68	252	8.3 %
70	84	2.8 %
76	84	2.8 %

Based upon 3024 valid cases out of 3024 total cases.

- Mean: 37.14
- Median: 36.50
- Minimum: 6.00
- Maximum: 76.00
- Standard Deviation: 19.47

PCT_INCORRECT	Percent incorrect responses for this participant
----------------------	---

Location: 350-358 (width: 9; decimal: 6)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
7.142860	84	2.8 %
8.333336	84	2.8 %
13.095238	84	2.8 %
15.476189	84	2.8 %
17.857140	84	2.8 %
20.238098	168	5.6 %
23.809525	168	5.6 %
26.190475	84	2.8 %
28.571426	84	2.8 %
30.952377	252	8.3 %
34.523811	84	2.8 %
35.714287	84	2.8 %
39.285713	84	2.8 %
42.857143	84	2.8 %

- Study 34122 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
44.047619	84	2.8 %
45.238094	84	2.8 %
46.428570	168	5.6 %
50.000000	168	5.6 %
51.190475	84	2.8 %
53.571430	84	2.8 %
59.523811	84	2.8 %
63.095238	84	2.8 %
67.857147	168	5.6 %
79.761902	84	2.8 %
80.952377	252	8.3 %
83.333336	84	2.8 %
90.476189	84	2.8 %

Based upon 3024 valid cases out of 3024 total cases.

- Mean: 44.212963
- Median: 43.452381
- Minimum: 7.142860
- Maximum: 90.476189
- Standard Deviation: 23.175093

N_TEST_INCORRECT	Number of test names incorrectly identified
-------------------------	--

Location: 359-359 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	672	22.2 %
1	924	30.6 %
2	756	25.0 %
3	336	11.1 %
4	336	11.1 %

Based upon 3024 valid cases out of 3024 total cases.

- Mean: 1.58
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.26

- Study 34122 -

N_CONTROL_INCORRECT **Number of Control Names Incorrectly Identified**

Location: 360-361 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	84	2.8 %
7	84	2.8 %
11	84	2.8 %
13	84	2.8 %
15	84	2.8 %
16	84	2.8 %
17	84	2.8 %
19	168	5.6 %
20	84	2.8 %
24	84	2.8 %
25	168	5.6 %
26	84	2.8 %
28	84	2.8 %
29	84	2.8 %
32	84	2.8 %
34	84	2.8 %
36	168	5.6 %
37	84	2.8 %
38	84	2.8 %
40	84	2.8 %
41	168	5.6 %
43	84	2.8 %
48	84	2.8 %
50	84	2.8 %
54	168	5.6 %
63	84	2.8 %
64	168	5.6 %
65	84	2.8 %
66	84	2.8 %
74	84	2.8 %

Based upon 3024 valid cases out of 3024 total cases.

- Mean: 35.56
- Median: 35.00
- Minimum: 6.00
- Maximum: 74.00
- Standard Deviation: 18.36

- Study 34122 -

PCT_TEST_INCORRECT Percent Test Names Incorrectly Identified

Location: 362-364 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	672	22.2 %
25	924	30.6 %
50	756	25.0 %
75	336	11.1 %
100	336	11.1 %

Based upon 3024 valid cases out of 3024 total cases.

- Mean: 39.58
- Median: 25.00
- Mode: 25.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 31.39

PCT_CONTROL_INCORRECT Percent Control Names Incorrectly Identified

Location: 365-369 (width: 5; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
7.50	84	2.8 %
8.75	84	2.8 %
13.75	84	2.8 %
16.25	84	2.8 %
18.75	84	2.8 %
20.00	84	2.8 %
21.25	84	2.8 %
23.75	168	5.6 %
25.00	84	2.8 %
30.00	84	2.8 %
31.25	168	5.6 %
32.50	84	2.8 %
35.00	84	2.8 %
36.25	84	2.8 %
40.00	84	2.8 %
42.50	84	2.8 %
45.00	168	5.6 %

- Study 34122 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
46.25	84	2.8 %
47.50	84	2.8 %
50.00	84	2.8 %
51.25	168	5.6 %
53.75	84	2.8 %
60.00	84	2.8 %
62.50	84	2.8 %
67.50	168	5.6 %
78.75	84	2.8 %
80.00	168	5.6 %
81.25	84	2.8 %
82.50	84	2.8 %
92.50	84	2.8 %

Based upon 3024 valid cases out of 3024 total cases.

- Mean: 44.44
- Median: 43.75
- Minimum: 7.50
- Maximum: 92.50
- Standard Deviation: 22.95