

ICPSR 34122

**Perception and Memory  
Experiments Using Drug Names  
[2010, Canada]**

Bruce L. Lambert  
*BLL Consulting, Inc.*

Valentina Jelincic  
*Institute for Safe Medication Practices Canada*

David U  
*Institute for Safe Medication Practices Canada*

Codebook for Recognition Memory Experiment  
Data

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

# Terms of Use

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/34122/terms>

## Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### NOTICE

#### WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

**ICPSR PROCESSING NOTES FOR # 34122**

*Perception and Memory Experiments Using Drug Names [2010, Canada]*

*Recognition Memory Experiment Data*

- 1) **Sequential Record Identifier:** ICPSR created a unique sequential record identifier variable name **CASEID**.

## Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

**Table 1: Distribution of Variables by Percentage of Missing Values--Recognition Memory**

### Experiment Data

Variable Name and Label (Total Cases = 3654 )		Percent of Cases with Missing Values
86.0% ( 37 of 43 variables)	have 0% Missing Values	
2.3% ( 1 of 43 variables)	have 0% - 1% Missing Values	
4.7% ( 2 of 43 variables)	have 1% - 3% Missing Values	
0.0% ( 0 of 43 variables)	have 3% - 5% Missing Values	
2.3% ( 1 of 43 variables)	have 5% - 10% Missing Values	
RSP_POSN	Response Position on Pick List	7.8%
2.3% ( 1 of 43 variables)	have 10% - 20% Missing Values	
LIC	Licensed Clinician	16.7%
2.3% ( 1 of 43 variables)	have 20% - 40% Missing Values	
EXPERIENCE	Years of Experience	26.2%
0.0% ( 0 of 43 variables)	have 40% - 99% Missing Values	
0.0% ( 0 of 43 variables)	have 100% missing values	

## **ICPSR 34122**

# **Perception and Memory Experiments Using Drug Names [2010, Canada]**

## **Variable Description and Frequencies**

**Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.**

**Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.**

## Perception and Memory Experiments Using Drug Names [2010, Canada]

### Recognition Memory Experiment Data

CASEID	Sequential Record Identifier
--------	------------------------------

Location: 1-6 (width: 6; decimal: 0)  
 Variable Type: numeric  
 Based upon 3654 valid cases out of 3654 total cases.

ID	Participant ID
----	----------------

Location: 7-10 (width: 4; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
p101	87	2.4 %
p102	87	2.4 %
p103	87	2.4 %
p104	87	2.4 %
p105	87	2.4 %
p106	87	2.4 %
p107	87	2.4 %
p108	87	2.4 %
p109	87	2.4 %
p110	87	2.4 %
p111	87	2.4 %
p112	87	2.4 %
p113	87	2.4 %
p114	87	2.4 %
p115	87	2.4 %
p116	87	2.4 %
p117	87	2.4 %
p118	87	2.4 %
p119	87	2.4 %
p120	87	2.4 %
p121	87	2.4 %
p122	87	2.4 %
p123	87	2.4 %
p124	87	2.4 %
p125	87	2.4 %
p126	87	2.4 %
p127	87	2.4 %
p128	87	2.4 %

- Study 34122 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
p129	87	2.4 %
p130	87	2.4 %
p131	87	2.4 %
p132	87	2.4 %
p133	87	2.4 %
p134	87	2.4 %
p135	87	2.4 %
p136	87	2.4 %
p137	87	2.4 %
p138	87	2.4 %
p139	87	2.4 %
p140	87	2.4 %
p141	87	2.4 %
p142	87	2.4 %

Based upon 3654 valid cases out of 3654 total cases.

**TARGET**

**Target Name**

Location: 11-59 (width: 49; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
Act-HIB	42	1.1 %
Altocor	42	1.1 %
Amrinone	42	1.1 %
Amygdales	42	1.1 %
Apo-Sulin	42	1.1 %
Aquasol E	42	1.1 %
Arthron 5	42	1.1 %
Artichaut	42	1.1 %
Atropinum	42	1.1 %
BSS Plus	42	1.1 %
Baciject	42	1.1 %
Balminil DM + Decongestant + Expectorant	42	1.1 %
Balminil DM + Expectorant Extra Strength	42	1.1 %
Betaject	42	1.1 %
Betaseron	42	1.1 %
Blueberry	42	1.1 %
Carthamex	42	1.1 %
Center-AI	42	1.1 %

- Study 34122 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
Cetecal D	42	1.1 %
Children's Coltalin Fruit Flavor Chewable Cold	42	1.1 %
Coricidin II Extra Strength Cold And Flu	42	1.1 %
Cystadane	42	1.1 %
Dalmacol	42	1.1 %
Dangguisu	42	1.1 %
Dexasone	42	1.1 %
Diphenist	42	1.1 %
Dristan Long Lasting Nasal Spray Mentholated	42	1.1 %
Dukoral	42	1.1 %
Epipen Jr	42	1.1 %
Euglucon	42	1.1 %
Extra Strength Head Cold And Sinus Caplets	42	1.1 %
Extra Strength Sinus Medication Daytime Relief	42	1.1 %
Extraneal	42	1.1 %
Formulex	42	1.1 %
Hemabate	42	1.1 %
Hot Lemon Relief For Symptoms Of Cough And Cold	42	1.1 %
Hydergine	42	1.1 %
Kapidex	42	1.1 %
Kidrolase	42	1.1 %
Lectopam	42	1.1 %
Mazepine	42	1.1 %
Melaton-3	42	1.1 %
Modu Chol	42	1.1 %
Multigenics Intensive Care Formula Without Iron	42	1.1 %
Nasal Decongestant Spray With Moisturizers	42	1.1 %
Neisvac-C	42	1.1 %
Neulasta	42	1.1 %
Norventyl	42	1.1 %
Nu-Cimet	42	1.1 %
Omacor	42	1.1 %
Osteomate	42	1.1 %
Ovidrel	42	1.1 %
Pain Ease	42	1.1 %
Parsitan	42	1.1 %
Parvolex	42	1.1 %
Pegasys	42	1.1 %
Pegetron	42	1.1 %
Pregnyl	42	1.1 %



- Study 34122 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
Preservative-Free Thera Tears Lubricant Eye Drops	42	1.1 %
Priorix	42	1.1 %
Protylol	42	1.1 %
Quelicin	42	1.1 %
Relievol Allergy Sinus Caplets Extra Strength	42	1.1 %
Reminyl	42	1.1 %
Remodulin	42	1.1 %
Repronex	42	1.1 %
Rheuma Heilkrauter Tee (Rheumatism Herbal Tea)	42	1.1 %
Ricola Swiss Lemon-Mint Herb Cough Drops	42	1.1 %
Robaximol	42	1.1 %
Rogitine	42	1.1 %
Scott'S Emulsion Of Cod Liver & Capelin Oil	42	1.1 %
Sensipar	42	1.1 %
Sucrets Cough Control Extra Strength Lozenges	42	1.1 %
Suprefact	42	1.1 %
Taxotere	42	1.1 %
Thyrogen	42	1.1 %
Timed Release Ultra Mega Gold Without Iron	42	1.1 %
Typherix	42	1.1 %
Ulcidine	42	1.1 %
Ultra EFA	42	1.1 %
Uristatin	42	1.1 %
Valtaxin	42	1.1 %
Varilrix	42	1.1 %
Vascoray	42	1.1 %
Vicks Custom Care Chest Congestion/Cough	42	1.1 %
Vivotif	42	1.1 %
Yohimbine	42	1.1 %

Based upon 3654 valid cases out of 3654 total cases.

<b>RESPONSE</b>	<b>Response Name</b>
-----------------	----------------------

Location:	60-121 (width: 62; decimal: 0)
Variable Type:	character
	Based upon 3654 valid cases out of 3654 total cases.

<b>SCORE</b>	<b>Score</b>
--------------	--------------

Location:	122-122 (width: 1; decimal: 0)
Variable Type:	numeric



- Study 34122 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
12	42	1.1 %
13	42	1.1 %
14	42	1.1 %
15	42	1.1 %
16	42	1.1 %
17	42	1.1 %
18	42	1.1 %
19	42	1.1 %
20	42	1.1 %
21	42	1.1 %
22	42	1.1 %
23	42	1.1 %
24	42	1.1 %
25	42	1.1 %
26	42	1.1 %
27	42	1.1 %
28	42	1.1 %
29	42	1.1 %
30	42	1.1 %
31	42	1.1 %
32	42	1.1 %
33	42	1.1 %
34	42	1.1 %
35	42	1.1 %
36	42	1.1 %
37	42	1.1 %
38	42	1.1 %
39	42	1.1 %
40	42	1.1 %
41	42	1.1 %
42	42	1.1 %
43	42	1.1 %
44	42	1.1 %
45	42	1.1 %
46	42	1.1 %
47	42	1.1 %
48	42	1.1 %
49	42	1.1 %
50	42	1.1 %
51	42	1.1 %

- Study 34122 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
52	42	1.1 %
53	42	1.1 %
54	42	1.1 %
55	42	1.1 %
56	42	1.1 %
57	42	1.1 %
58	42	1.1 %
59	42	1.1 %
60	42	1.1 %
61	42	1.1 %
62	42	1.1 %
63	42	1.1 %
64	42	1.1 %
65	42	1.1 %
66	42	1.1 %
67	42	1.1 %
68	42	1.1 %
69	42	1.1 %
70	42	1.1 %
71	42	1.1 %
72	42	1.1 %
73	42	1.1 %
74	42	1.1 %
75	42	1.1 %
76	42	1.1 %
77	42	1.1 %
78	42	1.1 %
79	42	1.1 %
81	42	1.1 %
82	42	1.1 %
83	42	1.1 %
84	42	1.1 %
85	42	1.1 %
86	42	1.1 %
87	42	1.1 %
88	42	1.1 %
90	42	1.1 %
91	42	1.1 %
93	42	1.1 %
94	42	1.1 %

- Study 34122 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
95	42	1.1 %
96	42	1.1 %
97	42	1.1 %

Based upon 3654 valid cases out of 3654 total cases.

- Mean: 51.31
- Median: 51.00
- Minimum: 8.00
- Maximum: 97.00
- Standard Deviation: 25.59

<b>TOT_TIME</b>	<b>Total Elapsed Time on Trial</b>
-----------------	------------------------------------

Location: 152-158 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3654 valid cases out of 3654 total cases.

- Mean: 868844.39
- Minimum: 120795.00
- Maximum: 2154109.00
- Standard Deviation: 401521.78

<b>TRG_POSN</b>	<b>Target Position on Pick List</b>
-----------------	-------------------------------------

Location: 159-159 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	882	24.1 %
2	672	18.4 %
3	504	13.8 %
4	462	12.6 %
5	462	12.6 %
6	672	18.4 %

Based upon 3654 valid cases out of 3654 total cases.

- Mean: 3.26
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.84



- Study 34122 -

Location: 162-169 (width: 8; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
biologi	630	17.2 %
nhp	630	17.2 %
otc	756	20.7 %
rx_inj	714	19.5 %
rx_oral	924	25.3 %

Based upon 3654 valid cases out of 3654 total cases.

**GROUP Control**

Location: 170-176 (width: 7; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
control	3234	88.5 %
test	420	11.5 %

Based upon 3654 valid cases out of 3654 total cases.

**PREVREPT Previously Reported Error**

Location: 177-179 (width: 3; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
no	3318	90.8 %
yes	336	9.2 %

Based upon 3654 valid cases out of 3654 total cases.

**HAND Left Handed**

Location: 180-180 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Are you right-handed?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Righty	3219	88.1 %
1	Lefty	435	11.9 %

Based upon 3654 valid cases out of 3654 total cases.

- Mean: 0.12

- Study 34122 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

**LANG Language**

Location: 181-187 (width: 7; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	87	2.4 %
English	2697	73.8 %
French	783	21.4 %
German	87	2.4 %

Based upon 3654 valid cases out of 3654 total cases.

**LIC Licensed Clinician**

Location: 188-188 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 2 , .  
 Question: If you are a physician, nurse, or pharmacist, are you currently licensed and practicing in Canada?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Licensed	2697	73.8 %
1	Unlicensed	348	9.5 %
2 (M)	Miscode	87	2.4 %
. (M)	-	522	14.3 %

Based upon 3045 valid cases out of 3654 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

**GENDER Female**

Location: 189-189 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Your sex. (Circle the number of your answer)



- Study 34122 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	435	11.9 %
2	Female	3219	88.1 %

Based upon 3654 valid cases out of 3654 total cases.

- Mean: 1.88
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.32

**AGE**

**Respondent Age**

Location: 190-191 (width: 2; decimal: 0)

Variable Type: numeric

Question: Your present age: \_\_\_\_\_ years

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
21	87	2.4 %
22	87	2.4 %
23	174	4.8 %
24	87	2.4 %
25	261	7.1 %
26	174	4.8 %
28	87	2.4 %
30	261	7.1 %
32	87	2.4 %
35	174	4.8 %
37	174	4.8 %
38	87	2.4 %
40	174	4.8 %
41	87	2.4 %
43	174	4.8 %
44	87	2.4 %
45	174	4.8 %
46	87	2.4 %
47	87	2.4 %
48	87	2.4 %
49	261	7.1 %
50	87	2.4 %
51	87	2.4 %

- Study 34122 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
52	87	2.4 %
55	87	2.4 %
56	87	2.4 %
58	87	2.4 %
59	87	2.4 %
61	87	2.4 %

Based upon 3654 valid cases out of 3654 total cases.

- Mean: 39.12
- Median: 40.00
- Minimum: 21.00
- Maximum: 61.00
- Standard Deviation: 11.53

**PRIOR\_SUBJ**      **Previous Participant**

Location: 192-194 (width: 3; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
No	2262	61.9 %
Yes	1392	38.1 %

Based upon 3654 valid cases out of 3654 total cases.

**FIRST\_EX**      **First Experiment**

Location: 195-196 (width: 2; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
AP	1827	50.0 %
RM	1827	50.0 %

Based upon 3654 valid cases out of 3654 total cases.

**BLOCK\_F**      **Experimental block as Stata factor variable**

Location: 197-197 (width: 1; decimal: 0)  
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Non_OTC_Block	2688	73.6 %
2	OTC_Block	756	20.7 %

- Study 34122 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Withdrawn_Non_OTC_Block	210	5.7 %

Based upon 3654 valid cases out of 3654 total cases.

- Mean: 1.32
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.58

**DRUGCLASS\_F Drug class as Stata factor variable**

Location: 198-198 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Biologic	630	17.2 %
2	NHP	630	17.2 %
3	OTC	756	20.7 %
4	Rx_inj	714	19.5 %
5	Rx_oral	924	25.3 %

Based upon 3654 valid cases out of 3654 total cases.

- Mean: 3.18
- Median: 3.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.43

**GROUP\_F Test or control group of names as Stata factor variable**

Location: 199-199 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Control	3234	88.5 %
2	Test	420	11.5 %

Based upon 3654 valid cases out of 3654 total cases.

- Mean: 1.11
- Median: 1.00

- Study 34122 -

- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.32

**PREVREPT\_F** Has target name appeared in a published error report as Stata factor variable

Location: 200-200 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	3318	90.8 %
2	Yes	336	9.2 %

Based upon 3654 valid cases out of 3654 total cases.

- Mean: 1.09
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.29

**LANG\_F** Subject's native language as Stata factor variable

Location: 201-201 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	English	2697	73.8 %
2	French	783	21.4 %
3	German	87	2.4 %
.(M)	-	87	2.4 %

Based upon 3567 valid cases out of 3654 total cases.

- Mean: 1.27
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.50

**FIRST\_EX\_F** Which experiment did the subject do first?

Location: 202-202 (width: 1; decimal: 0)

Variable Type: numeric

- Study 34122 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Auditory perception	1827	50.0 %
2	Recognition memory	1827	50.0 %

Based upon 3654 valid cases out of 3654 total cases.

- Mean: 1.50
- Median: 1.50
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

<b>LENGTH</b>	<b>Number of Characters in Target Name</b>
---------------	--

Location: 203-204 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	42	1.1 %
7	420	11.5 %
8	1176	32.2 %
9	1260	34.5 %
40	210	5.7 %
42	126	3.4 %
43	42	1.1 %
44	42	1.1 %
45	84	2.3 %
46	126	3.4 %
47	84	2.3 %
49	42	1.1 %

Based upon 3654 valid cases out of 3654 total cases.

- Mean: 15.56
- Median: 9.00
- Mode: 9.00
- Minimum: 6.00
- Maximum: 49.00
- Standard Deviation: 14.37

<b>TRG_POSN_SQR</b>	<b>Target position squared</b>
---------------------	--------------------------------

Location: 205-206 (width: 2; decimal: 0)

Variable Type: numeric

- Study 34122 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	882	24.1 %
4	672	18.4 %
9	504	13.8 %
16	462	12.6 %
25	462	12.6 %
36	672	18.4 %

Based upon 3654 valid cases out of 3654 total cases.

- Mean: 14.02
- Median: 9.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 36.00
- Standard Deviation: 12.94

<b>MEAN_FAM</b>	<b>Mean Familiarity of Target Name</b>
-----------------	--

Location: 207-215 (width: 9; decimal: 7)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.0000000	84	2.3 %
1.0476191	42	1.1 %
1.0952381	42	1.1 %
1.1190476	42	1.1 %
1.1219512	42	1.1 %
1.1463414	42	1.1 %
1.1904762	42	1.1 %
1.2142857	126	3.4 %
1.3095238	168	4.6 %
1.3125000	42	1.1 %
1.3170732	42	1.1 %
1.3333334	84	2.3 %
1.3414634	42	1.1 %
1.3571428	42	1.1 %
1.3809524	84	2.3 %
1.4047619	84	2.3 %
1.4523809	126	3.4 %
1.5121951	42	1.1 %
1.5238096	84	2.3 %
1.5250000	42	1.1 %

- Study 34122 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.6190476	42	1.1 %
1.6341463	42	1.1 %
1.6428572	84	2.3 %
1.6666666	126	3.4 %
1.6904762	126	3.4 %
1.7142857	42	1.1 %
1.7380953	42	1.1 %
1.7560976	42	1.1 %
1.7619047	42	1.1 %
1.7857143	42	1.1 %
1.8095238	42	1.1 %
1.8571428	42	1.1 %
1.8809524	42	1.1 %
1.9285715	126	3.4 %
1.9375000	84	2.3 %
1.9523809	42	1.1 %
2.0238094	42	1.1 %
2.0476191	84	2.3 %
2.0714285	42	1.1 %
2.0952382	42	1.1 %
2.0975609	42	1.1 %
2.1428571	42	1.1 %
2.1666667	42	1.1 %
2.2142856	42	1.1 %
2.3571429	42	1.1 %
2.3809524	42	1.1 %
2.4047618	42	1.1 %
2.4285715	42	1.1 %
2.4390244	42	1.1 %
2.5238094	42	1.1 %
2.5476191	42	1.1 %
2.6666667	42	1.1 %
2.9047618	42	1.1 %
2.9285715	42	1.1 %
3.0000000	42	1.1 %
3.3095238	42	1.1 %
3.3571429	42	1.1 %
3.3809524	42	1.1 %
3.5714285	84	2.3 %
3.6904762	84	2.3 %





- Study 34122 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.50000000	42	1.1 %
0.57142860	126	3.4 %
0.61904764	84	2.3 %
0.64285713	84	2.3 %
0.66666669	126	3.4 %
0.69047618	126	3.4 %
0.71428573	84	2.3 %
0.73809522	84	2.3 %
0.76190478	168	4.6 %
0.78571427	294	8.0 %
0.80952382	210	5.7 %
0.83333331	294	8.0 %
0.85714287	714	19.5 %
0.88095236	252	6.9 %
0.90476191	210	5.7 %
0.92857140	126	3.4 %
0.95238096	126	3.4 %
0.97619045	126	3.4 %
1.00000000	126	3.4 %

Based upon 3654 valid cases out of 3654 total cases.

- Mean: 0.78954570
- Median: 0.83333331
- Mode: 0.85714287
- Minimum: 0.40476191
- Maximum: 1.00000000
- Standard Deviation: 0.14287092

<b>PRIOR_SUBJ_F</b>	<b>Previous Participant</b>
---------------------	-----------------------------

Location: 226-226 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2262	61.9 %
2	Yes	1392	38.1 %

Based upon 3654 valid cases out of 3654 total cases.

- Mean: 1.38
- Median: 1.00
- Mode: 1.00



- Study 34122 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	435	11.9 %
1	M.D.	435	11.9 %
2	PharmD	435	11.9 %
3	R.N.	1218	33.3 %
4	R.Ph	261	7.1 %
5	B.S.	87	2.4 %
6	Other degree	783	21.4 %

Based upon 3654 valid cases out of 3654 total cases.

- Mean: 3.05
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.94

**DEGREE\_DETAIL**

**Free text detail about educational degree**

Location: 248-276 (width: 29; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	348	9.5 %
-99	2175	59.5 %
ACPR	87	2.4 %
BscN	87	2.4 %
CPHT	87	2.4 %
CPht	87	2.4 %
CVAA Certification	87	2.4 %
Certified Oharmacy Assistant	87	2.4 %
Certified pharmacy technician	87	2.4 %
College CPHA	87	2.4 %
College LPN	87	2.4 %
M.Sc.Pharm	87	2.4 %
Med	87	2.4 %
RCPSC, FAAP	87	2.4 %
college diploma	87	2.4 %

Based upon 3654 valid cases out of 3654 total cases.

**EXPERIENCE**

**Years of Experience**

Location: 277-278 (width: 2; decimal: 0)

- Study 34122 -

Variable Type: numeric

Question: If you are a physician, nurse, or pharmacist, how long have you been practicing?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	87	2.4 %
3	261	7.1 %
4	261	7.1 %
5	174	4.8 %
10	261	7.1 %
11	87	2.4 %
12	87	2.4 %
13	87	2.4 %
14	87	2.4 %
17	87	2.4 %
19	87	2.4 %
20	174	4.8 %
24	87	2.4 %
25	174	4.8 %
26	174	4.8 %
27	87	2.4 %
30	174	4.8 %
32	87	2.4 %
33	87	2.4 %
38	87	2.4 %
. (M)	957	26.2 %

Based upon 2697 valid cases out of 3654 total cases.

- Mean: 16.23
- Median: 14.00
- Minimum: 0.00
- Maximum: 38.00
- Standard Deviation: 10.79

<b>SPECIALTY</b>	<b>Specialty</b>
------------------	------------------

Location: 279-339 (width: 61; decimal: 0)

Variable Type: character

Question: If you are a physician, nurse, or pharmacist, how would you describe your specialty, if any?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-99	1044	28.6 %
CF	87	2.4 %
Case Managers-pediatrics	87	2.4 %

- Study 34122 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
Emergency Pediatrics	87	2.4 %
Emergency/ICU	87	2.4 %
Infusion Therapy	87	2.4 %
Nurse Educator for Surgical Unit	87	2.4 %
Oncology	261	7.1 %
Pediatric	87	2.4 %
Pediatric Emergency	87	2.4 %
Pediatric ICU	87	2.4 %
Pediatric Intensive Care Unit	87	2.4 %
Pediatric Neurology	87	2.4 %
Pediatrics	348	9.5 %
Pharmacy Assitant in Hospital for 24 years and Retail 5 years	87	2.4 %
Pharmacy Purchasing	87	2.4 %
Psychiatry	87	2.4 %
Psychiatry, Eating Disorders	87	2.4 %
Surgery	174	4.8 %
Surgical	87	2.4 %
Surgical Unit	87	2.4 %
Trauma-emergency department	87	2.4 %
pediatrics/palliative	87	2.4 %
peds/surgery	87	2.4 %
student	87	2.4 %

Based upon 3654 valid cases out of 3654 total cases.

<b>CONTEXT</b>	<b>Practice Context</b>
----------------	-------------------------

Location: 340-340 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Which of the following best describes your primary practice context?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Hospital	3567	97.6 %
1	Clinic	0	0.0 %
2	Community PHarm	0	0.0 %
3	Other	87	2.4 %

Based upon 3654 valid cases out of 3654 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 34122 -

- Maximum: 3.00
- Standard Deviation: 0.46

**CONTEXT\_DETAIL** Free text detail about practice context

Location: 341-347 (width: 7; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	3393	92.9 %
-99	174	4.8 %
student	87	2.4 %

Based upon 3654 valid cases out of 3654 total cases.

**DATE** Date experiment completed

Location: 348-355 (width: 8; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5-Jul-1	1	0.0 %
5-Jul-10	1565	42.8 %
6-Jul-10	2088	57.1 %

Based upon 3654 valid cases out of 3654 total cases.