

ICPSR 34312

Maternal Lifestyle Study in Four Sites in the United States, 1993-2011

Barry Lester

Women and Infants Hospital of Rhode Island

Henrietta Bada

University of Kentucky

Charles Bauer

University of Miami

Seetha Shankaran

Wayne State University

Toni Whitaker

University of Tennessee

Linda LaGasse

Women and Infants Hospital of Rhode Island

Jane Hammond

RTI International

Codebook for Phase II: M04 Mother/Caregiver
Report Data, Agency Report

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/34312/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #34312
Maternal Lifestyle Study in Four Sites in the United States, 1993-2011
 Part 17: Phase II: M04
 Mother/Caregiver Report Data,
 Agency Report

- 1) NAHDAP staff created the case identification variable CASEID and reassigned values in the variable SCREEN, which was present in the original data files, into the variable RESPID in order to protect respondent confidentiality.
- 2) All missing data (blanks in numeric variables) has been recoded to “-9 ‘Blank’”. A missing data code of “-5 ‘Not Asked on This Form’” was assigned to any cases with missing data that resulted from a file merge.
- 3) Please see the questionnaire file associated with this part, along with the data documentation file provided for this study. If no questionnaire is present for this part, please review the data documentation file.
- 4) The type of data collected for a given data source is included in the table below; the part title for a given part indicates the data source.

Data Source	Data Type
Child Report	Survey data
Child Performance	Clinical data; observational data
Examiner Evaluation	Clinical data; census/enumeration data; observational data
Medical	Clinical data; medical records
Mother/Caregiver Report	Survey data; observational data
Teacher Report/School	Survey data; administrative records data
Administrative	Administrative records data

- 5) The mode of collection for a given data source is included in the table below; the part title for a given part indicates the data source.

Data Source	Collection Mode
Child Report	Audio Computer-assisted self-interview (ACASI); computer assisted personal interview (CAPI); face-to-face interview
Child Performance	Coded video observation; record abstracts; cognitive assessment test
Examiner Evaluation	Observation; coded on-site observation
Medical	Record abstracts; observation
Mother/Caregiver Report	Computer-assisted personal interview (CAPI); face-to-face interview
Teacher Report/School	Paper and pencil interview (PAPI); record abstracts
Administrative	

- 6) A standard decimal precision of 8 places or less was employed to conform with standard NAHDAP processing procedures for non-weight variables.

ICPSR 34312

Maternal Lifestyle Study in Four Sites in the United States, 1993-2011

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

ICPSR has an FAQ on [copyright and survey instruments](#).

Phase II: M04 Mother/Caregiver Report Data, Agency Report

CASEID: CASE IDENTIFICATION NUMBER

Based upon 142 valid cases out of 142 total cases.

Location: 1-4 (width: 4; decimal: 0)

Variable Type: numeric

RESPID: UNIQUE MLS RESPONDENT IDENTIFICATION NUMBER

Based upon 142 valid cases out of 142 total cases.

- Mean: 9226.04
- Median: 9050.00
- Mode: 6426.00
- Minimum: 13
- Maximum: 18146
- Standard Deviation: 5157.28

Location: 5-9 (width: 5; decimal: 0)

Variable Type: numeric

CLINIC: CENTER NUMBER

Value	Label	Unweighted Frequency	%
5	Detroit - Wayne State University	71	50.0 %
7	Memphis - University of Tennessee	22	15.5 %
8	Miami - University of Miami	29	20.4 %
14	Providence - Brown University	20	14.1 %
	Total	142	100%

Based upon 142 valid cases out of 142 total cases.

- Minimum: 5
- Maximum: 14

Location: 10-12 (width: 3; decimal: 0)

Variable Type: numeric

VISIT: VISIT MONTH

Value	Label	Unweighted Frequency	%
4	Visit Month: 4	142	100.0 %
	Missing Data		
	Total	142	100%

Based upon 142 valid cases out of 142 total cases.

- Minimum: 4
- Maximum: 4

Location: 13-15 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ARRPTNO: AGENCY REPORT NUMBER

Value	Label	Unweighted Frequency	%
1	-	109	76.8 %
2	-	24	16.9 %
3	-	8	5.6 %
4	-	1	0.7 %
	Missing Data		
	Total	142	100%

Based upon 142 valid cases out of 142 total cases.

- Mean: 1.30
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 4
- Standard Deviation: 0.61

Location: 16-18 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ARLSTDT: 1. PERIOD OF TIME COVERED BY THIS REPORT FROM: A. DATE OF LAST REPORT...

Based upon 142 valid cases out of 142 total cases.

Location: 19-29 (width: 11; decimal: 0)

Variable Type: character

ARCURDT: 1. PERIOD OF TIME COVERED BY THIS REPORT FROM: B. TO DATE OF CURRENT REPORT

Based upon 142 valid cases out of 142 total cases.

Location: 30-40 (width: 11; decimal: 0)

Variable Type: character

ARBFSRV: 2. KIND AND TYPE OF (CHILD) SERVICES: A. PHYSICAL THERAPY (BF) - RECEIVED

Value	Label	Unweighted Frequency	%
1	Client Reported Received	5	3.5 %
	Missing Data		
-9	Blank	137	96.5 %
	Total	142	100%

Based upon 5 valid cases out of 142 total cases.

- Minimum: 1
- Maximum: 1

Location: 41-43 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

ARBFCON: 2. KIND AND TYPE OF (CHILD) SERVICES: A. PHYSICAL THERAPY (BF) - CONFIRMED BY AGENCY

Value	Label	Unweighted Frequency	%
1	Yes	1	0.7 %
2	No	0	0.0 %
Missing Data			
-9	Blank	141	99.3 %
Total		142	100%

Based upon 1 valid cases out of 142 total cases.

- Minimum: 1
- Maximum: 1

Location: 44-46 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

ARBSRV: 2. KIND AND TYPE OF (CHILD) SERVICES: B. OCCUPATIONAL THERAPY (BG) - RECEIVED

Value	Label	Unweighted Frequency	%
1	Client Reported Received	5	3.5 %
Missing Data			
-9	Blank	137	96.5 %
Total		142	100%

Based upon 5 valid cases out of 142 total cases.

- Minimum: 1
- Maximum: 1

Location: 47-49 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

ARBGCON: 2. KIND AND TYPE OF (CHILD) SERVICES: B. OCCUPATIONAL THERAPY (BG) - CONFIRMED BY AGENCY

Value	Label	Unweighted Frequency	%
1	Yes	3	2.1 %
2	No	1	0.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Blank	138	97.2 %
	Total	142	100%

Based upon 4 valid cases out of 142 total cases.

- Minimum: 1
- Maximum: 2

Location: 50-52 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ARBHSRV: 2. KIND AND TYPE OF (CHILD) SERVICES: C. EARLY INTERVENTION (BH) - RECEIVED

Value	Label	Unweighted Frequency	%
1	Client Reported Received	16	11.3 %
	Missing Data		
-9	Blank	126	88.7 %
	Total	142	100%

Based upon 16 valid cases out of 142 total cases.

- Minimum: 1
- Maximum: 1

Location: 53-55 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ARBHCON: 2. KIND AND TYPE OF (CHILD) SERVICES: C. EARLY INTERVENTION (BH) - CONFIRMED BY AGENCY

Value	Label	Unweighted Frequency	%
1	Yes	11	7.7 %
2	No	0	0.0 %
	Missing Data		
-9	Blank	131	92.3 %
	Total	142	100%

Based upon 11 valid cases out of 142 total cases.

- Minimum: 1
- Maximum: 1

Location: 56-58 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ARCHSRV: 2. KIND AND TYPE OF (ADULT) SERVICES: D. PARENT TRAINING (CH) - RECEIVED

Value	Label	Unweighted Frequency	%
1	Client Reported Received	34	23.9 %
	Missing Data		
-9	Blank	108	76.1 %
	Total	142	100%

Based upon 34 valid cases out of 142 total cases.

- Minimum: 1
- Maximum: 1

Location: 59-61 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ARCHCON: 2. KIND AND TYPE OF (ADULT) SERVICES: D. PARENT TRAINING (CH) - CONFIRMED BY AGENCY

Value	Label	Unweighted Frequency	%
1	Yes	26	18.3 %
2	No	3	2.1 %
	Missing Data		
-9	Blank	113	79.6 %
	Total	142	100%

Based upon 29 valid cases out of 142 total cases.

- Minimum: 1
- Maximum: 2

Location: 62-64 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ARCKSRV: 2. KIND AND TYPE OF (ADULT) SERVICES: E. ADULT EDUCATION/JOB TRAINING (CK) - RECEIVED

Value	Label	Unweighted Frequency	%
1	Client Reported Received	20	14.1 %
	Missing Data		
-9	Blank	122	85.9 %
	Total	142	100%

Based upon 20 valid cases out of 142 total cases.

- Minimum: 1
- Maximum: 1

Location: 65-67 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ARCKCON: 2. KIND AND TYPE OF (ADULT) SERVICES: E. ADULT EDUCATION/JOB TRAINING (CK) - CONFIRMED BY AGENCY

Value	Label	Unweighted Frequency	%
1	Yes	9	6.3 %
2	No	1	0.7 %
	Missing Data		
-9	Blank	132	93.0 %
	Total	142	100%

Based upon 10 valid cases out of 142 total cases.

- Minimum: 1
- Maximum: 2

Location: 68-70 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ARDCSRV: 2. KIND AND TYPE OF (ADULT) SERVICES: F. COUNSELING (DC) - RECEIVED

Value	Label	Unweighted Frequency	%
1	Client Reported Received	22	15.5 %
	Missing Data		
-9	Blank	120	84.5 %
	Total	142	100%

Based upon 22 valid cases out of 142 total cases.

- Minimum: 1
- Maximum: 1

Location: 71-73 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ARDCCON: 2. KIND AND TYPE OF (ADULT) SERVICES: F. COUNSELING (DC) - CONFIRMED BY AGENCY

Value	Label	Unweighted Frequency	%
1	Yes	17	12.0 %
2	No	2	1.4 %
	Missing Data		
-9	Blank	123	86.6 %
	Total	142	100%

Based upon 19 valid cases out of 142 total cases.

- Minimum: 1
- Maximum: 2

Location: 74-76 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ARDDSRV: 2. KIND AND TYPE OF (ADULT) SERVICES: G. MENTAL HEALTH (INPATIENT) (DD) - RECEIVED

Value	Label	Unweighted Frequency	%
1	Client Reported Received	3	2.1 %
	Missing Data		
-9	Blank	139	97.9 %
	Total	142	100%

Based upon 3 valid cases out of 142 total cases.

- Minimum: 1
- Maximum: 1

Location: 77-79 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ARDDCON: 2. KIND AND TYPE OF (ADULT) SERVICES: G. MENTAL HEALTH (INPATIENT) (DD) - CONFIRMED BY AGENCY

Value	Label	Unweighted Frequency	%
1	Yes	2	1.4 %
2	No	0	0.0 %
	Missing Data		
-9	Blank	140	98.6 %
	Total	142	100%

Based upon 2 valid cases out of 142 total cases.

- Minimum: 1
- Maximum: 1

Location: 80-82 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ARDESRV: 2. KIND AND TYPE OF (ADULT) SERVICES: H. MENTAL HEALTH (OUTPATIENT) (DE) - RECEIVED

Value	Label	Unweighted Frequency	%
1	Client Reported Received	10	7.0 %
Missing Data			
-9	Blank	132	93.0 %
Total		142	100%

Based upon 10 valid cases out of 142 total cases.

- Minimum: 1
- Maximum: 1

Location: 83-85 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ARDECON: 2. KIND AND TYPE OF (ADULT) SERVICES: H. MENTAL HEALTH (OUTPATIENT) (DE) - CONFIRMED BY AGENCY

Value	Label	Unweighted Frequency	%
1	Yes	7	4.9 %
2	No	0	0.0 %
Missing Data			
-9	Blank	135	95.1 %
Total		142	100%

Based upon 7 valid cases out of 142 total cases.

- Minimum: 1
- Maximum: 1

Location: 86-88 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ARDGSRV: 2. KIND AND TYPE OF (ADULT) SERVICES: I. ALCOHOL/DRUG TREAT. (INPATIENT) (DG) - RECEIVED

Value	Label	Unweighted Frequency	%
1	Client Reported Received	14	9.9 %
Missing Data			
-9	Blank	128	90.1 %
Total		142	100%

Based upon 14 valid cases out of 142 total cases.

- Minimum: 1
- Maximum: 1

Location: 89-91 (width: 3; decimal: 0)

Variable Type: numeric
 (Range of) Missing Values: -9

ARDGCON: 2. KIND AND TYPE OF (ADULT) SERVICES: I. ALCOHOL/DRUG TREAT. (INPATIENT) (DG) - CONFIRMED BY AGENCY

Value	Label	Unweighted Frequency	%
1	Yes	12	8.5 %
2	No	0	0.0 %
	Missing Data		
-9	Blank	130	91.5 %
	Total	142	100%

Based upon 12 valid cases out of 142 total cases.

- Minimum: 1
- Maximum: 1

Location: 92-94 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

ARDHSRV: 2. KIND AND TYPE OF (ADULT) SERVICES: J. ALCOHOL/DRUG TREAT. (OUTPATIENT) (DH) - RECEIVED

Value	Label	Unweighted Frequency	%
1	Client Reported Received	40	28.2 %
	Missing Data		
-9	Blank	102	71.8 %
	Total	142	100%

Based upon 40 valid cases out of 142 total cases.

- Minimum: 1
- Maximum: 1

Location: 95-97 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

ARDHCON: 2. KIND AND TYPE OF (ADULT) SERVICES: J. ALCOHOL/DRUG TREAT. (OUTPATIENT) (DH) - CONFIRMED BY AGENCY

Value	Label	Unweighted Frequency	%
1	Yes	31	21.8 %
2	No	3	2.1 %
	Missing Data		
-9	Blank	108	76.1 %
	Total	142	100%

Based upon 34 valid cases out of 142 total cases.

- Minimum: 1
- Maximum: 2

Location: 98-100 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ARENDSV: 3. ARE SERVICES ENDED

Value	Label	Unweighted Frequency	%
1	Yes	34	23.9 %
2	No	78	54.9 %
	Missing Data		
-9	Blank	30	21.1 %
	Total	142	100%

Based upon 112 valid cases out of 142 total cases.

- Minimum: 1
- Maximum: 2

Location: 101-103 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ARENDDT: IF YES TO 3: A. DATE OF TERMINATION/DISCHARGE

Based upon 142 valid cases out of 142 total cases.

Location: 104-114 (width: 11; decimal: 0)

Variable Type: character

ARENDCO: IF YES TO 3: B. DID THE CLIENT COMPLETE THE SERVICE/TREATMENT PLAN

Value	Label	Unweighted Frequency	%
1	Yes	13	9.2 %
2	No	20	14.1 %
	Missing Data		
-9	Blank	109	76.8 %
	Total	142	100%

Based upon 33 valid cases out of 142 total cases.

- Minimum: 1
- Maximum: 2

Location: 115-117 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ARINPSV: 4. WAS THIS AN INPATIENT SERVICE

Value	Label	Unweighted Frequency	%
1	Yes	29	20.4 %
2	No	82	57.7 %
	Missing Data		
-9	Blank	31	21.8 %
	Total	142	100%

Based upon 111 valid cases out of 142 total cases.

- Minimum: 1
- Maximum: 2

Location: 118-120 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ARINPNO: IF NO TO 4: A. NUMBER OF KEPT VISITS FOR THE TIME PERIOD COVERED BY THIS REPORT

Value	Label	Unweighted Frequency	%
1	-	1	0.7 %
2	-	3	2.1 %
3	-	3	2.1 %
4	-	3	2.1 %
5	-	4	2.8 %
6	-	4	2.8 %
7	-	4	2.8 %
8	-	2	1.4 %
9	-	1	0.7 %
10	-	3	2.1 %
11	-	1	0.7 %
12	-	2	1.4 %
13	-	2	1.4 %
14	-	3	2.1 %
15	-	1	0.7 %
16	-	1	0.7 %
17	-	1	0.7 %
20	-	2	1.4 %
22	-	1	0.7 %
24	-	4	2.8 %
25	-	1	0.7 %
26	-	2	1.4 %
29	-	1	0.7 %

Value	Label	Unweighted Frequency	%
30	-	2	1.4 %
32	-	1	0.7 %
34	-	1	0.7 %
35	-	1	0.7 %
38	-	1	0.7 %
40	-	3	2.1 %
44	-	1	0.7 %
50	-	2	1.4 %
57	-	1	0.7 %
64	-	1	0.7 %
82	-	1	0.7 %
90	-	1	0.7 %
111	-	1	0.7 %
125	-	1	0.7 %
Missing Data			
-9	Blank	74	52.1 %
Total		142	100%

Based upon 68 valid cases out of 142 total cases.

- Mean: 22.97
- Median: 14.00
- Minimum: 1
- Maximum: 125
- Standard Deviation: 25.09

Location: 121-123 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ARINPER: IF NO TO 4: B. PERCENTAGE OF APPOINTMENTS KEPT

Value	Label	Unweighted Frequency	%
1	0-20%	5	3.5 %
2	21-40%	8	5.6 %
3	41-60%	4	2.8 %
4	61-80%	19	13.4 %
5	81-100%	41	28.9 %
Missing Data			
-9	Blank	65	45.8 %
Total		142	100%

Based upon 77 valid cases out of 142 total cases.

- Minimum: 1
- Maximum: 5

Location: 124-126 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ARPROGR: 5. RATE THE CLIENT'S PROGRESS

Value	Label	Unweighted Frequency	%
1	Poor	12	8.5 %
2	Fair	36	25.4 %
3	Good	42	29.6 %
4	Excellent	16	11.3 %
Missing Data			
-9	Blank	36	25.4 %
Total		142	100%

Based upon 106 valid cases out of 142 total cases.

- Minimum: 1
- Maximum: 4

Location: 127-129 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ARRPTDT: 6. DATE REPORT COMPLETED

Based upon 142 valid cases out of 142 total cases.

Location: 130-140 (width: 11; decimal: 0)

Variable Type: character

ARAGECO: 8. WAS THIS REPORT COMPLETED BY THE AGENCY

Value	Label	Unweighted Frequency	%
1	No	25	17.6 %
2	Yes - Phone	10	7.0 %
3	Yes - Mail	102	71.8 %
4	Yes - Other	2	1.4 %
Missing Data			
-9	Blank	3	2.1 %
Total		142	100%

Based upon 139 valid cases out of 142 total cases.

- Minimum: 1
- Maximum: 4

Location: 141-143 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ARAGEDT: IF YES TO 8: A. DATE RECEIVED

Based upon 142 valid cases out of 142 total cases.

Location: 144-154 (width: 11; decimal: 0)

Variable Type: character

FORMIN_NC53: FORM COMPLETED BY:

Based upon 142 valid cases out of 142 total cases.

Location: 155-190 (width: 36; decimal: 0)

Variable Type: character

FORMDT_NC53: DATE FORM SENT:

Based upon 142 valid cases out of 142 total cases.

Location: 191-201 (width: 11; decimal: 0)

Variable Type: character