

ICPSR 34312

Maternal Lifestyle Study in Four Sites in the United States, 1993-2011

Barry Lester

Women and Infants Hospital of Rhode Island

Henrietta Bada

University of Kentucky

Charles Bauer

University of Miami

Seetha Shankaran

Wayne State University

Toni Whitaker

University of Tennessee

Linda LaGasse

Women and Infants Hospital of Rhode Island

Jane Hammond

RTI International

Codebook for Phase II: M04 Medical Data,
Interval Medical History

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/34312/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #34312

Maternal Lifestyle Study in Four Sites in the United States, 1993-2011

*Part 22: Phase II: M04 Medical Data,
Interval Medical History*

- 1) NAHDAP staff created the case identification variable CASEID and reassigned values in the variable SCREEN, which was present in the original data files, into the variable RESPID in order to protect respondent confidentiality.
- 2) All missing data (blanks in numeric variables) has been recoded to “-9 ‘Blank’”. A missing data code of “-5 ‘Not Asked on This Form’” was assigned to any cases with missing data that resulted from a file merge.
- 3) Please see the questionnaire file associated with this part, along with the data documentation file provided for this study. If no questionnaire is present for this part, please review the data documentation file.
- 4) The type of data collected for a given data source is included in the table below; the part title for a given part indicates the data source.

Data Source	Data Type
Child Report	Survey data
Child Performance	Clinical data; observational data
Examiner Evaluation	Clinical data; census/enumeration data; observational data
Medical	Clinical data; medical records
Mother/Caregiver Report	Survey data; observational data
Teacher Report/School	Survey data; administrative records data
Administrative	Administrative records data

- 5) The mode of collection for a given data source is included in the table below; the part title for a given part indicates the data source.

Data Source	Collection Mode
Child Report	Audio Computer-assisted self-interview (ACASI); computer assisted personal interview (CAPI); face-to-face interview
Child Performance	Coded video observation; record abstracts; cognitive assessment test
Examiner Evaluation	Observation; coded on-site observation
Medical	Record abstracts; observation
Mother/Caregiver Report	Computer-assisted personal interview (CAPI); face-to-face interview
Teacher Report/School	Paper and pencil interview (PAPI); record abstracts
Administrative	

- 6) A standard decimal precision of 8 places or less was employed to conform with standard NAHDAP processing procedures for non-weight variables.

ICPSR 34312

Maternal Lifestyle Study in Four Sites in the United States, 1993-2011

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

ICPSR has an FAQ on [copyright and survey instruments](#).

Phase II: M04 Medical Data, Interval Medical History

CASEID: CASE IDENTIFICATION NUMBER

Based upon 1,069 valid cases out of 1,069 total cases.

Location: 1-4 (width: 4; decimal: 0)

Variable Type: numeric

RESPID: UNIQUE MLS RESPONDENT IDENTIFICATION NUMBER

Based upon 1,069 valid cases out of 1,069 total cases.

- Mean: 9407.74
- Minimum: 13
- Maximum: 19119
- Standard Deviation: 5472.43

Location: 5-9 (width: 5; decimal: 0)

Variable Type: numeric

CLINIC: CENTER NUMBER

Value	Label	Unweighted Frequency	%
5	Detroit - Wayne State University	453	42.4 %
7	Memphis - University of Tennessee	257	24.0 %
8	Miami - University of Miami	201	18.8 %
14	Providence - Brown University	158	14.8 %
	Total	1,069	100%

Based upon 1,069 valid cases out of 1,069 total cases.

- Minimum: 5
- Maximum: 14

Location: 10-12 (width: 3; decimal: 0)

Variable Type: numeric

VISIT: VISIT MONTH

Value	Label	Unweighted Frequency	%
4	Visit Month: 4	1069	100.0 %
	Missing Data		
	Total	1,069	100%

Based upon 1,069 valid cases out of 1,069 total cases.

- Minimum: 4
- Maximum: 4

Location: 13-15 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHGITVS: 1. DATE OF TODAY'S VISIT

Based upon 1,069 valid cases out of 1,069 total cases.

Location: 16-26 (width: 11; decimal: 0)

Variable Type: character

IHGILVS: 2. DATE OF LAST VISIT

Based upon 1,069 valid cases out of 1,069 total cases.

Location: 27-37 (width: 11; decimal: 0)

Variable Type: character

IHGIREL: 3. RESPONDENT'S RELATIONSHIP TO CHILD

Value	Label	Unweighted Frequency	%
1	Mother of Child	952	89.1 %
2	Father of Child	22	2.1 %
11	Husband, Significant Other (SO) if different from 2 (Mom's partner)	3	0.3 %
12	Wife, Significant Other (SO) if different from 1 (Dad's partner)	1	0.1 %
21	Maternal (SO) Grandmother	22	2.1 %
22	Paternal (SO) Grandmother	3	0.3 %
31	Maternal (SO) Grandfather	0	0.0 %
32	Paternal (SO) Grandfather	0	0.0 %
41	Maternal (SO) Aunt	12	1.1 %
42	Paternal (SO) Aunt	1	0.1 %
51	Maternal (SO) Uncle	0	0.0 %
52	Paternal (SO) Uncle	0	0.0 %
61	Brother (biological or adopted)	0	0.0 %
62	Step Brother	0	0.0 %
71	Sister (biological or adopted)	4	0.4 %
72	Step Sister	0	0.0 %
81	Maternal (SO) Female Cousin	2	0.2 %
82	Paternal (SO) Female Cousin	0	0.0 %
91	Maternal (SO) Male Cousin	2	0.2 %
92	Paternal (SO) Male Cousin	0	0.0 %
101	Other Maternal (SO) Relative	1	0.1 %
102	Other Paternal (SO) Relative	0	0.0 %
201	Foster Mother	35	3.3 %
202	Foster Father	1	0.1 %
301	Adoptive Mother	1	0.1 %
302	Adoptive Father	0	0.0 %
303	Legal Guardian - Relative	0	0.0 %
304	Legal Guardian - Non-Relative	0	0.0 %
401	Other Non-Relative	2	0.2 %

Value	Label	Unweighted Frequency	%
402	Social Worker / Case Worker	0	0.0 %
501	Staff in Congregate Care	3	0.3 %
502	Still Hospitalized	0	0.0 %
503	Living on Own	0	0.0 %
504	UNKNOWN	0	0.0 %
505	No caretaker at visit or caretaker refuses to participate during visit	0	0.0 %
506	Target Child	0	0.0 %
507	Offspring of Study Child	0	0.0 %
Missing Data			
-9	Blank	2	0.2 %
Total		1,069	100%

Based upon 1,067 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 501

Location: 38-40 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHGIDOB: 4. DATE OF BIRTH

Based upon 1,069 valid cases out of 1,069 total cases.

Location: 41-51 (width: 11; decimal: 0)

Variable Type: character

IHGIAGP: 5. AGE: A. POSTNATAL AGE - MONTHS

Value	Label	Unweighted Frequency	%
3	-	27	2.5 %
4	-	684	64.0 %
5	-	220	20.6 %
6	-	96	9.0 %
7	-	31	2.9 %
8	-	7	0.7 %
Missing Data			
-9	Blank	4	0.4 %
Total		1,069	100%

Based upon 1,065 valid cases out of 1,069 total cases.

- Mean: 4.48
- Median: 4.00
- Mode: 4.00
- Minimum: 3
- Maximum: 8

- Standard Deviation: 0.86

Location: 52-54 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHGIAGC: 5. AGE: B. CORRECTED AGE - MONTHS

Value	Label	Unweighted Frequency	%
3	-	58	5.4 %
4	-	916	85.7 %
5	-	6	0.6 %
6	-	1	0.1 %
8	-	1	0.1 %
10	-	1	0.1 %
12	-	1	0.1 %
13	-	9	0.8 %
14	-	9	0.8 %
15	-	1	0.1 %
43	-	1	0.1 %
44	-	1	0.1 %
	Missing Data		
-9	Blank	64	6.0 %
	Total	1,069	100%

Based upon 1,005 valid cases out of 1,069 total cases.

- Mean: 4.23
- Median: 4.00
- Mode: 4.00
- Minimum: 3
- Maximum: 44
- Standard Deviation: 2.23

Location: 55-57 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHGPTM: 1. MEASUREMENTS: A. WEIGHT - KG

Based upon 1,065 valid cases out of 1,069 total cases.

- Mean: 6.43
- Median: 6.40
- Mode: 6.40
- Minimum: 3
- Maximum: 41
- Standard Deviation: 1.46

Location: 58-63 (width: 6; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -9.0

IHGPTW: 1. MEASUREMENTS: A. WEIGHT - KG: PERCENTILES

Value	Label	Unweighted Frequency	%
1	<10	86	8.0 %
2	10-25	152	14.2 %
3	26-50	294	27.5 %
4	51-75	244	22.8 %
5	76-90	169	15.8 %
6	>90	114	10.7 %
	Missing Data		
-9	Blank	10	0.9 %
	Total	1,069	100%

Based upon 1,059 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 6

Location: 64-66 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHGPLNM: 1. MEASUREMENTS: B. LENGTH - CM

Based upon 1,066 valid cases out of 1,069 total cases.

- Mean: 61.15
- Median: 61.00
- Mode: 61.00
- Minimum: 50
- Maximum: 90
- Standard Deviation: 3.23

Location: 67-72 (width: 6; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -9.0

IHGPLNP: 1. MEASUREMENTS: B. LENGTH - CM: PERCENTILES

Value	Label	Unweighted Frequency	%
1	<10	260	24.3 %
2	10-25	232	21.7 %
3	26-50	258	24.1 %
4	51-75	166	15.5 %
5	76-90	93	8.7 %
6	>90	49	4.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Blank	11	1.0 %
	Total	1,069	100%

Based upon 1,058 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 6

Location: 73-75 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHGPHDM: 1. MEASUREMENTS: C. HEAD CIRCUMFERENCE - CM

Based upon 1,065 valid cases out of 1,069 total cases.

- Mean: 41.37
- Median: 41.50
- Mode: 41.00
- Minimum: 34
- Maximum: 65
- Standard Deviation: 1.76

Location: 76-81 (width: 6; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -9.0

IHGPHDP: 1. MEASUREMENTS: C. HEAD CIRCUMFERENCE - CM: PERCENTILES

Value	Label	Unweighted Frequency	%
1	<10	86	8.0 %
2	10-25	126	11.8 %
3	26-50	328	30.7 %
4	51-75	268	25.1 %
5	76-90	156	14.6 %
6	>90	93	8.7 %
	Missing Data		
-9	Blank	12	1.1 %
	Total	1,069	100%

Based upon 1,057 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 6

Location: 82-84 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHGPHRT: 2. VITAL SIGNS: A. HEART RATE - PER MIN

Based upon 1,067 valid cases out of 1,069 total cases.

- Mean: 134.43
- Median: 136.00
- Mode: 140.00
- Minimum: 38
- Maximum: 196
- Standard Deviation: 14.00

Location: 85-87 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHGPRE: 2. VITAL SIGNS: B. RESPIRATORY RATE - PER MIN

Based upon 1,066 valid cases out of 1,069 total cases.

- Mean: 40.90
- Median: 40.00
- Mode: 40.00
- Minimum: 18
- Maximum: 150
- Standard Deviation: 9.90

Location: 88-90 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHGbps: 2. VITAL SIGNS: C. BLOOD PRESSURE: SYSTOLIC - MM HG

Based upon 617 valid cases out of 1,069 total cases.

- Mean: 91.86
- Median: 92.00
- Mode: 88.00
- Minimum: 53
- Maximum: 128
- Standard Deviation: 13.06

Location: 91-93 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHGbpsD: 2. VITAL SIGNS: C. BLOOD PRESSURE: DIASTOLIC - MM HG

Based upon 617 valid cases out of 1,069 total cases.

- Mean: 60.86
- Median: 61.00
- Mode: 70.00
- Minimum: 26
- Maximum: 98
- Standard Deviation: 12.23

Location: 94-96 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHGPTMP: 2. VITAL SIGNS: D. TEMPERATURE (AXILLARY) - DEGREES CELSIUS

Based upon 1,040 valid cases out of 1,069 total cases.

- Mean: 36.65
- Median: 36.60
- Mode: 36.80
- Minimum: 35
- Maximum: 98
- Standard Deviation: 2.79

Location: 97-102 (width: 6; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -9.0

IHHHBAR: 1. TEST RESULTS SINCE LAST VISIT: BAER/HEARING

Value	Label	Unweighted Frequency	%
1	Normal	28	2.6 %
2	Abnormal	6	0.6 %
3	Not Done	965	90.3 %
Missing Data			
-9	Blank	70	6.5 %
Total		1,069	100%

Based upon 999 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 103-105 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHROP: 1. TEST RESULTS SINCE LAST VISIT: 2) ROP SCREEN

Value	Label	Unweighted Frequency	%
1	Normal	27	2.5 %
2	Abnormal	8	0.7 %
3	Not Done	965	90.3 %
Missing Data			
-9	Blank	69	6.5 %
Total		1,069	100%

Based upon 1,000 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 106-108 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHRPR: 1. TEST RESULTS SINCE LAST VISIT: 3) RPR FOLLOW-UP

Value	Label	Unweighted Frequency	%
1	Normal	17	1.6 %
2	Abnormal	1	0.1 %
3	Not Done	984	92.0 %
Missing Data			
-9	Blank	67	6.3 %
Total		1,069	100%

Based upon 1,002 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 109-111 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHHIV: 1. TEST RESULTS SINCE LAST VISIT: 4) HIV (AIDS) TEST

Value	Label	Unweighted Frequency	%
1	Normal	21	2.0 %
2	Abnormal	3	0.3 %
3	Not Done	977	91.4 %
Missing Data			
-9	Blank	68	6.4 %
Total		1,069	100%

Based upon 1,001 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 112-114 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHXRY: 1. TEST RESULTS SINCE LAST VISIT: 5) X-RAY

Value	Label	Unweighted Frequency	%
1	Normal	74	6.9 %
2	Abnormal	37	3.5 %
3	Not Done	888	83.1 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	Blank	70	6.5 %
	Total	1,069	100%

Based upon 999 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 115-117 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHULT: 1. TEST RESULTS SINCE LAST VISIT: 6) ULTRASOUND

Value	Label	Unweighted Frequency	%
1	Normal	289	27.0 %
2	Abnormal	77	7.2 %
3	Not Done	627	58.7 %
	Missing Data		
-9	Blank	76	7.1 %
	Total	1,069	100%

Based upon 993 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 118-120 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHCTM: 1. TEST RESULTS SINCE LAST VISIT: 7) CT/MRI

Value	Label	Unweighted Frequency	%
1	Normal	10	0.9 %
2	Abnormal	3	0.3 %
3	Not Done	987	92.3 %
	Missing Data		
-9	Blank	69	6.5 %
	Total	1,069	100%

Based upon 1,000 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 121-123 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHRAD: 1. TEST RESULTS SINCE LAST VISIT: 8) OTHER RADIOLOGIC

Value	Label	Unweighted Frequency	%
1	Normal	7	0.7 %
2	Abnormal	6	0.6 %
3	Not Done	987	92.3 %
Missing Data			
-9	Blank	69	6.5 %
Total		1,069	100%

Based upon 1,000 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 124-126 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHEM: 1. TEST RESULTS SINCE LAST VISIT: 9) HEMATOCRIT

Value	Label	Unweighted Frequency	%
1	Normal	65	6.1 %
2	Abnormal	13	1.2 %
3	Not Done	922	86.2 %
Missing Data			
-9	Blank	69	6.5 %
Total		1,069	100%

Based upon 1,000 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 127-129 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHLED: 1. TEST RESULTS SINCE LAST VISIT: 10) LEAD SCREEN

Value	Label	Unweighted Frequency	%
1	Normal	7	0.7 %
2	Abnormal	0	0.0 %
3	Not Done	991	92.7 %
Missing Data			
-9	Blank	71	6.6 %

Value	Label	Unweighted Frequency	%
	Total	1,069	100%

Based upon 998 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 130-132 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHOTH: 1. TEST RESULTS SINCE LAST VISIT: 11) OTHER TESTS

Value	Label	Unweighted Frequency	%
1	Normal	74	6.9 %
2	Abnormal	39	3.6 %
3	Not Done	882	82.5 %
	Missing Data		
-9	Blank	74	6.9 %
	Total	1,069	100%

Based upon 995 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 133-135 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHWBC: 2. SINCE LAST VISIT TAKEN YOUR CHILD TO THE DOCTOR/CLINIC FOR WELL BABY/CHILD CHECKUP(S)

Value	Label	Unweighted Frequency	%
1	Yes	950	88.9 %
2	No	113	10.6 %
3	Unknown	3	0.3 %
	Missing Data		
-9	Blank	3	0.3 %
	Total	1,069	100%

Based upon 1,066 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 136-138 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHWBN: IF YES TO 2: A. NUMBER OF VISITS

Value	Label	Unweighted Frequency	%
0	-	6	0.6 %
1	-	576	53.9 %
2	-	288	26.9 %
3	-	44	4.1 %
4	-	16	1.5 %
5	-	4	0.4 %
8	-	1	0.1 %
10	-	1	0.1 %
15	-	1	0.1 %
Missing Data			
-9	Blank	132	12.3 %
Total		1,069	100%

Based upon 937 valid cases out of 1,069 total cases.

- Mean: 1.50
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 15
- Standard Deviation: 0.91

Location: 139-141 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHIMM: 3. HAS YOUR CHILD RECEIVED ANY WELL BABY/CHILD IMMUNIZATIONS SINCE LAST VISIT

Value	Label	Unweighted Frequency	%
1	Yes	913	85.4 %
2	No	151	14.1 %
3	Unknown	3	0.3 %
Missing Data			
-9	Blank	2	0.2 %
Total		1,069	100%

Based upon 1,067 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 142-144 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHIMC: 3. INTERVIEWER: A. IMMUNIZATIONS CURRENT

Value	Label	Unweighted Frequency	%
1	Yes	797	74.6 %
2	No	250	23.4 %
3	Unknown	19	1.8 %
Missing Data			
-9	Blank	3	0.3 %
Total		1,069	100%

Based upon 1,066 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 145-147 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHREF: 4. CHILD BEEN SEEN BY/REFERRED TO ANY DOCTOR (NOT PEDIATRICIAN)... SINCE LAST VISIT

Value	Label	Unweighted Frequency	%
1	Yes	219	20.5 %
2	No	839	78.5 %
3	Unknown	2	0.2 %
Missing Data			
-9	Blank	9	0.8 %
Total		1,069	100%

Based upon 1,060 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 148-150 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHOPR: IF YES TO 4: 1) OPHTHALMOLOGY - REFERRED

Value	Label	Unweighted Frequency	%
1	Yes	72	6.7 %
2	No	199	18.6 %
Missing Data			
-9	Blank	798	74.6 %

Value	Label	Unweighted Frequency	%
	Total	1,069	100%

Based upon 271 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 151-153 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHOPS: IF YES TO 4: 1) OPHTHALMOLOGY - SEEN

Value	Label	Unweighted Frequency	%
1	Yes	40	3.7 %
2	No	143	13.4 %
	Missing Data		
-9	Blank	886	82.9 %
	Total	1,069	100%

Based upon 183 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 154-156 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHENR: IF YES TO 4: 2) ENT (HEARING) - REFERRED

Value	Label	Unweighted Frequency	%
1	Yes	24	2.2 %
2	No	245	22.9 %
	Missing Data		
-9	Blank	800	74.8 %
	Total	1,069	100%

Based upon 269 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 157-159 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHENS: IF YES TO 4: 2) ENT (HEARING) - SEEN

Value	Label	Unweighted Frequency	%
1	Yes	14	1.3 %
2	No	155	14.5 %
Missing Data			
-9	Blank	900	84.2 %
Total		1,069	100%

Based upon 169 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 160-162 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHGSR: IF YES TO 4: 3) GENERAL SURGERY - REFERRED

Value	Label	Unweighted Frequency	%
1	Yes	31	2.9 %
2	No	233	21.8 %
Missing Data			
-9	Blank	805	75.3 %
Total		1,069	100%

Based upon 264 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 163-165 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHGSS: IF YES TO 4: 3) GENERAL SURGERY - SEEN

Value	Label	Unweighted Frequency	%
1	Yes	23	2.2 %
2	No	149	13.9 %
Missing Data			
-9	Blank	897	83.9 %
Total		1,069	100%

Based upon 172 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 166-168 (width: 3; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

IHHHCAR: IF YES TO 4: 4) CARDIOLOGY - REFERRED

Value	Label	Unweighted Frequency	%
1	Yes	47	4.4 %
2	No	226	21.1 %
	Missing Data		
-9	Blank	796	74.5 %
	Total	1,069	100%

Based upon 273 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 169-171 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

IHHHCAS: IF YES TO 4: 4) CARDIOLOGY - SEEN

Value	Label	Unweighted Frequency	%
1	Yes	32	3.0 %
2	No	152	14.2 %
	Missing Data		
-9	Blank	885	82.8 %
	Total	1,069	100%

Based upon 184 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 172-174 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

IHHHNER: IF YES TO 4: 5) NEUROSURGERY - REFERRED

Value	Label	Unweighted Frequency	%
1	Yes	5	0.5 %
2	No	261	24.4 %
	Missing Data		
-9	Blank	803	75.1 %
	Total	1,069	100%

Based upon 266 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 175-177 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

IHHHNS: IF YES TO 4: 5) NEUROSURGERY - SEEN

Value	Label	Unweighted Frequency	%
1	Yes	5	0.5 %
2	No	159	14.9 %
Missing Data			
-9	Blank	905	84.7 %
Total		1,069	100%

Based upon 164 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 178-180 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

IHHNOR: IF YES TO 4: 6) NEUROLOGY - REFERRED

Value	Label	Unweighted Frequency	%
1	Yes	21	2.0 %
2	No	246	23.0 %
Missing Data			
-9	Blank	802	75.0 %
Total		1,069	100%

Based upon 267 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 181-183 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

IHHNOS: IF YES TO 4: 6) NEUROLOGY - SEEN

Value	Label	Unweighted Frequency	%
1	Yes	11	1.0 %
2	No	159	14.9 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	Blank	899	84.1 %
	Total	1,069	100%

Based upon 170 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 184-186 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHPUR: IF YES TO 4: 7) PULMONARY - REFERRED

Value	Label	Unweighted Frequency	%
1	Yes	10	0.9 %
2	No	257	24.0 %
	Missing Data		
-9	Blank	802	75.0 %
	Total	1,069	100%

Based upon 267 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 187-189 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHPUS: IF YES TO 4: 7) PULMONARY - SEEN

Value	Label	Unweighted Frequency	%
1	Yes	7	0.7 %
2	No	158	14.8 %
	Missing Data		
-9	Blank	904	84.6 %
	Total	1,069	100%

Based upon 165 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 190-192 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHRR: IF YES TO 4: 8) ORTHOPEDICS - REFERRED

Value	Label	Unweighted Frequency	%
1	Yes	8	0.7 %
2	No	259	24.2 %
Missing Data			
-9	Blank	802	75.0 %
Total		1,069	100%

Based upon 267 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 193-195 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHORS: IF YES TO 4: 8) ORTHOPEDICS - SEEN

Value	Label	Unweighted Frequency	%
1	Yes	3	0.3 %
2	No	162	15.2 %
Missing Data			
-9	Blank	904	84.6 %
Total		1,069	100%

Based upon 165 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 196-198 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHGNR: IF YES TO 4: 9) GENETICS - REFERRED

Value	Label	Unweighted Frequency	%
1	Yes	4	0.4 %
2	No	263	24.6 %
Missing Data			
-9	Blank	802	75.0 %
Total		1,069	100%

Based upon 267 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 199-201 (width: 3; decimal: 0)

Variable Type: numeric
 (Range of) Missing Values: -9

IHHHGNS: IF YES TO 4: 9) GENETICS - SEEN

Value	Label	Unweighted Frequency	%
1	Yes	3	0.3 %
2	No	161	15.1 %
	Missing Data		
-9	Blank	905	84.7 %
	Total	1,069	100%

Based upon 164 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 202-204 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

IHHHIDR: IF YES TO 4: 10) INFECTIOUS DISEASES - REFERRED

Value	Label	Unweighted Frequency	%
1	Yes	20	1.9 %
2	No	248	23.2 %
	Missing Data		
-9	Blank	801	74.9 %
	Total	1,069	100%

Based upon 268 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 205-207 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

IHHHIDS: IF YES TO 4: 10) INFECTIOUS DISEASES - SEEN

Value	Label	Unweighted Frequency	%
1	Yes	17	1.6 %
2	No	159	14.9 %
	Missing Data		
-9	Blank	893	83.5 %
	Total	1,069	100%

Based upon 176 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 208-210 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

IHHHGIR: IF YES TO 4: 11) GI - REFERRED

Value	Label	Unweighted Frequency	%
1	Yes	17	1.6 %
2	No	250	23.4 %
Missing Data			
-9	Blank	802	75.0 %
Total		1,069	100%

Based upon 267 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 211-213 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

IHHHGIS: IF YES TO 4: 11) GI - SEEN

Value	Label	Unweighted Frequency	%
1	Yes	13	1.2 %
2	No	154	14.4 %
Missing Data			
-9	Blank	902	84.4 %
Total		1,069	100%

Based upon 167 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 214-216 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

IHHHGUR: IF YES TO 4: 12) GU - REFERRED

Value	Label	Unweighted Frequency	%
1	Yes	19	1.8 %
2	No	249	23.3 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	Blank	801	74.9 %
	Total	1,069	100%

Based upon 268 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 217-219 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHGUS: IF YES TO 4: 12) GU - SEEN

Value	Label	Unweighted Frequency	%
1	Yes	14	1.3 %
2	No	157	14.7 %
	Missing Data		
-9	Blank	898	84.0 %
	Total	1,069	100%

Based upon 171 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 220-222 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHOTR: IF YES TO 4: 13) OTHER - REFERRED

Value	Label	Unweighted Frequency	%
1	Yes	39	3.6 %
2	No	230	21.5 %
	Missing Data		
-9	Blank	800	74.8 %
	Total	1,069	100%

Based upon 269 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 223-225 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHOTS: IF YES TO 4: 13) OTHER - SEEN

Value	Label	Unweighted Frequency	%
1	Yes	28	2.6 %
2	No	148	13.8 %
Missing Data			
-9	Blank	893	83.5 %
Total		1,069	100%

Based upon 176 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 226-228 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHSBV: 5. CHILD SEEN AT A DOCTOR'S OFFICE/CLINIC SINCE LAST VISIT BECAUSE SICK

Value	Label	Unweighted Frequency	%
1	Yes	331	31.0 %
2	No	734	68.7 %
3	Unknown	2	0.2 %
Missing Data			
-9	Blank	2	0.2 %
Total		1,069	100%

Based upon 1,067 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 229-231 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHSBN: IF YES TO 5: NUMBER OF TIMES

Value	Label	Unweighted Frequency	%
0	-	3	0.3 %
1	-	239	22.4 %
2	-	62	5.8 %
3	-	12	1.1 %
4	-	5	0.5 %
5	-	5	0.5 %
6	-	3	0.3 %
7	-	1	0.1 %
10	-	1	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Blank	738	69.0 %
	Total	1,069	100%

Based upon 331 valid cases out of 1,069 total cases.

- Mean: 1.45
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 10
- Standard Deviation: 1.05

Location: 232-234 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHERV: 6. CHILD BEEN TAKEN TO EMERGENCY ROOM SINCE LAST VISIT

Value	Label	Unweighted Frequency	%
1	Yes	253	23.7 %
2	No	812	76.0 %
3	Unknown	1	0.1 %
	Missing Data		
-9	Blank	3	0.3 %
	Total	1,069	100%

Based upon 1,066 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 235-237 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHERN: IF YES TO 6: NUMBER OF TIMES

Value	Label	Unweighted Frequency	%
0	-	4	0.4 %
1	-	209	19.6 %
2	-	26	2.4 %
3	-	15	1.4 %
4	-	2	0.2 %
5	-	1	0.1 %
	Missing Data		
-9	Blank	812	76.0 %

Value	Label	Unweighted Frequency	%
	Total	1,069	100%

Based upon 257 valid cases out of 1,069 total cases.

- Mean: 1.24
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 5
- Standard Deviation: 0.65

Location: 238-240 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHADM: 7. HAS YOUR CHILD BEEN ADMITTED TO A HOSPITAL SINCE LAST VISIT

Value	Label	Unweighted Frequency	%
1	Yes	100	9.4 %
2	No	962	90.0 %
3	Unknown	2	0.2 %
	Missing Data		
-9	Blank	5	0.5 %
	Total	1,069	100%

Based upon 1,064 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 241-243 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHADN: IF YES TO 7: NUMBER OF TIMES

Value	Label	Unweighted Frequency	%
0	-	3	0.3 %
1	-	78	7.3 %
2	-	11	1.0 %
3	-	1	0.1 %
	Missing Data		
-9	Blank	976	91.3 %
	Total	1,069	100%

Based upon 93 valid cases out of 1,069 total cases.

- Mean: 1.11

- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 3
- Standard Deviation: 0.43

Location: 244-246 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

IHHMED: 8. IS YOUR CHILD CURRENTLY ON ANY TYPE OF MEDICATION

Value	Label	Unweighted Frequency	%
1	Yes	394	36.9 %
2	No	663	62.0 %
3	Unknown	0	0.0 %
Missing Data			
-9	Blank	12	1.1 %
Total		1,069	100%

Based upon 1,057 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 247-249 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

IHHMNS: IF YES TO 8: A. NUTRITION SUPPLEMENTS (MULTIVITAMINS, IRON SUPPLEMENTS, ETC.)

Value	Label	Unweighted Frequency	%
1	Yes	175	16.4 %
2	No	266	24.9 %
Missing Data			
-9	Blank	628	58.7 %
Total		1,069	100%

Based upon 441 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 250-252 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

IHHMAN: IF YES TO 8: B. ANTIMICROBIALS (ANTIBIOTICS, ANTIVIRALS, OTHERS)

Value	Label	Unweighted Frequency	%
1	Yes	100	9.4 %
2	No	343	32.1 %
Missing Data			
-9	Blank	626	58.6 %
Total		1,069	100%

Based upon 443 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 253-255 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHMDI: IF YES TO 8: C. DIURETICS (LASIX, THIAZIDE, ALDACTONE)

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
2	No	442	41.3 %
Missing Data			
-9	Blank	626	58.6 %
Total		1,069	100%

Based upon 443 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 256-258 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHMRS: IF YES TO 8: D. RESPIRATORY STIMULANTS (CAFFEINE, THEOPHYLLINE)

Value	Label	Unweighted Frequency	%
1	Yes	4	0.4 %
2	No	439	41.1 %
Missing Data			
-9	Blank	626	58.6 %
Total		1,069	100%

Based upon 443 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 259-261 (width: 3; decimal: 0)

Variable Type: numeric
 (Range of) Missing Values: -9

IHHHMBR: IF YES TO 8: E. BRONCHODILATORS (VENTOLIN, TERBUTALIN, THEOPHYLLINE)

Value	Label	Unweighted Frequency	%
1	Yes	50	4.7 %
2	No	394	36.9 %
Missing Data			
-9	Blank	625	58.5 %
Total		1,069	100%

Based upon 444 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 262-264 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

IHHHMAT: IF YES TO 8: F. ANTICONVULSANTS (PHENOBARBITAL, DILANTIN, TEGRETOL, ATIVAN)

Value	Label	Unweighted Frequency	%
1	Yes	15	1.4 %
2	No	429	40.1 %
Missing Data			
-9	Blank	625	58.5 %
Total		1,069	100%

Based upon 444 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 265-267 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

IHHMCA: IF YES TO 8: G. CARDIAC DRUGS (DIGOXIN, INDERAL, ETC.)

Value	Label	Unweighted Frequency	%
1	Yes	4	0.4 %
2	No	439	41.1 %
Missing Data			
-9	Blank	626	58.6 %
Total		1,069	100%

Based upon 443 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 268-270 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHMOT: IF YES TO 8: H. OTHERS (ASPIRIN, COUGH SYRUP, ETC.)

Value	Label	Unweighted Frequency	%
1	Yes	201	18.8 %
2	No	247	23.1 %
	Missing Data		
-9	Blank	621	58.1 %
	Total	1,069	100%

Based upon 448 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 271-273 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHCV: 9. HAS THE CHILD RECEIVED ANY HOME HEALTH CARE SINCE LAST VISIT

Value	Label	Unweighted Frequency	%
1	Yes	206	19.3 %
2	No	859	80.4 %
3	Unknown	0	0.0 %
	Missing Data		
-9	Blank	4	0.4 %
	Total	1,069	100%

Based upon 1,065 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 274-276 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHAM: IF YES TO 9: A. APNEA MONITOR

Value	Label	Unweighted Frequency	%
1	Yes	15	1.4 %

Value	Label	Unweighted Frequency	%
2	No	227	21.2 %
	Missing Data		
-9	Blank	827	77.4 %
	Total	1,069	100%

Based upon 242 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 277-279 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHOX: IF YES TO 9: B. OXYGEN

Value	Label	Unweighted Frequency	%
1	Yes	4	0.4 %
2	No	235	22.0 %
	Missing Data		
-9	Blank	830	77.6 %
	Total	1,069	100%

Based upon 239 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 280-282 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHGT: IF YES TO 9: C. GASTROSTOMY TUBE

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	239	22.4 %
	Missing Data		
-9	Blank	830	77.6 %
	Total	1,069	100%

Based upon 239 valid cases out of 1,069 total cases.

- Minimum: 2
- Maximum: 2

Location: 283-285 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHOC: IF YES TO 9: D. OSTOMY CARE

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	239	22.4 %
	Missing Data		
-9	Blank	830	77.6 %
	Total	1,069	100%

Based upon 239 valid cases out of 1,069 total cases.

- Minimum: 2
- Maximum: 2

Location: 286-288 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHTR: IF YES TO 9: E. TRACHEOSTOMY

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	239	22.4 %
	Missing Data		
-9	Blank	830	77.6 %
	Total	1,069	100%

Based upon 239 valid cases out of 1,069 total cases.

- Minimum: 2
- Maximum: 2

Location: 289-291 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHHHOT: IF YES TO 9: F. OTHER

Value	Label	Unweighted Frequency	%
1	Yes	195	18.2 %
2	No	62	5.8 %
	Missing Data		
-9	Blank	812	76.0 %
	Total	1,069	100%

Based upon 257 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 292-294 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

IHPCHTH: 1. ANY PARENTAL CONCERNS ABOUT: A. HEALTH IN GENERAL

Value	Label	Unweighted Frequency	%
1	Yes	174	16.3 %
2	No	892	83.4 %
Missing Data			
-9	Blank	3	0.3 %
Total		1,069	100%

Based upon 1,066 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 295-297 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

IHPCDEV: 1. ANY PARENTAL CONCERNS ABOUT: B. DEVELOPMENT

Value	Label	Unweighted Frequency	%
1	Yes	59	5.5 %
2	No	1005	94.0 %
Missing Data			
-9	Blank	5	0.5 %
Total		1,069	100%

Based upon 1,064 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 298-300 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

IHPCPRC: 1. ANY PARENTAL CONCERNS ABOUT: C. PROBLEMS TODAY

Value	Label	Unweighted Frequency	%
1	Yes	119	11.1 %
2	No	944	88.3 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	Blank	6	0.6 %
	Total	1,069	100%

Based upon 1,063 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 301-303 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHPCPRP: 1. ANY PARENTAL CONCERNS ABOUT: D. PROBLEMS IN THE PAST FEW DAYS

Value	Label	Unweighted Frequency	%
1	Yes	173	16.2 %
2	No	890	83.3 %
	Missing Data		
-9	Blank	6	0.6 %
	Total	1,069	100%

Based upon 1,063 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 304-306 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHFCGAT: 1. HOW IS YOUR CHILD BEING FED: A. GAVAGE/G TUBE

Value	Label	Unweighted Frequency	%
1	Checked	2	0.2 %
	Missing Data		
-9	Blank	1067	99.8 %
	Total	1,069	100%

Based upon 2 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 1

Location: 307-309 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHFCBRF: 1. HOW IS YOUR CHILD BEING FED: B. BREAST FEEDING

Value	Label	Unweighted Frequency	%
1	Checked	74	6.9 %
Missing Data			
-9	Blank	995	93.1 %
Total		1,069	100%

Based upon 74 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 1

Location: 310-312 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHFCEBOT: 1. HOW IS YOUR CHILD BEING FED: C. BOTTLE

Value	Label	Unweighted Frequency	%
1	Checked	1040	97.3 %
Missing Data			
-9	Blank	29	2.7 %
Total		1,069	100%

Based upon 1,040 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 1

Location: 313-315 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHFCSLC: 1. HOW IS YOUR CHILD BEING FED: D. FEEDS SELF - CUP

Value	Label	Unweighted Frequency	%
1	Checked	14	1.3 %
Missing Data			
-9	Blank	1055	98.7 %
Total		1,069	100%

Based upon 14 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 1

Location: 316-318 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHFCSLF: 1. HOW IS YOUR CHILD BEING FED: E. FEEDS SELF - FINGERS

Value	Label	Unweighted Frequency	%
1	Checked	9	0.8 %
Missing Data			
-9	Blank	1060	99.2 %
Total		1,069	100%

Based upon 9 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 1

Location: 319-321 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHFCAPR: 2. HOW DO YOU DESCRIBE YOUR CHILD'S APPETITE

Value	Label	Unweighted Frequency	%
1	Good	1021	95.5 %
2	Fair/OK	37	3.5 %
3	Poor	5	0.5 %
Missing Data			
-9	Blank	6	0.6 %
Total		1,069	100%

Based upon 1,063 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 322-324 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHFCSPPT: 3. DOES YOUR CHILD HAVE ANY OF THESE PROBLEMS WITH FEEDING: A. SPITTING UP/VOMITING

Value	Label	Unweighted Frequency	%
1	Yes	356	33.3 %
2	No	708	66.2 %
Missing Data			
-9	Blank	5	0.5 %
Total		1,069	100%

Based upon 1,064 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 325-327 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHF CGAG: 3. DOES YOUR CHILD HAVE ANY OF THESE PROBLEMS WITH FEEDING: B. GAGGING

Value	Label	Unweighted Frequency	%
1	Yes	39	3.6 %
2	No	1021	95.5 %
	Missing Data		
-9	Blank	9	0.8 %
	Total	1,069	100%

Based upon 1,060 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 328-330 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHF CTIR: 3. DOES YOUR CHILD HAVE ANY OF THESE PROBLEMS WITH FEEDING: C. TIRING

Value	Label	Unweighted Frequency	%
1	Yes	28	2.6 %
2	No	1032	96.5 %
	Missing Data		
-9	Blank	9	0.8 %
	Total	1,069	100%

Based upon 1,060 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 331-333 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHF CREF: 3. DOES YOUR CHILD HAVE ANY OF THESE PROBLEMS WITH FEEDING: D. REFUSAL

Value	Label	Unweighted Frequency	%
1	Yes	31	2.9 %
2	No	1029	96.3 %
	Missing Data		
-9	Blank	9	0.8 %
	Total	1,069	100%

Based upon 1,060 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 334-336 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHFCSPN: 3. DOES YOUR CHILD HAVE ANY OF THESE PROBLEMS WITH FEEDING: E. STOMACH PAIN

Value	Label	Unweighted Frequency	%
1	Yes	92	8.6 %
2	No	969	90.6 %
	Missing Data		
-9	Blank	8	0.7 %
	Total	1,069	100%

Based upon 1,061 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 337-339 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHFCPRF: 4. DOES MOTHER/CARETAKER PREPARE FORMULA CORRECTLY

Value	Label	Unweighted Frequency	%
1	Yes	997	93.3 %
2	No	14	1.3 %
3	Not Applicable	51	4.8 %
	Missing Data		
-9	Blank	7	0.7 %
	Total	1,069	100%

Based upon 1,062 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 340-342 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHFCIFD: 5. DOES MOTHER/CARETAKER UNDERFEED OR OVERFEED CHILD

Value	Label	Unweighted Frequency	%
1	Yes	108	10.1 %
2	No	948	88.7 %
Missing Data			
-9	Blank	13	1.2 %
Total		1,069	100%

Based upon 1,056 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 343-345 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHFCUNO: IF YES TO 5: A. IS BABY UNDERFED OR OVERFED

Value	Label	Unweighted Frequency	%
1	Underfed	19	1.8 %
2	Overfed	85	8.0 %
Missing Data			
-9	Blank	965	90.3 %
Total		1,069	100%

Based upon 104 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 346-348 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHBCNAP: 1. ANY PROBLEMS WITH SLEEPING OR NAPPING

Value	Label	Unweighted Frequency	%
1	Yes	64	6.0 %
2	No	1002	93.7 %
Missing Data			
-9	Blank	3	0.3 %
Total		1,069	100%

Based upon 1,066 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 349-351 (width: 3; decimal: 0)

Variable Type: numeric
 (Range of) Missing Values: -9

IHBCBTH: 2. ANY PROBLEMS WITH BREATHING

Value	Label	Unweighted Frequency	%
1	Yes	124	11.6 %
2	No	941	88.0 %
Missing Data			
-9	Blank	4	0.4 %
Total		1,069	100%

Based upon 1,065 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 352-354 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

IHBCCRY: 3. ANY PROBLEMS WITH TOO MUCH CRYING/COLIC

Value	Label	Unweighted Frequency	%
1	Yes	74	6.9 %
2	No	992	92.8 %
Missing Data			
-9	Blank	3	0.3 %
Total		1,069	100%

Based upon 1,066 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 355-357 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

IHBCCON: 4. ANY PROBLEMS WITH CONSOLING HIM/HERSELF

Value	Label	Unweighted Frequency	%
1	Yes	104	9.7 %
2	No	961	89.9 %
Missing Data			
-9	Blank	4	0.4 %
Total		1,069	100%

Based upon 1,065 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 358-360 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

IHBCDIF: 5. DIFFICULT TO CONSOLE WHEN CRYING, ETC.

Value	Label	Unweighted Frequency	%
1	Yes	59	5.5 %
2	No	1006	94.1 %
Missing Data			
-9	Blank	4	0.4 %
Total		1,069	100%

Based upon 1,065 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 361-363 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

IHBCNCR: 6. BABY NEVER CRIES

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
2	No	1065	99.6 %
Missing Data			
-9	Blank	3	0.3 %
Total		1,069	100%

Based upon 1,066 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 364-366 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

IHBCSTA: 7. ANY PROBLEMS WITH STARING SPELLS

Value	Label	Unweighted Frequency	%
1	Yes	45	4.2 %
2	No	1018	95.2 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	Blank	6	0.6 %
	Total	1,069	100%

Based upon 1,063 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 367-369 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHBCSWE: 8. ANY PROBLEMS WITH SWEATING

Value	Label	Unweighted Frequency	%
1	Yes	118	11.0 %
2	No	947	88.6 %
	Missing Data		
-9	Blank	4	0.4 %
	Total	1,069	100%

Based upon 1,065 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 370-372 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHBCOTH: 9. ANY OTHER CONCERNS ABOUT HIS/HER BEHAVIOR

Value	Label	Unweighted Frequency	%
1	Yes	33	3.1 %
2	No	1033	96.6 %
	Missing Data		
-9	Blank	3	0.3 %
	Total	1,069	100%

Based upon 1,066 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 373-375 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHBVSLP: 10. DOES CHILD HAVE ANY PROBLEMS WITH SLEEPING WELL AT NIGHT

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	0	0.0 %
Missing Data			
-9	Blank	1069	100.0 %
Total		1,069	100%

Based upon 0 valid cases out of 1,069 total cases.

Location: 376-378 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHBVCRY: 11. DOES CHILD HAVE ANY PROBLEMS WITH TOO MUCH CRYING/FUSSINESS

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	0	0.0 %
Missing Data			
-9	Blank	1069	100.0 %
Total		1,069	100%

Based upon 0 valid cases out of 1,069 total cases.

Location: 379-381 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHBVACT: 12. IS CHILD TOO ACTIVE OR TOO QUIET

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	0	0.0 %
Missing Data			
-9	Blank	1069	100.0 %
Total		1,069	100%

Based upon 0 valid cases out of 1,069 total cases.

Location: 382-384 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHBVTAN: 13. DOES CHILD HAVE ANY PROBLEMS WITH TANTRUMS

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Blank	1069	100.0 %
	Total	1,069	100%

Based upon 0 valid cases out of 1,069 total cases.

Location: 385-387 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHBVOBY: 14. DOES CHILD HAVE ANY PROBLEMS WITH OBEYING

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	0	0.0 %
	Missing Data		
-9	Blank	1069	100.0 %
	Total	1,069	100%

Based upon 0 valid cases out of 1,069 total cases.

Location: 388-390 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHBVOH: 15. DO YOU HAVE ANY OTHER CONCERNS ABOUT HIS/HER BEHAVIOR

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	0	0.0 %
	Missing Data		
-9	Blank	1069	100.0 %
	Total	1,069	100%

Based upon 0 valid cases out of 1,069 total cases.

Location: 391-393 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHMCLIE: 1. CHILD WON'T LIE ON HIS/HER STOMACH

Value	Label	Unweighted Frequency	%
1	Yes	52	4.9 %
2	No	1009	94.4 %
	Missing Data		
-9	Blank	8	0.7 %

Value	Label	Unweighted Frequency	%
	Total	1,069	100%

Based upon 1,061 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 394-396 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHMCSTF: 2. UNUSUAL STIFFNESS

Value	Label	Unweighted Frequency	%
1	Yes	111	10.4 %
2	No	949	88.8 %
	Missing Data		
-9	Blank	9	0.8 %
	Total	1,069	100%

Based upon 1,060 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 397-399 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHMCJIT: 3. SHAKING/JITTERY

Value	Label	Unweighted Frequency	%
1	Yes	74	6.9 %
2	No	987	92.3 %
	Missing Data		
-9	Blank	8	0.7 %
	Total	1,069	100%

Based upon 1,061 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 400-402 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHMCONC: 4. DO YOU HAVE ANY CONCERNS ABOUT THE CHILD'S MOVEMENT

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	15	1.4 %
Missing Data			
-9	Blank	1054	98.6 %
Total		1,069	100%

Based upon 15 valid cases out of 1,069 total cases.

- Minimum: 2
- Maximum: 2

Location: 403-405 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRPRO: 1. HAS YOUR CHILD HAD ANY MEDICAL PROBLEMS SINCE LAST VISIT

Value	Label	Unweighted Frequency	%
1	Yes	809	75.7 %
2	No	248	23.2 %
3	Don't Know	1	0.1 %
Missing Data			
-9	Blank	11	1.0 %
Total		1,069	100%

Based upon 1,058 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 406-408 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRGAM: IF YES TO 1: A. GENERAL: 1) ALLERGIES: A) MEDICATION

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
2	No	876	81.9 %
Missing Data			
-9	Blank	192	18.0 %
Total		1,069	100%

Based upon 877 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 409-411 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRGAF: IF YES TO 1: A. GENERAL: 1) ALLERGIES: B) FOOD

Value	Label	Unweighted Frequency	%
1	Yes	23	2.2 %
2	No	854	79.9 %
	Missing Data		
-9	Blank	192	18.0 %
	Total	1,069	100%

Based upon 877 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 412-414 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRGAB: IF YES TO 1: A. GENERAL: 1) ALLERGIES: C) INSECT BITES

Value	Label	Unweighted Frequency	%
1	Yes	17	1.6 %
2	No	860	80.4 %
	Missing Data		
-9	Blank	192	18.0 %
	Total	1,069	100%

Based upon 877 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 415-417 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRGAR: IF YES TO 1: A. GENERAL: 1) ALLERGIES: D) SKIN RASH

Value	Label	Unweighted Frequency	%
1	Yes	212	19.8 %
2	No	665	62.2 %
	Missing Data		
-9	Blank	192	18.0 %
	Total	1,069	100%

Based upon 877 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 418-420 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRGFV: IF YES TO 1: A. GENERAL: 2) FEVER

Value	Label	Unweighted Frequency	%
1	Yes	274	25.6 %
2	No	605	56.6 %
	Missing Data		
-9	Blank	190	17.8 %
	Total	1,069	100%

Based upon 879 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 421-423 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRGFQ: IF YES TO 1: A. GENERAL: 2) FEVER - # TIMES

Value	Label	Unweighted Frequency	%
1	-	216	20.2 %
2	-	36	3.4 %
3	-	9	0.8 %
4	-	3	0.3 %
5	-	1	0.1 %
	Missing Data		
-9	Blank	804	75.2 %
	Total	1,069	100%

Based upon 265 valid cases out of 1,069 total cases.

- Mean: 1.25
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 5
- Standard Deviation: 0.61

Location: 424-426 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRGBN: IF YES TO 1: A. GENERAL: 3) BURN/TRAUMA/INJURIES

Value	Label	Unweighted Frequency	%
1	Yes	13	1.2 %
2	No	863	80.7 %
	Missing Data		
-9	Blank	193	18.1 %
	Total	1,069	100%

Based upon 876 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 427-429 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRGBQ: IF YES TO 1: A. GENERAL: 3) BURN/TRAUMA/INJURIES - # TIMES

Value	Label	Unweighted Frequency	%
1	-	10	0.9 %
	Missing Data		
-9	Blank	1059	99.1 %
	Total	1,069	100%

Based upon 10 valid cases out of 1,069 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 1
- Standard Deviation: 0.00

Location: 430-432 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRGOT: IF YES TO 1: A. GENERAL: 4) OTHER

Value	Label	Unweighted Frequency	%
1	Yes	20	1.9 %
2	No	854	79.9 %
	Missing Data		
-9	Blank	195	18.2 %
	Total	1,069	100%

Based upon 874 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 433-435 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of Missing Values: -9)

IHIRGOQ: IF YES TO 1: A. GENERAL: 4) OTHER - # TIMES

Value	Label	Unweighted Frequency	%
1	-	15	1.4 %
	Missing Data		
-9	Blank	1054	98.6 %
	Total	1,069	100%

Based upon 15 valid cases out of 1,069 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 1
- Standard Deviation: 0.00

Location: 436-438 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of Missing Values: -9)

IHIRBHT: IF YES TO 1: B. ILLNESS WITH CLEAR RISK TO BRAIN: 1) TRAUMA INVOLVING HEAD

Value	Label	Unweighted Frequency	%
1	Yes	7	0.7 %
2	No	869	81.3 %
	Missing Data		
-9	Blank	193	18.1 %
	Total	1,069	100%

Based upon 876 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 439-441 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of Missing Values: -9)

IHIRBHQ: IF YES TO 1: B. ILLNESS WITH CLEAR RISK TO BRAIN: 1) TRAUMA INVOLVING HEAD - #TIMES

Value	Label	Unweighted Frequency	%
1	-	6	0.6 %
Missing Data			
-9	Blank	1063	99.4 %
Total		1,069	100%

Based upon 6 valid cases out of 1,069 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 1
- Standard Deviation: 0.00

Location: 442-444 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRBME: IF YES TO 1: B. ILLNESS WITH CLEAR RISK TO BRAIN: 2) MENINGITIS/SHUNT PROBLEM

Value	Label	Unweighted Frequency	%
1	Yes	4	0.4 %
2	No	872	81.6 %
Missing Data			
-9	Blank	193	18.1 %
Total		1,069	100%

Based upon 876 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 445-447 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRBMQ: IF YES TO 1: B. ILLNESS WITH CLEAR RISK TO BRAIN: 2) MENINGITIS/SHUNT PROBLEM - # TIMES

Value	Label	Unweighted Frequency	%
1	-	4	0.4 %
Missing Data			
-9	Blank	1065	99.6 %
Total		1,069	100%

Based upon 4 valid cases out of 1,069 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 1
- Standard Deviation: 0.00

Location: 448-450 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRBCO: IF YES TO 1: B. ILLNESS WITH CLEAR RISK TO BRAIN: 3) CONVULSIONS

Value	Label	Unweighted Frequency	%
1	Yes	6	0.6 %
2	No	869	81.3 %
Missing Data			
-9	Blank	194	18.1 %
Total		1,069	100%

Based upon 875 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 451-453 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRBCQ: IF YES TO 1: B. ILLNESS WITH CLEAR RISK TO BRAIN: 3) CONVULSIONS - # TIMES

Value	Label	Unweighted Frequency	%
1	-	4	0.4 %
3	-	1	0.1 %
4	-	1	0.1 %
Missing Data			
-9	Blank	1063	99.4 %
Total		1,069	100%

Based upon 6 valid cases out of 1,069 total cases.

- Mean: 1.83
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 4
- Standard Deviation: 1.33

Location: 454-456 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRBEN: IF YES TO 1: B. ILLNESS WITH CLEAR RISK TO BRAIN: 4) ENCEPHALOPATHY

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	876	81.9 %
	Missing Data		
-9	Blank	193	18.1 %
	Total	1,069	100%

Based upon 876 valid cases out of 1,069 total cases.

- Minimum: 2
- Maximum: 2

Location: 457-459 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRBNS: IF YES TO 1: B. ILLNESS WITH CLEAR RISK TO BRAIN: 5) NEAR SIDS

Value	Label	Unweighted Frequency	%
1	Yes	5	0.5 %
2	No	862	80.6 %
	Missing Data		
-9	Blank	202	18.9 %
	Total	1,069	100%

Based upon 867 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 460-462 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRBNQ: IF YES TO 1: B. ILLNESS WITH CLEAR RISK TO BRAIN: 5) NEAR SIDS - # TIMES

Value	Label	Unweighted Frequency	%
1	-	3	0.3 %
38	-	1	0.1 %
99	-	1	0.1 %
	Missing Data		
-9	Blank	1064	99.5 %
	Total	1,069	100%

Based upon 5 valid cases out of 1,069 total cases.

- Mean: 28.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 99
- Standard Deviation: 42.80

Location: 463-465 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRBOT: IF YES TO 1: B. ILLNESS WITH CLEAR RISK TO BRAIN: 6) OTHER

Value	Label	Unweighted Frequency	%
1	Yes	7	0.7 %
2	No	870	81.4 %
Missing Data			
-9	Blank	192	18.0 %
Total		1,069	100%

Based upon 877 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 466-468 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRBOQ: IF YES TO 1: B. ILLNESS WITH CLEAR RISK TO BRAIN: 6) OTHER - # TIMES

Value	Label	Unweighted Frequency	%
1	-	5	0.5 %
Missing Data			
-9	Blank	1064	99.5 %
Total		1,069	100%

Based upon 5 valid cases out of 1,069 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 1
- Standard Deviation: 0.00

Location: 469-471 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIREYI: IF YES TO 1: C. EENT: 1) EYE INFECTION

Value	Label	Unweighted Frequency	%
1	Yes	24	2.2 %
2	No	857	80.2 %
Missing Data			
-9	Blank	188	17.6 %
Total		1,069	100%

Based upon 881 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 472-474 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIREYQ: IF YES TO 1: C. EENT: 1) EYE INFECTION - # TIMES

Value	Label	Unweighted Frequency	%
1	-	19	1.8 %
2	-	2	0.2 %
Missing Data			
-9	Blank	1048	98.0 %
Total		1,069	100%

Based upon 21 valid cases out of 1,069 total cases.

- Mean: 1.10
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 2
- Standard Deviation: 0.30

Location: 475-477 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIROEQ: IF YES TO 1: C. EENT: 2) OTHER EYE PROBLEM - # TIMES

Value	Label	Unweighted Frequency	%
1	-	10	0.9 %
Missing Data			
-9	Blank	1059	99.1 %
Total		1,069	100%

Based upon 10 valid cases out of 1,069 total cases.

- Mean: 1.00

- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 1
- Standard Deviation: 0.00

Location: 478-480 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

IHIRERI: IF YES TO 1: C. EENT: 3) EAR INFECTION

Value	Label	Unweighted Frequency	%
1	Yes	110	10.3 %
2	No	772	72.2 %
Missing Data			
-9	Blank	187	17.5 %
Total		1,069	100%

Based upon 882 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 481-483 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

IHIRERQ: IF YES TO 1: C. EENT: 3) EAR INFECTION - # TIMES

Value	Label	Unweighted Frequency	%
1	-	89	8.3 %
2	-	13	1.2 %
4	-	1	0.1 %
Missing Data			
-9	Blank	966	90.4 %
Total		1,069	100%

Based upon 103 valid cases out of 1,069 total cases.

- Mean: 1.16
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 4
- Standard Deviation: 0.44

Location: 484-486 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

IHIREPE: IF YES TO 1: C. EENT: 4) PE TUBES

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
2	No	877	82.0 %
	Missing Data		
-9	Blank	191	17.9 %
	Total	1,069	100%

Based upon 878 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 487-489 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIREPQ: IF YES TO 1: C. EENT: 4) PE TUBES - # TIMES

Value	Label	Unweighted Frequency	%
1	-	1	0.1 %
	Missing Data		
-9	Blank	1068	99.9 %
	Total	1,069	100%

Based upon 1 valid cases out of 1,069 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 1
- Standard Deviation: 0.00

Location: 490-492 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRECQ: IF YES TO 1: C. EENT: 5) COLDS/URI/SINUS - # TIMES

Value	Label	Unweighted Frequency	%
1	-	424	39.7 %
2	-	92	8.6 %
3	-	17	1.6 %
4	-	5	0.5 %
10	-	1	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Blank	530	49.6 %
	Total	1,069	100%

Based upon 539 valid cases out of 1,069 total cases.

- Mean: 1.28
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 10
- Standard Deviation: 0.67

Location: 493-495 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIREST: IF YES TO 1: C. EENT: 6) SORE THROAT

Value	Label	Unweighted Frequency	%
1	Yes	8	0.7 %
2	No	872	81.6 %
	Missing Data		
-9	Blank	189	17.7 %
	Total	1,069	100%

Based upon 880 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 496-498 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRESQ: IF YES TO 1: C. EENT: 6) SORE THROAT - # TIMES

Value	Label	Unweighted Frequency	%
1	-	6	0.6 %
	Missing Data		
-9	Blank	1063	99.4 %
	Total	1,069	100%

Based upon 6 valid cases out of 1,069 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 1

- Standard Deviation: 0.00

Location: 499-501 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRETH: IF YES TO 1: C. EENT: 7) TEETH/GUMS/MOUTH

Value	Label	Unweighted Frequency	%
1	Yes	102	9.5 %
2	No	777	72.7 %
Missing Data			
-9	Blank	190	17.8 %
Total		1,069	100%

Based upon 879 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 502-504 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRETQ: IF YES TO 1: C. EENT: 7) TEETH/GUMS/MOUTH - # TIMES

Value	Label	Unweighted Frequency	%
0	-	31	2.9 %
1	-	39	3.6 %
2	-	6	0.6 %
6	-	1	0.1 %
Missing Data			
-9	Blank	992	92.8 %
Total		1,069	100%

Based upon 77 valid cases out of 1,069 total cases.

- Mean: 0.74
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 6
- Standard Deviation: 0.86

Location: 505-507 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIREOT: IF YES TO 1: C. EENT: 8) OTHER

Value	Label	Unweighted Frequency	%
1	Yes	8	0.7 %
2	No	871	81.5 %
Missing Data			
-9	Blank	190	17.8 %
Total		1,069	100%

Based upon 879 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 508-510 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIREOQ: IF YES TO 1: C. EENT: 8) OTHER - # TIMES

Value	Label	Unweighted Frequency	%
1	-	6	0.6 %
Missing Data			
-9	Blank	1063	99.4 %
Total		1,069	100%

Based upon 6 valid cases out of 1,069 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 1
- Standard Deviation: 0.00

Location: 511-513 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRRWH: IF YES TO 1: D. RESPIRATORY: 1) WHEEZING/ASTHMA/BRONCHIOLITIS

Value	Label	Unweighted Frequency	%
1	Yes	97	9.1 %
2	No	782	73.2 %
Missing Data			
-9	Blank	190	17.8 %
Total		1,069	100%

Based upon 879 valid cases out of 1,069 total cases.

- Minimum: 1

- Maximum: 2

Location: 514-516 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

IHIRRWQ: IF YES TO 1: 1. RESPIRATORY: 1) WHEEZING/ASTHMA/BRONCHIOLITIS - # TIMES

Value	Label	Unweighted Frequency	%
1	-	70	6.5 %
2	-	4	0.4 %
3	-	2	0.2 %
4	-	3	0.3 %
5	-	1	0.1 %
Missing Data			
-9	Blank	989	92.5 %
Total		1,069	100%

Based upon 80 valid cases out of 1,069 total cases.

- Mean: 1.26
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 5
- Standard Deviation: 0.79

Location: 517-519 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

IHIRRPN: IF YES TO 1: D. RESPIRATORY: 2) PNEUMONIA

Value	Label	Unweighted Frequency	%
1	Yes	24	2.2 %
2	No	855	80.0 %
Missing Data			
-9	Blank	190	17.8 %
Total		1,069	100%

Based upon 879 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 520-522 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

IHIRRPQ: IF YES TO 1: D. RESPIRATORY: 2) PNEUMONIA - # TIMES

Value	Label	Unweighted Frequency	%
1	-	22	2.1 %
2	-	1	0.1 %
Missing Data			
-9	Blank	1046	97.8 %
Total		1,069	100%

Based upon 23 valid cases out of 1,069 total cases.

- Mean: 1.04
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 2
- Standard Deviation: 0.21

Location: 523-525 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRRAP: IF YES TO 1: D. RESPIRATORY: 3) APNEA/BRADYCARDIA

Value	Label	Unweighted Frequency	%
1	Yes	9	0.8 %
2	No	864	80.8 %
Missing Data			
-9	Blank	196	18.3 %
Total		1,069	100%

Based upon 873 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 526-528 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRRAQ: IF YES TO 1: D. RESPIRATORY: 3) APNEA/BRADYCARDIA - # TIMES

Value	Label	Unweighted Frequency	%
1	-	5	0.5 %
4	-	1	0.1 %
38	-	1	0.1 %
99	-	1	0.1 %
Missing Data			
-9	Blank	1061	99.3 %
Total		1,069	100%

Based upon 8 valid cases out of 1,069 total cases.

- Mean: 18.25
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 99
- Standard Deviation: 35.05

Location: 529-531 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRROT: IF YES TO 1: D. RESPIRATORY: 4) OTHER

Value	Label	Unweighted Frequency	%
1	Yes	31	2.9 %
2	No	848	79.3 %
	Missing Data		
-9	Blank	190	17.8 %
	Total	1,069	100%

Based upon 879 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 532-534 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRROQ: IF YES TO 1: D. RESPIRATORY: 4) OTHER - # TIMES

Value	Label	Unweighted Frequency	%
1	-	21	2.0 %
2	-	2	0.2 %
	Missing Data		
-9	Blank	1046	97.8 %
	Total	1,069	100%

Based upon 23 valid cases out of 1,069 total cases.

- Mean: 1.09
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 2
- Standard Deviation: 0.29

Location: 535-537 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRCHM: IF YES TO 1: E. CARDIAC: 1) HEART MURMUR

Value	Label	Unweighted Frequency	%
1	Yes	47	4.4 %
2	No	834	78.0 %
	Missing Data		
-9	Blank	188	17.6 %
	Total	1,069	100%

Based upon 881 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 538-540 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRCOT: IF YES TO 1: E. CARDIAC: 2) OTHER

Value	Label	Unweighted Frequency	%
1	Yes	2	0.2 %
2	No	875	81.9 %
	Missing Data		
-9	Blank	192	18.0 %
	Total	1,069	100%

Based upon 877 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 541-543 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRCOQ: IF YES TO 1: E. CARDIAC: 2) OTHER - # TIMES

Value	Label	Unweighted Frequency	%
1	-	1	0.1 %
	Missing Data		
-9	Blank	1068	99.9 %
	Total	1,069	100%

Based upon 1 valid cases out of 1,069 total cases.

- Mean: 1.00

- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 1
- Standard Deviation: 0.00

Location: 544-546 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

IHIRIDI: IF YES TO 1: F. GI: 1) DIARRHEA

Value	Label	Unweighted Frequency	%
1	Yes	199	18.6 %
2	No	681	63.7 %
Missing Data			
-9	Blank	189	17.7 %
Total		1,069	100%

Based upon 880 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 547-549 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

IHIRIDQ: IF YES TO 1: F. GI: 1) DIARRHEA - # TIMES

Value	Label	Unweighted Frequency	%
1	-	133	12.4 %
2	-	25	2.3 %
3	-	7	0.7 %
4	-	2	0.2 %
5	-	1	0.1 %
6	-	1	0.1 %
8	-	1	0.1 %
10	-	1	0.1 %
12	-	1	0.1 %
15	-	1	0.1 %
Missing Data			
-9	Blank	896	83.8 %
Total		1,069	100%

Based upon 173 valid cases out of 1,069 total cases.

- Mean: 1.55
- Median: 1.00

- Mode: 1.00
- Minimum: 1
- Maximum: 15
- Standard Deviation: 1.72

Location: 550-552 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRIVO: IF YES TO 1: F. GI: 2) VOMITING

Value	Label	Unweighted Frequency	%
1	Yes	98	9.2 %
2	No	784	73.3 %
Missing Data			
-9	Blank	187	17.5 %
Total		1,069	100%

Based upon 882 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 553-555 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRIVQ: IF YES TO 1: F. GI: 2) VOMITING - # TIMES

Value	Label	Unweighted Frequency	%
1	-	36	3.4 %
2	-	6	0.6 %
3	-	4	0.4 %
4	-	1	0.1 %
5	-	1	0.1 %
6	-	2	0.2 %
7	-	1	0.1 %
9	-	1	0.1 %
10	-	3	0.3 %
20	-	1	0.1 %
Missing Data			
-9	Blank	1013	94.8 %
Total		1,069	100%

Based upon 56 valid cases out of 1,069 total cases.

- Mean: 2.62
- Median: 1.00
- Mode: 1.00

- Minimum: 1
- Maximum: 20
- Standard Deviation: 3.45

Location: 556-558 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRICO: IF YES TO 1: F. GI: 3) CONSTIPATION

Value	Label	Unweighted Frequency	%
1	Yes	94	8.8 %
2	No	787	73.6 %
Missing Data			
-9	Blank	188	17.6 %
Total		1,069	100%

Based upon 881 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 559-561 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRIFT: IF YES TO 1: F. GI: 4) FAILURE TO THRIVE

Value	Label	Unweighted Frequency	%
1	Yes	8	0.7 %
2	No	871	81.5 %
Missing Data			
-9	Blank	190	17.8 %
Total		1,069	100%

Based upon 879 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 562-564 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRIOT: IF YES TO 1: F. GI: 5) OTHER

Value	Label	Unweighted Frequency	%
1	Yes	9	0.8 %
2	No	868	81.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Blank	192	18.0 %
	Total	1,069	100%

Based upon 877 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 565-567 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRIOQ: IF YES TO 1: F. GI: 5) OTHER - # TIMES

Value	Label	Unweighted Frequency	%
1	-	9	0.8 %
	Missing Data		
-9	Blank	1060	99.2 %
	Total	1,069	100%

Based upon 9 valid cases out of 1,069 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 1
- Standard Deviation: 0.00

Location: 568-570 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHIRUTI: IF YES TO 1: G. GU: 1) UTI

Value	Label	Unweighted Frequency	%
1	Yes	5	0.5 %
2	No	871	81.5 %
	Missing Data		
-9	Blank	193	18.1 %
	Total	1,069	100%

Based upon 876 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 571-573 (width: 3; decimal: 0)

Variable Type: numeric
 (Range of) Missing Values: -9

IHIRUTQ: IF YES TO 1: G. GU: 1) UTI - # TIMES

Value	Label	Unweighted Frequency	%
1	-	4	0.4 %
Missing Data			
-9	Blank	1065	99.6 %
Total		1,069	100%

Based upon 4 valid cases out of 1,069 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 1
- Standard Deviation: 0.00

Location: 574-576 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

IHIRUOT: IF YES TO 1: G. GU: 2) OTHER

Value	Label	Unweighted Frequency	%
1	Yes	12	1.1 %
2	No	863	80.7 %
Missing Data			
-9	Blank	194	18.1 %
Total		1,069	100%

Based upon 875 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 577-579 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

IHIRUOQ: IF YES TO 1: G. GU: 2) OTHER - # TIMES

Value	Label	Unweighted Frequency	%
1	-	4	0.4 %
2	-	1	0.1 %
Missing Data			
-9	Blank	1064	99.5 %

Value	Label	Unweighted Frequency	%
	Total	1,069	100%

Based upon 5 valid cases out of 1,069 total cases.

- Mean: 1.20
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 2
- Standard Deviation: 0.45

Location: 580-582 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHOSRES: DIAGNOSES BY ORGAN SYSTEM: 1. RESPIRATORY (ENT AND PULM)

Value	Label	Unweighted Frequency	%
1	Normal	769	71.9 %
2	Abnormal - Acute	262	24.5 %
3	Abnormal - Chronic	35	3.3 %
	Missing Data		
-9	Blank	3	0.3 %
	Total	1,069	100%

Based upon 1,066 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 583-585 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHOSBP: DIAGNOSES BY ORGAN SYSTEM: 2. BLOOD PRESSURE

Value	Label	Unweighted Frequency	%
1	Normal	755	70.6 %
2	Abnormal - Acute	49	4.6 %
3	Abnormal - Chronic	9	0.8 %
	Missing Data		
-9	Blank	256	23.9 %
	Total	1,069	100%

Based upon 813 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 586-588 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHOSCAR: DIAGNOSES BY ORGAN SYSTEM: 3. CARDIOVASCULAR (OTHER THAN B.P)

Value	Label	Unweighted Frequency	%
1	Normal	1015	94.9 %
2	Abnormal - Acute	1	0.1 %
3	Abnormal - Chronic	50	4.7 %
Missing Data			
-9	Blank	3	0.3 %
Total		1,069	100%

Based upon 1,066 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 589-591 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHOSGI: DIAGNOSES BY ORGAN SYSTEM: 4. GI

Value	Label	Unweighted Frequency	%
1	Normal	852	79.7 %
2	Abnormal - Acute	12	1.1 %
3	Abnormal - Chronic	202	18.9 %
Missing Data			
-9	Blank	3	0.3 %
Total		1,069	100%

Based upon 1,066 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 592-594 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHOSRGU: DIAGNOSES BY ORGAN SYSTEM: 5. RENAL/GU

Value	Label	Unweighted Frequency	%
1	Normal	1044	97.7 %
2	Abnormal - Acute	1	0.1 %
3	Abnormal - Chronic	20	1.9 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	Blank	4	0.4 %
	Total	1,069	100%

Based upon 1,065 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 595-597 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHOSIMM: DIAGNOSES BY ORGAN SYSTEM: 6. IMMUNOLOGICAL/INFECTION

Value	Label	Unweighted Frequency	%
1	Normal	1037	97.0 %
2	Abnormal - Acute	23	2.2 %
3	Abnormal - Chronic	7	0.7 %
	Missing Data		
-9	Blank	2	0.2 %
	Total	1,069	100%

Based upon 1,067 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 598-600 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHOSMUS: DIAGNOSES BY ORGAN SYSTEM: 7. MUSCULOSKELETAL

Value	Label	Unweighted Frequency	%
1	Normal	1040	97.3 %
2	Abnormal - Acute	2	0.2 %
3	Abnormal - Chronic	25	2.3 %
	Missing Data		
-9	Blank	2	0.2 %
	Total	1,069	100%

Based upon 1,067 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 601-603 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHOSNEU: DIAGNOSES BY ORGAN SYSTEM: 8. NEUROLOGIC

Value	Label	Unweighted Frequency	%
1	Normal	858	80.3 %
2	Abnormal - Acute	7	0.7 %
3	Abnormal - Chronic	202	18.9 %
Missing Data			
-9	Blank	2	0.2 %
Total		1,069	100%

Based upon 1,067 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 604-606 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHOSMET: DIAGNOSES BY ORGAN SYSTEM: 9. METABOLIC/HEMATOLOGIC

Value	Label	Unweighted Frequency	%
1	Normal	1043	97.6 %
2	Abnormal - Acute	0	0.0 %
3	Abnormal - Chronic	22	2.1 %
Missing Data			
-9	Blank	4	0.4 %
Total		1,069	100%

Based upon 1,065 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 607-609 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHOSSKN: DIAGNOSES BY ORGAN SYSTEM: 10. SKIN AND MUCOUS MEMBRANES

Value	Label	Unweighted Frequency	%
1	Normal	834	78.0 %
2	Abnormal - Acute	168	15.7 %
3	Abnormal - Chronic	64	6.0 %
Missing Data			
-9	Blank	3	0.3 %

Value	Label	Unweighted Frequency	%
	Total	1,069	100%

Based upon 1,066 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 610-612 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHCNTE: 1. NUTRITION (GROWTH AND DEVELOPMENT): A. FAILURE TO THRIVE - ENVIRONMENTAL

Value	Label	Unweighted Frequency	%
1	Yes	4	0.4 %
2	No	1062	99.3 %
	Missing Data		
-9	Blank	3	0.3 %
	Total	1,069	100%

Based upon 1,066 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 613-615 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHCNNTM: 1. NUTRITION (GROWTH AND DEVELOPMENT): B. FAILURE TO THRIVE - MALABSORPTION

Value	Label	Unweighted Frequency	%
1	Yes	3	0.3 %
2	No	1064	99.5 %
	Missing Data		
-9	Blank	2	0.2 %
	Total	1,069	100%

Based upon 1,067 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 616-618 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHCNNTU: 1. NUTRITION (GROWTH AND DEVELOPMENT): C. FAILURE TO THRIVE - ETIOLOGY UNKNOWN

Value	Label	Unweighted Frequency	%
1	Yes	21	2.0 %
2	No	1046	97.8 %
Missing Data			
-9	Blank	2	0.2 %
Total		1,069	100%

Based upon 1,067 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 619-621 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHCNEFD: 2. EMOTIONAL/BEHAVIORAL: A. PROBLEMS AT PRESENT WITH FEEDING

Value	Label	Unweighted Frequency	%
1	Yes	70	6.5 %
2	No	995	93.1 %
Missing Data			
-9	Blank	4	0.4 %
Total		1,069	100%

Based upon 1,065 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 622-624 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHCNESL: 2. EMOTIONAL/BEHAVIORAL: B. PROBLEMS AT PRESENT WITH SLEEPING

Value	Label	Unweighted Frequency	%
1	Yes	19	1.8 %
2	No	1046	97.8 %
Missing Data			
-9	Blank	4	0.4 %
Total		1,069	100%

Based upon 1,065 valid cases out of 1,069 total cases.

- Minimum: 1

- Maximum: 2

Location: 625-627 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHCNECR: 2. EMOTIONAL/BEHAVIORAL: C. PROBLEMS AT PRESENT WITH CRYING

Value	Label	Unweighted Frequency	%
1	Yes	31	2.9 %
2	No	1035	96.8 %
	Missing Data		
-9	Blank	3	0.3 %
	Total	1,069	100%

Based upon 1,066 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 628-630 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHCNFNS: 3. FAMILIAL: A. CHILD NEGLECT - SUSPECTED

Value	Label	Unweighted Frequency	%
1	Yes	6	0.6 %
2	No	1060	99.2 %
	Missing Data		
-9	Blank	3	0.3 %
	Total	1,069	100%

Based upon 1,066 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 631-633 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHCNFNC: 3. FAMILIAL: B. CHILD NEGLECT - CONFIRMED

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
2	No	1065	99.6 %
	Missing Data		
-9	Blank	3	0.3 %

Value	Label	Unweighted Frequency	%
	Total	1,069	100%

Based upon 1,066 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 634-636 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHCNFAS: 3. FAMILIAL: C. CHILD ABUSE - SUSPECTED

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
2	No	1065	99.6 %
	Missing Data		
-9	Blank	3	0.3 %
	Total	1,069	100%

Based upon 1,066 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 637-639 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHCNFAC: 3. FAMILIAL: D. CHILD ABUSE - CONFIRMED

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
2	No	1065	99.6 %
	Missing Data		
-9	Blank	3	0.3 %
	Total	1,069	100%

Based upon 1,066 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 640-642 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHCNFSS: 3. FAMILIAL: E. SEXUAL ABUSE - SUSPECTED

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
2	No	1065	99.6 %
Missing Data			
-9	Blank	3	0.3 %
Total		1,069	100%

Based upon 1,066 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 643-645 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHCNFSC: 3. FAMILIAL: F. SEXUAL ABUSE - CONFIRMED

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
2	No	1065	99.6 %
Missing Data			
-9	Blank	3	0.3 %
Total		1,069	100%

Based upon 1,066 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 646-648 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHCNFOT: 3. FAMILIAL: G. OTHER

Value	Label	Unweighted Frequency	%
1	Yes	6	0.6 %
2	No	1060	99.2 %
Missing Data			
-9	Blank	3	0.3 %
Total		1,069	100%

Based upon 1,066 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 649-651 (width: 3; decimal: 0)

Variable Type: numeric
 (Range of) Missing Values: -9

IHCDCER: COMPLEX DIAGNOSES: 1. CEREBRAL PALSY

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
2	No	1067	99.8 %
	Missing Data		
-9	Blank	1	0.1 %
	Total	1,069	100%

Based upon 1,068 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 652-654 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

IHCDCR: COMPLEX DIAGNOSES: 2. CHROMOSOME

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
2	No	1067	99.8 %
	Missing Data		
-9	Blank	1	0.1 %
	Total	1,069	100%

Based upon 1,068 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 655-657 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

IHCDCMAL: COMPLEX DIAGNOSES: 3. MALFORMATION SYNDROME

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
2	No	1067	99.8 %
	Missing Data		
-9	Blank	1	0.1 %
	Total	1,069	100%

Based upon 1,068 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 658-660 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

IHCUTOR: COMPLEX DIAGNOSES: 4. TORCH SYNDROME

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	1067	99.8 %
Missing Data			
-9	Blank	2	0.2 %
Total		1,069	100%

Based upon 1,067 valid cases out of 1,069 total cases.

- Minimum: 2
- Maximum: 2

Location: 661-663 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

IHCDAID: COMPLEX DIAGNOSES: 5. AIDS

Value	Label	Unweighted Frequency	%
1	Yes	3	0.3 %
2	No	1063	99.4 %
Missing Data			
-9	Blank	3	0.3 %
Total		1,069	100%

Based upon 1,066 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 664-666 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

IHCDEVIS: COMPLEX DIAGNOSES: 6. NEUROSENSORY: A. VISUAL

Value	Label	Unweighted Frequency	%
1	Yes	22	2.1 %
2	No	1043	97.6 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	Blank	4	0.4 %
	Total	1,069	100%

Based upon 1,065 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 667-669 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHCDHER: COMPLEX DIAGNOSES: 6. NEUROSENSORY: B. HEARING

Value	Label	Unweighted Frequency	%
1	Yes	5	0.5 %
2	No	1058	99.0 %
	Missing Data		
-9	Blank	6	0.6 %
	Total	1,069	100%

Based upon 1,063 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 670-672 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHCDOH: COMPLEX DIAGNOSES: 7. OTHER DIAGNOSIS

Value	Label	Unweighted Frequency	%
1	Yes	19	1.8 %
2	No	1044	97.7 %
	Missing Data		
-9	Blank	6	0.6 %
	Total	1,069	100%

Based upon 1,063 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 673-675 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHXATH: EXAMINER'S ASSESSMENT: 1. OVERALL ASSESSMENT OF CHILD'S HEALTH

Value	Label	Unweighted Frequency	%
1	Excellent	205	19.2 %
2	Very Good	400	37.4 %
3	Good	380	35.5 %
4	Fair	78	7.3 %
5	Poor	4	0.4 %
Missing Data			
-9	Blank	2	0.2 %
Total		1,069	100%

Based upon 1,067 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 5

Location: 676-678 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHXADMO: EXAMINER'S ASSESSMENT: 2. OVERALL ASSESSMENT OF CHILD'S DEVELOPMENT: A. MOTOR

Value	Label	Unweighted Frequency	%
1	Normal	754	70.5 %
2	Suspect	281	26.3 %
3	Abnormal	29	2.7 %
Missing Data			
-9	Blank	5	0.5 %
Total		1,069	100%

Based upon 1,064 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 679-681 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHXADBE: EXAMINER'S ASSESSMENT: 2. OVERALL ASSESSMENT OF CHILD'S DEVELOPMENT: B. BEHAVIOR

Value	Label	Unweighted Frequency	%
1	Normal	1002	93.7 %
2	Suspect	49	4.6 %
3	Abnormal	10	0.9 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	Blank	8	0.7 %
	Total	1,069	100%

Based upon 1,061 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 682-684 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHXADCO: EXAMINER'S ASSESSMENT: 2. OVERALL ASSESSMENT OF CHILD'S DEVELOPMENT: C. COGNITIVE

Value	Label	Unweighted Frequency	%
1	Normal	34	3.2 %
2	Suspect	2	0.2 %
3	Abnormal	1	0.1 %
	Missing Data		
-9	Blank	1032	96.5 %
	Total	1,069	100%

Based upon 37 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 3

Location: 685-687 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHXACHN: 3. ACUTE CHANGE IN CHILD'S HEALTH STATUS INTERFERING WITH USUAL ACTIVITIES

Value	Label	Unweighted Frequency	%
1	Yes	43	4.0 %
2	No	942	88.1 %
	Missing Data		
-9	Blank	84	7.9 %
	Total	1,069	100%

Based upon 985 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 688-690 (width: 3; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

IHXAMIN: EXAMINER:

Based upon 1,069 valid cases out of 1,069 total cases.

Location: 691-726 (width: 36; decimal: 0)
Variable Type: character

IHXAMDT: DATE OF EXAM:

Based upon 1,069 valid cases out of 1,069 total cases.

Location: 727-737 (width: 11; decimal: 0)
Variable Type: character

FORMIN_NC28: PART I COMPLETED BY:

Based upon 1,069 valid cases out of 1,069 total cases.

Location: 738-773 (width: 36; decimal: 0)
Variable Type: character

FORMDT_NC28: DATE COMPLETED:

Based upon 1,069 valid cases out of 1,069 total cases.

Location: 774-784 (width: 11; decimal: 0)
Variable Type: character

IHIROEY: IF YES TO 1: C. EENT: 2) OTHER EYE PROBLEM

Value	Label	Unweighted Frequency	%
1	Yes	13	1.2 %
2	No	866	81.0 %
	Missing Data		
-9	Blank	190	17.8 %
	Total	1,069	100%

Based upon 879 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 785-787 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

IHIRECO: IF YES TO 1: C. EENT: 5) COLDS/URI/SINUS

Value	Label	Unweighted Frequency	%
1	Yes	580	54.3 %
2	No	301	28.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Blank	188	17.6 %
	Total	1,069	100%

Based upon 881 valid cases out of 1,069 total cases.

- Minimum: 1
- Maximum: 2

Location: 788-790 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

IHFCSLS: 1. HOW IS YOUR CHILD BEING FED: F. FEEDS SELF - SPOON

Value	Label	Unweighted Frequency	%
1	Checked	0	0.0 %
	Missing Data		
-9	Blank	1069	100.0 %
	Total	1,069	100%

Based upon 0 valid cases out of 1,069 total cases.

Location: 791-793 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9