

ICPSR 34312

## **Maternal Lifestyle Study in Four Sites in the United States, 1993-2011**

Barry Lester

*Women and Infants Hospital of Rhode Island*

Henrietta Bada

*University of Kentucky*

Charles Bauer

*University of Miami*

Seetha Shankaran

*Wayne State University*

Toni Whitaker

*University of Tennessee*

Linda LaGasse

*Women and Infants Hospital of Rhode Island*

Jane Hammond

*RTI International*

Codebook for Phase II: M12 Mother/Caregiver  
Report Data, Agency Report

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

# Terms of Use

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/34312/terms>

## Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### NOTICE

#### WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

**ICPSR PROCESSING NOTES FOR #34312**  
*Maternal Lifestyle Study in Four Sites in the United States, 1993-2011*  
 Part 35: Phase II: M12  
 Mother/Caregiver Report Data,  
 Agency Report

- 1) NAHDAP staff created the case identification variable CASEID and reassigned values in the variable SCREEN, which was present in the original data files, into the variable RESPID in order to protect respondent confidentiality.
- 2) All missing data (blanks in numeric variables) has been recoded to “-9 ‘Blank’”. A missing data code of “-5 ‘Not Asked on This Form’” was assigned to any cases with missing data that resulted from a file merge.
- 3) Please see the questionnaire file associated with this part, along with the data documentation file provided for this study. If no questionnaire is present for this part, please review the data documentation file.
- 4) The type of data collected for a given data source is included in the table below; the part title for a given part indicates the data source.

<b>Data Source</b>	<b>Data Type</b>
Child Report	Survey data
Child Performance	Clinical data; observational data
Examiner Evaluation	Clinical data; census/enumeration data; observational data
Medical	Clinical data; medical records
Mother/Caregiver Report	Survey data; observational data
Teacher Report/School	Survey data; administrative records data
Administrative	Administrative records data

- 5) The mode of collection for a given data source is included in the table below; the part title for a given part indicates the data source.

<b>Data Source</b>	<b>Collection Mode</b>
Child Report	Audio Computer-assisted self-interview (ACASI); computer assisted personal interview (CAPI); face-to-face interview
Child Performance	Coded video observation; record abstracts; cognitive assessment test
Examiner Evaluation	Observation; coded on-site observation
Medical	Record abstracts; observation
Mother/Caregiver Report	Computer-assisted personal interview (CAPI); face-to-face interview
Teacher Report/School	Paper and pencil interview (PAPI); record abstracts
Administrative	

- 6) A standard decimal precision of 8 places or less was employed to conform with standard NAHDAP processing procedures for non-weight variables.

# ICPSR 34312

## Maternal Lifestyle Study in Four Sites in the United States, 1993-2011

### Variable Description and Frequencies

**Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.**

**Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.**

ICPSR has an FAQ on [copyright and survey instruments](#).

# Phase II: M12 Mother/Caregiver Report Data, Agency Report

## CASEID: CASE IDENTIFICATION NUMBER

Based upon 118 valid cases out of 118 total cases.

Location: 1-4 (width: 4; decimal: 0)

Variable Type: numeric

## RESPID: UNIQUE MLS RESPONDENT IDENTIFICATION NUMBER

Based upon 118 valid cases out of 118 total cases.

- Mean: 8230.79
- Median: 8574.00
- Mode: 8574.00
- Minimum: 65
- Maximum: 18631
- Standard Deviation: 5665.69

Location: 5-9 (width: 5; decimal: 0)

Variable Type: numeric

## CLINIC: CENTER NUMBER

Value	Label	Unweighted Frequency	%
5	Detroit - Wayne State University	59	50.0 %
7	Memphis - University of Tennessee	9	7.6 %
8	Miami - University of Miami	17	14.4 %
14	Providence - Brown University	33	28.0 %
	<b>Total</b>	<b>118</b>	<b>100%</b>

Based upon 118 valid cases out of 118 total cases.

- Minimum: 5
- Maximum: 14

Location: 10-12 (width: 3; decimal: 0)

Variable Type: numeric

## VISIT: VISIT MONTH

Value	Label	Unweighted Frequency	%
12	Visit Month: 12	118	100.0 %
	<b>Missing Data</b>		
	<b>Total</b>	<b>118</b>	<b>100%</b>

Based upon 118 valid cases out of 118 total cases.

- Minimum: 12
- Maximum: 12

Location: 13-15 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## ARRPTNO: AGENCY REPORT NUMBER

Value	Label	Unweighted Frequency	%
1	-	89	75.4 %
2	-	22	18.6 %
3	-	6	5.1 %
4	-	1	0.8 %
	<b>Missing Data</b>		
	<b>Total</b>	<b>118</b>	<b>100%</b>

Based upon 118 valid cases out of 118 total cases.

- Mean: 1.31
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 4
- Standard Deviation: 0.61

Location: 16-18 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## ARLSTDT: 1. PERIOD OF TIME COVERED BY THIS REPORT FROM: A. DATE OF LAST REPORT...

Based upon 118 valid cases out of 118 total cases.

Location: 19-29 (width: 11; decimal: 0)

Variable Type: character

---

## ARCURDT: 1. PERIOD OF TIME COVERED BY THIS REPORT FROM: B. TO DATE OF CURRENT REPORT

Based upon 118 valid cases out of 118 total cases.

Location: 30-40 (width: 11; decimal: 0)

Variable Type: character

---

## ARBFSRV: 2. KIND AND TYPE OF (CHILD) SERVICES: A. PHYSICAL THERAPY (BF) - RECEIVED

Value	Label	Unweighted Frequency	%
1	Client Reported Received	13	11.0 %
	<b>Missing Data</b>		
-9	Blank	105	89.0 %
	<b>Total</b>	<b>118</b>	<b>100%</b>

Based upon 13 valid cases out of 118 total cases.

- Minimum: 1
- Maximum: 1

Location: 41-43 (width: 3; decimal: 0)  
 Variable Type: numeric  
 (Range of) Missing Values: -9

**ARBFCON: 2. KIND AND TYPE OF (CHILD) SERVICES: A. PHYSICAL THERAPY (BF) - CONFIRMED BY AGENCY**

Value	Label	Unweighted Frequency	%
1	Yes	8	6.8 %
2	No	0	0.0 %
<b>Missing Data</b>			
-9	Blank	110	93.2 %
<b>Total</b>		<b>118</b>	<b>100%</b>

Based upon 8 valid cases out of 118 total cases.

- Minimum: 1
- Maximum: 1

Location: 44-46 (width: 3; decimal: 0)  
 Variable Type: numeric  
 (Range of) Missing Values: -9

**ARBSRV: 2. KIND AND TYPE OF (CHILD) SERVICES: B. OCCUPATIONAL THERAPY (BG) - RECEIVED**

Value	Label	Unweighted Frequency	%
1	Client Reported Received	4	3.4 %
<b>Missing Data</b>			
-9	Blank	114	96.6 %
<b>Total</b>		<b>118</b>	<b>100%</b>

Based upon 4 valid cases out of 118 total cases.

- Minimum: 1
- Maximum: 1

Location: 47-49 (width: 3; decimal: 0)  
 Variable Type: numeric  
 (Range of) Missing Values: -9

**ARBGCON: 2. KIND AND TYPE OF (CHILD) SERVICES: B. OCCUPATIONAL THERAPY (BG) - CONFIRMED BY AGENCY**

Value	Label	Unweighted Frequency	%
1	Yes	4	3.4 %
2	No	0	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	Blank	114	96.6 %
	<b>Total</b>	<b>118</b>	<b>100%</b>

Based upon 4 valid cases out of 118 total cases.

- Minimum: 1
- Maximum: 1

*Location:* 50-52 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## ARBHSRV: 2. KIND AND TYPE OF (CHILD) SERVICES: C. EARLY INTERVENTION (BH) - RECEIVED

Value	Label	Unweighted Frequency	%
1	Client Reported Received	30	25.4 %
	<b>Missing Data</b>		
-9	Blank	88	74.6 %
	<b>Total</b>	<b>118</b>	<b>100%</b>

Based upon 30 valid cases out of 118 total cases.

- Minimum: 1
- Maximum: 1

*Location:* 53-55 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## ARBHCON: 2. KIND AND TYPE OF (CHILD) SERVICES: C. EARLY INTERVENTION (BH) - CONFIRMED BY AGENCY

Value	Label	Unweighted Frequency	%
1	Yes	25	21.2 %
2	No	1	0.8 %
	<b>Missing Data</b>		
-9	Blank	92	78.0 %
	<b>Total</b>	<b>118</b>	<b>100%</b>

Based upon 26 valid cases out of 118 total cases.

- Minimum: 1
- Maximum: 2

*Location:* 56-58 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

**ARCHSRV: 2. KIND AND TYPE OF (ADULT) SERVICES: D. PARENT TRAINING (CH) - RECEIVED**

Value	Label	Unweighted Frequency	%
1	Client Reported Received	25	21.2 %
	<b>Missing Data</b>		
-9	Blank	93	78.8 %
	<b>Total</b>	<b>118</b>	<b>100%</b>

Based upon 25 valid cases out of 118 total cases.

- Minimum: 1
- Maximum: 1

*Location:* 59-61 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

**ARCHCON: 2. KIND AND TYPE OF (ADULT) SERVICES: D. PARENT TRAINING (CH) - CONFIRMED BY AGENCY**

Value	Label	Unweighted Frequency	%
1	Yes	17	14.4 %
2	No	3	2.5 %
	<b>Missing Data</b>		
-9	Blank	98	83.1 %
	<b>Total</b>	<b>118</b>	<b>100%</b>

Based upon 20 valid cases out of 118 total cases.

- Minimum: 1
- Maximum: 2

*Location:* 62-64 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

**ARCKSRV: 2. KIND AND TYPE OF (ADULT) SERVICES: E. ADULT EDUCATION/JOB TRAINING (CK) - RECEIVED**

Value	Label	Unweighted Frequency	%
1	Client Reported Received	18	15.3 %
	<b>Missing Data</b>		
-9	Blank	100	84.7 %
	<b>Total</b>	<b>118</b>	<b>100%</b>

Based upon 18 valid cases out of 118 total cases.

- Minimum: 1
- Maximum: 1

Location: 65-67 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## ARCKCON: 2. KIND AND TYPE OF (ADULT) SERVICES: E. ADULT EDUCATION/JOB TRAINING (CK) - CONFIRMED BY AGENCY

Value	Label	Unweighted Frequency	%
1	Yes	13	11.0 %
2	No	2	1.7 %
	<b>Missing Data</b>		
-9	Blank	103	87.3 %
	<b>Total</b>	<b>118</b>	<b>100%</b>

Based upon 15 valid cases out of 118 total cases.

- Minimum: 1
- Maximum: 2

Location: 68-70 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## ARDCSRV: 2. KIND AND TYPE OF (ADULT) SERVICES: F. COUNSELING (DC) - RECEIVED

Value	Label	Unweighted Frequency	%
1	Client Reported Received	24	20.3 %
	<b>Missing Data</b>		
-9	Blank	94	79.7 %
	<b>Total</b>	<b>118</b>	<b>100%</b>

Based upon 24 valid cases out of 118 total cases.

- Minimum: 1
- Maximum: 1

Location: 71-73 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## ARDCCON: 2. KIND AND TYPE OF (ADULT) SERVICES: F. COUNSELING (DC) - CONFIRMED BY AGENCY

Value	Label	Unweighted Frequency	%
1	Yes	19	16.1 %
2	No	0	0.0 %
	<b>Missing Data</b>		
-9	Blank	99	83.9 %
	<b>Total</b>	<b>118</b>	<b>100%</b>

Based upon 19 valid cases out of 118 total cases.

- Minimum: 1
- Maximum: 1

Location: 74-76 (width: 3; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: -9

---

## ARDDSRV: 2. KIND AND TYPE OF (ADULT) SERVICES: G. MENTAL HEALTH (INPATIENT) (DD) - RECEIVED

Value	Label	Unweighted Frequency	%
1	Client Reported Received	1	0.8 %
	<b>Missing Data</b>		
-9	Blank	117	99.2 %
	<b>Total</b>	<b>118</b>	<b>100%</b>

Based upon 1 valid cases out of 118 total cases.

- Minimum: 1
- Maximum: 1

Location: 77-79 (width: 3; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: -9

---

## ARDDCON: 2. KIND AND TYPE OF (ADULT) SERVICES: G. MENTAL HEALTH (INPATIENT) (DD) - CONFIRMED BY AGENCY

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	0	0.0 %
	<b>Missing Data</b>		
-9	Blank	118	100.0 %
	<b>Total</b>	<b>118</b>	<b>100%</b>

Based upon 0 valid cases out of 118 total cases.

Location: 80-82 (width: 3; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: -9

---

## ARDESRV: 2. KIND AND TYPE OF (ADULT) SERVICES: H. MENTAL HEALTH (OUTPATIENT) (DE) - RECEIVED

Value	Label	Unweighted Frequency	%
1	Client Reported Received	4	3.4 %
	<b>Missing Data</b>		
-9	Blank	114	96.6 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>118</b>	<b>100%</b>

Based upon 4 valid cases out of 118 total cases.

- Minimum: 1
- Maximum: 1

Location: 83-85 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## ARDECON: 2. KIND AND TYPE OF (ADULT) SERVICES: H. MENTAL HEALTH (OUTPATIENT) (DE) - CONFIRMED BY AGENCY

Value	Label	Unweighted Frequency	%
1	Yes	3	2.5 %
2	No	0	0.0 %
	<b>Missing Data</b>		
-9	Blank	115	97.5 %
	<b>Total</b>	<b>118</b>	<b>100%</b>

Based upon 3 valid cases out of 118 total cases.

- Minimum: 1
- Maximum: 1

Location: 86-88 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## ARDGSRV: 2. KIND AND TYPE OF (ADULT) SERVICES: I. ALCOHOL/DRUG TREAT. (INPATIENT) (DG) - RECEIVED

Value	Label	Unweighted Frequency	%
1	Client Reported Received	6	5.1 %
	<b>Missing Data</b>		
-9	Blank	112	94.9 %
	<b>Total</b>	<b>118</b>	<b>100%</b>

Based upon 6 valid cases out of 118 total cases.

- Minimum: 1
- Maximum: 1

Location: 89-91 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

**ARDGCON: 2. KIND AND TYPE OF (ADULT) SERVICES: I. ALCOHOL/DRUG TREAT. (INPATIENT) (DG) - CONFIRMED BY AGENCY**

Value	Label	Unweighted Frequency	%
1	Yes	4	3.4 %
2	No	1	0.8 %
<b>Missing Data</b>			
-9	Blank	113	95.8 %
<b>Total</b>		<b>118</b>	<b>100%</b>

Based upon 5 valid cases out of 118 total cases.

- Minimum: 1
- Maximum: 2

*Location:* 92-94 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

**ARDHSRV: 2. KIND AND TYPE OF (ADULT) SERVICES: J. ALCOHOL/DRUG TREAT. (OUTPATIENT) (DH) - RECEIVED**

Value	Label	Unweighted Frequency	%
1	Client Reported Received	23	19.5 %
<b>Missing Data</b>			
-9	Blank	95	80.5 %
<b>Total</b>		<b>118</b>	<b>100%</b>

Based upon 23 valid cases out of 118 total cases.

- Minimum: 1
- Maximum: 1

*Location:* 95-97 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

**ARDHCON: 2. KIND AND TYPE OF (ADULT) SERVICES: J. ALCOHOL/DRUG TREAT. (OUTPATIENT) (DH) - CONFIRMED BY AGENCY**

Value	Label	Unweighted Frequency	%
1	Yes	13	11.0 %
2	No	1	0.8 %
<b>Missing Data</b>			
-9	Blank	104	88.1 %
<b>Total</b>		<b>118</b>	<b>100%</b>

Based upon 14 valid cases out of 118 total cases.

- Minimum: 1
- Maximum: 2

Location: 98-100 (width: 3; decimal: 0)  
 Variable Type: numeric  
 (Range of) Missing Values: -9

### ARENDSV: 3. ARE SERVICES ENDED

Value	Label	Unweighted Frequency	%
1	Yes	26	22.0 %
2	No	62	52.5 %
<b>Missing Data</b>			
-9	Blank	30	25.4 %
<b>Total</b>		<b>118</b>	<b>100%</b>

Based upon 88 valid cases out of 118 total cases.

- Minimum: 1
- Maximum: 2

Location: 101-103 (width: 3; decimal: 0)  
 Variable Type: numeric  
 (Range of) Missing Values: -9

### ARENDDT: IF YES TO 3: A. DATE OF TERMINATION/DISCHARGE

Based upon 118 valid cases out of 118 total cases.

Location: 104-114 (width: 11; decimal: 0)  
 Variable Type: character

### ARENDCO: IF YES TO 3: B. DID THE CLIENT COMPLETE THE SERVICE/TREATMENT PLAN

Value	Label	Unweighted Frequency	%
1	Yes	14	11.9 %
2	No	10	8.5 %
<b>Missing Data</b>			
-9	Blank	94	79.7 %
<b>Total</b>		<b>118</b>	<b>100%</b>

Based upon 24 valid cases out of 118 total cases.

- Minimum: 1
- Maximum: 2

Location: 115-117 (width: 3; decimal: 0)  
 Variable Type: numeric  
 (Range of) Missing Values: -9

### ARINPSV: 4. WAS THIS AN INPATIENT SERVICE

Value	Label	Unweighted Frequency	%
1	Yes	11	9.3 %
2	No	79	66.9 %
	<b>Missing Data</b>		
-9	Blank	28	23.7 %
	<b>Total</b>	<b>118</b>	<b>100%</b>

Based upon 90 valid cases out of 118 total cases.

- Minimum: 1
- Maximum: 2

Location: 118-120 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## ARINPNO: IF NO TO 4: A. NUMBER OF KEPT VISITS FOR THE TIME PERIOD COVERED BY THIS REPORT

Value	Label	Unweighted Frequency	%
1	-	4	3.4 %
2	-	1	0.8 %
3	-	3	2.5 %
4	-	4	3.4 %
5	-	4	3.4 %
6	-	1	0.8 %
7	-	5	4.2 %
8	-	3	2.5 %
9	-	2	1.7 %
10	-	3	2.5 %
11	-	2	1.7 %
12	-	2	1.7 %
13	-	2	1.7 %
14	-	1	0.8 %
15	-	2	1.7 %
16	-	2	1.7 %
17	-	3	2.5 %
18	-	3	2.5 %
21	-	2	1.7 %
22	-	1	0.8 %
28	-	2	1.7 %
29	-	1	0.8 %
30	-	1	0.8 %
31	-	1	0.8 %
32	-	1	0.8 %

Value	Label	Unweighted Frequency	%
35	-	1	0.8 %
36	-	1	0.8 %
50	-	1	0.8 %
52	-	3	2.5 %
63	-	1	0.8 %
64	-	1	0.8 %
70	-	1	0.8 %
90	-	1	0.8 %
138	-	1	0.8 %
164	-	1	0.8 %
320	-	1	0.8 %
	<b>Missing Data</b>		
-9	Blank	49	41.5 %
	<b>Total</b>	<b>118</b>	<b>100%</b>

Based upon 69 valid cases out of 118 total cases.

- Mean: 26.74
- Median: 13.00
- Mode: 7.00
- Minimum: 1
- Maximum: 320
- Standard Deviation: 46.16

Location: 121-123 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## ARINPER: IF NO TO 4: B. PERCENTAGE OF APPOINTMENTS KEPT

Value	Label	Unweighted Frequency	%
1	0-20%	6	5.1 %
2	21-40%	2	1.7 %
3	41-60%	5	4.2 %
4	61-80%	10	8.5 %
5	81-100%	51	43.2 %
	<b>Missing Data</b>		
-9	Blank	44	37.3 %
	<b>Total</b>	<b>118</b>	<b>100%</b>

Based upon 74 valid cases out of 118 total cases.

- Minimum: 1
- Maximum: 5

Location: 124-126 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## ARPROGR: 5. RATE THE CLIENT'S PROGRESS

Value	Label	Unweighted Frequency	%
1	Poor	5	4.2 %
2	Fair	11	9.3 %
3	Good	44	37.3 %
4	Excellent	22	18.6 %
	<b>Missing Data</b>		
-9	Blank	36	30.5 %
	<b>Total</b>	<b>118</b>	<b>100%</b>

Based upon 82 valid cases out of 118 total cases.

- Minimum: 1
- Maximum: 4

Location: 127-129 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## ARRPTDT: 6. DATE REPORT COMPLETED

Based upon 118 valid cases out of 118 total cases.

Location: 130-140 (width: 11; decimal: 0)

Variable Type: character

---

## ARAGECO: 8. WAS THIS REPORT COMPLETED BY THE AGENCY

Value	Label	Unweighted Frequency	%
1	No	20	16.9 %
2	Yes - Phone	7	5.9 %
3	Yes - Mail	87	73.7 %
4	Yes - Other	1	0.8 %
	<b>Missing Data</b>		
-9	Blank	3	2.5 %
	<b>Total</b>	<b>118</b>	<b>100%</b>

Based upon 115 valid cases out of 118 total cases.

- Minimum: 1
- Maximum: 4

Location: 141-143 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## ARAGEDT: IF YES TO 8: A. DATE RECEIVED

Based upon 118 valid cases out of 118 total cases.

*Location:* 144-154 (width: 11; decimal: 0)

*Variable Type:* character

---

### **FORMIN\_NC53: FORM COMPLETED BY:**

Based upon 118 valid cases out of 118 total cases.

*Location:* 155-190 (width: 36; decimal: 0)

*Variable Type:* character

---

### **FORMDT\_NC53: DATE FORM SENT:**

Based upon 118 valid cases out of 118 total cases.

*Location:* 191-201 (width: 11; decimal: 0)

*Variable Type:* character