





## ICPSR PROCESSING NOTES FOR #34312

*Maternal Lifestyle Study in Four Sites in the United States, 1993-2011*

### *Part 4: Phase I: Recruitment Data*

- 1) NAHDAP staff created the case identification variable CASEID and reassigned values in the variable SCREEN, which was present in the original data files, into the variable RESPID in order to protect respondent confidentiality.
- 2) All missing data (blanks in numeric variables) has been recoded to “-9 ‘Blank’”. A missing data code of “-5 ‘Not Asked on This Form’” was assigned to any cases with missing data that resulted from a file merge.
- 3) Please see the questionnaire file associated with this part, along with the data documentation file provided for this study. If no questionnaire is present for this part, please review the data documentation file.
- 4) The type of data collected for a given data source is included in the table below; the part title for a given part indicates the data source.

<b>Data Source</b>	<b>Data Type</b>
Child Report	Survey data
Child Performance	Clinical data; observational data
Examiner Evaluation	Clinical data; census/enumeration data; observational data
Medical	Clinical data; medical records
Mother/Caregiver Report	Survey data; observational data
Teacher Report/School	Survey data; administrative records data
Administrative	Administrative records data

- 5) The mode of collection for a given data source is included in the table below; the part title for a given part indicates the data source.

<b>Data Source</b>	<b>Collection Mode</b>
Child Report	Audio Computer-assisted self-interview (ACASI); computer assisted personal interview (CAPI); face-to-face interview
Child Performance	Coded video observation; record abstracts; cognitive assessment test
Examiner Evaluation	Observation; coded on-site observation
Medical	Record abstracts; observation
Mother/Caregiver Report	Computer-assisted personal interview (CAPI); face-to-face interview
Teacher Report/School	Paper and pencil interview (PAPI); record abstracts
Administrative	

- 6) A standard decimal precision of 8 places or less was employed to conform with standard NAHDAP processing procedures for non-weight variables.
- 7) Any value labels for variables in this dataset were created by NAHDAP staff and were undocumented in MLS documentation.





























































Value	Label	Unweighted Frequency	%
22	-	22	0.1 %
23	-	23	0.1 %
24	-	30	0.2 %
25	-	103	0.5 %
26	-	9	0.0 %
27	-	7	0.0 %
28	-	11	0.1 %
29	-	2	0.0 %
30	-	71	0.4 %
32	-	6	0.0 %
33	-	3	0.0 %
35	-	11	0.1 %
36	-	6	0.0 %
37	-	3	0.0 %
38	-	3	0.0 %
40	-	12	0.1 %
43	-	1	0.0 %
45	-	4	0.0 %
48	-	1	0.0 %
50	-	7	0.0 %
56	-	1	0.0 %
57	-	1	0.0 %
80	-	2	0.0 %
	<b>Missing Data</b>		
-9	Blank	8283	43.3 %
	<b>Total</b>	<b>19,119</b>	<b>100%</b>

Based upon 10,836 valid cases out of 19,119 total cases.

- Mean: 10.99
- Median: 10.00
- Mode: 10.00
- Minimum: 0
- Maximum: 80
- Standard Deviation: 5.57

*Location:* 381-383 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### H3PRFST: MOTHER: DATE OF 1ST PRENATAL CARE VISIT - (3)

Based upon 19,119 valid cases out of 19,119 total cases.

*Location:* 384-394 (width: 11; decimal: 0)

*Variable Type:* character

---

### H3PRGHS: MOTHER: HOSPITALIZED DURING THIS PREGNANCY

Value	Label	Unweighted Frequency	%
1	Yes	1959	10.2 %
2	No	9817	51.3 %
	<b>Missing Data</b>		
-9	Blank	7343	38.4 %
	<b>Total</b>	<b>19,119</b>	<b>100%</b>

Based upon 11,776 valid cases out of 19,119 total cases.

- Minimum: 1
- Maximum: 2

*Location:* 395-397 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### H3LMPDT: MOTHER: DATE OF LAST MENSTRUAL PERIOD - (3)

Based upon 19,119 valid cases out of 19,119 total cases.

*Location:* 398-408 (width: 11; decimal: 0)

*Variable Type:* character

---

### H3EDCDT: DATE OF DOCTOR-ESTIMATED BIRTH

Based upon 19,119 valid cases out of 19,119 total cases.

*Location:* 409-419 (width: 11; decimal: 0)

*Variable Type:* character

---

### H3WTPRI: MOTHER: WEIGHT BEFORE PREGNANCY (LBS.)

Based upon 11,447 valid cases out of 19,119 total cases.

- Mean: 143.70
- Median: 135.00
- Mode: 130.00
- Minimum: 67
- Maximum: 401
- Standard Deviation: 36.28

*Location:* 420-423 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### H3HTFET: MOTHER: HEIGHT (FEET)

Value	Label	Unweighted Frequency	%
0	-	500	2.6 %
3	-	2	0.0 %
4	-	445	2.3 %



Value	Label	Unweighted Frequency	%
5	-	10777	56.4 %
6	-	73	0.4 %
<b>Missing Data</b>			
-9	Blank	7322	38.3 %
<b>Total</b>		<b>19,119</b>	<b>100%</b>

Based upon 11,797 valid cases out of 19,119 total cases.

- Mean: 4.76
- Median: 5.00
- Mode: 5.00
- Minimum: 0
- Maximum: 6
- Standard Deviation: 1.02

*Location:* 424-426 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### H3HTICH: MOTHER: HEIGHT (INCHES)

Value	Label	Unweighted Frequency	%
0	-	1195	6.3 %
1	-	833	4.4 %
2	-	1397	7.3 %
3	-	1439	7.5 %
4	-	1697	8.9 %
5	-	1297	6.8 %
6	-	1453	7.6 %
7	-	953	5.0 %
8	-	574	3.0 %
9	-	396	2.1 %
10	-	190	1.0 %
11	-	373	2.0 %
<b>Missing Data</b>			
-9	Blank	7322	38.3 %
<b>Total</b>		<b>19,119</b>	<b>100%</b>

Based upon 11,797 valid cases out of 19,119 total cases.

- Mean: 4.30
- Median: 4.00
- Mode: 4.00
- Minimum: 0
- Maximum: 11
- Standard Deviation: 2.80

Location: 427-429 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

### H3DITSP: MOTHER: SPECIAL DIET DURING PREGNANCY

Value	Label	Unweighted Frequency	%
1	Yes	1319	6.9 %
2	No	10474	54.8 %
	<b>Missing Data</b>		
-9	Blank	7326	38.3 %
	<b>Total</b>	<b>19,119</b>	<b>100%</b>

Based upon 11,793 valid cases out of 19,119 total cases.

- Minimum: 1
- Maximum: 2

Location: 430-432 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

### H3DITSL: MOTHER: DIET SELF-INITIATED/SUPERVISED

Value	Label	Unweighted Frequency	%
1	Yes	133	0.7 %
2	No	1174	6.1 %
	<b>Missing Data</b>		
-9	Blank	17812	93.2 %
	<b>Total</b>	<b>19,119</b>	<b>100%</b>

Based upon 1,307 valid cases out of 19,119 total cases.

- Minimum: 1
- Maximum: 2

Location: 433-435 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

### H3WTLOS: MOTHER: LOST WEIGHT DURING PREGNANCY

Value	Label	Unweighted Frequency	%
1	Yes	4482	23.4 %
2	No	7304	38.2 %
	<b>Missing Data</b>		
-9	Blank	7333	38.4 %
	<b>Total</b>	<b>19,119</b>	<b>100%</b>

Based upon 11,786 valid cases out of 19,119 total cases.

- Minimum: 1
- Maximum: 2

Location: 436-438 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

### H3VITAM: MOTHER: TOOK VITAMINS DURING PREGNANCY

Value	Label	Unweighted Frequency	%
1	Yes	10640	55.7 %
2	No	1148	6.0 %
	<b>Missing Data</b>		
-9	Blank	7331	38.3 %
	<b>Total</b>	<b>19,119</b>	<b>100%</b>

Based upon 11,788 valid cases out of 19,119 total cases.

- Minimum: 1
- Maximum: 2

Location: 439-441 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

### H3DITNF: MOTHER: FELT THAT HAD ENOUGH TO EAT

Value	Label	Unweighted Frequency	%
1	Yes	10708	56.0 %
2	No	1085	5.7 %
	<b>Missing Data</b>		
-9	Blank	7326	38.3 %
	<b>Total</b>	<b>19,119</b>	<b>100%</b>

Based upon 11,793 valid cases out of 19,119 total cases.

- Minimum: 1
- Maximum: 2

Location: 442-444 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

### H3DITAP: MOTHER: LACK OF APPETITE OR FOOD

Value	Label	Unweighted Frequency	%
1	Yes	975	5.1 %
2	No	96	0.5 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	Blank	18048	94.4 %
	<b>Total</b>	<b>19,119</b>	<b>100%</b>

Based upon 1,071 valid cases out of 19,119 total cases.

- Minimum: 1
- Maximum: 2

Location: 445-447 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

---

### H3WRKYR: MOTHER: WORK/EMPLOYED IN THE LAST YEAR

Value	Label	Unweighted Frequency	%
1	Yes	5961	31.2 %
2	No	5834	30.5 %
	<b>Missing Data</b>		
-9	Blank	7324	38.3 %
	<b>Total</b>	<b>19,119</b>	<b>100%</b>

Based upon 11,795 valid cases out of 19,119 total cases.

- Minimum: 1
- Maximum: 2

Location: 448-450 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

---

### H3EDGRD: MOTHER: HIGHEST GRADE COMPLETED

Value	Label	Unweighted Frequency	%
0	-	16	0.1 %
1	-	10	0.1 %
2	-	30	0.2 %
3	-	41	0.2 %
4	-	37	0.2 %
5	-	40	0.2 %
6	-	207	1.1 %
7	-	128	0.7 %
8	-	271	1.4 %
9	-	634	3.3 %
10	-	971	5.1 %
11	-	1554	8.1 %

Value	Label	Unweighted Frequency	%
12	-	4447	23.3 %
13	-	852	4.5 %
14	-	946	4.9 %
15	-	323	1.7 %
16	-	804	4.2 %
17	-	127	0.7 %
18	-	208	1.1 %
19	-	53	0.3 %
20	-	51	0.3 %
21	-	9	0.0 %
22	-	10	0.1 %
23	-	4	0.0 %
24	-	4	0.0 %
25	-	4	0.0 %
26	-	1	0.0 %
27	-	1	0.0 %
<b>Missing Data</b>			
-9	Blank	7336	38.4 %
<b>Total</b>		<b>19,119</b>	<b>100%</b>

Based upon 11,783 valid cases out of 19,119 total cases.

- Mean: 12.00
- Median: 12.00
- Mode: 12.00
- Minimum: 0
- Maximum: 27
- Standard Deviation: 2.62

*Location:* 451-453 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### H3XMMOV: MOTHER: PLANS TO MOVE IN NEXT MONTH

Value	Label	Unweighted Frequency	%
1	Yes	232	1.2 %
2	No	11565	60.5 %
<b>Missing Data</b>			
-9	Blank	7322	38.3 %
<b>Total</b>		<b>19,119</b>	<b>100%</b>

Based upon 11,797 valid cases out of 19,119 total cases.

- Minimum: 1
- Maximum: 2

Location: 454-456 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

### H3SMREG: MOTHER: BEEN A REGULAR CIGARETTE SMOKER

Value	Label	Unweighted Frequency	%
1	Yes	3985	20.8 %
2	No	7811	40.9 %
	<b>Missing Data</b>		
-9	Blank	7323	38.3 %
	<b>Total</b>	<b>19,119</b>	<b>100%</b>

Based upon 11,796 valid cases out of 19,119 total cases.

- Minimum: 1
- Maximum: 2

Location: 457-459 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

### H3SMPRG: MOTHER: SMOKED CIGARETTES DURING PREGNANCY

Value	Label	Unweighted Frequency	%
1	Yes	3045	15.9 %
2	No	8751	45.8 %
	<b>Missing Data</b>		
-9	Blank	7323	38.3 %
	<b>Total</b>	<b>19,119</b>	<b>100%</b>

Based upon 11,796 valid cases out of 19,119 total cases.

- Minimum: 1
- Maximum: 2

Location: 460-462 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

### H3SMAMT: MOTHER: NUMBER OF CIGARETTE PACKS PER DAY

Value	Label	Unweighted Frequency	%
0.00	-	401	2.1 %
0.01	-	56	0.3 %
0.02	-	8	0.0 %
0.03	-	4	0.0 %
0.05	-	38	0.2 %
0.07	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.10	-	157	0.8 %
0.13	-	1	0.0 %
0.15	-	48	0.3 %
0.20	-	396	2.1 %
0.25	-	169	0.9 %
0.30	-	78	0.4 %
0.33	-	11	0.1 %
0.35	-	24	0.1 %
0.40	-	25	0.1 %
0.45	-	1	0.0 %
0.50	-	936	4.9 %
0.60	-	7	0.0 %
0.65	-	4	0.0 %
0.70	-	55	0.3 %
0.75	-	40	0.2 %
0.80	-	2	0.0 %
1.00	-	566	3.0 %
1.20	-	2	0.0 %
1.25	-	2	0.0 %
1.50	-	91	0.5 %
1.70	-	1	0.0 %
1.80	-	1	0.0 %
2.00	-	51	0.3 %
2.50	-	8	0.0 %
3.00	-	5	0.0 %
4.00	-	1	0.0 %
5.00	-	2	0.0 %
	<b>Missing Data</b>		
-9.00	Blank	15927	83.3 %
	<b>Total</b>	<b>19,119</b>	<b>100%</b>

Based upon 3,192 valid cases out of 19,119 total cases.

- Mean: 0.50
- Median: 0.50
- Mode: 0.50
- Minimum: 0
- Maximum: 5
- Standard Deviation: 0.46

Location: 463-467 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -9.00

---

### H3SMEND: MOTHER: QUIT SMOKING DURING PREGNANCY

Value	Label	Unweighted Frequency	%
1	Yes	571	3.0 %
2	No	2461	12.9 %
<b>Missing Data</b>			
-9	Blank	16087	84.1 %
<b>Total</b>		<b>19,119</b>	<b>100%</b>

Based upon 3,032 valid cases out of 19,119 total cases.

- Minimum: 1
- Maximum: 2

*Location:* 468-470 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### H3SMQDT: MOTHER: DATE QUIT SMOKING DURING PREGNANCY

Based upon 19,119 valid cases out of 19,119 total cases.

*Location:* 471-481 (width: 11; decimal: 0)

*Variable Type:* character

---

### H3MAREG: MOTHER: REGULAR USER OF MARIJUANA

Value	Label	Unweighted Frequency	%
1	Yes	1671	8.7 %
2	No	10123	52.9 %
<b>Missing Data</b>			
-9	Blank	7325	38.3 %
<b>Total</b>		<b>19,119</b>	<b>100%</b>

Based upon 11,794 valid cases out of 19,119 total cases.

- Minimum: 1
- Maximum: 2

*Location:* 482-484 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### H3MAPRG: MOTHER: USE MARIJUANA DURING PREGNANCY

Value	Label	Unweighted Frequency	%
1	Yes	936	4.9 %
2	No	10857	56.8 %
<b>Missing Data</b>			
-9	Blank	7326	38.3 %
<b>Total</b>		<b>19,119</b>	<b>100%</b>

























































