

ICPSR 34312

Maternal Lifestyle Study in Four Sites in the United States, 1993-2011

Barry Lester

Women and Infants Hospital of Rhode Island

Henrietta Bada

University of Kentucky

Charles Bauer

University of Miami

Seetha Shankaran

Wayne State University

Toni Whitaker

University of Tennessee

Linda LaGasse

Women and Infants Hospital of Rhode Island

Jane Hammond

RTI International

Codebook for Phase II: M18 Examiner
Evaluation Data, Attachment - Strange Situation

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/34312/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #34312

Maternal Lifestyle Study in four sites in the United States, 1993-2011

- 1) NAHDAP staff created the case identification variable CASEID and reassigned values in the variable SCREEN, which was present in the original data files, into the variable RESPID in order to protect respondent confidentiality.
- 2) All missing data (blanks in numeric variables) has been recoded to “-9 ‘Blank’”. A missing data code of “-5 ‘Not Asked on This Form’” was assigned to any cases with missing data that resulted from a file merge.
- 3) Please see the questionnaire file associated with this part, along with the data documentation file provided for this study. If no questionnaire is present for this part, please review the data documentation file.
- 4) The type of data collected for a given data source is included in the table below; the part title for a given part indicates the data source.

Data Source	Data Type
Child Report	Survey data
Child Performance	Clinical data; observational data
Examiner Evaluation	Clinical data; census/enumeration data; observational data
Medical	Clinical data; medical records
Mother/Caregiver Report	Survey data; observational data
Teacher Report/School	Survey data; administrative records data
Administrative	Administrative records data

- 5) The mode of collection for a given data source is included in the table below; the part title for a given part indicates the data source.

Data Source	Collection Mode
Child Report	Audio Computer-assisted self-interview (ACASI); computer assisted personal interview (CAPI); face-to-face interview
Child Performance	Coded video observation; record abstracts; cognitive assessment test
Examiner Evaluation	Observation; coded on-site observation
Medical	Record abstracts; observation
Mother/Caregiver Report	Computer-assisted personal interview (CAPI); face-to-face interview
Teacher Report/School	Paper and pencil interview (PAPI); record abstracts
Administrative	

- 6) A standard decimal precision of 8 places or less was employed to conform with standard NAHDAP processing procedures for non-weight variables.

ICPSR 34312

Maternal Lifestyle Study in Four Sites in the United States, 1993-2011

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

ICPSR has an FAQ on [copyright and survey instruments](#).

Phase II: M18 Examiner Evaluation Data, Attachment - Strange Situation

CASEID: CASE IDENTIFICATION NUMBER

Based upon 1,067 valid cases out of 1,067 total cases.

Location: 1-4 (width: 4; decimal: 0)

Variable Type: numeric

RESPID: UNIQUE MLS RESPONDENT IDENTIFICATION NUMBER

Based upon 1,067 valid cases out of 1,067 total cases.

Location: 5-9 (width: 5; decimal: 0)

Variable Type: numeric

CLINIC: CENTER NUMBER

Value	Label	Unweighted Frequency	%
5	Detroit - Wayne State University	463	43.4 %
7	Memphis - University of Tennessee	253	23.7 %
8	Miami - University of Miami	197	18.5 %
14	Providence - Brown University	154	14.4 %
	Total	1,067	100%

Based upon 1,067 valid cases out of 1,067 total cases.

Location: 10-12 (width: 3; decimal: 0)

Variable Type: numeric

VISIT: VISIT MONTH

Value	Label	Unweighted Frequency	%
18	Visit Month: 18	1067	100.0 %
	Missing Data		
	Total	1,067	100%

Based upon 1,067 valid cases out of 1,067 total cases.

Location: 13-15 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SSEXINT: A. TEST INFORMATION: 1. EXAMINER

Based upon 1,067 valid cases out of 1,067 total cases.

Location: 16-51 (width: 36; decimal: 0)

Variable Type: character

SSDATAS: A. TEST INFORMATION: 2. DATE OF ASSESSMENT

Based upon 1,067 valid cases out of 1,067 total cases.

Location: 52-62 (width: 11; decimal: 0)

Variable Type: character

SSSTRGR: A. TEST INFORMATION: 3. STRANGER

Based upon 1,067 valid cases out of 1,067 total cases.

Location: 63-98 (width: 36; decimal: 0)

Variable Type: character

SSPSEP5: B. INFANT'S BEHAVIOR: 1. PROXIMITY-SEEKING IN EPISODE 5 (FIRST REUNION)

Value	Label	Unweighted Frequency	%
1	No Effort to Achieve Physical Contact or Proximity	212	19.9 %
2	Minimal Effort to Achieve Physical Contact or Proximity	205	19.2 %
3	Weak Effort to Achieve Physical Contact OR Moderately Strong Effort...	246	23.1 %
4	Obvious Desire to Achieve Physical Contact, but Ineffective Effort...	140	13.1 %
5	Some Active Effort to Achieve Physical Contact	117	11.0 %
6	Active Effort and Initiative in Achieving Physical Contact	141	13.2 %
7	Very Active Effort and Initiative in Achieving Physical Contact	0	0.0 %
	Missing Data		
-9	Blank	3	0.3 %
-5	Not Asked on This Form	3	0.3 %
	Total	1,067	100%

Based upon 1,061 valid cases out of 1,067 total cases.

Location: 99-101 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SSCMEP5: B. INFANT'S BEHAVIOR: 2. CONTACT MAINTENANCE IN EPISODE 5 (FIRST REUNION)

Value	Label	Unweighted Frequency	%
1	Either No Physical Contact or No Effort to Maintain It	509	47.7 %
2	Physical Contact, but Apparently Little Effort or Desire to Maintatin It	280	26.2 %
3	Some Apparent Desire to Maintain Physical Contact but Relatively Little Active...	149	14.0 %
4	Obvious Desire to Maintain Physical Contact but Relatively Little Active Effort...	52	4.9 %
5	Some Active Effort to Maintain Physical Contact	40	3.7 %
6	Active and Fairly Persistent Effort to Maintain Physical Contact	19	1.8 %
7	Very Active and Persistent Effort to Maintain Physical Contact	12	1.1 %
	Missing Data		
-9	Blank	3	0.3 %
-5	Not Asked on This Form	3	0.3 %
	Total	1,067	100%

Based upon 1,061 valid cases out of 1,067 total cases.

Location: 102-104 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SSAVEP5: B. INFANT'S BEHAVIOR: 3. AVOIDANCE IN EPISODE 5 (FIRST REUNION)

Value	Label	Unweighted Frequency	%
1	No Avoidance	420	39.4 %
2	Very Slight Avoidance	233	21.8 %
3	Slight, Isolated Avoidance Behavior	189	17.7 %
4	Brief But Clear-Cut Avoidance OR Persistent Low-Keyed Avoidance	119	11.2 %
5	Clear-Cut Avoidance But Less Persistent	64	6.0 %
6	Marked and Persistent Avoidance	35	3.3 %
7	Very Marked and Persistent Avoidance	1	0.1 %
Missing Data			
-9	Blank	3	0.3 %
-5	Not Asked on This Form	3	0.3 %
Total		1,067	100%

Based upon 1,061 valid cases out of 1,067 total cases.

Location: 105-107 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SSREEP5: B. INFANT'S BEHAVIOR: 4. RESISTANCE IN EPISODE 5 (FIRST REUNION)

Value	Label	Unweighted Frequency	%
1	No Resistance	729	68.3 %
2	Very Slight Resistance	160	15.0 %
3	Slight Resistance	103	9.7 %
4	Isolated but Definite Instances of Resistance in the Absence of a Pervasive...	37	3.5 %
5	Some Resistance, Either Less Intense, or, if Intense, More Isolated and...	24	2.2 %
6	Intense and/or Persistent Resistance	6	0.6 %
7	Very Intense and Persistent Resistance	2	0.2 %
Missing Data			
-9	Blank	3	0.3 %
-5	Not Asked on This Form	3	0.3 %
Total		1,067	100%

Based upon 1,061 valid cases out of 1,067 total cases.

Location: 108-110 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SSPSEP8: B. INFANT'S BEHAVIOR: 5. PROXIMITY-SEEKING IN EPISODE 8 (SECOND REUNION)

Value	Label	Unweighted Frequency	%
1	No Effort to Achieve Physical Contact or Proximity	136	12.7 %
2	Minimal Effort to Achieve Physical Contact or Proximity	181	17.0 %
3	Weak Effort to Achieve Physical Contact OR Moderately Strong Effort...	193	18.1 %
4	Obvious Desire to Achieve Physical Contact, but Ineffective Effort...	156	14.6 %
5	Some Active Effort to Achieve Physical Contact	173	16.2 %
6	Active Effort and Initiative in Achieving Physical Contact	199	18.7 %
7	Very Active Effort and Initiative in Achieving Physical Contact	1	0.1 %
Missing Data			
-9	Blank	25	2.3 %
-5	Not Asked on This Form	3	0.3 %
Total		1,067	100%

Based upon 1,039 valid cases out of 1,067 total cases.

Location: 111-113 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SSCMEP8: B. INFANT'S BEHAVIOR: 6. CONTACT MAINTENANCE IN EPISODE 8 (SECOND REUNION)

Value	Label	Unweighted Frequency	%
1	Either No Physical Contact or No Effort to Maintain It	342	32.1 %
2	Physical Contact, but Apparently Little Effort or Desire to Maintatin It	259	24.3 %
3	Some Apparent Desire to Maintain Physical Contact but Relatively Little Active...	197	18.5 %
4	Obvious Desire to Maintain Physical Contact but Relatively Little Active Effort...	89	8.3 %
5	Some Active Effort to Maintain Physical Contact	71	6.7 %
6	Active and Fairly Persistent Effort to Maintain Physical Contact	57	5.3 %
7	Very Active and Persistent Effort to Maintain Physical Contact	23	2.2 %
Missing Data			
-9	Blank	26	2.4 %
-5	Not Asked on This Form	3	0.3 %
Total		1,067	100%

Based upon 1,038 valid cases out of 1,067 total cases.

Location: 114-116 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SSAVEP8: B. INFANT'S BEHAVIOR: 7. AVOIDANCE IN EPISODE 8 (SECOND REUNION)

Value	Label	Unweighted Frequency	%
1	No Avoidance	496	46.5 %
2	Very Slight Avoidance	201	18.8 %

Value	Label	Unweighted Frequency	%
3	Slight, Isolated Avoidance Behavior	138	12.9 %
4	Brief But Clear-Cut Avoidance OR Persistent Low-Keyed Avoidance	113	10.6 %
5	Clear-Cut Avoidance But Less Persistent	68	6.4 %
6	Marked and Persistent Avoidance	18	1.7 %
7	Very Marked and Persistent Avoidance	1	0.1 %
Missing Data			
-9	Blank	29	2.7 %
-5	Not Asked on This Form	3	0.3 %
Total		1,067	100%

Based upon 1,035 valid cases out of 1,067 total cases.

Location: 117-119 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SSREEP8: B. INFANT'S BEHAVIOR: 8. RESISTANCE IN EPISODE 8 (SECOND REUNION)

Value	Label	Unweighted Frequency	%
1	No Resistance	547	51.3 %
2	Very Slight Resistance	178	16.7 %
3	Slight Resistance	148	13.9 %
4	Isolated but Definite Instances of Resistance in the Absence of a Pervasive...	82	7.7 %
5	Some Resistance, Either Less Intense, or, if Intense, More Isolated and...	62	5.8 %
6	Intense and/or Persistent Resistance	17	1.6 %
7	Very Intense and Persistent Resistance	5	0.5 %
Missing Data			
-9	Blank	25	2.3 %
-5	Not Asked on This Form	3	0.3 %
Total		1,067	100%

Based upon 1,039 valid cases out of 1,067 total cases.

Location: 120-122 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SSLDEP4: B. INFANT'S BEHAVIOR: 9. LEVEL OF DISTRESS - A. EPISODE 4

Value	Label	Unweighted Frequency	%
1	Low level of distress	326	30.6 %
2	-	362	33.9 %
3	-	173	16.2 %
4	-	137	12.8 %
5	High level of distress	63	5.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Blank	3	0.3 %
-5	Not Asked on This Form	3	0.3 %
	Total	1,067	100%

Based upon 1,061 valid cases out of 1,067 total cases.

Location: 123-125 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SSLDEP6: B. INFANT'S BEHAVIOR: 9. LEVEL OF DISTRESS - B. EPISODE 6

Value	Label	Unweighted Frequency	%
1	Low level of distress	50	4.7 %
2	-	143	13.4 %
3	-	194	18.2 %
4	-	415	38.9 %
5	High level of distress	244	22.9 %
	Missing Data		
-9	Blank	18	1.7 %
-5	Not Asked on This Form	3	0.3 %
	Total	1,067	100%

Based upon 1,046 valid cases out of 1,067 total cases.

Location: 126-128 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SSLDEP7: B. INFANT'S BEHAVIOR: 9. LEVEL OF DISTRESS - C. EPISODE 7

Value	Label	Unweighted Frequency	%
1	Low level of distress	136	12.7 %
2	-	310	29.1 %
3	-	209	19.6 %
4	-	205	19.2 %
5	High level of distress	178	16.7 %
	Missing Data		
-9	Blank	26	2.4 %
-5	Not Asked on This Form	3	0.3 %
	Total	1,067	100%

Based upon 1,038 valid cases out of 1,067 total cases.

Location: 129-131 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SSPRICL: B. INFANT'S BEHAVIOR: 10. PRIMARY CLASSIFICATION

Value	Label	Unweighted Frequency	%
1	Insecure Avoidant (Group A): Subgroup A1	53	5.0 %
2	Insecure Avoidant (Group A): Subgroup A2	78	7.3 %
3	Secure (Group B): Subgroup B1	164	15.4 %
4	Secure (Group B): Subgroup B2	299	28.0 %
5	Secure (Group B): Subgroup B3	64	6.0 %
6	Secure (Group B): Subgroup B4	68	6.4 %
7	Insecure Resistant (Group C): Subgroup C1	25	2.3 %
8	Insecure Resistant (Group C): Subgroup C1	58	5.4 %
9	No classification	67	6.3 %
10	A - no subclassification	26	2.4 %
11	B - no subclassification	108	10.1 %
12	C - no subclassification	28	2.6 %
13	A/C	15	1.4 %
	Missing Data		
-9	Blank	11	1.0 %
-5	Not Asked on This Form	3	0.3 %
	Total	1,067	100%

Based upon 1,053 valid cases out of 1,067 total cases.

Location: 132-134 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SSABCCL: B. INFANT'S BEHAVIOR: 11. CONFIDENCE IN ABC CLASSIFICATION

Value	Label	Unweighted Frequency	%
1	Low level of confidence	306	28.7 %
2	-	573	53.7 %
3	-	162	15.2 %
4	-	6	0.6 %
5	High level of confidence	6	0.6 %
	Missing Data		
-9	Blank	11	1.0 %
-5	Not Asked on This Form	3	0.3 %
	Total	1,067	100%

Based upon 1,053 valid cases out of 1,067 total cases.

Location: 135-137 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SSURSCL: B. INFANT'S BEHAVIOR: 12. U RATING SCALE

Value	Label	Unweighted Frequency	%
1	Low rating	465	43.6 %
2	-	426	39.9 %
3	-	99	9.3 %
4	-	14	1.3 %
5	High rating	49	4.6 %
Missing Data			
-9	Blank	11	1.0 %
-5	Not Asked on This Form	3	0.3 %
Total		1,067	100%

Based upon 1,053 valid cases out of 1,067 total cases.

Location: 138-140 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SSECCLA: B. INFANT'S BEHAVIOR: 13. WAS THERE A SECONDARY CLASSIFICATION

Value	Label	Unweighted Frequency	%
1	Yes	145	13.6 %
2	No	912	85.5 %
Missing Data			
-9	Blank	7	0.7 %
-5	Not Asked on This Form	3	0.3 %
Total		1,067	100%

Based upon 1,057 valid cases out of 1,067 total cases.

Location: 141-143 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SSECCLB: B. INFANT'S BEHAVIOR: IF YES TO 13: A. CHOOSE ONE

Value	Label	Unweighted Frequency	%
1	Insecure Avoidant (Group A): Subgroup A1	3	0.3 %
2	Insecure Avoidant (Group A): Subgroup A2	9	0.8 %
3	Secure (Group B): Subgroup B1	10	0.9 %
4	Secure (Group B): Subgroup B2	32	3.0 %
5	Secure (Group B): Subgroup B3	14	1.3 %
6	Secure (Group B): Subgroup B4	13	1.2 %
7	Insecure Resistant (Group C): Subgroup C1	4	0.4 %
8	Insecure Resistant (Group C): Subgroup C1	9	0.8 %
9	No classification	7	0.7 %

Value	Label	Unweighted Frequency	%
10	A - no subclassification	2	0.2 %
11	B - no subclassification	35	3.3 %
12	C - no subclassification	3	0.3 %
13	A/C	3	0.3 %
Missing Data			
-9	Blank	920	86.2 %
-5	Not Asked on This Form	3	0.3 %
Total		1,067	100%

Based upon 144 valid cases out of 1,067 total cases.

Location: 144-146 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SSLVDIS: B. INFANT'S BEHAVIOR: 14. LEVEL OF DISORGANIZATION

Value	Label	Unweighted Frequency	%
1	Low level of disorganization	453	42.5 %
2	-	241	22.6 %
3	-	146	13.7 %
4	-	86	8.1 %
5	-	86	8.1 %
6	-	26	2.4 %
7	-	12	1.1 %
8	-	4	0.4 %
9	High level of disorganization	1	0.1 %
Missing Data			
-9	Blank	9	0.8 %
-5	Not Asked on This Form	3	0.3 %
Total		1,067	100%

Based upon 1,055 valid cases out of 1,067 total cases.

Location: 147-149 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SSDCLAS: B. INFANT'S BEHAVIOR: 15. D CLASSIFICATION

Value	Label	Unweighted Frequency	%
1	Yes	128	12.0 %
2	No	925	86.7 %
Missing Data			
-9	Blank	11	1.0 %

Value	Label	Unweighted Frequency	%
-5	Not Asked on This Form	3	0.3 %
	Total	1,067	100%

Based upon 1,053 valid cases out of 1,067 total cases.

Location: 150-152 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SSPDTP: B. INFANT'S BEHAVIOR: IF YES TO 15: A. PREDOMINANT D TYPE

Value	Label	Unweighted Frequency	%
1	Mixed Strategy	61	5.7 %
2	Apprehensive	56	5.2 %
3	Depressed	7	0.7 %
4	Provocative	3	0.3 %
5	Controlling	0	0.0 %
6	Overcompliant	0	0.0 %
7	Neurobehavioral	0	0.0 %
	Missing Data		
-9	Blank	937	87.8 %
-5	Not Asked on This Form	3	0.3 %
	Total	1,067	100%

Based upon 127 valid cases out of 1,067 total cases.

Location: 153-155 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SSCODCL: B. INFANT'S BEHAVIOR: 16. CONFIDENCE IN D CLASSIFICATION

Value	Label	Unweighted Frequency	%
1	Low level of confidence	480	45.0 %
2	-	449	42.1 %
3	-	111	10.4 %
4	-	13	1.2 %
5	High level of confidence	0	0.0 %
	Missing Data		
-9	Blank	11	1.0 %
-5	Not Asked on This Form	3	0.3 %
	Total	1,067	100%

Based upon 1,053 valid cases out of 1,067 total cases.

Location: 156-158 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SSPRPBL: B. INFANT'S BEHAVIOR: 17. WERE THERE ANY PROCEDURAL PROBLEMS

Value	Label	Unweighted Frequency	%
1	Yes	142	13.3 %
2	No	920	86.2 %
Missing Data			
-9	Blank	2	0.2 %
-5	Not Asked on This Form	3	0.3 %
Total		1,067	100%

Based upon 1,062 valid cases out of 1,067 total cases.

Location: 159-161 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SSMOMNC: B. INFANT'S BEHAVIOR: IF YES TO 17: A. - 1. MOM'S ENTRANCE NOT CLEAR

Value	Label	Unweighted Frequency	%
1	Checked	1	0.1 %
Missing Data			
-9	Blank	1063	99.6 %
-5	Not Asked on This Form	3	0.3 %
Total		1,067	100%

Based upon 1 valid cases out of 1,067 total cases.

Location: 162-164 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SSCHDNV: B. INFANT'S BEHAVIOR: IF YES TO 17: A. - 2. CHILD NOT VISIBLE AT REUNION

Value	Label	Unweighted Frequency	%
1	Checked	13	1.2 %
Missing Data			
-9	Blank	1051	98.5 %
-5	Not Asked on This Form	3	0.3 %
Total		1,067	100%

Based upon 13 valid cases out of 1,067 total cases.

Location: 165-167 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SSTGRIN: B. INFANT'S BEHAVIOR: IF YES TO 17: A. - 3. STRANGER INTERFERES WITH REUNION

Value	Label	Unweighted Frequency	%
1	Checked	10	0.9 %
	Missing Data		
-9	Blank	1054	98.8 %
-5	Not Asked on This Form	3	0.3 %
	Total	1,067	100%

Based upon 10 valid cases out of 1,067 total cases.

Location: 168-170 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SSPORAV: B. INFANT'S BEHAVIOR: IF YES TO 17: A. - 4. POOR AUDIO OR VIDEO

Value	Label	Unweighted Frequency	%
1	Checked	59	5.5 %
	Missing Data		
-9	Blank	1005	94.2 %
-5	Not Asked on This Form	3	0.3 %
	Total	1,067	100%

Based upon 59 valid cases out of 1,067 total cases.

Location: 171-173 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SSEPRTL: B. INFANT'S BEHAVIOR: IF YES TO 17: A. - 5. SEPARATION TOO LONG

Value	Label	Unweighted Frequency	%
1	Checked	0	0.0 %
	Missing Data		
-9	Blank	1064	99.7 %
-5	Not Asked on This Form	3	0.3 %
	Total	1,067	100%

Based upon 0 valid cases out of 1,067 total cases.

Location: 174-176 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SSCHPAC: B. INFANT'S BEHAVIOR: IF YES TO 17: A. - 6. CHILD HAS PACIFIER OR BOTTLE

Value	Label	Unweighted Frequency	%
1	Checked	15	1.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Blank	1049	98.3 %
-5	Not Asked on This Form	3	0.3 %
	Total	1,067	100%

Based upon 15 valid cases out of 1,067 total cases.

Location: 177-179 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SSCHILL: B. INFANT'S BEHAVIOR: IF YES TO 17: A. - 7. CHILD APPEARS ILL

Value	Label	Unweighted Frequency	%
1	Checked	0	0.0 %
	Missing Data		
-9	Blank	1064	99.7 %
-5	Not Asked on This Form	3	0.3 %
	Total	1,067	100%

Based upon 0 valid cases out of 1,067 total cases.

Location: 180-182 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SSCHINJ: B. INFANT'S BEHAVIOR: IF YES TO 17: A. - 8. CHILD INJURED

Value	Label	Unweighted Frequency	%
1	Checked	2	0.2 %
	Missing Data		
-9	Blank	1062	99.5 %
-5	Not Asked on This Form	3	0.3 %
	Total	1,067	100%

Based upon 2 valid cases out of 1,067 total cases.

Location: 183-185 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SSOTHSP: B. INFANT'S BEHAVIOR: IF YES TO 17: A. - 9. OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Checked	56	5.2 %
	Missing Data		
-9	Blank	1008	94.5 %
-5	Not Asked on This Form	3	0.3 %

Value	Label	Unweighted Frequency	%
	Total	1,067	100%

Based upon 56 valid cases out of 1,067 total cases.

Location: 186-188 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

FORMIN_NC69: CODED BY:

Based upon 1,067 valid cases out of 1,067 total cases.

Location: 189-224 (width: 36; decimal: 0)

Variable Type: character

FORMDT_NC69: DATE CODED:

Based upon 1,067 valid cases out of 1,067 total cases.

Location: 225-235 (width: 11; decimal: 0)

Variable Type: character

AGEM: VISIT AGE IN MONTHS

Value	Label	Unweighted Frequency	%
18	18 months	1067	100.0 %
	Missing Data		
	Total	1,067	100%

Based upon 1,067 valid cases out of 1,067 total cases.

Location: 236-238 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

NC69F: NC69: ATTACHMENT - STRANGE SITUATION

Value	Label	Unweighted Frequency	%
1	Data present for form	1067	100.0 %
	Missing Data		
	Total	1,067	100%

Based upon 1,067 valid cases out of 1,067 total cases.

Location: 239-241 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5

SS1F: ABC PRIMARY

Value	Label	Unweighted Frequency	%
0	No Classification	86	8.1 %
1	(A) Avoidant	154	14.4 %
2	(B) Secure	712	66.7 %
3	(C) Ambivalent	106	9.9 %
Missing Data			
-9	Blank	9	0.8 %
Total		1,067	100%

Based upon 1,058 valid cases out of 1,067 total cases.

Location: 242-244 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SS3F: D CLASS - INDICATOR OF DISORGANIZED CLASSIFICATION

Value	Label	Unweighted Frequency	%
0	No	926	86.8 %
1	Yes	130	12.2 %
Missing Data			
-9	Blank	11	1.0 %
Total		1,067	100%

Based upon 1,056 valid cases out of 1,067 total cases.

Location: 245-247 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SS4F: D SCORE - LEVEL OF DISORGANIZATION

Value	Label	Unweighted Frequency	%
1	-	456	42.7 %
2	-	241	22.6 %
3	-	144	13.5 %
4	-	85	8.0 %
5	-	89	8.3 %
6	-	26	2.4 %
7	-	12	1.1 %
8	-	4	0.4 %
9	-	1	0.1 %
Missing Data			
-9	Blank	9	0.8 %
Total		1,067	100%

Based upon 1,058 valid cases out of 1,067 total cases.

Location: 248-250 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -5

SS5F: D TYPE - IDENTIFIES SUBTYPES FOR CLASS D CLASSIFICATIONS

Value	Label	Unweighted Frequency	%
1	Mixed	61	5.7 %
2	Apprehensive	56	5.2 %
3	Depressed	7	0.7 %
4	Provocative	3	0.3 %
5	Controlling	0	0.0 %
6	Overcompliant	0	0.0 %
7	Neurobehavioral	0	0.0 %
	Missing Data		
-9	Blank	940	88.1 %
	Total	1,067	100%

Based upon 127 valid cases out of 1,067 total cases.

Location: 251-253 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -5

SS6F: A OR C: IDENTIFIES SUBJECTS WHO COULD NOT BE CLEARLY CLASSIFIED AS A OR C - NOT B

Value	Label	Unweighted Frequency	%
0	No	1037	97.2 %
1	Yes	21	2.0 %
	Missing Data		
-9	Blank	9	0.8 %
	Total	1,067	100%

Based upon 1,058 valid cases out of 1,067 total cases.

Location: 254-256 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -5

SS7F: SECURITY OF ATTACHMENT

Value	Label	Unweighted Frequency	%
0	Insecure	343	32.1 %
1	Secure	677	63.4 %
9	No Class	38	3.6 %
	Missing Data		
-9	Blank	9	0.8 %

Value	Label	Unweighted Frequency	%
	Total	1,067	100%

Based upon 1,058 valid cases out of 1,067 total cases.

Location: 257-259 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SS8F: ABCD: IDENTIFIES SUBJECTS' CLASSIFICATION INCLUDING DISORGANIZATION CLASS

Value	Label	Unweighted Frequency	%
0	No Classification	38	3.6 %
1	(A) Avoidant	122	11.4 %
2	(B) Secure	677	63.4 %
3	(C) Ambivalent	91	8.5 %
4	(D) Disorganized	130	12.2 %
Missing Data			
-9	Blank	9	0.8 %
	Total	1,067	100%

Based upon 1,058 valid cases out of 1,067 total cases.

Location: 260-262 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SS15F: EPISODE 5 (FIRST REUNION): PROXIMITY SEEKING

Value	Label	Unweighted Frequency	%
1	Low degree of indicated behavior	212	19.9 %
2	-	205	19.2 %
3	-	246	23.1 %
4	-	141	13.2 %
5	-	119	11.2 %
6	-	141	13.2 %
7	High degree of indicated behavior	0	0.0 %
Missing Data			
-9	Blank	3	0.3 %
	Total	1,067	100%

Based upon 1,064 valid cases out of 1,067 total cases.

Location: 263-265 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SS25F: EPISODE 5 (FIRST REUNION): CONTACT MAINTENANCE

Value	Label	Unweighted Frequency	%
1	Low degree of indicated behavior	509	47.7 %
2	-	281	26.3 %
3	-	149	14.0 %
4	-	54	5.1 %
5	-	40	3.7 %
6	-	19	1.8 %
7	High degree of indicated behavior	12	1.1 %
Missing Data			
-9	Blank	3	0.3 %
Total		1,067	100%

Based upon 1,064 valid cases out of 1,067 total cases.

Location: 266-268 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -5

SS35F: EPISODE 5 (FIRST REUNION): AVOIDANCE

Value	Label	Unweighted Frequency	%
1	Low degree of indicated behavior	422	39.6 %
2	-	235	22.0 %
3	-	191	17.9 %
4	-	117	11.0 %
5	-	63	5.9 %
6	-	35	3.3 %
7	High degree of indicated behavior	1	0.1 %
Missing Data			
-9	Blank	3	0.3 %
Total		1,067	100%

Based upon 1,064 valid cases out of 1,067 total cases.

Location: 269-271 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -5

SS45F: EPISODE 5 (FIRST REUNION): RESISTANCE

Value	Label	Unweighted Frequency	%
1	Low degree of indicated behavior	731	68.5 %
2	-	160	15.0 %
3	-	105	9.8 %
4	-	35	3.3 %
5	-	25	2.3 %

Value	Label	Unweighted Frequency	%
6	-	6	0.6 %
7	High degree of indicated behavior	2	0.2 %
Missing Data			
-9	Blank	3	0.3 %
Total		1,067	100%

Based upon 1,064 valid cases out of 1,067 total cases.

Location: 272-274 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SS18F: EPISODE 8 (SECOND REUNION): PROXIMITY SEEKING

Value	Label	Unweighted Frequency	%
1	Low degree of indicated behavior	136	12.7 %
2	-	181	17.0 %
3	-	193	18.1 %
4	-	156	14.6 %
5	-	176	16.5 %
6	-	199	18.7 %
7	High degree of indicated behavior	1	0.1 %
Missing Data			
-9	Blank	25	2.3 %
Total		1,067	100%

Based upon 1,042 valid cases out of 1,067 total cases.

Location: 275-277 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -5

SS28F: EPISODE 8 (SECOND REUNION): CONTACT MAINTENANCE

Value	Label	Unweighted Frequency	%
1	Low degree of indicated behavior	342	32.1 %
2	-	260	24.4 %
3	-	197	18.5 %
4	-	89	8.3 %
5	-	72	6.7 %
6	-	58	5.4 %
7	High degree of indicated behavior	23	2.2 %
Missing Data			
-9	Blank	26	2.4 %
Total		1,067	100%

Based upon 1,041 valid cases out of 1,067 total cases.

Location: 278-280 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -5

SS38F: EPISODE 8 (SECOND REUNION): AVOIDANCE

Value	Label	Unweighted Frequency	%
1	Low degree of indicated behavior	499	46.8 %
2	-	202	18.9 %
3	-	139	13.0 %
4	-	111	10.4 %
5	-	68	6.4 %
6	-	18	1.7 %
7	High degree of indicated behavior	1	0.1 %
Missing Data			
-9	Blank	29	2.7 %
Total		1,067	100%

Based upon 1,038 valid cases out of 1,067 total cases.

Location: 281-283 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -5

SS48F: EPISODE 8 (SECOND REUNION): RESISTANCE

Value	Label	Unweighted Frequency	%
1	Low degree of indicated behavior	547	51.3 %
2	-	180	16.9 %
3	-	148	13.9 %
4	-	81	7.6 %
5	-	63	5.9 %
6	-	18	1.7 %
7	High degree of indicated behavior	5	0.5 %
Missing Data			
-9	Blank	25	2.3 %
Total		1,067	100%

Based upon 1,042 valid cases out of 1,067 total cases.

Location: 284-286 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -5