

ICPSR 34312

## **Maternal Lifestyle Study in Four Sites in the United States, 1993-2011**

Barry Lester

*Women and Infants Hospital of Rhode Island*

Henrietta Bada

*University of Kentucky*

Charles Bauer

*University of Miami*

Seetha Shankaran

*Wayne State University*

Toni Whitaker

*University of Tennessee*

Linda LaGasse

*Women and Infants Hospital of Rhode Island*

Jane Hammond

*RTI International*

Codebook for Phase II: M36 Examiner  
Evaluation Data, Psychological Impairment  
Rating Scale, Adult

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

# Terms of Use

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/34312/terms>

## Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### NOTICE

#### WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

## ICPSR PROCESSING NOTES FOR #34312

*Maternal Lifestyle Study in four sites in the United States, 1993-2011*

- 1) NAHDAP staff created the case identification variable CASEID and reassigned values in the variable SCREEN, which was present in the original data files, into the variable RESPID in order to protect respondent confidentiality.
- 2) All missing data (blanks in numeric variables) has been recoded to “-9 ‘Blank’”. A missing data code of “-5 ‘Not Asked on This Form’” was assigned to any cases with missing data that resulted from a file merge.
- 3) Please see the questionnaire file associated with this part, along with the data documentation file provided for this study. If no questionnaire is present for this part, please review the data documentation file.
- 4) The type of data collected for a given data source is included in the table below; the part title for a given part indicates the data source.

<b>Data Source</b>	<b>Data Type</b>
Child Report	Survey data
Child Performance	Clinical data; observational data
Examiner Evaluation	Clinical data; census/enumeration data; observational data
Medical	Clinical data; medical records
Mother/Caregiver Report	Survey data; observational data
Teacher Report/School	Survey data; administrative records data
Administrative	Administrative records data

- 5) The mode of collection for a given data source is included in the table below; the part title for a given part indicates the data source.

<b>Data Source</b>	<b>Collection Mode</b>
Child Report	Audio Computer-assisted self-interview (ACASI); computer assisted personal interview (CAPI); face-to-face interview
Child Performance	Coded video observation; record abstracts; cognitive assessment test
Examiner Evaluation	Observation; coded on-site observation
Medical	Record abstracts; observation
Mother/Caregiver Report	Computer-assisted personal interview (CAPI); face-to-face interview
Teacher Report/School	Paper and pencil interview (PAPI); record abstracts
Administrative	

- 6) A standard decimal precision of 8 places or less was employed to conform with standard NAHDAP processing procedures for non-weight variables.

# ICPSR 34312

## Maternal Lifestyle Study in Four Sites in the United States, 1993-2011

### Variable Description and Frequencies

**Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.**

**Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.**

ICPSR has an FAQ on [copyright and survey instruments](#).

# Phase II: M36 Examiner Evaluation Data, Psychological Impairment Rating Scale, Adult

## CASEID: CASE IDENTIFICATION NUMBER

Based upon 1,691 valid cases out of 1,691 total cases.

*Location:* 1-4 (width: 4; decimal: 0)

*Variable Type:* numeric

## RESPID: UNIQUE MLS RESPONDENT IDENTIFICATION NUMBER

Based upon 1,691 valid cases out of 1,691 total cases.

*Location:* 5-9 (width: 5; decimal: 0)

*Variable Type:* numeric

## CLINIC: CENTER NUMBER

Value	Label	Unweighted Frequency	%
5	Detroit - Wayne State University	628	37.1 %
7	Memphis - University of Tennessee	421	24.9 %
8	Miami - University of Miami	308	18.2 %
14	Providence - Brown University	334	19.8 %
	<b>Total</b>	<b>1,691</b>	<b>100%</b>

Based upon 1,691 valid cases out of 1,691 total cases.

*Location:* 10-12 (width: 3; decimal: 0)

*Variable Type:* numeric

## VISIT: VISIT MONTH

Value	Label	Unweighted Frequency	%
36	Visit Month: 36	1691	100.0 %
	<b>Missing Data</b>		
	<b>Total</b>	<b>1,691</b>	<b>100%</b>

Based upon 1,691 valid cases out of 1,691 total cases.

*Location:* 13-15 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## PACOMDT: A. IDENTIFICATION: 1. DATE FORM COMPLETED

Based upon 1,691 valid cases out of 1,691 total cases.

*Location:* 16-26 (width: 11; decimal: 0)

*Variable Type:* character

## PAINIT: A. IDENTIFICATION: 2. FORM COMPLETED BY (INITIALS)

Based upon 1,691 valid cases out of 1,691 total cases.

Location: 27-62 (width: 36; decimal: 0)

Variable Type: character

## PARELAT: A. IDENTIFICATION: 3. RELATIONSHIP CODE OF ADULT

Value	Label	Unweighted Frequency	%
1	Mother of Child	1334	78.9 %
2	Father of Child	74	4.4 %
11	Husband, Significant Other (SO) if different from 2 (Mom's partner)	1	0.1 %
12	Wife, Significant Other (SO) if different from 1 (Dad's partner)	0	0.0 %
21	Maternal (SO) Grandmother	79	4.7 %
22	Paternal (SO) Grandmother	17	1.0 %
31	Maternal (SO) Grandfather	4	0.2 %
32	Paternal (SO) Grandfather	2	0.1 %
41	Maternal (SO) Aunt	41	2.4 %
42	Paternal (SO) Aunt	6	0.4 %
51	Maternal (SO) Uncle	2	0.1 %
52	Paternal (SO) Uncle	0	0.0 %
61	Brother (biological or adopted)	0	0.0 %
62	Step Brother	0	0.0 %
71	Sister (biological or adopted)	11	0.7 %
72	Step Sister	0	0.0 %
81	Maternal (SO) Female Cousin	0	0.0 %
82	Paternal (SO) Female Cousin	0	0.0 %
91	Maternal (SO) Male Cousin	0	0.0 %
92	Paternal (SO) Male Cousin	0	0.0 %
101	Other Maternal (SO) Relative	6	0.4 %
102	Other Paternal (SO) Relative	1	0.1 %
201	Foster Mother	51	3.0 %
202	Foster Father	4	0.2 %
301	Adoptive Mother	30	1.8 %
302	Adoptive Father	9	0.5 %
303	Legal Guardian - Relative	0	0.0 %
304	Legal Guardian - Non-Relative	0	0.0 %
401	Other Non-Relative	8	0.5 %
402	Social Worker / Case Worker	0	0.0 %
501	Staff in Congregate Care	1	0.1 %
502	Still Hospitalized	0	0.0 %
503	Living on Own	0	0.0 %
504	UNKNOWN	0	0.0 %
505	No caretaker at visit or caretaker refuses to participate during visit	0	0.0 %
506	Target Child	0	0.0 %
507	Offspring of Study Child	0	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	Blank	10	0.6 %
	<b>Total</b>	<b>1,691</b>	<b>100%</b>

Based upon 1,681 valid cases out of 1,691 total cases.

Location: 63-65 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## PASOCBE: 1. IN HIS/HER SOCIAL BEHAVIOR, THIS PERSON IS:

Value	Label	Unweighted Frequency	%
1	Outgoing, Engaging	225	13.3 %
2	-	634	37.5 %
3	-	588	34.8 %
4	-	205	12.1 %
5	Withdrawn, Passive	35	2.1 %
	<b>Missing Data</b>		
-9	Blank	4	0.2 %
	<b>Total</b>	<b>1,691</b>	<b>100%</b>

Based upon 1,687 valid cases out of 1,691 total cases.

Location: 66-68 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## PAATTIT: 2. THIS PERSON'S ATTITUDE IS:

Value	Label	Unweighted Frequency	%
1	Open, Candid	308	18.2 %
2	-	689	40.7 %
3	-	473	28.0 %
4	-	190	11.2 %
5	Defensive, Guarded, Non-Responsive	27	1.6 %
	<b>Missing Data</b>		
-9	Blank	4	0.2 %
	<b>Total</b>	<b>1,691</b>	<b>100%</b>

Based upon 1,687 valid cases out of 1,691 total cases.

Location: 69-71 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## PABEHAV: 3. THIS PERSON'S BEHAVIOR IS:

Value	Label	Unweighted Frequency	%
1	Cooperative	645	38.1 %
2	-	634	37.5 %
3	-	314	18.6 %
4	-	81	4.8 %
5	Uncooperative	12	0.7 %
<b>Missing Data</b>			
-9	Blank	5	0.3 %
<b>Total</b>		<b>1,691</b>	<b>100%</b>

Based upon 1,686 valid cases out of 1,691 total cases.

Location: 72-74 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

#### **PALIKE: 4. I FIND THIS PERSON TO BE:**

Value	Label	Unweighted Frequency	%
1	A very likeable person	349	20.6 %
2	-	681	40.3 %
3	-	515	30.5 %
4	-	130	7.7 %
5	A very unlikeable person	12	0.7 %
<b>Missing Data</b>			
-9	Blank	4	0.2 %
<b>Total</b>		<b>1,691</b>	<b>100%</b>

Based upon 1,687 valid cases out of 1,691 total cases.

Location: 75-77 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

#### **PAFEEL: 5. I HAVE THE FEELING THAT:**

Value	Label	Unweighted Frequency	%
1	This person's thoughts and feelings are very clearly described	203	12.0 %
2	-	663	39.2 %
3	-	630	37.3 %
4	-	185	10.9 %
5	The thoughts and feelings of the person are described in a totally unclear, incomprehensible way	6	0.4 %
<b>Missing Data</b>			
-9	Blank	4	0.2 %
<b>Total</b>		<b>1,691</b>	<b>100%</b>



Based upon 1,687 valid cases out of 1,691 total cases.

Location: 78-80 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

**PAREAJU: 6. I HAVE THE IMPRESSION THAT THIS PERSON'S ABILITY FOR REASONING AND JUDGMENT IS:**

Value	Label	Unweighted Frequency	%
1	Excellent judgment and reasoning	130	7.7 %
2	-	518	30.6 %
3	-	810	47.9 %
4	-	211	12.5 %
5	Grossly impaired	18	1.1 %
<b>Missing Data</b>			
-9	Blank	4	0.2 %
<b>Total</b>		<b>1,691</b>	<b>100%</b>

Based upon 1,687 valid cases out of 1,691 total cases.

Location: 81-83 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

**PAINTEL: 7. I HAVE THE IMPRESSION THAT THIS PERSON'S INTELLIGENCE IS:**

Value	Label	Unweighted Frequency	%
1	Superior	25	1.5 %
2	-	321	19.0 %
3	Average	1059	62.6 %
4	-	266	15.7 %
5	Below Average	14	0.8 %
<b>Missing Data</b>			
-9	Blank	6	0.4 %
<b>Total</b>		<b>1,691</b>	<b>100%</b>

Based upon 1,685 valid cases out of 1,691 total cases.

Location: 84-86 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

**PAAPPEA: 8. THE APPEARANCE OF THIS PERSON IS:**

Value	Label	Unweighted Frequency	%
1	Very Attractive	89	5.3 %
2	-	482	28.5 %
3	-	842	49.8 %

Value	Label	Unweighted Frequency	%
4	-	244	14.4 %
5	Very Unattractive	30	1.8 %
<b>Missing Data</b>			
-9	Blank	4	0.2 %
<b>Total</b>		<b>1,691</b>	<b>100%</b>

Based upon 1,687 valid cases out of 1,691 total cases.

Location: 87-89 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## PAWHOLE: 9. ON THE WHOLE THIS PERSON HAS:

Value	Label	Unweighted Frequency	%
1	Quite a few special assets and coping skills (e.g., good self-control, ...)	151	8.9 %
2	-	601	35.5 %
3	-	733	43.3 %
4	-	191	11.3 %
5	No special assets or coping skills	11	0.7 %
<b>Missing Data</b>			
-9	Blank	4	0.2 %
<b>Total</b>		<b>1,691</b>	<b>100%</b>

Based upon 1,687 valid cases out of 1,691 total cases.

Location: 90-92 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## PARISK: 10. THE PERSON IS:

Value	Label	Unweighted Frequency	%
1	At very low risk for significant future problems	246	14.5 %
2	-	592	35.0 %
3	Moderate Risk	660	39.0 %
4	-	164	9.7 %
5	At high risk	25	1.5 %
<b>Missing Data</b>			
-9	Blank	4	0.2 %
<b>Total</b>		<b>1,691</b>	<b>100%</b>

Based upon 1,687 valid cases out of 1,691 total cases.

Location: 93-95 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

**FORMIN\_NC83A: FORM COMPLETED BY:**

Based upon 1,691 valid cases out of 1,691 total cases.

*Location:* 96-131 (width: 36; decimal: 0)

*Variable Type:* character

---

**FORMDT\_NC83A: DATE FORM COMPLETED:**

Based upon 1,691 valid cases out of 1,691 total cases.

*Location:* 132-142 (width: 11; decimal: 0)

*Variable Type:* character