

ICPSR 34345

**Measures of Effective Teaching: 3d
- Basic Data: Item-Level Surveys
and Assessment Teacher Files,
2009-2011**

Bill and Melinda Gates Foundation

Student Perceptions Survey - Year 1
Secondary Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/34345/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 34345

Measures of Effective Teaching: 3d - Basic Data: Item-Level

Surveys and Assessment Teacher Files, 2009-2011

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

ICPSR has an FAQ on [copyright and survey instruments](#).

Student Perceptions Survey - Year 1 Secondary

DISTRICT_ICPSR_ID: District ICPSR ID

Value	Label	Unweighted Frequency	%
18	-	16758	29.3 %
21	-	2341	4.1 %
33	-	4947	8.6 %
56	-	10033	17.5 %
71	-	14079	24.6 %
75	-	9042	15.8 %
	Total	57,200	100%

Based upon 57,200 valid cases out of 57,200 total cases.

Location: 1-3 (width: 3; decimal: 0)

Variable Type: numeric

SCHOOL_ICPSR_ID: School ICPSR ID

Based upon 57,200 valid cases out of 57,200 total cases.

Location: 4-13 (width: 10; decimal: 0)

Variable Type: numeric

TEACHER_ICPSR_ID: Teacher ICPSR ID

Based upon 56,862 valid cases out of 57,200 total cases.

Location: 14-23 (width: 10; decimal: 0)

Variable Type: numeric

SECTION_ICPSR_ID: Section ICPSR ID

Based upon 56,862 valid cases out of 57,200 total cases.

Location: 24-33 (width: 10; decimal: 0)

Variable Type: numeric

STUDENT_ICPSR_ID: Student ICPSR ID

Based upon 56,573 valid cases out of 57,200 total cases.

Location: 34-43 (width: 10; decimal: 0)

Variable Type: numeric

SURVEY_FORMAT: Survey Format: Online or Paper

Value	Label	Unweighted Frequency	%
online	-	17233	30.1 %
paper	-	39967	69.9 %
	Total	57,200	100%

Based upon 57,200 valid cases out of 57,200 total cases.

Location: 44-97 (width: 54; decimal: 0)

Variable Type: character

SUBJECT: Class Subject

Value	Label	Unweighted Frequency	%
Algebra I	-	5921	10.4 %
Elementary ELA	-	3225	5.6 %
Elementary math	-	3013	5.3 %
English/Language Arts	-	200	0.3 %
High school ELA	-	6996	12.2 %
High school bio	-	7400	12.9 %
Math	-	197	0.3 %
Middle school ELA	-	16004	28.0 %
Middle school math	-	13905	24.3 %
	Missing Data		
Missing	-	339	0.6 %
	Total	57,200	100%

Based upon 56,861 valid cases out of 57,200 total cases.

Location: 98-286 (width: 189; decimal: 0)

Variable Type: character

(Range of) Missing Values: Missing

M_A10: My teacher in this class makes me feel that he/she truly cares about me.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	4458	7.8 %
2	Mostly Untrue	4997	8.7 %
3	Somewhat Untrue/True	14810	25.9 %
4	Mostly True	14231	24.9 %
5	Totally True	17073	29.8 %
	Missing Data		
-9	Missing	1631	2.9 %
	Total	57,200	100%

Based upon 55,569 valid cases out of 57,200 total cases.

Location: 287-288 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_A13: I have pushed myself hard to completely understand my lessons in this class.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	1807	3.2 %
2	Mostly Untrue	3731	6.5 %
3	Somewhat Untrue/True	13629	23.8 %
4	Mostly True	18901	33.0 %
5	Totally True	17445	30.5 %
	Missing Data		
-9	Missing	1687	2.9 %
	Total	57,200	100%

Based upon 55,513 valid cases out of 57,200 total cases.

Location: 289-290 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_A28: I have done my best quality work in this class all year long.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	2173	3.8 %
2	Mostly Untrue	4210	7.4 %
3	Somewhat Untrue/True	14072	24.6 %
4	Mostly True	17609	30.8 %
5	Totally True	16440	28.7 %
	Missing Data		
-9	Missing	2696	4.7 %
	Total	57,200	100%

Based upon 54,504 valid cases out of 57,200 total cases.

Location: 291-292 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_A42: I often feel like this class has nothing to do with real life outside school.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	16553	28.9 %
2	Mostly Untrue	13007	22.7 %
3	Somewhat Untrue/True	13202	23.1 %
4	Mostly True	6162	10.8 %
5	Totally True	5652	9.9 %
	Missing Data		
-9	Missing	2624	4.6 %
	Total	57,200	100%

Based upon 54,576 valid cases out of 57,200 total cases.

Location: 293-294 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_A51: My teacher seems to believe in my ability.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	2344	4.1 %
2	Mostly Untrue	3037	5.3 %
3	Somewhat Untrue/True	13024	22.8 %
4	Mostly True	16457	28.8 %
5	Totally True	19730	34.5 %
	Missing Data		
-9	Missing	2608	4.6 %
	Total	57,200	100%

Based upon 54,592 valid cases out of 57,200 total cases.

Location: 295-296 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_A54: My teacher respects my ideas and suggestions.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	2932	5.1 %
2	Mostly Untrue	4011	7.0 %
3	Somewhat Untrue/True	14716	25.7 %
4	Mostly True	16477	28.8 %
5	Totally True	16031	28.0 %
	Missing Data		
-9	Missing	3033	5.3 %
	Total	57,200	100%

Based upon 54,167 valid cases out of 57,200 total cases.

Location: 297-298 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_A57: I get nervous in this class.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	30774	53.8 %
2	Mostly Untrue	11065	19.3 %
3	Somewhat Untrue/True	8069	14.1 %
4	Mostly True	3337	5.8 %
5	Totally True	2535	4.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	1420	2.5 %
	Total	57,200	100%

Based upon 55,780 valid cases out of 57,200 total cases.

Location: 299-300 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_A58: Being in this class makes me feel angry.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	30290	53.0 %
2	Mostly Untrue	11144	19.5 %
3	Somewhat Untrue/True	7944	13.9 %
4	Mostly True	3122	5.5 %
5	Totally True	3380	5.9 %
	Missing Data		
-9	Missing	1320	2.3 %
	Total	57,200	100%

Based upon 55,880 valid cases out of 57,200 total cases.

Location: 301-302 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_A59: I feel stressed out in this class.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	20793	36.4 %
2	Mostly Untrue	12722	22.2 %
3	Somewhat Untrue/True	11344	19.8 %
4	Mostly True	5242	9.2 %
5	Totally True	4914	8.6 %
	Missing Data		
-9	Missing	2185	3.8 %
	Total	57,200	100%

Based upon 55,015 valid cases out of 57,200 total cases.

Location: 303-304 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_A60: In this class, I take it easy and do not try very hard to do my best.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	23593	41.2 %
2	Mostly Untrue	14011	24.5 %
3	Somewhat Untrue/True	9511	16.6 %
4	Mostly True	5086	8.9 %
5	Totally True	3349	5.9 %
	Missing Data		
-9	Missing	1650	2.9 %
	Total	57,200	100%

Based upon 55,550 valid cases out of 57,200 total cases.

Location: 305-306 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_A61: In this class, I stop trying when the work gets hard.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	24306	42.5 %
2	Mostly Untrue	15467	27.0 %
3	Somewhat Untrue/True	9542	16.7 %
4	Mostly True	3438	6.0 %
5	Totally True	2354	4.1 %
	Missing Data		
-9	Missing	2093	3.7 %
	Total	57,200	100%

Based upon 55,107 valid cases out of 57,200 total cases.

Location: 307-308 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_A62: This class is a happy place for me to be.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	7047	12.3 %
2	Mostly Untrue	7092	12.4 %
3	Somewhat Untrue/True	16389	28.7 %
4	Mostly True	12007	21.0 %
5	Totally True	11693	20.4 %
	Missing Data		
-9	Missing	2972	5.2 %
	Total	57,200	100%

Based upon 54,228 valid cases out of 57,200 total cases.

Location: 309-310 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_A63: When doing schoolwork for this class, I try to learn as much as I can and I don't worry about how long it takes.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	2717	4.8 %
2	Mostly Untrue	5426	9.5 %
3	Somewhat Untrue/True	16529	28.9 %
4	Mostly True	15971	27.9 %
5	Totally True	13546	23.7 %
	Missing Data		
-9	Missing	3011	5.3 %
	Total	57,200	100%

Based upon 54,189 valid cases out of 57,200 total cases.

Location: 311-312 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B1: If you don't understand something, my teacher explains it another way.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	2082	3.6 %
2	Mostly Untrue	3054	5.3 %
3	Somewhat Untrue/True	11023	19.3 %
4	Mostly True	17709	31.0 %
5	Totally True	21871	38.2 %
	Missing Data		
-9	Missing	1461	2.6 %
	Total	57,200	100%

Based upon 55,739 valid cases out of 57,200 total cases.

Location: 313-314 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B6: Our class stays busy and doesn't waste time.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	4040	7.1 %
2	Mostly Untrue	6195	10.8 %
3	Somewhat Untrue/True	16058	28.1 %
4	Mostly True	17592	30.8 %

Value	Label	Unweighted Frequency	%
5	Totally True	11833	20.7 %
	Missing Data		
-9	Missing	1482	2.6 %
	Total	57,200	100%

Based upon 55,718 valid cases out of 57,200 total cases.

Location: 315-316 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B13: What I am learning in this class will help me in my life.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	3438	6.0 %
2	Mostly Untrue	4153	7.3 %
3	Somewhat Untrue/True	13608	23.8 %
4	Mostly True	14422	25.2 %
5	Totally True	19337	33.8 %
	Missing Data		
-9	Missing	2242	3.9 %
	Total	57,200	100%

Based upon 54,958 valid cases out of 57,200 total cases.

Location: 317-318 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B17: My teacher has several good ways to explain each topic that we cover.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	2106	3.7 %
2	Mostly Untrue	3615	6.3 %
3	Somewhat Untrue/True	12946	22.6 %
4	Mostly True	18370	32.1 %
5	Totally True	18410	32.2 %
	Missing Data		
-9	Missing	1753	3.1 %
	Total	57,200	100%

Based upon 55,447 valid cases out of 57,200 total cases.

Location: 319-320 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B21: In this class, my teacher accepts nothing less than our full effort.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	2050	3.6 %
2	Mostly Untrue	3305	5.8 %
3	Somewhat Untrue/True	12912	22.6 %
4	Mostly True	16139	28.2 %
5	Totally True	19559	34.2 %
	Missing Data		
-9	Missing	3235	5.7 %
	Total	57,200	100%

Based upon 53,965 valid cases out of 57,200 total cases.

Location: 321-322 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B29: My teacher makes learning enjoyable.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	5372	9.4 %
2	Mostly Untrue	5395	9.4 %
3	Somewhat Untrue/True	15408	26.9 %
4	Mostly True	13779	24.1 %
5	Totally True	15744	27.5 %
	Missing Data		
-9	Missing	1502	2.6 %
	Total	57,200	100%

Based upon 55,698 valid cases out of 57,200 total cases.

Location: 323-324 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B34: My teacher really tries to understand how students feel about things.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	4615	8.1 %
2	Mostly Untrue	5792	10.1 %
3	Somewhat Untrue/True	16216	28.3 %
4	Mostly True	15447	27.0 %
5	Totally True	12682	22.2 %
	Missing Data		
-9	Missing	2448	4.3 %

Value	Label	Unweighted Frequency	%
	Total	57,200	100%

Based upon 54,752 valid cases out of 57,200 total cases.

Location: 325-326 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B35: The teacher in this class encourages me to do my best.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	2174	3.8 %
2	Mostly Untrue	2944	5.1 %
3	Somewhat Untrue/True	10490	18.3 %
4	Mostly True	14888	26.0 %
5	Totally True	24819	43.4 %
	Missing Data		
-9	Missing	1885	3.3 %
	Total	57,200	100%

Based upon 55,315 valid cases out of 57,200 total cases.

Location: 327-328 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B36: My teacher doesn't let people give up when the work gets hard.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	2348	4.1 %
2	Mostly Untrue	3385	5.9 %
3	Somewhat Untrue/True	11619	20.3 %
4	Mostly True	17283	30.2 %
5	Totally True	20943	36.6 %
	Missing Data		
-9	Missing	1622	2.8 %
	Total	57,200	100%

Based upon 55,578 valid cases out of 57,200 total cases.

Location: 329-330 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B44: My teacher makes lessons interesting.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	4906	8.6 %
2	Mostly Untrue	5594	9.8 %
3	Somewhat Untrue/True	15927	27.8 %
4	Mostly True	14355	25.1 %
5	Totally True	14229	24.9 %
	Missing Data		
-9	Missing	2189	3.8 %
	Total	57,200	100%

Based upon 55,011 valid cases out of 57,200 total cases.

Location: 331-332 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B45: My teacher wants us to use our thinking skills, not just memorize things.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	1763	3.1 %
2	Mostly Untrue	2374	4.2 %
3	Somewhat Untrue/True	10978	19.2 %
4	Mostly True	17961	31.4 %
5	Totally True	21886	38.3 %
	Missing Data		
-9	Missing	2238	3.9 %
	Total	57,200	100%

Based upon 54,962 valid cases out of 57,200 total cases.

Location: 333-334 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B46: My classmates behave the way my teacher wants them to.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	6983	12.2 %
2	Mostly Untrue	8173	14.3 %
3	Somewhat Untrue/True	18128	31.7 %
4	Mostly True	14127	24.7 %
5	Totally True	7509	13.1 %
	Missing Data		
-9	Missing	2280	4.0 %
	Total	57,200	100%

Based upon 54,920 valid cases out of 57,200 total cases.

Location: 335-336 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B49: Students in this class treat the teacher with respect.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	3791	6.6 %
2	Mostly Untrue	5240	9.2 %
3	Somewhat Untrue/True	15055	26.3 %
4	Mostly True	18426	32.2 %
5	Totally True	13344	23.3 %
	Missing Data		
-9	Missing	1344	2.3 %
	Total	57,200	100%

Based upon 55,856 valid cases out of 57,200 total cases.

Location: 337-338 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B50: When homework is assigned for this class, how much of it do you usually complete? (Select one choice.)

Value	Label	Unweighted Frequency	%
1	Never Assigned	1867	3.3 %
2	None of it	1620	2.8 %
3	Some of it	8293	14.5 %
4	Most of it	15041	26.3 %
5	All	23700	41.4 %
6	All plus some extra	3246	5.7 %
	Missing Data		
-9	Missing	3433	6.0 %
	Total	57,200	100%

Based upon 53,767 valid cases out of 57,200 total cases.

Location: 339-340 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B52: Outside of class, about how much time in a week do you usually spend doing homework for this class? (Select one choice.)

Value	Label	Unweighted Frequency	%
1	No time	5383	9.4 %
2	Half an hour	15601	27.3 %

Value	Label	Unweighted Frequency	%
3	1 hour	11771	20.6 %
4	2 hours	9219	16.1 %
5	3 to 4 hours	7314	12.8 %
6	5 to 7 hours	3103	5.4 %
7	8+ hours	1543	2.7 %
	Missing Data		
-9	Missing	3266	5.7 %
	Total	57,200	100%

Based upon 53,934 valid cases out of 57,200 total cases.

Location: 341-342 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B58: We get helpful comments to help us know what we did wrong on assignments.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	3723	6.5 %
2	Mostly Untrue	5092	8.9 %
3	Somewhat Untrue/True	13712	24.0 %
4	Mostly True	16990	29.7 %
5	Totally True	15545	27.2 %
	Missing Data		
-9	Missing	2138	3.7 %
	Total	57,200	100%

Based upon 55,062 valid cases out of 57,200 total cases.

Location: 343-344 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B59: My teacher wants me to explain my answers - why I think what I think.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	1682	2.9 %
2	Mostly Untrue	2825	4.9 %
3	Somewhat Untrue/True	11958	20.9 %
4	Mostly True	17461	30.5 %
5	Totally True	21533	37.6 %
	Missing Data		
-9	Missing	1741	3.0 %
	Total	57,200	100%

Based upon 55,459 valid cases out of 57,200 total cases.

Location: 345-346 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B60: This class makes me a better thinker.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	3689	6.4 %
2	Mostly Untrue	5435	9.5 %
3	Somewhat Untrue/True	16212	28.3 %
4	Mostly True	15053	26.3 %
5	Totally True	13865	24.2 %
	Missing Data		
-9	Missing	2946	5.2 %
	Total	57,200	100%

Based upon 54,254 valid cases out of 57,200 total cases.

Location: 347-348 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B70: In this class we learn a lot every day.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	2083	3.6 %
2	Mostly Untrue	3762	6.6 %
3	Somewhat Untrue/True	13135	23.0 %
4	Mostly True	18211	31.8 %
5	Totally True	17605	30.8 %
	Missing Data		
-9	Missing	2404	4.2 %
	Total	57,200	100%

Based upon 54,796 valid cases out of 57,200 total cases.

Location: 349-350 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B80: My teacher explains difficult things clearly.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	2576	4.5 %
2	Mostly Untrue	3712	6.5 %
3	Somewhat Untrue/True	13859	24.2 %
4	Mostly True	17376	30.4 %
5	Totally True	16859	29.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	2818	4.9 %
	Total	57,200	100%

Based upon 54,382 valid cases out of 57,200 total cases.

Location: 351-352 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B83: The comments that I get on my work in this class help me understand how to improve.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	3458	6.0 %
2	Mostly Untrue	4753	8.3 %
3	Somewhat Untrue/True	14191	24.8 %
4	Mostly True	17131	29.9 %
5	Totally True	15647	27.4 %
	Missing Data		
-9	Missing	2020	3.5 %
	Total	57,200	100%

Based upon 55,180 valid cases out of 57,200 total cases.

Location: 353-354 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B86: Because of my teacher, I think more about going to college.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	6369	11.1 %
2	Mostly Untrue	6618	11.6 %
3	Somewhat Untrue/True	14753	25.8 %
4	Mostly True	12860	22.5 %
5	Totally True	15592	27.3 %
	Missing Data		
-9	Missing	1008	1.8 %
	Total	57,200	100%

Based upon 56,192 valid cases out of 57,200 total cases.

Location: 355-356 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B87: My teacher makes me want to go to college.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	5380	9.4 %
2	Mostly Untrue	5045	8.8 %
3	Somewhat Untrue/True	14378	25.1 %
4	Mostly True	11545	20.2 %
5	Totally True	18167	31.8 %
	Missing Data		
-9	Missing	2685	4.7 %
	Total	57,200	100%

Based upon 54,515 valid cases out of 57,200 total cases.

Location: 357-358 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B89: I like the ways we learn in this class.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	2280	4.0 %
2	Mostly Untrue	2996	5.2 %
3	Somewhat Untrue/True	15710	27.5 %
4	Mostly True	20069	35.1 %
5	Totally True	15872	27.7 %
	Missing Data		
-9	Missing	273	0.5 %
	Total	57,200	100%

Based upon 56,927 valid cases out of 57,200 total cases.

Location: 359-360 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B90: In this class, we learn to correct our mistakes.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	1847	3.2 %
2	Mostly Untrue	2981	5.2 %
3	Somewhat Untrue/True	12153	21.2 %
4	Mostly True	17720	31.0 %
5	Totally True	19597	34.3 %
	Missing Data		
-9	Missing	2902	5.1 %
	Total	57,200	100%

Based upon 54,298 valid cases out of 57,200 total cases.

Location: 361-362 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B92: My teacher pushes me to become a better thinker.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	2957	5.2 %
2	Mostly Untrue	4058	7.1 %
3	Somewhat Untrue/True	13630	23.8 %
4	Mostly True	16744	29.3 %
5	Totally True	17299	30.2 %
	Missing Data		
-9	Missing	2512	4.4 %
	Total	57,200	100%

Based upon 54,688 valid cases out of 57,200 total cases.

Location: 363-364 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B93: My teacher makes us think first, before he/she answers our questions.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	2441	4.3 %
2	Mostly Untrue	3864	6.8 %
3	Somewhat Untrue/True	15190	26.6 %
4	Mostly True	17535	30.7 %
5	Totally True	16491	28.8 %
	Missing Data		
-9	Missing	1679	2.9 %
	Total	57,200	100%

Based upon 55,521 valid cases out of 57,200 total cases.

Location: 365-366 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B99: I feel smart when I am in this class.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	3998	7.0 %
2	Mostly Untrue	5281	9.2 %
3	Somewhat Untrue/True	16447	28.8 %
4	Mostly True	14564	25.5 %
5	Totally True	14144	24.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	2766	4.8 %
	Total	57,200	100%

Based upon 54,434 valid cases out of 57,200 total cases.

Location: 367-368 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B100: I am happy with how well I have done in this class.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	3639	6.4 %
2	Mostly Untrue	4824	8.4 %
3	Somewhat Untrue/True	12816	22.4 %
4	Mostly True	15280	26.7 %
5	Totally True	17855	31.2 %
	Missing Data		
-9	Missing	2786	4.9 %
	Total	57,200	100%

Based upon 54,414 valid cases out of 57,200 total cases.

Location: 369-370 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B107: We spend a lot of time in this class practicing for the state test.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	4250	7.4 %
2	Mostly Untrue	5799	10.1 %
3	Somewhat Untrue/True	14218	24.9 %
4	Mostly True	14226	24.9 %
5	Totally True	15475	27.1 %
	Missing Data		
-9	Missing	3232	5.7 %
	Total	57,200	100%

Based upon 53,968 valid cases out of 57,200 total cases.

Location: 371-372 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B108: I have learned a lot this year about the state test.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	3575	6.2 %
2	Mostly Untrue	4469	7.8 %
3	Somewhat Untrue/True	13152	23.0 %
4	Mostly True	15708	27.5 %
5	Totally True	17716	31.0 %
	Missing Data		
-9	Missing	2580	4.5 %
	Total	57,200	100%

Based upon 54,620 valid cases out of 57,200 total cases.

Location: 373-374 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B109: Getting ready for the state test takes a lot of time in our class.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	4552	8.0 %
2	Mostly Untrue	7825	13.7 %
3	Somewhat Untrue/True	16553	28.9 %
4	Mostly True	13152	23.0 %
5	Totally True	11286	19.7 %
	Missing Data		
-9	Missing	3832	6.7 %
	Total	57,200	100%

Based upon 53,368 valid cases out of 57,200 total cases.

Location: 375-376 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B112: Student behavior in this class is under control.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	5845	10.2 %
2	Mostly Untrue	6690	11.7 %
3	Somewhat Untrue/True	15309	26.8 %
4	Mostly True	15258	26.7 %
5	Totally True	11916	20.8 %
	Missing Data		
-9	Missing	2182	3.8 %
	Total	57,200	100%

Based upon 55,018 valid cases out of 57,200 total cases.

Location: 377-378 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B113: I hate the way that students behave in this class.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	16609	29.0 %
2	Mostly Untrue	13080	22.9 %
3	Somewhat Untrue/True	13188	23.1 %
4	Mostly True	5793	10.1 %
5	Totally True	6132	10.7 %
	Missing Data		
-9	Missing	2398	4.2 %
	Total	57,200	100%

Based upon 54,802 valid cases out of 57,200 total cases.

Location: 379-380 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B114: Student behavior in this class makes the teacher angry.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	8892	15.5 %
2	Mostly Untrue	11131	19.5 %
3	Somewhat Untrue/True	16280	28.5 %
4	Mostly True	8585	15.0 %
5	Totally True	9399	16.4 %
	Missing Data		
-9	Missing	2913	5.1 %
	Total	57,200	100%

Based upon 54,287 valid cases out of 57,200 total cases.

Location: 381-382 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B116: For a new student, this class would be a good one to join.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	5225	9.1 %
2	Mostly Untrue	4816	8.4 %
3	Somewhat Untrue/True	13462	23.5 %
4	Mostly True	13931	24.4 %
5	Totally True	18116	31.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	1650	2.9 %
	Total	57,200	100%

Based upon 55,550 valid cases out of 57,200 total cases.

Location: 383-384 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B117: I read at home almost every day.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	11807	20.6 %
2	Mostly Untrue	9388	16.4 %
3	Somewhat Untrue/True	14483	25.3 %
4	Mostly True	8454	14.8 %
5	Totally True	9736	17.0 %
	Missing Data		
-9	Missing	3332	5.8 %
	Total	57,200	100%

Based upon 53,868 valid cases out of 57,200 total cases.

Location: 385-386 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B119: How many adults live with you?

Value	Label	Unweighted Frequency	%
1	One	8948	15.6 %
2	Two	31859	55.7 %
3	More than two	13026	22.8 %
	Missing Data		
-9	Missing	3367	5.9 %
	Total	57,200	100%

Based upon 53,833 valid cases out of 57,200 total cases.

Location: 387-388 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B123: When you were younger, what kind of marks (or grades) did you usually get in school?

Value	Label	Unweighted Frequency	%
1	Very High	16500	28.8 %
2	High	15752	27.5 %
3	Good	12812	22.4 %
4	Some Good, Some Not	7276	12.7 %
5	Usually Not Very Good	1120	2.0 %
	Missing Data		
-9	Missing	3740	6.5 %
	Total	57,200	100%

Based upon 53,460 valid cases out of 57,200 total cases.

Location: 389-390 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B124: How long have you been in this class?

Value	Label	Unweighted Frequency	%
1	For less than two weeks	526	0.9 %
2	For about three or four weeks	860	1.5 %
3	Between one and two months	1592	2.8 %
4	More than two months	50390	88.1 %
	Missing Data		
-9	Missing	3832	6.7 %
	Total	57,200	100%

Based upon 53,368 valid cases out of 57,200 total cases.

Location: 391-392 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B125: What adult was with you while you took this survey?

Value	Label	Unweighted Frequency	%
1	My teacher for this class	46116	80.6 %
2	Someone who is my teacher this school year, but not my teacher for this class	2745	4.8 %
3	Someone who is not teaching me this school year	4392	7.7 %
	Missing Data		
-9	Missing	3947	6.9 %
	Total	57,200	100%

Based upon 53,253 valid cases out of 57,200 total cases.

Location: 393-394 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B126: I think we get more homework in this class than kids in other classes.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	19429	34.0 %
2	Mostly Untrue	14634	25.6 %
3	Somewhat Untrue/True	11013	19.3 %
4	Mostly True	5138	9.0 %
5	Totally True	5504	9.6 %
	Missing Data		
-9	Missing	1482	2.6 %
	Total	57,200	100%

Based upon 55,718 valid cases out of 57,200 total cases.

Location: 395-396 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B127: Everybody knows what they should be doing and learning in this class.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	2040	3.6 %
2	Mostly Untrue	3739	6.5 %
3	Somewhat Untrue/True	14815	25.9 %
4	Mostly True	19595	34.3 %
5	Totally True	15531	27.2 %
	Missing Data		
-9	Missing	1480	2.6 %
	Total	57,200	100%

Based upon 55,720 valid cases out of 57,200 total cases.

Location: 397-398 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B128: My teacher asks questions to be sure we are following along when s/he is teaching.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	1364	2.4 %
2	Mostly Untrue	1920	3.4 %
3	Somewhat Untrue/True	6890	12.0 %
4	Mostly True	15698	27.4 %
5	Totally True	30689	53.7 %
	Missing Data		
-9	Missing	639	1.1 %

Value	Label	Unweighted Frequency	%
	Total	57,200	100%

Based upon 56,561 valid cases out of 57,200 total cases.

Location: 399-400 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B129: My teacher wants us to share our thoughts.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	3138	5.5 %
2	Mostly Untrue	4065	7.1 %
3	Somewhat Untrue/True	13738	24.0 %
4	Mostly True	16739	29.3 %
5	Totally True	18686	32.7 %
	Missing Data		
-9	Missing	834	1.5 %
	Total	57,200	100%

Based upon 56,366 valid cases out of 57,200 total cases.

Location: 401-402 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B130: My teacher knows when the class understands, and when we do not.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	2502	4.4 %
2	Mostly Untrue	3832	6.7 %
3	Somewhat Untrue/True	14172	24.8 %
4	Mostly True	18381	32.1 %
5	Totally True	16802	29.4 %
	Missing Data		
-9	Missing	1511	2.6 %
	Total	57,200	100%

Based upon 55,689 valid cases out of 57,200 total cases.

Location: 403-404 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B131: My teacher in this class does not know me very well yet.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	18675	32.6 %
2	Mostly Untrue	13104	22.9 %
3	Somewhat Untrue/True	11974	20.9 %
4	Mostly True	6111	10.7 %
5	Totally True	4982	8.7 %
	Missing Data		
-9	Missing	2354	4.1 %
	Total	57,200	100%

Based upon 54,846 valid cases out of 57,200 total cases.

Location: 405-406 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B132: If I need help with homework, there is someone at home who can help me.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	5279	9.2 %
2	Mostly Untrue	5044	8.8 %
3	Somewhat Untrue/True	10563	18.5 %
4	Mostly True	11292	19.7 %
5	Totally True	22958	40.1 %
	Missing Data		
-9	Missing	2064	3.6 %
	Total	57,200	100%

Based upon 55,136 valid cases out of 57,200 total cases.

Location: 407-408 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B133: My teacher asks students to explain more about answers they give.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	1310	2.3 %
2	Mostly Untrue	2366	4.1 %
3	Somewhat Untrue/True	10895	19.0 %
4	Mostly True	19803	34.6 %
5	Totally True	21461	37.5 %
	Missing Data		
-9	Missing	1365	2.4 %
	Total	57,200	100%

Based upon 55,835 valid cases out of 57,200 total cases.

Location: 409-410 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B134: At home, I don't have a quiet place where I can do homework for this class.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	29281	51.2 %
2	Mostly Untrue	10346	18.1 %
3	Somewhat Untrue/True	7576	13.2 %
4	Mostly True	4135	7.2 %
5	Totally True	3963	6.9 %
	Missing Data		
-9	Missing	1899	3.3 %
	Total	57,200	100%

Based upon 55,301 valid cases out of 57,200 total cases.

Location: 411-412 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B135: Students get to decide how activities are done.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	14257	24.9 %
2	Mostly Untrue	14830	25.9 %
3	Somewhat Untrue/True	19988	34.9 %
4	Mostly True	5732	10.0 %
5	Totally True	1808	3.2 %
	Missing Data		
-9	Missing	585	1.0 %
	Total	57,200	100%

Based upon 56,615 valid cases out of 57,200 total cases.

Location: 413-414 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B136: When s/he is teaching us, my teacher thinks we understand even when we don't.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	14110	24.7 %
2	Mostly Untrue	16293	28.5 %
3	Somewhat Untrue/True	14480	25.3 %
4	Mostly True	5909	10.3 %
5	Totally True	4202	7.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	2206	3.9 %
	Total	57,200	100%

Based upon 54,994 valid cases out of 57,200 total cases.

Location: 415-416 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B137: I get to test or try out my ideas to see if they work.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	5595	9.8 %
2	Mostly Untrue	7623	13.3 %
3	Somewhat Untrue/True	19479	34.1 %
4	Mostly True	13164	23.0 %
5	Totally True	8853	15.5 %
	Missing Data		
-9	Missing	2486	4.3 %
	Total	57,200	100%

Based upon 54,714 valid cases out of 57,200 total cases.

Location: 417-418 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B138: Student behavior in this class is a problem

Value	Label	Unweighted Frequency	%
1	Totally Untrue	12818	22.4 %
2	Mostly Untrue	14493	25.3 %
3	Somewhat Untrue/True	14596	25.5 %
4	Mostly True	7025	12.3 %
5	Totally True	6412	11.2 %
	Missing Data		
-9	Missing	1856	3.2 %
	Total	57,200	100%

Based upon 55,344 valid cases out of 57,200 total cases.

Location: 419-420 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B139: In this class we have to think hard about the writing we do.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	3003	5.2 %
2	Mostly Untrue	5401	9.4 %
3	Somewhat Untrue/True	16343	28.6 %
4	Mostly True	17916	31.3 %
5	Totally True	13309	23.3 %
	Missing Data		
-9	Missing	1228	2.1 %
	Total	57,200	100%

Based upon 55,972 valid cases out of 57,200 total cases.

Location: 421-422 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B140: My after-school activities don't leave time to finish my homework for this class.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	23385	40.9 %
2	Mostly Untrue	11881	20.8 %
3	Somewhat Untrue/True	10409	18.2 %
4	Mostly True	4893	8.6 %
5	Totally True	3603	6.3 %
	Missing Data		
-9	Missing	3029	5.3 %
	Total	57,200	100%

Based upon 54,171 valid cases out of 57,200 total cases.

Location: 423-424 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B141: This class does not keep my attention--I get bored.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	13479	23.6 %
2	Mostly Untrue	12848	22.5 %
3	Somewhat Untrue/True	14089	24.6 %
4	Mostly True	6963	12.2 %
5	Totally True	7590	13.3 %
	Missing Data		
-9	Missing	2231	3.9 %
	Total	57,200	100%

Based upon 54,969 valid cases out of 57,200 total cases.

Location: 425-426 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B142: In this class, doing your homework is not very important.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	28265	49.4 %
2	Mostly Untrue	11957	20.9 %
3	Somewhat Untrue/True	7171	12.5 %
4	Mostly True	3706	6.5 %
5	Totally True	3809	6.7 %
	Missing Data		
-9	Missing	2292	4.0 %
	Total	57,200	100%

Based upon 54,908 valid cases out of 57,200 total cases.

Location: 427-428 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B143: My teacher tells us what we are learning and why.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	2252	3.9 %
2	Mostly Untrue	3271	5.7 %
3	Somewhat Untrue/True	12480	21.8 %
4	Mostly True	16860	29.5 %
5	Totally True	20187	35.3 %
	Missing Data		
-9	Missing	2150	3.8 %
	Total	57,200	100%

Based upon 55,050 valid cases out of 57,200 total cases.

Location: 429-430 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B144: If I am sad or angry, my teacher helps me feel better.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	11905	20.8 %
2	Mostly Untrue	9469	16.6 %
3	Somewhat Untrue/True	15709	27.5 %
4	Mostly True	9130	16.0 %
5	Totally True	8137	14.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	2850	5.0 %
	Total	57,200	100%

Based upon 54,350 valid cases out of 57,200 total cases.

Location: 431-432 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B145: My teacher takes the time to summarize what we learn each day.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	4297	7.5 %
2	Mostly Untrue	6271	11.0 %
3	Somewhat Untrue/True	15737	27.5 %
4	Mostly True	15395	26.9 %
5	Totally True	12908	22.6 %
	Missing Data		
-9	Missing	2592	4.5 %
	Total	57,200	100%

Based upon 54,608 valid cases out of 57,200 total cases.

Location: 433-434 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B146: My teacher knows if something is bothering me.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	9287	16.2 %
2	Mostly Untrue	9370	16.4 %
3	Somewhat Untrue/True	16016	28.0 %
4	Mostly True	11087	19.4 %
5	Totally True	8474	14.8 %
	Missing Data		
-9	Missing	2966	5.2 %
	Total	57,200	100%

Based upon 54,234 valid cases out of 57,200 total cases.

Location: 435-436 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B147: My teacher checks to make sure we understand what s/he is teaching us.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	2006	3.5 %
2	Mostly Untrue	2930	5.1 %
3	Somewhat Untrue/True	11359	19.9 %
4	Mostly True	16797	29.4 %
5	Totally True	21486	37.6 %
	Missing Data		
-9	Missing	2622	4.6 %
	Total	57,200	100%

Based upon 54,578 valid cases out of 57,200 total cases.

Location: 437-438 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B148: Students don't get to say much about what we think, we mostly listen.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	13436	23.5 %
2	Mostly Untrue	15872	27.7 %
3	Somewhat Untrue/True	13690	23.9 %
4	Mostly True	7110	12.4 %
5	Totally True	4393	7.7 %
	Missing Data		
-9	Missing	2699	4.7 %
	Total	57,200	100%

Based upon 54,501 valid cases out of 57,200 total cases.

Location: 439-440 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B149: Instead of giving us answers, my teacher would rather give us questions to discuss.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	2286	4.0 %
2	Mostly Untrue	3839	6.7 %
3	Somewhat Untrue/True	14732	25.8 %
4	Mostly True	17554	30.7 %
5	Totally True	15737	27.5 %
	Missing Data		
-9	Missing	3052	5.3 %
	Total	57,200	100%

Based upon 54,148 valid cases out of 57,200 total cases.

Location: 441-442 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B150: Lessons in this class are often hard for the teacher to make clear.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	15914	27.8 %
2	Mostly Untrue	17678	30.9 %
3	Somewhat Untrue/True	12459	21.8 %
4	Mostly True	5519	9.6 %
5	Totally True	3436	6.0 %
	Missing Data		
-9	Missing	2194	3.8 %
	Total	57,200	100%

Based upon 55,006 valid cases out of 57,200 total cases.

Location: 443-444 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B151: In this class we have to write every day.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	4150	7.3 %
2	Mostly Untrue	6656	11.6 %
3	Somewhat Untrue/True	14427	25.2 %
4	Mostly True	13426	23.5 %
5	Totally True	15570	27.2 %
	Missing Data		
-9	Missing	2971	5.2 %
	Total	57,200	100%

Based upon 54,229 valid cases out of 57,200 total cases.

Location: 445-446 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B152: We get to do a lot in this class, not just listen to the teacher.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	3998	7.0 %
2	Mostly Untrue	5499	9.6 %
3	Somewhat Untrue/True	14134	24.7 %
4	Mostly True	15865	27.7 %
5	Totally True	14649	25.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	3055	5.3 %
	Total	57,200	100%

Based upon 54,145 valid cases out of 57,200 total cases.

Location: 447-448 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B153: Often, I am not sure what I am supposed to be learning in this class.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	18274	31.9 %
2	Mostly Untrue	15542	27.2 %
3	Somewhat Untrue/True	11446	20.0 %
4	Mostly True	5439	9.5 %
5	Totally True	3478	6.1 %
	Missing Data		
-9	Missing	3021	5.3 %
	Total	57,200	100%

Based upon 54,179 valid cases out of 57,200 total cases.

Location: 449-450 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B154: My teacher gives us time to explain our ideas.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	2805	4.9 %
2	Mostly Untrue	4580	8.0 %
3	Somewhat Untrue/True	15513	27.1 %
4	Mostly True	17404	30.4 %
5	Totally True	13776	24.1 %
	Missing Data		
-9	Missing	3122	5.5 %
	Total	57,200	100%

Based upon 54,078 valid cases out of 57,200 total cases.

Location: 451-452 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B155: Students speak up and share their ideas about class work.

Value	Label	Unweighted Frequency	%
1	Totally Untrue	3586	6.3 %
2	Mostly Untrue	5536	9.7 %
3	Somewhat Untrue/True	15448	27.0 %
4	Mostly True	16057	28.1 %
5	Totally True	13600	23.8 %
	Missing Data		
-9	Missing	2973	5.2 %
	Total	57,200	100%

Based upon 54,227 valid cases out of 57,200 total cases.

Location: 453-454 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_B156: During most weeks, how many days a week is there homework to do for this class? (Select one choice.)

Value	Label	Unweighted Frequency	%
0	never assigned	4283	7.5 %
1	1 day	7080	12.4 %
2	2 days	8314	14.5 %
3	3 days	9904	17.3 %
4	4 days	10785	18.9 %
5	5 days	13143	23.0 %
	Missing Data		
-9	Missing	3691	6.5 %
	Total	57,200	100%

Based upon 53,509 valid cases out of 57,200 total cases.

Location: 455-456 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_C1: Are you a female or male?

Value	Label	Unweighted Frequency	%
1	Male	26099	45.6 %
2	Female	27915	48.8 %
	Missing Data		
-9	Missing	3186	5.6 %
	Total	57,200	100%

Based upon 54,014 valid cases out of 57,200 total cases.

Location: 457-458 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

M_C3: How many books are there in your home?

Value	Label	Unweighted Frequency	%
1	0 to 10	8644	15.1 %
2	11-24	10908	19.1 %
3	25-100	16168	28.3 %
4	100-250	9573	16.7 %
5	more than 250	8451	14.8 %
	Missing Data		
-9	Missing	3456	6.0 %
	Total	57,200	100%

Based upon 53,744 valid cases out of 57,200 total cases.

Location: 459-460 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

M_C4: Is there a computer at your home? If yes, how many? (Select one choice.)

Value	Label	Unweighted Frequency	%
1	No	4985	8.7 %
2	Yes, one	19019	33.2 %
3	Yes, two	15257	26.7 %
4	Yes, three or more	14808	25.9 %
	Missing Data		
-9	Missing	3131	5.5 %
	Total	57,200	100%

Based upon 54,069 valid cases out of 57,200 total cases.

Location: 461-462 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

M_C5A: European descent (White)

Value	Label	Unweighted Frequency	%
0	Not Missing (selected another response)	38038	66.5 %
1	White	15766	27.6 %
	Missing Data		
-9	Missing	3396	5.9 %
	Total	57,200	100%

Based upon 53,804 valid cases out of 57,200 total cases.

Location: 463-464 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_C5B: African descent (black)

Value	Label	Unweighted Frequency	%
0	Not Missing (selected another response)	36982	64.7 %
1	Black or African American	16822	29.4 %
	Missing Data		
-9	Missing	3396	5.9 %
	Total	57,200	100%

Based upon 53,804 valid cases out of 57,200 total cases.

Location: 465-466 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_C5C: Hispanic/Latino

Value	Label	Unweighted Frequency	%
0	Not Missing (selected another response)	34589	60.5 %
1	Hispanic/Latino	19215	33.6 %
	Missing Data		
-9	Missing	3396	5.9 %
	Total	57,200	100%

Based upon 53,804 valid cases out of 57,200 total cases.

Location: 467-468 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_C5D: Asian/South Asian

Value	Label	Unweighted Frequency	%
0	Not Missing (selected another response)	50371	88.1 %
1	Asian	3433	6.0 %
	Missing Data		
-9	Missing	3396	5.9 %
	Total	57,200	100%

Based upon 53,804 valid cases out of 57,200 total cases.

Location: 469-470 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_C5E: Native American

Value	Label	Unweighted Frequency	%
0	Not Missing (selected another response)	51485	90.0 %
1	Native American (Indian)	2319	4.1 %
	Missing Data		
-9	Missing	3396	5.9 %
	Total	57,200	100%

Based upon 53,804 valid cases out of 57,200 total cases.

Location: 471-472 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_C5F: Pacific Islander

Value	Label	Unweighted Frequency	%
0	Not Missing (selected another response)	52964	92.6 %
1	Pacific islander	840	1.5 %
	Missing Data		
-9	Missing	3396	5.9 %
	Total	57,200	100%

Based upon 53,804 valid cases out of 57,200 total cases.

Location: 473-474 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_C5G: Arabic/Middle Eastern descent

Value	Label	Unweighted Frequency	%
0	Not Missing (selected another response)	52695	92.1 %
1	Arabic/Middle Eastern	1109	1.9 %
	Missing Data		
-9	Missing	3396	5.9 %
	Total	57,200	100%

Based upon 53,804 valid cases out of 57,200 total cases.

Location: 475-476 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_C5H: West Indian

Value	Label	Unweighted Frequency	%
0	Not Missing (selected another response)	51587	90.2 %
1	West Indian	2217	3.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	3396	5.9 %
	Total	57,200	100%

Based upon 53,804 valid cases out of 57,200 total cases.

Location: 477-478 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_C5I: South Asian or East Indian

Value	Label	Unweighted Frequency	%
0	Not Missing (selected another response)	52818	92.3 %
1	South Asian or East Indian	986	1.7 %
	Missing Data		
-9	Missing	3396	5.9 %
	Total	57,200	100%

Based upon 53,804 valid cases out of 57,200 total cases.

Location: 479-480 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_C5J: Other (please specify)

Value	Label	Unweighted Frequency	%
0	Not Missing (selected another response)	49454	86.5 %
1	Other	4350	7.6 %
	Missing Data		
-9	Missing	3396	5.9 %
	Total	57,200	100%

Based upon 53,804 valid cases out of 57,200 total cases.

Location: 481-482 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_C6: Counting yourself and all others, how many children live with you?

Value	Label	Unweighted Frequency	%
1	1	11621	20.3 %
2	2	17475	30.6 %
3	3	12555	21.9 %
4	4	6428	11.2 %

Value	Label	Unweighted Frequency	%
5	5 or more	5474	9.6 %
	Missing Data		
-9	Missing	3647	6.4 %
	Total	57,200	100%

Based upon 53,553 valid cases out of 57,200 total cases.

Location: 483-484 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_C7: Does anyone in your family speak a language other than English at home?

Value	Label	Unweighted Frequency	%
1	No	23283	40.7 %
2	Seldom	6073	10.6 %
3	Half the time	6967	12.2 %
4	Mostly	7419	13.0 %
5	Always	9785	17.1 %
	Missing Data		
-9	Missing	3673	6.4 %
	Total	57,200	100%

Based upon 53,527 valid cases out of 57,200 total cases.

Location: 485-486 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

M_C34_ONLINE: Think of the adult at your house who went to school for the most years. Did the person?

Value	Label	Unweighted Frequency	%
1	Did not finish high school	2089	3.7 %
2	Finished high school	3309	5.8 %
3	Attended some college	2207	3.9 %
4	Finished a 4-year college degree	2177	3.8 %
5	Finished a professional or graduate degree	2335	4.1 %
6	I don't know	3364	5.9 %
	Missing Data		
-9	Missing	1752	3.1 %
.	-	39967	69.9 %
	Total	57,200	100%

Based upon 15,481 valid cases out of 57,200 total cases.

Location: 487-488 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , .

M_C34A_PAPER: Think of the adult at your house who went to school for the most years. This person: Did not finish high school.

Value	Label	Unweighted Frequency	%
0	No	29828	52.1 %
1	Yes	6628	11.6 %
	Missing Data		
-9	Missing	3511	6.1 %
.	-	17233	30.1 %
	Total	57,200	100%

Based upon 36,456 valid cases out of 57,200 total cases.

Location: 489-490 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , .

M_C34B_PAPER: Think of the adult at your house who went to school for the most years. This person: Finished high school

Value	Label	Unweighted Frequency	%
0	No	13310	23.3 %
1	Yes	23146	40.5 %
	Missing Data		
-9	Missing	3511	6.1 %
.	-	17233	30.1 %
	Total	57,200	100%

Based upon 36,456 valid cases out of 57,200 total cases.

Location: 491-492 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , .

M_C34C_PAPER: Think of the adult at your house who went to school for the most years. This person: Attended some college or earned a 2-year degree

Value	Label	Unweighted Frequency	%
0	No	23217	40.6 %
1	Yes	13239	23.1 %
	Missing Data		
-9	Missing	3511	6.1 %
.	-	17233	30.1 %
	Total	57,200	100%

Based upon 36,456 valid cases out of 57,200 total cases.

Location: 493-494 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , .

M_C34D_PAPER: Think of the adult at your house who went to school for the most years. This person: Finished a 4-year college degree

Value	Label	Unweighted Frequency	%
0	No	23700	41.4 %
1	Yes	12756	22.3 %
	Missing Data		
-9	Missing	3511	6.1 %
.	-	17233	30.1 %
	Total	57,200	100%

Based upon 36,456 valid cases out of 57,200 total cases.

Location: 495-496 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , .

M_C34E_PAPER: Think of the adult at your house who went to school for the most years. This person: Finished a professional or graduate degree after college

Value	Label	Unweighted Frequency	%
0	No	26788	46.8 %
1	Yes	9668	16.9 %
	Missing Data		
-9	Missing	3511	6.1 %
.	-	17233	30.1 %
	Total	57,200	100%

Based upon 36,456 valid cases out of 57,200 total cases.

Location: 497-498 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , .

M_C34F_PAPER: Think of the adult at your house who went to school for the most years. This person: I don't know.

Value	Label	Unweighted Frequency	%
1	I don't know	10109	17.7 %
	Missing Data		
.	-	47091	82.3 %
	Total	57,200	100%

Based upon 10,109 valid cases out of 57,200 total cases.

Location: 499-500 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , .