ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 34346

Measures of Effective Teaching: Item-Level Scores and Test Files, 2009-2011

Bill and Melinda Gates Foundation

Stanford 9 Open-Ended Reading Assessment (SAT 9) - Year 2 Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/34346/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 34346

Measures of Effective Teaching: Item-Level Scores and Test Files, 2009-2011

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Measures of Effective Teaching: Item-Level Scores and Test Files, 2009-2011

Stanford 9 Open-Ended Reading Assessment (SAT 9) - Year 2

Variables

DISTRICT_ICPSR_ID: District ICPSR ID

Location: 1-8 (width: 8; decimal: 2)
Variable Type: numeric

Value	*Unweighted Frequency*	*%*
18.00	10,974	22.9 %
21.00	1,423	3.0 %
33.00	8,793	18.3 %
56.00	9,285	19.4 %
71.00	10,338	21.6 %
75.00	7,130	14.9 %

Based upon 47,943 valid cases out of 47,943 total cases.

SCHOOL_ICPSR_ID: School ICPSR ID

Location: 9-16 (width: 8; decimal: 0)
Variable Type: numeric

Based upon 47,943 valid cases out of 47,943 total cases.

TEACHER_ICPSR_ID: Teacher ICPSR ID

Location: 17-24 (width: 8; decimal: 0)
Variable Type: numeric

Based upon 47,943 valid cases out of 47,943 total cases.

SECTION_ICPSR_ID: Section ICPSR ID

Location: 25-32 (width: 8; decimal: 0)
Variable Type: numeric

Based upon 47,943 valid cases out of 47,943 total cases.

STUDENT_ICPSR_ID: Student ICPSR ID

Location: 33-40 (width: 8; decimal: 0)
Variable Type: numeric

Based upon 47,943 valid cases out of 47,943 total cases.

BATCH: batch

Location: 41-41 (width: 1; decimal: 0)
Variable Type: numeric

Value	*Unweighted Frequency*	*%*
1	32,800	68.4 %
2	9,494	19.8 %
3	212	0.4 %
4	222	0.5 %
5	18	0.0 %
6	330	0.7 %
7	86	0.2 %
Missing Data		
.	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

SCH_NO: Building Number

Location: 42-44 (width: 3; decimal: 0)
Variable Type: numeric
Notes: frequencies are not available

Based upon 43,162 valid cases out of 47,943 total cases.

REC_TYPE: Record 03 Open Ended (Reading, Mathematics, Science, Social Science)

Location: 45-45 (width: 1; decimal: 0)
Variable Type: numeric

Value	*Unweighted Frequency*	*%*
3	43,162	90.0 %
Missing Data		
.	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

ACCOM_EXTENDTIME: Accommodation - extended time

Location: 46-46 (width: 1; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
0	-	3	0.0 %
1	Yes	1,794	3.7 %
2	-	3	0.0 %
9	-	1	0.0 %
Missing Data			
.	-	46,142	96.2 %

Based upon 1,801 valid cases out of 47,943 total cases.

ACCOM_PACING: Accommodation - pacing

Location: 47-47 (width: 1; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
0	-	1	0.0 %
1	Yes	97	0.2 %
5	-	1	0.0 %
6	-	1	0.0 %
Missing Data			
.	-	47,843	99.8 %

Based upon 100 valid cases out of 47,943 total cases.

ACCOM_BILINGUALLEX: Accommodation - bilingual dictionary (no definitions)

Location: 48-48 (width: 1; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
0	-	1	0.0 %
1	Yes	323	0.7 %
6	-	1	0.0 %
7	-	1	0.0 %
Missing Data			
.	-	47,617	99.3 %

Based upon 326 valid cases out of 47,943 total cases.

ACCOM_INTERPRETING: Accommodation - interpreting items (signing, cued speech)

Location: 49-49 (width: 1; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
0	-	1	0.0 %
1	Yes	100	0.2 %
Missing Data			
.	-	47,842	99.8 %

Based upon 101 valid cases out of 47,943 total cases.

ACCOM_SIMPDIRS: Accommodation - simplification of directions

Location: 50-50 (width: 1; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
1	Yes	73	0.2 %

Value	*Label*	*Unweighted Frequency*	*%*
2	-	1	0.0 %
3	-	1	0.0 %
Missing Data			
.	-	47,868	99.8 %

Based upon 75 valid cases out of 47,943 total cases.

ACCOM_WORDSDEF: Accommodation - words defined

Location: 51-51 (width: 1; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
1	Yes	52	0.1 %
2	-	4	0.0 %
3	-	1	0.0 %
5	-	8	0.0 %
Missing Data			
.	-	47,878	99.9 %

Based upon 65 valid cases out of 47,943 total cases.

STU_AGE_MM: Student Month

Location: 52-53 (width: 2; decimal: 0)
Variable Type: numeric
Notes: frequencies are not available
Notes: summary statistics are available

Based upon 43,162 valid cases out of 47,943 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 11
- Standard Deviation: 1.65

STU_AGE_YY: Student Age (Years)

Location: 54-55 (width: 2; decimal: 0)
Variable Type: numeric
Notes: frequencies are not available
Notes: summary statistics are available

Based upon 43,162 valid cases out of 47,943 total cases.

- Mean: 0.76
- Median: 0.00
- Mode: 0.00

- Minimum: 0
- Maximum: 16
- Standard Deviation: 2.93

STU_AGE_MON: Student Age (Months)

Location: 56-58 (width: 3; decimal: 0)
Variable Type: numeric
Notes: frequencies are not available
Notes: categories are not available
Notes: summary statistics are available

Based upon 43,162 valid cases out of 47,943 total cases.

- Mean: 9.54
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 195
- Standard Deviation: 36.48

STU_GENDER: Student Gender

Location: 59-59 (width: 1; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
1	Male	1,619	3.4 %
2	Female	1,616	3.4 %
Missing Data			
.	-	44,708	93.3 %

Based upon 3,235 valid cases out of 47,943 total cases.

ORDER_NO: Order Number

Location: 60-68 (width: 9; decimal: 0)
Variable Type: numeric

Value	*Unweighted Frequency*	*%*
110027190	32,800	68.4 %
110041019	9,494	19.8 %
110044718	212	0.4 %
110045484	222	0.5 %
110045878	330	0.7 %
110046070	18	0.0 %
110058188	86	0.2 %
Missing Data		
.	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

ORDER_NAME: System/Region Name

Location: 69-104 (width: 36; decimal: 0)
Variable Type: character

Value	*Unweighted Frequency*	*%*
	4,781	10.0 %
WESTAT	43,162	90.0 %

Based upon 47,943 valid cases out of 47,943 total cases.

DT_TEST: Test Date

Location: 105-140 (width: 36; decimal: 0)
Variable Type: character

Value	*Unweighted Frequency*	*%*
	4,781	10.0 %
041910	43,162	90.0 %

Based upon 47,943 valid cases out of 47,943 total cases.

GRADE: Grade

Location: 141-176 (width: 36; decimal: 0)
Variable Type: character

Value	*Unweighted Frequency*	*%*
	4,781	10.0 %
04	9,291	19.4 %
05	9,533	19.9 %
06	9,317	19.4 %
07	8,050	16.8 %
08	6,971	14.5 %

Based upon 47,943 valid cases out of 47,943 total cases.

GRP_CODE: Group Code

Location: 177-212 (width: 36; decimal: 0)
Variable Type: character
Notes: frequencies are not available

Based upon 47,943 valid cases out of 47,943 total cases.

CART_NO: Cart Number (or Region Code)

Location: 213-216 (width: 4; decimal: 0)
Variable Type: numeric

Value	*Unweighted Frequency*	*%*
1156	86	0.2 %
6347	1,341	2.8 %
6354	1,204	2.5 %
6363	1,238	2.6 %
6368	1,261	2.6 %
6369	1,249	2.6 %
6370	1,219	2.5 %
6372	1,223	2.6 %
6375	1,111	2.3 %
6380	1,146	2.4 %
6386	1,028	2.1 %
6394	792	1.7 %
6396	923	1.9 %
6397	411	0.9 %
6401	1,255	2.6 %
6504	1,293	2.7 %
6513	969	2.0 %
6545	493	1.0 %
6577	1,191	2.5 %
6603	1,226	2.6 %
6610	1,186	2.5 %
6707	277	0.6 %
6756	840	1.8 %
6923	1,255	2.6 %
6931	1,245	2.6 %
6939	548	1.1 %
7014	1,256	2.6 %
7015	645	1.3 %
7069	1,163	2.4 %
7070	1,187	2.5 %
7243	1,263	2.6 %
7277	978	2.0 %
7393	1,248	2.6 %
7396	1,219	2.5 %
7427	384	0.8 %
7441	1,168	2.4 %
7446	1,078	2.2 %
7450	698	1.5 %
7511	296	0.6 %
7566	670	1.4 %

Value	*Unweighted Frequency*	*%*
7590	288	0.6 %
7600	114	0.2 %
7613	603	1.3 %
7669	770	1.6 %
7691	212	0.4 %
7734	610	1.3 %
7818	187	0.4 %
7868	235	0.5 %
7869	95	0.2 %
7899	3	0.0 %
7963	212	0.4 %
8032	222	0.5 %
8064	330	0.7 %
8075	18	0.0 %
Missing Data		
.	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

CART_SEQ: Cart Sequence Number

Location: 217-221 (width: 5; decimal: 0)
Variable Type: numeric
Notes: frequencies are not available

Based upon 43,162 valid cases out of 47,943 total cases.

PROG_NAME: Program Name

Location: 222-257 (width: 36; decimal: 0)
Variable Type: character

Value	*Unweighted Frequency*	*%*
	4,781	10.0 %
SPC9O	43,162	90.0 %

Based upon 47,943 valid cases out of 47,943 total cases.

DEMOG_INFO_ONLY: Demographic Information only

Location: 258-293 (width: 36; decimal: 0)
Variable Type: character

Value	*Unweighted Frequency*	*%*
	47,943	100.0 %

Based upon 47,943 valid cases out of 47,943 total cases.

EXCLUDED: Excluded Indicator

Location: 294-329 (width: 36; decimal: 0)
Variable Type: character

Value	*Unweighted Frequency*	*%*
	47,943	100.0 %

Based upon 47,943 valid cases out of 47,943 total cases.

READ_DOCID: Reading Document ID

Location: 330-334 (width: 5; decimal: 0)
Variable Type: numeric

Value	*Unweighted Frequency*	*%*
75356	9,340	19.5 %
75358	9,511	19.8 %
75360	9,298	19.4 %
75362	8,116	16.9 %
75364	6,897	14.4 %
Missing Data		
.	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

READ_LEVEL: Reading Level

Location: 335-336 (width: 2; decimal: 0)
Variable Type: numeric

Value	*Unweighted Frequency*	*%*
6	9,340	19.5 %
7	9,511	19.8 %
8	9,298	19.4 %
9	8,116	16.9 %
10	6,897	14.4 %
Missing Data		
.	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

READ_FORM: Reading Form

Location: 337-372 (width: 36; decimal: 0)
Variable Type: character

Value	*Unweighted Frequency*	*%*
	4,781	10.0 %
S	43,162	90.0 %

Based upon 47,943 valid cases out of 47,943 total cases.

READ_SCOREPTS: Reading Score Points

Location: 373-408 (width: 36; decimal: 0)
Variable Type: character
Notes: frequencies are not available
Notes: summary statistics are available

Based upon 47,943 valid cases out of 47,943 total cases.

READ_RS: Reading Raw Score (RS)

Location: 409-411 (width: 3; decimal: 0)
Variable Type: numeric
Notes: frequencies are not available
Notes: categories are not available
Notes: summary statistics are available

Based upon 43,162 valid cases out of 47,943 total cases.

- Mean: 142.82
- Median: 17.00
- Mode: 999.00
- Minimum: 0
- Maximum: 999
- Standard Deviation: 330.52

READ_PERF: Reading Performance Indicator

Location: 412-412 (width: 1; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
0	-	1,165	2.4 %
1	-	9,988	20.8 %
2	-	25,358	52.9 %
3	-	1,054	2.2 %
9	Not Available	5,597	11.7 %
Missing Data			
.	-	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

READ_SS: Reading Scaled Score (SS)

Location: 413-415 (width: 3; decimal: 0)
Variable Type: numeric

Notes: frequencies are not available
Notes: categories are not available
Notes: summary statistics are available

Based upon 43,162 valid cases out of 47,943 total cases.

- Mean: 539.27
- Median: 621.00
- Mode: 0.00
- Minimum: 0
- Maximum: 838
- Standard Deviation: 215.09

READ_GE: Reading Grade Equivalent (GE)

Location: 416-420 (width: 5; decimal: 2)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
0.0	No GEs	5,748	12.0 %
0.8	-	301	0.6 %
1.0	-	92	0.2 %
1.1	-	102	0.2 %
1.3	-	124	0.3 %
1.4	-	58	0.1 %
1.5	-	72	0.2 %
1.6	-	46	0.1 %
1.7	-	189	0.4 %
1.8	-	150	0.3 %
1.9	-	223	0.5 %
2.1	-	165	0.3 %
2.2	-	231	0.5 %
2.3	-	188	0.4 %
2.4	-	131	0.3 %
2.5	-	473	1.0 %
2.7	-	481	1.0 %
2.8	-	327	0.7 %
2.9	-	355	0.7 %
3.1	-	753	1.6 %
3.2	-	450	0.9 %
3.3	-	146	0.3 %
3.5	-	1,558	3.2 %
3.8	-	1,578	3.3 %
3.9	-	466	1.0 %
4.1	-	214	0.4 %
4.2	-	717	1.5 %

Value	*Label*	*Unweighted Frequency*	*%*
4.4	-	1,801	3.8 %
4.6	-	791	1.6 %
4.7	-	278	0.6 %
4.8	-	201	0.4 %
4.9	-	1,767	3.7 %
5.0	-	1,171	2.4 %
5.2	-	228	0.5 %
5.4	-	2,061	4.3 %
5.5	-	1,146	2.4 %
5.7	-	865	1.8 %
5.8	-	651	1.4 %
5.9	-	944	2.0 %
6.4	-	594	1.2 %
6.6	-	387	0.8 %
6.7	-	1,046	2.2 %
6.8	-	499	1.0 %
7.8	-	983	2.1 %
7.9	-	1,079	2.3 %
8.1	-	1,969	4.1 %
8.2	-	1,082	2.3 %
8.4	-	1,365	2.8 %
8.5	-	1,142	2.4 %
8.7	-	1,019	2.1 %
8.8	-	565	1.2 %
9.2	-	446	0.9 %
9.5	-	278	0.6 %
9.6	-	302	0.6 %
9.9	-	374	0.8 %
10.0	-	465	1.0 %
10.3	-	144	0.3 %
10.6	-	379	0.8 %
10.7	-	359	0.7 %
11.8	-	54	0.1 %
12.3	-	102	0.2 %
13.0	-	1,287	2.7 %
Missing Data			
.	-	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

READ_PR: Reading Local Percentile Rank (PR)

Location: 421-421 (width: 1; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
0	Not Available	43,162	90.0 %
Missing Data			
.	-	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

READ_STANINE: Reading Local Stanine (S)

Location: 422-422 (width: 1; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
0	Not Available	43,162	90.0 %
Missing Data			
.	-	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

READ_NCE: Reading Local Normal Curve Equivalent (NCE)

Location: 423-423 (width: 1; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
0	Not Available	43,162	90.0 %
Missing Data			
.	-	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

READ_AAC: Reading Achievement/Ability Comparison (AAC)

Location: 424-424 (width: 1; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
0	Not Available	43,162	90.0 %
Missing Data			
.	-	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

READ_PERFSTD: Reading Performance Standard

Location: 425-425 (width: 1; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
0	Not Available	5,748	12.0 %
1	Below Basic	12,889	26.9 %
2	Basic	19,385	40.4 %
3	Proficient	4,738	9.9 %
4	Advanced	402	0.8 %
Missing Data			
.	-	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

READ_RS_CLUSTER1: Reading Cluster Raw Score (RS) 1

Location: 426-427 (width: 2; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
0	-	373	0.8 %
1	-	591	1.2 %
2	-	1,166	2.4 %
3	-	2,116	4.4 %
4	-	3,830	8.0 %
5	-	7,042	14.7 %
6	-	9,843	20.5 %
7	-	7,177	15.0 %
8	-	3,922	8.2 %
9	-	1,505	3.1 %
99	Did Not Attempt	5,597	11.7 %
Missing Data			
.	-	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

READ_RS_CLUSTER2: Reading Cluster Raw Score (RS) 2

Location: 428-429 (width: 2; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
0	-	950	2.0 %
1	-	582	1.2 %
2	-	1,298	2.7 %
3	-	2,416	5.0 %
4	-	4,663	9.7 %
5	-	7,984	16.7 %

Value	*Label*	*Unweighted Frequency*	*%*
6	-	9,598	20.0 %
7	-	6,248	13.0 %
8	-	2,992	6.2 %
9	-	834	1.7 %
99	Did Not Attempt	5,597	11.7 %
Missing Data			
.	-	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

READ_RS_CLUSTER3: Reading Cluster Raw Score (RS) 3

Location: 430-431 (width: 2; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
0	-	2,308	4.8 %
1	-	1,564	3.3 %
2	-	3,511	7.3 %
3	-	5,748	12.0 %
4	-	6,959	14.5 %
5	-	7,144	14.9 %
6	-	5,785	12.1 %
7	-	3,308	6.9 %
8	-	1,058	2.2 %
9	-	180	0.4 %
99	Did Not Attempt	5,597	11.7 %
Missing Data			
.	-	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

READ_RS_CLUSTER4: Reading Cluster Raw Score (RS) 4

Location: 432-433 (width: 2; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
0	-	829	1.7 %
1	-	1,393	2.9 %
2	-	2,666	5.6 %
3	-	4,009	8.4 %
4	-	4,668	9.7 %
5	-	6,612	13.8 %

Value	*Label*	*Unweighted Frequency*	*%*
6	-	9,331	19.5 %
7	-	4,375	9.1 %
8	-	2,043	4.3 %
9	-	922	1.9 %
10	-	482	1.0 %
11	-	189	0.4 %
12	-	46	0.1 %
99	Did Not Attempt	5,597	11.7 %
Missing Data			
.	-	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

READ_RS_CLUSTER5: Reading Cluster Raw Score (RS) 5

Location: 434-435 (width: 2; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
0	-	493	1.0 %
1	-	938	2.0 %
2	-	2,241	4.7 %
3	-	4,422	9.2 %
4	-	8,244	17.2 %
5	-	5,844	12.2 %
6	-	5,406	11.3 %
7	-	5,073	10.6 %
8	-	3,224	6.7 %
9	-	1,249	2.6 %
10	-	319	0.7 %
11	-	93	0.2 %
12	-	19	0.0 %
99	Did Not Attempt	5,597	11.7 %
Missing Data			
.	-	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

READ_RS_CLUSTER6: Reading Cluster Raw Score (RS) 6

Location: 436-437 (width: 2; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
0	-	1,356	2.8 %
1	-	855	1.8 %
2	-	1,893	3.9 %
3	-	3,351	7.0 %
4	-	5,422	11.3 %
5	-	7,399	15.4 %
6	-	7,270	15.2 %
7	-	5,668	11.8 %
8	-	2,829	5.9 %
9	-	1,023	2.1 %
10	-	387	0.8 %
11	-	98	0.2 %
12	-	14	0.0 %
99	Did Not Attempt	5,597	11.7 %
Missing Data			
.	-	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

READ_PERF_CLUSTER1: Reading Cluster Performance Indicator 1

Location: 438-438 (width: 1; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
0	-	964	2.0 %
1	-	7,112	14.8 %
2	-	24,062	50.2 %
3	-	5,427	11.3 %
9	Not Available	5,597	11.7 %
Missing Data			
.	-	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

READ_PERF_CLUSTER2: Reading Cluster Performance Indicator 2

Location: 439-439 (width: 1; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
0	-	1,532	3.2 %
1	-	8,377	17.5 %
2	-	23,830	49.7 %

Value	*Label*	*Unweighted Frequency*	*%*
3	-	3,826	8.0 %
9	Not Available	5,597	11.7 %
Missing Data			
.	-	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

READ_PERF_CLUSTER3: Reading Cluster Performance Indicator 3

Location: 440-440 (width: 1; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
0	-	3,872	8.1 %
1	-	16,218	33.8 %
2	-	16,237	33.9 %
3	-	1,238	2.6 %
9	Not Available	5,597	11.7 %
Missing Data			
.	-	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

READ_PERF_CLUSTER4: Reading Cluster Performance Indicator 4

Location: 441-441 (width: 1; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
0	-	1,063	2.2 %
1	-	6,898	14.4 %
2	-	22,412	46.7 %
3	-	7,192	15.0 %
9	Not Available	5,597	11.7 %
Missing Data			
.	-	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

READ_PERF_CLUSTER5: Reading Cluster Performance Indicator 5

Location: 442-442 (width: 1; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
0	-	808	1.7 %

Value	*Label*	*Unweighted Frequency*	*%*
1	-	7,592	15.8 %
2	-	24,299	50.7 %
3	-	4,866	10.1 %
9	Not Available	5,597	11.7 %
Missing Data			
.	-	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

READ_PERF_CLUSTER6: Reading Cluster Performance Indicator 6

Location: 443-443 (width: 1; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
0	-	2,211	4.6 %
1	-	13,159	27.4 %
2	-	20,305	42.4 %
3	-	1,890	3.9 %
9	Not Available	5,597	11.7 %
Missing Data			
.	-	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

READ_CONS_CLUSTER1: Reading Cluster Consistency Index 1

Location: 444-444 (width: 1; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
1	Consistent	29,199	60.9 %
2	Inconsistent	8,366	17.4 %
9	Not Available or Not Applicable	5,597	11.7 %
Missing Data			
.	-	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

READ_CONS_CLUSTER2: Reading Cluster Consistency Index 2

Location: 445-445 (width: 1; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
1	Consistent	29,272	61.1 %

Value	*Label*	*Unweighted Frequency*	*%*
2	Inconsistent	8,293	17.3 %
9	Not Available or Not Applicable	5,597	11.7 %
Missing Data			
.	-	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

READ_CONS_CLUSTER3: Reading Cluster Consistency Index 3

Location: 446-446 (width: 1; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
1	Consistent	26,202	54.7 %
2	Inconsistent	11,363	23.7 %
9	Not Available or Not Applicable	5,597	11.7 %
Missing Data			
.	-	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

READ_CONS_CLUSTER4: Reading Cluster Consistency Index 4

Location: 447-447 (width: 1; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
1	Consistent	29,819	62.2 %
2	Inconsistent	7,746	16.2 %
9	Not Available or Not Applicable	5,597	11.7 %
Missing Data			
.	-	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

READ_CONS_CLUSTER5: Reading Cluster Consistency Index 5

Location: 448-448 (width: 1; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
1	Consistent	29,031	60.6 %
2	Inconsistent	8,534	17.8 %
9	Not Available or Not Applicable	5,597	11.7 %
Missing Data			
.	-	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

READ_CONS_CLUSTER6: Reading Cluster Consistency Index 6

Location: 449-449 (width: 1; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
1	Consistent	22,338	46.6 %
2	Inconsistent	15,227	31.8 %
9	Not Available or Not Applicable	5,597	11.7 %
Missing Data			
.	-	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

NORM_YR: Norm Year

Location: 450-451 (width: 2; decimal: 0)
Variable Type: numeric

Value	*Unweighted Frequency*	*%*
95	43,162	90.0 %
Missing Data		
.	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

NORM_TYPE: Norm Type

Location: 452-452 (width: 1; decimal: 0)
Variable Type: numeric

Value	*Unweighted Frequency*	*%*
1	43,162	90.0 %
Missing Data		
.	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

NORM_GRADE: Grade

Location: 453-488 (width: 36; decimal: 0)
Variable Type: character

Value	*Unweighted Frequency*	*%*
	4,781	10.0 %
04	9,291	19.4 %
05	9,533	19.9 %

Value	*Unweighted Frequency*	*%*
06	9,317	19.4 %
07	8,050	16.8 %
08	6,971	14.5 %

Based upon 47,943 valid cases out of 47,943 total cases.

NORM_SEMESTER: Semester

Location: 489-489 (width: 1; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
8	Spring	43,162	90.0 %
Missing Data			
.	-	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

NORM_INTERPOLATED: Interpolated Norms Pd. No.

Location: 490-525 (width: 36; decimal: 0)
Variable Type: character

Value	*Unweighted Frequency*	*%*
	47,943	100.0 %

Based upon 47,943 valid cases out of 47,943 total cases.

DOMAIN_PR1: Domain Percentile Rank (PR) 1

Location: 526-527 (width: 2; decimal: 0)
Variable Type: numeric
Notes: frequencies are not available
Notes: categories are not available
Notes: summary statistics are available

Based upon 43,162 valid cases out of 47,943 total cases.

- Mean: 37.87
- Median: 36.00
- Mode: 0.00
- Minimum: 0
- Maximum: 99
- Standard Deviation: 27.09

DOMAIN_STANINE1: Domain Stanine (S) 1

Location: 528-528 (width: 1; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
0	Not Available	5,748	12.0 %
1	-	1,817	3.8 %
2	-	1,874	3.9 %
3	-	4,654	9.7 %
4	-	8,607	18.0 %
5	-	9,064	18.9 %
6	-	7,459	15.6 %
7	-	2,848	5.9 %
8	-	857	1.8 %
9	-	234	0.5 %
Missing Data			
.	-	4,781	10.0 %

Based upon 43,162 valid cases out of 47,943 total cases.

DOMAIN_NCE1: Domain Normal Curve Equivalent (NCE) 1

Location: 529-533 (width: 5; decimal: 2)
Variable Type: numeric
Notes: frequencies are not available
Notes: categories are not available
Notes: summary statistics are available

Based upon 43,162 valid cases out of 47,943 total cases.

- Mean: 39.28
- Median: 42.50
- Mode: 0.00
- Minimum: 0
- Maximum: 99
- Standard Deviation: 22.17

SECTIONSTATUS: Section Status

Location: 534-534 (width: 1; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
1	Dropped from study	263	0.5 %
2	Eligible	44,919	93.7 %
3	Ineligible	32	0.1 %
4	Teacher Withdrawn	2,729	5.7 %

Based upon 47,943 valid cases out of 47,943 total cases.

SECTIONSTATUSDATE: Section Status Date

Location: 535-570 (width: 36; decimal: 0)

Variable Type: character

Value	*Unweighted Frequency*	*%*
	44,877	93.6 %
01/01/2010	171	0.4 %
04/20/2010	885	1.8 %
04/21/2010	200	0.4 %
04/23/2010	18	0.0 %
05/01/2010	29	0.1 %
05/03/2010	30	0.1 %
05/05/2010	384	0.8 %
05/07/2010	61	0.1 %
05/11/2010	29	0.1 %
05/13/2010	77	0.2 %
05/19/2010	48	0.1 %
05/25/2010	25	0.1 %
06/04/2010	53	0.1 %
06/07/2010	154	0.3 %
06/08/2010	20	0.0 %
06/23/2010	60	0.1 %
07/02/2010	42	0.1 %
07/14/2010	593	1.2 %
07/22/2010	20	0.0 %
08/24/2010	155	0.3 %
11/11/2010	12	0.0 %

Based upon 47,943 valid cases out of 47,943 total cases.

STUDENT_STATUS: Student Status

Location: 571-571 (width: 1; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
0	-	3	0.0 %
1	Assessed	37,179	77.5 %
2	Absent	1,795	3.7 %
3	Parent Refusal	463	1.0 %
4	Excluded	227	0.5 %
5	Withdrawn from class/school	1,252	2.6 %
6	Not assessed, reason unknown	4,736	9.9 %
7	-	2,288	4.8 %

Based upon 47,943 valid cases out of 47,943 total cases.