



ICPSR 34402

## Juvenile Residential Facility Census, 2008 [United States]

*United States Department of Justice.  
Office of Justice Programs. Office of  
Juvenile Justice and Delinquency  
Prevention*

Codebook



Office of Juvenile Justice  
and Delinquency Prevention

# ICPSR

P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)



# Terms of Use

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/34402/terms>

## Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### NOTICE

#### WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.



## ICPSR CODEBOOK NOTES

- 1) Due to the sensitive nature of the data and to protect respondent confidentiality, the data are restricted from general dissemination. Users interested in utilizing these data must complete an Application for Use of the ICPSR Data Enclave. Information about the ICPSR Data Enclave can be found under [Enclave Data](#) on the ICPSR Web site. Researchers can also download a copy of the Application for Use of the ICPSR Data Enclave as a Portable Document (PDF) file from the download page associated with this dataset.

Completed forms should be returned to: Director, National Archive of Criminal Justice Data, Inter-university Consortium for Political and Social Research, Institute for Social Research, P.O. Box 1248, University of Michigan, Ann Arbor, MI 48106-1248, or by fax: 734-647-8200.

- 2) Individual years of data from the Census of Juveniles in Residential Placement (CJRP) and Juvenile Residential Facility Census (JRFC), a complement to the CJRP data, are available through enclave access. Users interested in utilizing the enclave data must complete an Application for Use of the ICPSR Data Enclave. Additional data in the [CJRP Series](#), [JRFC Series](#), and the [Matched CJRP/JRFC Series](#) are available through the National Archive of Criminal Justice Data's Restricted Survey Documentation and Analysis (RSDA) system. Users interested in accessing these data through NACJD's RSDA system can apply online for access via the ICPSR restricted data contract portal.
- 3) Some facilities in the JRFC were not able to provide all of the information requested in the questionnaire. In such cases, data are imputed from complete records to fill in incomplete records. Therefore, reported JRFC estimates regarding facility characteristics may differ from their actual characteristics and counts of juveniles in custody may differ from the actual counts.

For JRFC 2008, the enclave data contain 11 imputation flag variables that identify whether a record in a particular variable represents actual data or estimated data. Each imputation flag variable is designated by an appended “\_F” in the variable name and contains “FLAG” in the variable label. Users should be aware that the imputation flag variables are only available through Enclave Access and are not available via the RSDA system.

- 4) By statute and regulation, the Office of Juvenile Justice and Delinquency Prevention (OJJDP) must protect the privacy of individuals included in its surveys. CJRP and JRFC data are only to be used for research and statistical purposes.
- 5) Most variables in the dataset correspond to questions in the original 2008 Juvenile Residential Facility Census questionnaire (form CJ-15), which is available through the "Browse Documentation" page for this study. The variable names in the data generally correspond to both the section and question numbers in the original questionnaire. For instance, the variable S3Q2 corresponds to question 2 (“How many young persons died while assigned beds at this facility during the year between October 1, 2007 and September 30, 2008?”) in Section 3 – The Last Year. The data also contain a few

administrative and miscellaneous variables that do not directly correspond to items in the CJ-15 form.

- 6) Due to confidentiality concerns, ICPSR masked respondent contact information. Specifically, the original content of the following variables is not available to secondary users of the data, even through the ICPSR Data Enclave:

<b>Variable Name</b>	<b>Variable Label</b>
NAME	RESPONDENT NAME
TITLE	RESPONDENT TITLE
ADDRESS	BUSINESS ADDRESS
PO_BOX	PO BOX
CITY	CITY
ZIP	ZIP CODE + 4
EMAIL	EMAIL ADDRESS
PHONE	TELEPHONE NUMBER
PHONE_EXT	TELEPHONE EXTENSION
FAX	FAX NUMBER

- 7) Users should be aware that this data collection may contain undocumented codes. These codes were not labeled by the principal investigators nor were they labeled by ICPSR.
- 8) ICPSR retained several variables in the JRFC 2008 data even though all values in these variables are either blank or declared missing. The original data submitted to ICPSR for archiving did not contain any valid responses for these variables. For additional information about the percent of cases with missing values in the data, users can consult the “Distribution of Variables by Percentage of Missing Values” table in the Data Completeness Report section of the User Guide, which includes a list of variables that have 100% missing values.
- 9) ICPSR recoded blanks in numeric variables to -9 and labeled them Blank.
- 10) Additional information about the JRFC and other national juvenile corrections data collections sponsored by OJJDP is available from the [National Juvenile Corrections Data Resource Guide](#).

# ICPSR 34402

## Juvenile Residential Facility Census, 2008 [United States]

### Variable Description and Frequencies

**Note:** Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

## Juvenile Residential Facility Census, 2008 [United States]

ID	IDENTIFICATION NUMBER
----	-----------------------

Location: 1-21 (width: 21; decimal: 0)  
 Variable Type: character  
 Based upon 2819 valid cases out of 2819 total cases.

STATE	STATE
-------	-------

Location: 22-23 (width: 2; decimal: 0)  
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Alabama	70	2.5 %
2	Alaska	23	0.8 %
3	Arizona	52	1.8 %
4	Arkansas	39	1.4 %
5	California	246	8.7 %
6	Colorado	57	2.0 %
7	Connecticut	21	0.7 %
8	Delaware	7	0.2 %
9	District of Columbia	10	0.4 %
10	Florida	121	4.3 %
11	Georgia	56	2.0 %
12	Hawaii	10	0.4 %
13	Idaho	30	1.1 %
14	Illinois	47	1.7 %
15	Indiana	87	3.1 %
16	Iowa	75	2.7 %
17	Kansas	46	1.6 %
18	Kentucky	54	1.9 %
19	Louisiana	47	1.7 %
20	Maine	12	0.4 %
21	Maryland	41	1.5 %
22	Massachusetts	56	2.0 %
23	Michigan	87	3.1 %
24	Minnesota	91	3.2 %
25	Mississippi	17	0.6 %
26	Missouri	77	2.7 %
27	Montana	22	0.8 %
28	Nebraska	18	0.6 %
29	Nevada	28	1.0 %
30	New Hampshire	8	0.3 %



- Study 34402 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
31	New Jersey	55	2.0 %
32	New Mexico	24	0.9 %
33	New York	188	6.7 %
34	North Carolina	62	2.2 %
35	North Dakota	14	0.5 %
36	Ohio	100	3.5 %
37	Oklahoma	60	2.1 %
38	Oregon	49	1.7 %
39	Pennsylvania	181	6.4 %
40	Rhode Island	19	0.7 %
41	South Carolina	33	1.2 %
42	South Dakota	26	0.9 %
43	Tennessee	54	1.9 %
44	Texas	119	4.2 %
45	Utah	46	1.6 %
46	Vermont	5	0.2 %
47	Virginia	63	2.2 %
48	Washington	38	1.3 %
49	West Virginia	30	1.1 %
50	Wisconsin	74	2.6 %
51	Wyoming	24	0.9 %

Based upon 2819 valid cases out of 2819 total cases.

- Mean: 25.47
- Median: 26.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 51.00
- Standard Deviation: 14.80

TYPE	FACILITY TYPE
------	---------------

Location: 24-24 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	State	471	16.7 %
1	County	627	22.2 %
2	City	52	1.8 %
4	Special district	2	0.1 %
7	Tribal agencies	9	0.3 %

- Study 34402 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	Private	1658	58.8 %

Based upon 2819 valid cases out of 2819 total cases.

- Mean: 4.99
- Median: 8.00
- Mode: 8.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 3.63

**COUNTY COUNTY FACILITY IS LOCATED**

Location: 25-27 (width: 3; decimal: 0)

Variable Type: numeric

Based upon 2819 valid cases out of 2819 total cases.

- Mean: 32.64
- Median: 25.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 246.00
- Standard Deviation: 34.16

**UNIT UNIT**

Location: 28-30 (width: 3; decimal: 0)

Variable Type: numeric

Based upon 2819 valid cases out of 2819 total cases.

- Mean: 10.69
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 701.00
- Standard Deviation: 35.35

**SECTOR SECTOR**

Location: 31-31 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	2819	100.0 %

Based upon 2819 valid cases out of 2819 total cases.

- Study 34402 -

- Mean: 5.00
- Median: 5.00
- Mode: 5.00
- Minimum: 5.00
- Maximum: 5.00
- Standard Deviation: 0.00

**AGENCY**

**AGENCY**

Location: 32-36 (width: 5; decimal: 0)  
Variable Type: numeric  
Based upon 2819 valid cases out of 2819 total cases.

- Mean: 40277.45
- Minimum: 10.00
- Maximum: 76100.00
- Standard Deviation: 25606.45

**CR**

**CR**

Location: 37-39 (width: 3; decimal: 0)  
Variable Type: numeric  
Based upon 2819 valid cases out of 2819 total cases.

- Mean: 221.59
- Minimum: 0.00
- Maximum: 814.00
- Standard Deviation: 275.85

**CRFAC**

**CRFAC**

Location: 40-41 (width: 2; decimal: 0)  
Variable Type: numeric  
Based upon 2819 valid cases out of 2819 total cases.

- Mean: 4.51
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 61.00
- Standard Deviation: 8.55

**NAME**

**RESPONDENT NAME**

Location: 42-91 (width: 50; decimal: 0)  
Variable Type: character

- Study 34402 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	20	0.7 %
MASKED	2799	99.3 %

Based upon 2819 valid cases out of 2819 total cases.

<b>TITLE</b>	<b>RESPONDENT TITLE</b>
--------------	-------------------------

Location: 92-123 (width: 32; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	28	1.0 %
MASKED	2791	99.0 %

Based upon 2819 valid cases out of 2819 total cases.

<b>ADDRESS</b>	<b>BUSINESS ADDRESS</b>
----------------	-------------------------

Location: 124-168 (width: 45; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	574	20.4 %
MASKED	2245	79.6 %

Based upon 2819 valid cases out of 2819 total cases.

<b>PO_BOX</b>	<b>PO BOX</b>
---------------	---------------

Location: 169-213 (width: 45; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	2267	80.4 %
MASKED	552	19.6 %

Based upon 2819 valid cases out of 2819 total cases.

<b>CITY</b>	<b>CITY</b>
-------------	-------------

Location: 214-245 (width: 32; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	233	8.3 %
MASKED	2586	91.7 %

- Study 34402 -

Based upon 2819 valid cases out of 2819 total cases.

**STATE\_ABBR STATE**

Location: 246-247 (width: 2; decimal: 0)  
 Variable Type: character  
 Based upon 2819 valid cases out of 2819 total cases.

**ZIP ZIP CODE + 4**

Location: 248-256 (width: 9; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97	MASKED	2559	90.8 %
-9 (M)	Blank	260	9.2 %

Based upon 2559 valid cases out of 2819 total cases.

- Mean: 97.00
- Median: 97.00
- Mode: 97.00
- Minimum: 97.00
- Maximum: 97.00
- Standard Deviation: 0.00

**EMAIL EMAIL ADDRESS**

Location: 257-306 (width: 50; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	529	18.8 %
MASKED	2290	81.2 %

Based upon 2819 valid cases out of 2819 total cases.

**PHONE TELEPHONE NUMBER**

Location: 307-316 (width: 10; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97	MASKED	2772	98.3 %
-9 (M)	Blank	47	1.7 %

- Study 34402 -

Based upon 2772 valid cases out of 2819 total cases.

- Mean: 97.00
- Median: 97.00
- Mode: 97.00
- Minimum: 97.00
- Maximum: 97.00
- Standard Deviation: 0.00

PHONE_EXT	TELEPHONE EXTENSION
-----------	---------------------

Location: 317-320 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97	MASKED	977	34.7 %
-9 (M)	Blank	1842	65.3 %

Based upon 977 valid cases out of 2819 total cases.

- Mean: 97.00
- Median: 97.00
- Mode: 97.00
- Minimum: 97.00
- Maximum: 97.00
- Standard Deviation: 0.00

FAX	FAX NUMBER
-----	------------

Location: 321-330 (width: 10; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
97	MASKED	2348	83.3 %
-9 (M)	Blank	471	16.7 %

Based upon 2348 valid cases out of 2819 total cases.

- Mean: 97.00
- Median: 97.00
- Mode: 97.00
- Minimum: 97.00
- Maximum: 97.00
- Standard Deviation: 0.00

- Study 34402 -

**S1Q1 ADDRESS CORRECT**

Location: 331-332 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	335	11.9 %
1	Yes	2183	77.4 %
-9 (M)	Blank	301	10.7 %

Based upon 2518 valid cases out of 2819 total cases.

- Mean: 0.87
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

**S1Q2 PHYSICAL LAYOUT OF FACILITY**

Location: 333-334 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Part of 1 bldg	451	16.0 %
2	All of 1 bldg	1267	44.9 %
3	>1 at same site	780	27.7 %
4	Other	17	0.6 %
-9 (M)	Blank	304	10.8 %

Based upon 2515 valid cases out of 2819 total cases.

- Mean: 2.14
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.70

**S1Q2\_O PHYSICAL LAYOUT - OTHER SPECIFY**

Location: 335-359 (width: 25; decimal: 0)  
 Variable Type: character

Based upon 2819 valid cases out of 2819 total cases.

- Study 34402 -

**S1Q3 OTHER BLDGS W/UNITS - BEDS**

Location: 360-361 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2162	76.7 %
1	Yes	352	12.5 %
-9 (M)	Blank	304	10.8 %
9 (M)	Don't know	1	0.0 %

Based upon 2514 valid cases out of 2819 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

**S1Q4 ANY DETENTION OVERFLOW**

Location: 362-363 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2468	87.5 %
1	Yes	46	1.6 %
-9 (M)	Blank	304	10.8 %
9 (M)	Don't know	1	0.0 %

Based upon 2514 valid cases out of 2819 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

**S1Q5A ANY PERSONS ASSIGNED BEDS**

Location: 364-364 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 9



- Study 34402 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	2819	100.0 %

Based upon 2819 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q5B NUMBER ASSIGNED BEDS**

Location: 365-368 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 9999

<i>Value</i>	<i>Label</i>
9999 (M)	Don't know

Based upon 2819 valid cases out of 2819 total cases.

- Mean: 33.76
- Median: 16.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 851.00
- Standard Deviation: 51.99

**S1Q5B\_F NUMBER ASSIGNED BEDS - FLAG**

Location: 369-370 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Actual data	2819	100.0 %

Based upon 2819 valid cases out of 2819 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

- Study 34402 -

**S1Q6 NUMBER ASSIGNED BEDS >21 YRS**

Location: 371-374 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 9999

<i>Value</i>	<i>Label</i>
-9 (M)	Blank
9999 (M)	Don't know

Based upon 2802 valid cases out of 2819 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 171.00
- Standard Deviation: 3.68

**S1Q6\_F NUMBER ASSIGNED BEDS >21 YRS - FLAG**

Location: 375-376 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Actual data	2819	100.0 %

Based upon 2819 valid cases out of 2819 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

**S1Q7A ANY PERSONS UNDER 21 YRS**

Location: 377-377 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	2819	100.0 %

Based upon 2819 valid cases out of 2819 total cases.

- Study 34402 -

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q7B NUMBER ASSIGNED <21**

Location: 378-381 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 9999

<i>Value</i>	<i>Label</i>
9999 (M)	Don't know

Based upon 2819 valid cases out of 2819 total cases.

- Mean: 33.58
- Median: 16.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 851.00
- Standard Deviation: 51.30

**S1Q7B\_F NUMBER ASSIGNED <21 - FLAG**

Location: 382-383 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Actual data	2819	100.0 %

Based upon 2819 valid cases out of 2819 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

**S1Q8A ANY ASSIGNED FOR OFFENSE**

Location: 384-384 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 9

- Study 34402 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	396	14.0 %
1	Yes	2422	85.9 %
9 (M)	Don't know	1	0.0 %

Based upon 2818 valid cases out of 2819 total cases.

- Mean: 0.86
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

**S1Q8B NUMBER ASSIGNED FOR OFFENSE**

Location: 385-388 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 9999

<i>Value</i>	<i>Label</i>
-9 (M)	Blank
9999 (M)	Don't know

Based upon 2472 valid cases out of 2819 total cases.

- Mean: 31.99
- Median: 14.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 851.00
- Standard Deviation: 52.48

**S1Q8B\_F NUMBER ASSIGNED FOR OFFENSE - FLAG**

Location: 389-390 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Actual data	2784	98.8 %
1	Estimated data	34	1.2 %
8 (M)	Refusal	1	0.0 %

Based upon 2818 valid cases out of 2819 total cases.

- Mean: 0.01

- Study 34402 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

**S1Q9A ANY ASSIGNED FOR NON-OFFENSE**

Location: 391-391 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1638	58.1 %
1	Yes	1180	41.9 %
9 (M)	Don't know	1	0.0 %

Based upon 2818 valid cases out of 2819 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

**S1Q9B NUMBER ASSIGNED FOR NON-OFFENSE**

Location: 392-395 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 9999

<i>Value</i>	<i>Label</i>
-9 (M)	Blank
9999 (M)	Don't know

Based upon 1873 valid cases out of 2819 total cases.

- Mean: 8.32
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 274.00
- Standard Deviation: 18.53

**S1Q9B\_F NUMBER ASSIGNED FOR NON-OFFENSE - FLAG**

Location: 396-397 (width: 2; decimal: 0)

- Study 34402 -

Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Actual data	2790	99.0 %
1	Estimated data	28	1.0 %
8 (M)	Refusal	1	0.0 %

Based upon 2818 valid cases out of 2819 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

**S1Q10A ON SITE RESIDENTIAL TREATMENT**

Location: 398-399 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	887	31.5 %
1	Yes	1628	57.8 %
-9 (M)	Blank	304	10.8 %

Based upon 2515 valid cases out of 2819 total cases.

- Mean: 0.65
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

**S1Q10B\_1 RT - MENTAL HEALTH**

Location: 400-401 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1341	47.6 %
-9 (M)	Blank	1478	52.4 %

- Study 34402 -

Based upon 1341 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q10B\_2**

**RT - SUBSTANCE ABUSE**

Location: 402-403 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1028	36.5 %
-9 (M)	Blank	1791	63.5 %

Based upon 1028 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q10B\_3**

**RT - SEX OFFENDER**

Location: 404-405 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	500	17.7 %
-9 (M)	Blank	2319	82.3 %

Based upon 500 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

- Study 34402 -

**S1Q10B\_4 RT - TREATMENT ARSONISTS**

Location: 406-407 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	118	4.2 %
-9 (M)	Blank	2701	95.8 %

Based upon 118 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q10B\_5 RT - TREATMENT VIOLENT OFFENDERS**

Location: 408-409 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	284	10.1 %
-9 (M)	Blank	2535	89.9 %

Based upon 284 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q10B\_6 RT - OTHER**

Location: 410-411 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	308	10.9 %
-9 (M)	Blank	2511	89.1 %



- Study 34402 -

Based upon 308 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q10B\_O RT - OTHER SPECIFY**

Location: 412-436 (width: 25; decimal: 0)  
 Variable Type: character  
 Based upon 2819 valid cases out of 2819 total cases.

**S1Q11 PROVIDE FOSTER CARE**

Location: 437-438 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes, all	162	5.7 %
2	Yes, some	158	5.6 %
3	No	2194	77.8 %
-9 (M)	Blank	304	10.8 %
9 (M)	Don't know	1	0.0 %

Based upon 2514 valid cases out of 2819 total cases.

- Mean: 2.81
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.53

**S1Q12 PROVIDE INDEPENDENT LIVING**

Location: 439-440 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2097	74.4 %
1	Yes	416	14.8 %

- Study 34402 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	304	10.8 %
9 (M)	Don't know	2	0.1 %

Based upon 2513 valid cases out of 2819 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

**S1Q13\_1 FACILITY - DETENTION CENTER**

Location: 441-442 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	734	26.0 %
-9 (M)	Blank	2085	74.0 %

Based upon 734 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q13\_2 FACILITY - TRAINING SCHOOL**

Location: 443-444 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	209	7.4 %
-9 (M)	Blank	2610	92.6 %

Based upon 209 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00

- Study 34402 -

- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q13\_3 FACILITY - RECEPTION/DIAGNOSTIC CENTER**

Location: 445-446 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	68	2.4 %
-9 (M)	Blank	2751	97.6 %

Based upon 68 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q13\_4 FACILITY - GROUP HOME/HALFWAY HOUSE**

Location: 447-448 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	812	28.8 %
-9 (M)	Blank	2007	71.2 %

Based upon 812 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q13\_5 FACILITY - BOOT CAMP**

Location: 449-450 (width: 2; decimal: 0)  
 Variable Type: numeric

- Study 34402 -

Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	31	1.1 %
-9 (M)	Blank	2788	98.9 %

Based upon 31 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q13\_6 FACILITY - RESIDENTIAL TREATMENT CNTR**

Location: 451-452 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	995	35.3 %
-9 (M)	Blank	1824	64.7 %

Based upon 995 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q13\_7 FACILITY - RANCH, CAMP, ETC.**

Location: 453-454 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	86	3.1 %
-9 (M)	Blank	2733	96.9 %

Based upon 86 valid cases out of 2819 total cases.

- Mean: 1.00

- Study 34402 -

- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q13\_8 FACILITY - RUNAWAY/HOMELESS SHELTER**

Location: 455-456 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	117	4.2 %
-9 (M)	Blank	2702	95.8 %

Based upon 117 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q13\_9 FACILITY - OTHER SHELTER**

Location: 457-458 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	170	6.0 %
-9 (M)	Blank	2649	94.0 %

Based upon 170 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q13\_10 FACILITY - OTHER**

Location: 459-460 (width: 2; decimal: 0)  
Variable Type: numeric

- Study 34402 -

Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	147	5.2 %
-9 (M)	Blank	2672	94.8 %

Based upon 147 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q13\_O FACILITY - OTHER SPECIFY**

Location: 461-485 (width: 25; decimal: 0)

Variable Type: character

Based upon 2819 valid cases out of 2819 total cases.

**S1Q14A SEPARATE HOUSING UNITS**

Location: 486-487 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , 8 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1828	64.8 %
1	Yes	687	24.4 %
-9 (M)	Blank	304	10.8 %

Based upon 2515 valid cases out of 2819 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

**S1Q14B\_1 UNITS DIFFER - AVG LENGTH OF STAY**

Location: 488-489 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , 8

- Study 34402 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	261	9.3 %
-9 (M)	Blank	2558	90.7 %

Based upon 261 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q14B\_2 UNITS DIFFER - PHYSICAL SECURITY**

Location: 490-491 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	378	13.4 %
-9 (M)	Blank	2441	86.6 %

Based upon 378 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q14B\_3 UNITS DIFFER - # OF STAFF/PERSON**

Location: 492-493 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	203	7.2 %
-9 (M)	Blank	2616	92.8 %

Based upon 203 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00

- Study 34402 -

- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q14B\_4 UNITS DIFFER - TYPE OF TRTMNT PRGRM**

Location: 494-495 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	344	12.2 %
-9 (M)	Blank	2475	87.8 %

Based upon 344 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q14B\_5 UNITS DIFFER - CHRCTRSTCS OF PRSNS**

Location: 496-497 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	371	13.2 %
-9 (M)	Blank	2448	86.8 %

Based upon 371 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q14B\_6 UNITS DIFFER - STAFF SELECTION**

Location: 498-499 (width: 2; decimal: 0)  
 Variable Type: numeric



- Study 34402 -

Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	93	3.3 %
-9 (M)	Blank	2726	96.7 %

Based upon 93 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q14B\_7 UNITS DIFFER - OTHER**

Location: 500-501 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	57	2.0 %
-9 (M)	Blank	2762	98.0 %

Based upon 57 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q14B\_O UNITS DIFFER - OTHER SPECIFY**

Location: 502-526 (width: 25; decimal: 0)

Variable Type: character

Based upon 2819 valid cases out of 2819 total cases.

**S1Q14C\_1 UNITS DIFFER - 2+ TYPES OF CARE**

Location: 527-528 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , 8

- Study 34402 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	373	13.2 %
-9 (M)	Blank	2446	86.8 %

Based upon 373 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q14C\_2 UNITS DIFFER - SEPARATE UNITS**

Location: 529-530 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	136	4.8 %
-9 (M)	Blank	2683	95.2 %

Based upon 136 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q14C\_3 UNITS DIFFER - 2+ LEVELS OF SECURITY**

Location: 531-532 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	281	10.0 %
-9 (M)	Blank	2538	90.0 %

Based upon 281 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00

- Study 34402 -

- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q14C\_4 UNITS DIFFER - OTHER REASON**

Location: 533-534 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	147	5.2 %
-9 (M)	Blank	2672	94.8 %

Based upon 147 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q14C\_O UNITS DIFFER - OTHER SPECIFY**

Location: 535-559 (width: 25; decimal: 0)  
Variable Type: character  
Based upon 2819 valid cases out of 2819 total cases.

**S1Q14D\_1 UNITS DIFFER - SAME AGENCY**

Location: 560-561 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	665	23.6 %
-9 (M)	Blank	2154	76.4 %

Based upon 665 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

- Study 34402 -

**S1Q14D\_2 UNITS DIFFER - SAME MAILING ADDRESS**

Location: 562-563 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	676	24.0 %
-9 (M)	Blank	2143	76.0 %

Based upon 676 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q14D\_3 UNITS DIFFER - SAME ADMINISTRATORS**

Location: 564-565 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	662	23.5 %
-9 (M)	Blank	2157	76.5 %

Based upon 662 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q14D\_4 UNITS DIFFER - 1+ STAFF**

Location: 566-567 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	579	20.5 %
-9 (M)	Blank	2240	79.5 %

- Study 34402 -

Based upon 579 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q14D\_5 UNITS DIFFER - 1+ SECURITY STAFF**

Location: 568-569 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	415	14.7 %
-9 (M)	Blank	2404	85.3 %

Based upon 415 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q14D\_6 UNITS DIFFER - SAME SCHOOL ROOMS**

Location: 570-571 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	462	16.4 %
-9 (M)	Blank	2357	83.6 %

Based upon 462 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

- Study 34402 -

**S1Q14D\_7 UNITS DIFFER - SAME DINING ROOM**

Location: 572-573 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	321	11.4 %
-9 (M)	Blank	2498	88.6 %

Based upon 321 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q14D\_8 UNITS DIFFER - SAME REC AREAS**

Location: 574-575 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	327	11.6 %
-9 (M)	Blank	2492	88.4 %

Based upon 327 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q14D\_9 UNITS DIFFER - SAME LAUNDRY**

Location: 576-577 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	487	17.3 %
-9 (M)	Blank	2332	82.7 %

- Study 34402 -

Based upon 487 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q14D10 UNITS DIFFER - NONE OF THE ABOVE**

Location: 578-579 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1	0.0 %
-9 (M)	Blank	2818	100.0 %

Based upon 1 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q15A FACILITY OWNED BY:**

Location: 580-581 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Private agency	1310	46.5 %
2	Government agency	1215	43.1 %
-9 (M)	Blank	294	10.4 %

Based upon 2525 valid cases out of 2819 total cases.

- Mean: 1.48
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

- Study 34402 -

**S1Q15B NAME OF PRIVATE AGENCY**

Location: 582-606 (width: 25; decimal: 0)  
 Variable Type: character  
 Based upon 2819 valid cases out of 2819 total cases.

**S1Q16\_1 FACILITY OWNED - TRIBAL**

Location: 607-608 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	8	0.3 %
-9 (M)	Blank	2811	99.7 %

Based upon 8 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q16\_2 FACILITY OWNED - STATE**

Location: 609-610 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	521	18.5 %
-9 (M)	Blank	2298	81.5 %

Based upon 521 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q16\_3 FACILITY OWNED - COUNTY**

Location: 611-612 (width: 2; decimal: 0)



- Study 34402 -

Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	656	23.3 %
-9 (M)	Blank	2163	76.7 %

Based upon 656 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q16\_4 FACILITY OWNED - MUNICIPAL**

Location: 613-614 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	31	1.1 %
-9 (M)	Blank	2788	98.9 %

Based upon 31 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q16\_5 FACILITY OWNED - OTHER**

Location: 615-616 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	23	0.8 %
-9 (M)	Blank	2796	99.2 %

Based upon 23 valid cases out of 2819 total cases.

- Study 34402 -

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q16\_O FACILITY OWNED - OTHER SPECIFY**

Location: 617-641 (width: 25; decimal: 0)  
 Variable Type: character  
 Based upon 2819 valid cases out of 2819 total cases.

**S1Q17A FACILITY OPERATED BY:**

Location: 642-643 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Private agency	1661	58.9 %
2	Government agency	1158	41.1 %

Based upon 2819 valid cases out of 2819 total cases.

- Mean: 1.41
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.49

**S1Q17B NAME OF OPERATING PRIVATE AGENCY**

Location: 644-668 (width: 25; decimal: 0)  
 Variable Type: character  
 Based upon 2819 valid cases out of 2819 total cases.

**S1Q18\_1 FACILITY OPERATED - TRIBAL**

Location: 669-670 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	7	0.2 %
-9 (M)	Blank	2812	99.8 %

- Study 34402 -

Based upon 7 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q18\_2 FACILITY OPERATED - STATE**

Location: 671-672 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	485	17.2 %
-9 (M)	Blank	2334	82.8 %

Based upon 485 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q18\_3 FACILITY OPERATED - COUNTY**

Location: 673-674 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	619	22.0 %
-9 (M)	Blank	2200	78.0 %

Based upon 619 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

- Study 34402 -

**S1Q18\_4 FACILITY OPERATED - MUNICIPAL**

Location: 675-676 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	26	0.9 %
-9 (M)	Blank	2793	99.1 %

Based upon 26 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q18\_5 FACILITY OPERATED - OTHER**

Location: 677-678 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	31	1.1 %
-9 (M)	Blank	2788	98.9 %

Based upon 31 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q18\_O FACILITY OPERATED - OTHER SPECIFY**

Location: 679-703 (width: 25; decimal: 0)  
 Variable Type: character  
 Based upon 2819 valid cases out of 2819 total cases.

**S1Q19A ANY PERSONS LOCKED IN ROOMS**

Location: 704-705 (width: 2; decimal: 0)  
 Variable Type: numeric

- Study 34402 -

Range of Missing Values (M): -9 , 8 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1623	57.6 %
1	Yes	892	31.6 %
-9 (M)	Blank	304	10.8 %

Based upon 2515 valid cases out of 2819 total cases.

- Mean: 0.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

**S1Q19B\_1 LOCKED UP - WHEN OUT OF CONTROL**

Location: 706-707 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	685	24.3 %
-9 (M)	Blank	2134	75.7 %

Based upon 685 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q19B\_2 LOCKED UP - WHEN SUICIDAL**

Location: 708-709 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	219	7.8 %
-9 (M)	Blank	2600	92.2 %

Based upon 219 valid cases out of 2819 total cases.

- Study 34402 -

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q19B\_3**

**LOCKED UP - RARELY**

Location: 710-711 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	44	1.6 %
-9 (M)	Blank	2775	98.4 %

Based upon 44 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q19B\_4**

**LOCKED UP - SHIFT CHANGES**

Location: 712-713 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	441	15.6 %
-9 (M)	Blank	2378	84.4 %

Based upon 441 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q19B\_5**

**LOCKED UP - IN SLEEPING ROOMS**

- Study 34402 -

Location: 714-715 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	540	19.2 %
-9 (M)	Blank	2279	80.8 %

Based upon 540 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q19B\_6**      **LOCKED UP - AT NIGHT**

Location: 716-717 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	757	26.9 %
-9 (M)	Blank	2062	73.1 %

Based upon 757 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q19B\_7**      **LOCKED UP - PART OF EACH DAY**

Location: 718-719 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	222	7.9 %
-9 (M)	Blank	2597	92.1 %

Based upon 222 valid cases out of 2819 total cases.

- Study 34402 -

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q19B\_8**                      **LOCKED UP - MOST OF EACH DAY**

Location: 720-721 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	16	0.6 %
-9 (M)	Blank	2803	99.4 %

Based upon 16 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q19B\_9**                      **LOCKED UP - ALL OF EACH DAY**

Location: 722-723 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	4	0.1 %
-9 (M)	Blank	2815	99.9 %

Based upon 4 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q19B10**                      **LOCKED UP - OTHER**



- Study 34402 -

Location: 724-725 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	76	2.7 %
-9 (M)	Blank	2743	97.3 %

Based upon 76 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q19B\_O LOCKED UP - OTHER SPECIFY**

Location: 726-750 (width: 25; decimal: 0)  
 Variable Type: character  
 Based upon 2819 valid cases out of 2819 total cases.

**S1Q20\_1 CONFINED BY - DOORS SECURE ROOMS**

Location: 751-752 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	839	29.8 %
-9 (M)	Blank	1980	70.2 %

Based upon 839 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q20\_2 CONFINED BY - INTERNAL SECURITY**

Location: 753-754 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

- Study 34402 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	937	33.2 %
-9 (M)	Blank	1882	66.8 %

Based upon 937 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q20\_3**      **CONFINED BY - OUTSIDE DOORS**

Location: 755-756 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1071	38.0 %
-9 (M)	Blank	1748	62.0 %

Based upon 1071 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q20\_4**      **CONFINED BY - EX-GATES W/OUT RAZOR**

Location: 757-758 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	493	17.5 %
-9 (M)	Blank	2326	82.5 %

Based upon 493 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00

- Study 34402 -

- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q20\_5**      **CONFINED BY - EX-GATES W/ RAZOR**

Location: 759-760 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	500	17.7 %
-9 (M)	Blank	2319	82.3 %

Based upon 500 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q20\_6**      **CONFINED BY - OTHER**

Location: 761-762 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	53	1.9 %
-9 (M)	Blank	2766	98.1 %

Based upon 53 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q20\_O**      **CONFINED BY - OTHER SPECIFY**

Location: 763-787 (width: 25; decimal: 0)  
Variable Type: character

- Study 34402 -

Based upon 2819 valid cases out of 2819 total cases.

**S1Q20\_7**      **CONFINED BY - NONE OF THE ABOVE**

Location: 788-789 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1246	44.2 %
-9 (M)	Blank	1573	55.8 %

Based upon 1246 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q21A**      **OUTSIDE DOORS LOCKED**

Location: 790-791 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9 , 8 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	275	9.8 %
1	Yes	2240	79.5 %
-9 (M)	Blank	304	10.8 %

Based upon 2515 valid cases out of 2819 total cases.

- Mean: 0.89
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

**S1Q21B\_1**      **LOCKED - TO KEEP INTRUDERS OUT**

Location: 792-793 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9 , 8

- Study 34402 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	2058	73.0 %
-9 (M)	Blank	761	27.0 %

Based upon 2058 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q21B\_2**      **LOCKED - TO KEEP PERSONS INSIDE FACILITY**

Location: 794-795 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1095	38.8 %
-9 (M)	Blank	1724	61.2 %

Based upon 1095 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q21C\_1**      **LOCKED - RARELY**

Location: 796-797 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	29	1.0 %
-9 (M)	Blank	2790	99.0 %

Based upon 29 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00

- Study 34402 -

- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q21C\_2**      **LOCKED - AT NIGHT**

Location: 798-799 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	884	31.4 %
-9 (M)	Blank	1935	68.6 %

Based upon 884 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q21C\_3**      **LOCKED - PART OF EACH DAY**

Location: 800-801 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	125	4.4 %
-9 (M)	Blank	2694	95.6 %

Based upon 125 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q21C\_4**      **LOCKED - MOST OF EACH DAY**

Location: 802-803 (width: 2; decimal: 0)  
Variable Type: numeric

- Study 34402 -

Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	189	6.7 %
-9 (M)	Blank	2630	93.3 %

Based upon 189 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q21C\_5**                      **LOCKED - ALL OF EACH DAY**

Location: 804-805 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1385	49.1 %
-9 (M)	Blank	1434	50.9 %

Based upon 1385 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q21C\_6**                      **LOCKED - WHEN FACILITY IS UNOCCUPIED**

Location: 806-807 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	477	16.9 %
-9 (M)	Blank	2342	83.1 %

Based upon 477 valid cases out of 2819 total cases.

- Mean: 1.00

- Study 34402 -

- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q21C\_7**      **LOCKED - OTHER**

Location: 808-809 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9 , 8

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	38	1.3 %
-9 (M)	Blank	2781	98.7 %

Based upon 38 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q21C\_O**      **LOCKED - OTHER SPECIFY**

Location: 810-834 (width: 25; decimal: 0)  
Variable Type: character

Based upon 2819 valid cases out of 2819 total cases.

**S1Q22**      **TOTAL NUMBER STANDARD BEDS**

Location: 835-838 (width: 4; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): 9999

<i>Value</i>	<i>Label</i>
9999 (M)	Don't know

Based upon 2819 valid cases out of 2819 total cases.

- Mean: 44.48
- Median: 21.00
- Mode: 8.00
- Minimum: 2.00
- Maximum: 1200.00
- Standard Deviation: 70.56



- Study 34402 -

**S1Q22\_F TOTAL NUMBER STANDARD BEDS - FLAG**

Location: 839-840 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Actual data	2819	100.0 %

Based upon 2819 valid cases out of 2819 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

**S1Q23A OCCUPIED MAKESHIFT BEDS**

Location: 841-841 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): 8 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2739	97.2 %
1	Yes	80	2.8 %

Based upon 2819 valid cases out of 2819 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

**S1Q23B NUM MAKESHIFT BEDS**

Location: 842-844 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 999

<i>Value</i>	<i>Label</i>
-9 (M)	Blank
999 (M)	Don't know

Based upon 208 valid cases out of 2819 total cases.

- Study 34402 -

- Mean: 2.77
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 123.00
- Standard Deviation: 9.77

**S1Q23B\_F NUM MAKESHIFT BEDS - FLAG**

Location: 845-846 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Actual data	2818	100.0 %
1	Estimated data	1	0.0 %

Based upon 2819 valid cases out of 2819 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.02

**S1Q24\_1 OCCUPANTS PER ROOM - ONE PER ROOM**

Location: 847-848 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1571	55.7 %
-9 (M)	Blank	1248	44.3 %

Based upon 1571 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q24\_2 OCCUPANTS PER ROOM - TWO PER ROOM**

- Study 34402 -

Location: 849-850 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1347	47.8 %
-9 (M)	Blank	1472	52.2 %

Based upon 1347 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q24\_3 OCCUPANTS PER ROOM - THREE PER ROOM**

Location: 851-852 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	372	13.2 %
-9 (M)	Blank	2447	86.8 %

Based upon 372 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q24\_4 OCCUPANTS PER ROOM - FOUR PER ROOM**

Location: 853-854 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	231	8.2 %
-9 (M)	Blank	2588	91.8 %

Based upon 231 valid cases out of 2819 total cases.

- Study 34402 -

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q24\_5 OCCUPANTS PER ROOM - BTWN 5 AND 10 PER ROOM**

Location: 855-856 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	109	3.9 %
-9 (M)	Blank	2710	96.1 %

Based upon 109 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q24\_6 OCCUPANTS PER ROOM - BTWN 11 AND 25 PER ROOM**

Location: 857-858 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	147	5.2 %
-9 (M)	Blank	2672	94.8 %

Based upon 147 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q24\_7 OCCUPANTS PER ROOM - MORE THAN 25 PER ROOM**

- Study 34402 -

Location: 859-860 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	50	1.8 %
-9 (M)	Blank	2769	98.2 %

Based upon 50 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S1Q25 VOLUNTARY LARGE MUSCLE ACTIVITY**

Location: 861-862 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	124	4.4 %
1	Yes	2391	84.8 %
-9 (M)	Blank	304	10.8 %

Based upon 2515 valid cases out of 2819 total cases.

- Mean: 0.95
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

**S1Q26A REQUIRED LARGE MUSCLE ACTIVITY**

Location: 863-864 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1181	41.9 %
1	Yes	1334	47.3 %

- Study 34402 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	304	10.8 %

Based upon 2515 valid cases out of 2819 total cases.

- Mean: 0.53
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

**S1Q26B REQUIRED LARGE MUSCLE ACTIVITY PER DAY**

Location: 865-867 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>
-9 (M)	Blank

Based upon 1347 valid cases out of 2819 total cases.

- Mean: 59.89
- Median: 60.00
- Mode: 60.00
- Minimum: 0.00
- Maximum: 240.00
- Standard Deviation: 23.09

**S1Q26B\_F REQUIRED LARGE MUSCLE ACTIVITY PER DAY - FLAG**

Location: 868-869 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Actual data	2783	98.7 %
1	Estimated data	36	1.3 %

Based upon 2819 valid cases out of 2819 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

- Study 34402 -

**S1Q26C REQUIRED LARGE MUSCLE ACTIVITY - DAYS PER WEEK**

Location: 870-871 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>
-9 (M)	Blank

Based upon 1347 valid cases out of 2819 total cases.

- Mean: 6.00
- Median: 7.00
- Mode: 7.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.52

**S1Q26C\_F REQUIRED MUSCLE ACTIVITY - DAYS PER WEEK - FLAG**

Location: 872-873 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Actual data	2809	99.6 %
1	Estimated data	10	0.4 %

Based upon 2819 valid cases out of 2819 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.06

**S2Q1 UNAUTHORIZED DEPARTURES**

Location: 874-875 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1869	66.3 %
1	Yes	632	22.4 %
-9 (M)	Blank	302	10.7 %

- Study 34402 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9 (M)	Don't know	16	0.6 %

Based upon 2501 valid cases out of 2819 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

**S2Q2A TRANSPORTED TO HOSPITAL**

Location: 876-877 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1811	64.2 %
1	Yes	971	34.4 %
9 (M)	Don't know	37	1.3 %

Based upon 2782 valid cases out of 2819 total cases.

- Mean: 0.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

**S2Q2B\_1 HOSPITALIZED - SPORTS INJURY**

Location: 878-879 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	350	12.4 %
-9 (M)	Blank	2469	87.6 %

Based upon 350 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00



- Study 34402 -

- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S2Q2B\_2 HOSPITALIZED - WORK/CHORE INJURY**

Location: 880-881 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	17	0.6 %
-9 (M)	Blank	2802	99.4 %

Based upon 17 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S2Q2B\_3 HOSPITALIZED - INJURY FIGHT**

Location: 882-883 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	181	6.4 %
-9 (M)	Blank	2638	93.6 %

Based upon 181 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S2Q2B\_4 HOSPITALIZED - OTHER INJURIES**

Location: 884-885 (width: 2; decimal: 0)  
 Variable Type: numeric

- Study 34402 -

Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	187	6.6 %
-9 (M)	Blank	2632	93.4 %

Based upon 187 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S2Q2B\_5 HOSPITALIZED - ILLNESS**

Location: 886-887 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	313	11.1 %
-9 (M)	Blank	2506	88.9 %

Based upon 313 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S2Q2B\_6 HOSPITALIZED - PREGNANCY**

Location: 888-889 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	39	1.4 %
-9 (M)	Blank	2780	98.6 %

Based upon 39 valid cases out of 2819 total cases.

- Mean: 1.00

- Study 34402 -

- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S2Q2B\_7 HOSPITALIZED - LABOR & DELIVERY**

Location: 890-891 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	15	0.5 %
-9 (M)	Blank	2804	99.5 %

Based upon 15 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S2Q2B\_8 HOSPITALIZED - SUICIDE ATTEMPT**

Location: 892-893 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	66	2.3 %
-9 (M)	Blank	2753	97.7 %

Based upon 66 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S2Q2B\_9 HOSPITALIZED - NON EMERGENCY/NO PROFESS AVAIL**

Location: 894-895 (width: 2; decimal: 0)  
 Variable Type: numeric

- Study 34402 -

Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	108	3.8 %
-9 (M)	Blank	2711	96.2 %

Based upon 108 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S2Q2B\_10 HOSPITALIZED - NON-EMERGENCY/NO DOCTOR**

Location: 896-897 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	74	2.6 %
-9 (M)	Blank	2745	97.4 %

Based upon 74 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S2Q2B\_11 HOSPITALIZED - OTHER**

Location: 898-899 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	215	7.6 %
-9 (M)	Blank	2604	92.4 %

Based upon 215 valid cases out of 2819 total cases.

- Mean: 1.00

- Study 34402 -

- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S2Q2B\_O HOSPITALIZED - OTHER SPECIFY**

Location: 900-924 (width: 25; decimal: 0)  
 Variable Type: character  
 Based upon 2819 valid cases out of 2819 total cases.

**S2Q3 RESTRAINED WITH MECHANICAL DEVICE**

Location: 925-926 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2016	71.5 %
1	Yes	494	17.5 %
-9 (M)	Blank	303	10.7 %
9 (M)	Don't know	6	0.2 %

Based upon 2510 valid cases out of 2819 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

**S2Q4 LOCKED MORE THAN 4 HRS ALONE**

Location: 927-928 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2073	73.5 %
1	Yes	437	15.5 %
-9 (M)	Blank	304	10.8 %
9 (M)	Don't know	5	0.2 %

Based upon 2510 valid cases out of 2819 total cases.

- Study 34402 -

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

**S3Q1 PERSONS DIE ASSIGNED AT FACILITY**

Location: 929-930 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2803	99.4 %
1	Yes	16	0.6 %

Based upon 2819 valid cases out of 2819 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.08

**S3Q2 NUMBER OF PERSONS DIED**

Location: 931-932 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>
-9 (M)	Blank

Based upon 16 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S3Q2\_F NUMBER OF PERSONS DIED - FLAG**

Location: 933-934 (width: 2; decimal: 0)  
 Variable Type: numeric

- Study 34402 -

Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Actual data	2819	100.0 %

Based upon 2819 valid cases out of 2819 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

**S3Q3\_1A PERSON 1 - CAUSE OF DEATH**

Location: 935-936 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Illness/natural	2	0.1 %
4	Suicide	8	0.3 %
6	Homicide non-resid	1	0.0 %
7	Accidental	5	0.2 %
-9 (M)	Blank	2803	99.4 %

Based upon 16 valid cases out of 2819 total cases.

- Mean: 4.69
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.99

**S3Q3\_1A\_O PERSON 1 - CAUSE OF DEATH - OTHER SPECIFY**

Location: 937-961 (width: 25; decimal: 0)

Variable Type: character

Based upon 2819 valid cases out of 2819 total cases.

**S3Q3\_1B PERSON 1 - LOCATION OF DEATH**

Location: 962-963 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , 9

- Study 34402 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Inside facility	8	0.3 %
2	Outside facility	8	0.3 %
-9 (M)	Blank	2803	99.4 %

Based upon 16 valid cases out of 2819 total cases.

- Mean: 1.50
- Median: 1.50
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.52

**S3Q3\_1C**

**PERSON 1 - AGE AT DEATH**

Location: 964-965 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 99

<i>Value</i>	<i>Label</i>
-9 (M)	Blank
99 (M)	Don't know

Based upon 16 valid cases out of 2819 total cases.

- Mean: 16.25
- Median: 16.00
- Mode: 16.00
- Minimum: 11.00
- Maximum: 20.00
- Standard Deviation: 2.14

**S3Q3\_1D**

**PERSON 1 - SEX**

Location: 966-967 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	13	0.5 %
2	Female	3	0.1 %
-9 (M)	Blank	2803	99.4 %

Based upon 16 valid cases out of 2819 total cases.

- Mean: 1.19
- Median: 1.00



- Study 34402 -

- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.40

**S3Q3\_1E PERSON 1 - RACE**

Location: 968-969 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	White, not Hispanic	8	0.3 %
2	Black	2	0.1 %
3	Hispanic	4	0.1 %
6	Hawaiian/Pac Isl.	1	0.0 %
8	Other	1	0.0 %
-9 (M)	Blank	2803	99.4 %

Based upon 16 valid cases out of 2819 total cases.

- Mean: 2.38
- Median: 1.50
- Mode: 1.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 2.03

**S3Q3\_1E\_O PERSON 1 - RACE - OTHER SPECIFY**

Location: 970-994 (width: 25; decimal: 0)  
 Variable Type: character  
 Based upon 2819 valid cases out of 2819 total cases.

**S3Q3\_1F PERSON 1 - DATE OF ADMISSION**

Location: 995-1002 (width: 8; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>
-9 (M)	Blank

Based upon 16 valid cases out of 2819 total cases.

- Mean: 6735132.06
- Median: 7602007.00
- Minimum: 1072008.00

- Study 34402 -

- Maximum: 11282007.00
- Standard Deviation: 3898443.25

**S3Q3\_1G PERSON 1 - DATE OF DEATH**

Location: 1003-1010 (width: 8; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>
-9 (M)	Blank

Based upon 16 valid cases out of 2819 total cases.

- Mean: 12775007.19
- Median: 7027008.00
- Minimum: 1072008.00
- Maximum: 99999999.00
- Standard Deviation: 23499661.96

**S3Q3\_2A PERSON 2 - CAUSE OF DEATH**

Location: 1011-1012 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	2819	100.0 %

Based upon 0 valid cases out of 2819 total cases.

**S3Q3\_2A\_O PERSON 2 - CAUSE OF DEATH - OTHER SPECIFY**

Location: 1013-1037 (width: 25; decimal: 0)  
Variable Type: character  
Based upon 2819 valid cases out of 2819 total cases.

**S3Q3\_2B PERSON 2 - LOCATION OF DEATH**

Location: 1038-1039 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	2819	100.0 %

Based upon 0 valid cases out of 2819 total cases.

**S3Q3\_2C PERSON 2 - AGE AT DEATH**

- Study 34402 -

Location: 1040-1041 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9 , 99

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	2819	100.0 %

Based upon 0 valid cases out of 2819 total cases.

**S3Q3\_2D PERSON 2 - SEX**

Location: 1042-1043 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	2819	100.0 %

Based upon 0 valid cases out of 2819 total cases.

**S3Q3\_2E PERSON 2 - RACE**

Location: 1044-1045 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	2819	100.0 %

Based upon 0 valid cases out of 2819 total cases.

**S3Q3\_2E\_O PERSON 2 - RACE - OTHER SPECIFY**

Location: 1046-1070 (width: 25; decimal: 0)  
Variable Type: character  
Based upon 2819 valid cases out of 2819 total cases.

**S3Q3\_2F PERSON 2 - DATE OF ADMISSION**

Location: 1071-1078 (width: 8; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	2819	100.0 %

Based upon 0 valid cases out of 2819 total cases.

- Study 34402 -

**S3Q3\_2G PERSON 2 - DATE OF DEATH**

Location: 1079-1086 (width: 8; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	2819	100.0 %

Based upon 0 valid cases out of 2819 total cases.

**S3Q3\_3A PERSON 3 - CAUSE OF DEATH**

Location: 1087-1088 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	2819	100.0 %

Based upon 0 valid cases out of 2819 total cases.

**S3Q3\_3A\_O PERSON 3 - CAUSE OF DEATH - OTHER SPECIFY**

Location: 1089-1113 (width: 25; decimal: 0)  
 Variable Type: character  
 Based upon 2819 valid cases out of 2819 total cases.

**S3Q3\_3B PERSON 3 - LOCATION OF DEATH**

Location: 1114-1115 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	2819	100.0 %

Based upon 0 valid cases out of 2819 total cases.

**S3Q3\_3C PERSON 3 - AGE AT DEATH**

Location: 1116-1117 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 99

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	2819	100.0 %

Based upon 0 valid cases out of 2819 total cases.

- Study 34402 -

**S3Q3\_3D PERSON 3 - SEX**

Location: 1118-1119 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	2819	100.0 %

Based upon 0 valid cases out of 2819 total cases.

**S3Q3\_3E PERSON 3 - RACE**

Location: 1120-1121 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	2819	100.0 %

Based upon 0 valid cases out of 2819 total cases.

**S3Q3\_3E\_O PERSON 3 - RACE - OTHER SPECIFY**

Location: 1122-1146 (width: 25; decimal: 0)  
 Variable Type: character  
 Based upon 2819 valid cases out of 2819 total cases.

**S3Q3\_3F PERSON 3 - DATE OF ADMISSION**

Location: 1147-1148 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	2819	100.0 %

Based upon 0 valid cases out of 2819 total cases.

**S3Q3\_3G PERSON 3 - DATE OF DEATH**

Location: 1149-1150 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	2819	100.0 %

Based upon 0 valid cases out of 2819 total cases.

**S4Q1A OTHER JUV FACILITIES IN SAME BLDG**

Location: 1151-1152 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2054	72.9 %
1	Yes	465	16.5 %
-9 (M)	Blank	300	10.6 %

Based upon 2519 valid cases out of 2819 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

**S4Q1B NUM OTHER JUV FACILITIES**

Location: 1153-1154 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>
-9 (M)	Blank

Based upon 465 valid cases out of 2819 total cases.

- Mean: 2.56
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 24.00
- Standard Deviation: 2.70

**S4Q1B\_F NUM OTHER JUV FACILITIES - FLAG**

Location: 1155-1156 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Actual data	2819	100.0 %

Based upon 2819 valid cases out of 2819 total cases.

- Study 34402 -

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

**S4Q2\_1 SHARE - SAME AGENCY**

Location: 1157-1158 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	429	15.2 %
-9 (M)	Blank	2390	84.8 %

Based upon 429 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S4Q2\_2 SHARE - SAME MAILING ADDRESS**

Location: 1159-1160 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	323	11.5 %
-9 (M)	Blank	2496	88.5 %

Based upon 323 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S4Q2\_3 SHARE - SAME ON SITE ADMINISTRATORS**

- Study 34402 -

Location: 1161-1162 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	314	11.1 %
-9 (M)	Blank	2505	88.9 %

Based upon 314 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S4Q2\_4 SHARE - 1+ STAFF CARING FOR YOUNG PERSONS**

Location: 1163-1164 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	241	8.5 %
-9 (M)	Blank	2578	91.5 %

Based upon 241 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S4Q2\_5 SHARE - 1+ SECURITY STAFF**

Location: 1165-1166 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	128	4.5 %
-9 (M)	Blank	2691	95.5 %

Based upon 128 valid cases out of 2819 total cases.



- Study 34402 -

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S4Q2\_6 SHARE - SAME SCHOOL ROOMS**

Location: 1167-1168 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	161	5.7 %
-9 (M)	Blank	2658	94.3 %

Based upon 161 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S4Q2\_7 SHARE - SAME INFIRMARY**

Location: 1169-1170 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	196	7.0 %
-9 (M)	Blank	2623	93.0 %

Based upon 196 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S4Q2\_8 SHARE - SAME FOOD SERVICES**

- Study 34402 -

Location: 1171-1172 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	342	12.1 %
-9 (M)	Blank	2477	87.9 %

Based upon 342 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S4Q2\_9 SHARE - SAME DINING ROOM**

Location: 1173-1174 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	164	5.8 %
-9 (M)	Blank	2655	94.2 %

Based upon 164 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S4Q2\_10 SHARE - SAME LAUNDRY SERVICES**

Location: 1175-1176 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	132	4.7 %
-9 (M)	Blank	2687	95.3 %

Based upon 132 valid cases out of 2819 total cases.

- Study 34402 -

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**S4Q2\_11 SHARE - NONE**

Location: 1177-1178 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	14	0.5 %
-9 (M)	Blank	2805	99.5 %

Based upon 14 valid cases out of 2819 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**CITEM CRITICAL ITEM ONLY CHECK BOX**

Location: 1179-1180 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	2515	89.2 %
1	-	304	10.8 %

Based upon 2819 valid cases out of 2819 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

**DREFDATE DIFFERENT REFERENCE DATE (MMDDYYYY)**

- Study 34402 -

Location: 1181-1188 (width: 8; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>
-9 (M)	Blank

Based upon 326 valid cases out of 2819 total cases.

- Mean: 4097591.77
- Median: 4072009.00
- Mode: 3032009.00
- Minimum: 1302009.00
- Maximum: 12312008.00
- Standard Deviation: 1946009.74

**DIFFMO DIFFERENT MONTH PERIOD (MMYYYY) S2Q2A/B**

Location: 1189-1194 (width: 6; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>
-9 (M)	Blank

Based upon 265 valid cases out of 2819 total cases.

- Mean: 30885.17
- Median: 32009.00
- Mode: 22009.00
- Minimum: 4200.00
- Maximum: 122008.00
- Standard Deviation: 17071.35