

ICPSR 34483

Sacramento Area Latino Study on Aging (SALSA Study), 1996-2008: Demographic Data

Mary Haan
University of Michigan

Allison Aiello
University of Michigan

Hector Gonzalez
University of Michigan

Ladison Hinton
University of California-Davis

Bill Jagust
University of California-Berkley

Josh Miller
University of California-Davis

Kari Moore
University of Michigan

Lynn Blythe
University of Michigan

Dan Mungas
University of California-Davis

William Seavey
University of California-Davis

Public Use Data Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/34483/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTE FOR # 34483
Sacramento Area Latino Study on Aging (SALSA Study), 1996-2008:
Demographic Data
Public use data

1) Confidentiality:

- All Census 2000 tract codes were blanked in the public version of the data to protect respondent confidentiality.
- For access to the restricted use data, the user must sign the ICPSR Restricted Data Use Agreement.

2) String to numeric conversion:

- The following variables were converted from string/character to numeric to allow users to have more analytic options:
 - STATUS
 - BSL_STATUS
 - FV1_STATUS
 - FV2_STATUS
 - FV3_STATUS
 - FV4_STATUS
 - FV5_STATUS
 - FV6_STATUS

3) Value labels:

- Value labels were standardized based on the original data collection instrument deposited by the Principal Investigator.
- Any spelling errors found in the value labels were corrected during ICPSR processing.

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--Public Use Data

Variable Name and Label (Total Cases = 1789)	Percent of Cases with Missing Values
61.2% (30 of 49 variables)	have 0% Missing Values
8.2% (4 of 49 variables)	have 0% - 1% Missing Values
0.0% (0 of 49 variables)	have 1% - 3% Missing Values
2.0% (1 of 49 variables)	have 3% - 5% Missing Values
4.1% (2 of 49 variables)	have 5% - 10% Missing Values
FV5_STATUS	Status of FV5 visit 9.8%
FV6_STATUS	Status of FV6 visit 9.7%
0.0% (0 of 49 variables)	have 10% - 20% Missing Values
0.0% (0 of 49 variables)	have 20% - 40% Missing Values
24.5% (12 of 49 variables)	have 40% - 99% Missing Values
BSL_DOUBLEPT	ID of person living in household 60.1%
DEMAGE	Age at dementia diagnosis 89.8%
CINDAGE	Age at CIND diagnosis 93.6%
DCAGE	Age at demcind diagnosis 84.8%
DEATH_MONTH	Month of deceased 74.0%
DEATH_YEAR	Year of deceased 74.0%
DEM_MONTH	Month of dementia diagnosis 89.8%
DEM_YEAR	Year of dementia diagnosis 89.8%
CIND_MONTH	Month of CIND diagnosis at any time 93.6%
CIND_YEAR	Year of CIND diagnosis at any time 93.6%
DC_MONTH	Month of diagnosed with either dementia or cind 84.8%
DC_YEAR	Year of diagnosed with either dementia or cind 84.8%
0.0% (0 of 49 variables)	have 100% missing values

ICPSR 34483

Sacramento Area Latino Study on Aging (SALSA Study), 1996-2008: Demographic Data

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Sacramento Area Latino Study on Aging (SALSA Study), 1996-2008: Demographic Data

Public Use Data

ID SALSA 4-digit ID number

Location: 1-4 (width: 4; decimal: 0)
Variable Type: numeric
Question: SALSA 4-Digit id
Based upon 1789 valid cases out of 1789 total cases.

- Mean: 1895.59
- Minimum: 1001.00
- Maximum: 2790.00
- Standard Deviation: 517.00

GENDER Gender of participant

Location: 5-5 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	MALE	745	41.6 %
2	FEMALE	1044	58.4 %

Based upon 1789 valid cases out of 1789 total cases.

- Mean: 1.58
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.49

LANGUAGE Participant Primary Language

Location: 6-6 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	ENGLISH	754	42.1 %
2	SPANISH	1035	57.9 %

Based upon 1789 valid cases out of 1789 total cases.

- Mean: 1.58

- Study 34483 -

- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.49

STATUS **final study status**

Location: 7-7 (width: 1; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Active	976	54.6 %
2	Deceased	477	26.7 %
3	Hard Refusal	166	9.3 %
4	Lost to follow-up	170	9.5 %

Based upon 1789 valid cases out of 1789 total cases.

- Mean: 1.74
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.97

BSL_DOUBLEPT **ID of person living in household**

Location: 8-11 (width: 4; decimal: 0)
 Variable Type: numeric
 Question: ID of person living in household

Based upon 714 valid cases out of 1789 total cases.

- Mean: 1920.82
- Minimum: 1009.00
- Maximum: 2790.00
- Standard Deviation: 521.32

BSL_SES10 **SES 10: What country were you born in?**

Location: 12-12 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: In which country were you born?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	MEXICO	809	45.2 %
2	U.S.	871	48.7 %

- Study 34483 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	OTHER	99	5.5 %
. (M)	-	10	0.6 %

Based upon 1779 valid cases out of 1789 total cases.

- Mean: 1.60
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.59

BSL_STATEBORN

Baseline: In which state were you born if in US/MEXICO, or In which country were you born if NOT in US/MEXICO - USE THIS

Location: 13-15 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: CODE For the country born in?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	ALABAMA	1	0.1 %
2	ALASKA	2	0.1 %
3	ARIZONA	69	3.9 %
5	CALIFORNIA	351	19.6 %
6	COLORADO	68	3.8 %
11	GEORGIA	1	0.1 %
12	HAWAII	2	0.1 %
13	IDAHO	4	0.2 %
14	ILLINOIS	6	0.3 %
15	INDIANA	1	0.1 %
16	IOWA	3	0.2 %
17	KANSAS	11	0.6 %
19	LOUISIANA	1	0.1 %
20	MAINE	1	0.1 %
22	MASSACHUSETTS	2	0.1 %
23	MICHIGAN	5	0.3 %
24	MINNESOTA	1	0.1 %
25	MISSISSIPPI	1	0.1 %
26	MISSOURI	1	0.1 %
27	MONTANA	5	0.3 %
28	NEBRASKA	6	0.3 %
29	NEVADA	4	0.2 %

- Study 34483 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
32	NEW MEXICO	79	4.4 %
34	NORTH CAROLINA	1	0.1 %
37	OKLAHOMA	2	0.1 %
38	OREGON	1	0.1 %
39	PENNSYLVANIA	1	0.1 %
44	TEXAS	198	11.1 %
45	UTAH	6	0.3 %
49	WEST VIRGINIA	1	0.1 %
51	WYOMING	12	0.7 %
52	PUERTO RICO	24	1.3 %
58	AGUASCALIENYES	17	1.0 %
60	BAJA CALIFORNIA N.	8	0.4 %
61	BAJA CALIFORNIA S.	2	0.1 %
63	COAHUILA	27	1.5 %
64	COLIMA	2	0.1 %
65	CHIAPAS	2	0.1 %
66	CHIHUAHUA	65	3.6 %
67	DURANGO	48	2.7 %
68	GUANAJUATO	87	4.9 %
69	GUERRERO	5	0.3 %
70	HIDALGO	4	0.2 %
71	JALISCO	213	11.9 %
72	MEXICO	8	0.4 %
73	MEXICO CITY	36	2.0 %
74	MICHOACAN	113	6.3 %
75	MORELOS	2	0.1 %
76	NAYARIT	8	0.4 %
77	NUEVO LEON	9	0.5 %
78	OAXACA	9	0.5 %
79	PUEBLA	2	0.1 %
80	QUERETARO	1	0.1 %
82	SAN LUIS POTOSI	8	0.4 %
83	SINALOA	17	1.0 %
84	SONORA	30	1.7 %
86	TAMAULIPAS	8	0.4 %
87	TLAXCALA	1	0.1 %
89	VERACRUZ	4	0.2 %
90	YUCATAN	9	0.5 %
91	ZACATECAS	61	3.4 %
92	ARGENTIA	2	0.1 %

- Study 34483 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
93	BELIZE	1	0.1 %
94	BOLIVIA	2	0.1 %
95	CHILE	3	0.2 %
96	COLOMBIA	1	0.1 %
97	COSTA RICA	5	0.3 %
100	CUBA	4	0.2 %
101	ECUADOR	2	0.1 %
102	EL SALVADOR	22	1.2 %
103	EYGPT	1	0.1 %
104	GUATAMALA	9	0.5 %
105	HONDURAS	4	0.2 %
106	NICA	17	1.0 %
107	PANAMA	8	0.4 %
108	PERU	12	0.7 %
109	PORTUGAL	2	0.1 %
110	SPAIN	4	0.2 %
. (M)	-	13	0.7 %

Based upon 1776 valid cases out of 1789 total cases.

- Mean: 48.48
- Median: 59.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 110.00
- Standard Deviation: 32.18

ICDCODEIC	ICD code immediate cause of death (not in DT) ICD-9 (1998) ICD-10 (1999-2001)
------------------	--

Location: 16-65 (width: 50; decimal: 0)

Variable Type: character

Question: ICD code immediate cause of death (not in DT) ICD-9 (1998) ICD-10 (1999-2001)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
99999990:SKIP(NOT DECEASED)	1312	73.3 %
99999991:SKIP(NOT AVAILABLE)	164	9.2 %
A40.3	1	0.1 %
A41	8	0.4 %
A41,9	1	0.1 %
A41.2	1	0.1 %
A41.9	7	0.4 %
C16.9	1	0.1 %

- Study 34483 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
C22.0	1	0.1 %
C34	1	0.1 %
C61.0	1	0.1 %
C85.9	1	0.1 %
D48	1	0.1 %
E46	1	0.1 %
E83.4	1	0.1 %
E87.2	1	0.1 %
F01.1	4	0.2 %
G90	1	0.1 %
G93.1	5	0.3 %
G93.5	1	0.1 %
G95.2	2	0.1 %
I01.1	1	0.1 %
I11.9	1	0.1 %
I21	4	0.2 %
I21.9	11	0.6 %
I23.0	1	0.1 %
I24.9	1	0.1 %
I25.1	3	0.2 %
I25.9	3	0.2 %
I26	2	0.1 %
I27	1	0.1 %
I27.9	46	2.6 %
I42.9	1	0.1 %
I46	3	0.2 %
I46.1	1	0.1 %
I46.9	51	2.9 %
I47.2	1	0.1 %
I49.0	4	0.2 %
I49.4	1	0.1 %
I49.9	3	0.2 %
I50.0	20	1.1 %
I61	1	0.1 %
I61.9	1	0.1 %
I62.9	2	0.1 %
I64	9	0.5 %
I70	1	0.1 %
I71	1	0.1 %
I95.9	1	0.1 %

- Study 34483 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
J18	7	0.4 %
J44.9	2	0.1 %
J69.0	3	0.2 %
J80	1	0.1 %
J81	1	0.1 %
J91	1	0.1 %
J96	35	2.0 %
J98.1	1	0.1 %
K28.0	1	0.1 %
K72.9	3	0.2 %
K76.7	2	0.1 %
K92.2	1	0.1 %
N18.9	4	0.2 %
N19	6	0.3 %
N39.0	1	0.1 %
R00.8	2	0.1 %
R09.2	14	0.8 %
R40.2	1	0.1 %
R57.0	2	0.1 %
R99	1	0.1 %
S06.7	1	0.1 %
T73.0	2	0.1 %
T730.0	1	0.1 %
T731.1	1	0.1 %
T85.6	1	0.1 %
W78	1	0.1 %
W94	1	0.1 %
Y29.9	1	0.1 %

Based upon 1789 valid cases out of 1789 total cases.

ICDDUETO	ICD code of due to B cause of death
-----------------	--

Location: 66-115 (width: 50; decimal: 0)
 Variable Type: character
 Question: ICD code of due to B cause of death

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
99999990:SKIP(NOT DECEASED)	1312	73.3 %
99999991:SKIP(NOT AVAILABLE)	328	18.3 %
A09	1	0.1 %
A18.3	1	0.1 %

- Study 34483 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
A41	6	0.3 %
A41.9	3	0.2 %
A49.0	1	0.1 %
B37.6	1	0.1 %
C16.9	1	0.1 %
C22.0	1	0.1 %
C71.0	1	0.1 %
C71.9	1	0.1 %
C78.1	1	0.1 %
C79.8	1	0.1 %
D61.0	1	0.1 %
E11	1	0.1 %
E16.2	1	0.1 %
E66.2	1	0.1 %
E87.5	1	0.1 %
E87.8	1	0.1 %
F01.9	1	0.1 %
F03	2	0.1 %
F32.9	1	0.1 %
F44.4	1	0.1 %
G46.4	1	0.1 %
I10	1	0.1 %
I21	1	0.1 %
I21.9	8	0.4 %
I25.0	1	0.1 %
I25.1	1	0.1 %
I25.5	1	0.1 %
I25.9	9	0.5 %
I26	1	0.1 %
I42.9	2	0.1 %
I46.9	3	0.2 %
I47.0	1	0.1 %
I48	2	0.1 %
I49.0	3	0.2 %
I49.9	5	0.3 %
I50	1	0.1 %
I50.0	16	0.9 %
I61.9	1	0.1 %
I64	5	0.3 %
I67.2	1	0.1 %

- Study 34483 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
I70.9	1	0.1 %
I73.9	1	0.1 %
I82.2	1	0.1 %
J18	5	0.3 %
J18.9	3	0.2 %
J47.47	1	0.1 %
J69.0	3	0.2 %
J80	1	0.1 %
J81	1	0.1 %
J91	1	0.1 %
J93	1	0.1 %
J96	4	0.2 %
K25.9	1	0.1 %
K57	1	0.1 %
K63.9	2	0.1 %
K65.9	1	0.1 %
K70	1	0.1 %
K74.6	2	0.1 %
K76	1	0.1 %
K76.9	2	0.1 %
L03	1	0.1 %
N08.3	1	0.1 %
N17.9	4	0.2 %
N18	1	0.1 %
N18.0	2	0.1 %
N18.9	1	0.1 %
N180	1	0.1 %
N19	4	0.2 %
R99	2	0.1 %
T63	1	0.1 %
T73.1	1	0.1 %
W94	1	0.1 %
Z49.0	1	0.1 %

Based upon 1789 valid cases out of 1789 total cases.

ICDDUETOC	ICD code of due to C cause of death
------------------	--

Location:	116-165 (width: 50; decimal: 0)
Variable Type:	character
Question:	ICD code of due to C cause of death

- Study 34483 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
995.9	1	0.1 %
99999990:SKIP(NOT DECEASED)	1312	73.3 %
99999991:SKIP(NOT AVAILABLE)	429	24.0 %
A40.2	1	0.1 %
A41	2	0.1 %
E11	1	0.1 %
E44	1	0.1 %
E46	1	0.1 %
E78.0	1	0.1 %
E87.2	1	0.1 %
I10	2	0.1 %
I21.9	1	0.1 %
I25.1	2	0.1 %
I25.9	4	0.2 %
I26.9	1	0.1 %
I33.9	1	0.1 %
I42.9	4	0.2 %
I48	1	0.1 %
I50.0	1	0.1 %
I64	2	0.1 %
I70.9	1	0.1 %
I73.9	1	0.1 %
I77.4	1	0.1 %
J18	1	0.1 %
J69.0	1	0.1 %
K28.0	1	0.1 %
K52.9	1	0.1 %
K55.0	1	0.1 %
K72.9	2	0.1 %
L89	1	0.1 %
N08.3	1	0.1 %
N18.9	2	0.1 %
N19	2	0.1 %
R02	1	0.1 %
R13	1	0.1 %
R41.8	1	0.1 %
Z49.0	1	0.1 %

Based upon 1789 valid cases out of 1789 total cases.

- Study 34483 -

Location: 166-215 (width: 50; decimal: 0)
 Variable Type: character
 Question: ICD code of due to D cause of death

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
99999990:SKIP(NOT DECEASED)	1312	73.3 %
99999991:SKIP(NOT AVAILABLE)	476	26.6 %
I99	1	0.1 %

Based upon 1789 valid cases out of 1789 total cases.

ICDUC ICD code for underlying cause of death

Location: 216-265 (width: 50; decimal: 0)
 Variable Type: character
 Question: ICD code for underlying cause of death

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
99999990:SKIP(NOT DECEASED)	1312	73.3 %
99999991:SKIP(NOT AVAILABLE)	56	3.1 %
A41.9	1	0.1 %
B18.2	1	0.1 %
B182	1	0.1 %
B24	2	0.1 %
B46.1	1	0.1 %
C02.9	1	0.1 %
C140	1	0.1 %
C16.9	7	0.4 %
C18	4	0.2 %
C18.9	3	0.2 %
C22.0	2	0.1 %
C22.9	2	0.1 %
C23	2	0.1 %
C25.9	4	0.2 %
C34	12	0.7 %
C34.9	1	0.1 %
C50.9	4	0.2 %
C52	1	0.1 %
C54.1	2	0.1 %
C56	1	0.1 %
C61	8	0.4 %
C64	4	0.2 %
C67.9	3	0.2 %

- Study 34483 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
C80	1	0.1 %
C82	1	0.1 %
C85.1	1	0.1 %
C85.9	5	0.3 %
C92.0	2	0.1 %
C93.0	1	0.1 %
C95.9	1	0.1 %
C96.9	1	0.1 %
D44.9	1	0.1 %
D48.9	4	0.2 %
E11	27	1.5 %
E14	5	0.3 %
E46	1	0.1 %
E78.5	4	0.2 %
F00.9	9	0.5 %
F01.9	1	0.1 %
F03	4	0.2 %
F10.2	2	0.1 %
G12.2	1	0.1 %
G20	2	0.1 %
G30	4	0.2 %
G30.9	1	0.1 %
G45.0	1	0.1 %
I10	26	1.5 %
I11	3	0.2 %
I21	1	0.1 %
I21.0	1	0.1 %
I21.9	11	0.6 %
I25	1	0.1 %
I25.0	4	0.2 %
I25.1	24	1.3 %
I25.2	1	0.1 %
I25.5	1	0.1 %
I25.9	44	2.5 %
I35.0	1	0.1 %
I42.2	1	0.1 %
I42.6	1	0.1 %
I42.9	5	0.3 %
I48	1	0.1 %
I50.0	12	0.7 %

- Study 34483 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
I51	1	0.1 %
I61.9	2	0.1 %
I62.9	1	0.1 %
I63.3	1	0.1 %
I64	24	1.3 %
I66	1	0.1 %
I67.1	1	0.1 %
I67.2	5	0.3 %
I67.9	1	0.1 %
I69	1	0.1 %
I70.9	2	0.1 %
I73.9	3	0.2 %
J15.1	1	0.1 %
J16	1	0.1 %
J18	16	0.9 %
J18.1	2	0.1 %
J18.9	4	0.2 %
J43.9	1	0.1 %
J44.9	11	0.6 %
J45	1	0.1 %
J69.0	6	0.3 %
J80	1	0.1 %
J84.1	6	0.3 %
J98.9	1	0.1 %
K31.9	1	0.1 %
K55.0	1	0.1 %
K63.8	1	0.1 %
K63.9	1	0.1 %
K70.3	1	0.1 %
K74.6	4	0.2 %
K76.0	1	0.1 %
K76.9	1	0.1 %
M14.6	1	0.1 %
N17	1	0.1 %
N18.0	3	0.2 %
N18.9	1	0.1 %
N19	2	0.1 %
N28.9	1	0.1 %
N39.0	4	0.2 %
Q61.3	1	0.1 %

- Study 34483 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
R09.2	1	0.1 %
R19.0	1	0.1 %
R54	1	0.1 %
R99	5	0.3 %
T50.9	1	0.1 %
T65.2	1	0.1 %
W13	1	0.1 %
X72	1	0.1 %
X91	1	0.1 %
Y29.0	2	0.1 %
Y29.8	1	0.1 %

Based upon 1789 valid cases out of 1789 total cases.

ICDCC1 ICD Contributing Cause of Death 1

Location: 266-315 (width: 50; decimal: 0)

Variable Type: character

Question: ICD Contributing Cause of Death 1

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
728.86	1	0.1 %
99999990:SKIP(NOT DECEASED)	1312	73.3 %
99999991:SKIP(NOT AVAILABLE)	183	10.2 %
A41.9	1	0.1 %
B18.2	1	0.1 %
C22.0	1	0.1 %
C50.9	3	0.2 %
C61	3	0.2 %
C67.9	1	0.1 %
C81	1	0.1 %
C85.1	1	0.1 %
C900	1	0.1 %
C94.5	1	0.1 %
D64.9	1	0.1 %
E03.9	1	0.1 %
E10	1	0.1 %
E11	52	2.9 %
E14	5	0.3 %
E34.0	1	0.1 %
E46	1	0.1 %
E66.8	1	0.1 %

- Study 34483 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
E78.0	2	0.1 %
E78.5	2	0.1 %
E87.2	2	0.1 %
E87.5	2	0.1 %
E87.8	1	0.1 %
F00.9	3	0.2 %
F01	1	0.1 %
F01.9	2	0.1 %
F03	9	0.5 %
F03.0	1	0.1 %
F10	1	0.1 %
F17.2	1	0.1 %
G20	1	0.1 %
G30	1	0.1 %
G30.9	1	0.1 %
G85.2	1	0.1 %
I 73.9	1	0.1 %
I10	27	1.5 %
I11	2	0.1 %
I11.9	1	0.1 %
I21.9	6	0.3 %
I25.0	2	0.1 %
I25.5	2	0.1 %
I25.9	11	0.6 %
I30.9	1	0.1 %
I42.9	1	0.1 %
I48	5	0.3 %
I49.9	1	0.1 %
I50.0	19	1.1 %
I63.9	1	0.1 %
I64	14	0.8 %
I67.2	1	0.1 %
I67.4	1	0.1 %
I71	1	0.1 %
I71.0	1	0.1 %
I73.9	3	0.2 %
I77.6	1	0.1 %
J06.9	1	0.1 %
J12	1	0.1 %
J18	6	0.3 %

- Study 34483 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
J42	1	0.1 %
J44.9	9	0.5 %
J69.0	2	0.1 %
J80	2	0.1 %
J84.1	1	0.1 %
J91	1	0.1 %
K21	2	0.1 %
K26	1	0.1 %
K35.9	1	0.1 %
K43	1	0.1 %
K51.8	1	0.1 %
K56.7	1	0.1 %
K63.9	1	0.1 %
K70	1	0.1 %
K70.9	1	0.1 %
K72	1	0.1 %
K74.6	1	0.1 %
K86.9	1	0.1 %
K92.2	1	0.1 %
L03	1	0.1 %
M06.4	1	0.1 %
M06.9	1	0.1 %
M15.0	3	0.2 %
M45	1	0.1 %
M86	2	0.1 %
N17.9	1	0.1 %
N18	4	0.2 %
N18.9	5	0.3 %
N19	15	0.8 %
N39.0	3	0.2 %
R13	1	0.1 %
R18	1	0.1 %
R54	1	0.1 %
R64	1	0.1 %
T65.2	1	0.1 %
Y84.1	1	0.1 %
Z58.9	1	0.1 %
Z82.3	1	0.1 %

Based upon 1789 valid cases out of 1789 total cases.

- Study 34483 -

ICD2	ICD Contributing Cause of Death 2
-------------	--

Location: 316-365 (width: 50; decimal: 0)

Variable Type: character

Question: ICD Contributing Cause of Death 2

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
99999990:SKIP(NOT DECEASED)	1312	73.3 %
99999991:SKIP(NOT AVAILABLE)	305	17.0 %
C22.0	1	0.1 %
C27.9	1	0.1 %
C34	1	0.1 %
C64	1	0.1 %
C78.2	1	0.1 %
C90.0	1	0.1 %
C91.1	1	0.1 %
D64.9	2	0.1 %
E03.9	1	0.1 %
E10	1	0.1 %
E11	22	1.2 %
E11.1	1	0.1 %
E14	3	0.2 %
E23.0	1	0.1 %
E44	1	0.1 %
E66.8	1	0.1 %
E66.9	1	0.1 %
E78.5	3	0.2 %
F01.1	1	0.1 %
F01.9	1	0.1 %
F03	8	0.4 %
F10.2	1	0.1 %
F32.9	1	0.1 %
G20	1	0.1 %
G30	1	0.1 %
G40.6	1	0.1 %
G70	1	0.1 %
G82.5	1	0.1 %
I 21.1	1	0.1 %
I10	20	1.1 %
I11.9	1	0.1 %
I25.1	2	0.1 %
I25.9	3	0.2 %
I35.9	1	0.1 %

- Study 34483 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
I47.2	1	0.1 %
I48	6	0.3 %
I50.0	10	0.6 %
I64	12	0.7 %
I67	1	0.1 %
I73.9	6	0.3 %
I82.9	1	0.1 %
J16	1	0.1 %
J18	1	0.1 %
J43.9	1	0.1 %
J44.9	7	0.4 %
J69.0	1	0.1 %
J93	1	0.1 %
J96	1	0.1 %
K72.9	1	0.1 %
K74.6	5	0.3 %
K76.9	1	0.1 %
K92.2	2	0.1 %
L89	1	0.1 %
M06.9	1	0.1 %
M34.1	1	0.1 %
M35.0	1	0.1 %
M81.9	2	0.1 %
M86	1	0.1 %
N17.9	1	0.1 %
N18	3	0.2 %
N18.9	1	0.1 %
N19	5	0.3 %
R01.1	1	0.1 %
R02	1	0.1 %
R13.0	1	0.1 %
R18	1	0.1 %
S72.0	1	0.1 %
T45.5	1	0.1 %
T73.1	1	0.1 %

Based upon 1789 valid cases out of 1789 total cases.

ICD3

ICD Contributing Cause of Death 3

Location:

366-415 (width: 50; decimal: 0)

- Study 34483 -

Variable Type:

character

Question:

ICD Contributing Cause of Death 3

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
99999990:SKIP(NOT DECEASED)	1312	73.3 %
99999991:SKIP(NOT AVAILABLE)	406	22.7 %
C61	1	0.1 %
C80	1	0.1 %
D648	1	0.1 %
E11	7	0.4 %
E14	1	0.1 %
E78.5	4	0.2 %
E87.8	1	0.1 %
F01.9	1	0.1 %
F03	1	0.1 %
F10.2	1	0.1 %
F17.1	1	0.1 %
F41.9	1	0.1 %
G47.3	2	0.1 %
H40.9	1	0.1 %
I07.1	1	0.1 %
I10	5	0.3 %
I11	1	0.1 %
I11.9	1	0.1 %
I25.9	5	0.3 %
I42.9	1	0.1 %
I48	4	0.2 %
I50.0	4	0.2 %
I64	2	0.1 %
I73.9	3	0.2 %
I80.2	1	0.1 %
J18	1	0.1 %
J43.9	1	0.1 %
J44.9	1	0.1 %
J69.0	1	0.1 %
J96	1	0.1 %
K27.0	1	0.1 %
K55.0	1	0.1 %
M81.9	1	0.1 %
N05.9	1	0.1 %
N18	1	0.1 %
N18.9	2	0.1 %

- Study 34483 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
N180	1	0.1 %
N19	1	0.1 %
N39.0	1	0.1 %
R18	1	0.1 %
R64	1	0.1 %
R99	1	0.1 %
T65.2	1	0.1 %

Based upon 1789 valid cases out of 1789 total cases.

ICD4 ICD Contributing Cause of Death 4

Location: 416-465 (width: 50; decimal: 0)
 Variable Type: character
 Question: ICD Contributing Cause of Death 4

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
995.9	1	0.1 %
99999990:SKIP(NOT DECEASED)	1312	73.3 %
99999991:SKIP(NOT AVAILABLE)	457	25.5 %
C18.0	1	0.1 %
C34	1	0.1 %
E03.9	1	0.1 %
E11	1	0.1 %
E78.5	1	0.1 %
F03	1	0.1 %
F32.9	1	0.1 %
H36.0	1	0.1 %
I25.9	1	0.1 %
I48	1	0.1 %
I50.0	2	0.1 %
I71	1	0.1 %
I95.9	1	0.1 %
J44.9	2	0.1 %
K74.6	1	0.1 %
N18.9	1	0.1 %
Z82.3	1	0.1 %

Based upon 1789 valid cases out of 1789 total cases.

ICD5 ICD Contributing Cause of Death 5

Location: 466-515 (width: 50; decimal: 0)

- Study 34483 -

Variable Type: character
 Question: ICD Contributing Cause of Death 5

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
99999990:SKIP(NOT DECEASED)	1312	73.3 %
99999991:SKIP(NOT AVAILABLE)	470	26.3 %
C61.0	1	0.1 %
E87	1	0.1 %
F01.9	1	0.1 %
I25.9	1	0.1 %
I48	2	0.1 %
I50.0	1	0.1 %

Based upon 1789 valid cases out of 1789 total cases.

ICD6 ICD Contributing Cause of Death 6

Location: 516-565 (width: 50; decimal: 0)
 Variable Type: character
 Question: ICD Contributing Cause of Death 6

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
99999990:SKIP(NOT DECEASED)	1312	73.3 %
99999991:SKIP(NOT AVAILABLE)	476	26.6 %
I25.9	1	0.1 %

Based upon 1789 valid cases out of 1789 total cases.

TRACT00NODEC Census 2000 tract code cleaned to use for merging

Location: 566-573 (width: 8; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
99999999	Blanked for confidentiality - ICPSR ADDED	1789	100.0 %

Based upon 1789 valid cases out of 1789 total cases.

- Mean: 99999999.00
- Median: 99999999.00
- Mode: 99999999.00
- Minimum: 99999999.00
- Maximum: 99999999.00
- Standard Deviation: 0.00

TRACTBLKGRP Census 2000 tract and block group code

- Study 34483 -

Location: 574-581 (width: 8; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
99999999	Blanked for confidentiality - ICPSR ADDED	1789	100.0 %

Based upon 1789 valid cases out of 1789 total cases.

- Mean: 99999999.00
- Median: 99999999.00
- Mode: 99999999.00
- Minimum: 99999999.00
- Maximum: 99999999.00
- Standard Deviation: 0.00

BSL_STATUS **Baseline Annual: Status of visit**

Location: 582-582 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Complete	1779	99.4 %
3	Dropped	5	0.3 %
9	Refused	4	0.2 %
. (M)	-	1	0.1 %

Based upon 1788 valid cases out of 1789 total cases.

- Mean: 1.02
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 0.39

FV1_STATUS **AV1 Annual: Status of visit**

Location: 583-583 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Complete	1391	77.8 %
2	Deceased	33	1.8 %
3	Dropped	11	0.6 %
4	Hard Refusal	95	5.3 %
5	Lost to follow-up	43	2.4 %

- Study 34483 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	Out of window	112	6.3 %
9	Refused	103	5.8 %
. (M)	-	1	0.1 %

Based upon 1788 valid cases out of 1789 total cases.

- Mean: 2.12
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 2.36

FV2_STATUS **FV2 Annual: Status of visit**

Location: 584-584 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Complete	1222	68.3 %
2	Deceased	78	4.4 %
4	Hard Refusal	217	12.1 %
5	Lost to follow-up	58	3.2 %
7	Out of window	159	8.9 %
8	Pending lost to follow-up	22	1.2 %
9	Refused	33	1.8 %

Based upon 1789 valid cases out of 1789 total cases.

- Mean: 2.30
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 2.22

FV3_STATUS **FV3 Annual: Status of visit**

Location: 585-585 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Complete	1163	65.0 %
2	Deceased	146	8.2 %

- Study 34483 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Dropped	2	0.1 %
4	Hard Refusal	181	10.1 %
5	Lost to follow-up	87	4.9 %
6	Out of Area	3	0.2 %
7	Out of window	98	5.5 %
8	Pending lost to follow-up	62	3.5 %
9	Refused	47	2.6 %

Based upon 1789 valid cases out of 1789 total cases.

- Mean: 2.37
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 2.30

FV4_STATUS **Status of FV4 visit**

Location: 586-586 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Complete	1034	57.8 %
2	Deceased	271	15.1 %
4	Hard Refusal	211	11.8 %
5	Lost to follow-up	160	8.9 %
6	Out of Area	2	0.1 %
9	Refused	30	1.7 %
. (M)	-	81	4.5 %

Based upon 1708 valid cases out of 1789 total cases.

- Mean: 2.05
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 1.68

FV5_STATUS **Status of FV5 visit**

Location: 587-587 (width: 1; decimal: 0)

Variable Type: numeric

- Study 34483 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Complete	913	51.0 %
2	Deceased	361	20.2 %
3	Dropped	2	0.1 %
4	Hard Refusal	155	8.7 %
5	Lost to follow-up	164	9.2 %
9	Refused	19	1.1 %
. (M)	-	175	9.8 %

Based upon 1614 valid cases out of 1789 total cases.

- Mean: 2.01
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 1.56

FV6_STATUS **Status of FV6 visit**

Location: 588-588 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Complete	887	49.6 %
2	Deceased	424	23.7 %
4	Hard Refusal	155	8.7 %
5	Lost to follow-up	141	7.9 %
6	Out of Area	2	0.1 %
9	Refused	6	0.3 %
. (M)	-	174	9.7 %

Based upon 1615 valid cases out of 1789 total cases.

- Mean: 1.94
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 1.38

DEMYEAR **Year of dementia diagnosis**

Location: 589-596 (width: 8; decimal: 0)

Variable Type: character

- Study 34483 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
Baseline	68	3.8 %
Death	26	1.5 %
FV1	13	0.7 %
FV2	4	0.2 %
FV3	15	0.8 %
FV4	24	1.3 %
FV5	16	0.9 %
FV6	12	0.7 %
FV7	4	0.2 %
SKIP	1607	89.8 %

Based upon 1789 valid cases out of 1789 total cases.

CINDYEAR **Year of first CIND diagnosis**

Location: 597-604 (width: 8; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
Baseline	47	2.6 %
FV1	5	0.3 %
FV2	6	0.3 %
FV3	22	1.2 %
FV4	14	0.8 %
FV5	9	0.5 %
FV6	11	0.6 %
FV7	1	0.1 %
SKIP	1674	93.6 %

Based upon 1789 valid cases out of 1789 total cases.

DEM **Dementia diagnosis, 0=NO 1=YES**

Location: 605-605 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	1607	89.8 %
1	YES	182	10.2 %

Based upon 1789 valid cases out of 1789 total cases.

- Mean: 0.10
- Median: 0.00

- Study 34483 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

CIND **CIND diagnosis at any time, 0=NO, 1=YES**

Location: 606-606 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	1674	93.6 %
1	YES	115	6.4 %

Based upon 1789 valid cases out of 1789 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

DEMGAGE **Age at dementia diagnosis**

Location: 607-612 (width: 6; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
61.21	1	0.1 %
61.53	1	0.1 %
65.08	1	0.1 %
65.48	1	0.1 %
65.71	1	0.1 %
68.04	1	0.1 %
68.68	1	0.1 %
68.85	1	0.1 %
69.31	1	0.1 %
69.79	1	0.1 %
69.85	1	0.1 %
69.91	1	0.1 %
70.33	1	0.1 %
70.40	1	0.1 %
70.77	1	0.1 %
71.16	1	0.1 %

- Study 34483 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
72.19	1	0.1 %
72.21	1	0.1 %
72.59	1	0.1 %
72.64	2	0.1 %
72.73	1	0.1 %
72.77	1	0.1 %
72.91	1	0.1 %
73.08	1	0.1 %
73.10	1	0.1 %
73.35	1	0.1 %
73.43	1	0.1 %
73.48	1	0.1 %
73.60	1	0.1 %
73.75	1	0.1 %
74.38	1	0.1 %
74.43	1	0.1 %
74.48	1	0.1 %
74.53	1	0.1 %
74.75	1	0.1 %
74.96	1	0.1 %
75.26	1	0.1 %
75.32	1	0.1 %
75.60	1	0.1 %
75.62	1	0.1 %
75.70	1	0.1 %
75.85	1	0.1 %
75.86	1	0.1 %
76.02	1	0.1 %
76.23	1	0.1 %
76.26	3	0.2 %
76.34	1	0.1 %
76.57	1	0.1 %
76.96	1	0.1 %
77.28	1	0.1 %
77.52	1	0.1 %
77.54	2	0.1 %
77.57	1	0.1 %
77.60	1	0.1 %
77.63	1	0.1 %
77.70	1	0.1 %

- Study 34483 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
77.72	1	0.1 %
77.77	1	0.1 %
77.81	1	0.1 %
77.85	1	0.1 %
77.98	1	0.1 %
78.13	1	0.1 %
78.31	1	0.1 %
78.33	1	0.1 %
78.42	1	0.1 %
78.47	1	0.1 %
78.61	1	0.1 %
78.70	1	0.1 %
78.75	1	0.1 %
78.77	1	0.1 %
78.84	1	0.1 %
78.89	1	0.1 %
78.94	1	0.1 %
78.96	1	0.1 %
79.24	1	0.1 %
79.44	1	0.1 %
79.49	1	0.1 %
79.52	1	0.1 %
79.84	1	0.1 %
80.02	1	0.1 %
80.26	1	0.1 %
80.31	1	0.1 %
80.40	1	0.1 %
80.51	1	0.1 %
80.82	1	0.1 %
80.86	1	0.1 %
81.06	1	0.1 %
81.12	1	0.1 %
81.31	1	0.1 %
81.45	1	0.1 %
81.56	1	0.1 %
81.76	1	0.1 %
81.82	1	0.1 %
82.37	1	0.1 %
82.41	1	0.1 %
82.57	2	0.1 %

- Study 34483 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
82.67	1	0.1 %
82.71	1	0.1 %
82.90	1	0.1 %
83.13	1	0.1 %
83.23	1	0.1 %
83.24	1	0.1 %
83.39	1	0.1 %
83.42	1	0.1 %
83.51	1	0.1 %
83.54	2	0.1 %
83.59	1	0.1 %
83.67	1	0.1 %
83.74	1	0.1 %
83.84	1	0.1 %
83.86	1	0.1 %
83.95	1	0.1 %
84.19	1	0.1 %
84.26	1	0.1 %
84.29	1	0.1 %
84.34	1	0.1 %
84.50	1	0.1 %
84.51	1	0.1 %
84.64	1	0.1 %
84.67	1	0.1 %
84.77	1	0.1 %
84.86	1	0.1 %
84.98	1	0.1 %
85.28	1	0.1 %
85.51	1	0.1 %
85.78	1	0.1 %
86.08	1	0.1 %
86.32	1	0.1 %
86.51	1	0.1 %
86.57	1	0.1 %
86.75	1	0.1 %
86.85	1	0.1 %
86.98	1	0.1 %
87.48	1	0.1 %
87.52	1	0.1 %
87.56	1	0.1 %

- Study 34483 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
87.69	1	0.1 %
87.81	1	0.1 %
88.09	1	0.1 %
88.14	1	0.1 %
88.28	1	0.1 %
88.56	1	0.1 %
88.69	1	0.1 %
89.03	1	0.1 %
89.21	1	0.1 %
89.41	1	0.1 %
89.64	2	0.1 %
90.04	1	0.1 %
90.72	1	0.1 %
90.86	1	0.1 %
90.89	1	0.1 %
91.08	1	0.1 %
91.20	1	0.1 %
91.30	1	0.1 %
91.31	1	0.1 %
91.98	1	0.1 %
92.02	1	0.1 %
92.14	1	0.1 %
92.18	2	0.1 %
92.79	1	0.1 %
93.10	1	0.1 %
93.31	1	0.1 %
93.81	1	0.1 %
93.82	1	0.1 %
94.19	1	0.1 %
94.23	1	0.1 %
95.14	1	0.1 %
96.22	1	0.1 %
97.02	1	0.1 %
97.48	1	0.1 %
99.74	1	0.1 %
100.16	1	0.1 %
101.89	1	0.1 %
102.72	1	0.1 %
. (M)	1607	89.8 %

Based upon 182 valid cases out of 1789 total cases.

- Study 34483 -

- Mean: 81.49
- Median: 81.09
- Mode: 76.26
- Minimum: 61.21
- Maximum: 102.72
- Standard Deviation: 7.85

CINDAGE

Age at CIND diagnosis

Location:

613-617 (width: 5; decimal: 2)

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
61.37	1	0.1 %
62.31	1	0.1 %
63.38	1	0.1 %
63.41	1	0.1 %
63.63	1	0.1 %
64.45	1	0.1 %
64.74	1	0.1 %
65.28	1	0.1 %
65.59	1	0.1 %
65.81	1	0.1 %
67.27	1	0.1 %
67.61	1	0.1 %
68.03	1	0.1 %
68.17	1	0.1 %
68.23	1	0.1 %
68.51	1	0.1 %
68.52	1	0.1 %
69.08	1	0.1 %
69.30	1	0.1 %
69.37	1	0.1 %
69.44	1	0.1 %
69.50	1	0.1 %
69.73	1	0.1 %
70.24	1	0.1 %
70.47	2	0.1 %
70.62	1	0.1 %
71.00	1	0.1 %
71.07	1	0.1 %
71.39	2	0.1 %

- Study 34483 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
71.51	1	0.1 %
71.57	1	0.1 %
71.96	1	0.1 %
72.15	1	0.1 %
72.36	1	0.1 %
72.56	1	0.1 %
72.62	1	0.1 %
72.71	1	0.1 %
72.84	1	0.1 %
72.85	2	0.1 %
72.97	1	0.1 %
72.99	1	0.1 %
73.21	1	0.1 %
73.56	1	0.1 %
73.71	1	0.1 %
74.16	1	0.1 %
74.34	1	0.1 %
74.50	1	0.1 %
74.89	1	0.1 %
74.99	1	0.1 %
75.09	1	0.1 %
75.27	1	0.1 %
75.32	1	0.1 %
76.02	1	0.1 %
76.17	1	0.1 %
76.27	2	0.1 %
76.30	1	0.1 %
76.77	1	0.1 %
77.33	1	0.1 %
77.37	1	0.1 %
77.71	1	0.1 %
77.93	1	0.1 %
78.41	1	0.1 %
78.65	1	0.1 %
78.70	1	0.1 %
78.81	1	0.1 %
78.84	1	0.1 %
78.85	1	0.1 %
79.36	1	0.1 %
79.55	1	0.1 %

- Study 34483 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
79.76	1	0.1 %
79.80	1	0.1 %
80.28	1	0.1 %
80.42	1	0.1 %
80.74	1	0.1 %
80.81	1	0.1 %
81.22	1	0.1 %
81.62	1	0.1 %
81.77	1	0.1 %
81.80	1	0.1 %
82.23	1	0.1 %
82.73	1	0.1 %
82.79	1	0.1 %
82.85	1	0.1 %
83.11	1	0.1 %
83.19	1	0.1 %
83.78	1	0.1 %
84.35	1	0.1 %
84.52	1	0.1 %
84.71	1	0.1 %
84.98	1	0.1 %
85.11	1	0.1 %
85.43	1	0.1 %
86.36	1	0.1 %
86.68	1	0.1 %
86.83	1	0.1 %
86.88	1	0.1 %
87.11	1	0.1 %
87.37	1	0.1 %
87.51	1	0.1 %
87.60	1	0.1 %
87.77	1	0.1 %
88.11	1	0.1 %
88.31	1	0.1 %
90.26	1	0.1 %
90.27	1	0.1 %
90.72	1	0.1 %
91.72	1	0.1 %
95.33	1	0.1 %
96.53	1	0.1 %

- Study 34483 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
98.03	1	0.1 %
98.51	1	0.1 %
. (M)	1674	93.6 %

Based upon 115 valid cases out of 1789 total cases.

- Mean: 77.13
- Median: 76.27
- Minimum: 61.37
- Maximum: 98.51
- Standard Deviation: 8.18

DEMCIND Diagnosed with either dementia or cind, 0=NO 1=YES

Location: 618-618 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO	1517	84.8 %
1	YES	272	15.2 %

Based upon 1789 valid cases out of 1789 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

DCYEAR Year of demcind diagnosis as numeric

Location: 619-620 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	115	6.4 %
1	-	22	1.2 %
2	-	12	0.7 %
3	-	35	2.0 %
4	-	34	1.9 %
5	-	24	1.3 %
6	-	24	1.3 %
7	-	6	0.3 %

- Study 34483 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
90	SKIP	1517	84.8 %

Based upon 1789 valid cases out of 1789 total cases.

- Mean: 76.65
- Median: 90.00
- Mode: 90.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 31.55

DCAGE **Age at demcind diagnosis**

Location: 621-626 (width: 6; decimal: 2)

Variable Type: numeric

Based upon 272 valid cases out of 1789 total cases.

- Mean: 79.58
- Median: 78.84
- Minimum: 61.21
- Maximum: 102.72
- Standard Deviation: 8.35

ENROLLAGE **Age at enrollment**

Location: 627-632 (width: 6; decimal: 2)

Variable Type: numeric

Based upon 1789 valid cases out of 1789 total cases.

- Mean: 70.65
- Minimum: 58.74
- Maximum: 100.90
- Standard Deviation: 7.11

BIRTH_MONTH **Month of birthdate**

Location: 633-634 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	144	8.0 %
2	149	8.3 %
3	164	9.2 %
4	135	7.5 %

- Study 34483 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	150	8.4 %
6	150	8.4 %
7	149	8.3 %
8	149	8.3 %
9	143	8.0 %
10	140	7.8 %
11	143	8.0 %
12	173	9.7 %

Based upon 1789 valid cases out of 1789 total cases.

- Mean: 6.54
- Median: 7.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.48

BIRTH_YEAR

Year of birthdate

Location:

635-638 (width: 4; decimal: 0)

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1898	1	0.1 %
1901	1	0.1 %
1902	2	0.1 %
1903	1	0.1 %
1904	1	0.1 %
1905	3	0.2 %
1906	4	0.2 %
1907	6	0.3 %
1908	6	0.3 %
1909	5	0.3 %
1910	11	0.6 %
1911	7	0.4 %
1912	17	1.0 %
1913	9	0.5 %
1914	21	1.2 %
1915	21	1.2 %
1916	20	1.1 %
1917	26	1.5 %

- Study 34483 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1918	34	1.9 %
1919	29	1.6 %
1920	42	2.3 %
1921	57	3.2 %
1922	57	3.2 %
1923	85	4.8 %
1924	63	3.5 %
1925	79	4.4 %
1926	87	4.9 %
1927	82	4.6 %
1928	94	5.3 %
1929	96	5.4 %
1930	109	6.1 %
1931	85	4.8 %
1932	96	5.4 %
1933	99	5.5 %
1934	113	6.3 %
1935	95	5.3 %
1936	71	4.0 %
1937	79	4.4 %
1938	65	3.6 %
1939	10	0.6 %

Based upon 1789 valid cases out of 1789 total cases.

- Mean: 1927.73
- Median: 1929.00
- Mode: 1934.00
- Minimum: 1898.00
- Maximum: 1939.00
- Standard Deviation: 7.11

DEATH_MONTH

Month of deceased

Location:

639-640 (width: 2; decimal: 0)

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	47	2.6 %
2	38	2.1 %
3	37	2.1 %
4	42	2.3 %

- Study 34483 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	49	2.7 %
6	40	2.2 %
7	33	1.8 %
8	34	1.9 %
9	26	1.5 %
10	31	1.7 %
11	37	2.1 %
12	51	2.9 %
. (M)	1324	74.0 %

Based upon 465 valid cases out of 1789 total cases.

- Mean: 6.35
- Median: 6.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.58

DEATH_YEAR

Year of deceased

Location: 641-644 (width: 4; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1998	4	0.2 %
1999	30	1.7 %
2000	44	2.5 %
2001	56	3.1 %
2002	53	3.0 %
2003	58	3.2 %
2004	52	2.9 %
2005	54	3.0 %
2006	54	3.0 %
2007	46	2.6 %
2008	14	0.8 %
. (M)	1324	74.0 %

Based upon 465 valid cases out of 1789 total cases.

- Mean: 2003.30
- Median: 2003.00
- Mode: 2003.00

- Study 34483 -

- Minimum: 1998.00
- Maximum: 2008.00
- Standard Deviation: 2.56

ENROLL_MONTH **Month of first completed baseline appointment (usually survey)**

Location: 645-646 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	91	5.1 %
2	104	5.8 %
3	202	11.3 %
4	203	11.3 %
5	234	13.1 %
6	200	11.2 %
7	196	11.0 %
8	186	10.4 %
9	143	8.0 %
10	113	6.3 %
11	83	4.6 %
12	34	1.9 %

Based upon 1789 valid cases out of 1789 total cases.

- Mean: 5.97
- Median: 6.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.81

ENROLL_YEAR **Year of first completed baseline appointment (usually survey)**

Location: 647-650 (width: 4; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1998	1032	57.7 %
1999	757	42.3 %

Based upon 1789 valid cases out of 1789 total cases.

- Mean: 1998.42
- Median: 1998.00
- Mode: 1998.00

- Study 34483 -

- Minimum: 1998.00
- Maximum: 1999.00
- Standard Deviation: 0.49

DEM_MONTH **Month of dementia diagnosis**

Location: 651-652 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	16	0.9 %
2	8	0.4 %
3	48	2.7 %
4	13	0.7 %
5	12	0.7 %
6	17	1.0 %
7	8	0.4 %
8	12	0.7 %
9	12	0.7 %
10	12	0.7 %
11	16	0.9 %
12	8	0.4 %
. (M)	1607	89.8 %

Based upon 182 valid cases out of 1789 total cases.

- Mean: 5.73
- Median: 5.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.37

DEM_YEAR **Year of dementia diagnosis**

Location: 653-656 (width: 4; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1998	4	0.2 %
1999	22	1.2 %
2000	27	1.5 %
2001	32	1.8 %
2002	15	0.8 %
2003	12	0.7 %

- Study 34483 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2004	16	0.9 %
2005	23	1.3 %
2006	12	0.7 %
2007	14	0.8 %
2008	5	0.3 %
. (M)	1607	89.8 %

Based upon 182 valid cases out of 1789 total cases.

- Mean: 2002.51
- Median: 2002.00
- Mode: 2001.00
- Minimum: 1998.00
- Maximum: 2008.00
- Standard Deviation: 2.74

CIND_MONTH **Month of CIND diagnosis at any time**

Location: 657-658 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	3	0.2 %
2	12	0.7 %
3	17	1.0 %
4	8	0.4 %
5	10	0.6 %
6	10	0.6 %
7	7	0.4 %
8	2	0.1 %
9	13	0.7 %
10	6	0.3 %
11	14	0.8 %
12	13	0.7 %
. (M)	1674	93.6 %

Based upon 115 valid cases out of 1789 total cases.

- Mean: 6.71
- Median: 6.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.57

- Study 34483 -

CIND_YEAR Year of CIND diagnosis at any time

Location: 659-662 (width: 4; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1998	5	0.3 %
1999	34	1.9 %
2000	13	0.7 %
2001	5	0.3 %
2002	13	0.7 %
2003	9	0.5 %
2004	12	0.7 %
2005	6	0.3 %
2006	8	0.4 %
2007	9	0.5 %
2008	1	0.1 %
. (M)	1674	93.6 %

Based upon 115 valid cases out of 1789 total cases.

- Mean: 2001.83
- Median: 2002.00
- Mode: 1999.00
- Minimum: 1998.00
- Maximum: 2008.00
- Standard Deviation: 2.87

DC_MONTH Month of diagnosed with either dementia or cind

Location: 663-664 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	17	1.0 %
2	19	1.1 %
3	63	3.5 %
4	20	1.1 %
5	20	1.1 %
6	21	1.2 %
7	14	0.8 %
8	14	0.8 %
9	22	1.2 %
10	14	0.8 %

- Study 34483 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
11	28	1.6 %
12	20	1.1 %
. (M)	1517	84.8 %

Based upon 272 valid cases out of 1789 total cases.

- Mean: 6.05
- Median: 5.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.49

DC_YEAR	Year of diagnosed with either dementia or cind
----------------	---

Location: 665-668 (width: 4; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1998	9	0.5 %
1999	56	3.1 %
2000	40	2.2 %
2001	37	2.1 %
2002	25	1.4 %
2003	18	1.0 %
2004	20	1.1 %
2005	27	1.5 %
2006	18	1.0 %
2007	17	1.0 %
2008	5	0.3 %
. (M)	1517	84.8 %

Based upon 272 valid cases out of 1789 total cases.

- Mean: 2002.02
- Median: 2001.00
- Mode: 1999.00
- Minimum: 1998.00
- Maximum: 2008.00
- Standard Deviation: 2.77