

ICPSR 3820

**Community Tracking Study
Physician Survey, 2000-2001:
[United States]**

*Center for Studying Health System
Change*

Codebook for the Restricted-Use
Version of the Main Data File

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu


Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/3820.xml>

Community Tracking Study

2000-01 Physician Survey Restricted Use File: Codebook

(Release 1)



600 Maryland Avenue, SW
Suite 550
Washington, DC 20024
www.hschange.org

Technical Publication No.

50

September 2003

CTS Physician Survey Restricted Use File

2000/2001 Data

Introduction

This codebook describes the Community Tracking Study Round Three Physician Survey Restricted Use File, CTSR3PR1.TXT. The file, which is distributed in ASCII format, contains 221 variables and 12,406 physician-level records. The unique record identifier and sort key is the variable PHYSIDX. In addition to this introduction, the codebook consists of three parts, an alphabetical listing of the variables, a positional listing of the variables, and the main portion of the codebook containing counts, percentages, and descriptive information on a variable-by-variable basis.

Codebook Sections

The variables included on the file are grouped and ordered based on the questions appearing in the various sections of the survey instrument, with two additional sections for non-questionnaire related variables. Imputation flags follow the corresponding imputed variable while constructed variables are inserted next to, or in some cases, in place of the applicable survey questionnaire variable.

| | |
|------------|---|
| | Survey Administration Variables |
| Section A: | Introduction |
| Section B: | Utilization of Time |
| Section C: | Type and Size of Practice |
| Section D: | Medical Care Management |
| Section F: | Physician-Patient Interactions |
| Section G: | Practice Revenue |
| Section H: | Physician Compensation Methods & Income Level |
| | Weights and Sampling Variables |

Variable Listings

The codebook contains lists of the variables on the file in alphabetical and positional order. Each list includes the variable name, start and end column position, and a brief description or label for the variable. This description is limited to 40 characters and is prefaced by the following indicators: "PH" indicates the Physician Survey, and "3" indicates the round of data collection. The questionnaire item number, "CV" (to denote a constructed variable), or "AMA/AOA" (to denote a variable from the external AMA or AOA files) follows these indicators. The same 40 character descriptions are also provided in the LABEL statement section of the SAS user file provided with the public use file.

Main Codebook

The main portion of the codebook follows the alphabetical and positional listings. Unweighted counts, cumulative counts, percentages, and cumulative percentages for each variable are displayed. The counts and percentages for each variable are arranged such that valid, non-missing data appears first, followed by missing data ("-8 Don't Know"), and concluding with inapplicable ("-1") responses which were not asked due to skip pattern logic. If a variable is a continuous or semi continuous variable (like a year or a percentage), then the values are detailed as a range of values (for example, for the variable PMC, 1-25% means that the actual data values are between 1 and 25). In addition, a number of informational fields about each variable are included to assist the user in working with the data. These include:

Variable Name: Alphanumeric name for the variable, limited to 7 characters in length.

Variable Type: Numeric or character variable.

Length: Variable length and number of decimal places.

Start/End: Start and end columns in the ASCII data file.

Question: Questionnaire item number and text. For variables corresponding directly to a questionnaire item, the question number and text of the related questionnaire item is provided in the Question field. For constructed, survey administration, and weight and sampling variables, the Question field has a value of "N/A" to denote a non-questionnaire-related item.

Description: Brief description of the variable, primarily used with constructed or non-questionnaire variables. In addition, this field describes the set of individuals eligible to be asked a question, regardless of whether they responded. Persons not included in the universe for a particular variable were assigned a value of "-1 Inapplicable".

Additional information on variable construction and editing, as well as specific information on selected variables is included in Chapter 5 of the User Guide. To obtain site-specific or national estimates using this file, users should refer to the information on sample design and estimation included in Chapter 3 of the User Guide. In addition, Chapter 4 of the User Guide provides information on deriving appropriate variance estimates.

CTS Physician Survey Restricted Use File

2000/2001 Data

Alphabetical Listing of Variables

| Variable | Start | End | Description |
|----------|-------|-----|--|
| ACC_CAP | 327 | 328 | PH3:F10:Accept new pats with Cap cntrcts |
| ACC_INT | 211 | 212 | PH3:D2:Access to Internet in office |
| ACQUIRD | 183 | 184 | PH3:C10:Practice acquired in last 2 yrs |
| ADQTIME | 263 | 264 | PH3:CV:Adequacy of time, all physicians |
| AFSU | 455 | 459 | PH3:CV:Smpl Unit 2, Natl.Est. Augm Smpl |
| ALLPRTP | 134 | 135 | PH3:CV:All practice type |
| AMAPRIM | 30 | 31 | AMA/AOA:PCP Type |
| AP1 | 551 | 560 | PH3:CV:APSU prob. 1, Natl.Est. Augm Smpl |
| AP2 | 561 | 570 | PH3:CV:APSU prob. 2, Natl.Est. Augm Smpl |
| AP3 | 571 | 580 | PH3:CV:APSU prob. 3, Natl.Est. Augm Smpl |
| AP4 | 581 | 590 | PH3:CV:APSU prob. 4, Natl.Est. Augm Smpl |
| AP5 | 591 | 600 | PH3:CV:APSU prob. 5, Natl.Est. Augm Smpl |
| AP6 | 601 | 610 | PH3:CV:APSU prob. 6, Natl.Est. Augm Smpl |
| AP7 | 611 | 620 | PH3:CV:APSU prob. 7, Natl.Est. Augm Smpl |
| APSU | 419 | 421 | PH3:CV:Smpl Unit 1, Natl.Est. Augm Smpl |
| ASECSTRA | 473 | 474 | PH3:CV:Strata 2, Natl.Est. Augm Smpl |
| ASTRATA | 414 | 415 | PH3:CV:Strata 1, Natl.Est. Augm Smp |
| ASTRTOT | 425 | 427 | PH3:CV:fpc Count for ASTRATA, Augm Smpl |
| AWRGUID | 222 | 223 | PH3:D4A1:Aware of formal written guidels |
| AWRPROF | 228 | 229 | PH3:D4B1:Aware of practice profiling |
| AWRSURV | 234 | 235 | PH3:D4C1:Aware of patient satis surveys |
| BDCERT | 67 | 68 | PH3:CV:Board Certification Status |
| BDCTPS | 69 | 70 | PH3:CV:Bd Certified in Prim Sub/Speccty |
| BDELPS | 71 | 72 | PH3:CV:Bd Eligible in Prim Sub/Speccty |
| BIRTH | 22 | 25 | AMA/AOA:Birth year |
| BONUS | 363 | 364 | PH3:H4:Eligible for bonuses now flag |
| C5OWNER | 146 | 147 | PH3:CV:C5 Outside ownership |
| CARSAT | 73 | 74 | PH3:A19:Overall Career satisfaction |
| CHGREF | 261 | 262 | PH3:D13:Change-# referrals by PCPs |
| CLNFREE | 265 | 266 | PH3:F1C:Freedom for clinical decisions |
| CMPCHG | 257 | 258 | PH3:D11:Change-complexity at ref, NPCP |
| CMPEXPC | 248 | 249 | PH3:D8:Appropriateness w/o ref, PCP |
| CMPLVL | 259 | 260 | PH3:D12:Appropriateness at ref, NPCP |
| CMPPROV | 246 | 247 | PH3:D7:Change-complexity w/o ref, PCP |
| COMMALL | 275 | 276 | PH3:CV:Level of communication, all phys |

CTS Physician Survey Restricted Use File

2000/2001 Data

Alphabetical Listing of Variables

| Variable | Start | End | Description |
|----------|-------|-----|---|
| COMPETE | 403 | 404 | PH3:H10c:Competitive situation of prac |
| COMPRM | 273 | 274 | PH3:F1G:Communicatn w primary care phys |
| CTL_BUS | 195 | 196 | PH3:C12D:Importnce of Control of bus dec |
| CTL_DEC | 191 | 192 | PH3:C12B:Importance of Control clin dec |
| CTL_INC | 193 | 194 | PH3:C12C:Importance of Potential income |
| CTL_WRK | 189 | 190 | PH3:C12A:Importance of Control of hours |
| DOCTYP | 37 | 38 | PH3:S1:Doctor type (MD, DO) |
| EBONUS | 385 | 386 | PH3:H9a:Eligible for bonuses in 1999 |
| EFEFF | 108 | 109 | PH3:B11:Effct of md info by pnts on efcy |
| EFGUIDE | 220 | 221 | PH3:D4A:Effect of formal writtn guidelin |
| EFINCNT | 399 | 400 | PH3:H10b1:Effect of financial incentives |
| EFINFO | 106 | 107 | PH3:B10:Effct of md info by pnts on qual |
| EFPROFL | 226 | 227 | PH3:D4B:Effect of practic profile result |
| EFSURV | 232 | 233 | PH3:D4C:Effect of patient satisfactn surv |
| EMPTYP | 126 | 127 | PH3:C3b:Empl type verbatims, coded |
| EMPTYP2 | 128 | 129 | PH3:C3c:Type of Employer, other |
| FININCPT | 401 | 402 | PH3:CV:Effect of fin incentvs on pt care |
| FIPS | 17 | 21 | PH3:CV:State and county code when survyd |
| FORMLRY | 213 | 217 | PH3:D3:Pct pats w prescrip cov-formulary |
| FRAME | 440 | 444 | PH3:CV:Fpc Count for FSU, Site Est. |
| FSU | 445 | 449 | PH3:CV:Final sample unit for Site Est. |
| GENDER | 39 | 40 | PH3:AMA/AOA:Sex,1-Male,2-Female |
| GENSUB | 54 | 55 | PH3:A9:General practice vs. subspecialty |
| GRAD_YR | 26 | 29 | AMA/AOA:Med School Graduation year |
| GRTYPE | 132 | 133 | PH3:CV:Type of group physician |
| HIGHCAR | 267 | 268 | PH3:F1D:Possibility of high quality care |
| HISP | 405 | 406 | PH3:H11:Hispanic origin |
| HRFREE | 91 | 93 | PH3:B6:Hours previous month charity care |
| HRSMED | 81 | 83 | PH3:CV:Hrs prev wk medically-related act |
| HRSPAT | 86 | 88 | PH3:CV:Hrs prev wk direct patient care |
| HSPHP | 301 | 302 | PH3:F8A_CB:H/Adm df:HPnetw/Adm barriers |
| HSPINS | 303 | 304 | PH3:F8A_CC:H/Adm df:Pt has inadqte ins |
| HSPPAR | 140 | 141 | PH3:C5B:Owner: Hospital |
| HSPPROV | 299 | 300 | PH3:F8A_CA:H/Adm df:Cant get qual provs |
| IMGSTAT | 33 | 34 | PH3:CV:Country of Medical School |

CTS Physician Survey Restricted Use File
2000/2001 Data
Alphabetical Listing of Variables

| Variable | Start | End | Description |
|----------|-------|-----|--|
| IMGUSPR | 35 | 36 | PH3:CV:Foreign Medical School Graduate |
| INCENT | 395 | 396 | PH3:H10b:Overall financial incentives |
| INCOMET | 387 | 392 | PH3:H10:Net income in 1999 |
| INSPAR | 142 | 143 | PH3:C5C:Owner: Insurance Co, HMO |
| IT_FORM | 199 | 200 | PH3:D1B:Uses IT to obtain info on formls |
| IT_TRT | 197 | 198 | PH3:D1A:IT used get info on trtmnt alts |
| ITCLIN | 207 | 208 | PH3:D1F:IT used to exchange clin data |
| ITCOMM | 209 | 210 | PH3:D1G:Uses IT to comm w/pat cln issues |
| ITNOTES | 203 | 204 | PH3:D1D:Uses IT to access patient notes |
| ITPRESC | 205 | 206 | PH3:D1E:Uses IT to write prescriptions |
| ITRMNDR | 201 | 202 | PH3:D1C:IT used to generate reminders |
| MHHP | 307 | 308 | PH3:F8A_GB:O/Mnt dif:HPnetw/Adm barriers |
| MHINS | 309 | 310 | PH3:F8A_GC:O/Mnt dif:Pt has inadqte ins |
| MHPROV | 305 | 306 | PH3:F8A_GA:O/Mnt dif:Cant get qual prov |
| MSACAT | 15 | 16 | PH3:CV:Large metro/small metro/non-metro |
| MULTPR | 41 | 42 | PH3:A4:Multiple practices |
| NEGINCN | 269 | 270 | PH3:F1E:Decision w/o neg financl incentv |
| NFSU | 450 | 454 | PH1:Final sample unit for natl ests |
| NMCCON | 346 | 347 | PH3:CV:Num of managed care contracts |
| NPHYS | 178 | 180 | PH3:C7:Number of physicians at practice |
| NSTRATA | 409 | 411 | PH3:CV:Primary Strata, Natl. Est. Supp. |
| NUMPR | 45 | 46 | PH3:A4A:Number of practices |
| NWMCAID | 315 | 316 | PH3:F9B:Accept new Medicaid patients |
| NWMCARE | 311 | 312 | PH3:F9A:Accept new Medicare patients |
| NWNPAY | 323 | 324 | PH3:F9G:Accept new unins pats-cant pay |
| NWPRIV | 319 | 320 | PH3:F9C:Accept new privately insured |
| NWSPEC | 51 | 53 | PH3:A8:Primary specialty |
| OBANCL | 281 | 282 | PH3:F8B:High quality ancillary services |
| OBHOSP | 283 | 284 | PH3:F8C:Non-emergency hospital admission |
| OBIMAG | 287 | 288 | PH3:F8E:High quality diagnostic imaging |
| OBINPAT | 285 | 286 | PH3:F8D:Adequate number inpatient days |
| OBMENTL | 289 | 290 | PH3:F8F:High qual inpat mental hlth care |
| OBOUTPT | 291 | 292 | PH3:F8G:High qual outpatient mentl hlth care |
| OBREFS | 279 | 280 | PH3:F8A:Referrals to quality specialists |
| ORGC_1 | 148 | 149 | PH3:CV:Other owner org is listed,crctd |

CTS Physician Survey Restricted Use File

2000/2001 Data

Alphabetical Listing of Variables

| Variable | Start | End | Description |
|-----------------|--------------|------------|---|
| ORGC_10 | 160 | 161 | PH3:CV:Ownr org univ or med school,crctd |
| ORGC_11 | 162 | 163 | PH3:CV:Ownr org medical foundation,crctd |
| ORGC_12 | 164 | 165 | PH3:CV:Ownr org othr non-profit,crctd |
| ORGC_13 | 166 | 167 | PH3:CV:Ownr org:othr phys in prac,crctd |
| ORGC_14 | 168 | 169 | PH3:CV:Ownr org:another phys group,crctd |
| ORGC_15 | 170 | 171 | PH3:CV:Ownr org:hosp/grp of hosps,crctd |
| ORGC_16 | 172 | 173 | PH3:CV:Ownr org:Ins co/h plan/HMO,crctd |
| ORGC_2 | 150 | 151 | PH3:CV:Dont know type other org,crctd |
| ORGC_6 | 152 | 153 | PH3:CV:Ownr org integr. health sys,crctd |
| ORGC_7 | 154 | 155 | PH3:CV:Ownr org phys prac mgmt,crctd |
| ORGC_8 | 156 | 157 | PH3:CV:Ownr org mgmt services org,crctd |
| ORGC_9 | 158 | 159 | PH3:CV:Ownr org phys hospital org,crctd |
| ORGP | 144 | 145 | PH3:C5D:Owner: Other |
| OTHGRP | 138 | 139 | PH3:C5A:Owner : Other phys group |
| OTHP | 136 | 137 | PH3:C4:Owner: Other phys in practice |
| OTHSET | 124 | 125 | PH3:C3a:Government hospital or clinic |
| OWNPR | 110 | 111 | PH3:C1:Ownership status(Full/Part/No Own) |
| OWNPUR | 187 | 188 | PH3:C11:Resp ownrshp when practc purchsd |
| P1X | 481 | 490 | PH3:CV:Joint psu inclusion probability 1 |
| P2X | 491 | 500 | PH3:CV:Joint inclusion probability 2 |
| P3X | 501 | 510 | PH3:CV:Joint inclusion probability 3 |
| P4X | 511 | 520 | PH3:CV:Joint inclusion probability 4 |
| P5X | 521 | 530 | PH3:CV:Joint inclusion probability 5 |
| P6X | 531 | 540 | PH3:CV:Joint inclusion probability 6 |
| P7X | 541 | 550 | PH3:CV:Joint inclusion probability 7 |
| PACT | 101 | 105 | PH3:B9:Pct of pats:tests sugg by patints |
| PATINFO | 96 | 100 | PH3:B7:Pct of pats talk about other info |
| PATREL | 277 | 278 | PH3:F1H:Continuing patient relationships |
| PCAPREV | 341 | 343 | PH3:CV:% practice rev prepaid, capitated |
| PCPFLAG | 63 | 64 | PH3:CV:Primary care physician flag |
| PCTGATE | 252 | 254 | PH3:D10:Pct patients for whom gatekeeper |
| PCTINCC | 380 | 382 | PH3:CV:Pct income from bonuses,corrected |
| PCTINCN | 377 | 379 | PH3:H9:Pct income from bonuses |
| PHYSIDX | 1 | 6 | PH3: Physician id number, masked |
| PMC | 350 | 354 | PH3:CV:% practice rev from managed care |

CTS Physician Survey Restricted Use File

2000/2001 Data

Alphabetical Listing of Variables

| Variable | Start | End | Description |
|-----------------|--------------|------------|--|
| PMCAID | 336 | 338 | PH3:G1B:Pct payments from Medicaid |
| PMCARE | 331 | 333 | PH3:G1A:Pct payments from Medicare |
| PPSU | 416 | 418 | PH3:CV:Pseudo PSU, Natl. Est. |
| PPSUAWR | 465 | 469 | PH3:CV:WR psu, natl est, augmented |
| PRCTYPE | 130 | 131 | PH3:CV:Practice type (Categorical) |
| PSTRATA | 412 | 413 | PH3:CV:Pseudo Primary Strata, Natl. Est. |
| PSTRAWR | 478 | 480 | PH3:CV:WR strata, natl est, augmented |
| PSTRTOT3 | 422 | 424 | PH3:CV:Fpc Count for PSTRATA |
| PSUWR | 460 | 464 | PH3:CV:WR psu, natl est, site-combined |
| QU_FRMY | 238 | 239 | PH3:D5B:Qual of care: Presc drug formlrs |
| QUGUIDE | 240 | 241 | PH3:D5C:Eff of formal g/lins on eff/qual |
| QUPROF | 242 | 243 | PH3:D5D:Eff of prac prfing on effcy/qual |
| QUSURV | 244 | 245 | PH3:D5E:Eff of pat sat surv on eff/qual |
| R2PHYIDX | 7 | 12 | PH2: Value for PHYSIDX in Round 2 |
| RACE | 407 | 408 | PH3:H12:Race |
| RADJ | 373 | 374 | PH3:CV:Profiles are risk adjusted |
| REFHP | 295 | 296 | PH3:F8A_AB:Ref diff:HPnetw/Adm barriers |
| REFINS | 297 | 298 | PH3:F8A_AC:Ref diff:Pt has inadqte ins |
| REFPROV | 293 | 294 | PH3:F8A_AA:Ref diff:Cant get qual provs |
| SALADJ | 361 | 362 | PH3:H3:Salary adjustments |
| SALPAID | 357 | 358 | PH3:H1:Salaried Physician flag |
| SALTIME | 359 | 360 | PH3:H2:Compensate per work time period |
| SECSTRA | 470 | 472 | PH1:Secondary stratification |
| SETTING | 174 | 175 | PH3:C6b:Setting where spend most time |
| SIPNPED | 56 | 57 | PH3:A9a:Subspc, intrnl, or ped (non-ped) |
| SIPPED | 58 | 59 | PH3:A9b:Subspc, intrnl, or ped (ped spc) |
| SITEID | 13 | 14 | PH3:CV:Updated master file SITE variable |
| SITEPCP | 428 | 432 | PH3:CV Primary strata for Site Est. |
| SITEPCP2 | 433 | 439 | PH3:CV Primary strata, pooled Site Est. |
| SPECUSE | 250 | 251 | PH3:D9:Chng-num of refrls to speclsts |
| SPECX | 65 | 66 | PH1:CV:Combined Spec/Subspec |
| SPROD | 365 | 366 | PH3:CV:Own Productivity affects comp |
| SPROF | 371 | 372 | PH3:CV:Profiling results affect comp |
| SQUAL | 369 | 370 | PH3:CV:Quality measures affect comp |
| SSAT | 367 | 368 | PH3:CV:Patient satisfactn affects comp |

CTS Physician Survey Restricted Use File
2000/2001 Data
Alphabetical Listing of Variables

| Variable | Start | End | Description |
|----------|-------|-----|--|
| STRATAWR | 475 | 477 | PH3:CV:WR strata, natl est,site-combined |
| SUBGRP | 32 | 32 | PH3:CV:subgroup in sample - A/B/C/D |
| SUBSPC | 60 | 62 | PH3:A10:Subspecialty |
| TOPEMP | 118 | 119 | PH3:C3:Type of employer (non-owner) |
| TOPEMPA | 122 | 123 | PH3:CV:Employer type (all employees) |
| TOPEMPC | 120 | 121 | PH3:CV:Employer type w/ C9 recodes |
| TOPOWN | 114 | 115 | PH3:C2:Type of practice (owners) |
| TOPOWNC | 116 | 117 | PH3:CV:Prac type (owners), w/ C9 recodes |
| USESPCS | 271 | 272 | PH3:F1F:High communcatn lvl w/ speclsts |
| WKSWRK | 75 | 76 | PH3:B1:Weeks practicing medicine in 1999 |
| WKSWRKC | 77 | 78 | PH3:CV:Weeks worked in 1999,w/o new phys |
| WTPAN1 | 662 | 671 | PH3:CV:Panel Wgt, Natl Est Combined Smpl |
| WTPAN2 | 672 | 681 | PH3:CV:Panel A+B Wgt, Natl Est Site Smpl |
| WTPHY1 | 621 | 630 | PH3:CV:Augmented site estimates |
| WTPHY3 | 631 | 641 | PH3:CV:National est.,supplemental sample |
| WTPHY4 | 642 | 651 | PH3:CV:National weight, combined sample |
| WTPHY5 | 652 | 661 | PH3:CV:Natl estimates, aug site sample |
| YRBGN | 47 | 50 | PH3:A6:Year began practicing medicine |
| _ACC_CAP | 329 | 330 | PH3:Imputation flag for ACC_CAP |
| _ACQUIRD | 185 | 186 | PH3:Imputation flag for ACQUIRD |
| _AWRGUID | 224 | 225 | PH3:Imputation flag for AWRGUID |
| _AWRPROF | 230 | 231 | PH3:Imputation flag for AWRPROF |
| _AWRSURV | 236 | 237 | PH3:Imputation flag for AWRSURV |
| _FORMLRY | 218 | 219 | PH3:Imputation flag for FORMLRY |
| _HRFREE | 94 | 95 | PH3:Imputation flag for HRFREE |
| _HRSMED | 84 | 85 | PH3:Imputation flag for HRSMED |
| _HRSPAT | 89 | 90 | PH3:Imputation flag for HRSPAT |
| _INCENT | 397 | 398 | PH3:Imputation flag for INCENT |
| _INCOMET | 393 | 394 | PH3:Imputation flag for INCOMET |
| _MULTPR | 43 | 44 | PH3:Imputation flag for MULTPR |
| _NMCCON | 348 | 349 | PH3:Imputation flag for NMCCON |
| _NPHYS | 181 | 182 | PH3:Imputation flag for NPHYS |
| _NWMCAID | 317 | 318 | PH3:Imputation flag for NWMCAID |
| _NWMCARE | 313 | 314 | PH3:Imputation flag for NWMCARE |
| _NWNPAY | 325 | 326 | PH3:Imputation flag for NWNPAY |

CTS Physician Survey Restricted Use File
2000/2001 Data
Alphabetical Listing of Variables

| Variable | Start | End | Description |
|-----------------|--------------|------------|---------------------------------|
| _NWPRIV | 321 | 322 | PH3:Imputation flag for NWPRIV |
| _OWNPR | 112 | 113 | PH3:Imputation flag for OWNPR |
| _PCAPREV | 344 | 345 | PH3:Imputation flag for PCAPREV |
| _PCTGATE | 255 | 256 | PH3:Imputation flag for PCTGATE |
| _PCTINCC | 383 | 384 | PH3:Imputation flag for PCTINCC |
| _PMC | 355 | 356 | PH3:Imputation flag for PMC |
| _PMCAID | 339 | 340 | PH3:Imputation flag for PMCAID |
| _PMCARE | 334 | 335 | PH3:Imputation flag for PMCARE |
| _RADJ | 375 | 376 | PH3:Imputation flag for RADJ |
| _SETTING | 176 | 177 | PH3:Imputation flag for SETTING |
| _WKSWRKC | 79 | 80 | PH3:Imputation flag for WKSWRKC |

CTS Physician Survey Restricted Use File
2000/2001 Data
Positional Listing of Variables

| Variable | Start | End | Description |
|----------|-------|-----|--|
| PHYSIDX | 1 | 6 | PH3: Physician id number, masked |
| R2PHYIDX | 7 | 12 | PH2: Value for PHYSIDX in Round 2 |
| SITEID | 13 | 14 | PH3:CV:Updated master file SITE variable |
| MSACAT | 15 | 16 | PH3:CV:Large metro/small metro/non-metro |
| FIPS | 17 | 21 | PH3:CV:State and county code when survyd |
| BIRTH | 22 | 25 | AMA/AOA:Birth year |
| GRAD_YR | 26 | 29 | AMA/AOA:Med School Graduation year |
| AMAPRIM | 30 | 31 | AMA/AOA:PCP Type |
| SUBGRP | 32 | 32 | PH3:CV:subgroup in sample - A/B/C/D |
| IMGSTAT | 33 | 34 | PH3:CV:Country of Medical School |
| IMGUSPR | 35 | 36 | PH3:CV:Foreign Medical School Graduate |
| DOCTYP | 37 | 38 | PH3:S1:Doctor type (MD, DO) |
| GENDER | 39 | 40 | PH3:AMA/AOA:Sex,1-Male,2-Female |
| MULTPR | 41 | 42 | PH3:A4:Multiple practices |
| _MULTPR | 43 | 44 | PH3:Imputation flag for MULTPR |
| NUMPR | 45 | 46 | PH3:A4A:Number of practices |
| YRBGN | 47 | 50 | PH3:A6:Year began practicing medicine |
| NWSPEC | 51 | 53 | PH3:A8:Primary specialty |
| GENSUB | 54 | 55 | PH3:A9:General practice vs. subspecialty |
| SIPNPED | 56 | 57 | PH3:A9a:Subspc, intrnl, or ped (non-ped) |
| SIPPED | 58 | 59 | PH3:A9b:Subspc, intrnl, or ped (ped spc) |
| SUBSPC | 60 | 62 | PH3:A10:Subspecialty |
| PCPFLAG | 63 | 64 | PH3:CV:Primary care physician flag |
| SPECX | 65 | 66 | PH1:CV:Combined Spec/Subspec |
| BDCERT | 67 | 68 | PH3:CV:Board Certification Status |
| BDCTPS | 69 | 70 | PH3:CV:Bd Certified in Prim Sub/Specity |
| BDELPS | 71 | 72 | PH3:CV:Bd Eligible in Prim Sub/Specity |
| CARSAT | 73 | 74 | PH3:A19:Overall Career satisfaction |
| WKSWRK | 75 | 76 | PH3:B1:Weeks practicing medicine in 1999 |
| WKSWRKC | 77 | 78 | PH3:CV:Weeks worked in 1999,w/o new phys |
| _WKSWRKC | 79 | 80 | PH3:Imputation flag for WKSWRKC |
| HRSMED | 81 | 83 | PH3:CV:Hrs prev wk medically-related act |
| _HRSMED | 84 | 85 | PH3:Imputation flag for HRSMED |
| HRSPAT | 86 | 88 | PH3:CV:Hrs prev wk direct patient care |
| _HRSPAT | 89 | 90 | PH3:Imputation flag for HRSPAT |

CTS Physician Survey Restricted Use File

2000/2001 Data

Positional Listing of Variables

| Variable | Start | End | Description |
|----------|-------|-----|---|
| HRFREE | 91 | 93 | PH3:B6:Hours previous month charity care |
| _HRFREE | 94 | 95 | PH3:Imputation flag for HRFREE |
| PATINFO | 96 | 100 | PH3:B7:Pct of pats talk about other info |
| PATACT | 101 | 105 | PH3:B9:Pct of pats:tests sugg by patints |
| EFINFO | 106 | 107 | PH3:B10:Effct of md info by pnts on qual |
| EFEFF | 108 | 109 | PH3:B11:Effct of md info by pnts on efcy |
| OWNPR | 110 | 111 | PH3:C1:Ownersh p status(Full/Part/No Own) |
| _OWNPR | 112 | 113 | PH3:Imputation flag for OWNPR |
| TOPOWN | 114 | 115 | PH3:C2:Type of practice (owners) |
| TOPOWNC | 116 | 117 | PH3:CV:Prac type (owners), w/ C9 recodes |
| TOPEMP | 118 | 119 | PH3:C3:Type of employer (non-owner) |
| TOPEMPC | 120 | 121 | PH3:CV:Employer type w/ C9 recodes |
| TOPEMPA | 122 | 123 | PH3:CV:Employer type (all employees) |
| OTHSET | 124 | 125 | PH3:C3a:Government hospital or clinic |
| EMPTYP | 126 | 127 | PH3:C3b:Empl type verbatims, coded |
| EMPTYP2 | 128 | 129 | PH3:C3c:Type of Employer, other |
| PRCTYPE | 130 | 131 | PH3:CV:Practice type (Categorical) |
| GRTYPE | 132 | 133 | PH3:CV:Type of group physician |
| ALLPRTP | 134 | 135 | PH3:CV:All practice type |
| OTHPAR | 136 | 137 | PH3:C4:Owner: Other phys in practice |
| OTHGRP | 138 | 139 | PH3:C5A:Owner : Other phys group |
| HSPPAR | 140 | 141 | PH3:C5B:Owner: Hospital |
| INSPAR | 142 | 143 | PH3:C5C:Owner: Insurance Co, HMO |
| ORGPAR | 144 | 145 | PH3:C5D:Owner: Other |
| C5OWNER | 146 | 147 | PH3:CV:C5 Outside ownership |
| ORGC_1 | 148 | 149 | PH3:CV:Other owner org is listed,crctd |
| ORGC_2 | 150 | 151 | PH3:CV:Dont know type other org,crctd |
| ORGC_6 | 152 | 153 | PH3:CV:Ownr org integr. health sys,crctd |
| ORGC_7 | 154 | 155 | PH3:CV:Ownr org phys prac mgmt,crctd |
| ORGC_8 | 156 | 157 | PH3:CV:Ownr org mgmt services org,crctd |
| ORGC_9 | 158 | 159 | PH3:CV:Ownr org phys hospital org,crctd |
| ORGC_10 | 160 | 161 | PH3:CV:Ownr org univ or med school,crctd |
| ORGC_11 | 162 | 163 | PH3:CV:Ownr org medical foundation,crctd |
| ORGC_12 | 164 | 165 | PH3:CV:Ownr org othr non-profit,crctd |
| ORGC_13 | 166 | 167 | PH3:CV:Ownr org:othr phys in prac,crctd |

CTS Physician Survey Restricted Use File

2000/2001 Data

Positional Listing of Variables

| Variable | Start | End | Description |
|-----------------|--------------|------------|---|
| ORGC_14 | 168 | 169 | PH3:CV:Ownr org:another phys group,crctd |
| ORGC_15 | 170 | 171 | PH3:CV:Ownr org:hosp/grp of hosps,crctd |
| ORGC_16 | 172 | 173 | PH3:CV:Ownr org:Ins co/h plan/HMO,crctd |
| SETTING | 174 | 175 | PH3:C6b:Setting where spend most time |
| _SETTING | 176 | 177 | PH3:Imputation flag for SETTING |
| NPHYS | 178 | 180 | PH3:C7:Number of physicians at practice |
| _NPHYS | 181 | 182 | PH3:Imputation flag for NPHYS |
| ACQUIRD | 183 | 184 | PH3:C10:Practice acquired in last 2 yrs |
| _ACQUIRD | 185 | 186 | PH3:Imputation flag for ACQUIRD |
| OWNPUR | 187 | 188 | PH3:C11:Resp ownrshp when practc purchsd |
| CTL_WRK | 189 | 190 | PH3:C12A:Importance of Control of hours |
| CTL_DEC | 191 | 192 | PH3:C12B:Importance of Control clin dec |
| CTL_INC | 193 | 194 | PH3:C12C:Importance of Potential income |
| CTL_BUS | 195 | 196 | PH3:C12D:Importnce of Control of bus dec |
| IT_TRT | 197 | 198 | PH3:D1A:IT used get info on trtmnt alts |
| IT_FORM | 199 | 200 | PH3:D1B:Uses IT to obtain info on formls |
| ITRMNDR | 201 | 202 | PH3:D1C:IT used to generate reminders |
| ITNOTES | 203 | 204 | PH3:D1D:Uses IT to access patient notes |
| ITPRESC | 205 | 206 | PH3:D1E:Uses IT to write prescriptions |
| ITCLIN | 207 | 208 | PH3:D1F:IT used to exchange clin data |
| ITCOMM | 209 | 210 | PH3:D1G:Uses IT to comm w/pat cln issues |
| ACC_INT | 211 | 212 | PH3:D2:Access to Internet in office |
| FORMLRY | 213 | 217 | PH3:D3:Pct pats w prescrip cov-formulary |
| _FORMLRY | 218 | 219 | PH3:Imputation flag for FORMLRY |
| EFGUIDE | 220 | 221 | PH3:D4A:Effect of formal writtn guidelin |
| AWRGUID | 222 | 223 | PH3:D4A1:Aware of formal written guidels |
| _AWRGUID | 224 | 225 | PH3:Imputation flag for AWRGUID |
| EFPROFL | 226 | 227 | PH3:D4B:Effect of practic profile result |
| AWRPROF | 228 | 229 | PH3:D4B1:Aware of practice profiling |
| _AWRPROF | 230 | 231 | PH3:Imputation flag for AWRPROF |
| EFSURV | 232 | 233 | PH3:D4C:Effect of patient satisfactn surv |
| AWRSURV | 234 | 235 | PH3:D4C1:Aware of patient satis surveys |
| _AWRSURV | 236 | 237 | PH3:Imputation flag for AWRSURV |
| QU_FRMY | 238 | 239 | PH3:D5B:Qual of care: Presc drug formlrs |
| QUGUIDE | 240 | 241 | PH3:D5C:Eff of formal g/lins on eff/qual |

CTS Physician Survey Restricted Use File

2000/2001 Data

Positional Listing of Variables

| Variable | Start | End | Description |
|-----------------|--------------|------------|--|
| QUPROF | 242 | 243 | PH3:D5D:Eff of prac prfing on effcy/qual |
| QUSURV | 244 | 245 | PH3:D5E:Eff of pat sat surv on eff/qual |
| CMPPROV | 246 | 247 | PH3:D7:Change-complexity w/o ref, PCP |
| CMPEXPC | 248 | 249 | PH3:D8:Appropriateness w/o ref, PCP |
| SPECUSE | 250 | 251 | PH3:D9:Chng-num of refrls to speclsts |
| PCTGATE | 252 | 254 | PH3:D10:Pct patients for whom gatekeeper |
| _PCTGATE | 255 | 256 | PH3:Imputation flag for PCTGATE |
| CMPCHG | 257 | 258 | PH3:D11:Change-complexity at ref, NPCP |
| CMPLVL | 259 | 260 | PH3:D12:Appropriateness at ref, NPCP |
| CHGREF | 261 | 262 | PH3:D13:Change-# referrals by PCPs |
| ADQTIME | 263 | 264 | PH3:CV:Adequacy of time, all physicians |
| CLNFREE | 265 | 266 | PH3:F1C:Freedom for clinical decisions |
| HIGHCAR | 267 | 268 | PH3:F1D:Possibility of high quality care |
| NEGINCN | 269 | 270 | PH3:F1E:Decision w/o neg financl incentv |
| USESPCS | 271 | 272 | PH3:F1F:High communcatn levl w/ speclsts |
| COMPRM | 273 | 274 | PH3:F1G:Communicatn w primary care phys |
| COMMALL | 275 | 276 | PH3:CV:Level of communication, all phys |
| PATREL | 277 | 278 | PH3:F1H:Continuing patient relationships |
| OBREFS | 279 | 280 | PH3:F8A:Referrals to quality specialists |
| OBANCL | 281 | 282 | PH3:F8B:High quality ancillary services |
| OBHOSP | 283 | 284 | PH3:F8C:Non-emergency hospital admission |
| OBINPAT | 285 | 286 | PH3:F8D:Adequate number inpatient days |
| OBIMAG | 287 | 288 | PH3:F8E:High quality diagnostic imaging |
| OBMENTL | 289 | 290 | PH3:F8F:High qual inpat mental hlth care |
| OBOUTPT | 291 | 292 | PH3:F8G:High qual outpat mentl hlth care |
| REFPROV | 293 | 294 | PH3:F8A_AA:Ref diff:Cant get qual provs |
| REFHP | 295 | 296 | PH3:F8A_AB:Ref diff:HPnetw/Adm barriers |
| REFINS | 297 | 298 | PH3:F8A_AC:Ref diff:Pt has inadqte ins |
| HSPPROV | 299 | 300 | PH3:F8A_CA:H/Adm df:Cant get qual provs |
| HSPHP | 301 | 302 | PH3:F8A_CB:H/Adm df:HPnetw/Adm barriers |
| HSPINS | 303 | 304 | PH3:F8A_CC:H/Adm df:Pt has inadqte ins |
| MHPROV | 305 | 306 | PH3:F8A_GA:O/Mnt dif:Cant get qual prov |
| MHHP | 307 | 308 | PH3:F8A_GB:O/Mnt dif:HPnetw/Adm barriers |
| MHINS | 309 | 310 | PH3:F8A_GC:O/Mnt dif:Pt has inadqte ins |
| NWMCARE | 311 | 312 | PH3:F9A:Accept new Medicare patients |

CTS Physician Survey Restricted Use File
2000/2001 Data
Positional Listing of Variables

| Variable | Start | End | Description |
|----------|-------|-----|--|
| _NWMCARE | 313 | 314 | PH3:Imputation flag for NWMCARE |
| NWMCAID | 315 | 316 | PH3:F9B:Accept new Medicaid patients |
| _NWMCAID | 317 | 318 | PH3:Imputation flag for NWMCAID |
| NWPRIV | 319 | 320 | PH3:F9C:Accept new privately insured |
| _NWPRIV | 321 | 322 | PH3:Imputation flag for NWPRIV |
| NWNPAY | 323 | 324 | PH3:F9G:Accept new unins pats-cant pay |
| _NWNPAY | 325 | 326 | PH3:Imputation flag for NWNPAY |
| ACC_CAP | 327 | 328 | PH3:F10:Accept new pats with Cap cntrcts |
| _ACC_CAP | 329 | 330 | PH3:Imputation flag for ACC_CAP |
| PMCARE | 331 | 333 | PH3:G1A:Pct payments from Medicare |
| _PMCARE | 334 | 335 | PH3:Imputation flag for PMCARE |
| PMCAID | 336 | 338 | PH3:G1B:Pct payments from Medicaid |
| _PMCAID | 339 | 340 | PH3:Imputation flag for PMCAID |
| PCAPREV | 341 | 343 | PH3:CV:% practice rev prepaid, capitated |
| _PCAPREV | 344 | 345 | PH3:Imputation flag for PCAPREV |
| NMCCON | 346 | 347 | PH3:CV:Num of managed care contracts |
| _NMCCON | 348 | 349 | PH3:Imputation flag for NMCCON |
| PMC | 350 | 354 | PH3:CV:% practice rev from managed care |
| _PMC | 355 | 356 | PH3:Imputation flag for PMC |
| SALPAID | 357 | 358 | PH3:H1:Salaried Physician flag |
| SALTIME | 359 | 360 | PH3:H2:Compensate per work time period |
| SALADJ | 361 | 362 | PH3:H3:Salary adjustments |
| BONUS | 363 | 364 | PH3:H4:Eligible for bonuses now flag |
| SPROD | 365 | 366 | PH3:CV:Own Productivity affects comp |
| SSAT | 367 | 368 | PH3:CV:Patient satisfactn affects comp |
| SQUAL | 369 | 370 | PH3:CV:Quality measures affect comp |
| SPROF | 371 | 372 | PH3:CV:Profiling results affect comp |
| RADJ | 373 | 374 | PH3:CV:Profiles are risk adjusted |
| _RADJ | 375 | 376 | PH3:Imputation flag for RADJ |
| PCTINCN | 377 | 379 | PH3:H9:Pct income from bonuses |
| PCTINCC | 380 | 382 | PH3:CV:Pct income from bonuses,corrected |
| _PCTINCC | 383 | 384 | PH3:Imputation flag for PCTINCC |
| EBONUS | 385 | 386 | PH3:H9a:Eligible for bonuses in 1999 |
| INCOMET | 387 | 392 | PH3:H10:Net income in 1999 |
| _INCOMET | 393 | 394 | PH3:Imputation flag for INCOMET |

CTS Physician Survey Restricted Use File
2000/2001 Data
Positional Listing of Variables

| Variable | Start | End | Description |
|----------|-------|-----|--|
| INCENT | 395 | 396 | PH3:H10b:Overall financial incentives |
| _INCENT | 397 | 398 | PH3:Imputation flag for INCENT |
| EFINCNT | 399 | 400 | PH3:H10b1:Effect of financial incentives |
| FININCPT | 401 | 402 | PH3:CV:Effect of fin incentvs on pt care |
| COMPETE | 403 | 404 | PH3:H10c:Competitive situation of prac |
| HISP | 405 | 406 | PH3:H11:Hispanic origin |
| RACE | 407 | 408 | PH3:H12:Race |
| NSTRATA | 409 | 411 | PH3:CV:Primary Strata, Natl. Est. Supp. |
| PSTRATA | 412 | 413 | PH3:CV:Pseudo Primary Strata, Natl. Est. |
| ASTRATA | 414 | 415 | PH3:CV:Strata 1, Natl.Est. Augm Smp |
| PPSU | 416 | 418 | PH3:CV:Pseudo PSU, Natl. Est. |
| APSU | 419 | 421 | PH3:CV:Smpl Unit 1, Natl.Est. Augm Smpl |
| PSTRTOT3 | 422 | 424 | PH3:CV:Fpc Count for PSTRATA |
| ASTRTOT | 425 | 427 | PH3:CV:fpc Count for ASTRATA, Augm Smpl |
| SITEPCP | 428 | 432 | PH3:CV Primary strata for Site Est. |
| SITEPCP2 | 433 | 439 | PH3:CV Primary strata, pooled Site Est. |
| FRAME | 440 | 444 | PH3:CV:Fpc Count for FSU, Site Est. |
| FSU | 445 | 449 | PH3:CV:Final sample unit for Site Est. |
| NFSU | 450 | 454 | PH1:Final sample unit for natl ests |
| AFSU | 455 | 459 | PH3:CV:Smpl Unit 2, Natl.Est. Augm Smpl |
| PSUWR | 460 | 464 | PH3:CV:WR psu, natl est, site-combined |
| PPSUAWR | 465 | 469 | PH3:CV:WR psu, natl est, augmented |
| SECSTRA | 470 | 472 | PH1:Secondary stratification |
| ASECSTRA | 473 | 474 | PH3:CV:Strata 2, Natl.Est. Augm Smpl |
| STRATAWR | 475 | 477 | PH3:CV:WR strata, natl est,site-combined |
| PSTRAWR | 478 | 480 | PH3:CV:WR strata, natl est, augmented |
| P1X | 481 | 490 | PH3:CV:Joint psu inclusion probability 1 |
| P2X | 491 | 500 | PH3:CV:Joint inclusion probability 2 |
| P3X | 501 | 510 | PH3:CV:Joint inclusion probability 3 |
| P4X | 511 | 520 | PH3:CV:Joint inclusion probability 4 |
| P5X | 521 | 530 | PH3:CV:Joint inclusion probability 5 |
| P6X | 531 | 540 | PH3:CV:Joint inclusion probability 6 |
| P7X | 541 | 550 | PH3:CV:Joint inclusion probability 7 |
| AP1 | 551 | 560 | PH3:CV:APSU prob. 1, Natl.Est. Augm Smpl |
| AP2 | 561 | 570 | PH3:CV:APSU prob. 2, Natl.Est. Augm Smpl |

CTS Physician Survey Restricted Use File
2000/2001 Data
Positional Listing of Variables

| Variable | Start | End | Description |
|-----------------|--------------|------------|--|
| AP3 | 571 | 580 | PH3:CV:APSU prob. 3, Natl.Est. Augm Smpl |
| AP4 | 581 | 590 | PH3:CV:APSU prob. 4, Natl.Est. Augm Smpl |
| AP5 | 591 | 600 | PH3:CV:APSU prob. 5, Natl.Est. Augm Smpl |
| AP6 | 601 | 610 | PH3:CV:APSU prob. 6, Natl.Est. Augm Smpl |
| AP7 | 611 | 620 | PH3:CV:APSU prob. 7, Natl.Est. Augm Smpl |
| WTPHY1 | 621 | 630 | PH3:CV:Augmented site estimates |
| WTPHY3 | 631 | 641 | PH3:CV:National est.,supplemental sample |
| WTPHY4 | 642 | 651 | PH3:CV:National weight, combined sample |
| WTPHY5 | 652 | 661 | PH3:CV:Natl estimates, aug site sample |
| WTPAN1 | 662 | 671 | PH3:CV:Panel Wgt, Natl Est Combined Smpl |
| WTPAN2 | 672 | 681 | PH3:CV:Panel A+B Wgt, Natl Est Site Smpl |

CTS Physician Survey Restricted Use File
2000/2001 Data
Survey Administration Variables

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| PHYSIDX | Numeric | 6.0 | 1 | 6 |

Question: N/A

Description: Unique identifier for each physician.

| Value | Count | Cum | Percent | CumPct |
|---------------|--------|--------|---------|--------|
| 300001-312406 | 12,406 | 12,406 | 100.0 | 100.0 |

| | | | | |
|-----------------|---------|-----|---|----|
| R2PHYIDX | Numeric | 6.0 | 7 | 12 |
|-----------------|---------|-----|---|----|

Question: N/A

Description: Round 2 Unique identifier for each physician.

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 200001-212304 | 8,527 | 8,527 | 68.7 | 68.7 |
| -1: Inapplicable | 3,879 | 12,406 | 31.3 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Survey Administration Variables

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| SITEID | Numeric | 2.0 | 13 | 14 |

Question: N/A

Description: Practice location of physician where surveyed. This variable may differ from the original site that was selected for this physician (from the original sample design provided by the AMA) because the address given by the sample frame was not the correct address of the physician's practice location. Therefore, the actual practice location was in a different location than where the physician was originally sampled from.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: Outside 60 sites | 1,747 | 1,747 | 14.1 | 14.1 |
| 1: Boston | 510 | 2,257 | 4.1 | 18.2 |
| 2: Cleveland | 421 | 2,678 | 3.4 | 21.6 |
| 3: Greenville | 349 | 3,027 | 2.8 | 24.4 |
| 4: Indianapolis | 408 | 3,435 | 3.3 | 27.7 |
| 5: Lansing | 271 | 3,706 | 2.2 | 29.9 |
| 6: Little Rock | 285 | 3,991 | 2.3 | 32.2 |
| 7: Miami | 451 | 4,442 | 3.6 | 35.8 |
| 8: Newark | 391 | 4,833 | 3.2 | 39.0 |
| 9: Orange County | 341 | 5,174 | 2.7 | 41.7 |
| 10: Phoenix | 464 | 5,638 | 3.7 | 45.4 |
| 11: Seattle | 488 | 6,126 | 3.9 | 49.4 |
| 12: Syracuse | 317 | 6,443 | 2.6 | 51.9 |
| 13: Atlanta | 175 | 6,618 | 1.4 | 53.3 |
| 14: Augusta | 115 | 6,733 | 0.9 | 54.3 |
| 15: Baltimore | 141 | 6,874 | 1.1 | 55.4 |
| 16: Bridgeport | 124 | 6,998 | 1.0 | 56.4 |
| 17: Chicago | 178 | 7,176 | 1.4 | 57.8 |
| 18: Columbus | 130 | 7,306 | 1.0 | 58.9 |
| 19: Denver | 145 | 7,451 | 1.2 | 60.1 |
| 20: Detroit | 160 | 7,611 | 1.3 | 61.3 |
| 21: Greensboro | 137 | 7,748 | 1.1 | 62.5 |
| 22: Houston | 154 | 7,902 | 1.2 | 63.7 |
| 23: Huntington | 92 | 7,994 | 0.7 | 64.4 |
| 24: Killeen | 80 | 8,074 | 0.6 | 65.1 |
| 25: Knoxville | 105 | 8,179 | 0.8 | 65.9 |
| 26: Las Vegas | 124 | 8,303 | 1.0 | 66.9 |
| 27: Los Angeles | 230 | 8,533 | 1.9 | 68.8 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Survey Administration Variables

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| SITEID | Numeric | 2.0 | 13 | 14 |

| Value | Count | Cum | Percent | CumPct |
|-------------------|-------|--------|---------|--------|
| 28: Middlesex | 135 | 8,668 | 1.1 | 69.9 |
| 29: Milwaukee | 127 | 8,795 | 1.0 | 70.9 |
| 30: Minneapolis | 140 | 8,935 | 1.1 | 72.0 |
| 31: Modesto | 99 | 9,034 | 0.8 | 72.8 |
| 32: Nassau | 103 | 9,137 | 0.8 | 73.6 |
| 33: New York City | 239 | 9,376 | 1.9 | 75.6 |
| 34: Philadelphia | 162 | 9,538 | 1.3 | 76.9 |
| 35: Pittsburgh | 141 | 9,679 | 1.1 | 78.0 |
| 36: Portland | 149 | 9,828 | 1.2 | 79.2 |
| 37: Riverside | 135 | 9,963 | 1.1 | 80.3 |
| 38: Rochester | 129 | 10,092 | 1.0 | 81.3 |
| 39: San Antonio | 119 | 10,211 | 1.0 | 82.3 |
| 40: San Francisco | 152 | 10,363 | 1.2 | 83.5 |
| 41: Santa Rosa | 115 | 10,478 | 0.9 | 84.5 |
| 42: Shreveport | 103 | 10,581 | 0.8 | 85.3 |
| 43: St. Louis | 141 | 10,722 | 1.1 | 86.4 |
| 44: Tampa | 127 | 10,849 | 1.0 | 87.4 |
| 45: Tulsa | 117 | 10,966 | 0.9 | 88.4 |
| 46: Washingt DC | 174 | 11,140 | 1.4 | 89.8 |
| 47: W Palm Beach | 115 | 11,255 | 0.9 | 90.7 |
| 48: Worcester | 123 | 11,378 | 1.0 | 91.7 |
| 49: Dothan | 64 | 11,442 | 0.5 | 92.2 |
| 50: Terre Haute | 62 | 11,504 | 0.5 | 92.7 |
| 51: Wilmington | 90 | 11,594 | 0.7 | 93.5 |
| 52: W-Cen Alabama | 26 | 11,620 | 0.2 | 93.7 |
| 53: Cen Arkansas | 136 | 11,756 | 1.1 | 94.8 |
| 54: N Georgia | 107 | 11,863 | 0.9 | 95.6 |
| 55: NE Illinois | 75 | 11,938 | 0.6 | 96.2 |
| 56: NE Indiana | 68 | 12,006 | 0.5 | 96.8 |
| 57: E Maine | 108 | 12,114 | 0.9 | 97.6 |
| 58: E North Car | 97 | 12,211 | 0.8 | 98.4 |
| 59: N Utah | 107 | 12,318 | 0.9 | 99.3 |
| 60: NW Washington | 88 | 12,406 | 0.7 | 100.0 |

CTS Physician Survey Restricted Use File
2000/2001 Data
Survey Administration Variables

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| MSACAT | Numeric | 2.0 | 15 | 16 |

Question: N/A

Description: Constructed variable which uses MSA/PMSA boundaries and population counts to define large, small, and non-metropolitan areas. These categories were used to define the strata for selection of the 60 sites and therefore reflect 1992 population counts.

| Value | Count | Cum | Percent | CumPct |
|---------------------------|--------|--------|---------|--------|
| 1: Large metro over 200K | 10,685 | 10,685 | 86.1 | 86.1 |
| 2: Small metro under 200K | 426 | 11,111 | 3.4 | 89.6 |
| 3: Non-metropolitan area | 1,295 | 12,406 | 10.4 | 100.0 |

| | | | | |
|-------------|---------|-----|----|----|
| FIPS | Numeric | 5.0 | 17 | 21 |
|-------------|---------|-----|----|----|

Question: N/A

Description: FIPS code for county and state of physician practice location.

| Value | Count | Cum | Percent | CumPct |
|------------|--------|--------|---------|--------|
| 1015-56045 | 12,406 | 12,406 | 100.0 | 100.0 |

| | | | | |
|--------------|---------|-----|----|----|
| BIRTH | Numeric | 4.0 | 22 | 25 |
|--------------|---------|-----|----|----|

Question: N/A

Description: Year of birth. This information was obtained from the sample frame files coming from the American Medical Association (AMA) and the American Osteopathic Association (AOA). BIRTH is a continuous variable with values from 1900 to 1972.

| Value | Count | Cum | Percent | CumPct |
|-----------|-------|--------|---------|--------|
| 1900-1930 | 404 | 404 | 3.3 | 3.3 |
| 1931-1940 | 1,110 | 1,514 | 8.9 | 12.2 |
| 1941-1950 | 2,913 | 4,427 | 23.5 | 35.7 |
| 1951-1960 | 4,723 | 9,150 | 38.1 | 73.8 |
| 1961-1968 | 2,914 | 12,064 | 23.5 | 97.2 |
| 1969-1972 | 342 | 12,406 | 2.8 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Survey Administration Variables

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| GRAD_YR | Numeric | 4.0 | 26 | 29 |

Question: N/A

Description: Year physician graduated from medical school. This information was obtained from the sample frame files coming from the American Medical Association (AMA) and the American Osteopathic Association (AOA). GRAD_YR is a continuous variable with values from 1931-1998.

| Value | Count | Cum | Percent | CumPct |
|-----------|-------|--------|---------|--------|
| 1931-1955 | 293 | 293 | 2.4 | 2.4 |
| 1956-1970 | 1,861 | 2,154 | 15.0 | 17.4 |
| 1971-1980 | 3,338 | 5,492 | 26.9 | 44.3 |
| 1981-1990 | 4,568 | 10,060 | 36.8 | 81.1 |
| 1991-1993 | 1,265 | 11,325 | 10.2 | 91.3 |
| 1994-1998 | 1,081 | 12,406 | 8.7 | 100.0 |

| | | | | |
|----------------|---------|-----|----|----|
| AMAPRIM | Numeric | 2.0 | 30 | 31 |
|----------------|---------|-----|----|----|

Question: N/A

Description: A flag indicating that the physician is a primary care physician according to the original sample frame information from the AMA (American Medical Association) or the AOA (American Osteopathic Association).

| Value | Count | Cum | Percent | CumPct |
|------------|-------|--------|---------|--------|
| 1: PCP | 7,879 | 7,879 | 63.5 | 63.5 |
| 2: Not PCP | 4,527 | 12,406 | 36.5 | 100.0 |

| | | | | |
|---------------|-----------|-----|----|----|
| SUBGRP | Character | 1.0 | 32 | 32 |
|---------------|-----------|-----|----|----|

Question: N/A

Description: Indicates which sample the physician was selected from (site or supplemental) and whether the physician's practice location, i.e. location where surveyed, is within one of the 60 CTS sites. Physicians in Subgroup A were selected as part of the 60 site sample and were surveyed (e.g. found practicing in) the 60 sites. Physicians in Subgroup B were selected as part of the 60 site sample, but were surveyed outside of the 60 sites. Physicians in Subgroup C were selected as part of the Supplement sample, and were surveyed in one of the 60 sites. Physicians in Subgroup D were selected as part of the Supplement sample and were surveyed in locations outside of the 60 sites. For more details, see Figure 2.2 in the User's Guide.

| Value | Count | Cum | Percent | CumPct |
|-------------------|--------|--------|---------|--------|
| A: Site,in 60 | 10,136 | 10,136 | 81.7 | 81.7 |
| B: Site,out 60 | 1,102 | 11,238 | 8.9 | 90.6 |
| C: Sup Smp,in 60 | 523 | 11,761 | 4.2 | 94.8 |
| D: Sup Smp,out 60 | 645 | 12,406 | 5.2 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Survey Administration Variables

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| IMGSTAT | Numeric | 2.0 | 33 | 34 |

Question: N/A

Description: Country of physician's medical school, categorized as follows: US, Canada, Puerto Rico, any other country. This information was obtained from the sample frame files coming from the American Medical Association (AMA) and the American Osteopathic Association (AOA).

| Value | Count | Cum | Percent | CumPct |
|---------|-------|--------|---------|--------|
| 1: U.S. | 9,759 | 9,759 | 78.7 | 78.7 |
| 2: CAN | 119 | 9,878 | 1.0 | 79.6 |
| 3: PR | 40 | 9,918 | 0.3 | 79.9 |
| 4: OTHR | 2,488 | 12,406 | 20.1 | 100.0 |

| | | | | |
|----------------|---------|-----|----|----|
| IMGUSPR | Numeric | 2.0 | 35 | 36 |
|----------------|---------|-----|----|----|

Question: N/A

Description: This flag variable has a value of 1 for foreign medical graduates (i.e., those graduating from medical schools outside the U.S. or Puerto Rico). This information was obtained from the sample frame files coming from the American Medical Association (AMA) and the American Osteopathic Association (AOA).

| Value | Count | Cum | Percent | CumPct |
|------------|-------|--------|---------|--------|
| 0: U.S.,PR | 9,799 | 9,799 | 79.0 | 79.0 |
| 1: OTHER | 2,607 | 12,406 | 21.0 | 100.0 |

| | | | | |
|---------------|---------|-----|----|----|
| DOCTYP | Numeric | 2.0 | 37 | 38 |
|---------------|---------|-----|----|----|

Question: N/A

DOCTOR TYPE:

Description: Indicates whether doctor is an Osteopath (DO) or an MD. MD's who are also Osteopaths are coded as DO. This information was obtained from the sample frame files coming from the American Medical Association (AMA) and the American Osteopathic Association (AOA).

| Value | Count | Cum | Percent | CumPct |
|-------|--------|--------|---------|--------|
| 1: DO | 1,073 | 1,073 | 8.6 | 8.6 |
| 2: MD | 11,333 | 12,406 | 91.4 | 100.0 |

CTS Physician Survey Restricted Use File
2000/2001 Data
Survey Administration Variables

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| GENDER | Numeric | 2.0 | 39 | 40 |

Question: N/A

Description: Gender. This information was obtained from the sample frame files coming from the American Medical Association (AMA) and the American Osteopathic Association (AOA).

| Value | Count | Cum | Percent | CumPct |
|-----------|-------|--------|---------|--------|
| 1: Male | 9,131 | 9,131 | 73.6 | 73.6 |
| 2: Female | 3,275 | 12,406 | 26.4 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section A - Introduction

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| MULTPR | Numeric | 2.0 | 41 | 42 |

Question: A4

Do you currently provide patient care in one practice, or more than one practice? We consider multiple sites or offices associated with the same organization to be only one practice.

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 1: One | 11,248 | 11,248 | 90.7 | 90.7 |
| 2: More than one | 1,158 | 12,406 | 9.3 | 100.0 |

| | | | | |
|----------------|---------|-----|----|----|
| _MULTPR | Numeric | 2.0 | 43 | 44 |
|----------------|---------|-----|----|----|

Question: N/A

Description: Imputation flag for variable MULTPR.

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 0: No Imputation | 12,404 | 12,404 | 100.0 | 100.0 |
| 1: Imputation | 2 | 12,406 | 0.0 | 100.0 |

| | | | | |
|--------------|---------|-----|----|----|
| NUMPR | Numeric | 2.0 | 45 | 46 |
|--------------|---------|-----|----|----|

Question: A4A

In how many different practices do you provide patient care?

Description: This question was only asked of respondents with a response of "more than one" to question A4 (MULTPR=2)

| Value | Count | Cum | Percent | CumPct |
|---------------------|--------|--------|---------|--------|
| 2-50 | 1,152 | 1,152 | 9.3 | 9.3 |
| -9: Not Ascertained | 1 | 1,153 | 0.0 | 9.3 |
| -8: Don't Know | 4 | 1,157 | 0.0 | 9.3 |
| -7: Refused | 1 | 1,158 | 0.0 | 9.3 |
| -1: Inapplicable | 11,248 | 12,406 | 90.7 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section A - Introduction

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| YRBGN | Numeric | 4.0 | 47 | 50 |

Question: A6

In what year did you begin medical practice after completing your undergraduate and graduate medical training?

Description: Year physician started practicing medicine. Some values are logically imputed. If the graduation year was known, but the year of starting practice was not known, then YRBGN was set equal to graduation year + 3 for primary care physicians and graduation year + 5 for specialists. If the graduation year was not known, then YRBGN was set to birth year + 30 for primary care physicians and to birth year + 32 for specialists. YRBGN is a continuous variable with values from 1942-2003.

| Value | Count | Cum | Percent | CumPct |
|-----------|-------|--------|---------|--------|
| 1942-1955 | 139 | 139 | 1.1 | 1.1 |
| 1956-1960 | 169 | 308 | 1.4 | 2.5 |
| 1961-1965 | 341 | 649 | 2.7 | 5.2 |
| 1966-1970 | 466 | 1,115 | 3.8 | 9.0 |
| 1971-1975 | 943 | 2,058 | 7.6 | 16.6 |
| 1976-1980 | 1,546 | 3,604 | 12.5 | 29.1 |
| 1981-1985 | 1,950 | 5,554 | 15.7 | 44.8 |
| 1986-1990 | 2,131 | 7,685 | 17.2 | 61.9 |
| 1991-1993 | 1,388 | 9,073 | 11.2 | 73.1 |
| 1994-1998 | 2,675 | 11,748 | 21.6 | 94.7 |
| 1999-2003 | 658 | 12,406 | 5.3 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section A - Introduction

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| NWSPEC | Numeric | 3.0 | 51 | 53 |

Question: A8

What is your primary specialty? We define primary specialty as that in which the most hours are spent weekly.

| Value | Count | Cum | Percent | CumPct |
|--|-------|-------|---------|--------|
| 001: Allergy | 9 | 9 | 0.1 | 0.1 |
| 002: Allergy & Immunology | 58 | 67 | 0.5 | 0.5 |
| 004: Immunology | 1 | 68 | 0.0 | 0.5 |
| 008: Critical Care Medicine | 2 | 70 | 0.0 | 0.6 |
| 009: Cardiovascular Diseases | 208 | 278 | 1.7 | 2.2 |
| 010: Child & Adolescent Psychiatry | 82 | 360 | 0.7 | 2.9 |
| 011: Colon & Rectal Surgery | 19 | 379 | 0.2 | 3.1 |
| 012: Dermatology | 113 | 492 | 0.9 | 4.0 |
| 015: Emergency Medicine | 495 | 987 | 4.0 | 8.0 |
| 016: Sports Medicine(Emergency Medicine) | 1 | 988 | 0.0 | 8.0 |
| 017: Pediatric Emergency Medicine | 17 | 1,005 | 0.1 | 8.1 |
| 019: Family Practice | 2,893 | 3,898 | 23.3 | 31.4 |
| 020: Geriatric Medicine(Family Practice) | 21 | 3,919 | 0.2 | 31.6 |
| 021: Sports Medicine (Family Practice) | 4 | 3,923 | 0.0 | 31.6 |
| 022: Gastroenterology | 147 | 4,070 | 1.2 | 32.8 |
| 023: General Practice | 345 | 4,415 | 2.8 | 35.6 |
| 024: General Preventive Medicine | 5 | 4,420 | 0.0 | 35.6 |
| 026: Abdominal Surgery | 3 | 4,423 | 0.0 | 35.7 |
| 027: Critical Care Surgery | 1 | 4,424 | 0.0 | 35.7 |
| 029: General Surgery | 286 | 4,710 | 2.3 | 38.0 |
| 030: Head & Neck Surgery | 2 | 4,712 | 0.0 | 38.0 |
| 031: Hand Surgery | 17 | 4,729 | 0.1 | 38.1 |
| 032: Pediatric Surgery | 7 | 4,736 | 0.1 | 38.2 |
| 033: Trauma Surgery | 5 | 4,741 | 0.0 | 38.2 |
| 034: Vascular Surgery | 31 | 4,772 | 0.2 | 38.5 |
| 035: Diabetes | 1 | 4,773 | 0.0 | 38.5 |
| 036: Endocrinology, Diabetes & Metablism | 46 | 4,819 | 0.4 | 38.8 |
| 037: Hematology | 7 | 4,826 | 0.1 | 38.9 |
| 038: Hepatology | 1 | 4,827 | 0.0 | 38.9 |
| 039: Cardiac Electrophysiology | 8 | 4,835 | 0.1 | 39.0 |
| 040: Infectious Diseases | 46 | 4,881 | 0.4 | 39.3 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section A - Introduction

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| NWSPEC | Numeric | 3.0 | 51 | 53 |

| Value | Count | Cum | Percent | CumPct |
|--|-------|-------|---------|--------|
| 042: Internal Medicine | 2,676 | 7,557 | 21.6 | 60.9 |
| 043: Geriatric Medicine | 43 | 7,600 | 0.3 | 61.3 |
| 044: Sports Medicine | 5 | 7,605 | 0.0 | 61.3 |
| 045: Nephrology | 73 | 7,678 | 0.6 | 61.9 |
| 046: Nutrition | 1 | 7,679 | 0.0 | 61.9 |
| 047: Medical Oncology | 77 | 7,756 | 0.6 | 62.5 |
| 048: Rheumatology | 58 | 7,814 | 0.5 | 63.0 |
| 051: Clinical Genetics | 3 | 7,817 | 0.0 | 63.0 |
| 053: Medical Genetics | 3 | 7,820 | 0.0 | 63.0 |
| 054: Child Neurology | 16 | 7,836 | 0.1 | 63.2 |
| 056: Neurology | 117 | 7,953 | 0.9 | 64.1 |
| 059: Neurological Surgery | 52 | 8,005 | 0.4 | 64.5 |
| 061: Gynecological Oncology | 4 | 8,009 | 0.0 | 64.6 |
| 062: Gynecology | 35 | 8,044 | 0.3 | 64.8 |
| 063: Maternal & Fetal Medicine | 13 | 8,057 | 0.1 | 64.9 |
| 064: Obstetrics & Gynecology | 409 | 8,466 | 3.3 | 68.2 |
| 065: Obstetrics | 2 | 8,468 | 0.0 | 68.3 |
| 067: Reproductive Endocrinology | 13 | 8,481 | 0.1 | 68.4 |
| 068: Occupational Medicine | 63 | 8,544 | 0.5 | 68.9 |
| 069: Ophthalmology | 286 | 8,830 | 2.3 | 71.2 |
| 070: Hand Surgery/Orthopedics | 1 | 8,831 | 0.0 | 71.2 |
| 071: Adult Reconstructive Orthopedics | 1 | 8,832 | 0.0 | 71.2 |
| 072: Musculoskeletal Oncology | 2 | 8,834 | 0.0 | 71.2 |
| 073: Pediatric Orthopedics | 3 | 8,837 | 0.0 | 71.2 |
| 074: Orthopedic Surgery | 253 | 9,090 | 2.0 | 73.3 |
| 075: Sports Medicine(Orthopedic Surgery) | 13 | 9,103 | 0.1 | 73.4 |
| 077: Orthopedic Trauma | 2 | 9,105 | 0.0 | 73.4 |
| 078: Facial Plastic Surgery | 7 | 9,112 | 0.1 | 73.4 |
| 080: Otolaryngology | 118 | 9,230 | 1.0 | 74.4 |
| 081: Pediatric Otolaryngology] | 3 | 9,233 | 0.0 | 74.4 |
| 082: Psychiatry | 417 | 9,650 | 3.4 | 77.8 |
| 083: Psychoanalysis | 9 | 9,659 | 0.1 | 77.9 |
| 084: Geriatric Psychiatry | 7 | 9,666 | 0.1 | 77.9 |
| 085: Adolescent Medicine | 1 | 9,667 | 0.0 | 77.9 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section A - Introduction

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| NWSPEC | Numeric | 3.0 | 51 | 53 |

| Value | Count | Cum | Percent | CumPct |
|---|-------|--------|---------|--------|
| 086: Critical Care Pediatrics | 12 | 9,679 | 0.1 | 78.0 |
| 087: Neonatal/Perinatal Medicine | 48 | 9,727 | 0.4 | 78.4 |
| 088: Pediatrics | 1,872 | 11,599 | 15.1 | 93.5 |
| 089: Pediatric Allergy | 1 | 11,600 | 0.0 | 93.5 |
| 090: Pediatric Endocrinology | 7 | 11,607 | 0.1 | 93.6 |
| 091: Pediatric Pulmonology | 17 | 11,624 | 0.1 | 93.7 |
| 092: Pediatric Gastroenterology | 16 | 11,640 | 0.1 | 93.8 |
| 093: Pediatric Hematology/Oncology | 20 | 11,660 | 0.2 | 94.0 |
| 095: Pediatric Nephrology | 6 | 11,666 | 0.0 | 94.0 |
| 096: Pediatric Rheumatology | 3 | 11,669 | 0.0 | 94.1 |
| 098: Pediatric Cardiology | 17 | 11,686 | 0.1 | 94.2 |
| 100: Physical Medicine & Rehabilitation | 86 | 11,772 | 0.7 | 94.9 |
| 101: Hand Surgery/Plastic | 3 | 11,775 | 0.0 | 94.9 |
| 102: Plastic Surgery/Cosmetic Surgery | 84 | 11,859 | 0.7 | 95.6 |
| 116: Pulmonary Diseases | 79 | 11,938 | 0.6 | 96.2 |
| 123: Radiation Oncology | 56 | 11,994 | 0.5 | 96.7 |
| 124: Thoracic Surgery | 38 | 12,032 | 0.3 | 97.0 |
| 125: Urology | 111 | 12,143 | 0.9 | 97.9 |
| 126: Pediatric Urology | 2 | 12,145 | 0.0 | 97.9 |
| 127: Addiction Medicine | 8 | 12,153 | 0.1 | 98.0 |
| 128: Critical Care Medicine | 25 | 12,178 | 0.2 | 98.2 |
| 132: Addiction Psychiatry | 1 | 12,179 | 0.0 | 98.2 |
| 133: Adolescent Medicine Pediatrics | 11 | 12,190 | 0.1 | 98.3 |
| 134: Foot & Ankle Orthopedics | 2 | 12,192 | 0.0 | 98.3 |
| 136: Hematology/Oncology | 33 | 12,225 | 0.3 | 98.5 |
| 137: Internal Medicine/Pediatrics | 64 | 12,289 | 0.5 | 99.1 |
| 142: Pain Medicine | 4 | 12,293 | 0.0 | 99.1 |
| 143: Palliative Medicine | 2 | 12,295 | 0.0 | 99.1 |
| 144: Pediatric Emergency Medicine | 2 | 12,297 | 0.0 | 99.1 |
| 145: Pediatric Infectious Diseases | 5 | 12,302 | 0.0 | 99.2 |
| 146: Pediatric Ophthalmology | 2 | 12,304 | 0.0 | 99.2 |
| 147: Pulmonary Critical Care Medicine | 30 | 12,334 | 0.2 | 99.4 |
| 149: Sleep Medicine | 3 | 12,337 | 0.0 | 99.4 |
| 151: Surgical Oncology | 2 | 12,339 | 0.0 | 99.5 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section A - Introduction

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| NWSPEC | Numeric | 3.0 | 51 | 53 |

| Value | Count | Cum | Percent | CumPct |
|--|-------|--------|---------|--------|
| 152: Transplant Surgery | 1 | 12,340 | 0.0 | 99.5 |
| 156: Osteopathic Manipulative Medicine | 9 | 12,349 | 0.1 | 99.5 |
| 158: Osteo Manipulative Medicine | 3 | 12,352 | 0.0 | 99.6 |
| 164: Dermatologic Surgery | 1 | 12,353 | 0.0 | 99.6 |
| 165: Vascular Medicine | 1 | 12,354 | 0.0 | 99.6 |
| 190: Cardiovascular Surgery | 16 | 12,370 | 0.1 | 99.7 |
| 192: Peds/Psych/Child & Adolescent Ps | 3 | 12,373 | 0.0 | 99.7 |
| 193: Pediatric Emergency Medicine | 1 | 12,374 | 0.0 | 99.7 |
| 194: Interventional Cardiology | 1 | 12,375 | 0.0 | 99.8 |
| 195: Internal Medicine/Fam Practice | 3 | 12,378 | 0.0 | 99.8 |
| 196: Internal Medicine/Preventive Med | 3 | 12,381 | 0.0 | 99.8 |
| 197: Otology/Neurotology | 3 | 12,384 | 0.0 | 99.8 |
| 198: Pediatric Cardiothoracic Surgery | 1 | 12,385 | 0.0 | 99.8 |
| 200: Physical Med & Rehab (Pediatrics) | 5 | 12,390 | 0.0 | 99.9 |
| 201: Hospitalists | 7 | 12,397 | 0.1 | 99.9 |
| 202: AIDS/HIV Specialist | 2 | 12,399 | 0.0 | 99.9 |
| 210: Developmental & Behav Pediatrics | 4 | 12,403 | 0.0 | 100.0 |
| 309: Sports Med (Phys Med & Rehab) | 1 | 12,404 | 0.0 | 100.0 |
| 311: Neurology/Physical Med & Rehab | 1 | 12,405 | 0.0 | 100.0 |
| 312: Psychiatry/Family Practice | 1 | 12,406 | 0.0 | 100.0 |

| | | | | |
|---------------|---------|-----|----|----|
| GENSUB | Numeric | 2.0 | 54 | 55 |
|---------------|---------|-----|----|----|

Question: A9

Do you spend more hours weekly in general (response in #A8), or a subspecialty in (response in #A8)?

Description: This question was asked of physicians in the following specialties (according to A8/NWSPEC): Internal Medicine, Pediatrics, Internal Med/Pediatrics, Internal Med/Family Practice.

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 1: General | 4,248 | 4,248 | 34.2 | 34.2 |
| 2: Subspecialty | 363 | 4,611 | 2.9 | 37.2 |
| -8: Don't Know | 4 | 4,615 | 0.0 | 37.2 |
| -7: Refused | 1 | 4,616 | 0.0 | 37.2 |
| -1: Inapplicable | 7,790 | 12,406 | 62.8 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section A - Introduction

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| SIPNPED | Numeric | 2.0 | 56 | 57 |

Question: A9a

Do you spend most of your time practicing in (response in #A8), or in general internal medicine?

Description: This question was asked of physicians in the following adult specialties (according to A8/NWSPEC): Allergy, Allergy and Immunology, Immunology, Cardiology, Dermatology, Emergency Medicine, Sports Medicine (Emergency), Geriatrics, Sports Medicine (Family or General Practice), Gastroenterology, General Preventive Medicine, Diabetes, Endocrinology, Hematology, Hepatology, Cardiac Electrophysiology, Infectious Diseases, Diag Lab Immunology (Internal Medicine), Geriatrics (Internal Medicine), Sports Medicine, Nephrology, Nutrition, Oncology, Rheumatology, Clinical Neurophysiology, Neurology, Adolescent Medicine (Family or General practice), Pulmonary Diseases, Critical Care Medicine, Hematology & Oncology, Pain Medicine, Palliative Medicine, Sleep medicine, Interventional cardiology, Internal Medicine/Preventive Medicine, Internal Medicine Emergency, Pharmaceutical Medicine, Internal Medicine/Neurology, Pulmonary-Critical Care.

| Value | Count | Cum | Percent | CumPct |
|---------------------------------|--------|--------|---------|--------|
| 1: Subspecialty | 1,672 | 1,672 | 13.5 | 13.5 |
| 2: Int medicine/family practice | 46 | 1,718 | 0.4 | 13.8 |
| 3: General pediatrics | 6 | 1,724 | 0.0 | 13.9 |
| -8: Don't Know | 2 | 1,726 | 0.0 | 13.9 |
| -1: Inapplicable | 10,680 | 12,406 | 86.1 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section A - Introduction

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| SIPPED | Numeric | 2.0 | 58 | 59 |

Question: A9b

Do you spend most of your time practicing in (response in #A8), or in general pediatrics?

Description: This question was asked of physicians in the following pediatric specialties (according to A8/NWSPEC): Pediatric Emergency Medicine, Clinical Biochemical Genetics, Clinical Molecular Genetics, Medical Genetics, Clinical Cytogenetics, Clinical Genetics, Pediatric or Child Neurology, Maternal and Fetal Medicine, Critical Care Pediatrics, Neonatal/Perinatal Medicine, Pediatric Intensive Care, Neonatology, Pediatric Allergy & Immunology, Pediatric Endocrinology, Pediatric Pulmology Medicine, Pediatric Gastroenterology, Pediatric Hematology-Oncology, Pediatric Diagnostic Lab Immunology, Pediatric Nephrology, Pediatric Rheumatology, Sports Medicine-Pediatrics, Pediatric Cardiology, Adolescent Medicine, Pediatric Emergency Medicine, Pediatric Infectious Diseases, Pediatrics/Psychiatry/Child & Adolescent Ps, Physical Medicine & Rehabilitation (Pediatrics), Developmental & Behavioral Pediatrics.

| Value | Count | Cum | Percent | CumPct |
|---------------------------------|--------|--------|---------|--------|
| 1: Subspecialty | 221 | 221 | 1.8 | 1.8 |
| 2: Int medicine/family practice | 4 | 225 | 0.0 | 1.8 |
| 3: General pediatrics | 5 | 230 | 0.0 | 1.9 |
| -1: Inapplicable | 12,176 | 12,406 | 98.1 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section A - Introduction

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| SUBSPC | Numeric | 3.0 | 60 | 62 |

Question: A10

And what is that subspecialty? We're interested in the one in which you spend the most hours weekly.

Description: Asked of physicians who responded that they spent most of their time in a subspecialty (A9/GENSUB=2).

| Value | Count | Cum | Percent | CumPct |
|--|-------|-----|---------|--------|
| 002: Allergy & Immunology | 2 | 2 | 0.0 | 0.0 |
| 008: Critical Care Medicine | 1 | 3 | 0.0 | 0.0 |
| 009: Cardiovascular Diseases | 16 | 19 | 0.1 | 0.2 |
| 010: Child & Adolescent Psychiatry | 2 | 21 | 0.0 | 0.2 |
| 012: Dermatology | 1 | 22 | 0.0 | 0.2 |
| 015: Emergency Medicine | 34 | 56 | 0.3 | 0.5 |
| 017: Pediatric Emergency Med(Pediatrics) | 26 | 82 | 0.2 | 0.7 |
| 019: Family Practice | 4 | 86 | 0.0 | 0.7 |
| 020: Geriatric Medicine(Family Practice) | 8 | 94 | 0.1 | 0.8 |
| 022: Gastroenterology | 21 | 115 | 0.2 | 0.9 |
| 023: General Practice | 2 | 117 | 0.0 | 0.9 |
| 032: Pediatric Surgery | 1 | 118 | 0.0 | 1.0 |
| 034: Vascular Surgery | 1 | 119 | 0.0 | 1.0 |
| 035: Diabetes | 1 | 120 | 0.0 | 1.0 |
| 036: Endocrinology,Diabetes & Metabolism | 12 | 132 | 0.1 | 1.1 |
| 037: Hematology | 3 | 135 | 0.0 | 1.1 |
| 038: Hepatology | 1 | 136 | 0.0 | 1.1 |
| 040: Infectious Diseases | 7 | 143 | 0.1 | 1.2 |
| 042: Internal Medicine | 8 | 151 | 0.1 | 1.2 |
| 043: Geriatric Medicine | 16 | 167 | 0.1 | 1.3 |
| 045: Nephrology | 9 | 176 | 0.1 | 1.4 |
| 046: Nutrition | 2 | 178 | 0.0 | 1.4 |
| 047: Medical Oncology | 6 | 184 | 0.0 | 1.5 |
| 048: Rheumatology | 7 | 191 | 0.1 | 1.5 |
| 053: Medical Genetics | 1 | 192 | 0.0 | 1.5 |
| 056: Neurology | 4 | 196 | 0.0 | 1.6 |
| 068: Occupational Medicine | 4 | 200 | 0.0 | 1.6 |
| 082: Psychiatry | 1 | 201 | 0.0 | 1.6 |
| 085: Adolescent Med (Internal Medicine) | 4 | 205 | 0.0 | 1.7 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section A - Introduction

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| SUBSPC | Numeric | 3.0 | 60 | 62 |

| Value | Count | Cum | Percent | CumPct |
|---|--------|--------|---------|--------|
| 086: Critical Care Pediatrics | 12 | 217 | 0.1 | 1.7 |
| 087: Neonatal/Perinatal Medicine | 20 | 237 | 0.2 | 1.9 |
| 088: Pediatrics | 4 | 241 | 0.0 | 1.9 |
| 089: Pediatric Allergy | 1 | 242 | 0.0 | 2.0 |
| 090: Pediatric Endocrinology | 1 | 243 | 0.0 | 2.0 |
| 091: Pediatric Pulmonology | 1 | 244 | 0.0 | 2.0 |
| 092: Pediatric Gastroenterology | 8 | 252 | 0.1 | 2.0 |
| 093: Pediatric Hematology/Oncology | 2 | 254 | 0.0 | 2.0 |
| 095: Pediatric Nephrology | 1 | 255 | 0.0 | 2.1 |
| 096: Pediatric Rheumatology | 3 | 258 | 0.0 | 2.1 |
| 098: Pediatric Cardiology | 2 | 260 | 0.0 | 2.1 |
| 100: Physical Medicine & Rehabilitation | 2 | 262 | 0.0 | 2.1 |
| 116: Pulmonary Diseases | 6 | 268 | 0.0 | 2.2 |
| 127: Addiction Medicine | 3 | 271 | 0.0 | 2.2 |
| 128: Critical Care Med(Internal Med) | 9 | 280 | 0.1 | 2.3 |
| 133: Adolescent Medicine Pediatrics | 3 | 283 | 0.0 | 2.3 |
| 136: Hematology/Oncology | 7 | 290 | 0.1 | 2.3 |
| 137: Internal Medicine/Pediatrics | 1 | 291 | 0.0 | 2.3 |
| 144: Pediatric Emergency Medicine | 3 | 294 | 0.0 | 2.4 |
| 145: Pediatric Infectious Diseases | 4 | 298 | 0.0 | 2.4 |
| 147: Pulmonary Critical Care Medicine | 9 | 307 | 0.1 | 2.5 |
| 149: Sleep Medicine | 1 | 308 | 0.0 | 2.5 |
| 165: Vascular Medicine | 3 | 311 | 0.0 | 2.5 |
| 193: Pediatric Emergency Medicine | 1 | 312 | 0.0 | 2.5 |
| 194: Interventional Cardiology | 1 | 313 | 0.0 | 2.5 |
| 195: Internal Medicine/Family Practice | 1 | 314 | 0.0 | 2.5 |
| 200: Physical Med & Rehab | 3 | 317 | 0.0 | 2.6 |
| 201: Hospitalists | 14 | 331 | 0.1 | 2.7 |
| 202: AIDS/HIV Specialist | 7 | 338 | 0.1 | 2.7 |
| 210: Develop & Behavioral Pediatrics | 22 | 360 | 0.2 | 2.9 |
| 308: Internal Medicine Emer Medicine | 3 | 363 | 0.0 | 2.9 |
| -1: Inapplicable | 12,043 | 12,406 | 97.1 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section A - Introduction

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| PCPFLAG | Numeric | 2.0 | 63 | 64 |

Question: N/A

Description: A flag indicating that the physician spends most of his/her patient care time in a primary care specialty. The definition of primary care physician (PCP) is based on the response to questions A8, A9, A9a, A9b, and A10.

| Value | Count | Cum | Percent | CumPct |
|------------|-------|--------|---------|--------|
| 0: Not PCP | 4,733 | 4,733 | 38.2 | 38.2 |
| 1: PCP | 7,673 | 12,406 | 61.8 | 100.0 |

| | | | | |
|--------------|---------|-----|----|----|
| SPECX | Numeric | 2.0 | 65 | 66 |
|--------------|---------|-----|----|----|

Question: N/A

Description: Physician's specialty based on responses to questions A8 and A10 and grouped into seven types of specialties. Ob/Gyn and Psychiatrists are separated out because these types of physicians were asked specific questions in the survey.

| Value | Count | Cum | Percent | CumPct |
|----------------------------|-------|--------|---------|--------|
| 1: Internal Medicine | 2,542 | 2,542 | 20.5 | 20.5 |
| 2: Family/General Practice | 3,273 | 5,815 | 26.4 | 46.9 |
| 3: Pediatrics | 1,802 | 7,617 | 14.5 | 61.4 |
| 4: Medical Specialties | 2,402 | 10,019 | 19.4 | 80.8 |
| 5: Surgical Specialties | 1,407 | 11,426 | 11.3 | 92.1 |
| 6: Psychiatry | 534 | 11,960 | 4.3 | 96.4 |
| 7: ObGyn | 446 | 12,406 | 3.6 | 100.0 |

| | | | | |
|---------------|---------|-----|----|----|
| BDCERT | Numeric | 2.0 | 67 | 68 |
|---------------|---------|-----|----|----|

Question: N/A

Description: Board certification status of physician. This variable summarizes the certification/eligibility status of the physician in any specialty or subspecialty. It was constructed from the responses to questions A11, A13, A15, and A17.

| Value | Count | Cum | Percent | CumPct |
|------------------------|--------|--------|---------|--------|
| 1: Board certified | 10,838 | 10,838 | 87.4 | 87.4 |
| 2: Board eligible only | 1,131 | 11,969 | 9.1 | 96.5 |
| 3: Neither | 395 | 12,364 | 3.2 | 99.7 |
| -9: Not Ascertained | 42 | 12,406 | 0.3 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section A - Introduction

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| BDCTPS | Numeric | 2.0 | 69 | 70 |

Question: N/A

Description: A flag indicating that the physician is board-certified in his/her primary specialty or subspecialty. This variable was constructed from responses to questions A11 and A15. Does not apply to physicians who are hospitalists (BDCTPS= -1 if A11=201 or A15=201).

| Value | Count | Cum | Percent | CumPct |
|--|--------|--------|---------|--------|
| 0: Not board certifd primary subspclty | 2,006 | 2,006 | 16.2 | 16.2 |
| 1: Board certified primary subspclty | 10,363 | 12,369 | 83.5 | 99.7 |
| -9: Not Ascertained | 16 | 12,385 | 0.1 | 99.8 |
| -1: Inapplicable | 21 | 12,406 | 0.2 | 100.0 |

| | | | | |
|---------------|---------|-----|----|----|
| BDELPS | Numeric | 2.0 | 71 | 72 |
|---------------|---------|-----|----|----|

Question: N/A

Description: A flag indicating that the physician is board-eligible in his/her primary specialty or subspecialty. This variable was constructed from responses to questions A12 and A16. Applies to physicians who are not board-certified in their primary specialty or subspecialty AND who are not hospitalists (A11 ne 201 and A15 ne 201).

| Value | Count | Cum | Percent | CumPct |
|---|--------|--------|---------|--------|
| 0: Not board eligible primary subspclty | 652 | 652 | 5.3 | 5.3 |
| 1: Board eligible primary subspclty | 1,315 | 1,967 | 10.6 | 15.9 |
| -9: Not Ascertained | 55 | 2,022 | 0.4 | 16.3 |
| -1: Inapplicable | 10,384 | 12,406 | 83.7 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section A - Introduction

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| CARSAT | Numeric | 2.0 | 73 | 74 |

Question: A19

Many of the remaining questions are about your practice and your relationships with patients. Before we begin those questions, let me ask you: Thinking very generally about your satisfaction with your overall career in medicine, would you say that you are CURRENTLY: Very satisfied, Somewhat satisfied, Somewhat dissatisfied, Very dissatisfied, Neither satisfied nor dissatisfied

| Value | Count | Cum | Percent | CumPct |
|-------------------------------|-------|--------|---------|--------|
| 5: Very satisfied | 4,964 | 4,964 | 40.0 | 40.0 |
| 4: Somewhat satisfied | 5,100 | 10,064 | 41.1 | 81.1 |
| 3: Somewhat dissatisfied | 1,661 | 11,725 | 13.4 | 94.5 |
| 2: Very dissatisfied | 458 | 12,183 | 3.7 | 98.2 |
| 1: Neither satisfd/dissatisfd | 199 | 12,382 | 1.6 | 99.8 |
| -8: Don't Know | 17 | 12,399 | 0.1 | 99.9 |
| -7: Refused | 7 | 12,406 | 0.1 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section B - Utilization of Time

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| WKSWRK | Numeric | 2.0 | 75 | 76 |

Question: B1

Considering all of your practices, approximately how many weeks did you practice medicine during 1999? Exclude time missed due to vacation, illness and other absences. Exclude family leave, military service, and professional conferences. If your office is closed for several weeks of the year, those weeks should NOT be counted as weeks worked.

| Value | Count | Cum | Percent | CumPct |
|----------------|-------|--------|---------|--------|
| 0 weeks | 20 | 20 | 0.2 | 0.2 |
| 1-40 weeks | 715 | 735 | 5.8 | 5.9 |
| 41-47 weeks | 3,223 | 3,958 | 26.0 | 31.9 |
| 48-50 weeks | 7,427 | 11,385 | 59.9 | 91.8 |
| 51-52 weeks | 997 | 12,382 | 8.0 | 99.8 |
| -8: Don't Know | 23 | 12,405 | 0.2 | 100.0 |
| -7: Refused | 1 | 12,406 | 0.0 | 100.0 |

| | | | | |
|----------------|---------|-----|----|----|
| WKSWRKC | Numeric | 2.0 | 77 | 78 |
|----------------|---------|-----|----|----|

Question: N/A

Description: Number of weeks physician practiced medicine in 1999. Constructed based on response to question B1. Physicians who started practice in 2000 or later (YRBGN >= 2000) were assigned a value of -1.

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 0 weeks | 12 | 12 | 0.1 | 0.1 |
| 1-40 weeks | 693 | 705 | 5.6 | 5.7 |
| 41-47 weeks | 3,221 | 3,926 | 26.0 | 31.6 |
| 48-50 weeks | 7,345 | 11,271 | 59.2 | 90.9 |
| 51-52 weeks | 990 | 12,261 | 8.0 | 98.8 |
| -1: Inapplicable | 145 | 12,406 | 1.2 | 100.0 |

| | | | | |
|-----------------|---------|-----|----|----|
| _WKSWRKC | Numeric | 2.0 | 79 | 80 |
|-----------------|---------|-----|----|----|

Question: N/A

Description: Imputation flag for WKSWRKC.

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 0: No Imputation | 12,237 | 12,237 | 98.6 | 98.6 |
| 1: Imputation | 24 | 12,261 | 0.2 | 98.8 |
| -1: Inapplicable | 145 | 12,406 | 1.2 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section B - Utilization of Time

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| HRSMED | Numeric | 3.0 | 81 | 83 |

Question: N/A

Description: Number of hours physician spent in medically related activities during last complete week of work. Constructed from response to questions B2, B3c, and B4. If the reported number of hours in the previous week spent in direct patient care was greater than the reported number of hours spent in medically related activities, then HRSMED was imputed. Patient care is a subset of all medically related activities, and therefore, HRSPAT should be less than or equal to HRSMED.

| Value | Count | Cum | Percent | CumPct |
|-------|-------|--------|---------|--------|
| 1-39 | 1,688 | 1,688 | 13.6 | 13.6 |
| 40-49 | 2,688 | 4,376 | 21.7 | 35.3 |
| 50-59 | 3,250 | 7,626 | 26.2 | 61.5 |
| 60-69 | 2,866 | 10,492 | 23.1 | 84.6 |
| 70+ | 1,914 | 12,406 | 15.4 | 100.0 |

| | | | | |
|----------------|---------|-----|----|----|
| _HRSMED | Numeric | 2.0 | 84 | 85 |
|----------------|---------|-----|----|----|

Question: N/A

Description: Imputation flag for HRSMED.

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 0: No Imputation | 12,390 | 12,390 | 99.9 | 99.9 |
| 1: Imputation | 16 | 12,406 | 0.1 | 100.0 |

| | | | | |
|---------------|---------|-----|----|----|
| HRSPAT | Numeric | 3.0 | 86 | 88 |
|---------------|---------|-----|----|----|

Question: N/A

Description: Number of hours physician spent in direct patient care activities during last complete week of work. Constructed from responses to questions B3, B3d, and B5.

| Value | Count | Cum | Percent | CumPct |
|-------|-------|--------|---------|--------|
| 0 | 1 | 1 | 0.0 | 0.0 |
| 1-29 | 1,361 | 1,362 | 11.0 | 11.0 |
| 30-39 | 2,383 | 3,745 | 19.2 | 30.2 |
| 40-49 | 3,694 | 7,439 | 29.8 | 60.0 |
| 50-59 | 2,621 | 10,060 | 21.1 | 81.1 |
| 60+ | 2,346 | 12,406 | 18.9 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section B - Utilization of Time

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| _HRSPAT | Numeric | 2.0 | 89 | 90 |

Question: N/A

Description: Imputation flag for HRSPAT.

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 0: No Imputation | 12,386 | 12,386 | 99.8 | 99.8 |
| 1: Imputation | 20 | 12,406 | 0.2 | 100.0 |

| | | | | |
|---------------|---------|-----|----|----|
| HRFREE | Numeric | 3.0 | 91 | 93 |
|---------------|---------|-----|----|----|

Question: B6

Again thinking of all your practices, during the LAST MONTH, how many hours, if any, did you spend providing CHARITY care?

| Value | Count | Cum | Percent | CumPct |
|-------|-------|--------|---------|--------|
| 0 | 3,781 | 3,781 | 30.5 | 30.5 |
| 1-4 | 3,707 | 7,488 | 29.9 | 60.4 |
| 5-9 | 2,043 | 9,531 | 16.5 | 76.8 |
| 10+ | 2,875 | 12,406 | 23.2 | 100.0 |

| | | | | |
|----------------|---------|-----|----|----|
| _HRFREE | Numeric | 2.0 | 94 | 95 |
|----------------|---------|-----|----|----|

Question: N/A

Description: Imputation flag for HRFREE.

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 0: No Imputation | 11,408 | 11,408 | 92.0 | 92.0 |
| 1: Imputation | 998 | 12,406 | 8.0 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section B - Utilization of Time

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| PATINFO | Numeric | 5.1 | 96 | 100 |

Question: B7

During the last month, what percentage of your patients talked about medical conditions, tests, treatments, or drugs they had read or heard about from various sources other than you, such as the Internet, their friends or relatives, TV, radio, books, or magazines?

Description: The response "Less than 1%" was coded as 0.5.

| Value | Count | Cum | Percent | CumPct |
|-----------------|--------|--------|---------|--------|
| None | 386 | 386 | 3.1 | 3.1 |
| .5,Less than 1% | 196 | 582 | 1.6 | 4.7 |
| 1-100% | 11,713 | 12,295 | 94.4 | 99.1 |
| -8: Don't Know | 106 | 12,401 | 0.9 | 100.0 |
| -7: Refused | 5 | 12,406 | 0.0 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| PATACT | Numeric | 5.1 | 101 | 105 |
|---------------|---------|-----|-----|-----|

Question: B9

During the last month, for what percentage of your patients did you order tests, procedures, or prescriptions SUGGESTED BY PATIENTS that you would not otherwise have ordered?

Description: The response "Less than 1%" was coded as 0.5.

| Value | Count | Cum | Percent | CumPct |
|-----------------|-------|--------|---------|--------|
| None | 3,868 | 3,868 | 31.2 | 31.2 |
| .5,Less than 1% | 722 | 4,590 | 5.8 | 37.0 |
| 1-100% | 7,769 | 12,359 | 62.6 | 99.6 |
| -8: Don't Know | 42 | 12,401 | 0.3 | 100.0 |
| -7: Refused | 5 | 12,406 | 0.0 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section B - Utilization of Time

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| EFINFO | Numeric | 2.0 | 106 | 107 |

Question: B10

On balance, what do you think is the effect of medical information obtained by your patients from sources other than you on your ability to provide HIGH QUALITY CARE? Would you say it is generally positive, generally negative, or neither?

Description: The response "Can't choose/Unsure" was combined with the response "Don't know".

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 3: Positive | 5,607 | 5,607 | 45.2 | 45.2 |
| 2: Neither | 4,201 | 9,808 | 33.9 | 79.1 |
| 1: Negative | 1,916 | 11,724 | 15.4 | 94.5 |
| -8: Don't Know | 142 | 11,866 | 1.1 | 95.6 |
| -7: Refused | 6 | 11,872 | 0.0 | 95.7 |
| -1: Inapplicable | 534 | 12,406 | 4.3 | 100.0 |

| | | | | |
|--------------|---------|-----|-----|-----|
| EFEFF | Numeric | 2.0 | 108 | 109 |
|--------------|---------|-----|-----|-----|

Question: B11

On balance, what do you think is the effect of medical information obtained by your patients from sources other than you on your EFFICIENCY? Would you say it is generally positive, generally negative, or neither?

Description: The response "Can't choose/Unsure" was combined with the response "Don't know".

| Value | Count | Cum | Percent | CumPct |
|----------------|-------|--------|---------|--------|
| 3: Positive | 3,280 | 3,280 | 26.4 | 26.4 |
| 2: Neither | 5,153 | 8,433 | 41.5 | 68.0 |
| 1: Negative | 3,796 | 12,229 | 30.6 | 98.6 |
| -8: Don't Know | 164 | 12,393 | 1.3 | 99.9 |
| -7: Refused | 13 | 12,406 | 0.1 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section C - Type and Size of Practice

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| OWNPR | Numeric | 2.0 | 110 | 111 |

Question: C1

Are you a full owner, a part owner, or not an owner of this practice?

| Value | Count | Cum | Percent | CumPct |
|-----------------|-------|--------|---------|--------|
| 1: Full owner | 3,747 | 3,747 | 30.2 | 30.2 |
| 2: Part owner | 2,773 | 6,520 | 22.4 | 52.6 |
| 3: Not an owner | 5,886 | 12,406 | 47.4 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| _OWNPR | Numeric | 2.0 | 112 | 113 |
|---------------|---------|-----|-----|-----|

Question: N/A

Description: Imputation flag for OWNPR.

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 0: No Imputation | 12,388 | 12,388 | 99.9 | 99.9 |
| 1: Imputation | 18 | 12,406 | 0.1 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section C - Type and Size of Practice

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| TOPOWN | Numeric | 2.0 | 114 | 115 |

Question: C2

Which of the following best describes this practice?

Description: Applies to physicians who are full or part owners of the practice (C1/OWNPR=1 or 2). Some of the original "01 Other verbatim responses" were recoded to other responses.

| Value | Count | Cum | Percent | CumPct |
|------------------------------|-------|--------|---------|--------|
| 01: Other | 20 | 20 | 0.2 | 0.2 |
| 06: Solo practice | 3,036 | 3,056 | 24.5 | 24.6 |
| 07: 2 physician practice | 692 | 3,748 | 5.6 | 30.2 |
| 08: 3 or more physicians | 2,540 | 6,288 | 20.5 | 50.7 |
| 09: Group model HMO | 80 | 6,368 | 0.6 | 51.3 |
| 10: Staff model HMO | 66 | 6,434 | 0.5 | 51.9 |
| 11: Other insurance | 1 | 6,435 | 0.0 | 51.9 |
| 12: Medical school/univ | 5 | 6,440 | 0.0 | 51.9 |
| 13: Non-govt hospital | 13 | 6,453 | 0.1 | 52.0 |
| 14: City, county, state govt | 1 | 6,454 | 0.0 | 52.0 |
| 16: Free-standing clinic | 60 | 6,514 | 0.5 | 52.5 |
| 17: Physician practice mngt | 1 | 6,515 | 0.0 | 52.5 |
| 25: Independnt contractor | 3 | 6,518 | 0.0 | 52.5 |
| -8: Don't Know | 1 | 6,519 | 0.0 | 52.5 |
| -7: Refused | 1 | 6,520 | 0.0 | 52.6 |
| -1: Inapplicable | 5,886 | 12,406 | 47.4 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section C - Type and Size of Practice

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| TOPOWNC | Numeric | 2.0 | 116 | 117 |

Question: N/A

Description: Type of practice for physicians who are full or part owners of practice (C1/OWNPR= 1 or 2). Constructed from responses to questions C2 and C9. The category "1,Other" includes owner physicians who don't fall into any of the other categories.

| Value | Count | Cum | Percent | CumPct |
|--------------------------------------|-------|--------|---------|--------|
| 1: Other | 20 | 20 | 0.2 | 0.2 |
| 6: Solo practice | 3,036 | 3,056 | 24.5 | 24.6 |
| 7: 2 physician practice | 692 | 3,748 | 5.6 | 30.2 |
| 8: Group practice with 3+ physicians | 2,525 | 6,273 | 20.4 | 50.6 |
| 9: Group model HMO | 95 | 6,368 | 0.8 | 51.3 |
| 10: Staff model HMO | 66 | 6,434 | 0.5 | 51.9 |
| 11: Other insurance | 1 | 6,435 | 0.0 | 51.9 |
| 12: Medical school/univ | 5 | 6,440 | 0.0 | 51.9 |
| 13: Non-govt hospital | 13 | 6,453 | 0.1 | 52.0 |
| 14: City,county,state govt | 1 | 6,454 | 0.0 | 52.0 |
| 16: Free-standing clinic | 60 | 6,514 | 0.5 | 52.5 |
| 17: Physician practice mngt | 1 | 6,515 | 0.0 | 52.5 |
| 25: Independnt contractor | 3 | 6,518 | 0.0 | 52.5 |
| -8: Don't Know | 1 | 6,519 | 0.0 | 52.5 |
| -7: Refused | 1 | 6,520 | 0.0 | 52.6 |
| -1: Inapplicable | 5,886 | 12,406 | 47.4 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section C - Type and Size of Practice

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| TOPEMP | Numeric | 2.0 | 118 | 119 |

Question: C3

Which of the following best describes your current employer or employment arrangement?

Description: Applies to physicians who are employees of a practice (C1/OWNPR=3).

| Value | Count | Cum | Percent | CumPct |
|----------------------------|-------|--------|---------|--------|
| 01: Other | 773 | 773 | 6.2 | 6.2 |
| 06: Solo practice | 409 | 1,182 | 3.3 | 9.5 |
| 07: 2 physician practice | 149 | 1,331 | 1.2 | 10.7 |
| 08: 3 or more physicians | 1,062 | 2,393 | 8.6 | 19.3 |
| 09: Group model HMO | 176 | 2,569 | 1.4 | 20.7 |
| 10: Staff model HMO | 195 | 2,764 | 1.6 | 22.3 |
| 12: Medical school/univ | 957 | 3,721 | 7.7 | 30.0 |
| 13: Non-govt hospital | 1,450 | 5,171 | 11.7 | 41.7 |
| 14: City,county,state govt | 397 | 5,568 | 3.2 | 44.9 |
| 16: Free-standing clinic | 307 | 5,875 | 2.5 | 47.4 |
| -8: Don't Know | 7 | 5,882 | 0.1 | 47.4 |
| -7: Refused | 4 | 5,886 | 0.0 | 47.4 |
| -1: Inapplicable | 6,520 | 12,406 | 52.6 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section C - Type and Size of Practice

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| TOPEMPC | Numeric | 2.0 | 120 | 121 |

Question: N/A

Description: Type of practice for physicians who are not full or part owners of practice-i.e., employees (C1/OWNPR=3). Constructed from responses to questions C3 and C9. Those with verbatim responses (i.e., have a response in EMPTYP) are classified as "other" in TOPEMPC.

| Value | Count | Cum | Percent | CumPct |
|----------------------------|-------|--------|---------|--------|
| 1: Other | 773 | 773 | 6.2 | 6.2 |
| 6: Solo practice | 409 | 1,182 | 3.3 | 9.5 |
| 7: 2 physician practice | 149 | 1,331 | 1.2 | 10.7 |
| 8: 3 or more physicians | 1,048 | 2,379 | 8.4 | 19.2 |
| 9: Group model HMO | 190 | 2,569 | 1.5 | 20.7 |
| 10: Staff model HMO | 195 | 2,764 | 1.6 | 22.3 |
| 12: Medical school/univ | 957 | 3,721 | 7.7 | 30.0 |
| 13: Non-govt hospital | 1,450 | 5,171 | 11.7 | 41.7 |
| 14: City,county,state govt | 397 | 5,568 | 3.2 | 44.9 |
| 16: Free-standing clinic | 307 | 5,875 | 2.5 | 47.4 |
| -8: Don't Know | 7 | 5,882 | 0.1 | 47.4 |
| -7: Refused | 4 | 5,886 | 0.0 | 47.4 |
| -1: Inapplicable | 6,520 | 12,406 | 52.6 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section C - Type and Size of Practice

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| TOPEMPA | Numeric | 2.0 | 122 | 123 |

Question: N/A

Description: For physicians who are not full or part owners (C1/OWNPR=3), indicates type of employer. Constructed from responses to questions C3, C3b, C9 and verbatim responses.

| Value | Count | Cum | Percent | CumPct |
|-------------------------|-------|--------|---------|--------|
| 1: Other | 1,394 | 1,394 | 11.2 | 11.2 |
| 6: Solo practice | 412 | 1,806 | 3.3 | 14.6 |
| 7: 2 physician practice | 152 | 1,958 | 1.2 | 15.8 |
| 8: 3 or more physicians | 1,068 | 3,026 | 8.6 | 24.4 |
| 9: Group model HMO | 195 | 3,221 | 1.6 | 26.0 |
| 10: Staff model HMO | 195 | 3,416 | 1.6 | 27.5 |
| 12: Medical school/univ | 970 | 4,386 | 7.8 | 35.4 |
| 13: Non-govt hospital | 1,494 | 5,880 | 12.0 | 47.4 |
| -8: Don't Know | 3 | 5,883 | 0.0 | 47.4 |
| -7: Refused | 3 | 5,886 | 0.0 | 47.4 |
| -1: Inapplicable | 6,520 | 12,406 | 52.6 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| OTHSET | Numeric | 2.0 | 124 | 125 |
|---------------|---------|-----|-----|-----|

Question: C3a

Is this a hospital, clinic or some other setting?

Description: For physicians working for state or local government (TOPEMPC=14), practice type is classified as clinic, hospital, or other. An additional 11 cases were assigned a value for this question based on verbatim responses.

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 1: Hospital | 166 | 166 | 1.3 | 1.3 |
| 2: Clinic | 167 | 333 | 1.3 | 2.7 |
| 3: Other | 64 | 397 | 0.5 | 3.2 |
| -1: Inapplicable | 12,009 | 12,406 | 96.8 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section C - Type and Size of Practice

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| EMPTY | Numeric | 2.0 | 126 | 127 |

Question: C3b

Are you employed by any of the following?

Description: Coded verbatim responses for physicians who responded "Other" or "Don't know" in TOPEMPC. Applies to physicians who responded "1:Other", "Don't know" or "Refused" in C3 (TOPEMP).

| Value | Count | Cum | Percent | CumPct |
|------------------------------|--------|--------|---------|--------|
| 01: Other | 204 | 204 | 1.6 | 1.6 |
| 11: Other insurance | 16 | 220 | 0.1 | 1.8 |
| 15: Integrated health | 123 | 343 | 1.0 | 2.8 |
| 17: Physician practice mngt | 90 | 433 | 0.7 | 3.5 |
| 18: Community health center | 119 | 552 | 1.0 | 4.4 |
| 19: Mngt services org (mso) | 21 | 573 | 0.2 | 4.6 |
| 20: Physician-hosp org (pho) | 39 | 612 | 0.3 | 4.9 |
| 21: Locum tenens | 19 | 631 | 0.2 | 5.1 |
| 22: Foundation | 28 | 659 | 0.2 | 5.3 |
| 25: Independnt contractor | 101 | 760 | 0.8 | 6.1 |
| 26: Employer-based clinic | 13 | 773 | 0.1 | 6.2 |
| -8: Don't Know | 7 | 780 | 0.1 | 6.3 |
| -7: Refused | 4 | 784 | 0.0 | 6.3 |
| -1: Inapplicable | 11,622 | 12,406 | 93.7 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section C - Type and Size of Practice

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| EMPTY2 | Numeric | 2.0 | 128 | 129 |

Question: C3c

What type of organization do you work for?

Description: Asked of physicians who responded "Don't Know", "Refused", or "1, Something else" to question C3b.

| Value | Count | Cum | Percent | CumPct |
|------------------------------|--------|--------|---------|--------|
| 01: Other | 79 | 79 | 0.6 | 0.6 |
| 06: Solo practice | 3 | 82 | 0.0 | 0.7 |
| 07: 2 physician practice | 3 | 85 | 0.0 | 0.7 |
| 08: 3 or more physicians | 20 | 105 | 0.2 | 0.8 |
| 09: Group model HMO | 5 | 110 | 0.0 | 0.9 |
| 11: Other insurance | 3 | 113 | 0.0 | 0.9 |
| 12: Medical school/univ | 13 | 126 | 0.1 | 1.0 |
| 13: Non-govt hospital | 44 | 170 | 0.4 | 1.4 |
| 14: City, county, state govt | 5 | 175 | 0.0 | 1.4 |
| 15: Integrated health | 4 | 179 | 0.0 | 1.4 |
| 16: Free-standing clinic | 13 | 192 | 0.1 | 1.5 |
| 17: Physician practice mngt | 4 | 196 | 0.0 | 1.6 |
| 18: Community health center | 1 | 197 | 0.0 | 1.6 |
| 22: Foundation | 1 | 198 | 0.0 | 1.6 |
| 25: Indepndnt contractor | 2 | 200 | 0.0 | 1.6 |
| 26: Industry clinic | 4 | 204 | 0.0 | 1.6 |
| -1: Inapplicable | 12,202 | 12,406 | 98.4 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| PRCTYPE | Numeric | 2.0 | 130 | 131 |
|----------------|---------|-----|-----|-----|

Question: N/A

Description: Physician's practice type is categorized into one of six classifications. Constructed from responses to questions C2, C3, C3a, C3b, C3c, C3d and C9.

| Value | Count | Cum | Percent | CumPct |
|----------------------|-------|--------|---------|--------|
| 1: Solo/2 Physcn | 4,292 | 4,292 | 34.6 | 34.6 |
| 2: Group >= 3 Physcn | 3,593 | 7,885 | 29.0 | 63.6 |
| 3: HMO | 551 | 8,436 | 4.4 | 68.0 |
| 4: Medical School | 970 | 9,406 | 7.8 | 75.8 |
| 5: Hospital Based | 1,660 | 11,066 | 13.4 | 89.2 |
| 6: Other | 1,340 | 12,406 | 10.8 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section C - Type and Size of Practice

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| GRTYPE | Numeric | 2.0 | 132 | 133 |

Question: N/A

Description: Constructed variable which indicates the type of physicians working in the group practice or free standing clinic. Constructed from constructed variable PCP, and responses to questions C2a, C2b, C2c, C3aa, C3ab, C3ac, C3ca, C3cb, C3cc. Applies to physicians working in a group practice of 3 or more physicians.

| Value | Count | Cum | Percent | CumPct |
|--------------------------------|-------|--------|---------|--------|
| 1: Single spclty,PCP | 1,154 | 1,154 | 9.3 | 9.3 |
| 2: Single spclty,non-PCP | 1,127 | 2,281 | 9.1 | 18.4 |
| 3: Multi-spclty, PCPs only | 164 | 2,445 | 1.3 | 19.7 |
| 4: Multi-spclty, Spclts only | 104 | 2,549 | 0.8 | 20.5 |
| 5: Multi-spclty,PCP and Spclst | 980 | 3,529 | 7.9 | 28.4 |
| -9: Not Ascertained | 64 | 3,593 | 0.5 | 29.0 |
| -1: Inapplicable | 8,813 | 12,406 | 71.0 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section C - Type and Size of Practice

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| ALLPRTP | Numeric | 2.0 | 134 | 135 |

Question: N/A

Description: A constructed variable that summarizes information about practice type in one place. Based on survey responses to questions: C2, C3, C3a, C3b, C3c, C9.

| Value | Count | Cum | Percent | CumPct |
|------------------------------|-------|--------|---------|--------|
| 1: Solo practice | 3,448 | 3,448 | 27.8 | 27.8 |
| 2: Two physician practice | 844 | 4,292 | 6.8 | 34.6 |
| 3: Group practice | 3,593 | 7,885 | 29.0 | 63.6 |
| 4: Group model HMO | 290 | 8,175 | 2.3 | 65.9 |
| 5: Staff model HMO | 261 | 8,436 | 2.1 | 68.0 |
| 6: Medical school/univ | 970 | 9,406 | 7.8 | 75.8 |
| 7: Private hosp-owned | 1,494 | 10,900 | 12.0 | 87.9 |
| 8: State/local gov hosp | 166 | 11,066 | 1.3 | 89.2 |
| 9: State/local gov clinic | 167 | 11,233 | 1.3 | 90.5 |
| 10: State local gov other | 69 | 11,302 | 0.6 | 91.1 |
| 11: Other insurance | 19 | 11,321 | 0.2 | 91.3 |
| 12: Integrated health system | 127 | 11,448 | 1.0 | 92.3 |
| 13: Free-standing clinic | 380 | 11,828 | 3.1 | 95.3 |
| 14: PPM | 94 | 11,922 | 0.8 | 96.1 |
| 15: Community Health Center | 120 | 12,042 | 1.0 | 97.1 |
| 16: MSO | 21 | 12,063 | 0.2 | 97.2 |
| 17: PHO | 39 | 12,102 | 0.3 | 97.5 |
| 18: Locum tenens | 19 | 12,121 | 0.2 | 97.7 |
| 19: Independent contractor | 103 | 12,224 | 0.8 | 98.5 |
| 20: Employer-based clinic | 17 | 12,241 | 0.1 | 98.7 |
| 21: Foundation | 29 | 12,270 | 0.2 | 98.9 |
| 25: Other | 136 | 12,406 | 1.1 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section C - Type and Size of Practice

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| OTHPAR | Numeric | 2.0 | 136 | 137 |

Question: C4

Do one or more of the other physicians in the practice in which you work have an ownership interest?

Description: Indicates whether one or more of the other physicians in the practice have an ownership interest. The respondents to this question exclude full owners of solo practices, physicians working in a practice owned by one physician, and physicians working in institutions such as medical schools, universities, hospitals, state or local governments, or other situations, including an Integrated delivery system (IDS), Physician practice management company (PPM), Management services organization (MSO), Physician hospital organization (PHO), or locum tenens.

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 0: No | 895 | 895 | 7.2 | 7.2 |
| 1: Yes | 3,998 | 4,893 | 32.2 | 39.4 |
| -8: Don't Know | 21 | 4,914 | 0.2 | 39.6 |
| -7: Refused | 4 | 4,918 | 0.0 | 39.6 |
| -1: Inapplicable | 7,488 | 12,406 | 60.4 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| OTHGRP | Numeric | 2.0 | 138 | 139 |
|---------------|---------|-----|-----|-----|

Question: C5A

Does another physician group have an ownership interest in the practice in which you work? This ownership interest may include ownership of only the assets or accounts receivable. Do not include leased equipment.

Description: Another physician group has an ownership interest in the physician's practice. The respondents to this question exclude full owners of solo practices, and physicians working in institutions such as medical schools, universities, hospitals, state or local governments, or other situations, including an Integrated delivery system (IDS), Physician practice management company (PPM), Management services organization (MSO), Physician hospital organization (PHO), or locum tenens.

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 0: No | 5,078 | 5,078 | 40.9 | 40.9 |
| 1: Yes | 210 | 5,288 | 1.7 | 42.6 |
| -8: Don't Know | 36 | 5,324 | 0.3 | 42.9 |
| -7: Refused | 3 | 5,327 | 0.0 | 42.9 |
| -1: Inapplicable | 7,079 | 12,406 | 57.1 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section C - Type and Size of Practice

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| HSPPAR | Numeric | 2.0 | 140 | 141 |

Question: C5B

Does a hospital or group of hospitals have an ownership interest in the practice in which you work? This ownership interest may include ownership of only the assets or accounts receivable. Do not include leased equipment.

Description: A hospital or group of hospitals has an ownership interest in the physician's practice. The respondents to this question exclude full owners of solo practices, and physicians working in institutions such as medical schools, universities, hospitals, state or local governments, or other situations, including an Integrated delivery system (IDS), Physician practice management company (PPM), Management services organization (MSO), Physician hospital organization (PHO), or locum tenens.

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 0: No | 4,797 | 4,797 | 38.7 | 38.7 |
| 1: Yes | 497 | 5,294 | 4.0 | 42.7 |
| -8: Don't Know | 30 | 5,324 | 0.2 | 42.9 |
| -7: Refused | 3 | 5,327 | 0.0 | 42.9 |
| -1: Inapplicable | 7,079 | 12,406 | 57.1 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| INSPAR | Numeric | 2.0 | 142 | 143 |
|---------------|---------|-----|-----|-----|

Question: C5C

Does an insurance company, health plan or HMO have an ownership interest in the practice in which you work? This ownership interest may include ownership of only the assets or accounts receivable. Do not include leased equipment.

Description: An insurance company, health plan, or HMO has an ownership interest in the physician's practice. The respondents to this question exclude full owners of solo practices, and physicians working in institutions such as medical schools, universities, hospitals, state or local governments, or other situations, including an Integrated delivery system (IDS), Physician practice management company (PPM), Management services organization (MSO), Physician hospital organization (PHO), or locum tenens.

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 0: No | 5,223 | 5,223 | 42.1 | 42.1 |
| 1: Yes | 71 | 5,294 | 0.6 | 42.7 |
| -8: Don't Know | 30 | 5,324 | 0.2 | 42.9 |
| -7: Refused | 3 | 5,327 | 0.0 | 42.9 |
| -1: Inapplicable | 7,079 | 12,406 | 57.1 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section C - Type and Size of Practice

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| ORGP | Numeric | 2.0 | 144 | 145 |

Question: C5D

Does any other organization have an ownership interest in the practice in which you work? This ownership interest may include ownership of only the assets or accounts receivable. Do not include leased equipment.

Description: An organization other than another physician group, hospital/group of hospitals, insurance company, health plan, or HMO has an ownership interest in the physician's practice. The respondents to this question exclude full owners of solo practices, and physicians working in institutions such as medical schools, universities, hospitals, state or local governments, or other situations, including an Integrated delivery system (IDS), Physician practice management company (PPM), Management services organization (MSO), Physician hospital organization (PHO), or locum tenens.

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 0: No | 5,029 | 5,029 | 40.5 | 40.5 |
| 1: Yes | 259 | 5,288 | 2.1 | 42.6 |
| -8: Don't Know | 36 | 5,324 | 0.3 | 42.9 |
| -7: Refused | 3 | 5,327 | 0.0 | 42.9 |
| -1: Inapplicable | 7,079 | 12,406 | 57.1 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| C5OWNER | Numeric | 2.0 | 146 | 147 |
|----------------|---------|-----|-----|-----|

Question: N/A

Description: Indicates number of outside owners of practice (i.e., excluding respondent and physician's own group practice). Constructed from responses to C5A, C5B, C5C, and C5D. The respondents to this question exclude full owners of solo practices, and physicians working in institutions such as medical schools, universities, hospitals, state or local governments, or other situations, including an Integrated delivery system (IDS), Physician practice management company (PPM), Management services organization (MSO), Physician hospital organization (PHO), or locum tenens.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|--------|---------|--------|
| 0: None | 4,359 | 4,359 | 35.1 | 35.1 |
| 1: One | 797 | 5,156 | 6.4 | 41.6 |
| 2: Two or more | 101 | 5,257 | 0.8 | 42.4 |
| -9: Not Ascertained | 70 | 5,327 | 0.6 | 42.9 |
| -1: Inapplicable | 7,079 | 12,406 | 57.1 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section C - Type and Size of Practice

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| ORGC_1 | Numeric | 2.0 | 148 | 149 |

Question: C6

What kinds of organizations are these? 01 Other

Description: The type of organization with an ownership interest in the practice is not elsewhere classified in ORGC_2-ORGC_16. ORGC_1 combines the verbatim responses in C6a with the open ended responses in C6.

| Value | Count | Cum | Percent | CumPct |
|--------|--------|--------|---------|--------|
| 0: No | 12,282 | 12,282 | 99.0 | 99.0 |
| 1: Yes | 124 | 12,406 | 1.0 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| ORGC_2 | Numeric | 2.0 | 150 | 151 |
|---------------|---------|-----|-----|-----|

Question: C6

What kinds of organizations are these? 02 (DK):

Description: Don't know the type of organization that has an ownership interest in the practice. ORGC_2 combines the verbatim responses in C6a with the open ended responses in C6.

| Value | Count | Cum | Percent | CumPct |
|--------|--------|--------|---------|--------|
| 0: No | 12,402 | 12,402 | 100.0 | 100.0 |
| 1: Yes | 4 | 12,406 | 0.0 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| ORGC_6 | Numeric | 2.0 | 152 | 153 |
|---------------|---------|-----|-----|-----|

Question: C6

What kinds of organizations are these? 06 Integrated health or delivery system:

Description: An integrated health or delivery system has an ownership interest in the practice. ORGC_6 combines the verbatim responses in C6a with the open ended responses in C6.

| Value | Count | Cum | Percent | CumPct |
|--------|--------|--------|---------|--------|
| 0: No | 12,392 | 12,392 | 99.9 | 99.9 |
| 1: Yes | 14 | 12,406 | 0.1 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section C - Type and Size of Practice

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| ORGC_7 | Numeric | 2.0 | 154 | 155 |

Question: C6

What kinds of organizations are these? 07 Physician practice management or other for-profit investment company:

Description: A physician practice management organization or other for-profit investment company has an ownership interest in the practice. ORGC_7 combines the verbatim responses in C6a with the open ended responses in C6.

| Value | Count | Cum | Percent | CumPct |
|--------|--------|--------|---------|--------|
| 0: No | 12,360 | 12,360 | 99.6 | 99.6 |
| 1: Yes | 46 | 12,406 | 0.4 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| ORGC_8 | Numeric | 2.0 | 156 | 157 |
|---------------|---------|-----|-----|-----|

Question: C6

What kinds of organizations are these? 08 Management Services Organization (MSO):

Description: A management services organization has an ownership interest in the practice. ORGC_8 combines the verbatim responses in C6a with the open ended responses in C6.

| Value | Count | Cum | Percent | CumPct |
|--------|--------|--------|---------|--------|
| 0: No | 12,384 | 12,384 | 99.8 | 99.8 |
| 1: Yes | 22 | 12,406 | 0.2 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| ORGC_9 | Numeric | 2.0 | 158 | 159 |
|---------------|---------|-----|-----|-----|

Question: C6

What kinds of organizations are these? 09 Physician-Hospital Organization (PHO):

Description: A physician-hospital organization has an ownership interest in the practice. ORGC_9 combines the verbatim responses in C6a with the open ended responses in C6.

| Value | Count | Cum | Percent | CumPct |
|--------|--------|--------|---------|--------|
| 0: No | 12,403 | 12,403 | 100.0 | 100.0 |
| 1: Yes | 3 | 12,406 | 0.0 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section C - Type and Size of Practice

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| ORGC_10 | Numeric | 2.0 | 160 | 161 |

Question: C6

What kinds of organizations are these? 10 University/Medical school:

Description: A medical school or university has an ownership interest in the practice. ORGC_10 combines the verbatim responses in C6a with the open ended responses in C6.

| Value | Count | Cum | Percent | CumPct |
|--------|--------|--------|---------|--------|
| 0: No | 12,282 | 12,282 | 99.0 | 99.0 |
| 1: Yes | 124 | 12,406 | 1.0 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| ORGC_11 | Numeric | 2.0 | 162 | 163 |
|----------------|---------|-----|-----|-----|

Question: C6

What kinds of organizations are these? 11 Medical Foundation or Non-profit Foundation:

Description: A medical foundation or non-profit foundation has an ownership interest in the practice. ORGC_11 combines the verbatim responses in C6a with the open ended responses in C6.

| Value | Count | Cum | Percent | CumPct |
|--------|--------|--------|---------|--------|
| 0: No | 12,348 | 12,348 | 99.5 | 99.5 |
| 1: Yes | 58 | 12,406 | 0.5 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| ORGC_12 | Numeric | 2.0 | 164 | 165 |
|----------------|---------|-----|-----|-----|

Question: C6

What kinds of organizations are these? 12 Other Non-profit or community-based organizations:

Description: An other non-profit or community-based organization has an ownership interest in the practice. ORGC_12 combines the verbatim responses in C6a with the open ended responses in C6.

| Value | Count | Cum | Percent | CumPct |
|--------|--------|--------|---------|--------|
| 0: No | 12,225 | 12,225 | 98.5 | 98.5 |
| 1: Yes | 181 | 12,406 | 1.5 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section C - Type and Size of Practice

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| ORGC_13 | Numeric | 2.0 | 166 | 167 |

Question: N/A

What kinds of organization are these? Other physicians in this practice

Description: Other physicians in the practice have an ownership interest in the practice. ORGC_13 combines the verbatim responses in C6a with the open ended responses in C6.

| Value | Count | Cum | Percent | CumPct |
|--------|--------|--------|---------|--------|
| 0: No | 12,391 | 12,391 | 99.9 | 99.9 |
| 1: Yes | 15 | 12,406 | 0.1 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| ORGC_14 | Numeric | 2.0 | 168 | 169 |
|----------------|---------|-----|-----|-----|

Question: N/A

What kinds of organization are these? Another physician group

Description: Another physician group has an ownership interest in the practice. ORGC_14 combines the verbatim responses in C6a with the open ended responses in C6.

| Value | Count | Cum | Percent | CumPct |
|--------|--------|--------|---------|--------|
| 0: No | 12,396 | 12,396 | 99.9 | 99.9 |
| 1: Yes | 10 | 12,406 | 0.1 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| ORGC_15 | Numeric | 2.0 | 170 | 171 |
|----------------|---------|-----|-----|-----|

Question: N/A

What kinds of organization are these? A hospital or group of hospitals

Description: A hospital or group of hospitals has an ownership interest in the practice. ORGC_15 combines the verbatim responses in C6a with the open ended responses in C6.

| Value | Count | Cum | Percent | CumPct |
|--------|--------|--------|---------|--------|
| 0: No | 12,398 | 12,398 | 99.9 | 99.9 |
| 1: Yes | 8 | 12,406 | 0.1 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| ORGC_16 | Numeric | 2.0 | 172 | 173 |
|----------------|---------|-----|-----|-----|

Question: N/A

What kinds of organization are these? An insurance company, health plan or HMO

Description: An insurance company, health plan, or HMO has an ownership interest in the practice. ORGC_16 combines the verbatim responses in C6a with the open ended responses in C6.

| Value | Count | Cum | Percent | CumPct |
|--------|--------|--------|---------|--------|
| 0: No | 12,400 | 12,400 | 100.0 | 100.0 |
| 1: Yes | 6 | 12,406 | 0.0 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section C - Type and Size of Practice

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| SETTING | Numeric | 2.0 | 174 | 175 |

Question: C6b

In which of the following settings do you spend most of your time seeing patients - in an office practice owned by the hospital or a university or medical school, on hospital staff, in the emergency room, in a hospital clinic, or somewhere else?

Description: Asked only those in a medical school or non-government hospital

| Value | Count | Cum | Percent | CumPct |
|-----------------------------------|-------|--------|---------|--------|
| 1: Somewhere else | 62 | 62 | 0.5 | 0.5 |
| 6: Office prac owned by hosp/univ | 1,471 | 1,533 | 11.9 | 12.4 |
| 7: On hosp staff | 311 | 1,844 | 2.5 | 14.9 |
| 8: In emergency room | 227 | 2,071 | 1.8 | 16.7 |
| 9: In hospital clinic | 393 | 2,464 | 3.2 | 19.9 |
| -1: Inapplicable | 9,942 | 12,406 | 80.1 | 100.0 |

| | | | | |
|-----------------|---------|-----|-----|-----|
| _SETTING | Numeric | 2.0 | 176 | 177 |
|-----------------|---------|-----|-----|-----|

Question: N/A

Description: Imputation flag for SETTING

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 0: No Imputation | 2,412 | 2,412 | 19.4 | 19.4 |
| 1: Imputation | 52 | 2,464 | 0.4 | 19.9 |
| -1: Inapplicable | 9,942 | 12,406 | 80.1 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section C - Type and Size of Practice

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| NPHYS | Numeric | 3.0 | 178 | 180 |

Question: C7

How many physicians, including yourself, are in the practice? Please include all locations of the practice. If asked, this includes both full- and part-time physicians.

Description: Not asked of physicians working in medical schools, universities, hospitals, state or local governments, or other situations such as an Integrated delivery system (IDS), Physician practice management company (PPM), Management services organization (MSO), Physician hospital organization (PHO), or locum tenens.

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 1 | 2,813 | 2,813 | 22.7 | 22.7 |
| 2 | 1,136 | 3,949 | 9.2 | 31.8 |
| 3 | 947 | 4,896 | 7.6 | 39.5 |
| 4-10 | 2,985 | 7,881 | 24.1 | 63.5 |
| 11+ | 2,455 | 10,336 | 19.8 | 83.3 |
| -8: Don't Know | 21 | 10,357 | 0.2 | 83.5 |
| -1: Inapplicable | 2,049 | 12,406 | 16.5 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| _NPHYS | Numeric | 2.0 | 181 | 182 |
|---------------|---------|-----|-----|-----|

Question: N/A

Description: Imputation flag for NPHYS. NPHYS was not imputed for physicians who indicated (through TOPOWN-C2, TOPEMP-C3, or EMPTYP-C3b) that they worked in a group practice of 3 or more physicians or in an HMO.

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 0: No Imputation | 9,849 | 9,849 | 79.4 | 79.4 |
| 1: Imputation | 487 | 10,336 | 3.9 | 83.3 |
| -8: Don't Know | 21 | 10,357 | 0.2 | 83.5 |
| -1: Inapplicable | 2,049 | 12,406 | 16.5 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| ACQUIRD | Numeric | 2.0 | 183 | 184 |
|----------------|---------|-----|-----|-----|

Question: C10

In the last two years, were you part of a practice that was purchased by another practice or organization? We are only interested in purchases over the last two years that occurred while you were part of the practice.

| Value | Count | Cum | Percent | CumPct |
|--------|--------|--------|---------|--------|
| 0: No | 11,420 | 11,420 | 92.1 | 92.1 |
| 1: Yes | 986 | 12,406 | 7.9 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section C - Type and Size of Practice

| Variable Name | Variable Type | Length | Start | End |
|-----------------|---------------|--------|-------|-----|
| _ACQUIRD | Numeric | 2.0 | 185 | 186 |

Question: N/A

Description: Imputation flag for ACQUIRD.

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 0: No Imputation | 12,374 | 12,374 | 99.7 | 99.7 |
| 1: Imputation | 32 | 12,406 | 0.3 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| OWNPUR | Numeric | 2.0 | 187 | 188 |
|---------------|---------|-----|-----|-----|

Question: C11

At the time of the purchase, were you a full owner, a part owner, or not an owner of the practice that was purchased?

Description: Applies to those physicians whose practice was purchased in the past two years (ACQUIRD=1).

| Value | Count | Cum | Percent | CumPct |
|---------------------|--------|--------|---------|--------|
| 1: Full owner | 164 | 164 | 1.3 | 1.3 |
| 2: Part owner | 160 | 324 | 1.3 | 2.6 |
| 3: Not an owner | 658 | 982 | 5.3 | 7.9 |
| -9: Not Ascertained | 2 | 984 | 0.0 | 7.9 |
| -8: Don't Know | 1 | 985 | 0.0 | 7.9 |
| -7: Refused | 1 | 986 | 0.0 | 7.9 |
| -1: Inapplicable | 11,420 | 12,406 | 92.1 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| CTL_WRK | Numeric | 2.0 | 189 | 190 |
|----------------|---------|-----|-----|-----|

Question: C12a

Next, I am going to list several aspects of a medical practice. Using any number from one to ten, where "1" is not important, and "10" is very important, tell me how important each one is to you. How important is control over your working hours?

| Value | Count | Cum | Percent | CumPct |
|--------------------|-------|--------|---------|--------|
| 10: Very important | 5,823 | 5,823 | 46.9 | 46.9 |
| 2-9 | 6,516 | 12,339 | 52.5 | 99.5 |
| 1: Not important | 54 | 12,393 | 0.4 | 99.9 |
| -8: Don't Know | 9 | 12,402 | 0.1 | 100.0 |
| -7: Refused | 4 | 12,406 | 0.0 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section C - Type and Size of Practice

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| CTL_DEC | Numeric | 2.0 | 191 | 192 |

Question: C12b

Next, I am going to list several aspects of a medical practice. Using any number from one to ten, where "1" is not important, and "10" is very important, tell me how important each one is to you. How important is control over your clinical decisions?

| Value | Count | Cum | Percent | CumPct |
|--------------------|-------|--------|---------|--------|
| 10: Very important | 9,202 | 9,202 | 74.2 | 74.2 |
| 2-9 | 3,166 | 12,368 | 25.5 | 99.7 |
| 1: Not important | 28 | 12,396 | 0.2 | 99.9 |
| -8: Don't Know | 9 | 12,405 | 0.1 | 100.0 |
| -7: Refused | 1 | 12,406 | 0.0 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| CTL_INC | Numeric | 2.0 | 193 | 194 |
|----------------|---------|-----|-----|-----|

Question: C12c

Next, I am going to list several aspects of a medical practice. Using any number from one to ten, where "1" is not important, and "10" is very important, tell me how important each one is to you. How important is your potential income?

| Value | Count | Cum | Percent | CumPct |
|--------------------|-------|--------|---------|--------|
| 10: Very important | 3,691 | 3,691 | 29.8 | 29.8 |
| 2-9 | 8,624 | 12,315 | 69.5 | 99.3 |
| 1: Not important | 62 | 12,377 | 0.5 | 99.8 |
| -8: Don't Know | 20 | 12,397 | 0.2 | 99.9 |
| -7: Refused | 9 | 12,406 | 0.1 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| CTL_BUS | Numeric | 2.0 | 195 | 196 |
|----------------|---------|-----|-----|-----|

Question: C12d

Next, I am going to list several aspects of a medical practice. Using any number from one to ten, where "1" is not important, and "10" is very important, tell me how important each one is to you. How important is control over your practice's business decisions?

| Value | Count | Cum | Percent | CumPct |
|--------------------|-------|--------|---------|--------|
| 10: Very important | 4,170 | 4,170 | 33.6 | 33.6 |
| 2-9 | 7,960 | 12,130 | 64.2 | 97.8 |
| 1: Not important | 231 | 12,361 | 1.9 | 99.6 |
| -8: Don't Know | 34 | 12,395 | 0.3 | 99.9 |
| -7: Refused | 11 | 12,406 | 0.1 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section D - Medical Care Management

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| IT_TRT | Numeric | 2.0 | 197 | 198 |

Question: D1a

In your (main) practice, are computers or other forms of information technology used to obtain information about treatment alternatives or recommended guidelines?

| Value | Count | Cum | Percent | CumPct |
|----------------|-------|--------|---------|--------|
| 0: No | 5,922 | 5,922 | 47.7 | 47.7 |
| 1: Yes | 6,469 | 12,391 | 52.1 | 99.9 |
| -8: Don't Know | 12 | 12,403 | 0.1 | 100.0 |
| -7: Refused | 3 | 12,406 | 0.0 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| IT_FORM | Numeric | 2.0 | 199 | 200 |
|----------------|---------|-----|-----|-----|

Question: D1b

In your (main) practice, are computers or other forms of information technology used to obtain information on formularies?

| Value | Count | Cum | Percent | CumPct |
|----------------|-------|--------|---------|--------|
| 0: No | 8,661 | 8,661 | 69.8 | 69.8 |
| 1: Yes | 3,713 | 12,374 | 29.9 | 99.7 |
| -8: Don't Know | 30 | 12,404 | 0.2 | 100.0 |
| -7: Refused | 2 | 12,406 | 0.0 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| ITRMNDR | Numeric | 2.0 | 201 | 202 |
|----------------|---------|-----|-----|-----|

Question: D1c

In your (main) practice, are computers or other forms of information technology used to generate reminders for you about preventive services.?

| Value | Count | Cum | Percent | CumPct |
|----------------|-------|--------|---------|--------|
| 0: No | 9,337 | 9,337 | 75.3 | 75.3 |
| 1: Yes | 3,034 | 12,371 | 24.5 | 99.7 |
| -8: Don't Know | 33 | 12,404 | 0.3 | 100.0 |
| -7: Refused | 2 | 12,406 | 0.0 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section D - Medical Care Management

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| ITNOTES | Numeric | 2.0 | 203 | 204 |

Question: D1d

In your (main) practice, are computers or other forms of information technology used to access patient notes, medication lists, or problem lists?

| Value | Count | Cum | Percent | CumPct |
|----------------|-------|--------|---------|--------|
| 0: No | 8,158 | 8,158 | 65.8 | 65.8 |
| 1: Yes | 4,240 | 12,398 | 34.2 | 99.9 |
| -8: Don't Know | 6 | 12,404 | 0.0 | 100.0 |
| -7: Refused | 2 | 12,406 | 0.0 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| ITPRESC | Numeric | 2.0 | 205 | 206 |
|----------------|---------|-----|-----|-----|

Question: D1e

In your (main) practice, are computers or other forms of information technology used to write prescriptions?

| Value | Count | Cum | Percent | CumPct |
|----------------|--------|--------|---------|--------|
| 0: No | 10,931 | 10,931 | 88.1 | 88.1 |
| 1: Yes | 1,464 | 12,395 | 11.8 | 99.9 |
| -8: Don't Know | 8 | 12,403 | 0.1 | 100.0 |
| -7: Refused | 3 | 12,406 | 0.0 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| ITCLIN | Numeric | 2.0 | 207 | 208 |
|---------------|---------|-----|-----|-----|

Question: D1f

In your (main) practice, are computers or other forms of information technology used for clinical data and image exchanges with other physicians?

| Value | Count | Cum | Percent | CumPct |
|----------------|-------|--------|---------|--------|
| 0: No | 7,613 | 7,613 | 61.4 | 61.4 |
| 1: Yes | 4,777 | 12,390 | 38.5 | 99.9 |
| -8: Don't Know | 13 | 12,403 | 0.1 | 100.0 |
| -7: Refused | 3 | 12,406 | 0.0 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section D - Medical Care Management

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| ITCOMM | Numeric | 2.0 | 209 | 210 |

Question: D1g

In your (main) practice, are computers or other forms of information technology used to communicate about clinical issues with patients by e-mail?

| Value | Count | Cum | Percent | CumPct |
|----------------|-------|--------|---------|--------|
| 0: No | 9,947 | 9,947 | 80.2 | 80.2 |
| 1: Yes | 2,444 | 12,391 | 19.7 | 99.9 |
| -8: Don't Know | 11 | 12,402 | 0.1 | 100.0 |
| -7: Refused | 4 | 12,406 | 0.0 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| ACC_INT | Numeric | 2.0 | 211 | 212 |
|----------------|---------|-----|-----|-----|

Question: D2

Do you have access to the Internet at the place where you provide most of your patient care?

Description: Patient care includes face-to-face contact with patients, as well as patient record keeping and office work, travel time connected with seeing patients, and communication with other physicians, hospitals, pharmacies, and other places on a patient's behalf.

| Value | Count | Cum | Percent | CumPct |
|----------------|-------|--------|---------|--------|
| 0: No | 3,049 | 3,049 | 24.6 | 24.6 |
| 1: Yes | 9,323 | 12,372 | 75.1 | 99.7 |
| -8: Don't Know | 33 | 12,405 | 0.3 | 100.0 |
| -7: Refused | 1 | 12,406 | 0.0 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| FORMLRY | Numeric | 5.1 | 213 | 217 |
|----------------|---------|-----|-----|-----|

Question: D3

Next, what percentage of your patients have prescription coverage that includes the use of a formulary?

Description: The response "Less than 1%" was coded as 0.5.

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| None | 229 | 229 | 1.8 | 1.8 |
| .5, Less than 1% | 17 | 246 | 0.1 | 2.0 |
| 1-100 | 12,160 | 12,406 | 98.0 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section D - Medical Care Management

| Variable Name | Variable Type | Length | Start | End |
|------------------------|---------------|--------|-------|-----|
| <u>_FORMLRY</u> | Numeric | 2.0 | 218 | 219 |

Question: N/A

Description: Imputation flag for FORMLRY

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 0: No Imputation | 11,286 | 11,286 | 91.0 | 91.0 |
| 1: Imputation | 1,120 | 12,406 | 9.0 | 100.0 |

| | | | | |
|-----------------------|---------|-----|-----|-----|
| <u>EFGUIDE</u> | Numeric | 2.0 | 220 | 221 |
|-----------------------|---------|-----|-----|-----|

Question: D4a

How large an effect does your use of FORMAL, WRITTEN practice guidelines such as those generated by physician organizations, insurance companies or HMOs, or government agencies have on your practice of medicine?

Description: In this question, we are only interested in the use of formal written guidelines such as those generated by physician organizations, insurance companies or HMOs, or other such groups.

| Value | Count | Cum | Percent | CumPct |
|----------------|-------|--------|---------|--------|
| 5: Very large | 576 | 576 | 4.6 | 4.6 |
| 4: Large | 2,215 | 2,791 | 17.9 | 22.5 |
| 3: Moderate | 4,238 | 7,029 | 34.2 | 56.7 |
| 2: Small | 2,898 | 9,927 | 23.4 | 80.0 |
| 1: Very small | 1,396 | 11,323 | 11.3 | 91.3 |
| 0: No effect | 1,047 | 12,370 | 8.4 | 99.7 |
| -8: Don't Know | 26 | 12,396 | 0.2 | 99.9 |
| -7: Refused | 10 | 12,406 | 0.1 | 100.0 |

| | | | | |
|-----------------------|---------|-----|-----|-----|
| <u>AWRGUID</u> | Numeric | 2.0 | 222 | 223 |
|-----------------------|---------|-----|-----|-----|

Question: D4a1

Is that because you are not aware of guidelines that pertain to conditions you typically treat, or because you are aware of them, but they have no effect on conditions you treat?

Description: Asked of physicians who responded "0:No effect" to question D4a.

| Value | Count | Cum | Percent | CumPct |
|---------------------|--------|--------|---------|--------|
| 1: Not aware | 147 | 147 | 1.2 | 1.2 |
| 2: Aware, no effect | 900 | 1,047 | 7.3 | 8.4 |
| -1: Inapplicable | 11,359 | 12,406 | 91.6 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section D - Medical Care Management

| Variable Name | Variable Type | Length | Start | End |
|-----------------|---------------|--------|-------|-----|
| _AWRGUID | Numeric | 2.0 | 224 | 225 |

Question: N/A

Description: Imputation flag for AWRGUID

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 0: No Imputation | 998 | 998 | 8.0 | 8.0 |
| 1: Imputation | 49 | 1,047 | 0.4 | 8.4 |
| -1: Inapplicable | 11,359 | 12,406 | 91.6 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| EFPROFL | Numeric | 2.0 | 226 | 227 |
|----------------|---------|-----|-----|-----|

Question: D4b

How large an effect do the results of practice profiles comparing your pattern of using medical resources to treat patients with that of other physicians have on your practice of medicine?

| Value | Count | Cum | Percent | CumPct |
|----------------|-------|--------|---------|--------|
| 5: Very large | 202 | 202 | 1.6 | 1.6 |
| 4: Large | 1,037 | 1,239 | 8.4 | 10.0 |
| 3: Moderate | 3,141 | 4,380 | 25.3 | 35.3 |
| 2: Small | 3,344 | 7,724 | 27.0 | 62.3 |
| 1: Very small | 1,858 | 9,582 | 15.0 | 77.2 |
| 0: No effect | 2,706 | 12,288 | 21.8 | 99.0 |
| -8: Don't Know | 101 | 12,389 | 0.8 | 99.9 |
| -7: Refused | 17 | 12,406 | 0.1 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| AWRPROF | Numeric | 2.0 | 228 | 229 |
|----------------|---------|-----|-----|-----|

Question: D4b1

Is that because you are not aware of practice profiling, or you are aware of it, but it has no effect on your practice of medicine?

Description: A practice profile is a report that is usually computer generated, which compares you to other physicians on things like referrals to specialists, hospitalizations, or other measures of cost effectiveness. Asked of physicians who responded "0:No effect" to question D4b.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|--------|---------|--------|
| 1: Not aware | 801 | 801 | 6.5 | 6.5 |
| 2: Aware, no effect | 1,905 | 2,706 | 15.4 | 21.8 |
| -1: Inapplicable | 9,700 | 12,406 | 78.2 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section D - Medical Care Management

| Variable Name | Variable Type | Length | Start | End |
|-----------------|---------------|--------|-------|-----|
| _AWRPROF | Numeric | 2.0 | 230 | 231 |

Question: N/A

Description: Imputation flag for AWRPROF

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 0: No Imputation | 2,605 | 2,605 | 21.0 | 21.0 |
| 1: Imputation | 101 | 2,706 | 0.8 | 21.8 |
| -1: Inapplicable | 9,700 | 12,406 | 78.2 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| EFSURV | Numeric | 2.0 | 232 | 233 |
|---------------|---------|-----|-----|-----|

Question: D4c

How large an effect does feedback from patient satisfaction surveys have on your practice of medicine?

| Value | Count | Cum | Percent | CumPct |
|----------------|-------|--------|---------|--------|
| 5: Very large | 985 | 985 | 7.9 | 7.9 |
| 4: Large | 2,976 | 3,961 | 24.0 | 31.9 |
| 3: Moderate | 3,623 | 7,584 | 29.2 | 61.1 |
| 2: Small | 2,101 | 9,685 | 16.9 | 78.1 |
| 1: Very small | 968 | 10,653 | 7.8 | 85.9 |
| 0: No effect | 1,670 | 12,323 | 13.5 | 99.3 |
| -8: Don't Know | 74 | 12,397 | 0.6 | 99.9 |
| -7: Refused | 9 | 12,406 | 0.1 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| AWRSURV | Numeric | 2.0 | 234 | 235 |
|----------------|---------|-----|-----|-----|

Question: D4c1

Is that because patient satisfaction surveys are not used in your practice, or because they are used, but they have no effect on your practice of medicine?

Description: Asked of physicians who responded "0:No effect" to question D4c.

| Value | Count | Cum | Percent | CumPct |
|-----------------------|--------|--------|---------|--------|
| 1: Not used | 1,387 | 1,387 | 11.2 | 11.2 |
| 2: Used but no effect | 283 | 1,670 | 2.3 | 13.5 |
| -1: Inapplicable | 10,736 | 12,406 | 86.5 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section D - Medical Care Management

| Variable Name | Variable Type | Length | Start | End |
|-----------------|---------------|--------|-------|-----|
| _AWRSURV | Numeric | 2.0 | 236 | 237 |

Question: N/A

Description: Imputation flag for AWRSURV

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 0: No Imputation | 1,644 | 1,644 | 13.3 | 13.3 |
| 1: Imputation | 26 | 1,670 | 0.2 | 13.5 |
| -1: Inapplicable | 10,736 | 12,406 | 86.5 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| QU_FRMY | Numeric | 2.0 | 238 | 239 |
|----------------|---------|-----|-----|-----|

Question: D5b

On balance, would you say the effect of prescription drug formularies on your ability to provide efficient and high-quality care is generally positive, generally negative, or neither?

Description: Asked of physicians who responded 1-100 to question D3. This question was not asked of 1086 physicians whose values for D3 were imputed to have a value between 1-100. The response "Can't choose/Unsure" was combined with the response "Don't know". Physicians responding "not applicable" were combined in the category "-1: Inapplicable" with the physicians to whom the question did not apply.

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 3: Positive | 1,511 | 1,511 | 12.2 | 12.2 |
| 2: Neither | 3,924 | 5,435 | 31.6 | 43.8 |
| 1: Negative | 5,583 | 11,018 | 45.0 | 88.8 |
| -8: Don't Know | 36 | 11,054 | 0.3 | 89.1 |
| -7: Refused | 2 | 11,056 | 0.0 | 89.1 |
| -1: Inapplicable | 1,350 | 12,406 | 10.9 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section D - Medical Care Management

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| QUGUIDE | Numeric | 2.0 | 240 | 241 |

Question: D5c

On balance, would you say the effect of practice guidelines on your ability to provide efficient and high-quality care is generally positive, generally negative, or neither?

Description: Asked of physicians who responded Moderate(3), Large(4), or Very Large(5) to question D4a. The response "Can't choose/Unsure" was combined with the response "Don't know". Physicians responding "not applicable" were combined in the category "-1: Inapplicable" with the physicians to whom the question did not apply.

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 3: Positive | 4,770 | 4,770 | 38.4 | 38.4 |
| 2: Neither | 1,756 | 6,526 | 14.2 | 52.6 |
| 1: Negative | 436 | 6,962 | 3.5 | 56.1 |
| -8: Don't Know | 44 | 7,006 | 0.4 | 56.5 |
| -7: Refused | 5 | 7,011 | 0.0 | 56.5 |
| -1: Inapplicable | 5,395 | 12,406 | 43.5 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| QUPROF | Numeric | 2.0 | 242 | 243 |
|---------------|---------|-----|-----|-----|

Question: D5d

On balance, would you say the effect of practice profiles on your ability to provide efficient and high-quality care is generally positive, generally negative, or neither?

Description: Asked of physicians who responded Moderate(3), Large(4), or Very Large(5) to question D4b. The response "Can't choose/Unsure" was combined with the response "Don't know". Physicians responding "not applicable" were combined in the category "-1: Inapplicable" with the physicians to whom the question did not apply.

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 3: Positive | 2,229 | 2,229 | 18.0 | 18.0 |
| 2: Neither | 1,691 | 3,920 | 13.6 | 31.6 |
| 1: Negative | 393 | 4,313 | 3.2 | 34.8 |
| -8: Don't Know | 45 | 4,358 | 0.4 | 35.1 |
| -7: Refused | 1 | 4,359 | 0.0 | 35.1 |
| -1: Inapplicable | 8,047 | 12,406 | 64.9 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section D - Medical Care Management

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| QUSURV | Numeric | 2.0 | 244 | 245 |

Question: D5e

On balance, would you say the effect of patient's satisfaction surveys on your ability to provide efficient and high-quality care is generally positive, generally negative, or neither?

Description: Asked of physicians who responded Moderate(3), Large(4), or Very Large(5) to question D4c. The response "Can't choose/Unsure" was combined with the response "Don't know". Physicians responding "not applicable" were combined in the category "-1: Inapplicable" with the physicians to whom the question did not apply.

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 3: Positive | 5,776 | 5,776 | 46.6 | 46.6 |
| 2: Neither | 1,485 | 7,261 | 12.0 | 58.5 |
| 1: Negative | 251 | 7,512 | 2.0 | 60.6 |
| -8: Don't Know | 33 | 7,545 | 0.3 | 60.8 |
| -7: Refused | 1 | 7,546 | 0.0 | 60.8 |
| -1: Inapplicable | 4,860 | 12,406 | 39.2 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| CMPPROV | Numeric | 2.0 | 246 | 247 |
|----------------|---------|-----|-----|-----|

Question: D7

During the last 2 years, has the complexity or severity of patients' conditions for which you provide care without referral to specialists (read 5-1)?

Description: Extent of change over past two years in complexity or severity of patients' conditions treated without referral to specialists. Respondents limited to those in one of the following specialties or subspecialties: Family Practice, Geriatric Medicine, General Practice, Geriatric Internal Medicine, Adolescent Medicine, Internal Medicine/Family Practice, or other specialist who spends most of his/her time in General Internal Medicine or General Pediatrics (PCP=1).

| Value | Count | Cum | Percent | CumPct |
|-----------------------|-------|--------|---------|--------|
| 5: Increased a lot | 854 | 854 | 6.9 | 6.9 |
| 4: Increased a little | 1,891 | 2,745 | 15.2 | 22.1 |
| 3: Stayed same | 4,344 | 7,089 | 35.0 | 57.1 |
| 2: Decreased a little | 466 | 7,555 | 3.8 | 60.9 |
| 1: Decreased a lot | 89 | 7,644 | 0.7 | 61.6 |
| -8: Don't Know | 25 | 7,669 | 0.2 | 61.8 |
| -7: Refused | 4 | 7,673 | 0.0 | 61.8 |
| -1: Inapplicable | 4,733 | 12,406 | 38.2 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section D - Medical Care Management

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| CMPEXPC | Numeric | 2.0 | 248 | 249 |

Question: D8

In general, would you say that the complexity or severity of patients' conditions for which you are currently expected to provide care without referral is (read 5-1)?

Description: Respondents limited to those in one of the following specialties or subspecialties: Family Practice, Geriatric Medicine, General Practice, Adolescent Medicine, or other specialist who spends most of his/her time in General Internal Medicine or General Pediatrics (PCP=1).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|--------|---------|--------|
| 5: Much greater | 341 | 341 | 2.7 | 2.7 |
| 4: Somewhat greater | 1,609 | 1,950 | 13.0 | 15.7 |
| 3: About right | 5,352 | 7,302 | 43.1 | 58.9 |
| 2: Somewhat less | 227 | 7,529 | 1.8 | 60.7 |
| 1: Much less | 37 | 7,566 | 0.3 | 61.0 |
| -8: Don't Know | 84 | 7,650 | 0.7 | 61.7 |
| -7: Refused | 23 | 7,673 | 0.2 | 61.8 |
| -1: Inapplicable | 4,733 | 12,406 | 38.2 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| SPECUSE | Numeric | 2.0 | 250 | 251 |
|----------------|---------|-----|-----|-----|

Question: D9

During the last two years, has the number of patients that you refer to specialists (read 5-1)?

Description: Extent of change over past two years in complexity or severity of patients' conditions treated without referral to specialists. Respondents limited to those in one of the following specialties or subspecialties: Family Practice, Geriatric Medicine, General Practice, Geriatric Internal Medicine, Adolescent Medicine, Internal Medicine/Family Practice, or other specialist(PCP=1).

| Value | Count | Cum | Percent | CumPct |
|-----------------------|-------|--------|---------|--------|
| 5: Increased a lot | 332 | 332 | 2.7 | 2.7 |
| 4: Increased a little | 1,578 | 1,910 | 12.7 | 15.4 |
| 3: Stayed same | 4,874 | 6,784 | 39.3 | 54.7 |
| 2: Decreased a little | 770 | 7,554 | 6.2 | 60.9 |
| 1: Decreased a lot | 82 | 7,636 | 0.7 | 61.6 |
| -8: Don't Know | 34 | 7,670 | 0.3 | 61.8 |
| -7: Refused | 3 | 7,673 | 0.0 | 61.8 |
| -1: Inapplicable | 4,733 | 12,406 | 38.2 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section D - Medical Care Management

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| PCTGATE | Numeric | 3.0 | 252 | 254 |

Question: D10

Some insurance plans or medical groups REQUIRE their enrollees to obtain permission from a primary care physician before seeing a specialist. For roughly what percent of your patients do you serve in this role?

Description: Respondents limited to those in one of the following specialties or subspecialties: Family Practice, Geriatric Medicine, General Practice, Adolescent Medicine, or other specialist who spends most of his/her time in General Internal Medicine or General Pediatrics (PCP=1).

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 0 | 534 | 534 | 4.3 | 4.3 |
| 1% or less | 66 | 600 | 0.5 | 4.8 |
| 2-9% | 409 | 1,009 | 3.3 | 8.1 |
| 10-19% | 726 | 1,735 | 5.9 | 14.0 |
| 20-29% | 814 | 2,549 | 6.6 | 20.5 |
| 30-59% | 2,215 | 4,764 | 17.9 | 38.4 |
| 60-89% | 2,144 | 6,908 | 17.3 | 55.7 |
| 90-100% | 765 | 7,673 | 6.2 | 61.8 |
| -1: Inapplicable | 4,733 | 12,406 | 38.2 | 100.0 |

| | | | | |
|-----------------|---------|-----|-----|-----|
| _PCTGATE | Numeric | 2.0 | 255 | 256 |
|-----------------|---------|-----|-----|-----|

Question: N/A

Description: Imputation flag for PCTGATE.

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 0: No Imputation | 7,482 | 7,482 | 60.3 | 60.3 |
| 1: Imputation | 191 | 7,673 | 1.5 | 61.8 |
| -1: Inapplicable | 4,733 | 12,406 | 38.2 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section D - Medical Care Management

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| CMPCHG | Numeric | 2.0 | 257 | 258 |

Question: D11

During the last two years, has the complexity or severity of patients' conditions at the time of referral to you by primary care physicians (read 5-1)?

Description: Asked of specialists only (PCP=0).

| Value | Count | Cum | Percent | CumPct |
|-----------------------|-------|--------|---------|--------|
| 5: Increased a lot | 1,021 | 1,021 | 8.2 | 8.2 |
| 4: Increased a little | 1,341 | 2,362 | 10.8 | 19.0 |
| 3: Stayed same | 2,121 | 4,483 | 17.1 | 36.1 |
| 2: Decreased a little | 134 | 4,617 | 1.1 | 37.2 |
| 1: Decreased a lot | 41 | 4,658 | 0.3 | 37.5 |
| -9: Not Ascertained | 2 | 4,660 | 0.0 | 37.6 |
| -8: Don't Know | 65 | 4,725 | 0.5 | 38.1 |
| -7: Refused | 8 | 4,733 | 0.1 | 38.2 |
| -1: Inapplicable | 7,673 | 12,406 | 61.8 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| CMPLVL | Numeric | 2.0 | 259 | 260 |
|---------------|---------|-----|-----|-----|

Question: D12

In general, would you say that the complexity or severity of patients' conditions at the time of referral to you by primary care physicians is (read 5-1)?

Description: Asked of specialists only (PCP=0).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|--------|---------|--------|
| 5: Much greater | 325 | 325 | 2.6 | 2.6 |
| 4: Somewhat greater | 1,191 | 1,516 | 9.6 | 12.2 |
| 3: About right | 2,726 | 4,242 | 22.0 | 34.2 |
| 2: Somewhat less | 297 | 4,539 | 2.4 | 36.6 |
| 1: Much less | 60 | 4,599 | 0.5 | 37.1 |
| -9: Not Ascertained | 2 | 4,601 | 0.0 | 37.1 |
| -8: Don't Know | 116 | 4,717 | 0.9 | 38.0 |
| -7: Refused | 16 | 4,733 | 0.1 | 38.2 |
| -1: Inapplicable | 7,673 | 12,406 | 61.8 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section D - Medical Care Management

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| CHGREF | Numeric | 2.0 | 261 | 262 |

Question: D13

During the last two years, has the number of patients referred to you by primary care physicians (read 5-1)?

Description: Asked of specialists only (PCP=0).

| Value | Count | Cum | Percent | CumPct |
|-----------------------|-------|--------|---------|--------|
| 5: Increased a lot | 899 | 899 | 7.2 | 7.2 |
| 4: Increased a little | 1,387 | 2,286 | 11.2 | 18.4 |
| 3: Stayed same | 1,701 | 3,987 | 13.7 | 32.1 |
| 2: Decreased a little | 477 | 4,464 | 3.8 | 36.0 |
| 1: Decreased a lot | 156 | 4,620 | 1.3 | 37.2 |
| -9: Not Ascertained | 2 | 4,622 | 0.0 | 37.3 |
| -8: Don't Know | 96 | 4,718 | 0.8 | 38.0 |
| -7: Refused | 15 | 4,733 | 0.1 | 38.2 |
| -1: Inapplicable | 7,673 | 12,406 | 61.8 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section F - Physician - Patient Interactions

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| ADQTIME | Numeric | 2.0 | 263 | 264 |

Question: N/A

Description: Strength of agreement: I have adequate time to spend with my patients during typical office/patient visits. Constructed using responses to questions F1A and F1B. If F1A="7, no office", then the physician was asked F1B about adequate time during a patient visit.

| Value | Count | Cum | Percent | CumPct |
|------------------------------|-------|--------|---------|--------|
| 5: Agree strongly | 3,400 | 3,400 | 27.4 | 27.4 |
| 4: Agree somewhat | 4,217 | 7,617 | 34.0 | 61.4 |
| 3: Disagree somewhat | 2,853 | 10,470 | 23.0 | 84.4 |
| 2: Disagree strongly | 1,605 | 12,075 | 12.9 | 97.3 |
| 1: Neither agree or disagree | 288 | 12,363 | 2.3 | 99.7 |
| -9: Not Ascertained | 43 | 12,406 | 0.3 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| CLNFREE | Numeric | 2.0 | 265 | 266 |
|----------------|---------|-----|-----|-----|

Question: F1C

I have the freedom to make clinical decisions that meet my patients' needs.

| Value | Count | Cum | Percent | CumPct |
|------------------------------|-------|--------|---------|--------|
| 5: Agree strongly | 6,412 | 6,412 | 51.7 | 51.7 |
| 4: Agree somewhat | 4,293 | 10,705 | 34.6 | 86.3 |
| 3: Disagree somewhat | 1,162 | 11,867 | 9.4 | 95.7 |
| 2: Disagree strongly | 355 | 12,222 | 2.9 | 98.5 |
| 1: Neither agree or disagree | 161 | 12,383 | 1.3 | 99.8 |
| -8: Don't Know | 14 | 12,397 | 0.1 | 99.9 |
| -7: Refused | 9 | 12,406 | 0.1 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section F - Physician - Patient Interactions

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| HIGHCAR | Numeric | 2.0 | 267 | 268 |

Question: F1D

It is possible to provide high quality care to all of my patients.

| Value | Count | Cum | Percent | CumPct |
|------------------------------|-------|--------|---------|--------|
| 5: Agree strongly | 5,211 | 5,211 | 42.0 | 42.0 |
| 4: Agree somewhat | 4,491 | 9,702 | 36.2 | 78.2 |
| 3: Disagree somewhat | 1,808 | 11,510 | 14.6 | 92.8 |
| 2: Disagree strongly | 637 | 12,147 | 5.1 | 97.9 |
| 1: Neither agree or disagree | 242 | 12,389 | 2.0 | 99.9 |
| -8: Don't Know | 10 | 12,399 | 0.1 | 99.9 |
| -7: Refused | 7 | 12,406 | 0.1 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| NEGINCN | Numeric | 2.0 | 269 | 270 |
|----------------|---------|-----|-----|-----|

Question: F1E

I can make clinical decisions in the best interests of my patients without the possibility of reducing my income.

| Value | Count | Cum | Percent | CumPct |
|------------------------------|-------|--------|---------|--------|
| 5: Agree strongly | 6,165 | 6,165 | 49.7 | 49.7 |
| 4: Agree somewhat | 3,494 | 9,659 | 28.2 | 77.9 |
| 3: Disagree somewhat | 1,443 | 11,102 | 11.6 | 89.5 |
| 2: Disagree strongly | 749 | 11,851 | 6.0 | 95.5 |
| 1: Neither agree or disagree | 436 | 12,287 | 3.5 | 99.0 |
| -8: Don't Know | 94 | 12,381 | 0.8 | 99.8 |
| -7: Refused | 25 | 12,406 | 0.2 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section F - Physician - Patient Interactions

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| USESPCS | Numeric | 2.0 | 271 | 272 |

Question: F1F

The level of communication I have with specialists about the patients I refer to them is sufficient to ensure the delivery of high quality care.

Description: This question was asked only of PCPs (PCP=1).

| Value | Count | Cum | Percent | CumPct |
|------------------------------|-------|--------|---------|--------|
| 5: Agree strongly | 3,017 | 3,017 | 24.3 | 24.3 |
| 4: Agree somewhat | 3,121 | 6,138 | 25.2 | 49.5 |
| 3: Disagree somewhat | 1,043 | 7,181 | 8.4 | 57.9 |
| 2: Disagree strongly | 270 | 7,451 | 2.2 | 60.1 |
| 1: Neither agree or disagree | 198 | 7,649 | 1.6 | 61.7 |
| -8: Don't Know | 18 | 7,667 | 0.1 | 61.8 |
| -7: Refused | 6 | 7,673 | 0.0 | 61.8 |
| -1: Inapplicable | 4,733 | 12,406 | 38.2 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| COMPRM | Numeric | 2.0 | 273 | 274 |
|---------------|---------|-----|-----|-----|

Question: F1G

The level of communication I have with primary care physicians about the patients they refer to me is sufficient to ensure the delivery of high quality care.

Description: This question was asked only of specialists (PCP=0).

| Value | Count | Cum | Percent | CumPct |
|------------------------------|-------|--------|---------|--------|
| 5: Agree strongly | 1,668 | 1,668 | 13.4 | 13.4 |
| 4: Agree somewhat | 1,905 | 3,573 | 15.4 | 28.8 |
| 3: Disagree somewhat | 708 | 4,281 | 5.7 | 34.5 |
| 2: Disagree strongly | 202 | 4,483 | 1.6 | 36.1 |
| 1: Neither agree or disagree | 163 | 4,646 | 1.3 | 37.4 |
| -9: Not Ascertained | 2 | 4,648 | 0.0 | 37.5 |
| -8: Don't Know | 71 | 4,719 | 0.6 | 38.0 |
| -7: Refused | 14 | 4,733 | 0.1 | 38.2 |
| -1: Inapplicable | 7,673 | 12,406 | 61.8 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section F - Physician - Patient Interactions

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| COMMALL | Numeric | 2.0 | 275 | 276 |

Question: N/A

Description: Strength of agreement that a primary care physician (PCP) (or specialist) has sufficient communication with specialist (or PCP) to ensure delivery of high quality care. Constructed from responses to questions F1F (for PCPs) and F1G (for specialists).

| Value | Count | Cum | Percent | CumPct |
|------------------------------|-------|--------|---------|--------|
| 5: Agree strongly | 4,685 | 4,685 | 37.8 | 37.8 |
| 4: Agree somewhat | 5,026 | 9,711 | 40.5 | 78.3 |
| 3: Disagree somewhat | 1,751 | 11,462 | 14.1 | 92.4 |
| 2: Disagree strongly | 472 | 11,934 | 3.8 | 96.2 |
| 1: Neither agree or disagree | 361 | 12,295 | 2.9 | 99.1 |
| -9: Not Ascertained | 111 | 12,406 | 0.9 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| PATREL | Numeric | 2.0 | 277 | 278 |
|---------------|---------|-----|-----|-----|

Question: F1H

It is possible to maintain the kind of continuing relationships with patients over time that promote the delivery of high quality care.

Description: Physicians responding "Does not have office" or "Does not have continuing relationship with patient" are coded "-1:Inapplicable".

| Value | Count | Cum | Percent | CumPct |
|------------------------------|-------|--------|---------|--------|
| 5: Agree strongly | 4,596 | 4,596 | 37.0 | 37.0 |
| 4: Agree somewhat | 4,296 | 8,892 | 34.6 | 71.7 |
| 3: Disagree somewhat | 1,797 | 10,689 | 14.5 | 86.2 |
| 2: Disagree strongly | 926 | 11,615 | 7.5 | 93.6 |
| 1: Neither agree or disagree | 320 | 11,935 | 2.6 | 96.2 |
| -8: Don't Know | 20 | 11,955 | 0.2 | 96.4 |
| -7: Refused | 4 | 11,959 | 0.0 | 96.4 |
| -1: Inapplicable | 447 | 12,406 | 3.6 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section F - Physician - Patient Interactions

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| OBREFS | Numeric | 2.0 | 279 | 280 |

Question: F8A

How often are you able to obtain referrals to specialists/other specialists of high quality when you think it is medically necessary?

Description: Physicians responding "Does not apply" or "Facility/Service not available in area" are coded "-1:Inapplicable".

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 6: Always | 3,364 | 3,364 | 27.1 | 27.1 |
| 5: Almost always | 5,805 | 9,169 | 46.8 | 73.9 |
| 4: Frequently | 2,190 | 11,359 | 17.7 | 91.6 |
| 3: Sometimes | 844 | 12,203 | 6.8 | 98.4 |
| 2: Rarely | 80 | 12,283 | 0.6 | 99.0 |
| 1: Never | 5 | 12,288 | 0.0 | 99.0 |
| -8: Don't Know | 11 | 12,299 | 0.1 | 99.1 |
| -7: Refused | 2 | 12,301 | 0.0 | 99.2 |
| -1: Inapplicable | 105 | 12,406 | 0.8 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| OBANCL | Numeric | 2.0 | 281 | 282 |
|---------------|---------|-----|-----|-----|

Question: F8B

How often are you able to obtain high quality ancillary services, such as physical therapy, home health care, nutritional counseling, and so forth when you think it is medically necessary?

Description: Physicians responding "Does not apply" or "Facility/Service not available in area" are coded "-1:Inapplicable".

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 6: Always | 2,319 | 2,319 | 18.7 | 18.7 |
| 5: Almost always | 5,115 | 7,434 | 41.2 | 59.9 |
| 4: Frequently | 2,835 | 10,269 | 22.9 | 82.8 |
| 3: Sometimes | 1,462 | 11,731 | 11.8 | 94.6 |
| 2: Rarely | 234 | 11,965 | 1.9 | 96.4 |
| 1: Never | 25 | 11,990 | 0.2 | 96.6 |
| -8: Don't Know | 11 | 12,001 | 0.1 | 96.7 |
| -7: Refused | 4 | 12,005 | 0.0 | 96.8 |
| -1: Inapplicable | 401 | 12,406 | 3.2 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section F - Physician - Patient Interactions

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| OBHOSP | Numeric | 2.0 | 283 | 284 |

Question: F8C

How often are you able to obtain non-emergency hospital admissions when you think it is medically necessary?

Description: Physicians responding "Does not apply" or "Facility/Service not available in area" are coded "-1:Inapplicable".

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|--------|---------|--------|
| 6: Always | 2,707 | 2,707 | 21.8 | 21.8 |
| 5: Almost always | 3,565 | 6,272 | 28.7 | 50.6 |
| 4: Frequently | 1,788 | 8,060 | 14.4 | 65.0 |
| 3: Sometimes | 1,431 | 9,491 | 11.5 | 76.5 |
| 2: Rarely | 663 | 10,154 | 5.3 | 81.8 |
| 1: Never | 265 | 10,419 | 2.1 | 84.0 |
| -9: Not Ascertained | 1 | 10,420 | 0.0 | 84.0 |
| -8: Don't Know | 28 | 10,448 | 0.2 | 84.2 |
| -7: Refused | 5 | 10,453 | 0.0 | 84.3 |
| -1: Inapplicable | 1,953 | 12,406 | 15.7 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| OBINPAT | Numeric | 2.0 | 285 | 286 |
|----------------|---------|-----|-----|-----|

Question: F8D

How often are you able to obtain adequate number of inpatient days for your hospitalized patients when you think it is medically necessary?

Description: Physicians responding "Does not apply" or "Facility/Service not available in area" are coded "-1:Inapplicable".

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 6: Always | 2,426 | 2,426 | 19.6 | 19.6 |
| 5: Almost always | 3,974 | 6,400 | 32.0 | 51.6 |
| 4: Frequently | 2,119 | 8,519 | 17.1 | 68.7 |
| 3: Sometimes | 1,456 | 9,975 | 11.7 | 80.4 |
| 2: Rarely | 375 | 10,350 | 3.0 | 83.4 |
| 1: Never | 87 | 10,437 | 0.7 | 84.1 |
| -8: Don't Know | 33 | 10,470 | 0.3 | 84.4 |
| -7: Refused | 7 | 10,477 | 0.1 | 84.5 |
| -1: Inapplicable | 1,929 | 12,406 | 15.5 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section F - Physician - Patient Interactions

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| OBIMAG | Numeric | 2.0 | 287 | 288 |

Question: F8E

How often are you able to obtain high quality Diagnostic Imaging Services when you think it is medically necessary?

Description: Physicians responding "Does not apply" or "Facility/Service not available in area" are coded "-1:Inapplicable".

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 6: Always | 4,043 | 4,043 | 32.6 | 32.6 |
| 5: Almost always | 5,682 | 9,725 | 45.8 | 78.4 |
| 4: Frequently | 1,814 | 11,539 | 14.6 | 93.0 |
| 3: Sometimes | 614 | 12,153 | 4.9 | 98.0 |
| 2: Rarely | 79 | 12,232 | 0.6 | 98.6 |
| 1: Never | 13 | 12,245 | 0.1 | 98.7 |
| -8: Don't Know | 4 | 12,249 | 0.0 | 98.7 |
| -7: Refused | 3 | 12,252 | 0.0 | 98.8 |
| -1: Inapplicable | 154 | 12,406 | 1.2 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| OBMENTL | Numeric | 2.0 | 289 | 290 |
|----------------|---------|-----|-----|-----|

Question: F8F

How often are you able to obtain high quality INPATIENT MENTAL health care when you think it is medically necessary?

Description: Asked only of PCPs and specialists in ob/gyn and psychiatry. Physicians responding "Does not apply" or "Facility/Service not available in area" are coded "-1:Inapplicable".

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|--------|---------|--------|
| 6: Always | 730 | 730 | 5.9 | 5.9 |
| 5: Almost always | 1,267 | 1,997 | 10.2 | 16.1 |
| 4: Frequently | 1,266 | 3,263 | 10.2 | 26.3 |
| 3: Sometimes | 2,280 | 5,543 | 18.4 | 44.7 |
| 2: Rarely | 1,687 | 7,230 | 13.6 | 58.3 |
| 1: Never | 389 | 7,619 | 3.1 | 61.4 |
| -9: Not Ascertained | 4 | 7,623 | 0.0 | 61.4 |
| -8: Don't Know | 48 | 7,671 | 0.4 | 61.8 |
| -7: Refused | 11 | 7,682 | 0.1 | 61.9 |
| -1: Inapplicable | 4,724 | 12,406 | 38.1 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section F - Physician - Patient Interactions

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| OBOUPT | Numeric | 2.0 | 291 | 292 |

Question: F8G

How often are you able to obtain high quality OUTPATIENT MENTAL health services when you think it is medically necessary?

Description: Asked only of PCPs and specialists in ob/gyn and psychiatry. Physicians responding "Does not apply" or "Facility/Service not available in area" are coded "-1:Inapplicable".

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|--------|---------|--------|
| 6: Always | 665 | 665 | 5.4 | 5.4 |
| 5: Almost always | 1,184 | 1,849 | 9.5 | 14.9 |
| 4: Frequently | 1,702 | 3,551 | 13.7 | 28.6 |
| 3: Sometimes | 2,752 | 6,303 | 22.2 | 50.8 |
| 2: Rarely | 1,686 | 7,989 | 13.6 | 64.4 |
| 1: Never | 213 | 8,202 | 1.7 | 66.1 |
| -9: Not Ascertained | 4 | 8,206 | 0.0 | 66.1 |
| -8: Don't Know | 30 | 8,236 | 0.2 | 66.4 |
| -7: Refused | 8 | 8,244 | 0.1 | 66.5 |
| -1: Inapplicable | 4,162 | 12,406 | 33.5 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| REFPROV | Numeric | 2.0 | 293 | 294 |
|----------------|---------|-----|-----|-----|

Question: F8A_aa

Why you might be unable to obtain referrals to other specialists of high quality: There aren't enough qualified service providers or facilities in my area.

Description: Asked of physicians who responded Rarely(2) or Sometimes(3) to question F8A.

| Value | Count | Cum | Percent | CumPct |
|--------------------|--------|--------|---------|--------|
| 10: Very important | 110 | 110 | 0.9 | 0.9 |
| 2-9 | 594 | 704 | 4.8 | 5.7 |
| 1: Not important | 208 | 912 | 1.7 | 7.4 |
| -8: Don't Know | 11 | 923 | 0.1 | 7.4 |
| -7: Refused | 1 | 924 | 0.0 | 7.4 |
| -1: Inapplicable | 11,482 | 12,406 | 92.6 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section F - Physician - Patient Interactions

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| REFHP | Numeric | 2.0 | 295 | 296 |

Question: F8A_ab

Why you might be unable to obtain referrals to other specialists of high quality: Health plan networks and administrative barriers limit patient access.

Description: Asked of physicians who responded Rarely(2) or Sometimes(3) to question F8A.

| Value | Count | Cum | Percent | CumPct |
|--------------------|--------|--------|---------|--------|
| 10: Very important | 335 | 335 | 2.7 | 2.7 |
| 2-9 | 563 | 898 | 4.5 | 7.2 |
| 1: Not important | 17 | 915 | 0.1 | 7.4 |
| -8: Don't Know | 6 | 921 | 0.0 | 7.4 |
| -7: Refused | 3 | 924 | 0.0 | 7.4 |
| -1: Inapplicable | 11,482 | 12,406 | 92.6 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| REFINS | Numeric | 2.0 | 297 | 298 |
|---------------|---------|-----|-----|-----|

Question: F8A_ac

Why you might be unable to obtain referrals to other specialists of high quality: Patients lack health insurance or have inadequate insurance coverage

Description: Asked of physicians who responded Rarely(2) or Sometimes(3) to question F8A.

| Value | Count | Cum | Percent | CumPct |
|--------------------|--------|--------|---------|--------|
| 10: Very important | 283 | 283 | 2.3 | 2.3 |
| 2-9 | 581 | 864 | 4.7 | 7.0 |
| 1: Not important | 46 | 910 | 0.4 | 7.3 |
| -8: Don't Know | 12 | 922 | 0.1 | 7.4 |
| -7: Refused | 2 | 924 | 0.0 | 7.4 |
| -1: Inapplicable | 11,482 | 12,406 | 92.6 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section F - Physician - Patient Interactions

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| HSPPROV | Numeric | 2.0 | 299 | 300 |

Question: F8A_ca

Why you might be unable to obtain non-emergency hospital admissions: There aren't enough qualified service providers or facilities in my area

Description: Asked of physicians who responded Rarely(2) or Sometimes(3) to question F8C.

| Value | Count | Cum | Percent | CumPct |
|--------------------|--------|--------|---------|--------|
| 10: Very important | 145 | 145 | 1.2 | 1.2 |
| 2-9 | 1,244 | 1,389 | 10.0 | 11.2 |
| 1: Not important | 688 | 2,077 | 5.5 | 16.7 |
| -8: Don't Know | 17 | 2,094 | 0.1 | 16.9 |
| -7: Refused | 1 | 2,095 | 0.0 | 16.9 |
| -1: Inapplicable | 10,311 | 12,406 | 83.1 | 100.0 |

| | | | | |
|--------------|---------|-----|-----|-----|
| HSPHP | Numeric | 2.0 | 301 | 302 |
|--------------|---------|-----|-----|-----|

Question: F8a_cb

Why you might be unable to obtain non-emergency hospital admissions: Health plan networks and administrative barriers limit patient access.

Description: Asked of physicians who responded Rarely(2) or Sometimes(3) to question F8C.

| Value | Count | Cum | Percent | CumPct |
|--------------------|--------|--------|---------|--------|
| 10: Very important | 552 | 552 | 4.4 | 4.4 |
| 2-9 | 1,458 | 2,010 | 11.8 | 16.2 |
| 1: Not important | 68 | 2,078 | 0.5 | 16.7 |
| -8: Don't Know | 16 | 2,094 | 0.1 | 16.9 |
| -7: Refused | 1 | 2,095 | 0.0 | 16.9 |
| -1: Inapplicable | 10,311 | 12,406 | 83.1 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section F - Physician - Patient Interactions

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| HSPINS | Numeric | 2.0 | 303 | 304 |

Question: F8A_cc

Why you might be unable to obtain non-emergency hospital admissions: Patients lack health insurance or have inadequate insurance coverage

Description: Asked of physicians who responded Rarely(2) or Sometimes(3) to question F8C.

| Value | Count | Cum | Percent | CumPct |
|--------------------|--------|--------|---------|--------|
| 10: Very important | 371 | 371 | 3.0 | 3.0 |
| 2-9 | 1,478 | 1,849 | 11.9 | 14.9 |
| 1: Not important | 227 | 2,076 | 1.8 | 16.7 |
| -8: Don't Know | 18 | 2,094 | 0.1 | 16.9 |
| -7: Refused | 1 | 2,095 | 0.0 | 16.9 |
| -1: Inapplicable | 10,311 | 12,406 | 83.1 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| MHPROV | Numeric | 2.0 | 305 | 306 |
|---------------|---------|-----|-----|-----|

Question: F8A_ga

Why you might be unable to obtain high quality OUTPATIENT MENTAL health services: There aren't enough qualified service providers or facilities in my area

Description: Asked of physicians who responded Rarely(2) or Sometimes(3) to question F8G.

| Value | Count | Cum | Percent | CumPct |
|--------------------|-------|--------|---------|--------|
| 10: Very important | 1,116 | 1,116 | 9.0 | 9.0 |
| 2-9 | 2,859 | 3,975 | 23.0 | 32.0 |
| 1: Not important | 440 | 4,415 | 3.5 | 35.6 |
| -8: Don't Know | 20 | 4,435 | 0.2 | 35.7 |
| -7: Refused | 3 | 4,438 | 0.0 | 35.8 |
| -1: Inapplicable | 7,968 | 12,406 | 64.2 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section F - Physician - Patient Interactions

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| MHHP | Numeric | 2.0 | 307 | 308 |

Question: F8A_gb

Why you might be unable to obtain high quality OUTPATIENT MENTAL health services:
Health plan networks and administrative barriers limit patient access.

Description: Asked of physicians who responded Rarely(2) or Sometimes(3) to question F8G.

| Value | Count | Cum | Percent | CumPct |
|--------------------|-------|--------|---------|--------|
| 10: Very important | 1,509 | 1,509 | 12.2 | 12.2 |
| 2-9 | 2,797 | 4,306 | 22.5 | 34.7 |
| 1: Not important | 104 | 4,410 | 0.8 | 35.5 |
| -8: Don't Know | 25 | 4,435 | 0.2 | 35.7 |
| -7: Refused | 3 | 4,438 | 0.0 | 35.8 |
| -1: Inapplicable | 7,968 | 12,406 | 64.2 | 100.0 |

| | | | | |
|--------------|---------|-----|-----|-----|
| MHINS | Numeric | 2.0 | 309 | 310 |
|--------------|---------|-----|-----|-----|

Question: F8A_gc

Why you might be unable to obtain high quality OUTPATIENT MENTAL health services:
Patients lack health insurance or have inadequate insurance coverage

Description: Asked of physicians who responded Rarely(2) or Sometimes(3) to question F8G.

| Value | Count | Cum | Percent | CumPct |
|--------------------|-------|--------|---------|--------|
| 10: Very important | 1,332 | 1,332 | 10.7 | 10.7 |
| 2-9 | 2,941 | 4,273 | 23.7 | 34.4 |
| 1: Not important | 145 | 4,418 | 1.2 | 35.6 |
| -8: Don't Know | 17 | 4,435 | 0.1 | 35.7 |
| -7: Refused | 3 | 4,438 | 0.0 | 35.8 |
| -1: Inapplicable | 7,968 | 12,406 | 64.2 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| NWMCARE | Numeric | 2.0 | 311 | 312 |
|----------------|---------|-----|-----|-----|

Question: F9A

Is the practice accepting all, most, some, or no new patients who are insured through Medicare, including Medicare managed care patients?

| Value | Count | Cum | Percent | CumPct |
|-------------------------|-------|--------|---------|--------|
| 4: All | 7,584 | 7,584 | 61.1 | 61.1 |
| 3: Most | 1,751 | 9,335 | 14.1 | 75.2 |
| 2: Some | 1,461 | 10,796 | 11.8 | 87.0 |
| 1: No new patients/None | 1,610 | 12,406 | 13.0 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section F - Physician - Patient Interactions

| Variable Name | Variable Type | Length | Start | End |
|-----------------|---------------|--------|-------|-----|
| _NWMCARE | Numeric | 2.0 | 313 | 314 |

Question: N/A

Description: Imputation flag for NWMCARE.

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 0: No Imputation | 11,909 | 11,909 | 96.0 | 96.0 |
| 1: Imputation | 497 | 12,406 | 4.0 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| NWMCAID | Numeric | 2.0 | 315 | 316 |
|----------------|---------|-----|-----|-----|

Question: F9B

Is the practice accepting all, most, some, or no new patients who are insured through Medicaid, including Medicaid managed care patients?

| Value | Count | Cum | Percent | CumPct |
|-------------------------|-------|--------|---------|--------|
| 4: All | 5,966 | 5,966 | 48.1 | 48.1 |
| 3: Most | 1,292 | 7,258 | 10.4 | 58.5 |
| 2: Some | 2,309 | 9,567 | 18.6 | 77.1 |
| 1: No new patients/None | 2,839 | 12,406 | 22.9 | 100.0 |

| | | | | |
|-----------------|---------|-----|-----|-----|
| _NWMCAID | Numeric | 2.0 | 317 | 318 |
|-----------------|---------|-----|-----|-----|

Question: N/A

Description: Imputation flag for NWMCAID.

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 0: No Imputation | 12,108 | 12,108 | 97.6 | 97.6 |
| 1: Imputation | 298 | 12,406 | 2.4 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| NWPRIV | Numeric | 2.0 | 319 | 320 |
|---------------|---------|-----|-----|-----|

Question: F9C

Is the practice accepting all, most, some, or no new patients who are insured through private or commercial insurance plans including managed care plans and HMOs with whom the practice has contracts? This includes both fee for service patients and patients enrolled in managed care plans with whom the practice has a contract. It excludes Medicaid or Medicare managed care.

| Value | Count | Cum | Percent | CumPct |
|-------------------------|-------|--------|---------|--------|
| 4: All | 8,141 | 8,141 | 65.6 | 65.6 |
| 3: Most | 2,146 | 10,287 | 17.3 | 82.9 |
| 2: Some | 1,444 | 11,731 | 11.6 | 94.6 |
| 1: No new patients/None | 675 | 12,406 | 5.4 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section F - Physician - Patient Interactions

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| _NWPRIV | Numeric | 2.0 | 321 | 322 |

Question: N/A

Description: Imputation flag for NWPRIV.

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 0: No Imputation | 12,198 | 12,198 | 98.3 | 98.3 |
| 1: Imputation | 208 | 12,406 | 1.7 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| NWNPAY | Numeric | 2.0 | 323 | 324 |
|---------------|---------|-----|-----|-----|

Question: F9G

Is the practice accepting all, most, some, or no new uninsured patients who are unable to pay your fees?

| Value | Count | Cum | Percent | CumPct |
|-------------------------|-------|--------|---------|--------|
| 4: All | 5,115 | 5,115 | 41.2 | 41.2 |
| 3: Most | 1,531 | 6,646 | 12.3 | 53.6 |
| 2: Some | 3,535 | 10,181 | 28.5 | 82.1 |
| 1: No new patients/None | 2,225 | 12,406 | 17.9 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| _NWNPAY | Numeric | 2.0 | 325 | 326 |
|----------------|---------|-----|-----|-----|

Question: N/A

Description: Imputation flag for NWNPAY

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 0: No Imputation | 12,012 | 12,012 | 96.8 | 96.8 |
| 1: Imputation | 394 | 12,406 | 3.2 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| ACC_CAP | Numeric | 2.0 | 327 | 328 |
|----------------|---------|-----|-----|-----|

Question: F10

Is the practice accepting any new patients under Capitated contracts; under capitation, a fixed amount is paid per patient per month regardless of services provided?

Description: The response "No capitated contracts in the area" is coded as "-1: Inapplicable".

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 0: No | 5,320 | 5,320 | 42.9 | 42.9 |
| 1: Yes | 6,106 | 11,426 | 49.2 | 92.1 |
| -1: Inapplicable | 980 | 12,406 | 7.9 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section F - Physician - Patient Interactions

| Variable Name | Variable Type | Length | Start | End |
|-----------------|---------------|--------|-------|-----|
| _ACC_CAP | Numeric | 2.0 | 329 | 330 |

Question: N/A

Description: Imputation flag for ACC_CAP.

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 0: No Imputation | 10,598 | 10,598 | 85.4 | 85.4 |
| 1: Imputation | 828 | 11,426 | 6.7 | 92.1 |
| -1: Inapplicable | 980 | 12,406 | 7.9 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section G - Practice Revenue

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| PM CARE | Numeric | 3.0 | 331 | 333 |

Question: N/A

Description: Percent of patient care practice revenue that comes from Medicare.
Constructed from responses to questions G1-G1a.

| Value | Count | Cum | Percent | CumPct |
|---------|-------|--------|---------|--------|
| 0% | 1,783 | 1,783 | 14.4 | 14.4 |
| 1-25% | 4,218 | 6,001 | 34.0 | 48.4 |
| 26-50% | 4,405 | 10,406 | 35.5 | 83.9 |
| 51-75% | 1,591 | 11,997 | 12.8 | 96.7 |
| 76-100% | 409 | 12,406 | 3.3 | 100.0 |

| | | | | |
|-----------------|---------|-----|-----|-----|
| _PM CARE | Numeric | 2.0 | 334 | 335 |
|-----------------|---------|-----|-----|-----|

Question: N/A

Description: Imputation flag for PM CARE.

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 0: No Imputation | 10,597 | 10,597 | 85.4 | 85.4 |
| 1: Imputation | 1,809 | 12,406 | 14.6 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| PM CAID | Numeric | 3.0 | 336 | 338 |
|----------------|---------|-----|-----|-----|

Question: N/A

Description: Percent of patient care practice revenue which comes from Medicaid.
Constructed from responses to questions G1-G1a.

| Value | Count | Cum | Percent | CumPct |
|---------|-------|--------|---------|--------|
| 0% | 1,874 | 1,874 | 15.1 | 15.1 |
| 1-25% | 8,263 | 10,137 | 66.6 | 81.7 |
| 26-50% | 1,648 | 11,785 | 13.3 | 95.0 |
| 51-75% | 429 | 12,214 | 3.5 | 98.5 |
| 76-100% | 192 | 12,406 | 1.5 | 100.0 |

| | | | | |
|-----------------|---------|-----|-----|-----|
| _PM CAID | Numeric | 2.0 | 339 | 340 |
|-----------------|---------|-----|-----|-----|

Question: N/A

Description: Imputation flag for PM CAID.

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 0: No Imputation | 10,830 | 10,830 | 87.3 | 87.3 |
| 1: Imputation | 1,576 | 12,406 | 12.7 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section G - Practice Revenue

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| PCAPREV | Numeric | 3.0 | 341 | 343 |

Question: N/A

Description: Percent of practice's patient care revenue paid on capitated or other prepaid basis. Constructed variable based on responses to questions G3, G7b, G8c, and G8g. Some edits were performed on this variable to insure that percent capitated revenue is not greater than percent managed care (PMC) after imputation.

| Value | Count | Cum | Percent | CumPct |
|---------|-------|--------|---------|--------|
| 0% | 5,672 | 5,672 | 45.7 | 45.7 |
| 1-25% | 3,670 | 9,342 | 29.6 | 75.3 |
| 26-50% | 1,743 | 11,085 | 14.0 | 89.4 |
| 51-75% | 726 | 11,811 | 5.9 | 95.2 |
| 76-100% | 595 | 12,406 | 4.8 | 100.0 |

| | | | | |
|-----------------|---------|-----|-----|-----|
| _PCAPREV | Numeric | 2.0 | 344 | 345 |
|-----------------|---------|-----|-----|-----|

Question: N/A

Description: Imputation flag for PCAPREV.

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 0: No Imputation | 10,818 | 10,818 | 87.2 | 87.2 |
| 1: Imputation | 1,588 | 12,406 | 12.8 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| NMCCON | Numeric | 2.0 | 346 | 347 |
|---------------|---------|-----|-----|-----|

Question: N/A

Description: Number of contracts that physician's practice has with managed care plans. Based on responses to questions G6-G6c.

| Value | Count | Cum | Percent | CumPct |
|-------|-------|--------|---------|--------|
| 0 | 1,085 | 1,085 | 8.7 | 8.7 |
| 1-4 | 2,386 | 3,471 | 19.2 | 28.0 |
| 5-9 | 3,077 | 6,548 | 24.8 | 52.8 |
| 10-19 | 3,407 | 9,955 | 27.5 | 80.2 |
| 20+ | 2,451 | 12,406 | 19.8 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section G - Practice Revenue

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| _NMCCON | Numeric | 2.0 | 348 | 349 |

Question: N/A

Description: Imputation flag for NMCCON.

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 0: No Imputation | 9,375 | 9,375 | 75.6 | 75.6 |
| 1: Imputation | 3,031 | 12,406 | 24.4 | 100.0 |

| | | | | |
|------------|---------|-----|-----|-----|
| PMC | Numeric | 5.1 | 350 | 354 |
|------------|---------|-----|-----|-----|

Question: N/A

Description: Percent of practice's patient care revenue from all managed care. Constructed variable based on responses to questions G7, G7a, G8, G8b, and G8f. Constraints: If PCAPREV > PMC, then PMC was set to equal PCAPREV. This edit was performed before and after imputation. The response "Less than 1%" was coded as "0.5".

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 0% | 719 | 719 | 5.8 | 5.8 |
| 0.5,Less than 1% | 1 | 720 | 0.0 | 5.8 |
| 1-25% | 2,807 | 3,527 | 22.6 | 28.4 |
| 26-50% | 4,129 | 7,656 | 33.3 | 61.7 |
| 51-75% | 2,673 | 10,329 | 21.5 | 83.3 |
| 76-100% | 2,077 | 12,406 | 16.7 | 100.0 |

| | | | | |
|-------------|---------|-----|-----|-----|
| _PMC | Numeric | 2.0 | 355 | 356 |
|-------------|---------|-----|-----|-----|

Question: N/A

Description: Imputation flag for PMC.

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 0: No Imputation | 12,247 | 12,247 | 98.7 | 98.7 |
| 1: Imputation | 159 | 12,406 | 1.3 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section H - Physician Compensation Methods & Income Level

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| SALPAID | Numeric | 2.0 | 357 | 358 |

Question: H1

Are you a salaried physician?

Description: Full owners of solo practices were not asked this question.

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 0: No | 2,785 | 2,785 | 22.4 | 22.4 |
| 1: Yes | 6,597 | 9,382 | 53.2 | 75.6 |
| -8: Don't Know | 16 | 9,398 | 0.1 | 75.8 |
| -7: Refused | 7 | 9,405 | 0.1 | 75.8 |
| -1: Inapplicable | 3,001 | 12,406 | 24.2 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| SALTIME | Numeric | 2.0 | 359 | 360 |
|----------------|---------|-----|-----|-----|

Question: H2

Are you paid in direct relation to the amount of time you work, such as by the shift or by the hour?

Description: Full owners of solo practices and salaried physicians (SALPAID=1) were not asked this question.

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 0: No | 2,196 | 2,196 | 17.7 | 17.7 |
| 1: Yes | 602 | 2,798 | 4.9 | 22.6 |
| -8: Don't Know | 6 | 2,804 | 0.0 | 22.6 |
| -7: Refused | 4 | 2,808 | 0.0 | 22.6 |
| -1: Inapplicable | 9,598 | 12,406 | 77.4 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| SALADJ | Numeric | 2.0 | 361 | 362 |
|---------------|---------|-----|-----|-----|

Question: H3

Is your base salary a fixed amount that will not change until your salary is renegotiated or is it adjusted up or down during the present contract period depending on your performance or that of the practice?

Description: Asked of salaried physicians (SALPAID=1).

| Value | Count | Cum | Percent | CumPct |
|------------------------|-------|--------|---------|--------|
| 1: Fixed amount | 4,237 | 4,237 | 34.2 | 34.2 |
| 2: Adjusted up or down | 2,314 | 6,551 | 18.7 | 52.8 |
| -8: Don't Know | 38 | 6,589 | 0.3 | 53.1 |
| -7: Refused | 8 | 6,597 | 0.1 | 53.2 |
| -1: Inapplicable | 5,809 | 12,406 | 46.8 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section H - Physician Compensation Methods & Income Level

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| BONUS | Numeric | 2.0 | 363 | 364 |

Question: H4

Are you also currently eligible to earn income through any type of bonus or incentive plan? Bonus can include any type of payment above the fixed, guaranteed salary.

Description: Asked only of physicians who are hourly workers (SALTIME=1), or whose salary is not adjusted (SALADJ NE 2).

| Value | Count | Cum | Percent | CumPct |
|-------------------------------|-------|--------|---------|--------|
| 0: Not eligible for bonus now | 2,503 | 2,503 | 20.2 | 20.2 |
| 1: Eligible for bonus now | 2,357 | 4,860 | 19.0 | 39.2 |
| -8: Don't Know | 22 | 4,882 | 0.2 | 39.4 |
| -7: Refused | 3 | 4,885 | 0.0 | 39.4 |
| -1: Inapplicable | 7,521 | 12,406 | 60.6 | 100.0 |

| | | | | |
|--------------|---------|-----|-----|-----|
| SPROD | Numeric | 2.0 | 365 | 366 |
|--------------|---------|-----|-----|-----|

Question: N/A

Description: A flag indicating that the physician's compensation is affected by own productivity. Constructed from responses to questions H5A and H7A. Full owners of solo practices were not asked this question.

| Value | Count | Cum | Percent | CumPct |
|----------------------------------|-------|--------|---------|--------|
| 0: Productvty doesnt affect comp | 2,633 | 2,633 | 21.2 | 21.2 |
| 1: Productvty affects comp | 6,664 | 9,297 | 53.7 | 74.9 |
| -9: Not Ascertained | 108 | 9,405 | 0.9 | 75.8 |
| -1: Inapplicable | 3,001 | 12,406 | 24.2 | 100.0 |

| | | | | |
|-------------|---------|-----|-----|-----|
| SSAT | Numeric | 2.0 | 367 | 368 |
|-------------|---------|-----|-----|-----|

Question: N/A

Description: A flag indicating that the physician's compensation is affected by satisfaction surveys completed by physician's own patients. Constructed from responses to questions H5B and H7B. Full owners of solo practices were not asked this question.

| Value | Count | Cum | Percent | CumPct |
|---------------------------------------|-------|--------|---------|--------|
| 0: Patnt satisfctn doesnt affect comp | 6,813 | 6,813 | 54.9 | 54.9 |
| 1: Patnt satisfctn affects comp | 2,429 | 9,242 | 19.6 | 74.5 |
| -9: Not Ascertained | 163 | 9,405 | 1.3 | 75.8 |
| -1: Inapplicable | 3,001 | 12,406 | 24.2 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section H - Physician Compensation Methods & Income Level

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| SQUAL | Numeric | 2.0 | 369 | 370 |

Question: N/A

Description: A flag indicating that the physician's compensation is affected by specific measures of quality of care. Constructed from responses to questions H5C and H7C. Full owners of solo practices were not asked this question.

| Value | Count | Cum | Percent | CumPct |
|---------------------------------------|-------|--------|---------|--------|
| 0: Quality measure doesnt affect comp | 7,370 | 7,370 | 59.4 | 59.4 |
| 1: Quality measure affects comp | 1,851 | 9,221 | 14.9 | 74.3 |
| -9: Not Ascertained | 184 | 9,405 | 1.5 | 75.8 |
| -1: Inapplicable | 3,001 | 12,406 | 24.2 | 100.0 |

| | | | | |
|--------------|---------|-----|-----|-----|
| SPROF | Numeric | 2.0 | 371 | 372 |
|--------------|---------|-----|-----|-----|

Question: N/A

Description: A flag indicating that the physician's compensation is affected by practice profiling. Constructed from responses to questions H5D and H7D. Full owners of solo practices were not asked this question.

| Value | Count | Cum | Percent | CumPct |
|-----------------------------|-------|--------|---------|--------|
| 0: Profile not affectd comp | 7,973 | 7,973 | 64.3 | 64.3 |
| 1: Profile affectd comp | 1,233 | 9,206 | 9.9 | 74.2 |
| -9: Not Ascertained | 199 | 9,405 | 1.6 | 75.8 |
| -1: Inapplicable | 3,001 | 12,406 | 24.2 | 100.0 |

| | | | | |
|-------------|---------|-----|-----|-----|
| RADJ | Numeric | 2.0 | 373 | 374 |
|-------------|---------|-----|-----|-----|

Question: N/A

Description: If profiled, a flag indicating risk adjustment of profiles. Constructed from responses to questions H6 and H8. Full owners of solo practices and physicians whose practice does not use practice profiles were not asked this question.

| Value | Count | Cum | Percent | CumPct |
|------------------------------|--------|--------|---------|--------|
| 0: Profile not risk adjusted | 549 | 549 | 4.4 | 4.4 |
| 1: Profile risk-adjusted | 684 | 1,233 | 5.5 | 9.9 |
| -1: Inapplicable | 11,173 | 12,406 | 90.1 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section H - Physician Compensation Methods & Income Level

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| _RADJ | Numeric | 2.0 | 375 | 376 |

Question: N/A

Description: Imputation flag for RADJ.

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 0: No Imputation | 1,137 | 1,137 | 9.2 | 9.2 |
| 1: Imputation | 96 | 1,233 | 0.8 | 9.9 |
| -1: Inapplicable | 11,173 | 12,406 | 90.1 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| PCTINCN | Numeric | 3.0 | 377 | 379 |
|----------------|---------|-----|-----|-----|

Question: H9

Of your total income from your practice during calendar year 1999, approximately what percent would you estimate was earned in the form of bonuses, returned withholds, or other incentive payments based on your performance?

| Value | Count | Cum | Percent | CumPct |
|----------------|-------|--------|---------|--------|
| 0% | 7,135 | 7,135 | 57.5 | 57.5 |
| 1% | 672 | 7,807 | 5.4 | 62.9 |
| 2-25% | 3,645 | 11,452 | 29.4 | 92.3 |
| 26-50% | 497 | 11,949 | 4.0 | 96.3 |
| 51-75% | 88 | 12,037 | 0.7 | 97.0 |
| 76-100% | 85 | 12,122 | 0.7 | 97.7 |
| -8: Don't Know | 246 | 12,368 | 2.0 | 99.7 |
| -7: Refused | 38 | 12,406 | 0.3 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section H - Physician Compensation Methods & Income Level

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| PCTINCC | Numeric | 3.0 | 380 | 382 |

Question: N/A

Description: Percent of 1999 income from bonuses, returned withholds, or other incentive payments based on physician's performance. Constructed from responses to questions H9 and H9a. Physicians starting practice after 1999 have a value of -1. Does not apply to physicians who are not eligible for bonuses (H9a/EBONUS=0), who also have a value of -1.

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 0% | 1,158 | 1,158 | 9.3 | 9.3 |
| 1-4% | 1,441 | 2,599 | 11.6 | 20.9 |
| 5-9% | 1,140 | 3,739 | 9.2 | 30.1 |
| 10-19% | 1,327 | 5,066 | 10.7 | 40.8 |
| 20-49% | 962 | 6,028 | 7.8 | 48.6 |
| 50-100% | 331 | 6,359 | 2.7 | 51.3 |
| -1: Inapplicable | 6,047 | 12,406 | 48.7 | 100.0 |

| | | | | |
|-----------------|---------|-----|-----|-----|
| _PCTINCC | Numeric | 2.0 | 383 | 384 |
|-----------------|---------|-----|-----|-----|

Question: N/A

Description: Imputation flag for PCTINCC.

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 0: No Imputation | 6,083 | 6,083 | 49.0 | 49.0 |
| 1: Imputation | 276 | 6,359 | 2.2 | 51.3 |
| -1: Inapplicable | 6,047 | 12,406 | 48.7 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| EBONUS | Numeric | 2.0 | 385 | 386 |
|---------------|---------|-----|-----|-----|

Question: H9a

Were you eligible to earn any bonuses or other performance-based payments in 1999?

Description: Those who originally responded with a value of 0 in H9 (the unedited version) were asked this question. This response (EBONUS) was then used to edit PCTINCC or PCTINCX to be "Inapplicable" if EBONUS=0 (not eligible for a bonus in 1999).

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 0: No | 6,023 | 6,023 | 48.5 | 48.5 |
| 1: Yes | 952 | 6,975 | 7.7 | 56.2 |
| -8: Don't Know | 140 | 7,115 | 1.1 | 57.4 |
| -7: Refused | 20 | 7,135 | 0.2 | 57.5 |
| -1: Inapplicable | 5,271 | 12,406 | 42.5 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section H - Physician Compensation Methods & Income Level

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| INCOMET | Numeric | 6.0 | 387 | 392 |

Question: H10

During 1999, what was your own net income from the practice of medicine to the nearest \$1,000, after expenses but before taxes? Please include contributions to retirement plans made for you by the practice and any bonuses as well as fees, salaries and retainers. Exclude investment income.

Description: Physician's 1999 net income from practice of medicine. Values are reported in \$1,000 increments. Top coded at \$400,000.

| Value | Count | Cum | Percent | CumPct |
|-----------------------|-------|--------|---------|--------|
| \$0-49999 | 584 | 584 | 4.7 | 4.7 |
| \$50,000-99,999 | 2,010 | 2,594 | 16.2 | 20.9 |
| \$100,000-149,999 | 4,163 | 6,757 | 33.6 | 54.5 |
| \$150,000-199,999 | 2,497 | 9,254 | 20.1 | 74.6 |
| \$200,000-249,999 | 1,355 | 10,609 | 10.9 | 85.5 |
| \$250,000-299,999 | 730 | 11,339 | 5.9 | 91.4 |
| \$300,000-349,999 | 441 | 11,780 | 3.6 | 95.0 |
| \$350,000-399,999 | 184 | 11,964 | 1.5 | 96.4 |
| \$400,000+ (top code) | 433 | 12,397 | 3.5 | 99.9 |
| -9: Not Ascertained | 9 | 12,406 | 0.1 | 100.0 |

| | | | | |
|-----------------|---------|-----|-----|-----|
| _INCOMET | Numeric | 2.0 | 393 | 394 |
|-----------------|---------|-----|-----|-----|

Question: N/A

Description: Imputation flag for INCOMET.

| Value | Count | Cum | Percent | CumPct |
|---------------------|--------|--------|---------|--------|
| 0: No Imputation | 10,171 | 10,171 | 82.0 | 82.0 |
| 1: Imputation | 2,226 | 12,397 | 17.9 | 99.9 |
| -9: Not Ascertained | 9 | 12,406 | 0.1 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section H - Physician Compensation Methods & Income Level

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| INCENT | Numeric | 2.0 | 395 | 396 |

Question: H10b

How would you describe your overall personal financial incentives in your practice? On balance, do these incentives favor reducing services to individual patients, favor expanding services to individual patients, or favor neither?

| Value | Count | Cum | Percent | CumPct |
|-------------------|-------|--------|---------|--------|
| 1: Reducing serv | 981 | 981 | 7.9 | 7.9 |
| 2: Expanding serv | 2,807 | 3,788 | 22.6 | 30.5 |
| 3: Favor neither | 8,618 | 12,406 | 69.5 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| _INCENT | Numeric | 2.0 | 397 | 398 |
|----------------|---------|-----|-----|-----|

Question: N/A

Description: Imputation flag for INCENT

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 0: No Imputation | 11,980 | 11,980 | 96.6 | 96.6 |
| 1: Imputation | 426 | 12,406 | 3.4 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| EFINCNT | Numeric | 2.0 | 399 | 400 |
|----------------|---------|-----|-----|-----|

Question: H10b1

Have these incentives reduced/ expanded services a little, a moderate amount, or a lot?

| Value | Count | Cum | Percent | CumPct |
|----------------------|-------|--------|---------|--------|
| 1: A little | 1,804 | 1,804 | 14.5 | 14.5 |
| 2: A moderate amount | 1,166 | 2,970 | 9.4 | 23.9 |
| 3: A lot | 358 | 3,328 | 2.9 | 26.8 |
| 4: None | 318 | 3,646 | 2.6 | 29.4 |
| -8: Don't Know | 28 | 3,674 | 0.2 | 29.6 |
| -7: Refused | 5 | 3,679 | 0.0 | 29.7 |
| -1: Inapplicable | 8,727 | 12,406 | 70.3 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section H - Physician Compensation Methods & Income Level

| Variable Name | Variable Type | Length | Start | End |
|-----------------|---------------|--------|-------|-----|
| FININCPT | Numeric | 2.0 | 401 | 402 |

Question: N/A

Description: A description of the effect of personal financial incentives on the overall practice of medicine. Constructed from responses to questions H10b and H10b1

| Value | Count | Cum | Percent | CumPct |
|----------------------------------|-------|--------|---------|--------|
| 1: Reduce a lot | 110 | 110 | 0.9 | 0.9 |
| 2: Reduce a moderate amt | 263 | 373 | 2.1 | 3.0 |
| 3: Reduce a little | 454 | 827 | 3.7 | 6.7 |
| 4: Favor reduction,but no effect | 117 | 944 | 0.9 | 7.6 |
| 5: Favor neither | 8,618 | 9,562 | 69.5 | 77.1 |
| 6: Favor expansion,but no effect | 201 | 9,763 | 1.6 | 78.7 |
| 7: Expand a little | 1,350 | 11,113 | 10.9 | 89.6 |
| 8: Expand a moderate amt | 903 | 12,016 | 7.3 | 96.9 |
| 9: Expand a lot | 248 | 12,264 | 2.0 | 98.9 |
| -9: Not Ascertained | 142 | 12,406 | 1.1 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| COMPETE | Numeric | 2.0 | 403 | 404 |
|----------------|---------|-----|-----|-----|

Question: H10c

Now, thinking about your practice specifically, how would you describe the competitive situation your practice faces?

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|--------|---------|--------|
| 3: Very competitive | 2,605 | 2,605 | 21.0 | 21.0 |
| 2: Somewhat comp | 5,502 | 8,107 | 44.3 | 65.3 |
| 1: Not at all comp | 4,183 | 12,290 | 33.7 | 99.1 |
| -8: Don't Know | 90 | 12,380 | 0.7 | 99.8 |
| -7: Refused | 26 | 12,406 | 0.2 | 100.0 |

| | | | | |
|-------------|---------|-----|-----|-----|
| HISP | Numeric | 2.0 | 405 | 406 |
|-------------|---------|-----|-----|-----|

Question: H11

Do you consider yourself to be of Hispanic origin, such as Mexican, Puerto Rican, Cuban, or other Spanish background?

| Value | Count | Cum | Percent | CumPct |
|---------------------------|--------|--------|---------|--------|
| 0: Not of Hispanic origin | 11,645 | 11,645 | 93.9 | 93.9 |
| 1: Of Hispanic origin | 705 | 12,350 | 5.7 | 99.5 |
| -8: Don't Know | 11 | 12,361 | 0.1 | 99.6 |
| -7: Refused | 45 | 12,406 | 0.4 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Section H - Physician Compensation Methods & Income Level

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| RACE | Numeric | 2.0 | 407 | 408 |

Question: H12

What race do you consider yourself to be? I understand this question may be sensitive. We are trying to understand how physicians from different ethnic and cultural backgrounds perceive some of the changes that are affecting the delivery of medical care.

| Value | Count | Cum | Percent | CumPct |
|------------------------------|-------|--------|---------|--------|
| 1: Other | 424 | 424 | 3.4 | 3.4 |
| 6: White/Caucasian | 9,774 | 10,198 | 78.8 | 82.2 |
| 7: African-American/Black | 497 | 10,695 | 4.0 | 86.2 |
| 8: Natv Am or Alaska Natv | 41 | 10,736 | 0.3 | 86.5 |
| 9: Asian or Pacific Islander | 1,541 | 12,277 | 12.4 | 99.0 |
| -8: Don't Know | 26 | 12,303 | 0.2 | 99.2 |
| -7: Refused | 103 | 12,406 | 0.8 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Weights and Sampling Variables

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| NSTRATA | Numeric | 3.0 | 409 | 411 |

Question: N/A

Description: Nesting variable for national estimates from the supplemental sample. Defined for physicians in the supplemental sample (SUBGRP=C or D).

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 11 - 104 | 1,168 | 1,168 | 9.4 | 9.4 |
| -1: Inapplicable | 11,238 | 12,406 | 90.6 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| PSTRATA | Numeric | 2.0 | 412 | 413 |
|----------------|---------|-----|-----|-----|

Question: N/A

Description: Pseudo stratum.

| Value | Count | Cum | Percent | CumPct |
|--------|--------|--------|---------|--------|
| 1 - 30 | 12,406 | 12,406 | 100.0 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| ASTRATA | Numeric | 2.0 | 414 | 415 |
|----------------|---------|-----|-----|-----|

Question: N/A

Description: Pseudo stratum for calculating national estimates for the augmented site sample (SUBGRP:A+C)

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 1 - 20 | 10,659 | 10,659 | 85.9 | 85.9 |
| -1: Inapplicable | 1,747 | 12,406 | 14.1 | 100.0 |

| | | | | |
|-------------|---------|-----|-----|-----|
| PPSU | Numeric | 3.0 | 416 | 418 |
|-------------|---------|-----|-----|-----|

Question: N/A

Description: Pseudo primary sampling unit.

| Value | Count | Cum | Percent | CumPct |
|---------|--------|--------|---------|--------|
| 1 - 203 | 12,406 | 12,406 | 100.0 | 100.0 |

| | | | | |
|-------------|---------|-----|-----|-----|
| APSU | Numeric | 3.0 | 419 | 421 |
|-------------|---------|-----|-----|-----|

Question: N/A

Description: Pseudo primary sampling unit for national estimates using the augmented site sample (SUBGRP:A+C)

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 1 - 203 | 10,659 | 10,659 | 85.9 | 85.9 |
| -1: Inapplicable | 1,747 | 12,406 | 14.1 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Weights and Sampling Variables

| Variable Name | Variable Type | Length | Start | End |
|-----------------|---------------|--------|-------|-----|
| PSTRTOT3 | Numeric | 3.0 | 422 | 424 |

Question: N/A

Description: Provides sampling counts for finite population correction factors.

| Value | Count | Cum | Percent | CumPct |
|---------|--------|--------|---------|--------|
| 1 - 118 | 12,406 | 12,406 | 100.0 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| ASTRTOT | Numeric | 3.0 | 425 | 427 |
|----------------|---------|-----|-----|-----|

Question: N/A

Description: Provides sampling counts for finite population correction factors when estimating national estimates for the augmented site sample (SUBGRP:A+C)

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 1 - 118 | 10,659 | 10,659 | 85.9 | 85.9 |
| -1: Inapplicable | 1,747 | 12,406 | 14.1 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| SITEPCP | Numeric | 5.0 | 428 | 432 |
|----------------|---------|-----|-----|-----|

Question: N/A

Description: Nesting variable for site estimates. Defined for physicians in the augmented 60 sites (SUBGRP=A or C).

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 1031 - 70032 | 10,659 | 10,659 | 85.9 | 85.9 |
| -1: Inapplicable | 1,747 | 12,406 | 14.1 | 100.0 |

| | | | | |
|-----------------|---------|-----|-----|-----|
| SITEPCP2 | Numeric | 7.0 | 433 | 439 |
|-----------------|---------|-----|-----|-----|

Question: N/A

Description: Nesting variable for site estimates when using data from multiple years of the survey. Defined for physicians in the augmented 60 sites (SUBGRP=A or C).

| Value | Count | Cum | Percent | CumPct |
|-------------------|--------|--------|---------|--------|
| 3001031 - 3070032 | 10,659 | 10,659 | 85.9 | 85.9 |
| -1: Inapplicable | 1,747 | 12,406 | 14.1 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Weights and Sampling Variables

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| FRAME | Numeric | 5.0 | 440 | 444 |

Question: N/A

Description: Sample frame counts for estimates for site estimates. Defined for physicians in the augmented 60 sites (SUBGRP=A or C) and for physicians who were sampled in a site, but whose practice location was not in a site (SUBGRP=B).

| Value | Count | Cum | Percent | CumPct |
|--------------------------------|--------|--------|---------|--------|
| 6-13059 | 10,136 | 10,136 | 81.7 | 81.7 |
| -2: Inapplicable | 1,747 | 11,883 | 14.1 | 95.8 |
| -1:With replacement sample obs | 523 | 12,406 | 4.2 | 100.0 |

| | | | | |
|------------|---------|-----|-----|-----|
| FSU | Numeric | 5.0 | 445 | 449 |
|------------|---------|-----|-----|-----|

Question: N/A

Description: Final sampling unit when making site estimates.

| Value | Count | Cum | Percent | CumPct |
|-----------|--------|--------|---------|--------|
| 2 - 75052 | 12,406 | 12,406 | 100.0 | 100.0 |

| | | | | |
|-------------|---------|-----|-----|-----|
| NFSU | Numeric | 5.0 | 450 | 454 |
|-------------|---------|-----|-----|-----|

Question: N/A

Description: Second stage clustering variable when making national estimates.

| Value | Count | Cum | Percent | CumPct |
|------------|--------|--------|---------|--------|
| 24 - 99960 | 12,406 | 12,406 | 100.0 | 100.0 |

| | | | | |
|-------------|---------|-----|-----|-----|
| AFSU | Numeric | 5.0 | 455 | 459 |
|-------------|---------|-----|-----|-----|

Question: N/A

Description: Final sampling unit when making site estimates.

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 24-99960 | 10,659 | 10,659 | 85.9 | 85.9 |
| -1: Inapplicable | 1,747 | 12,406 | 14.1 | 100.0 |

| | | | | |
|--------------|---------|-----|-----|-----|
| PSUWR | Numeric | 5.0 | 460 | 464 |
|--------------|---------|-----|-----|-----|

Question: N/A

Description: CV:WR primary sampling unit

| Value | Count | Cum | Percent | CumPct |
|-------------|--------|--------|---------|--------|
| 101 - 99960 | 12,406 | 12,406 | 100.0 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Weights and Sampling Variables

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| PPSUAWR | Numeric | 5.0 | 465 | 469 |

Question: N/A

Description: CV:WR psu, natl est, augmented

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 101 - 99960 | 10,659 | 10,659 | 85.9 | 85.9 |
| -1: Inapplicable | 1,747 | 12,406 | 14.1 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| SECSTRA | Numeric | 3.0 | 470 | 472 |
|----------------|---------|-----|-----|-----|

Question: N/A

Description: Second stage stratification.

| Value | Count | Cum | Percent | CumPct |
|---------|--------|--------|---------|--------|
| 1 - 104 | 12,406 | 12,406 | 100.0 | 100.0 |

| | | | | |
|-----------------|---------|-----|-----|-----|
| ASECSTRA | Numeric | 2.0 | 473 | 474 |
|-----------------|---------|-----|-----|-----|

Question: N/A

Description: Second stage stratification for estimating national estimates for the augmented site sample (SUBGRP:A+C)

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 1 - 19 | 10,659 | 10,659 | 85.9 | 85.9 |
| -1: Inapplicable | 1,747 | 12,406 | 14.1 | 100.0 |

| | | | | |
|-----------------|---------|-----|-----|-----|
| STRATAWR | Numeric | 3.0 | 475 | 477 |
|-----------------|---------|-----|-----|-----|

Question: N/A

Description: CV:WR stratum

| Value | Count | Cum | Percent | CumPct |
|----------|--------|--------|---------|--------|
| 11 - 402 | 12,406 | 12,406 | 100.0 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| PSTRAWR | Numeric | 3.0 | 478 | 480 |
|----------------|---------|-----|-----|-----|

Question: N/A

Description: CV:WR strata, natl est, augmented

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 11 - 200 | 10,659 | 10,659 | 85.9 | 85.9 |
| -1: Inapplicable | 1,747 | 12,406 | 14.1 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Weights and Sampling Variables

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| P1X | Numeric | 10.7 | 481 | 490 |

Question: N/A

Description: Joint psu inclusion probability #1.

| Value | Count | Cum | Percent | CumPct |
|-------------|--------|--------|---------|--------|
| 0.0007557-1 | 12,406 | 12,406 | 100.0 | 100.0 |

| | | | | |
|------------|---------|------|-----|-----|
| P2X | Numeric | 10.7 | 491 | 500 |
|------------|---------|------|-----|-----|

Question: N/A

Description: Joint psu inclusion probability #2.

| Value | Count | Cum | Percent | CumPct |
|-------------------|-------|--------|---------|--------|
| 0.0007154-0.72021 | 8,702 | 8,702 | 70.1 | 70.1 |
| -1: Inapplicable | 3,704 | 12,406 | 29.9 | 100.0 |

| | | | | |
|------------|---------|------|-----|-----|
| P3X | Numeric | 10.7 | 501 | 510 |
|------------|---------|------|-----|-----|

Question: N/A

Description: Joint psu inclusion probability #3.

| Value | Count | Cum | Percent | CumPct |
|--------------------|-------|--------|---------|--------|
| 0.0007154-0.695178 | 8,702 | 8,702 | 70.1 | 70.1 |
| -1: Inapplicable | 3,704 | 12,406 | 29.9 | 100.0 |

| | | | | |
|------------|---------|------|-----|-----|
| P4X | Numeric | 10.7 | 511 | 520 |
|------------|---------|------|-----|-----|

Question: N/A

Description: Joint psu inclusion probability #4.

| Value | Count | Cum | Percent | CumPct |
|-------------------|-------|--------|---------|--------|
| 0.014173-0.892655 | 7,222 | 7,222 | 58.2 | 58.2 |
| -1: Inapplicable | 5,184 | 12,406 | 41.8 | 100.0 |

| | | | | |
|------------|---------|------|-----|-----|
| P5X | Numeric | 10.7 | 521 | 530 |
|------------|---------|------|-----|-----|

Question: N/A

Description: Joint psu inclusion probability #5.

| Value | Count | Cum | Percent | CumPct |
|-------------------|-------|--------|---------|--------|
| 0.013666-0.464401 | 3,786 | 3,786 | 30.5 | 30.5 |
| -1: Inapplicable | 8,620 | 12,406 | 69.5 | 100.0 |

CTS Physician Survey Restricted Use File
2000/2001 Data
Weights and Sampling Variables

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| P6X | Numeric | 10.7 | 531 | 540 |

Question: N/A

Description: Joint psu inclusion probability #6.

| Value | Count | Cum | Percent | CumPct |
|-------------------|--------|--------|---------|--------|
| 0.072289-0.656828 | 1,570 | 1,570 | 12.7 | 12.7 |
| -1: Inapplicable | 10,836 | 12,406 | 87.3 | 100.0 |

| | | | | |
|------------|---------|------|-----|-----|
| P7X | Numeric | 10.7 | 541 | 550 |
|------------|---------|------|-----|-----|

Question: N/A

Description: Joint psu inclusion probability #7.

| Value | Count | Cum | Percent | CumPct |
|-------------------|--------|--------|---------|--------|
| 0.063671-0.578182 | 1,570 | 1,570 | 12.7 | 12.7 |
| -1: Inapplicable | 10,836 | 12,406 | 87.3 | 100.0 |

| | | | | |
|------------|---------|------|-----|-----|
| AP1 | Numeric | 10.7 | 551 | 560 |
|------------|---------|------|-----|-----|

Question: N/A

Description: Joint psu inclusion probability #1.

| Value | Count | Cum | Percent | CumPct |
|------------------|--------|--------|---------|--------|
| 0.0007557 - 1 | 10,659 | 10,659 | 85.9 | 85.9 |
| -1: Inapplicable | 1,747 | 12,406 | 14.1 | 100.0 |

| | | | | |
|------------|---------|------|-----|-----|
| AP2 | Numeric | 10.7 | 561 | 570 |
|------------|---------|------|-----|-----|

Question: N/A

Description: Joint psu inclusion probability #2.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|--------|---------|--------|
| 0.0007154 - 0.72021 | 8,084 | 8,084 | 65.2 | 65.2 |
| -1: Inapplicable | 4,322 | 12,406 | 34.8 | 100.0 |

| | | | | |
|------------|---------|------|-----|-----|
| AP3 | Numeric | 10.7 | 571 | 580 |
|------------|---------|------|-----|-----|

Question: N/A

Description: Joint psu inclusion probability #3.

| Value | Count | Cum | Percent | CumPct |
|----------------------|-------|--------|---------|--------|
| 0.0007154 - 0.695178 | 8,084 | 8,084 | 65.2 | 65.2 |
| -1: Inapplicable | 4,322 | 12,406 | 34.8 | 100.0 |

CTS Physician Survey Restricted Use File
2000/2001 Data
Weights and Sampling Variables

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| AP4 | Numeric | 10.7 | 581 | 590 |

Question: N/A

Description: Joint psu inclusion probability #4.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|--------|---------|--------|
| 0.014173 - 0.892655 | 6,733 | 6,733 | 54.3 | 54.3 |
| -1: Inapplicable | 5,673 | 12,406 | 45.7 | 100.0 |

| | | | | |
|------------|---------|------|-----|-----|
| AP5 | Numeric | 10.7 | 591 | 600 |
|------------|---------|------|-----|-----|

Question: N/A

Description: Joint psu inclusion probability #5.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|--------|---------|--------|
| 0.013666 - 0.464401 | 3,537 | 3,537 | 28.5 | 28.5 |
| -1: Inapplicable | 8,869 | 12,406 | 71.5 | 100.0 |

| | | | | |
|------------|---------|------|-----|-----|
| AP6 | Numeric | 10.7 | 601 | 610 |
|------------|---------|------|-----|-----|

Question: N/A

Description: Joint psu inclusion probability #6.

| Value | Count | Cum | Percent | CumPct |
|---------------------|--------|--------|---------|--------|
| 0.072289 - 0.656828 | 1,507 | 1,507 | 12.1 | 12.1 |
| -1: Inapplicable | 10,899 | 12,406 | 87.9 | 100.0 |

| | | | | |
|------------|---------|------|-----|-----|
| AP7 | Numeric | 10.7 | 611 | 620 |
|------------|---------|------|-----|-----|

Question: N/A

Description: Joint psu inclusion probability #7.

| Value | Count | Cum | Percent | CumPct |
|---------------------|--------|--------|---------|--------|
| 0.063671 - 0.578182 | 1,507 | 1,507 | 12.1 | 12.1 |
| -1: Inapplicable | 10,899 | 12,406 | 87.9 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Weights and Sampling Variables

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| WTPHY1 | Numeric | 10.6 | 621 | 630 |

Question: N/A

Description: Weight for making site estimates from the augmented 60 site sample. Defined for physicians in the augmented 60 sites (SUBGRP=A or C). 18 cases from this group have a 0 weight.

| Value | Count | Cum | Percent | CumPct |
|---------------|--------|--------|---------|--------|
| 0 | 1,747 | 1,747 | 14.1 | 14.1 |
| 1-438.8346743 | 10,659 | 12,406 | 85.9 | 100.0 |

| | | | | |
|---------------|---------|------|-----|-----|
| WTPHY3 | Numeric | 11.6 | 631 | 641 |
|---------------|---------|------|-----|-----|

Question: N/A

Description: Weight for making national estimates from the supplemental sample. Defined for physicians in the supplemental sample (SUBGRP=C or D).

| Value | Count | Cum | Percent | CumPct |
|----------------|--------|--------|---------|--------|
| 0 | 11,238 | 11,238 | 90.6 | 90.6 |
| 154.59-1811.39 | 1,168 | 12,406 | 9.4 | 100.0 |

| | | | | |
|---------------|---------|------|-----|-----|
| WTPHY4 | Numeric | 10.6 | 642 | 651 |
|---------------|---------|------|-----|-----|

Question: N/A

Description: A weight for making national estimates from the survey (using all observations from the combined 60 site and supplemental samples).

| Value | Count | Cum | Percent | CumPct |
|-------------|--------|--------|---------|--------|
| 4.17-439.55 | 12,406 | 12,406 | 100.0 | 100.0 |

| | | | | |
|---------------|---------|------|-----|-----|
| WTPHY5 | Numeric | 10.6 | 652 | 661 |
|---------------|---------|------|-----|-----|

Question: N/A

Description: Weight for making national estimates from the augmented 60 site sample. Defined for physicians in the augmented 60 sites (SUBGRP=A or C).

| Value | Count | Cum | Percent | CumPct |
|----------|--------|--------|---------|--------|
| 0 | 1,747 | 1,747 | 14.1 | 14.1 |
| 3.74-425 | 10,659 | 12,406 | 85.9 | 100.0 |

CTS Physician Survey Restricted Use File

2000/2001 Data

Weights and Sampling Variables

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| WTPAN1 | Numeric | 10.6 | 662 | 671 |

Question: N/A

Description: Panel weight for national estimates combined sample.

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 2.19 - 509.084 | 8,527 | 8,527 | 68.7 | 68.7 |
| -1: Inapplicable | 3,879 | 12,406 | 31.3 | 100.0 |

| | | | | |
|---------------|---------|------|-----|-----|
| WTPAN2 | Numeric | 10.6 | 672 | 681 |
|---------------|---------|------|-----|-----|

Question: N/A

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|--------|---------|--------|
| 2.5-581.22 | 7,723 | 7,723 | 62.3 | 62.3 |
| -1: Inapplicable | 4,683 | 12,406 | 37.7 | 100.0 |