

ICPSR 4254

**Great Plains Population and
Environment Data: Agricultural
Data, 1870-1997 [United States]**

Myron P. Gutmann
University of Michigan

Codebook for 1900 Agricultural Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Great Plains Population and Environment Data: Agricultural Data, 1870-1997 [United States]

Myron P. Gutmann, Principal Investigator

Study Description

Introduction

The data in this series of studies were collected by an interdisciplinary research team between 1995 and 2004, as part of a research project funded by the National Institute of Child Health and Human Development (Grant Number R01 HD33445 to the University of Michigan). The goal of the project was to collect information about approximately 500 counties in twelve states of the Great Plains of the United States, and then to analyze those data in order to understand the relationships between population and environment that existed between the years of about 1870 and 2000.

The original conceptualization of the project was to study counties, so the data distributed here are all data about counties. The data fall into four broad categories: about the counties, about agriculture, about demographic and social conditions, and about the environment. The information about counties (name, area, identification code, and whether we classified the county as part of the Great Plains in a given year) are embedded in each of the other data files, so that there will be three series of data (agriculture, demographic and social conditions, and environment), with individual data files for each year for which data are available. As the data are finalized for release, we are making them available to the research community as part of a series entitled "Great Plains Population and Environment Data." The Investigators intend to make all the data they have collected available for public use, subject to the conditions imposed by the original sources of the data.

The Counties

The Great Plains are part of the great natural grassland that stretches across the central part of North America eastward from the Rocky Mountains. We define its boundaries primarily in terms of natural conditions. We set its boundaries on the east at the line of 700 mm of average annual precipitation, and on the west at 5,000 feet of elevation. We bound the Great Plains on the north at the Canadian border and on the south in Texas and New Mexico at the 32nd parallel. Much of the Great Plains is a high plain, more than 2,000 feet above sea level and sloping ever upward as it moves west. The counties of the Great Plains share some environmental characteristics, but because of their range of soil, temperature, precipitation and elevation, are also quite different from each other. The southern plains and the northern plains are not the same; nor are the eastern and western Great Plains. What these sub-regions share is the flat or slightly rising treeless expanse that must have greeted all early visitors, and the preponderance of grasses in their natural vegetation. The result of our selection procedure is a set of about 500 counties (in recent

years) in Montana, Wyoming, Colorado, New Mexico, North Dakota, South Dakota, Nebraska, Kansas, Oklahoma, Texas, Minnesota, and Iowa that share a number of environmental characteristics while retaining a considerable amount of diversity.

The project has collected data for all counties within these twelve states (approximately 1010 in recent years). The data files (for agriculture, for demographic and social conditions, and for environment) list each county in each year for which we have collected data, by name and by state and county Federal Information Processing Standards (FIPS) 6-4 Codes¹, the geographic area of the county, and whether the county falls within the boundaries of the Great Plains as we have defined them.

Agricultural Data

The agricultural data included in this Series consists of a single data file for each agricultural census year between 1870 and 1997 that includes selected material compiled as part of the U.S. Agricultural Census. The U.S. Census of Agriculture has been conducted since 1850 on a regular schedule that was decennial until 1920, and more frequently since (every five years from 1925 to 1950, then in 1954, 1959, 1964, 1978, and every five years since 1982). The county-level agricultural data produced by the U.S. government as part of the Census constitute a remarkable and consistent series of measures of changing agriculture and land use.

The data in the Great Plains Population and Environment Data series are a subset of the variables available from the total body of Agricultural Census information for counties. They were produced by extracting information from previously existing digital files (ICPSR Study No. 3, ICPSR Study No. 2896, Data digitized by the Economic Research Service of the United States Department of Agriculture (USDA), and digital versions of the Agricultural Census produced by the U.S. Bureau of the Census and the USDA), and by manually digitizing selected variables from the volumes published by the U.S. Bureau of the Census and the U.S. Department of Agriculture. All the sources used are listed later in this document. We also list digital versions of the data where they exist. Some of these are part of the ICPSR collection, while others are not.

We have attempted to give the variables consistent names, as shown in the documentation for these files. It is important for data users to recognize that there are sometimes significant but subtle differences between what may appear to be the same variable in two different census years. Where possible our technical documentation emphasizes those differences, but to be certain the data user may need to do his or her own exploration into the sources.

¹ For a description of the FIPS 6-4 Codes, see <http://www.itl.nist.gov/fipspubs/fip6-4.htm>. For counties dissolved before FIPS codes were implemented, we used a combination of codes created by the HUSGO project and codes created by the Great Plains Project. We followed the geography used by the Census Bureau, and also assigned new codes to counties that were substantially different geographic areas than in later censuses.

Missing Values

Virtually all the data in the Great Plains Population and Environment database are drawn from published tabulations of administrative and survey data at the scale of the U.S. County. In the database, some of those data are characterized as “missing,” and assigned to one of the categories identified in this table. There are a number of reasons why data may be missing for a given variable for a given county in a given year. At the simplest, the county might not yet have been created at the time of that census, or the Census Bureau (or other data producer) might have combined two or more counties into a single tabulation unit for a specific publication. Other reasons for data being missing may have something to do with the characteristics of the county. For example, some counties do not have a climate suitable for growing a specific crop, which we see for cotton -- tabulated for Texas but never for North Dakota. In another common example in the agricultural data, counties with data from too few farms in a single tabulation would be recorded as “missing” in order to prevent the characteristics of those farms from being revealed in the data. Finally, data are missing because there has been some problem in reproducing them, either because the original publication is illegible, or because we have constructed them from multiple sources and one or more of those sources is itself missing.

The research team that produced these data has maintained the fine grain of different types of missing data because we believe that the different kinds of missing data reveal important information that may be useful in their analysis.

Missing values frequencies are not included the summary statistics in the following codebook. They will be found in the data files as negative values. All negative values in the datasets are missing values. Missing values have been coded according to the table on the next page.

Missing Value Coding

| Code | Explanation |
|------|--|
| -1 | Data not applicable* FOR EXAMPLE: Agricultural data from Indian Reservations were recorded according to county boundaries in 1910. Therefore, the values for Pine Ridge Indian Reservation, South Dakota, are -1. |
| -2 | Data not available* Data not available (not reported, schedules destroyed, information lost, etc.) - ICPSR -9*** No data available (same as -9) - ICPSR -1*** |
| -3 | Less than half of the unit shown* |
| -4 | Withheld for privacy. Withheld to avoid disclosing data for individual farms* Data not reported to avoid violation of confidentiality rules of data collector (e.g., the Census Bureau)*** |
| -5 | Data not published for this state or county** |
| -7 | Data included in "all other"*** In some tables, not all counties were explicitly tabulated. Those that were not constituted as separate unit, labeled "All Other." For example, irrigation data data were only reported for 8 counties in Kansas in 1920, with the rest grouped into "Other Counties." Therefore, most counties in Kansas have values of -7 for the irrigation variables. |
| -8 | Data illegible in published volumes*** |
| -9 | Data has special problems (see footnote in original source)** |
| -10 | Data included under another entry (combination of two or more variables, etc.) *** These variables are set off by brackets in the published tables. |
| -11 | Data recorded under another political unit*** For example, San Juan County, Colorado, data were included with the data for La Plata County in 1940. Therefore, the values for San Juan County are -11. |
| -13 | Sum of missing values. Variable is the sum of variables where the value is missing for all components. This flag appears only as a result of programming.** |
| -14 | Result of merge. Variable is not available or was not collected for this unit, but appears in master data files as the result of merging multiple files. This flag appears only as a result of programming.** |
| -15 | Sum with missing value(s). Variable is the sum of other variables, where the value is missing for one or more of the components. This flag appears only as a result of programming.** |
| | *USDA Census of Agriculture |
| | **Great Plains Project |
| | ***ICPSR Study No. 3 Codebook |

Acknowledgements

These data files were produced with financial support from the National Institute of Child Health and Human Development through Grant No. R01 HD33554, as well as local funds provided by the Inter-university Consortium for Political and Social Research and by Southwest Minnesota State University.

A large number of individuals contributed to the production of these data. I especially wish to thank

Susana Adamo, Geoff Cunfer, Betsy Guzman, Michelle Butler, Delia Hagen, Eric Johnson, Susan Hautaniemi Leonard, William Myers, Andrés Peri, Sara Pullum, and Kenneth Sylvester

Bibliography of Sources

- Bureau of the Census. *Census of Agriculture, 1969 and 1974 - Combined File: NE, ND, SD, KS, MT, WY, CO, NM, OK, TX*. Electronic Files on CD-ROM, copied from original magnetic tapes. Washington, D.C.: The Bureau [producer and distributor], 1996.
- Bureau of the Census. *Census of Agriculture, 1969 and 1974 - Combined-Final, County and Misc. Data Files*. Electronic files on CD-ROM, copied from original magnetic tapes. Washington, D.C.: The Bureau [producer and distributor], 1997.
- Bureau of the Census. *Census of Agriculture, 1969 and 1974 - Combined-Final, County File*. Electronic Files on CD-ROM, copied from original magnetic tapes. Washington, D.C.: The Bureau [producer and distributor], 1997.
- Bureau of the Census. *Census of Agriculture, 1987 - Geographic Area Series: State and County Data Files*. Electronic Files on CD-ROM. Washington D.C.: The Bureau [producer and distributor], 1990.
- Bureau of the Census. *Census of Agriculture, 1992 - Geographic Area Series 1B: U.S. Summary and County Level Data*. Electronic Files on CD-ROM. Washington, D.C.: The Bureau [producer and distributor], 1993.
- U.S. Bureau of the Census. *County and City Data Book Consolidated File, County Data 1947-1977*. Washington, D.C.: The Bureau of the Census, 1978.
- Earle, Carville and Changyong Cao. *The Historical United States County Boundary Files 1850-1970*. Geoscience Publications: Baton Rouge, Department of Geography and Anthropology, Louisiana State University, 1991
- Earle, Carville, Changyong Cao, John Heppen and Samuel Otterstrom. *The Historical United States County Boundary Files 1790 – 1999 on CD-ROM*. Geoscience Publications: Louisiana State University, 1999 (Revised 2003).
- Economic Research Service, U.S. Department of Agriculture. *Census of Agriculture County Profiles, 1949-1982*. Electronic files on magnetic tape, 1989.
- Economic Research Service, U.S. Department of Agriculture. *Conservation Reserve Program Summary File, Signups 1-12 (1986-1993)*. 1995.
- Forstall, Richard L. *Population of States and Counties of the United States: 1790 to 1990*. U.S. Bureau of the Census, Washington, DC, 1996.
- Horan, Patrick and Peggy Hargis. *County Longitudinal Template, 1840-1990*. Inter-University Consortium for Political and Social Research (ICPSR) Study 6576.
- Inter-University Consortium for Political and Social Research . *Historical Demographic, Economic and Social Data: The United States, 1790-1970*. 1972.

- Thorndale, William and William Dollarhide. *Map Guide to the U.S. Federal Censuses, 1790-1920*. Baltimore, Genealogical Publishing Company, 1987
- U.S. Bureau of the Census. *Ninth Census of the United States, 1870 - A Compendium*. Washington, D.C.: Government Printing Office, 1872.
- . *Ninth Census of the United States, 1870 - Vol. III, The Statistics of the Wealth and Industry of the United States*. Washington, D.C.: Government Printing Office, 1872.
- . *Tenth Census of the United States, 1880 - The Area of the United States*. Washington, D.C.: Government Printing Office, 1881.
- . *Tenth Census of the United States, 1880 - Vol. III, Report on the Production of Agriculture*. Washington, D.C.: Government Printing Office, 1883.
- . *Eleventh Census of the United States, 1890 - Vol. V, Report on the Statistics of Agriculture*. Washington, D.C.: Government Printing Office, 1895.
- . *Eleventh Census of the United States, 1890 - Report on Agriculture by Irrigation in the Western Part of the United States*. Washington, D.C.: Government Printing Office, 1895.
- . *Twelfth Census of the United States, 1900 - Vol. V, Agriculture of the United States*. Washington, D.C.: Government Printing Office, 1902.
- . *Twelfth Census of the United States, 1900 - Vol. VI, Agriculture of the United States*. Washington, D.C.: Government Printing Office, 1902.
- . *Thirteenth Census of the United States, 1910 - Vol. VI, Agriculture*. Washington, D.C.: Government Printing Office, 1915.
- . *Thirteenth Census of the United States, 1910 - Vol. VII, Agriculture*. Washington, D.C.: Government Printing Office, 1915.
- . *Fourteenth Census of the United States, 1920 - Vol. VI, Agriculture*. Washington, D.C.: Government Printing Office, 1922.
- . *Fifteenth Census of the United States, 1930 - Agriculture, Vol. I*. Washington, D.C.: Government Printing Office, 1931.
- . *Fifteenth Census of the United States, 1930 - Agriculture, Vol. II*. Washington, D.C.: Government Printing Office, 1932.
- . *Fifteenth Census of the United States, 1930 - Agriculture, Vol. III*. Washington, D.C.: Government Printing Office, 1932.
- . *Fifteenth Census of the United States, 1930 - Irrigation of Agricultural Lands*.

- Washington, D.C.: Government Printing Office, 1933.
- . *Sixteenth Census of the United States, 1940 - Abandoned or Idle Farms*. Washington, D.C.: Government Printing Office, 1943.
- . *Sixteenth Census of the United States, 1940 - Agriculture, Cows Milked and Dairy Products*. Washington, D.C.: Government Printing Office, 1942.
- . *Sixteenth Census of the United States, 1940 - Agriculture, Cross-Line Acreage*. Washington, D.C.: Government Printing Office, 1943.
- . *Sixteenth Census of the United States, 1940 - Agriculture, Drainage of Agricultural Lands*. Washington, D.C.: Government Printing Office, 1942.
- . *Sixteenth Census of the United States, 1940 - Agriculture, Vol. I*. Washington, D.C.: Government Printing Office, 1942.
- . *Sixteenth Census of the United States, 1940 - Agriculture, Vol. II*. Washington, D.C.: Government Printing Office, 1942.
- . *Sixteenth Census of the United States, 1940 - Irrigation of Agricultural Lands*. Washington, D.C.: Government Printing Office, 1942.
- . *United States Census of Agriculture, 1925*. Washington, D.C.: Government Printing Office, 1926.
- . *United States Census of Agriculture, 1935 - Vol. I*. Washington, D.C.: Government Printing Office, 1936.
- . *United States Census of Agriculture, 1935 - Vol. II*. Washington, D.C.: Government Printing Office, 1936.
- . *United States Census of Agriculture, 1945 - Vol. I*. Washington, D.C.: Government Printing Office, 1946.
- . *United States Census of Agriculture, 1950 - Vol. I*. Washington, D.C.: Government Printing Office, 1952.
- . *United States Census of Agriculture, 1954 - Vol. I*. Washington, D.C.: Government Printing Office, 1956.
- . *United States Census of Agriculture, 1959 - Vol. I*. Washington, D.C.: Government Printing Office, 1961.
- . *United States Census of Agriculture, 1964 - Vol. I*. Washington, D.C.: Government Printing Office, 1967.
- . *United States Census of Agriculture, 1969 - Vol. I*. Washington, D.C.: Government Printing Office, 1972.

- . *United States Census of Agriculture, 1974 - Vol. I*. Washington, D.C.: Government Printing Office, 1977.
- . *United States Census of Agriculture, 1978 - Vol. I*. Washington, D.C.: Government Printing Office, 1981.
- . *United States Census of Agriculture, 1982 - Vol. I*. Washington, D.C.: Government Printing Office, 1984.
- . *United States Census of Agriculture, 1987 - Vol. I*. Washington, D.C.: Government Printing Office, 1989.
- U.S. Department of Agriculture and the National Agricultural Statistics Service. *Census of Agriculture, 1997 - Vol. I: Geographic Area Series 1A State-Level Data*. Electronic Files on CD-ROM. Washington, D.C. 1999.
- U.S. Department of Agriculture and the National Agricultural Statistics Service. *Census of Agriculture, 1997 - Vol. I: Geographic Area Series 1B County-Level Data*. Electronic Files on CD-ROM. Washington, D.C.: 1999.
- U.S. Department of Agriculture and the National Agricultural Statistics Service. *Census of Agriculture, 1997 - Vol. I: Geographic Area Series 1C Adobe Acrobat PDF Files*. Electronic Files on CD-ROM. Washington, D.C.: 1999.
- U.S. Department of Commerce, Bureau of Foreign and Domestic Commerce. *Circulation of Farm Publications by States and Counties: Supplement to the Market Data Handbook of the United States*. Domestic Commerce Series, 30. Washington, D.C.: Government Printing Office, 1929.
- . *Consumer Market Data Handbook*. Domestic Commerce Series, 102. Washington, D.C.: U.S. Government Printing Office, 1939.
- . *General Consumer Market Statistics: Supplement No. 1 to the Market Data Handbook of the United States*. Domestic Commerce Series, 56. Washington, D.C.: Government Printing Office, 1932.
- U.S. Department of Commerce, Bureau of the Census. *County Statistics File 3 (CO-STAT3) - ICPSR Study 9168*. Ver. First ICPSR Edition. 1989.
- U.S. Department of Commerce, Bureau of the Census. *USA Counties 1996 (CO-STAT96)*. Machine-readable data files on CD-ROM. Washington, D.C.: Bureau of the Census, 1996.

Agricultural Data Codebook

Contents:

Table 1. Agricultural Variables by Category

Data Codebook

Table 2. Agricultural Variables Sources

Table 1. Agricultural Variables by Category, lists the variables in the data file, with the variable name assigned by the Great Plains Project in the first column and a longer variable description taken from the original source in the second column. This description preserves the relationships of items in the original source tables. The variables are grouped into the following categories:

- Grains and Hay
- Row Crops and Vegetables
- Land
- Inputs
- Livestock, Poultry and Dairy
- Market Value

Within each category variables are listed in the order they are found in the source (generally Volume, Table and then order within the Table). Variables are presented in the same order in the Data Codebook and in Table 2.

Data Codebook provides fuller descriptions of each variable, including:

- Variable name
- Brief variable description (which also serves as the variable label)
- Full description from the original source
- Variable source
- Additional notes about the variable not contained in the descriptions
- Summary statistics

Table 2. Agricultural Variables Sources, provides the full name of the source table where applicable, information on variables created by the Great Plains Project, the name of the source (generally the Census Volume), and the organization that keyed the data. Full bibliographic citations are listed above.

Table 1. Agricultural Variables by Category

| Name | Description |
|--|---|
| Grains and Hay Variables | |
| HAY_XH_T | Hay: All Types: Tons |
| HAY_XH_A | Hay: All Types: Acres |
| HAY_KT_A | Wild, Salt and Prairie Grasses: Acres |
| HAY_KT_T | Wild, Salt and Prairie Grasses: Tons |
| HAY_KV_A | Millet and Hungarian Grasses: Acres |
| HAY_KV_T | Millet and Hungarian Grasses: Tons |
| HAY_KL_A | Alfalfa, or Lucern: Acres |
| HAY_KL_T | Alfalfa, or Lucern: Tons |
| HAY_KR_A | Clover: Acres |
| HAY_KR_T | Clover: Tons |
| HAY_KW_T | Other Tame and Cultivated Grasses: Tons |
| HAY_KW_A | Other Tame and Cultivated Grasses: Acres |
| HAY_KY_T | Grains Cut Green for Hay: Tons |
| HAY_KY_A | Grains Cut Green for Hay: Acres |
| CRO_FP_T | Forage Crops: Sown for forage: Tons |
| CRO_FP_A | Forage Crops: Sown for forage: Acres |
| FLX_XH_A | Flaxseed: Acres |
| FLX_XH_B | Flaxseed: Bushels |
| BAR_XH_A | Barley: Acres |
| BAR_XH_B | Barley: Bushels |
| BWT_XH_B | Buckwheat: Bushels |
| BWT_XH_A | Buckwheat: Acres |
| OAT_XH_B | Oats: Bushels |
| OAT_XH_A | Oats: Acres |
| RYE_XH_A | Rye: Acres |
| RYE_XH_B | Rye: Bushels |
| WHT_XH_A | Wheat: Acres |
| WHT_XH_B | Wheat: Bushels |
| Row Crops and Vegetable Variables | |
| COT_XH_A | Cotton: Reported by Farmers: Acres |
| COT_XH_C | Cotton: Reported by Farmers: Fiber: 500 Pound Bales |
| BEA_XH_A | Beans: Acres |
| BEA_XH_B | Beans: Bushels |
| PEA_XH_B | Pease: Bushels |
| PEA_XH_A | Pease: Acres |
| PNT_XH_B | Peanuts: Bushels |
| PNT_XH_A | Peanuts: Acres |
| SRG_MH_A | Sorghum Cane and Products: Acres |
| BET_XH_T | Sugar Beets: Tons |
| BET_XH_A | Sugar Beets: Acres |
| VEG_XH_A | Miscellaneous Vegetables: Acres |
| POT_XH_B | Potatoes: Bushels |
| POT_XH_A | Potatoes: Acres |
| CRN_GH_B | Corn: Bushels |
| CRN_GH_A | Corn: Acres |
| SRG_GH_A | Kafir Corn: Acres |
| SRG_GH_B | Kafir Corn: Bushels |

| Land Variables | |
|--|--|
| FRM_XX_Q | All Farms: Number |
| SIZ_AX_A | All Farms: Average Size in Acres |
| FRM_SA_Q | All Farms: Classified According to Acreage: Under 3 Acres: Number |
| FRM_SB_Q | All Farms: Classified According to Acreage: 3 and Under 10 Acres: Number |
| FRM_SC_Q | All Farms: Classified According to Acreage: 10 and Under 20 Acres: Number |
| FRM_SD_Q | All Farms: Classified According to Acreage: 20 and Under 50 Acres: Number |
| FRM_SE_Q | All Farms: Classified According to Acreage: 50 and Under 100 Acres: Number |
| FRM_SF_Q | All Farms: Classified According to Acreage: 100 and Under 175 Acres: Number |
| FRM_SG_Q | All Farms: Classified According to Acreage: 175 and Under 260 Acres: Number |
| FRM_SH_Q | All Farms: Classified According to Acreage: 260 and Under 500 Acres: Number |
| FRM_SI_Q | All Farms: Classified According to Acreage: 500 and Under 1000 Acres: Number |
| FRM_SL_Q | All Farms: Classified According to Acreage: 1000 Acres and Over: Number |
| FRM_OX_Q | All Farms: Classified by Tenure: Owners: Number |
| FRM_OP_Q | All Farms: Classified by Tenure: Part Owners: Number |
| FRM_MX_Q | All Farms: Classified by Tenure: Managers: Number |
| FRM_TC_Q | All Farms: Classified by Tenure: Cash Tenants: Number |
| FRM_TT_Q | All Farms: Classified by Tenure: Share Tenants: Number |
| FRM_XW_Q | Farms of White Farmers: Number |
| FRM_OW_Q | Farms of White Farmers: Classified by Tenure: Owners: Number |
| FRM_MW_Q | Farms of White Farmers: Classified by Tenure: Managers: Number |
| FRM_XN_Q | Farms of Colored Farmers: Number |
| FRM_ON_Q | Farms of Colored Farmers: Classified by Tenure: Owners: Number |
| FRM_MN_Q | Farms of Colored Farmers: Classified by Tenure: Managers: Number |
| FRM_BX_Q | Number of Farms: With Buildings |
| FML_XX_A | Acres in Farms: Total |
| IML_XX_A | Acres in Farms: Improved |
| UNL_XX_A | Acres in Farms: Unimproved |
| ARE_XX_A | Land Area: Acres |
| Input Variables | |
| IMP_XX_V | Value of Farm Property: Implements and Machinery: Dollars |
| LAB_XX_V | Expenditures: Labor: Dollar |
| FRT_BX_V | Expenditures: Fertilizer: Dollars |
| Livestock, Poultry, and Dairy Variables | |
| CTL_XU_Q | Neat Cattle: Calves Under 1 Year: Number |
| CTL_SV_Q | Neat Cattle: Steers 1 and Under 2 Years: Number |
| CTL_ST_Q | Neat Cattle: Steers 2 and Under 3 Years: Number |
| CTL_SX_Q | Neat Cattle: Steers 3 Years and Over: Number |
| CTL_BX_Q | Neat Cattle: Bulls 1 Year and Over: Number |
| CTL_HV_Q | Neat Cattle: Heifers 1 and Under 2 Years: Number |
| CTL_MX_Q | Neat Cattle: Dairy Cows 2 Years and Over: Number |
| CTL_LX_Q | Neat Cattle: Other Cows 2 Years and Over: Number |
| CTL_XX_Q | Neat Cattle: Total Number |
| HRS_XU_Q | Horses: Colts Under 1 Year: Number |
| HRS_XV_Q | Horses: Colts 1 and Under 2 Years: Number |
| HRS_XW_Q | Horses: 2 Years and Over: Number |
| HRS_XX_Q | Horses: Total: Number |
| MUL_XU_Q | Mules: Colts Under 1 Year: Number |
| MUL_XV_Q | Mules: Colts 1 and Under 2 Years: Number |
| MUL_XW_Q | Mules: 2 Years and Over: Number |
| MUL_XX_Q | Mules: Total: Number |

| Livestock, Poultry, and Dairy Variables, continued | |
|---|---|
| SHP_XU_Q | Sheep: Lambs Under 1 Year: Number |
| SHP_EX_Q | Sheep: Ewes 1 Year and Over: Number |
| SHP_RX_Q | Sheep: Rams and Wethers 1 Year and Over: Number |
| SHP_XX_Q | Sheep: Total Number |
| SWN_XX_Q | Swine, All Ages: Number |
| CTL_XN_Q | Neat Cattle: Total: Number |
| HRS_XN_Q | Horses: Total: Number |
| SWN_XN_Q | Swine, All Ages: Number |
| MLK_XX_G | Milk: Gallons Produced |
| BUT_XX_P | Butter: Pounds Made |
| CHS_XX_P | Cheese: Pounds Made |
| CHK_XX_Q | Poultry and Eggs: Number of Fowls 3 Months Old and Over, June 1, 1900: Chickens |
| EGG_XX_D | Poultry and Eggs: Dozens of Eggs Produced in 1899 |
| WOL_XX_F | Fleeces Shorn: Number |
| WOL_XX_P | Wool: Weight, in Pounds of Fleeces, Unwashed |
| Market Value Variables | |
| FML_XX_V | Value of Farm Property: Land and Improvements (Except Buildings): Dollars |
| BLD_XX_V | Value of Farm Property: Buildings: Dollars |
| STK_XX_V | Value of Farm Property: Live Stock: Dollars |
| AFP_XQ_V | Value of Farm Products Not Fed to Livestock: Dollars |

Codebook for ICPSR 04254

Great Plains Population and Environment Data: Agricultural Data

Dataset0004: 1900 Agricultural Data

Variable Variable Description

Please Note: The "(M)" to the right of the value indicates the code has been designated as a missing value.

NAME NAME

Start: 1
End: 50
Width: 50
Type: character (ISO)
Interval: discrete

UNFIPS State + county identifier

Start: 51
End: 55
Width: 5
Type: character (ISO)
Interval: discrete

GP Great Plains county status

Start: 56
End: 56
Width: 1
Type: numeric (ISO)
Interval: discrete

| <i>Valid</i> | <i>Min</i> | <i>Max</i> | <i>Mean</i> | <i>Stdev</i> |
|--------------|------------|------------|-------------|--------------|
| 889 | 0.00 | 1.00 | 0.46 | 0.50 |

HAY_XH_T Hay, tons

Start: 57
End: 63
Width: 7
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Hay: All Types: Tons
Twelfth Census of the United States, 1900 - Vol. VI, Section II, Sum

| <i>Value</i> | <i>Label</i> | <i>Frequency</i> | <i>%</i> |
|--------------|--------------------------------|------------------|----------|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|----------------------------|
| HAY_XH_T | Hay, tons (<i>cont.</i>) |
|----------|----------------------------|

| Value | Label | Frequency | % |
|--------|-------------------------------------|-----------|---|
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|-----------|----------|----------|
| 889 | -13.00 | 191240.00 | 29996.61 | 29897.88 |

| | |
|----------|------------|
| HAY_XH_A | Hay, acres |
|----------|------------|

Start: 64
 End: 70
 Width: 7
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Hay: All Types: Acres
 Twelfth Census of the United States, 1900 - Vol. VI, Section II, Sum

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|-----------|----------|----------|
| 889 | -13.00 | 194759.00 | 23083.23 | 24198.04 |

| | |
|----------|---------------------------------------|
| HAY_KT_A | Wild, salt and prairie grasses, acres |
|----------|---------------------------------------|

Start: 71
 End: 77

Wild, Salt and Prairie Grasses: Acres

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|--|
| HAY_KT_A | Wild, salt and prairie grasses, acres (<i>cont.</i>) |
|----------|--|

Width: 7
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Twelfth Census of the United States, 1900 - Vol. VI, Section II, Table 10

| <i>Value</i> | <i>Label</i> | <i>Frequency</i> | <i>%</i> | |
|--------------|-------------------------------------|------------------|-------------|--------------|
| -15 (M) | Sum with missing value(s) | - | - | |
| -14 | Result of merge | - | - | |
| -13 | Sum of missing values | - | - | |
| -11 | Recorded under another unit | - | - | |
| -10 | Included under another entry | - | - | |
| -9 | Special problems | - | - | |
| -8 | Illegible in published volumes | - | - | |
| -7 | Combined with 'all other' | - | - | |
| -5 | Not published for this unit | - | - | |
| -4 | Withheld for privacy | - | - | |
| -3 | Less than half of the unit reported | - | - | |
| -2 | Not available | - | - | |
| -1 (M) | Not applicable | - | - | |
| <i>Valid</i> | <i>Min</i> | <i>Max</i> | <i>Mean</i> | <i>Stdev</i> |
| 889 | -14.00 | 192147.00 | 14562.71 | 19816.76 |

| | |
|----------|--------------------------------------|
| HAY_KT_T | Wild, salt and prairie grasses, tons |
|----------|--------------------------------------|

Start: 78
 End: 84
 Width: 7
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Wild, Salt and Prairie Grasses: Tons

Twelfth Census of the United States, 1900 - Vol. VI, Section II, Table 10

| <i>Value</i> | <i>Label</i> | <i>Frequency</i> | <i>%</i> |
|--------------|--------------------------------|------------------|----------|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |

- ICPSR 04254 -

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|---|
| HAY_KT_T | Wild, salt and prairie grasses, tons (<i>cont.</i>) |
|----------|---|

| <i>Value</i> | <i>Label</i> | <i>Frequency</i> | <i>%</i> |
|--------------|-------------------------------------|------------------|----------|
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| <i>Valid</i> | <i>Min</i> | <i>Max</i> | <i>Mean</i> | <i>Stdev</i> |
|--------------|------------|------------|-------------|--------------|
| 889 | -14.00 | 187901.00 | 16309.96 | 21182.53 |

| | |
|----------|-------------------------------------|
| HAY_KV_A | Millet and Hungarian grasses, acres |
|----------|-------------------------------------|

Start: 85
 End: 90
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Millet and Hungarian Grasses: Acres
 Twelfth Census of the United States, 1900 - Vol. VI, Section II, Table 10

| <i>Value</i> | <i>Label</i> | <i>Frequency</i> | <i>%</i> |
|--------------|-------------------------------------|------------------|----------|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| <i>Valid</i> | <i>Min</i> | <i>Max</i> | <i>Mean</i> | <i>Stdev</i> |
|--------------|------------|------------|-------------|--------------|
| 889 | -14.00 | 15723.00 | 1319.69 | 2009.30 |

| | |
|----------|------------------------------------|
| HAY_KV_T | Millet and Hungarian grasses, tons |
|----------|------------------------------------|

Start: 91
 End: 96
 Width: 6
 Type: numeric (ISO)

Millet and Hungarian Grasses: Tons
 Twelfth Census of the United States, 1900 - Vol. VI, Section II, Table 10

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|---|
| HAY_KV_T | Millet and Hungarian grasses, tons (<i>cont.</i>) |
|----------|---|

Interval: discrete
Missing: -15, -1, thru

| <i>Value</i> | <i>Label</i> | <i>Frequency</i> | <i>%</i> |
|--------------|-------------------------------------|------------------|----------|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| <i>Valid</i> | <i>Min</i> | <i>Max</i> | <i>Mean</i> | <i>Stdev</i> |
|--------------|------------|------------|-------------|--------------|
| 889 | -14.00 | 31506.00 | 2321.39 | 3736.22 |

| | |
|----------|----------------|
| HAY_KL_A | Alfalfa, acres |
|----------|----------------|

Start: 97
End: 102
Width: 6
Type: numeric (ISO)
Interval: discrete
Missing: -15, -1, thru

Alfalfa, or Lucern: Acres
Twelfth Census of the United States, 1900 - Vol. VI, Section II, Table 10

| <i>Value</i> | <i>Label</i> | <i>Frequency</i> | <i>%</i> |
|--------------|--------------------------------|------------------|----------|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|---------------------------------|
| HAY_KL_A | Alfalfa, acres (<i>cont.</i>) |
|----------|---------------------------------|

| Value | Label | Frequency | % |
|--------|-------------------------------------|-----------|---|
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|----------|---------|---------|
| 889 | -14.00 | 80147.00 | 1222.91 | 4360.02 |

| | |
|----------|---------------|
| HAY_KL_T | Alfalfa, tons |
|----------|---------------|

Start: 103
 End: 109
 Width: 7
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Alfalfa, or Lucern: Tons
 Twelfth Census of the United States, 1900 - Vol. VI, Section II, Table 10

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|-----------|---------|---------|
| 889 | -14.00 | 148866.00 | 2921.09 | 9981.70 |

| | |
|----------|---------------|
| HAY_KR_A | Clover, acres |
|----------|---------------|

Start: 110
 End: 115
 Width: 6
 Type: numeric (ISO)
 Interval: discrete

Clover: Acres
 Twelfth Census of the United States, 1900 - Vol. VI, Section II, Table 10

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|--------------------------------|
| HAY_KR_A | Clover, acres (<i>cont.</i>) |
|----------|--------------------------------|

Missing: -15, -1, thru

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|----------|--------|---------|
| 889 | -14.00 | 11606.00 | 503.18 | 1476.22 |

| | |
|----------|--------------|
| HAY_KR_T | Clover, tons |
|----------|--------------|

Start: 116
 End: 121
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Clover: Tons
 Twelfth Census of the United States, 1900 - Vol. VI, Section II, Table 10

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| HAY_KR_T | Clover, tons (<i>cont.</i>) |
|----------|-------------------------------|
|----------|-------------------------------|

| <i>Value</i> | <i>Label</i> | <i>Frequency</i> | <i>%</i> | |
|--------------|----------------|------------------|-------------|--------------|
| -2 | Not available | - | - | |
| -1 (M) | Not applicable | - | - | |
| <i>Valid</i> | <i>Min</i> | <i>Max</i> | <i>Mean</i> | <i>Stdev</i> |
| 889 | -14.00 | 15633.00 | 768.90 | 2153.94 |

| HAY_KW_T | Other tame and cultivated grasses, tons |
|----------|---|
|----------|---|

Start: 122
 End: 127
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Other Tame and Cultivated Grasses: Tons
 Twelfth Census of the United States, 1900 - Vol. VI, Section II, Table 10

| <i>Value</i> | <i>Label</i> | <i>Frequency</i> | <i>%</i> | |
|--------------|-------------------------------------|------------------|-------------|--------------|
| -15 (M) | Sum with missing value(s) | - | - | |
| -14 | Result of merge | - | - | |
| -13 | Sum of missing values | - | - | |
| -11 | Recorded under another unit | - | - | |
| -10 | Included under another entry | - | - | |
| -9 | Special problems | - | - | |
| -8 | Illegible in published volumes | - | - | |
| -7 | Combined with 'all other' | - | - | |
| -5 | Not published for this unit | - | - | |
| -4 | Withheld for privacy | - | - | |
| -3 | Less than half of the unit reported | - | - | |
| -2 | Not available | - | - | |
| -1 (M) | Not applicable | - | - | |
| <i>Valid</i> | <i>Min</i> | <i>Max</i> | <i>Mean</i> | <i>Stdev</i> |
| 889 | -14.00 | 80199.00 | 6742.69 | 14331.41 |

| HAY_KW_A | Other tame and cultivated grasses, acres |
|----------|--|
|----------|--|

Start: 128
 End: 133
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Other Tame and Cultivated Grasses: Acres
 Twelfth Census of the United States, 1900 - Vol. VI, Section II, Table 10

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|---|
| HAY_KW_A | Other tame and cultivated grasses, acres (<i>cont.</i>) |
|----------|---|

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|----------|---------|----------|
| 889 | -14.00 | 75481.00 | 4931.19 | 10650.08 |

| | |
|----------|------------------------|
| HAY_KY_T | Grains cut green, tons |
|----------|------------------------|

Start: 134
 End: 139
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Grains Cut Green for Hay: Tons
 Twelfth Census of the United States, 1900 - Vol. VI, Section II, Table 10

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| HAY_KY_T | Grains cut green, tons (<i>cont.</i>) |
|----------|---|
|----------|---|

| Value | Label | Frequency | % |
|--------|----------------|-----------|---|
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|----------|--------|---------|
| 889 | -14.00 | 19202.00 | 931.96 | 1696.32 |

| HAY_KY_A | Grains cut green, acres |
|----------|-------------------------|
|----------|-------------------------|

Start: 140
 End: 144
 Width: 5
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Grains Cut Green for Hay: Acres
 Twelfth Census of the United States, 1900 - Vol. VI, Section II, Table 10

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|---------|--------|--------|
| 889 | -14.00 | 8743.00 | 542.91 | 912.49 |

| CRO_FP_T | Forage crops, tons |
|----------|--------------------|
|----------|--------------------|

Start: 145
 End: 151
 Width: 7
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Forage Crops: Sown for forage: Tons
 Twelfth Census of the United States, 1900 - Vol. VI, Section II, Table 10

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|-------------------------------------|
| CRO_FP_T | Forage crops, tons (<i>cont.</i>) |
|----------|-------------------------------------|

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|-----------|---------|----------|
| 889 | -14.00 | 165688.00 | 5546.34 | 13419.58 |

| | |
|----------|---------------------|
| CRO_FP_A | Forage crops, acres |
|----------|---------------------|

Start: 152
 End: 157
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Forage Crops: Sown for forage: Acres
 Twelfth Census of the United States, 1900 - Vol. VI, Section II, Table 10

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|--------------------------------------|
| CRO_FP_A | Forage crops, acres (<i>cont.</i>) |
|----------|--------------------------------------|

| Value | Label | Frequency | % |
|--------|----------------|-----------|---|
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|----------|---------|---------|
| 889 | -14.00 | 68447.00 | 2333.45 | 5142.39 |

| | |
|----------|-----------------|
| FLX_XH_A | Flaxseed, acres |
|----------|-----------------|

Start: 158
 End: 163
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Flaxseed: Acres
 Twelfth Census of the United States, 1900 - Vol. VI, Section IV, Table 14

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|----------|---------|---------|
| 889 | -14.00 | 74200.00 | 2213.56 | 6971.69 |

| | |
|----------|-------------------|
| FLX_XH_B | Flaxseed, bushels |
|----------|-------------------|

Start: 164
 End: 170
 Width: 7
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Flaxseed: Bushels
 Twelfth Census of the United States, 1900 - Vol. VI, Section IV, Table 14

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|------------------------------------|
| FLX_XH_B | Flaxseed, bushels (<i>cont.</i>) |
|----------|------------------------------------|

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|-----------|----------|----------|
| 889 | -14.00 | 860980.00 | 21367.42 | 69941.87 |

| | |
|----------|---------------|
| BAR_XH_A | Barley, acres |
|----------|---------------|

Start: 171
 End: 176
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Barley: Acres
 Twelfth Census of the United States, 1900 - Vol. VI, Section I, Table 55

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

BAR_XH_A Barley, acres (*cont.*)

| Value | Label | Frequency | % |
|--------|----------------|-----------|---|
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|----------|---------|---------|
| 889 | -14.00 | 72492.00 | 2667.42 | 7437.79 |

BAR_XH_B Barley, bushels

Start: 177
 End: 184
 Width: 8
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Barley: Bushels
 Twelfth Census of the United States, 1900 - Vol. VI, Section I, Table 55

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|------------|----------|-----------|
| 889 | -14.00 | 2032280.00 | 69203.90 | 204631.86 |

BWT_XH_B Buckwheat, bushels

Start: 185
 End: 190
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Buckwheat: Bushels
 Twelfth Census of the United States, 1900 - Vol. VI, Section I, Table 55

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|-------------------------------------|
| BWT_XH_B | Buckwheat, bushels (<i>cont.</i>) |
|----------|-------------------------------------|

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|----------|--------|---------|
| 889 | -14.00 | 12930.00 | 306.40 | 1055.00 |

| | |
|----------|------------------|
| BWT_XH_A | Buckwheat, acres |
|----------|------------------|

Start: 191
 End: 195
 Width: 5
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Buckwheat: Acres
 Twelfth Census of the United States, 1900 - Vol. VI, Section I, Table 55

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|-----------------------------------|
| BWT_XH_A | Buckwheat, acres (<i>cont.</i>) |
|----------|-----------------------------------|

| Value | Label | Frequency | % |
|--------|----------------|-----------|---|
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|---------|-------|-------|
| 889 | -14.00 | 1123.00 | 27.99 | 90.80 |

| | |
|----------|---------------|
| OAT_XH_B | Oats, bushels |
|----------|---------------|

Start: 196
 End: 203
 Width: 8
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Oats: Bushels
 Twelfth Census of the United States, 1900 - Vol. VI, Section I, Table 55

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|------------|-----------|-----------|
| 889 | -14.00 | 4188380.00 | 455159.29 | 716533.87 |

| | |
|----------|-------------|
| OAT_XH_A | Oats, acres |
|----------|-------------|

Start: 204
 End: 210
 Width: 7
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Oats: Acres
 Twelfth Census of the United States, 1900 - Vol. VI, Section I, Table 55

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

OAT_XH_A Oats, acres (*cont.*)

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|-----------|----------|----------|
| 889 | -14.00 | 114452.00 | 14054.65 | 20163.59 |

RYE_XH_A Rye, acres

Start: 211
 End: 216
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Rye: Acres
 Twelfth Census of the United States, 1900 - Vol. VI, Section I, Table 55

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|-----------------------------|
| RYE_XH_A | Rye, acres (<i>cont.</i>) |
|----------|-----------------------------|

| Value | Label | Frequency | % | |
|--------|----------------|-----------|--------|---------|
| -2 | Not available | - | - | |
| -1 (M) | Not applicable | - | - | |
| Valid | Min | Max | Mean | Stdev |
| 889 | -14.00 | 14003.00 | 615.99 | 1404.86 |

| | |
|----------|--------------|
| RYE_XH_B | Rye, bushels |
|----------|--------------|

Start: 217
 End: 223
 Width: 7
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Rye: Bushels
 Twelfth Census of the United States, 1900 - Vol. VI, Section I, Table 55

| Value | Label | Frequency | % | |
|---------|-------------------------------------|-----------|---------|----------|
| -15 (M) | Sum with missing value(s) | - | - | |
| -14 | Result of merge | - | - | |
| -13 | Sum of missing values | - | - | |
| -11 | Recorded under another unit | - | - | |
| -10 | Included under another entry | - | - | |
| -9 | Special problems | - | - | |
| -8 | Illegible in published volumes | - | - | |
| -7 | Combined with 'all other' | - | - | |
| -5 | Not published for this unit | - | - | |
| -4 | Withheld for privacy | - | - | |
| -3 | Less than half of the unit reported | - | - | |
| -2 | Not available | - | - | |
| -1 (M) | Not applicable | - | - | |
| Valid | Min | Max | Mean | Stdev |
| 889 | -14.00 | 200140.00 | 7579.28 | 17677.54 |

| | |
|----------|--------------|
| WHT_XH_A | Wheat, acres |
|----------|--------------|

Start: 224
 End: 230
 Width: 7
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Wheat: Acres
 Twelfth Census of the United States, 1900 - Vol. VI, Section I, Table 55

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|-------------------------------|
| WHT_XH_A | Wheat, acres (<i>cont.</i>) |
|----------|-------------------------------|

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|-----------|----------|----------|
| 889 | -14.00 | 570620.00 | 28999.93 | 54158.11 |

| | |
|----------|----------------|
| WHT_XH_B | Wheat, bushels |
|----------|----------------|

Start: 231
 End: 238
 Width: 8
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Wheat: Bushels
 Twelfth Census of the United States, 1900 - Vol. VI, Section I, Table 55

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

WHT_XH_B Wheat, bushels (*cont.*)

| <i>Value</i> | <i>Label</i> | <i>Frequency</i> | <i>%</i> |
|--------------|----------------|------------------|----------|
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| <i>Valid</i> | <i>Min</i> | <i>Max</i> | <i>Mean</i> | <i>Stdev</i> |
|--------------|------------|------------|-------------|--------------|
| 889 | -14.00 | 8873390.00 | 362608.09 | 734266.82 |

COT_XH_A Cotton, acres

Start: 239
 End: 245
 Width: 7
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Cotton: Reported by Farmers: Acres
 Twelfth Census of the United States, 1900 - Vol. VI, Section IV, Table 10

| <i>Value</i> | <i>Label</i> | <i>Frequency</i> | <i>%</i> |
|--------------|-------------------------------------|------------------|----------|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| <i>Valid</i> | <i>Min</i> | <i>Max</i> | <i>Mean</i> | <i>Stdev</i> |
|--------------|------------|------------|-------------|--------------|
| 889 | -14.00 | 197828.00 | 8097.04 | 25236.10 |

COT_XH_C Cotton, bales

Start: 246
 End: 251
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Cotton: Reported by Farmers: Fiber: 500 Pound Bales
 Twelfth Census of the United States, 1900 - Vol. VI, Section IV, Table 10

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|--------------------------------|
| COT_XH_C | Cotton, bales (<i>cont.</i>) |
|----------|--------------------------------|

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|----------|---------|----------|
| 889 | -14.00 | 91298.00 | 2985.33 | 10110.88 |

| | |
|----------|--------------------|
| BEA_XH_A | Beans (dry), acres |
|----------|--------------------|

Start: 252
 End: 256
 Width: 5
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Beans: Acres
 Twelfth Census of the United States, 1900 - Vol. VI, Section VI, Table 10

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| BEA_XH_A | Beans (dry), acres (<i>cont.</i>) |
|----------|-------------------------------------|
|----------|-------------------------------------|

| <i>Value</i> | <i>Label</i> | <i>Frequency</i> | <i>%</i> | |
|--------------|----------------|------------------|-------------|--------------|
| -2 | Not available | - | - | |
| -1 (M) | Not applicable | - | - | |
| <i>Valid</i> | <i>Min</i> | <i>Max</i> | <i>Mean</i> | <i>Stdev</i> |
| 889 | -14.00 | 1078.00 | 19.19 | 64.70 |

| BEA_XH_B | Beans (dry), bushels |
|----------|----------------------|
|----------|----------------------|

Start: 257
 End: 262
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Beans: Bushels
 Twelfth Census of the United States, 1900 - Vol. VI, Section VI, Table 10

| <i>Value</i> | <i>Label</i> | <i>Frequency</i> | <i>%</i> | |
|--------------|-------------------------------------|------------------|-------------|--------------|
| -15 (M) | Sum with missing value(s) | - | - | |
| -14 | Result of merge | - | - | |
| -13 | Sum of missing values | - | - | |
| -11 | Recorded under another unit | - | - | |
| -10 | Included under another entry | - | - | |
| -9 | Special problems | - | - | |
| -8 | Illegible in published volumes | - | - | |
| -7 | Combined with 'all other' | - | - | |
| -5 | Not published for this unit | - | - | |
| -4 | Withheld for privacy | - | - | |
| -3 | Less than half of the unit reported | - | - | |
| -2 | Not available | - | - | |
| -1 (M) | Not applicable | - | - | |
| <i>Valid</i> | <i>Min</i> | <i>Max</i> | <i>Mean</i> | <i>Stdev</i> |
| 889 | -14.00 | 14742.00 | 203.25 | 757.85 |

| PEA_XH_B | Peas (dry), bushels |
|----------|---------------------|
|----------|---------------------|

Start: 263
 End: 268
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Pease: Bushels
 Twelfth Census of the United States, 1900 - Vol. VI, Section VI, Table 10

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|--------------------------------------|
| PEA_XH_B | Peas (dry), bushels (<i>cont.</i>) |
|----------|--------------------------------------|

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|----------|--------|---------|
| 889 | -14.00 | 31300.00 | 544.80 | 2435.28 |

| | |
|----------|-------------------|
| PEA_XH_A | Peas (dry), acres |
|----------|-------------------|

Start: 269
 End: 273
 Width: 5
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Pease: Acres
 Twelfth Census of the United States, 1900 - Vol. VI, Section VI, Table 10

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|------------------------------------|
| PEA_XH_A | Peas (dry), acres (<i>cont.</i>) |
|----------|------------------------------------|

| Value | Label | Frequency | % |
|--------|----------------|-----------|---|
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|---------|-------|--------|
| 889 | -14.00 | 2648.00 | 48.78 | 224.08 |

| | |
|----------|------------------|
| PNT_XH_B | Peanuts, bushels |
|----------|------------------|

Start: 274
 End: 279
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Peanuts: Bushels
 Twelfth Census of the United States, 1900 - Vol. VI, Section VI, Table 10

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|----------|--------|---------|
| 889 | -14.00 | 19137.00 | 265.61 | 1180.77 |

| | |
|----------|----------------|
| PNT_XH_A | Peanuts, acres |
|----------|----------------|

Start: 280
 End: 283
 Width: 4
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Peanuts: Acres
 Twelfth Census of the United States, 1900 - Vol. VI, Section VI, Table 10

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

PNT_XH_A Peanuts, acres (*cont.*)

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|--------|-------|-------|
| 889 | -14.00 | 918.00 | 13.22 | 66.84 |

SRG_MH_A Sorghum cane, acres

Start: 284
 End: 288
 Width: 5
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Sorghum Cane and Products: Acres
 Twelfth Census of the United States, 1900 - Vol. VI, Section V, Table 15

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|--------------------------------------|
| SRG_MH_A | Sorghum cane, acres (<i>cont.</i>) |
|----------|--------------------------------------|

| Value | Label | Frequency | % |
|--------|----------------|-----------|---|
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|---------|-------|--------|
| 889 | -14.00 | 1840.00 | 80.27 | 171.24 |

| | |
|----------|-------------------|
| BET_XH_T | Sugar beets, tons |
|----------|-------------------|

Start: 289
 End: 294
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Sugar Beets: Tons
 Twelfth Census of the United States, 1900 - Vol. VI, Section V, Table 15

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|----------|-------|---------|
| 889 | -14.00 | 31168.00 | 97.94 | 1160.73 |

| | |
|----------|--------------------|
| BET_XH_A | Sugar beets, acres |
|----------|--------------------|

Start: 295
 End: 299
 Width: 5
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Sugar Beets: Acres
 Twelfth Census of the United States, 1900 - Vol. VI, Section V, Table 15

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|-------------------------------------|
| BET_XH_A | Sugar beets, acres (<i>cont.</i>) |
|----------|-------------------------------------|

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|---------|-------|--------|
| 889 | -14.00 | 4251.00 | 12.14 | 164.05 |

| | |
|----------|--------------------------|
| VEG_XH_A | Vegetables, other, acres |
|----------|--------------------------|

Start: 300
 End: 304
 Width: 5
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Miscellaneous Vegetables: Acres
 Twelfth Census of the United States, 1900 - Vol. VI, Section III, Table 22

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

Variable **Variable Description**

VEG_XH_A **Vegetables, other, acres (cont.)**

| <i>Value</i> | <i>Label</i> | <i>Frequency</i> | <i>%</i> |
|--------------|----------------|------------------|--------------|
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |
| <i>Valid</i> | <i>Min</i> | <i>Max</i> | <i>Mean</i> |
| 889 | -14.00 | 3530.00 | 409.19 |
| | | | <i>Stdev</i> |
| | | | 519.23 |

POT_XH_B **Potatoes, bushels**

Start: 305
 End: 312
 Width: 8
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Potatoes: Bushels
 Twelfth Census of the United States, 1900 - Vol. VI, Section III, Table 22

| <i>Value</i> | <i>Label</i> | <i>Frequency</i> | <i>%</i> |
|--------------|-------------------------------------|------------------|--------------|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |
| <i>Valid</i> | <i>Min</i> | <i>Max</i> | <i>Mean</i> |
| 889 | -14.00 | 2821285.00 | 68683.21 |
| | | | <i>Stdev</i> |
| | | | 144877.16 |

POT_XH_A **Potatoes, acres**

Start: 313
 End: 318
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Potatoes: Acres
 Twelfth Census of the United States, 1900 - Vol. VI, Section III, Table 22

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|----------------------------------|
| POT_XH_A | Potatoes, acres (<i>cont.</i>) |
|----------|----------------------------------|

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|----------|--------|---------|
| 889 | -14.00 | 23195.00 | 708.83 | 1310.72 |

| | |
|----------|-------------------------|
| CRN_GH_B | Corn for grain, bushels |
|----------|-------------------------|

Start: 319
 End: 326
 Width: 8
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Corn: Bushels
 Twelfth Census of the United States, 1900 - Vol. VI, Section I, Table 55

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| CRN_GH_B | Corn for grain, bushels (<i>cont.</i>) |
|----------|--|
|----------|--|

| <i>Value</i> | <i>Label</i> | <i>Frequency</i> | <i>%</i> |
|--------------|----------------|------------------|----------|
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| <i>Valid</i> | <i>Min</i> | <i>Max</i> | <i>Mean</i> | <i>Stdev</i> |
|--------------|------------|------------|-------------|--------------|
| 889 | -14.00 | 9914660.00 | 1187373.72 | 1724539.15 |

| CRN_GH_A | Corn for grain, acres |
|----------|-----------------------|
|----------|-----------------------|

Start: 327
 End: 333
 Width: 7
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Corn: Acres
 Twelfth Census of the United States, 1900 - Vol. VI, Section I, Table 55

| <i>Value</i> | <i>Label</i> | <i>Frequency</i> | <i>%</i> |
|--------------|-------------------------------------|------------------|----------|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| <i>Valid</i> | <i>Min</i> | <i>Max</i> | <i>Mean</i> | <i>Stdev</i> |
|--------------|------------|------------|-------------|--------------|
| 889 | -14.00 | 273410.00 | 38892.04 | 50187.32 |

| SRG_GH_A | Sorghum for grain, acres |
|----------|--------------------------|
|----------|--------------------------|

Start: 334
 End: 339
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Kafir Corn: Acres
 Twelfth Census of the United States, 1900 - Vol. VI, Section I, Table 58

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|---|
| SRG_GH_A | Sorghum for grain, acres (<i>cont.</i>) |
|----------|---|

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|----------|--------|---------|
| 889 | -14.00 | 18418.00 | 270.20 | 1227.87 |

| | |
|----------|----------------------------|
| SRG_GH_B | Sorghum for grain, bushels |
|----------|----------------------------|

Start: 340
 End: 346
 Width: 7
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Kafir Corn: Bushels
 Twelfth Census of the United States, 1900 - Vol. VI, Section I, Table 58

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

SRG_GH_B Sorghum for grain, bushels (*cont.*)

| Value | Label | Frequency | % |
|--------|----------------|-----------|---|
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|-----------|---------|----------|
| 889 | -14.00 | 358954.00 | 5259.93 | 25669.03 |

FRM_XX_Q Farms, number

Start: 347
 End: 351
 Width: 5
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

All Farms: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 10

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|---------|---------|---------|
| 889 | -14.00 | 7277.00 | 1402.60 | 1246.20 |

SIZ_AX_A Average farm size, acres

Start: 352
 End: 358
 Width: 7
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

All Farms: Average Size in Acres
 Twelfth Census of the United States, 1900 - Vol. V, Table 10

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|---|
| SIZ_AX_A | Average farm size, acres (<i>cont.</i>) |
|----------|---|

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|-----------|---------|----------|
| 889 | -14.00 | 450000.00 | 2689.94 | 18727.88 |

| | |
|----------|-----------------------------|
| FRM_SA_Q | Farms under 3 acres, number |
|----------|-----------------------------|

Start: 359
 End: 362
 Width: 4
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

All Farms: Classified According to Acreage: Under 3 Acres: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 10

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

Variable **Variable Description**

FRM_SA_Q Farms under 3 acres, number (*cont.*)

| <i>Value</i> | <i>Label</i> | <i>Frequency</i> | <i>%</i> | |
|--------------|----------------|------------------|-------------|--------------|
| -2 | Not available | - | - | |
| -1 (M) | Not applicable | - | - | |
| <i>Valid</i> | <i>Min</i> | <i>Max</i> | <i>Mean</i> | <i>Stdev</i> |
| 889 | -14.00 | 123.00 | 7.71 | 12.29 |

FRM_SB_Q Farms of 3-9 acres, number

Start: 363
 End: 366
 Width: 4
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

All Farms: Classified According to Acreage: 3 and Under 10 Acres: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 10

| <i>Value</i> | <i>Label</i> | <i>Frequency</i> | <i>%</i> | |
|--------------|-------------------------------------|------------------|-------------|--------------|
| -15 (M) | Sum with missing value(s) | - | - | |
| -14 | Result of merge | - | - | |
| -13 | Sum of missing values | - | - | |
| -11 | Recorded under another unit | - | - | |
| -10 | Included under another entry | - | - | |
| -9 | Special problems | - | - | |
| -8 | Illegible in published volumes | - | - | |
| -7 | Combined with 'all other' | - | - | |
| -5 | Not published for this unit | - | - | |
| -4 | Withheld for privacy | - | - | |
| -3 | Less than half of the unit reported | - | - | |
| -2 | Not available | - | - | |
| -1 (M) | Not applicable | - | - | |
| <i>Valid</i> | <i>Min</i> | <i>Max</i> | <i>Mean</i> | <i>Stdev</i> |
| 889 | -14.00 | 366.00 | 24.48 | 39.32 |

FRM_SC_Q Farms of 10-19 acres, number

Start: 367
 End: 370
 Width: 4
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

All Farms: Classified According to Acreage: 10 and Under 20 Acres: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 10

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|---|
| FRM_SC_Q | Farms of 10-19 acres, number (<i>cont.</i>) |
|----------|---|

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|--------|-------|-------|
| 889 | -14.00 | 503.00 | 41.82 | 72.90 |

| | |
|----------|------------------------------|
| FRM_SD_Q | Farms of 20-49 acres, number |
|----------|------------------------------|

Start: 371
 End: 375
 Width: 5
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

All Farms: Classified According to Acreage: 20 and Under 50 Acres: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 10

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

Variable **Variable Description**

FRM_SD_Q Farms of 20-49 acres, number (*cont.*)

| <i>Value</i> | <i>Label</i> | <i>Frequency</i> | <i>%</i> |
|--------------|----------------|------------------|--------------|
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |
| <i>Valid</i> | <i>Min</i> | <i>Max</i> | <i>Mean</i> |
| 889 | -14.00 | 3025.00 | 180.39 |
| | | | <i>Stdev</i> |
| | | | 357.24 |

FRM_SE_Q Farms of 50-99 acres, number

Start: 376
 End: 380
 Width: 5
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

All Farms: Classified According to Acreage: 50 and Under 100 Acres: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 10

| <i>Value</i> | <i>Label</i> | <i>Frequency</i> | <i>%</i> |
|--------------|-------------------------------------|------------------|--------------|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |
| <i>Valid</i> | <i>Min</i> | <i>Max</i> | <i>Mean</i> |
| 889 | -14.00 | 2511.00 | 261.90 |
| | | | <i>Stdev</i> |
| | | | 367.53 |

FRM_SF_Q Farms of 100-174 acres, number

Start: 381
 End: 385
 Width: 5
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

All Farms: Classified According to Acreage: 100 and Under 175 Acres: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 10

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|---|
| FRM_SF_Q | Farms of 100-174 acres, number (<i>cont.</i>) |
|----------|---|

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|---------|--------|--------|
| 889 | -14.00 | 5521.00 | 460.44 | 464.21 |

| | |
|----------|--------------------------------|
| FRM_SG_Q | Farms of 175-259 acres, number |
|----------|--------------------------------|

Start: 386
 End: 390
 Width: 5
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

All Farms: Classified According to Acreage: 175 and Under 260 Acres: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 10

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

Variable **Variable Description**

FRM_SG_Q Farms of 175-259 acres, number (*cont.*)

| <i>Value</i> | <i>Label</i> | <i>Frequency</i> | <i>%</i> |
|--------------|----------------|------------------|--------------|
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |
| <i>Valid</i> | <i>Min</i> | <i>Max</i> | <i>Mean</i> |
| 889 | -14.00 | 1060.00 | 160.01 |
| | | | <i>Stdev</i> |
| | | | 167.73 |

FRM_SH_Q Farms of 260-499 acres, number

Start: 391
 End: 395
 Width: 5
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

All Farms: Classified According to Acreage: 260 and Under 500 Acres: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 10

| <i>Value</i> | <i>Label</i> | <i>Frequency</i> | <i>%</i> |
|--------------|-------------------------------------|------------------|--------------|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |
| <i>Valid</i> | <i>Min</i> | <i>Max</i> | <i>Mean</i> |
| 889 | -14.00 | 1163.00 | 182.61 |
| | | | <i>Stdev</i> |
| | | | 173.03 |

FRM_SI_Q Farms of 500-999 acres, number

Start: 396
 End: 399
 Width: 4
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

All Farms: Classified According to Acreage: 500 and Under 1000 Acres: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 10

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|---|
| FRM_SI_Q | Farms of 500-999 acres, number (<i>cont.</i>) |
|----------|---|

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|--------|-------|-------|
| 889 | -14.00 | 522.00 | 53.48 | 60.81 |

| | |
|----------|-------------------------------------|
| FRM_SL_Q | Farms of 1000 acres or more, number |
|----------|-------------------------------------|

Start: 400
 End: 403
 Width: 4
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

All Farms: Classified According to Acreage: 1000 Acres and Over: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 10

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

Variable **Variable Description**

FRM_SL_Q Farms of 1000 acres or more, number (*cont.*)

| <i>Value</i> | <i>Label</i> | <i>Frequency</i> | <i>%</i> |
|--------------|----------------|------------------|--------------|
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |
| <i>Valid</i> | <i>Min</i> | <i>Max</i> | <i>Mean</i> |
| 889 | -14.00 | 271.00 | 28.66 |
| | | | <i>Stdev</i> |
| | | | 35.07 |

FRM_OX_Q Farms of owners, number

Start: 404
 End: 408
 Width: 5
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

All Farms: Classified by Tenure: Owners: Number
 Twelfth Census of the United States, 1900 - Vol. V, Sum

| <i>Value</i> | <i>Label</i> | <i>Frequency</i> | <i>%</i> |
|--------------|-------------------------------------|------------------|--------------|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |
| <i>Valid</i> | <i>Min</i> | <i>Max</i> | <i>Mean</i> |
| 889 | -13.00 | 5405.00 | 727.90 |
| | | | <i>Stdev</i> |
| | | | 640.93 |

FRM_OP_Q Farms of part owners, number

Start: 409
 End: 413
 Width: 5
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

All Farms: Classified by Tenure: Part Owners: Number
 Twelfth Census of the United States, 1900 - Vol. V, Sum

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|---|
| FRM_OP_Q | Farms of part owners, number (<i>cont.</i>) |
|----------|---|

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|---------|--------|--------|
| 889 | -14.00 | 1105.00 | 172.98 | 157.42 |

| | |
|----------|---------------------------|
| FRM_MX_Q | Farms of managers, number |
|----------|---------------------------|

Start: 414
 End: 416
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

All Farms: Classified by Tenure: Managers: Number
 Twelfth Census of the United States, 1900 - Vol. V, Sum

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| FRM_MX_Q | Farms of managers, number (<i>cont.</i>) |
|----------|--|
|----------|--|

| Value | Label | Frequency | % |
|--------|----------------|-----------|---|
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|-------|-------|-------|
| 889 | -13.00 | 94.00 | 13.00 | 11.85 |

| FRM_TC_Q | Farms rented for fixed money, number |
|----------|--------------------------------------|
|----------|--------------------------------------|

Start: 417
 End: 421
 Width: 5
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

All Farms: Classified by Tenure: Cash Tenants: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 10

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|---------|--------|--------|
| 889 | -14.00 | 1254.00 | 129.81 | 190.01 |

| FRM_TT_Q | Farms rented for shares of products, number |
|----------|---|
|----------|---|

Start: 422
 End: 426
 Width: 5
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

All Farms: Classified by Tenure: Share Tenants: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 10

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|--|
| FRM_TT_Q | Farms rented for shares of products, number (<i>cont.</i>) |
|----------|--|

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|---------|--------|--------|
| 889 | -14.00 | 4386.00 | 346.99 | 534.45 |

| | |
|----------|-------------------------|
| FRM_XW_Q | Farms of whites, number |
|----------|-------------------------|

Start: 427
 End: 431
 Width: 5
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Farms of White Farmers: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 10

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| FRM_XW_Q | Farms of whites, number (<i>cont.</i>) |
|----------|--|
|----------|--|

| Value | Label | Frequency | % | |
|--------|----------------|-----------|---------|---------|
| -2 | Not available | - | - | |
| -1 (M) | Not applicable | - | - | |
| Valid | Min | Max | Mean | Stdev |
| 889 | -14.00 | 7240.00 | 1316.40 | 1153.90 |

| FRM_OW_Q | Farms of white owners, number |
|----------|-------------------------------|
|----------|-------------------------------|

Start: 432
 End: 436
 Width: 5
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Farms of White Farmers: Classified by Tenure: Owners: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 10

| Value | Label | Frequency | % | |
|---------|-------------------------------------|-----------|--------|--------|
| -15 (M) | Sum with missing value(s) | - | - | |
| -14 | Result of merge | - | - | |
| -13 | Sum of missing values | - | - | |
| -11 | Recorded under another unit | - | - | |
| -10 | Included under another entry | - | - | |
| -9 | Special problems | - | - | |
| -8 | Illegible in published volumes | - | - | |
| -7 | Combined with 'all other' | - | - | |
| -5 | Not published for this unit | - | - | |
| -4 | Withheld for privacy | - | - | |
| -3 | Less than half of the unit reported | - | - | |
| -2 | Not available | - | - | |
| -1 (M) | Not applicable | - | - | |
| Valid | Min | Max | Mean | Stdev |
| 889 | -14.00 | 5377.00 | 698.79 | 625.69 |

| FRM_MW_Q | Farms of white managers, number |
|----------|---------------------------------|
|----------|---------------------------------|

Start: 437
 End: 439
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Farms of White Farmers: Classified by Tenure: Managers: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 10

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|--|
| FRM_MW_Q | Farms of white managers, number (<i>cont.</i>) |
|----------|--|

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|-------|-------|-------|
| 889 | -14.00 | 94.00 | 12.90 | 11.66 |

| | |
|----------|----------------------------|
| FRM_XN_Q | Farms of nonwhites, number |
|----------|----------------------------|

Start: 440
 End: 444
 Width: 5
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Farms of Colored Farmers: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 10

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

Variable **Variable Description**

FRM_XN_Q Farms of nonwhites, number (*cont.*)

| <i>Value</i> | <i>Label</i> | <i>Frequency</i> | <i>%</i> |
|--------------|----------------|------------------|--------------|
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |
| <i>Valid</i> | <i>Min</i> | <i>Max</i> | <i>Mean</i> |
| 889 | -14.00 | 2979.00 | 86.08 |
| | | | <i>Stdev</i> |
| | | | 289.81 |

FRM_ON_Q Farms of nonwhite owners, number

Start: 445
 End: 449
 Width: 5
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Farms of Colored Farmers: Classified by Tenure: Owners: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 10

| <i>Value</i> | <i>Label</i> | <i>Frequency</i> | <i>%</i> |
|--------------|-------------------------------------|------------------|--------------|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |
| <i>Valid</i> | <i>Min</i> | <i>Max</i> | <i>Mean</i> |
| 889 | -14.00 | 1045.00 | 29.04 |
| | | | <i>Stdev</i> |
| | | | 94.49 |

FRM_MN_Q Farms of nonwhite managers, number

Start: 450
 End: 452
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Farms of Colored Farmers: Classified by Tenure: Managers: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 10

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|---|
| FRM_MN_Q | Farms of nonwhite managers, number (<i>cont.</i>) |
|----------|---|

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|------|------|-------|
| 889 | -14.00 | 9.00 | 0.03 | 1.41 |

| | |
|----------|------------------------------|
| FRM_BX_Q | Farms with buildings, number |
|----------|------------------------------|

Start: 453
 End: 457
 Width: 5
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Number of Farms: With Buildings
 Twelfth Census of the United States, 1900 - Vol. V, Table 19

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|---|
| FRM_BX_Q | Farms with buildings, number (<i>cont.</i>) |
|----------|---|

| Value | Label | Frequency | % | |
|--------|----------------|-----------|---------|---------|
| -2 | Not available | - | - | |
| -1 (M) | Not applicable | - | - | |
| Valid | Min | Max | Mean | Stdev |
| 889 | -14.00 | 7105.00 | 1335.74 | 1188.04 |

| | |
|----------|----------------------|
| FML_XX_A | Land in farms, acres |
|----------|----------------------|

Start: 458
 End: 465
 Width: 8
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Acres in Farms: Total
 Twelfth Census of the United States, 1900 - Vol. V, Table 19

| Value | Label | Frequency | % | |
|---------|-------------------------------------|------------|-----------|-----------|
| -15 (M) | Sum with missing value(s) | - | - | |
| -14 | Result of merge | - | - | |
| -13 | Sum of missing values | - | - | |
| -11 | Recorded under another unit | - | - | |
| -10 | Included under another entry | - | - | |
| -9 | Special problems | - | - | |
| -8 | Illegible in published volumes | - | - | |
| -7 | Combined with 'all other' | - | - | |
| -5 | Not published for this unit | - | - | |
| -4 | Withheld for privacy | - | - | |
| -3 | Less than half of the unit reported | - | - | |
| -2 | Not available | - | - | |
| -1 (M) | Not applicable | - | - | |
| Valid | Min | Max | Mean | Stdev |
| 889 | -14.00 | 3500000.00 | 385952.15 | 307271.99 |

| | |
|----------|-------------------------------|
| IML_XX_A | Improved land in farms, acres |
|----------|-------------------------------|

Start: 466
 End: 472
 Width: 7
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Acres in Farms: Improved
 Twelfth Census of the United States, 1900 - Vol. V, Table 19

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

IML_XX_A Improved land in farms, acres (*cont.*)

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|-----------|-----------|-----------|
| 889 | -14.00 | 977951.00 | 160811.72 | 146616.71 |

UNL_XX_A Unimproved land in farms, acres

Start: 473
 End: 480
 Width: 8
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Acres in Farms: Unimproved
 Sum, Sum

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|--|
| UNL_XX_A | Unimproved land in farms, acres (<i>cont.</i>) |
|----------|--|

| Value | Label | Frequency | % |
|--------|----------------|-----------|---|
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|------------|-----------|-----------|
| 888 | -13.00 | 3489019.00 | 225436.66 | 312685.35 |

| | |
|----------|------------------|
| ARE_XX_A | Land area, acres |
|----------|------------------|

Start: 481
 End: 488
 Width: 8
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Land Area: Acres
 NOTE: Converted from square miles
 Twelfth Census of the United States, 1900, Abstract, Table

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|----------|-------------|-----------|------------|
| 864 | 58880.00 | 13443200.00 | 928600.64 | 1274592.14 |

| | |
|----------|--|
| IMP_XX_V | Value of implements and machinery, dollars |
|----------|--|

Start: 489
 End: 496
 Width: 8
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Value of Farm Property: Implements and Machinery: Dollars
 Twelfth Census of the United States, 1900 - Vol. V, Table 19

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|---|
| IMP_XX_V | Value of implements and machinery, dollars (<i>cont.</i>) |
|----------|---|

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|------------|-----------|-----------|
| 889 | -14.00 | 1309070.00 | 243419.61 | 228336.77 |

| | |
|----------|------------------------|
| LAB_XX_V | Labor expense, dollars |
|----------|------------------------|

Start: 497
 End: 504
 Width: 8
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Expenditures: Labor: Dollar
 Twelfth Census of the United States, 1900 - Vol. V, Table 19

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|---|
| LAB_XX_V | Labor expense, dollars (<i>cont.</i>) |
|----------|---|

| Value | Label | Frequency | % |
|--------|----------------|-----------|---|
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|------------|-----------|-----------|
| 889 | -14.00 | 1524740.00 | 106183.22 | 120646.72 |

| | |
|----------|------------------------------|
| FRT_BX_V | Value of fertilizer, dollars |
|----------|------------------------------|

Start: 505
 End: 510
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Expenditures: Fertilizer: Dollars
 Twelfth Census of the United States, 1900 - Vol. V, Table 19

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|----------|---------|---------|
| 889 | -14.00 | 21020.00 | 1354.20 | 2398.85 |

| | |
|----------|------------------------------|
| CTL_XU_Q | Cattle, under 1 year, number |
|----------|------------------------------|

Start: 511
 End: 516
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Neat Cattle: Calves Under 1 Year: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 35

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|---|
| CTL_XU_Q | Cattle, under 1 year, number (<i>cont.</i>) |
|----------|---|

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|----------|---------|---------|
| 889 | -14.00 | 34049.00 | 8160.02 | 5305.16 |

| | |
|----------|--|
| CTL_SV_Q | Cattle, steers 1 and under 2 years, number |
|----------|--|

Start: 517
 End: 522
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Neat Cattle: Steers 1 and Under 2 Years: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 35

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| CTL_SV_Q | Cattle, steers 1 and under 2 years, number (<i>cont.</i>) |
|----------|---|
|----------|---|

| Value | Label | Frequency | % |
|--------|----------------|-----------|---|
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|----------|---------|---------|
| 889 | -14.00 | 24068.00 | 4233.20 | 3322.96 |

| CTL_ST_Q | Cattle, steers 2 and under 3 years, number |
|----------|--|
|----------|--|

Start: 523
 End: 528
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Neat Cattle: Steers 2 and Under 3 Years: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 35

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|----------|---------|---------|
| 889 | -14.00 | 41748.00 | 3270.51 | 4172.90 |

| CTL_SX_Q | Steers and bulls including calves, number |
|----------|---|
|----------|---|

Start: 529
 End: 533
 Width: 5
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Neat Cattle: Steers 3 Years and Over: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 35

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|--|
| CTL_SX_Q | Steers and bulls including calves, number (<i>cont.</i>) |
|----------|--|

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|---------|--------|--------|
| 889 | -14.00 | 5748.00 | 193.80 | 664.24 |

| | |
|----------|---------------------------------------|
| CTL_BX_Q | Cattle, bulls 1 year and over, number |
|----------|---------------------------------------|

Start: 534
 End: 538
 Width: 5
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Neat Cattle: Bulls 1 Year and Over: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 35

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|--|
| CTL_BX_Q | Cattle, bulls 1 year and over, number (<i>cont.</i>) |
|----------|--|

| Value | Label | Frequency | % | |
|--------|----------------|-----------|--------|--------|
| -2 | Not available | - | - | |
| -1 (M) | Not applicable | - | - | |
| Valid | Min | Max | Mean | Stdev |
| 889 | -14.00 | 5573.00 | 660.79 | 564.33 |

| | |
|----------|---|
| CTL_HV_Q | Cattle, heifers 1 and under 2 years, number |
|----------|---|

Start: 539
 End: 544
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Neat Cattle: Heifers 1 and Under 2 Years: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 35

| Value | Label | Frequency | % | |
|---------|-------------------------------------|-----------|---------|---------|
| -15 (M) | Sum with missing value(s) | - | - | |
| -14 | Result of merge | - | - | |
| -13 | Sum of missing values | - | - | |
| -11 | Recorded under another unit | - | - | |
| -10 | Included under another entry | - | - | |
| -9 | Special problems | - | - | |
| -8 | Illegible in published volumes | - | - | |
| -7 | Combined with 'all other' | - | - | |
| -5 | Not published for this unit | - | - | |
| -4 | Withheld for privacy | - | - | |
| -3 | Less than half of the unit reported | - | - | |
| -2 | Not available | - | - | |
| -1 (M) | Not applicable | - | - | |
| Valid | Min | Max | Mean | Stdev |
| 889 | -14.00 | 28784.00 | 3761.46 | 2708.79 |

| | |
|----------|-------------------|
| CTL_MX_Q | Milk cows, number |
|----------|-------------------|

Start: 545
 End: 550
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Neat Cattle: Dairy Cows 2 Years and Over: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 35

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|------------------------------------|
| CTL_MX_Q | Milk cows, number (<i>cont.</i>) |
|----------|------------------------------------|

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|----------|---------|---------|
| 889 | -14.00 | 27612.00 | 5589.82 | 5311.13 |

| | |
|----------|------------------------------------|
| CTL_LX_Q | Nondairy cattle and calves, number |
|----------|------------------------------------|

Start: 551
 End: 556
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Neat Cattle: Other Cows 2 Years and Over: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 35

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|---|
| CTL_LX_Q | Nondairy cattle and calves, number (<i>cont.</i>) |
|----------|---|

| Value | Label | Frequency | % |
|--------|----------------|-----------|---|
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|----------|--------|---------|
| 889 | -14.00 | 12313.00 | 584.61 | 1662.86 |

| | |
|----------|----------------|
| CTL_XX_Q | Cattle, number |
|----------|----------------|

Start: 557
 End: 562
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Neat Cattle: Total Number
 NOTE: On farms and ranges
 Twelfth Census of the United States, 1900 - Vol. V, Sum

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|----------|----------|----------|
| 197 | -13.00 | 94771.00 | 36744.95 | 22608.21 |

| | |
|----------|------------------------------|
| HRS_XU_Q | Horses, under 1 year, number |
|----------|------------------------------|

Start: 563
 End: 567
 Width: 5
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Horses: Colts Under 1 Year: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 35

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|---|
| HRS_XU_Q | Horses, under 1 year, number (<i>cont.</i>) |
|----------|---|

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|---------|--------|--------|
| 889 | -14.00 | 7464.00 | 679.61 | 570.59 |

| | |
|----------|-------------------------------------|
| HRS_XV_Q | Horses, 1 and under 2 years, number |
|----------|-------------------------------------|

Start: 568
 End: 572
 Width: 5
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Horses: Colts 1 and Under 2 Years: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 35

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|--|
| HRS_XV_Q | Horses, 1 and under 2 years, number (<i>cont.</i>) |
|----------|--|

| Value | Label | Frequency | % |
|--------|----------------|-----------|---|
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|---------|--------|--------|
| 889 | -14.00 | 9426.00 | 736.65 | 631.00 |

| | |
|----------|----------------------------------|
| HRS_XW_Q | Horses, 2 years and over, number |
|----------|----------------------------------|

Start: 573
 End: 578
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Horses: 2 Years and Over: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 35

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|----------|---------|---------|
| 889 | -14.00 | 35025.00 | 6578.44 | 4572.29 |

| | |
|----------|----------------|
| HRS_XX_Q | Horses, number |
|----------|----------------|

Start: 579
 End: 584
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Horses: Total: Number
 NOTE: On farms and ranges
 Twelfth Census of the United States, 1900 - Vol. V, Sum

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

HRS_XX_Q Horses, number (*cont.*)

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|----------|---------|---------|
| 889 | -14.00 | 51915.00 | 7994.11 | 5611.68 |

MUL_XU_Q Mules, under 1 year, number

Start: 585
 End: 588
 Width: 4
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Mules: Colts Under 1 Year: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 35

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| MUL_XU_Q | Mules, under 1 year, number (<i>cont.</i>) |
|----------|--|
|----------|--|

| Value | Label | Frequency | % | |
|--------|----------------|-----------|-------|--------|
| -2 | Not available | - | - | |
| -1 (M) | Not applicable | - | - | |
| Valid | Min | Max | Mean | Stdev |
| 889 | -14.00 | 719.00 | 83.67 | 117.74 |

| MUL_XV_Q | Mules, 1 and under 2 years, number |
|----------|------------------------------------|
|----------|------------------------------------|

Start: 589
 End: 592
 Width: 4
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Mules: Colts 1 and Under 2 Years: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 35

| Value | Label | Frequency | % | |
|---------|-------------------------------------|-----------|-------|--------|
| -15 (M) | Sum with missing value(s) | - | - | |
| -14 | Result of merge | - | - | |
| -13 | Sum of missing values | - | - | |
| -11 | Recorded under another unit | - | - | |
| -10 | Included under another entry | - | - | |
| -9 | Special problems | - | - | |
| -8 | Illegible in published volumes | - | - | |
| -7 | Combined with 'all other' | - | - | |
| -5 | Not published for this unit | - | - | |
| -4 | Withheld for privacy | - | - | |
| -3 | Less than half of the unit reported | - | - | |
| -2 | Not available | - | - | |
| -1 (M) | Not applicable | - | - | |
| Valid | Min | Max | Mean | Stdev |
| 889 | -14.00 | 811.00 | 94.08 | 130.92 |

| MUL_XW_Q | Mules, 2 years and over, number |
|----------|---------------------------------|
|----------|---------------------------------|

Start: 593
 End: 598
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Mules: 2 Years and Over: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 35

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|--|
| MUL_XW_Q | Mules, 2 years and over, number (<i>cont.</i>) |
|----------|--|

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|----------|--------|---------|
| 889 | -14.00 | 10389.00 | 755.82 | 1394.99 |

| | |
|----------|---------------|
| MUL_XX_Q | Mules, number |
|----------|---------------|

Start: 599
 End: 604
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Mules: Total: Number
 NOTE: On farms and ranges
 Twelfth Census of the United States, 1900 - Vol. V, Table 35

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| MUL_XX_Q | Mules, number (<i>cont.</i>) |
|----------|--------------------------------|
|----------|--------------------------------|

| Value | Label | Frequency | % |
|--------|----------------|-----------|---|
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|----------|--------|---------|
| 889 | -14.00 | 11620.00 | 934.05 | 1598.70 |

| SHP_XU_Q | Sheep, under 1 year, number |
|----------|-----------------------------|
|----------|-----------------------------|

Start: 605
 End: 611
 Width: 7
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Sheep: Lambs Under 1 Year: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 35

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|-----------|---------|----------|
| 889 | -13.00 | 330987.00 | 8821.92 | 31851.95 |

| SHP_EX_Q | Sheep, ewes 1 year and over, number |
|----------|-------------------------------------|
|----------|-------------------------------------|

Start: 612
 End: 618
 Width: 7
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Sheep: Ewes 1 Year and Over: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 35

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|--|
| SHP_EX_Q | Sheep, ewes 1 year and over, number (<i>cont.</i>) |
|----------|--|

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|-----------|----------|----------|
| 889 | -14.00 | 445978.00 | 14036.27 | 49423.91 |

| | |
|----------|-------------------------------------|
| SHP_RX_Q | Sheep, rams 1 year and over, number |
|----------|-------------------------------------|

Start: 619
 End: 625
 Width: 7
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Sheep: Rams and Wethers 1 Year and Over: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 35

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

- ICPSR 04254 -

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|--|
| SHP_RX_Q | Sheep, rams 1 year and over, number (<i>cont.</i>) |
|----------|--|

| Value | Label | Frequency | % | |
|--------|----------------|-----------|---------|----------|
| -2 | Not available | - | - | |
| -1 (M) | Not applicable | - | - | |
| <hr/> | | | | |
| Valid | Min | Max | Mean | Stdev |
| 889 | -14.00 | 191270.00 | 4196.57 | 16036.94 |

| | |
|----------|---------------|
| SHP_XX_Q | Sheep, number |
|----------|---------------|

Start: 626
 End: 632
 Width: 7
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Sheep: Total Number
 NOTE: On farms and ranges
 Twelfth Census of the United States, 1900 - Vol. V, Sum

| Value | Label | Frequency | % | |
|---------|-------------------------------------|-----------|----------|----------|
| -15 (M) | Sum with missing value(s) | - | - | |
| -14 | Result of merge | - | - | |
| -13 | Sum of missing values | - | - | |
| -11 | Recorded under another unit | - | - | |
| -10 | Included under another entry | - | - | |
| -9 | Special problems | - | - | |
| -8 | Illegible in published volumes | - | - | |
| -7 | Combined with 'all other' | - | - | |
| -5 | Not published for this unit | - | - | |
| -4 | Withheld for privacy | - | - | |
| -3 | Less than half of the unit reported | - | - | |
| -2 | Not available | - | - | |
| -1 (M) | Not applicable | - | - | |
| <hr/> | | | | |
| Valid | Min | Max | Mean | Stdev |
| 876 | 0.00 | 931233.00 | 27456.76 | 96266.55 |

| | |
|----------|---------------|
| SWN_XX_Q | Swine, number |
|----------|---------------|

Start: 633
 End: 639
 Width: 7
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Swine, All Ages: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 35

- ICPSR 04254 -

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|--------------------------------|
| SWN_XX_Q | Swine, number (<i>cont.</i>) |
|----------|--------------------------------|

| <i>Value</i> | <i>Label</i> | <i>Frequency</i> | <i>%</i> |
|--------------|-------------------------------------|------------------|----------|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| <i>Valid</i> | <i>Min</i> | <i>Max</i> | <i>Mean</i> | <i>Stdev</i> |
|--------------|------------|------------|-------------|--------------|
| 889 | -14.00 | 193505.00 | 26253.35 | 36116.60 |

| | |
|----------|-----------------------------|
| CTL_XN_Q | Cattle not on farms, number |
|----------|-----------------------------|

Start: 640
 End: 645
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Neat Cattle: Total: Number
 NOTE: In barns and enclosures
 Twelfth Census of the United States, 1900 - Vol. V, Table 40

| <i>Value</i> | <i>Label</i> | <i>Frequency</i> | <i>%</i> |
|--------------|-------------------------------------|------------------|----------|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| CTL_XN_Q | Cattle not on farms, number (<i>cont.</i>) |
|----------|--|
|----------|--|

| Value | Label | Frequency | % |
|--------|----------------|-----------|---|
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|----------|--------|--------|
| 889 | -14.00 | 21422.00 | 525.09 | 958.88 |

| HRS_XN_Q | Horses not on farms, number |
|----------|-----------------------------|
|----------|-----------------------------|

Start: 646
 End: 651
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Horses: Total: Number
 NOTE: In barns and enclosures
 Twelfth Census of the United States, 1900 - Vol. V, Table 40

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|----------|--------|---------|
| 889 | -14.00 | 13156.00 | 738.03 | 1010.73 |

| SWN_XN_Q | Swine not on farms, number |
|----------|----------------------------|
|----------|----------------------------|

Start: 652
 End: 657
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Swine, All Ages: Number
 NOTE: In barns and enclosures
 Twelfth Census of the United States, 1900 - Vol. V, Table 40

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|---|
| SWN_XN_Q | Swine not on farms, number (<i>cont.</i>) |
|----------|---|

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|----------|--------|--------|
| 889 | -14.00 | 14553.00 | 505.26 | 854.14 |

| | |
|----------|---------------|
| MLK_XX_G | Milk, gallons |
|----------|---------------|

Start: 658
 End: 666
 Width: 9
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Milk: Gallons Produced
 Twelfth Census of the United States, 1900 - Vol. V, Table 44

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|--------------------------------|
| MLK_XX_G | Milk, gallons (<i>cont.</i>) |
|----------|--------------------------------|

| Value | Label | Frequency | % |
|--------|----------------|-----------|---|
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|-------------|------------|------------|
| 889 | -14.00 | 12101481.00 | 2007215.57 | 2133951.76 |

| | |
|----------|----------------|
| BUT_XX_P | Butter, pounds |
|----------|----------------|

Start: 667
 End: 674
 Width: 8
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Butter: Pounds Made
 Twelfth Census of the United States, 1900 - Vol. V, Table 44

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|------------|-----------|-----------|
| 889 | -14.00 | 1906042.00 | 304924.30 | 295488.03 |

| | |
|----------|----------------|
| CHS_XX_P | Cheese, pounds |
|----------|----------------|

Start: 675
 End: 680
 Width: 6
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Cheese: Pounds Made
 Twelfth Census of the United States, 1900 - Vol. V, Table 44

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|---------------------------------|
| CHS_XX_P | Cheese, pounds (<i>cont.</i>) |
|----------|---------------------------------|

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|----------|---------|---------|
| 889 | -14.00 | 51335.00 | 1989.76 | 4728.32 |

| | |
|----------|------------------|
| CHK_XX_Q | Chickens, number |
|----------|------------------|

Start: 681
 End: 687
 Width: 7
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Poultry and Eggs: Number of Fowls 3 Months Old and Over, June 1, 1900: Chickens (including Guinea Fowls)
 Twelfth Census of the United States, 1900 - Vol. V, Table 47

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|-----------------------------------|
| CHK_XX_Q | Chickens, number (<i>cont.</i>) |
|----------|-----------------------------------|

| Value | Label | Frequency | % |
|--------|----------------|-----------|---|
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|-----------|----------|----------|
| 889 | -14.00 | 318151.00 | 76883.87 | 77298.36 |

| | |
|----------|-------------|
| Egg_XX_D | Eggs, dozen |
|----------|-------------|

Start: 688
 End: 695
 Width: 8
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Poultry and Eggs: Dozens of Eggs Produced in 1899
 Twelfth Census of the United States, 1900 - Vol. V, Table 47

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|------------|-----------|-----------|
| 889 | -14.00 | 1976710.00 | 409662.02 | 424302.33 |

| | |
|----------|-----------------------|
| WOL_XX_F | Wool, fleeces, number |
|----------|-----------------------|

Start: 696
 End: 702
 Width: 7
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Fleeces Shorn: Number
 Twelfth Census of the United States, 1900 - Vol. V, Table 49

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

WOL_XX_F Wool, fleeces, number (*cont.*)

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|-----------|----------|----------|
| 889 | -14.00 | 633267.00 | 19800.36 | 67070.53 |

WOL_XX_P Wool, pounds

Start: 703
 End: 710
 Width: 8
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Wool: Weight, in Pounds of Fleeces, Unwashed
 Twelfth Census of the United States, 1900 - Vol. V, Table 49

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|-------------------------------|
| WOL_XX_P | Wool, pounds (<i>cont.</i>) |
|----------|-------------------------------|

| Value | Label | Frequency | % |
|--------|----------------|-----------|---|
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|------------|-----------|-----------|
| 889 | -14.00 | 4693224.00 | 123914.18 | 445419.13 |

| | |
|----------|---|
| FML_XX_V | Value of land and improvements, dollars |
|----------|---|

Start: 711
 End: 719
 Width: 9
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Value of Farm Property: Land and Improvements (Except Buildings): Dollars
 Twelfth Census of the United States, 1900 - Vol. V, Table 19

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|-------------|------------|------------|
| 889 | -14.00 | 24223790.00 | 4592718.44 | 4651007.60 |

| | |
|----------|-----------------------------|
| BLD_XX_V | Value of buildings, dollars |
|----------|-----------------------------|

Start: 720
 End: 727
 Width: 8
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Value of Farm Property: Buildings: Dollars
 Twelfth Census of the United States, 1900 - Vol. V, Table 19

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|--|
| BLD_XX_V | Value of buildings, dollars (<i>cont.</i>) |
|----------|--|

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| Valid | Min | Max | Mean | Stdev |
|-------|--------|------------|-----------|-----------|
| 889 | -14.00 | 4440310.00 | 850749.37 | 901624.43 |

| | |
|----------|-----------------------------|
| STK_XX_V | Value of livestock, dollars |
|----------|-----------------------------|

Start: 728
 End: 735
 Width: 8
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Value of Farm Property: Live Stock: Dollars
 Twelfth Census of the United States, 1900 - Vol. V, Table 19

| Value | Label | Frequency | % |
|---------|-------------------------------------|-----------|---|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

| | |
|----------|--|
| STK_XX_V | Value of livestock, dollars (<i>cont.</i>) |
|----------|--|

| <i>Value</i> | <i>Label</i> | <i>Frequency</i> | <i>%</i> |
|--------------|----------------|------------------|----------|
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| <i>Valid</i> | <i>Min</i> | <i>Max</i> | <i>Mean</i> | <i>Stdev</i> |
|--------------|------------|------------|-------------|--------------|
| 889 | -14.00 | 7137325.00 | 1440044.40 | 1058155.46 |

| | |
|----------|---|
| AFP_XQ_V | Value of products not fed to livestock, dollars |
|----------|---|

Start: 736
 End: 743
 Width: 8
 Type: numeric (ISO)
 Interval: discrete
 Missing: -15, -1, thru

Value of Farm Products Not Fed to Livestock: Dollars
 Twelfth Census of the United States, 1900 - Vol. V, Table 19

| <i>Value</i> | <i>Label</i> | <i>Frequency</i> | <i>%</i> |
|--------------|-------------------------------------|------------------|----------|
| -15 (M) | Sum with missing value(s) | - | - |
| -14 | Result of merge | - | - |
| -13 | Sum of missing values | - | - |
| -11 | Recorded under another unit | - | - |
| -10 | Included under another entry | - | - |
| -9 | Special problems | - | - |
| -8 | Illegible in published volumes | - | - |
| -7 | Combined with 'all other' | - | - |
| -5 | Not published for this unit | - | - |
| -4 | Withheld for privacy | - | - |
| -3 | Less than half of the unit reported | - | - |
| -2 | Not available | - | - |
| -1 (M) | Not applicable | - | - |

| <i>Valid</i> | <i>Min</i> | <i>Max</i> | <i>Mean</i> | <i>Stdev</i> |
|--------------|------------|------------|-------------|--------------|
| 889 | -14.00 | 6825887.00 | 1237351.92 | 1109988.19 |

Table 2. Agricultural Variables Sources

| Name | Table Title | Source | Keyed by |
|-------------|--|---|-----------------|
| HAY_XH_T | Sum of the Variables (HAY_KL_T, HAY_KR_T, HAY_KT_T, HAY_KV_T, HAY_KW_T, HAY_KY_T) | Twelfth Census of the United States, 1900 - Vol. VI, Section II | Sum |
| HAY_XH_A | Sum of the Variables (HAY_KL_A, HAY_KR_A, HAY_KT_A, HAY_KV_A, HAY_KW_A, HAY_KY_A) | Twelfth Census of the United States, 1900 - Vol. VI, Section II | Sum |
| HAY_KT_A | Table 10. Acreage and Production of Specified Classes of Hay and Forage in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section II | GP Project |
| HAY_KT_T | Table 10. Acreage and Production of Specified Classes of Hay and Forage in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section II | GP Project |
| HAY_KV_A | Table 10. Acreage and Production of Specified Classes of Hay and Forage in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section II | GP Project |
| HAY_KV_T | Table 10. Acreage and Production of Specified Classes of Hay and Forage in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section II | GP Project |
| HAY_KL_A | Table 10. Acreage and Production of Specified Classes of Hay and Forage in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section II | GP Project |
| HAY_KL_T | Table 10. Acreage and Production of Specified Classes of Hay and Forage in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section II | GP Project |
| HAY_KR_A | Table 10. Acreage and Production of Specified Classes of Hay and Forage in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section II | GP Project |
| HAY_KR_T | Table 10. Acreage and Production of Specified Classes of Hay and Forage in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section II | GP Project |
| HAY_KW_T | Table 10. Acreage and Production of Specified Classes of Hay and Forage in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section II | GP Project |
| HAY_KW_A | Table 10. Acreage and Production of Specified Classes of Hay and Forage in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section II | GP Project |
| HAY_KY_T | Table 10. Acreage and Production of Specified Classes of Hay and Forage in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section II | GP Project |
| HAY_KY_A | Table 10. Acreage and Production of Specified Classes of Hay and Forage in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section II | GP Project |
| CRO_FP_T | Table 10. Acreage and Production of Specified Classes of Hay and Forage in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section II | GP Project |
| CRO_FP_A | Table 10. Acreage and Production of Specified Classes of Hay and Forage in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section II | GP Project |
| FLX_XH_A | Table 14. Acreage and Production of Flaxseed in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section IV | GP Project |

| | | | |
|----------|--|---|------------|
| FLX_XH_B | Table 14. Acreage and Production of Flaxseed in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section IV | GP Project |
| BAR_XH_A | Table 55. Acreage and Production of Barley, Buckwheat, Corn, Oats, Rye, and Wheat in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section I | GP Project |
| BAR_XH_B | Table 55. Acreage and Production of Barley, Buckwheat, Corn, Oats, Rye, and Wheat in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section I | GP Project |
| BWT_XH_B | Table 55. Acreage and Production of Barley, Buckwheat, Corn, Oats, Rye, and Wheat in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section I | GP Project |
| BWT_XH_A | Table 55. Acreage and Production of Barley, Buckwheat, Corn, Oats, Rye, and Wheat in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section I | GP Project |
| OAT_XH_B | Table 55. Acreage and Production of Barley, Buckwheat, Corn, Oats, Rye, and Wheat in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section I | GP Project |
| OAT_XH_A | Table 55. Acreage and Production of Barley, Buckwheat, Corn, Oats, Rye, and Wheat in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section I | GP Project |
| RYE_XH_A | Table 55. Acreage and Production of Barley, Buckwheat, Corn, Oats, Rye, and Wheat in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section I | GP Project |
| RYE_XH_B | Table 55. Acreage and Production of Barley, Buckwheat, Corn, Oats, Rye, and Wheat in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section I | GP Project |
| WHT_XH_A | Table 55. Acreage and Production of Barley, Buckwheat, Corn, Oats, Rye, and Wheat in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section I | GP Project |
| WHT_XH_B | Table 55. Acreage and Production of Barley, Buckwheat, Corn, Oats, Rye, and Wheat in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section I | GP Project |
| COT_XH_A | Table 10 . Acreage and Production of Cotton Fiber in 1899, and Quantity of Fiber Ginned, With Average Weight of Square Bales, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section IV | GP Project |
| COT_XH_C | Table 10 . Acreage and Production of Cotton Fiber in 1899, and Quantity of Fiber Ginned, With Average Weight of Square Bales, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section IV | GP Project |
| BEA_XH_A | Table 10. Acreage and Production of Tobacco, Beans, Pease, and Peanuts, and Value of Miscellaneous Unclassified Crops in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section VI | GP Project |
| BEA_XH_B | Table 10. Acreage and Production of Tobacco, Beans, Pease, and Peanuts, and Value of Miscellaneous Unclassified Crops in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section VI | GP Project |
| PEA_XH_B | Table 10. Acreage and Production of Tobacco, Beans, Pease, and Peanuts, and Value of Miscellaneous Unclassified Crops in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section VI | GP Project |

| | | | |
|----------|--|--|------------|
| PEA_XH_A | Table 10. Acreage and Production of Tobacco, Beans, Pease, and Peanuts, and Value of Miscellaneous Unclassified Crops in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section VI | GP Project |
| PNT_XH_B | Table 10. Acreage and Production of Tobacco, Beans, Pease, and Peanuts, and Value of Miscellaneous Unclassified Crops in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section VI | GP Project |
| PNT_XH_A | Table 10. Acreage and Production of Tobacco, Beans, Pease, and Peanuts, and Value of Miscellaneous Unclassified Crops in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section VI | GP Project |
| SRG_MH_A | Table 15. Acreage, Tons Sold, and Products, Made on Farms, of Sugar Cane and Sorghum Cane, Acreage and Tons Sold of Beets Grown for Sugar, and Production of Maple Sirup and Sugar, in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section V | GP Project |
| BET_XH_T | Table 15. Acreage, Tons Sold, and Products, Made on Farms, of Sugar Cane and Sorghum Cane, Acreage and Tons Sold of Beets Grown for Sugar, and Production of Maple Sirup and Sugar, in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section V | GP Project |
| BET_XH_A | Table 15. Acreage, Tons Sold, and Products, Made on Farms, of Sugar Cane and Sorghum Cane, Acreage and Tons Sold of Beets Grown for Sugar, and Production of Maple Sirup and Sugar, in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section V | GP Project |
| VEG_XH_A | Table 22. Acreage and Production of Potatoes, Sweet Potatoes, Onions, Chicory, and Miscellaneous Vegetables in 1899, and Square Feet of Land Under Glass Used for Agriculture, June 1, 1900, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section III | GP Project |
| POT_XH_B | Table 22. Acreage and Production of Potatoes, Sweet Potatoes, Onions, Chicory, and Miscellaneous Vegetables in 1899, and Square Feet of Land Under Glass Used for Agriculture, June 1, 1900, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section III | GP Project |
| POT_XH_A | Table 22. Acreage and Production of Potatoes, Sweet Potatoes, Onions, Chicory, and Miscellaneous Vegetables in 1899, and Square Feet of Land Under Glass Used for Agriculture, June 1, 1900, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section III | GP Project |
| CRN_GH_B | Table 55. Acreage and Production of Barley, Buckwheat, Corn, Oats, Rye, and Wheat in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section I | GP Project |
| CRN_GH_A | Table 55. Acreage and Production of Barley, Buckwheat, Corn, Oats, Rye, and Wheat in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section I | GP Project |

| | | | |
|----------|---|--|------------|
| SRG_GH_A | Table 58. Acreage and Production of Kafir Corn in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section I | GP Project |
| SRG_GH_B | Table 58. Acreage and Production of Kafir Corn in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. VI, Section I | GP Project |
| FRM_XX_Q | Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties | Twelfth Census of the United States, 1900 - Vol. V | ICPSR |
| SIZ_AX_A | Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties | Twelfth Census of the United States, 1900 - Vol. V | ICPSR |
| FRM_SA_Q | Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties | Twelfth Census of the United States, 1900 - Vol. V | ICPSR |
| FRM_SB_Q | Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties | Twelfth Census of the United States, 1900 - Vol. V | ICPSR |
| FRM_SC_Q | Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties | Twelfth Census of the United States, 1900 - Vol. V | ICPSR |
| FRM_SD_Q | Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties | Twelfth Census of the United States, 1900 - Vol. V | ICPSR |
| FRM_SE_Q | Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties | Twelfth Census of the United States, 1900 - Vol. V | ICPSR |
| FRM_SF_Q | Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties | Twelfth Census of the United States, 1900 - Vol. V | ICPSR |
| FRM_SG_Q | Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties | Twelfth Census of the United States, 1900 - Vol. V | ICPSR |
| FRM_SH_Q | Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties | Twelfth Census of the United States, 1900 - Vol. V | ICPSR |
| FRM_SI_Q | Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties | Twelfth Census of the United States, 1900 - Vol. V | ICPSR |

| | | | |
|----------|--|--|-------|
| FRM_SL_Q | Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties | Twelfth Census of the United States, 1900 - Vol. V | ICPSR |
| FRM_OX_Q | Sum of the Variables (FRM_OW_Q, FRM_ON_Q) | Twelfth Census of the United States, 1900 - Vol. V | Sum |
| FRM_OP_Q | Sum of the Variables (Part Owners White and Part Owners Non-White) | Twelfth Census of the United States, 1900 - Vol. V | Sum |
| FRM_MX_Q | Sum of the Variables (FRM_MN_Q, FRM_MW_Q) | Twelfth Census of the United States, 1900 - Vol. V | Sum |
| FRM_TC_Q | Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties | Twelfth Census of the United States, 1900 - Vol. V | ICPSR |
| FRM_TT_Q | Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties | Twelfth Census of the United States, 1900 - Vol. V | ICPSR |
| FRM_XW_Q | Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties | Twelfth Census of the United States, 1900 - Vol. V | ICPSR |
| FRM_OW_Q | Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties | Twelfth Census of the United States, 1900 - Vol. V | ICPSR |
| FRM_MW_Q | Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties | Twelfth Census of the United States, 1900 - Vol. V | ICPSR |
| FRM_XN_Q | Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties | Twelfth Census of the United States, 1900 - Vol. V | ICPSR |
| FRM_ON_Q | Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties | Twelfth Census of the United States, 1900 - Vol. V | ICPSR |
| FRM_MN_Q | Table 10. Farms, June 1, 1900, Classified by Acreage, Tenure, and Color of Farmer, With Averages and Percentages, by Counties | Twelfth Census of the United States, 1900 - Vol. V | ICPSR |
| FRM_BX_Q | Table 19. Number and Acreage of Farms and Value of Specified Classes of Farm Property, June 1, 1900, With Value of Products of 1899 Not Fed to Live Stock, and Expenditures in 1899 for Labor and Fertilizers, by Counties | Twelfth Census of the United States, 1900 - Vol. V | ICPSR |

| | | | |
|----------|--|---|------------|
| FML_XX_A | Table 19. Number and Acreage of Farms and Value of Specified Classes of Farm Property, June 1, 1900, With Value of Products of 1899 Not Fed to Live Stock, and Expenditures in 1899 for Labor and Fertilizers, by Counties | Twelfth Census of the United States, 1900 - Vol. V | ICPSR |
| IML_XX_A | Table 19. Number and Acreage of Farms and Value of Specified Classes of Farm Property, June 1, 1900, With Value of Products of 1899 Not Fed to Live Stock, and Expenditures in 1899 for Labor and Fertilizers, by Counties | Twelfth Census of the United States, 1900 - Vol. V | ICPSR |
| UNL_XX_A | Sum | Sum | Sum |
| ARE_XX_A | Table 92. | Twelfth Census of the United States, 1900, Abstract | ICPSR |
| IMP_XX_V | Table 19. Number and Acreage of Farms and Value of Specified Classes of Farm Property, June 1, 1900, With Value of Products of 1899 Not Fed to Live Stock, and Expenditures in 1899 for Labor and Fertilizers, by Counties | Twelfth Census of the United States, 1900 - Vol. V | ICPSR |
| LAB_XX_V | Table 19. Number and Acreage of Farms and Value of Specified Classes of Farm Property, June 1, 1900, With Value of Products of 1899 Not Fed to Live Stock, and Expenditures in 1899 for Labor and Fertilizers, by Counties | Twelfth Census of the United States, 1900 - Vol. V | ICPSR |
| FRT_BX_V | Table 19. Number and Acreage of Farms and Value of Specified Classes of Farm Property, June 1, 1900, With Value of Products of 1899 Not Fed to Live Stock, and Expenditures in 1899 for Labor and Fertilizers, by Counties | Twelfth Census of the United States, 1900 - Vol. V | GP Project |
| CTL_XU_Q | Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties | Twelfth Census of the United States, 1900 - Vol. V | GP Project |
| CTL_SV_Q | Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties | Twelfth Census of the United States, 1900 - Vol. V | GP Project |
| CTL_ST_Q | Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties | Twelfth Census of the United States, 1900 - Vol. V | GP Project |
| CTL_SX_Q | Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties | Twelfth Census of the United States, 1900 - Vol. V | GP Project |
| CTL_BX_Q | Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties | Twelfth Census of the United States, 1900 - Vol. V | GP Project |
| CTL_HV_Q | Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties | Twelfth Census of the United States, 1900 - Vol. V | GP Project |
| CTL_MX_Q | Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties | Twelfth Census of the United States, 1900 - Vol. V | GP Project |

| | | | |
|----------|---|--|------------|
| CTL_LX_Q | Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties | Twelfth Census of the United States, 1900 - Vol. V | GP Project |
| CTL_XX_Q | Sum of the Variables (CTL_XU_Q, CTL_SV_Q, CTL_ST_Q, CTL_SX_Q, CTL_BX_Q, CTL_HV_Q) | Twelfth Census of the United States, 1900 - Vol. V | Sum |
| HRS_XU_Q | Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties | Twelfth Census of the United States, 1900 - Vol. V | GP Project |
| HRS_XV_Q | Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties | Twelfth Census of the United States, 1900 - Vol. V | GP Project |
| HRS_XW_Q | Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties | Twelfth Census of the United States, 1900 - Vol. V | GP Project |
| HRS_XX_Q | Sum of the Variables (HRS_XU_Q, HRS_XV_Q, HRS_XW_Q) | Twelfth Census of the United States, 1900 - Vol. V | Sum |
| MUL_XU_Q | Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties | Twelfth Census of the United States, 1900 - Vol. V | GP Project |
| MUL_XV_Q | Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties | Twelfth Census of the United States, 1900 - Vol. V | GP Project |
| MUL_XW_Q | Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties | Twelfth Census of the United States, 1900 - Vol. V | GP Project |
| MUL_XX_Q | Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties | Twelfth Census of the United States, 1900 - Vol. V | GP Project |
| SHP_XU_Q | Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties | Twelfth Census of the United States, 1900 - Vol. V | GP Project |
| SHP_EX_Q | Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties | Twelfth Census of the United States, 1900 - Vol. V | GP Project |
| SHP_RX_Q | Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties | Twelfth Census of the United States, 1900 - Vol. V | GP Project |
| SHP_XX_Q | Sum of the Variables (SHP_XU_Q, SHP_EX_Q, SHP_RX_Q) | Twelfth Census of the United States, 1900 - Vol. V | Sum |
| SWN_XX_Q | Table 35. Number and Total Value of Specified Domestic Animals on Farms and Ranges, June 1, 1900, by Counties | Twelfth Census of the United States, 1900 - Vol. V | GP Project |
| CTL_XN_Q | Table 40. Number of Specified Domestic Animals in Barns and Inclosures, Not on Farms or Ranges, June 1, 1900, by Counties | Twelfth Census of the United States, 1900 - Vol. V | GP Project |
| HRS_XN_Q | Table 40. Number of Specified Domestic Animals in Barns and Inclosures, Not on Farms or Ranges, June 1, 1900, by Counties | Twelfth Census of the United States, 1900 - Vol. V | GP Project |
| SWN_XN_Q | Table 40. Number of Specified Domestic Animals in Barns and Inclosures, Not on Farms or Ranges, June 1, 1900, by Counties | Twelfth Census of the United States, 1900 - Vol. V | GP Project |

| | | | |
|----------|--|--|------------|
| MLK_XX_G | Table 44. Dairy Products of Farms and Ranges in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. V | GP Project |
| BUT_XX_P | Table 44. Dairy Products of Farms and Ranges in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. V | GP Project |
| CHS_XX_P | Table 44. Dairy Products of Farms and Ranges in 1899, by Counties | Twelfth Census of the United States, 1900 - Vol. V | GP Project |
| CHK_XX_Q | Table 47. Poultry and Eggs, and Bees, Honey, and Wax on Farms and Ranges, by Counties | Twelfth Census of the United States, 1900 - Vol. V | GP Project |
| EGG_XX_D | Table 47. Poultry and Eggs, and Bees, Honey, and Wax on Farms and Ranges, by Counties | Twelfth Census of the United States, 1900 - Vol. V | GP Project |
| WOL_XX_F | Table 49. Wool, Mohair and Goat Hair, Shorn in Fall of 1899 and Spring of 1900, by Counties | Twelfth Census of the United States, 1900 - Vol. V | GP Project |
| WOL_XX_P | Table 49. Wool, Mohair and Goat Hair, Shorn in Fall of 1899 and Spring of 1900, by Counties | Twelfth Census of the United States, 1900 - Vol. V | GP Project |
| FML_XX_V | Table 19. Number and Acreage of Farms and Value of Specified Classes of Farm Property, June 1, 1900, With Value of Products of 1899 Not Fed to Live Stock, and Expenditures in 1899 for Labor and Fertilizers, by Counties | Twelfth Census of the United States, 1900 - Vol. V | ICPSR |
| BLD_XX_V | Table 19. Number and Acreage of Farms and Value of Specified Classes of Farm Property, June 1, 1900, With Value of Products of 1899 Not Fed to Live Stock, and Expenditures in 1899 for Labor and Fertilizers, by Counties | Twelfth Census of the United States, 1900 - Vol. V | ICPSR |
| STK_XX_V | Table 19. Number and Acreage of Farms and Value of Specified Classes of Farm Property, June 1, 1900, With Value of Products of 1899 Not Fed to Live Stock, and Expenditures in 1899 for Labor and Fertilizers, by Counties | Twelfth Census of the United States, 1900 - Vol. V | ICPSR |
| AFP_XQ_V | Table 19. Number and Acreage of Farms and Value of Specified Classes of Farm Property, June 1, 1900, With Value of Products of 1899 Not Fed to Live Stock, and Expenditures in 1899 for Labor and Fertilizers, by Counties | Twelfth Census of the United States, 1900 - Vol. V | ICPSR |