

ICPSR 4402

Nang Rong Projects [Thailand]

Ronald Rindfuss

University of North Carolina-Chapel Hill

Barbara Entwisle

University of North Carolina-Chapel Hill

Steve Walsh

University of North Carolina-Chapel Hill

1994 Migrant Family Data -- Restricted

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/4402.xml>

Codebook for ICPSR 04402

Nang Rong

Dataset 37: Restricted

Q7_6 94: migrant live in slum (Q7.6)

Location: 1-1 (width: 1; decimal: 0)
Variable Type: numeric (ISO)
Interval: discrete
Question: At present, do you live in a slum.

Value	Label	Frequency	%	Valid %
1	Yes	66	10.1 %	10.1%
2	No	587	89.9 %	89.9%

Valid	Invalid	Min	Max	Mean	Median	Stdev
653	0	1.00	2.00	1.90	2.00	0.30

Q7_7_1 94: windows - none (Q7.7)

Location: 2-2 (width: 1; decimal: 0)
Variable Type: numeric (ISO)
Interval: discrete
Question: Does this house have windows.

Value	Label	Frequency	%	Valid %
1	Yes	184	28.2 %	28.2%
2	No	469	71.8 %	71.8%

Valid	Invalid	Min	Max	Mean	Median	Stdev
653	0	1.00	2.00	1.72	2.00	0.45

Q7_7_2 94: windows - open (Q7.7)

Location: 3-3 (width: 1; decimal: 0)
Variable Type: numeric (ISO)
Interval: discrete
Question: Does this house have windows frames but no panes.

Value	Label	Frequency	%	Valid %
1	Yes	10	1.5 %	1.5%
2	No	643	98.5 %	98.5%

Valid	Invalid	Min	Max	Mean	Median	Stdev
653	0	1.00	2.00	1.98	2.00	0.12

Q7_7_3 94: windows - wooden panes (Q7.7)

- Study 04402 -

Location: 4-4 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Question: Does this house have windows with wooden panes.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	211	32.3 %	32.3%
2	No	442	67.7 %	67.7%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
653	0	1.00	2.00	1.68	2.00	0.47

Q7_7_4 94: windows - glass panes (Q7.7)

Location: 5-5 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Question: Does this hosue have windows with glass panes.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	94	14.4 %	14.4%
2	No	559	85.6 %	85.6%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
653	0	1.00	2.00	1.86	2.00	0.35

Q7_7_5 94: windows - slots w/ bug screen (Q7.7)

Location: 6-6 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Question: Does this house have window slots with bug screens.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	79	12.1 %	12.1%
2	No	574	87.9 %	87.9%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
653	0	1.00	2.00	1.88	2.00	0.33

Q7_7_6 94: windows - glass and screens (Q7.7)

Location: 7-7 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Question: Does this house have windows with glass panes and bug screens

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	139	21.3 %	21.3%
2	No	514	78.7 %	78.7%

- Study 04402 -

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
653	0	1.00	2.00	1.79	2.00	0.41

Q7_7_7

94: windows - other (Q7.7)

Location: 8-8 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Question: Does this house have windows with Other characteristics.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	10	1.5 %	1.5%
2	No	643	98.5 %	98.5%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
653	0	1.00	2.00	1.98	2.00	0.12

Q7_8

94: indoor running water (Q7.8)

Location: 9-9 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Question: Does this household have running water delivered into the household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	539	82.5 %	82.5%
2	No	114	17.5 %	17.5%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
653	0	1.00	2.00	1.17	1.00	0.38

Q7_9

94: where does hh prepare food (Q7.9)

Location: 10-10 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Question: Where Does this household prepare food.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	In A Proper Kitchen (i.e One Seperated From The Rest of The Living Quarters)	249	38.1 %	38.1%
2	In An Area That Is Not Seperated From The Living Area (Sleeping and Food Prep Areas Are in Same Place)	336	51.5 %	51.5%
3	In A Kitchen Shared By Many People	15	2.3 %	2.3%
4	There Is No Kitchen (Including Households Where Members Do Not Prepare Their own Food)	53	8.1 %	8.1%
5	Other	0	0.0 %	-

- Study 04402 -

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
653	0	1.00	4.00	1.80	2.00	0.83

Q7_10_1

94: firewood to prepare food (Q7.10)

Location: 11-11 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 8

Question: Does this household prepare food with firewood on a day-to-day basis.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	33	5.1 %	5.5%
2	No	567	86.8 %	94.5%
8 (M)	N/A	53	8.1 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
600	53	1.00	2.00	1.95	2.00	0.23

Q7_10_2

94: charcoal to prepare food (Q7.10)

Location: 12-12 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 8

Question: Does this household prepare food with charcoal on a day-to-day basis.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	60	9.2 %	10.0%
2	No	540	82.7 %	90.0%
8 (M)	N/A	53	8.1 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
600	53	1.00	2.00	1.90	2.00	0.30

Q7_10_3

94: gas to prepare food (Q7.10)

Location: 13-13 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 8

Question: Does this household prepare food with gas on a day-to-day basis.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	217	33.2 %	36.2%
2	No	383	58.7 %	63.8%
8 (M)	N/A	53	8.1 %	-

- Study 04402 -

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
600	53	1.00	2.00	1.64	2.00	0.48

Q7_10_4 **94: electricity to prepare food (Q7.10)**

Location: 14-14 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 8

Question: Does this household prepare food with electricity on a day-to-day basis.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	571	87.4 %	95.2%
2	No	29	4.4 %	4.8%
8 (M)	N/A	53	8.1 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
600	53	1.00	2.00	1.05	1.00	0.21

Q7_10_5 **94: other fuel to prepare food (Q7.10)**

Location: 15-15 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 8

Question: Does this household prepare food with other fuels on a day-to-day basis.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	2	0.3 %	0.3%
2	No	598	91.6 %	99.7%
8 (M)	N/A	53	8.1 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
600	53	1.00	2.00	2.00	2.00	0.06

Q7_11 **94: type of bathroom (Q7.11)**

Location: 16-16 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Question: What type of bathroom does this household have.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Private Bathroom	250	38.3 %	38.3%
2	Shares A Bathroom With Other Households	400	61.3 %	61.3%
3	Other	3	0.5 %	0.5%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
653	0	1.00	3.00	1.62	2.00	0.49

- Study 04402 -

Q7_12A1 94: # black and white TVs in hh (Q7.12)

Location: 17-17 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Question: Does this household have a black and white TV. If yes, how many and who owns it.

Value	Label	Frequency	%	Valid %
0	-	608	93.1 %	93.1%
1	-	45	6.9 %	6.9%
7	7 Or More	0	0.0 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
653	0	0.00	1.00	0.07	0.00	0.25

Q7_13 94: language hh usually speaks (Q7.13)

Location: 18-18 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Question: Which language do people in this household usually use when speaking within the family.

Value	Label	Frequency	%	Valid %
1	Thai-Korat	295	45.2 %	45.2%
2	Central Thai	214	32.8 %	32.8%
3	Khmer (cambodian)	22	3.4 %	3.4%
4	Lao	121	18.5 %	18.5%
5	Suaie	0	0.0 %	-
6	Other	1	0.2 %	0.2%

Valid	Invalid	Min	Max	Mean	Median	Stdev
653	0	1.00	6.00	1.96	2.00	1.12

Q7_14_1 94: members speak Thai Korat (Q7.14)

Location: 19-19 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Question: Can members of this household speak any other languages.

Value	Label	Frequency	%	Valid %
1	Yes	287	44.0 %	44.0%
2	No	366	56.0 %	56.0%

Valid	Invalid	Min	Max	Mean	Median	Stdev
653	0	1.00	2.00	1.56	2.00	0.50

Q7_14_2 94: members speak Central Thai (Q7.14)

- Study 04402 -

Location: 20-20 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Question: Can members of this household speak central thai.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	432	66.2 %	66.2%
2	No	221	33.8 %	33.8%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
653	0	1.00	2.00	1.34	1.00	0.47

Q7_14_3 94: members speak Khmer (Q7.14)

Location: 21-21 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Question: Can members of this household speak Khmer.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	118	18.1 %	18.1%
2	No	535	81.9 %	81.9%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
653	0	1.00	2.00	1.82	2.00	0.39

Q7_14_4 94: members speak Lao (Q7.14)

Location: 22-22 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Question: Can members of this household speak Lao.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	247	37.8 %	37.8%
2	No	406	62.2 %	62.2%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
653	0	1.00	2.00	1.62	2.00	0.49

Q7_14_5 94: members speak Suaie (Q7.14)

Location: 23-23 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Question: Can members of this household speak Suaie.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	19	2.9 %	2.9%
2	No	634	97.1 %	97.1%

- Study 04402 -

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
653	0	1.00	2.00	1.97	2.00	0.17

Q7_14_6

94: members speak other language (Q7.14)

Location: 24-24 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Question: Can members of this household speak any other languages.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	6	0.9 %	0.9%
2	No	647	99.1 %	99.1%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
653	0	1.00	2.00	1.99	2.00	0.10

Q7_15

94: > 50% hh income from farming (Q7.15)

Location: 25-25 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Question: Does more than half of the current household income come from agriculture.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	6	0.9 %	0.9%
2	No	647	99.1 %	99.1%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
653	0	1.00	2.00	1.99	2.00	0.10

Q7_15_1

94: own/rent agricultral land (Q7.15.1)

Location: 26-26 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: If yes, do you currently (this year) own or rent any agricultural land.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	6	0.9 %	100.0%
2	No	0	0.0 %	-
8 (M)	N/A	647	99.1 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
6	647	1.00	1.00	1.00	1.00	0.00

Q7_15_2

94: grown any crops (Q7.15.2)

- Study 04402 -

Location: 27-27 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: In the past 12 months, has this household grown any crops.

Value	Label	Frequency	%	Valid %
1	Yes	5	0.8 %	83.3%
2	No	1	0.2 %	16.7%
8 (M)	N/A	647	99.1 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
6	647	1.00	2.00	1.17	1.00	0.41

Q7_15_3 94: raise any livestock (Q7.15.3)

Location: 28-28 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Does your household currently raise any livestock.

Value	Label	Frequency	%	Valid %
1	Yes	3	0.5 %	50.0%
2	No	3	0.5 %	50.0%
8 (M)	N/A	647	99.1 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
6	647	1.00	2.00	1.50	1.50	0.55

Q7_16 94: any visitors stayed 2+ weeks (Q7.16)

Location: 29-29 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Question: In the past year, have there been any visitors who stayed here at least two weeks (including migrant's family).

Value	Label	Frequency	%	Valid %
1	Yes	136	20.8 %	20.8%
2	No	517	79.2 %	79.2%

Valid	Invalid	Min	Max	Mean	Median	Stdev
653	0	1.00	2.00	1.79	2.00	0.41

Q7_16_11 94: 1st visitor - family/relative(Q7.16)

Location: 30-30 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)

- Study 04402 -

Interval: discrete
 Range of Missing Values (M): 8
 Question: Is this 1st visitor a family member or relative of the migrant.

Value	Label	Frequency	%	Valid %
1	Yes	109	16.7 %	80.1%
2	No	27	4.1 %	19.9%
8 (M)	N/A	517	79.2 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
136	517	1.00	2.00	1.20	1.00	0.40

Q7_16_12 94: 2nd visitor - family/relative(Q7.16)

Location: 31-31 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Is this 2nd visitor a family member or relative of the migrant.

Value	Label	Frequency	%	Valid %
1	Yes	27	4.1 %	81.8%
2	No	6	0.9 %	18.2%
8 (M)	N/A	620	94.9 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
33	620	1.00	2.00	1.18	1.00	0.39

Q7_16_13 94: 3rd visitor - family/relative(Q7.16)

Location: 32-32 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Is this 3rd visitor a family member or relative of the migrant.

Value	Label	Frequency	%	Valid %
1	Yes	7	1.1 %	87.5%
2	No	1	0.2 %	12.5%
8 (M)	N/A	645	98.8 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
8	645	1.00	2.00	1.12	1.00	0.35

Q7_16_14 94: 4th visitor - family/relative(Q7.16)

Location: 33-33 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete

- Study 04402 -

Range of Missing Values (M): 8

Question: Is this 4th visitor a family member or relative of the migrant.

Value	Label	Frequency	%	Valid %
1	Yes	2	0.3 %	100.0%
2	No	0	0.0 %	-
8 (M)	N/A	651	99.7 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
2	651	1.00	1.00	1.00	1.00	0.00

MID 1994 Migrant Questionnaire Identifier

Location: 34-40 (width: 7; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Question: Migrant follow-Up Id from 1994 questionnaire.

Valid	Invalid	Min	Max	Mean	Median	Stdev
653	0	2001002.00	2446021.00	2039302.28	-	68787.25

PMID94 1994 Migrant Identifier for Public Use

Location: 41-44 (width: 4; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Valid	Invalid	Min	Max	Mean	Median	Stdev
653	0	4.00	2354.00	1177.28	-	676.72

Q7_12C14 94: # sewing machines others own (Q7.12)

Location: 45-45 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 8

Question: Number of sewing machines that belong to other persons who live in this household.

Value	Label	Frequency	%	Valid %
0	-	13	2.0 %	65.0%
1	-	6	0.9 %	30.0%
3	-	1	0.2 %	5.0%
7	7 Or More	0	0.0 %	-
8 (M)	N/A	633	96.9 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
20	633	0.00	3.00	0.45	0.00	0.76

Q7_12B14 94: # sewing machine owned hh (Q7.12)

- Study 04402 -

Location: 46-46 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Number of sewing machines that belong to migrant household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	7	1.1 %	35.0%
1	-	13	2.0 %	65.0%
7	7 Or More	0	0.0 %	-
8 (M)	N/A	633	96.9 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
20	633	0.00	1.00	0.65	1.00	0.49

Q7_12A14 94: # sewing machines in hh (Q7.12)

Location: 47-47 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Question: Does this household own a sewing machine. If yes, how many and who owns it.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	633	96.9 %	96.9%
1	-	19	2.9 %	2.9%
3	-	1	0.2 %	0.2%
7	7 Or More	0	0.0 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
653	0	0.00	3.00	0.03	0.00	0.20

Q7_12C13 94: # bicycles others own (Q7.12)

Location: 48-48 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Number of bicycles that belong to other persons who live in this household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	106	16.2 %	82.8%
1	-	17	2.6 %	13.3%
2	-	2	0.3 %	1.6%
3	-	3	0.5 %	2.3%
7	7 Or More	0	0.0 %	-
8 (M)	N/A	525	80.4 %	-

- Study 04402 -

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
128	525	0.00	3.00	0.23	0.00	0.60

Q7_12B13 **94: # bicycles owned by hh (Q7.12)**

Location: 49-49 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Number of bicycles that belong to migrant household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	21	3.2 %	16.4%
1	-	96	14.7 %	75.0%
2	-	11	1.7 %	8.6%
7	7 Or More	0	0.0 %	-
8 (M)	N/A	525	80.4 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
128	525	0.00	2.00	0.92	1.00	0.50

Q7_12A13 **94: # bicyclass in hh (Q7.12)**

Location: 50-50 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Question: Does this household own bicycles. If yes, how many and who owns it.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	525	80.4 %	80.4%
1	-	111	17.0 %	17.0%
2	-	14	2.1 %	2.1%
3	-	3	0.5 %	0.5%
7	7 Or More	0	0.0 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
653	0	0.00	3.00	0.23	0.00	0.50

Q7_12C12 **94: # tricycles others own (Q7.12)**

Location: 51-51 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Number of tricycles that belong to other persons who live in this household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	4	0.6 %	80.0%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
4	-	1	0.2 %	20.0%
7	7 Or More	0	0.0 %	-
8 (M)	N/A	648	99.2 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
5	648	0.00	4.00	0.80	0.00	1.79

Q7_12B12 **94: # tricycles owned by hh (Q7.12)**

Location: 52-52 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Number of tricycles that belong to migrant household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	1	0.2 %	20.0%
1	-	2	0.3 %	40.0%
2	-	2	0.3 %	40.0%
7	7 Or More	0	0.0 %	-
8 (M)	N/A	648	99.2 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
5	648	0.00	2.00	1.20	1.00	0.84

Q7_12A12 **94: # tricycles in hh (Q7.12)**

Location: 53-53 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Question: Does this household own tricycles. If yes, how many and who owns it.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	648	99.2 %	99.2%
1	-	2	0.3 %	0.3%
2	-	2	0.3 %	0.3%
4	-	1	0.2 %	0.2%
7	7 Or More	0	0.0 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
653	0	0.00	4.00	0.02	0.00	0.20

Q7_12C11 **94: # tuk-tuks others own (Q7.12)**

Location: 54-54 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete

- Study 04402 -

Range of Missing Values (M): 8

Question: Number of tuk-tuks that belong to other persons who live in this household.

Value	Label	Frequency	%	Valid %
0	-	1	0.2 %	50.0%
1	-	1	0.2 %	50.0%
7	7 Or More	0	0.0 %	-
8 (M)	N/A	651	99.7 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
2	651	0.00	1.00	0.50	0.50	0.71

Q7_12B11 94: # tuk-tuks owned by hh (Q7.12)

Location: 55-55 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 8

Question: Number of tuk-tuks that belong to migrant household.

Value	Label	Frequency	%	Valid %
0	-	1	0.2 %	50.0%
1	-	1	0.2 %	50.0%
7	7 Or More	0	0.0 %	-
8 (M)	N/A	651	99.7 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
2	651	0.00	1.00	0.50	0.50	0.71

Q7_12A11 94: # tuk-tuks in hh (Q7.12)

Location: 56-56 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Question: Does this household own tuk-tuks. If yes, how many and who owns it.

Value	Label	Frequency	%	Valid %
0	-	651	99.7 %	99.7%
1	-	2	0.3 %	0.3%
7	7 Or More	0	0.0 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
653	0	0.00	1.00	0.00	0.00	0.06

Q7_12C10 94: # motorcycles others own (Q7.12)

Location: 57-57 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

- Study 04402 -

Range of Missing Values (M): 8

Question: Number of motorcycles that belong to other persons who live in this household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	142	21.7 %	84.0%
1	-	20	3.1 %	11.8%
2	-	4	0.6 %	2.4%
3	-	2	0.3 %	1.2%
4	-	1	0.2 %	0.6%
7	7 Or More	0	0.0 %	-
8 (M)	N/A	484	74.1 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
169	484	0.00	4.00	0.22	0.00	0.60

Q7_12B10 94: # motorcycles owned by hh (Q7.12)

Location: 58-58 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 8

Question: Number of motorcycles that belong to migrant household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	21	3.2 %	12.4%
1	-	140	21.4 %	82.8%
2	-	7	1.1 %	4.1%
3	-	1	0.2 %	0.6%
7	7 Or More	0	0.0 %	-
8 (M)	N/A	484	74.1 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
169	484	0.00	3.00	0.93	1.00	0.43

Q7_12A10 94: # motorcycles in hh (Q7.12)

Location: 59-59 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Question: Does this household own motorcycles. If yes, how many and who owns it.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	485	74.3 %	74.3%
1	-	151	23.1 %	23.1%
2	-	12	1.8 %	1.8%
3	-	3	0.5 %	0.5%
4	-	1	0.2 %	0.2%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
5	-	1	0.2 %	0.2%
7	7 Or More	0	0.0 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
653	0	0.00	5.00	0.30	0.00	0.57

Q7_12C9 **94: # car/truck/pickup others own(Q7.12)**

Location: 60-60 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Number of cars/trucks/pickups that belong to other persons who live in this household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	21	3.2 %	52.5%
1	-	8	1.2 %	20.0%
2	-	6	0.9 %	15.0%
3	-	1	0.2 %	2.5%
4	-	1	0.2 %	2.5%
5	-	3	0.5 %	7.5%
7	7 Or More	0	0.0 %	-
8 (M)	N/A	613	93.9 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
40	613	0.00	5.00	1.05	0.00	1.50

Q7_12B9 **94: # car/truck/pickups owned hh (Q7.12)**

Location: 61-61 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Number of cars/trucks/pickups that belong to migrant household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	17	2.6 %	42.5%
1	-	23	3.5 %	57.5%
7	7 Or More	0	0.0 %	-
8 (M)	N/A	613	93.9 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
40	613	0.00	1.00	0.57	1.00	0.50

Q7_12A9 **94: # cars/trucks/pickups in hh (Q7.12)**

Location: 62-62 (width: 1; decimal: 0)

- Study 04402 -

Variable Type: numeric (ISO)
 Interval: discrete
 Question: Does this household own cars/trucks/pickups. If yes, how many and who owns it.

Value	Label	Frequency	%	Valid %
0	-	613	93.9 %	93.9%
1	-	29	4.4 %	4.4%
2	-	4	0.6 %	0.6%
3	-	3	0.5 %	0.5%
4	-	1	0.2 %	0.2%
5	-	3	0.5 %	0.5%
7	7 Or More	0	0.0 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
653	0	0.00	5.00	0.10	0.00	0.49

Q7_12C8 94: # itans others own (Q7.12)

Location: 63-63 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Number of itans that belong to other persons who live in this household.

Value	Label	Frequency	%	Valid %
1	-	1	0.2 %	100.0%
7	7 Or More	0	0.0 %	-
8 (M)	N/A	652	99.8 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
1	652	1.00	1.00	1.00	1.00	0.00

Q7_12B8 94: # itans owned by hh (Q7.12)

Location: 64-64 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Number of itans that belong to migrant household.

Value	Label	Frequency	%	Valid %
0	-	1	0.2 %	100.0%
7	7 Or More	0	0.0 %	-
8 (M)	N/A	652	99.8 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
1	652	0.00	0.00	0.00	0.00	0.00

- Study 04402 -

Q7_12A8 94: # itans in hh (Q7.12)

Location: 65-65 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Question: Does this household own itans. If yes, how many and who owns it.

Value	Label	Frequency	%	Valid %
0	-	652	99.8 %	99.8%
1	-	1	0.2 %	0.2%
7	7 Or More	0	0.0 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
653	0	0.00	1.00	0.00	0.00	0.04

Q7_12C7 94: # washing machines others own(Q7.12)

Location: 66-66 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Number of washing machines that belong to other persons who live in this household.

Value	Label	Frequency	%	Valid %
0	-	23	3.5 %	63.9%
1	-	12	1.8 %	33.3%
2	-	1	0.2 %	2.8%
7	7 Or More	0	0.0 %	-
8 (M)	N/A	617	94.5 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
36	617	0.00	2.00	0.39	0.00	0.55

Q7_12B7 94: # wash machines owned by hh (Q7.12)

Location: 67-67 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Number of washing machines that belong to migrant household.

Value	Label	Frequency	%	Valid %
0	-	13	2.0 %	36.1%
1	-	23	3.5 %	63.9%
7	7 Or More	0	0.0 %	-
8 (M)	N/A	617	94.5 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
36	617	0.00	1.00	0.64	1.00	0.49

- Study 04402 -

Q7_12A7 94: # washing machines in hh (Q7.12)

Location: 68-68 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Question: Does this household own washing machines. If yes, how many and who owns it.

Value	Label	Frequency	%	Valid %
0	-	617	94.5 %	94.5%
1	-	35	5.4 %	5.4%
2	-	1	0.2 %	0.2%
7	7 Or More	0	0.0 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
653	0	0.00	2.00	0.06	0.00	0.24

Q7_12C6 94: # telephones others own (Q7.12)

Location: 69-69 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Number of telephones that belong to other persons who live in this household.

Value	Label	Frequency	%	Valid %
0	-	20	3.1 %	40.8%
1	-	24	3.7 %	49.0%
2	-	1	0.2 %	2.0%
3	-	3	0.5 %	6.1%
4	-	1	0.2 %	2.0%
7	7 Or More	0	0.0 %	-
8 (M)	N/A	604	92.5 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
49	604	0.00	4.00	0.80	1.00	0.91

Q7_12B6 94: # telephones owned by hh (Q7.12)

Location: 70-70 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Number of telephones that belong to migrant household.

Value	Label	Frequency	%	Valid %
0	-	29	4.4 %	59.2%
1	-	18	2.8 %	36.7%
2	-	1	0.2 %	2.0%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
3	-	1	0.2 %	2.0%
7	7 Or More	0	0.0 %	-
8 (M)	N/A	604	92.5 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
49	604	0.00	3.00	0.47	0.00	0.65

Q7_12A6

94: # telephones in hh (Q7.12)

Location: 71-71 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Question: Does this household own telephones. If yes, how many and who owns it.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	604	92.5 %	92.5%
1	-	42	6.4 %	6.4%
2	-	2	0.3 %	0.3%
3	-	4	0.6 %	0.6%
4	-	1	0.2 %	0.2%
7	7 Or More	0	0.0 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
653	0	0.00	4.00	0.09	0.00	0.38

Q7_12C5

94: # air conditioners others own(Q7.12)

Location: 72-72 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 8

Question: Number of air conditioners that belong to other persons who live in this household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	9	1.4 %	42.9%
1	-	6	0.9 %	28.6%
3	-	3	0.5 %	14.3%
4	-	1	0.2 %	4.8%
5	-	1	0.2 %	4.8%
7	7 Or More	1	0.2 %	4.8%
8 (M)	N/A	632	96.8 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
21	632	0.00	7.00	1.48	1.00	1.97

Q7_12B5

94: # air conditioner owned by hh(Q7.12)

- Study 04402 -

Location: 73-73 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Number of air conditioners that belong to migrant household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	12	1.8 %	57.1%
1	-	8	1.2 %	38.1%
4	-	1	0.2 %	4.8%
7	7 Or More	0	0.0 %	-
8 (M)	N/A	632	96.8 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
21	632	0.00	4.00	0.57	0.00	0.93

Q7_12A5 94: # air conditioners in hh (Q7.12)

Location: 74-74 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Question: Does this household own air conditioners. If yes, how many and who owns it.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	632	96.8 %	96.8%
1	-	14	2.1 %	2.1%
3	-	3	0.5 %	0.5%
4	-	2	0.3 %	0.3%
5	-	1	0.2 %	0.2%
7	7 Or More	1	0.2 %	0.2%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
653	0	0.00	7.00	0.07	0.00	0.47

Q7_12C4 94: # refrigerators others own (Q7.12)

Location: 75-75 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Number of refrigerators that belong to other persons who live in this household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	156	23.9 %	81.2%
1	-	31	4.7 %	16.1%
2	-	3	0.5 %	1.6%
3	-	1	0.2 %	0.5%
6	-	1	0.2 %	0.5%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
7	7 Or More	0	0.0 %	-
8 (M)	N/A	461	70.6 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
192	461	0.00	6.00	0.24	0.00	0.63

Q7_12B4 **94: # refrigerators owned by hh (Q7.12)**

Location: 76-76 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Number of refrigerators that belong to migrant household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	36	5.5 %	18.8%
1	-	152	23.3 %	79.2%
2	-	3	0.5 %	1.6%
4	-	1	0.2 %	0.5%
7	7 Or More	0	0.0 %	-
8 (M)	N/A	461	70.6 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
192	461	0.00	4.00	0.84	1.00	0.48

Q7_12A4 **94: # refrigerators in hh (Q7.12)**

Location: 77-77 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Question: Does this household own refrigerators. If yes, how many and who owns it.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	461	70.6 %	70.6%
1	-	183	28.0 %	28.0%
2	-	6	0.9 %	0.9%
3	-	1	0.2 %	0.2%
4	-	1	0.2 %	0.2%
6	-	1	0.2 %	0.2%
7	7 Or More	0	0.0 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
653	0	0.00	6.00	0.32	0.00	0.56

Q7_12B1 **94: # b & w TVs owned by hh (Q7.12)**

Location: 78-78 (width: 1; decimal: 0)

- Study 04402 -

Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Number of black & white TVs that belong to migrant household.

Value	Label	Frequency	%	Valid %
0	-	5	0.8 %	10.9%
1	-	41	6.3 %	89.1%
7	7 Or More	0	0.0 %	-
8 (M)	N/A	607	93.0 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
46	607	0.00	1.00	0.89	1.00	0.31

Q7_12C1 94: # b & w TVs others own (Q7.12)

Location: 79-79 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Number of black and white TVs that belong to other persons who live in this household.

Value	Label	Frequency	%	Valid %
0	-	40	6.1 %	87.0%
1	-	6	0.9 %	13.0%
7	7 Or More	0	0.0 %	-
8 (M)	N/A	607	93.0 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
46	607	0.00	1.00	0.13	0.00	0.34

Q7_12A2 94: # color TVs in hh (Q7.12)

Location: 80-80 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Question: Does this household own color tvs. If yes, how many and who owns it.

Value	Label	Frequency	%	Valid %
0	-	310	47.5 %	47.5%
1	-	324	49.6 %	49.6%
2	-	13	2.0 %	2.0%
3	-	3	0.5 %	0.5%
4	-	1	0.2 %	0.2%
5	-	1	0.2 %	0.2%
7	7 Or More	0	0.0 %	-
8	-	1	0.2 %	0.2%

- Study 04402 -

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
653	0	0.00	8.00	0.58	1.00	0.67

Q7_12B2 **94: # color TVs owned by hh (Q7.12)**

Location: 81-81 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Number of color TVs that belong to migrant household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	44	6.7 %	12.8%
1	-	288	44.1 %	84.0%
2	-	8	1.2 %	2.3%
3	-	3	0.5 %	0.9%
7	7 Or More	0	0.0 %	-
8 (M)	N/A	310	47.5 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
343	310	0.00	3.00	0.91	1.00	0.42

Q7_12C2 **94: # color TVs others own (Q7.12)**

Location: 82-82 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Number of color TVs that belong to other persons who live in this household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	297	45.5 %	86.6%
1	-	38	5.8 %	11.1%
2	-	5	0.8 %	1.5%
4	-	2	0.3 %	0.6%
7	7 Or More	1	0.2 %	0.3%
8 (M)	N/A	310	47.5 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
343	310	0.00	7.00	0.18	0.00	0.61

Q7_12A3 **94: # VCRs in hh (Q7.12)**

Location: 83-83 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Question: Does this household own VCRs. If yes, how many and who owns it.

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	562	86.1 %	86.1%
1	-	88	13.5 %	13.5%
2	-	3	0.5 %	0.5%
7	7 Or More	0	0.0 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
653	0	0.00	2.00	0.14	0.00	0.36

Q7_12B3 94: # VCRs owned by hh (Q7.12)

Location: 84-84 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Number of VCRs that belong to migrant household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	18	2.8 %	19.8%
1	-	72	11.0 %	79.1%
2	-	1	0.2 %	1.1%
7	7 Or More	0	0.0 %	-
8 (M)	N/A	562	86.1 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
91	562	0.00	2.00	0.81	1.00	0.42

Q7_12C3 94: # VCRs others own (Q7.12)

Location: 85-85 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Number of VCRs that belong to other persons who live in this household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	73	11.2 %	80.2%
1	-	16	2.5 %	17.6%
2	-	2	0.3 %	2.2%
7	7 Or More	0	0.0 %	-
8 (M)	N/A	562	86.1 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
91	562	0.00	2.00	0.22	0.00	0.47

Q7_15P11 94: 1st plot - owns (Q7.15.1)

Location: 86-86 (width: 1; decimal: 0)

- Study 04402 -

Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Do you own this plot (1st plot).

Value	Label	Frequency	%	Valid %
1	Yes	2	0.3 %	33.3%
2	No	4	0.6 %	66.7%
8 (M)	N/A	647	99.1 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
6	647	1.00	2.00	1.67	2.00	0.52

Q7_15P21 94: 1st plot - square wah owned(Q7.15.1)

Location: 87-91 (width: 5; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 99998
 Question: Number of Rai owned (1st plot).

Value	Label	Frequency	%	Valid %
0	-	4	0.6 %	66.7%
2400	-	1	0.2 %	16.7%
4000	-	1	0.2 %	16.7%
99998 (M)	N/A	647	99.1 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
6	647	0.00	4000.00	1066.67	0.00	1728.20

Q7_15P31 94: 1st plot - doc of ownership(Q7.15.1)

Location: 92-93 (width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 98 , 99
 Question: Document of ownership (1st plot).

Value	Label	Frequency	%	Valid %
1	Deed	1	0.2 %	100.0%
98 (M)	N/A	651	99.7 %	-
99 (M)	Missing/Don't Know	1	0.2 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
1	652	1.00	1.00	1.00	1.00	0.00

Q7_15P41 94: 1st plot - rented (Q7.15.1)

Location: 94-94 (width: 1; decimal: 0)

- Study 04402 -

Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Do you rent from others (1st plot).

Value	Label	Frequency	%	Valid %
1	Yes	4	0.6 %	66.7%
2	No	2	0.3 %	33.3%
8 (M)	N/A	647	99.1 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
6	647	1.00	2.00	1.33	1.00	0.52

Q7_15P51 94: 1st plot - square wah rent (Q7.15.1)

Location: 95-99 (width: 5; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 99998
 Question: number of rai rented (1st plot).

Value	Label	Frequency	%	Valid %
0	-	2	0.3 %	33.3%
2000	-	1	0.2 %	16.7%
4000	-	1	0.2 %	16.7%
6000	-	1	0.2 %	16.7%
12000	-	1	0.2 %	16.7%
99998 (M)	N/A	647	99.1 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
6	647	0.00	12000.00	4000.00	3000.00	4560.70

Q7_15P12 94: 2nd plot - owns (Q7.15.1)

Location: 100-100 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Do you own this plot (2nd plot).

Value	Label	Frequency	%	Valid %
1	Yes	0	0.0 %	-
2	No	1	0.2 %	100.0%
8 (M)	N/A	652	99.8 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
1	652	2.00	2.00	2.00	2.00	0.00

- Study 04402 -

Q7_15P22 94: 2nd plot - square wah owned(Q7.15.1)

Location: 101-105 (width: 5; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 99998
 Question: Number of Rai owned (2nd plot).

Value	Label	Frequency	%	Valid %
0	-	1	0.2 %	100.0%
99998 (M)	N/A	652	99.8 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
1	652	0.00	0.00	0.00	0.00	0.00

Q7_15P32 94: 2nd plot - doc of ownership(Q7.15.1)

Location: 106-107 (width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 98 , 99
 Question: Document of ownership (2nd plot).

Value	Label	Frequency	%	Valid %
1	Deed	0	0.0 %	-
98 (M)	N/A	653	100.0 %	-
99 (M)	Missing/Don't Know	0	0.0 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
0	653	-	-	-	-	-

Q7_15P42 94: 2nd plot - rented (Q7.15.1)

Location: 108-108 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Do you rent from others (2nd plot).

Value	Label	Frequency	%	Valid %
1	Yes	1	0.2 %	100.0%
2	No	0	0.0 %	-
8 (M)	N/A	652	99.8 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
1	652	1.00	1.00	1.00	1.00	0.00

Q7_15P52 94: 2nd plot - square wah rent (Q7.15.1)

Location: 109-113 (width: 5; decimal: 0)

- Study 04402 -

Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 99998
 Question: number of rai rented (2nd plot)

Value	Label	Frequency	%	Valid %
3600	-	1	0.2 %	100.0%
99998 (M)	N/A	652	99.8 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
1	652	3600.00	3600.00	3600.00	3600.00	0.00

Q7_15C11 **94: 1st crop - type (Q7.15.2)**

Location: 114-114 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Type of crop (1st crop).

Value	Label	Frequency	%	Valid %
1	Rice	5	0.8 %	100.0%
2	Cucumber	0	0.0 %	-
8 (M)	N/A	648	99.2 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
5	648	1.00	1.00	1.00	1.00	0.00

Q7_15C21 **94: 1st crop - # square wah (Q7.15.2)**

Location: 115-119 (width: 5; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 99998
 Question: Area used to plant this crop (1st crop).

Value	Label	Frequency	%	Valid %
2000	-	1	0.2 %	20.0%
2400	-	1	0.2 %	20.0%
4000	-	1	0.2 %	20.0%
9600	-	1	0.2 %	20.0%
12000	-	1	0.2 %	20.0%
99998 (M)	N/A	648	99.2 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
5	648	2000.00	12000.00	6000.00	4000.00	4525.48

Q7_15C31 **94: 1st crop - yield/rai (Q7.15.2)**

- Study 04402 -

Location: 120-124 (width: 5; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 99998
 Question: Yield per rai (1st crop).

Value	Label	Frequency	%	Valid %
1000	-	1	0.2 %	20.0%
1600	-	1	0.2 %	20.0%
2240	-	1	0.2 %	20.0%
3600	-	1	0.2 %	20.0%
7800	-	1	0.2 %	20.0%
99998 (M)	N/A	648	99.2 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
5	648	1000.00	7800.00	3248.00	2240.00	2721.68

Q7_15C12 94: 2nd crop - type (Q7.15.2)

Location: 125-125 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Type of crop (2nd crop).

Value	Label	Frequency	%	Valid %
1	Rice	0	0.0 %	-
2	Cucumber	1	0.2 %	100.0%
8 (M)	N/A	652	99.8 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
1	652	2.00	2.00	2.00	2.00	0.00

Q7_15C22 94: 2nd crop - # square wah (Q7.15.2)

Location: 126-130 (width: 5; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 99998
 Question: Area used to plant this crop (2nd crop).

Value	Label	Frequency	%	Valid %
4000	-	1	0.2 %	100.0%
99998 (M)	N/A	652	99.8 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
1	652	4000.00	4000.00	4000.00	4000.00	0.00

- Study 04402 -

Q7_15C32 94: 2nd crop - yield/rai (Q7.15.2)

Location: 131-135 (width: 5; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 99998
 Question: Yield per rai (2nd crop).

Value	Label	Frequency	%	Valid %
200	-	1	0.2 %	100.0%
99998 (M)	N/A	652	99.8 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
1	652	200.00	200.00	200.00	200.00	0.00

Q7_15L11 94: 1st livestock - type (Q7.15.3)

Location: 136-136 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Type of Livestock (1st livestock).

Value	Label	Frequency	%	Valid %
1	Water Buffalo	2	0.3 %	66.7%
2	Cow (Both Male And Female)	1	0.2 %	33.3%
8 (M)	N/A	650	99.5 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
3	650	1.00	2.00	1.33	1.00	0.58

Q7_15L21 94: 1st livestock - purpose (Q7.15.3)

Location: 137-137 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Livestock is raised for what purpose (1st livestock).

Value	Label	Frequency	%	Valid %
1	For Sale	0	0.0 %	-
2	For Work or Consumption	1	0.2 %	33.3%
3	For Sale And Work Or Consumption	2	0.3 %	66.7%
8 (M)	N/a	650	99.5 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
3	650	2.00	3.00	2.67	3.00	0.58

Q7_15L31 94: 1st livestock - total # (Q7.15.3)

- Study 04402 -

Location: 138-140 (width: 3; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 998
 Question: Total number of livestock (1st livestock).

Value	Label	Frequency	%	Valid %
2	-	2	0.3 %	66.7%
3	-	1	0.2 %	33.3%
998 (M)	N/A	650	99.5 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
3	650	2.00	3.00	2.33	2.00	0.58

Q7_15L12 94: 2nd livestock - type (Q7.15.3)

Location: 141-141 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Type of Livestock (2nd livestock).

Value	Label	Frequency	%	Valid %
1	Water Buffalo	1	0.2 %	100.0%
2	Cow (Both Male And Female)	0	0.0 %	-
8 (M)	N/A	652	99.8 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
1	652	1.00	1.00	1.00	1.00	0.00

Q7_15L22 94: 2nd livestock - purpose (Q7.15.3)

Location: 142-142 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8
 Question: Livestock is raised for what purpose (2nd livestock).

Value	Label	Frequency	%	Valid %
1	For Sale	0	0.0 %	-
2	For Work or Consumption	1	0.2 %	100.0%
3	For Sale And Work Or Consumption	0	0.0 %	-
8 (M)	N/a	652	99.8 %	-

Valid	Invalid	Min	Max	Mean	Median	Stdev
1	652	2.00	2.00	2.00	2.00	0.00

Q7_15L32 94: 2nd livestock - total # (Q7.15.3)

- Study 04402 -

Location: 143-145 (width: 3; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 998
 Question: Total number of livestock (2nd livestock).

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
2	-	1	0.2 %	100.0%
998 (M)	N/A	652	99.8 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
1	652	2.00	2.00	2.00	2.00	0.00

Q7_16_21 94: 1st visitor - where from (Q7.16)

Location: 146-151 (width: 6; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 999998
 Question: Where is this person from (1st visitor).

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
94003	-	1	0.2 %	0.7%
94006	-	1	0.2 %	0.7%
94010	-	1	0.2 %	0.7%
94011	-	1	0.2 %	0.7%
94021	-	5	0.8 %	3.7%
94023	-	1	0.2 %	0.7%
94026	-	1	0.2 %	0.7%
94036	-	2	0.3 %	1.5%
94039	-	2	0.3 %	1.5%
94042	-	3	0.5 %	2.2%
94049	-	1	0.2 %	0.7%
94055	-	1	0.2 %	0.7%
94056	-	1	0.2 %	0.7%
94067	-	1	0.2 %	0.7%
94070	-	1	0.2 %	0.7%
94071	-	1	0.2 %	0.7%
103001	-	1	0.2 %	0.7%
103003	-	1	0.2 %	0.7%
103004	-	2	0.3 %	1.5%
103011	-	3	0.5 %	2.2%
103014	-	1	0.2 %	0.7%
103018	-	1	0.2 %	0.7%
112001	-	8	1.2 %	5.9%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
112002	-	3	0.5 %	2.2%
112007	-	2	0.3 %	1.5%
112008	-	7	1.1 %	5.1%
112010	-	4	0.6 %	2.9%
112011	-	3	0.5 %	2.2%
112013	-	2	0.3 %	1.5%
112014	-	3	0.5 %	2.2%
112016	-	1	0.2 %	0.7%
112019	-	3	0.5 %	2.2%
112022	-	3	0.5 %	2.2%
112028	-	2	0.3 %	1.5%
112029	-	1	0.2 %	0.7%
112030	-	12	1.8 %	8.8%
112031	-	6	0.9 %	4.4%
112032	-	9	1.4 %	6.6%
112035	-	2	0.3 %	1.5%
112038	-	2	0.3 %	1.5%
112040	-	4	0.6 %	2.9%
112041	-	6	0.9 %	4.4%
112048	-	4	0.6 %	2.9%
112058	-	1	0.2 %	0.7%
112059	-	3	0.5 %	2.2%
112066	-	3	0.5 %	2.2%
112068	-	2	0.3 %	1.5%
112136	-	2	0.3 %	1.5%
112215	-	1	0.2 %	0.7%
112297	-	1	0.2 %	0.7%
112495	-	1	0.2 %	0.7%
112576	-	1	0.2 %	0.7%
112578	-	1	0.2 %	0.7%
999998 (M)	N/A	517	79.2 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
136	517	94003.00	112578.00	108271.57	112019.00	6983.83

Q7_16_22

94: 2nd visitor - where from (Q7.16)

Location: 152-157 (width: 6; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 999998
 Question: Where is this person from (2nd visitor).

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
94006	-	1	0.2 %	3.0%
94023	-	1	0.2 %	3.0%
94026	-	1	0.2 %	3.0%
94036	-	1	0.2 %	3.0%
94052	-	1	0.2 %	3.0%
94070	-	1	0.2 %	3.0%
94071	-	1	0.2 %	3.0%
112001	-	1	0.2 %	3.0%
112007	-	1	0.2 %	3.0%
112008	-	5	0.8 %	15.2%
112010	-	2	0.3 %	6.1%
112011	-	1	0.2 %	3.0%
112014	-	1	0.2 %	3.0%
112019	-	1	0.2 %	3.0%
112024	-	1	0.2 %	3.0%
112030	-	2	0.3 %	6.1%
112031	-	1	0.2 %	3.0%
112032	-	2	0.3 %	6.1%
112038	-	1	0.2 %	3.0%
112048	-	1	0.2 %	3.0%
112059	-	1	0.2 %	3.0%
112066	-	1	0.2 %	3.0%
112068	-	2	0.3 %	6.1%
112215	-	1	0.2 %	3.0%
112495	-	1	0.2 %	3.0%
999998 (M)	N/A	620	94.9 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
33	620	94006.00	112495.00	108231.27	112011.00	7477.89

Q7_16_23

94: 3rd visitor - where from (Q7.16)

Location: 158-163 (width: 6; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 999998
 Question: Where is this person from (3rd visitor).

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
94026	-	1	0.2 %	12.5%
112007	-	1	0.2 %	12.5%
112008	-	1	0.2 %	12.5%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
112019	-	1	0.2 %	12.5%
112032	-	1	0.2 %	12.5%
112048	-	1	0.2 %	12.5%
112059	-	1	0.2 %	12.5%
112215	-	1	0.2 %	12.5%
999998 (M)	N/A	645	98.8 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
8	645	94026.00	112215.00	109801.75	112025.50	6374.72

Q7_16_24

94: 4th visitor - where from (Q7.16)

Location: 164-169 (width: 6; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 999998
 Question: Where is this person from (4th visitor).

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
112007	-	1	0.2 %	50.0%
112019	-	1	0.2 %	50.0%
999998 (M)	N/A	651	99.7 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
2	651	112007.00	112019.00	112013.00	112013.00	8.49