

ICPSR 4402

Nang Rong Projects [Thailand]

Ronald Rindfuss

University of North Carolina-Chapel Hill

Barbara Entwisle

University of North Carolina-Chapel Hill

Steve Walsh

University of North Carolina-Chapel Hill

1994 Migrant Sibling Data -- Restricted

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/4402.xml>

Codebook for ICPSR 04402

Nang Rong

Dataset 43: Restricted

MID 1994 Migrant Questionnaire Identifier

Location: 1-7 (width: 7; decimal: 0)
Variable Type: numeric (ISO)
Interval: discrete
Question: Migrant follow-up ID from 1994 questionnaire.

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
2148	0	2001001.00	2446021.00	2038201.49	-	64474.60

PMID94 1994 Migrant Identifier for Public Use

Location: 8-11 (width: 4; decimal: 0)
Variable Type: numeric (ISO)
Interval: discrete

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
2148	0	1.00	2356.00	1178.97	-	685.45

Q11_2_1 94: person is the informant (Q11.2.1)

Location: 12-12 (width: 1; decimal: 0)
Variable Type: numeric (ISO)
Interval: discrete
Question: Is this person the respondent for form 11.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	1799	83.8 %	83.8%
2	No	349	16.2 %	16.2%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
2148	0	1.00	2.00	1.16	1.00	0.37

Q11_3 94: # of sibling still living (Q11.3)

Location: 13-14 (width: 2; decimal: 0)
Variable Type: numeric (ISO)
Interval: discrete
Range of Missing Values (M): 99
Question: How many of this migrant's siblings are still living (don't count this person).

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	36	1.7 %	1.7%
1	-	142	6.6 %	6.7%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
2	-	296	13.8 %	13.9%
3	-	379	17.6 %	17.8%
4	-	365	17.0 %	17.1%
5	-	309	14.4 %	14.5%
6	-	246	11.5 %	11.5%
7	-	188	8.8 %	8.8%
8	-	108	5.0 %	5.1%
9	-	34	1.6 %	1.6%
10	-	27	1.3 %	1.3%
11	-	2	0.1 %	0.1%
12	-	2	0.1 %	0.1%
82	-	1	0.0 %	0.0%
99 (M)	Missing/Don't Know	13	0.6 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
2135	13	0.00	82.00	4.33	4.00	2.74

Q11_5A1

94: age 1st sibl not in Form 8 (Q11.5)

Location: 15-16 (width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 98 , 99
 Question: Age of 1st sibling living outside the household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
6	-	1	0.0 %	0.0%
7	-	3	0.1 %	0.1%
8	-	1	0.0 %	0.0%
9	-	4	0.2 %	0.2%
10	-	6	0.3 %	0.3%
11	-	8	0.4 %	0.4%
12	-	10	0.5 %	0.5%
13	-	11	0.5 %	0.5%
14	-	15	0.7 %	0.7%
15	-	31	1.4 %	1.5%
16	-	26	1.2 %	1.3%
17	-	35	1.6 %	1.7%
18	-	42	2.0 %	2.0%
19	-	48	2.2 %	2.3%
20	-	63	2.9 %	3.1%
21	-	68	3.2 %	3.3%
22	-	83	3.9 %	4.0%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
23	-	82	3.8 %	4.0%
24	-	72	3.4 %	3.5%
25	-	118	5.5 %	5.7%
26	-	80	3.7 %	3.9%
27	-	84	3.9 %	4.1%
28	-	78	3.6 %	3.8%
29	-	70	3.3 %	3.4%
30	-	106	4.9 %	5.1%
31	-	67	3.1 %	3.2%
32	-	71	3.3 %	3.4%
33	-	66	3.1 %	3.2%
34	-	63	2.9 %	3.1%
35	-	110	5.1 %	5.3%
36	-	56	2.6 %	2.7%
37	-	49	2.3 %	2.4%
38	-	43	2.0 %	2.1%
39	-	32	1.5 %	1.5%
40	-	101	4.7 %	4.9%
41	-	24	1.1 %	1.2%
42	-	42	2.0 %	2.0%
43	-	18	0.8 %	0.9%
44	-	14	0.7 %	0.7%
45	-	57	2.7 %	2.8%
46	-	17	0.8 %	0.8%
47	-	9	0.4 %	0.4%
48	-	13	0.6 %	0.6%
49	-	10	0.5 %	0.5%
50	-	20	0.9 %	1.0%
52	-	4	0.2 %	0.2%
53	-	5	0.2 %	0.2%
54	-	3	0.1 %	0.1%
55	-	7	0.3 %	0.3%
56	-	2	0.1 %	0.1%
57	-	2	0.1 %	0.1%
58	-	3	0.1 %	0.1%
60	-	3	0.1 %	0.1%
61	-	3	0.1 %	0.1%
62	-	2	0.1 %	0.1%
64	-	2	0.1 %	0.1%
65	-	1	0.0 %	0.0%
68	-	1	0.0 %	0.0%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
98 (M)	N/A	51	2.4 %	-
99 (M)	Missing/Don't Know	32	1.5 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
2065	83	6.00	68.00	30.08	29.00	9.40

Q11_5S1 94: sex 1st sib not in Form 8 (Q11.5)

Location: 17-17 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8 , 9
 Question: Sex of 1st sibling living outside the household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Male	1062	49.4 %	51.3%
2	Female	1008	46.9 %	48.7%
8 (M)	N/A	51	2.4 %	-
9 (M)	Missing/Don't Know	27	1.3 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
2070	78	1.00	2.00	1.49	1.00	0.50

Q11_5A2 94: age 2nd sib not in Form 8 (Q11.5)

Location: 18-19 (width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 98 , 99
 Question: Age of 2nd sibling living outside the household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	1	0.0 %	0.1%
3	-	6	0.3 %	0.3%
4	-	2	0.1 %	0.1%
5	-	1	0.0 %	0.1%
6	-	2	0.1 %	0.1%
7	-	5	0.2 %	0.3%
8	-	1	0.0 %	0.1%
9	-	11	0.5 %	0.6%
10	-	20	0.9 %	1.0%
11	-	17	0.8 %	0.9%
12	-	26	1.2 %	1.4%
13	-	32	1.5 %	1.7%
14	-	30	1.4 %	1.6%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
15	-	42	2.0 %	2.2%
16	-	29	1.4 %	1.5%
17	-	39	1.8 %	2.0%
18	-	59	2.7 %	3.1%
19	-	68	3.2 %	3.6%
20	-	73	3.4 %	3.8%
21	-	68	3.2 %	3.6%
22	-	79	3.7 %	4.1%
23	-	98	4.6 %	5.1%
24	-	79	3.7 %	4.1%
25	-	79	3.7 %	4.1%
26	-	66	3.1 %	3.5%
27	-	93	4.3 %	4.9%
28	-	73	3.4 %	3.8%
29	-	70	3.3 %	3.7%
30	-	86	4.0 %	4.5%
31	-	53	2.5 %	2.8%
32	-	79	3.7 %	4.1%
33	-	56	2.6 %	2.9%
34	-	49	2.3 %	2.6%
35	-	58	2.7 %	3.0%
36	-	40	1.9 %	2.1%
37	-	48	2.2 %	2.5%
38	-	53	2.5 %	2.8%
39	-	28	1.3 %	1.5%
40	-	54	2.5 %	2.8%
41	-	10	0.5 %	0.5%
42	-	18	0.8 %	0.9%
43	-	21	1.0 %	1.1%
44	-	11	0.5 %	0.6%
45	-	15	0.7 %	0.8%
46	-	11	0.5 %	0.6%
47	-	11	0.5 %	0.6%
48	-	8	0.4 %	0.4%
49	-	3	0.1 %	0.2%
50	-	9	0.4 %	0.5%
51	-	3	0.1 %	0.2%
53	-	4	0.2 %	0.2%
54	-	4	0.2 %	0.2%
55	-	2	0.1 %	0.1%
56	-	1	0.0 %	0.1%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
57	-	1	0.0 %	0.1%
58	-	1	0.0 %	0.1%
60	-	2	0.1 %	0.1%
62	-	1	0.0 %	0.1%
63	-	1	0.0 %	0.1%
65	-	1	0.0 %	0.1%
98 (M)	N/A	213	9.9 %	-
99 (M)	Missing/Don't Know	24	1.1 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
1911	237	1.00	65.00	27.24	27.00	9.38

Q11_5S2 **94: sex 2nd sib not in Form 8 (Q11.5)**

Location: 20-20 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8 , 9
 Question: Sex of 2nd sibling living outside the household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Male	1001	46.6 %	52.3%
2	Female	914	42.6 %	47.7%
8 (M)	N/A	213	9.9 %	-
9 (M)	Missing/Don't Know	20	0.9 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
1915	233	1.00	2.00	1.48	1.00	0.50

Q11_5A3 **94: age 3rd sib not in Form 8 (Q11.5)**

Location: 21-22 (width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 98 , 99
 Question: Age of 3rd sibling living outside the household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	1	0.0 %	0.1%
2	-	2	0.1 %	0.1%
3	-	5	0.2 %	0.3%
5	-	4	0.2 %	0.3%
6	-	3	0.1 %	0.2%
7	-	10	0.5 %	0.6%
8	-	7	0.3 %	0.4%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
9	-	9	0.4 %	0.6%
10	-	20	0.9 %	1.3%
11	-	12	0.6 %	0.8%
12	-	29	1.4 %	1.8%
13	-	25	1.2 %	1.6%
14	-	34	1.6 %	2.1%
15	-	49	2.3 %	3.1%
16	-	29	1.4 %	1.8%
17	-	56	2.6 %	3.5%
18	-	51	2.4 %	3.2%
19	-	53	2.5 %	3.3%
20	-	69	3.2 %	4.3%
21	-	80	3.7 %	5.0%
22	-	72	3.4 %	4.5%
23	-	76	3.5 %	4.8%
24	-	48	2.2 %	3.0%
25	-	86	4.0 %	5.4%
26	-	60	2.8 %	3.8%
27	-	65	3.0 %	4.1%
28	-	74	3.4 %	4.6%
29	-	53	2.5 %	3.3%
30	-	84	3.9 %	5.3%
31	-	30	1.4 %	1.9%
32	-	46	2.1 %	2.9%
33	-	34	1.6 %	2.1%
34	-	35	1.6 %	2.2%
35	-	51	2.4 %	3.2%
36	-	38	1.8 %	2.4%
37	-	25	1.2 %	1.6%
38	-	45	2.1 %	2.8%
39	-	9	0.4 %	0.6%
40	-	29	1.4 %	1.8%
41	-	11	0.5 %	0.7%
42	-	13	0.6 %	0.8%
43	-	12	0.6 %	0.8%
44	-	6	0.3 %	0.4%
45	-	13	0.6 %	0.8%
46	-	8	0.4 %	0.5%
47	-	2	0.1 %	0.1%
48	-	4	0.2 %	0.3%
49	-	5	0.2 %	0.3%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
5	-	4	0.2 %	0.3%
6	-	5	0.2 %	0.4%
7	-	6	0.3 %	0.5%
8	-	13	0.6 %	1.1%
9	-	16	0.7 %	1.3%
10	-	16	0.7 %	1.3%
11	-	7	0.3 %	0.6%
12	-	17	0.8 %	1.4%
13	-	17	0.8 %	1.4%
14	-	25	1.2 %	2.0%
15	-	41	1.9 %	3.3%
16	-	36	1.7 %	2.9%
17	-	29	1.4 %	2.4%
18	-	61	2.8 %	5.0%
19	-	50	2.3 %	4.1%
20	-	53	2.5 %	4.3%
21	-	41	1.9 %	3.3%
22	-	46	2.1 %	3.8%
23	-	50	2.3 %	4.1%
24	-	66	3.1 %	5.4%
25	-	67	3.1 %	5.5%
26	-	48	2.2 %	3.9%
27	-	61	2.8 %	5.0%
28	-	57	2.7 %	4.7%
29	-	40	1.9 %	3.3%
30	-	50	2.3 %	4.1%
31	-	29	1.4 %	2.4%
32	-	33	1.5 %	2.7%
33	-	21	1.0 %	1.7%
34	-	33	1.5 %	2.7%
35	-	41	1.9 %	3.3%
36	-	30	1.4 %	2.4%
37	-	19	0.9 %	1.6%
38	-	20	0.9 %	1.6%
39	-	8	0.4 %	0.7%
40	-	21	1.0 %	1.7%
41	-	3	0.1 %	0.2%
42	-	10	0.5 %	0.8%
43	-	6	0.3 %	0.5%
44	-	3	0.1 %	0.2%
45	-	2	0.1 %	0.2%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
46	-	4	0.2 %	0.3%
47	-	3	0.1 %	0.2%
48	-	2	0.1 %	0.2%
49	-	1	0.0 %	0.1%
50	-	5	0.2 %	0.4%
52	-	1	0.0 %	0.1%
55	-	1	0.0 %	0.1%
56	-	1	0.0 %	0.1%
65	-	1	0.0 %	0.1%
98 (M)	N/A	902	42.0 %	-
99 (M)	Missing/Don't Know	21	1.0 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
1225	923	2.00	65.00	24.87	25.00	8.78

Q11_5S4 **94: sex 4th sib not in Form 8 (Q11.5)**

Location: 26-26 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8 , 9
 Question: Sex of 4th sibling living outside the household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Male	618	28.8 %	50.3%
2	Female	611	28.4 %	49.7%
8 (M)	N/A	902	42.0 %	-
9 (M)	Missing/Don't Know	17	0.8 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
1229	919	1.00	2.00	1.50	1.00	0.50

Q11_5A5 **94: age 5th sib not in Form 8 (Q11.5)**

Location: 27-28 (width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 98 , 99
 Question: Age of 5th sibling living outside the household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
5	-	3	0.1 %	0.3%
6	-	9	0.4 %	1.0%
7	-	8	0.4 %	0.9%
8	-	1	0.0 %	0.1%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
9	-	3	0.1 %	0.3%
10	-	10	0.5 %	1.1%
11	-	16	0.7 %	1.8%
12	-	24	1.1 %	2.7%
13	-	12	0.6 %	1.4%
14	-	29	1.4 %	3.3%
15	-	28	1.3 %	3.2%
16	-	28	1.3 %	3.2%
17	-	39	1.8 %	4.4%
18	-	30	1.4 %	3.4%
19	-	29	1.4 %	3.3%
20	-	44	2.0 %	5.0%
21	-	41	1.9 %	4.7%
22	-	35	1.6 %	4.0%
23	-	48	2.2 %	5.5%
24	-	35	1.6 %	4.0%
25	-	36	1.7 %	4.1%
26	-	40	1.9 %	4.6%
27	-	40	1.9 %	4.6%
28	-	29	1.4 %	3.3%
29	-	26	1.2 %	3.0%
30	-	41	1.9 %	4.7%
31	-	27	1.3 %	3.1%
32	-	30	1.4 %	3.4%
33	-	18	0.8 %	2.0%
34	-	11	0.5 %	1.3%
35	-	27	1.3 %	3.1%
36	-	15	0.7 %	1.7%
37	-	11	0.5 %	1.3%
38	-	15	0.7 %	1.7%
39	-	8	0.4 %	0.9%
40	-	11	0.5 %	1.3%
41	-	4	0.2 %	0.5%
42	-	3	0.1 %	0.3%
43	-	2	0.1 %	0.2%
44	-	3	0.1 %	0.3%
45	-	2	0.1 %	0.2%
46	-	1	0.0 %	0.1%
47	-	2	0.1 %	0.2%
48	-	1	0.0 %	0.1%
50	-	2	0.1 %	0.2%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
52	-	1	0.0 %	0.1%
54	-	1	0.0 %	0.1%
98 (M)	N/A	1250	58.2 %	-
99 (M)	Missing/Don't Know	19	0.9 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
879	1269	5.00	54.00	24.06	24.00	8.45

Q11_5S5 94: sex 5th sib not in Form 8 (Q11.5)

Location: 29-29 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8 , 9
 Question: Sex of 5th sibling living outside the household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Male	430	20.0 %	48.8%
2	Female	451	21.0 %	51.2%
8 (M)	N/A	1250	58.2 %	-
9 (M)	Missing/Don't Know	17	0.8 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
881	1267	1.00	2.00	1.51	2.00	0.50

Q11_5A6 94: age 6th sib not in Form 8 (Q11.5)

Location: 30-31 (width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 98 , 99
 Question: Age of 6th sibling living outside the household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
3	-	5	0.2 %	0.9%
4	-	1	0.0 %	0.2%
5	-	1	0.0 %	0.2%
6	-	4	0.2 %	0.7%
7	-	5	0.2 %	0.9%
8	-	7	0.3 %	1.2%
9	-	2	0.1 %	0.4%
10	-	8	0.4 %	1.4%
11	-	12	0.6 %	2.1%
12	-	13	0.6 %	2.3%
13	-	14	0.7 %	2.5%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
14	-	14	0.7 %	2.5%
15	-	14	0.7 %	2.5%
16	-	16	0.7 %	2.8%
17	-	19	0.9 %	3.4%
18	-	26	1.2 %	4.6%
19	-	33	1.5 %	5.8%
20	-	33	1.5 %	5.8%
21	-	19	0.9 %	3.4%
22	-	26	1.2 %	4.6%
23	-	26	1.2 %	4.6%
24	-	30	1.4 %	5.3%
25	-	33	1.5 %	5.8%
26	-	17	0.8 %	3.0%
27	-	25	1.2 %	4.4%
28	-	23	1.1 %	4.1%
29	-	22	1.0 %	3.9%
30	-	24	1.1 %	4.2%
31	-	10	0.5 %	1.8%
32	-	11	0.5 %	1.9%
33	-	8	0.4 %	1.4%
34	-	15	0.7 %	2.6%
35	-	13	0.6 %	2.3%
36	-	11	0.5 %	1.9%
37	-	5	0.2 %	0.9%
38	-	8	0.4 %	1.4%
39	-	1	0.0 %	0.2%
40	-	3	0.1 %	0.5%
41	-	1	0.0 %	0.2%
42	-	3	0.1 %	0.5%
43	-	2	0.1 %	0.4%
46	-	1	0.0 %	0.2%
47	-	1	0.0 %	0.2%
48	-	1	0.0 %	0.2%
50	-	1	0.0 %	0.2%
98 (M)	N/A	1561	72.7 %	-
99 (M)	Missing/Don't Know	20	0.9 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
567	1581	3.00	50.00	23.03	23.00	8.19

- Study 04402 -

Location: 32-32 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8 , 9
 Question: Sex of 6th sibling living outside the household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Male	302	14.1 %	53.2%
2	Female	266	12.4 %	46.8%
8 (M)	N/A	1561	72.7 %	-
9 (M)	Missing/Don't Know	19	0.9 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
568	1580	1.00	2.00	1.47	1.00	0.50

Q11_5A7 94: age 7th sib not in Form 8 (Q11.5)

Location: 33-34 (width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 98 , 99
 Question: Age of 7th sibling living outside the household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
4	-	1	0.0 %	0.3%
5	-	1	0.0 %	0.3%
6	-	2	0.1 %	0.6%
7	-	1	0.0 %	0.3%
8	-	1	0.0 %	0.3%
9	-	1	0.0 %	0.3%
10	-	4	0.2 %	1.2%
11	-	7	0.3 %	2.1%
12	-	4	0.2 %	1.2%
13	-	9	0.4 %	2.7%
14	-	13	0.6 %	3.9%
15	-	11	0.5 %	3.3%
16	-	14	0.7 %	4.2%
17	-	8	0.4 %	2.4%
18	-	18	0.8 %	5.4%
19	-	20	0.9 %	6.0%
20	-	18	0.8 %	5.4%
21	-	16	0.7 %	4.8%
22	-	22	1.0 %	6.5%
23	-	13	0.6 %	3.9%
24	-	12	0.6 %	3.6%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
25	-	25	1.2 %	7.4%
26	-	10	0.5 %	3.0%
27	-	12	0.6 %	3.6%
28	-	16	0.7 %	4.8%
29	-	7	0.3 %	2.1%
30	-	12	0.6 %	3.6%
31	-	5	0.2 %	1.5%
32	-	9	0.4 %	2.7%
33	-	5	0.2 %	1.5%
34	-	9	0.4 %	2.7%
35	-	7	0.3 %	2.1%
36	-	3	0.1 %	0.9%
37	-	2	0.1 %	0.6%
38	-	5	0.2 %	1.5%
39	-	2	0.1 %	0.6%
40	-	3	0.1 %	0.9%
41	-	3	0.1 %	0.9%
42	-	1	0.0 %	0.3%
45	-	1	0.0 %	0.3%
47	-	1	0.0 %	0.3%
48	-	1	0.0 %	0.3%
54	-	1	0.0 %	0.3%
98 (M)	N/A	1792	83.4 %	-
99 (M)	Missing/Don't Know	20	0.9 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
336	1812	4.00	54.00	23.25	22.00	7.99

Q11_5S7 94: sex 7th sib not in Form 8 (Q11.5)

Location: 35-35 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8 , 9
 Question: Sex of 7th sibling living outside the household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Male	172	8.0 %	50.9%
2	Female	166	7.7 %	49.1%
8 (M)	N/A	1792	83.4 %	-
9 (M)	Missing/Don't Know	18	0.8 %	-

- Study 04402 -

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
338	1810	1.00	2.00	1.49	1.00	0.50

Q11_5A8

94: age 8th sib not in Form 8 (Q11.5)

Location: 36-37 (width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 98 , 99
 Question: Age of 8th sibling living outside the household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
4	-	1	0.0 %	0.6%
7	-	1	0.0 %	0.6%
8	-	1	0.0 %	0.6%
9	-	3	0.1 %	1.9%
10	-	3	0.1 %	1.9%
11	-	3	0.1 %	1.9%
12	-	10	0.5 %	6.4%
13	-	1	0.0 %	0.6%
14	-	3	0.1 %	1.9%
15	-	11	0.5 %	7.0%
16	-	5	0.2 %	3.2%
17	-	11	0.5 %	7.0%
18	-	7	0.3 %	4.5%
19	-	5	0.2 %	3.2%
20	-	11	0.5 %	7.0%
21	-	1	0.0 %	0.6%
22	-	6	0.3 %	3.8%
23	-	10	0.5 %	6.4%
24	-	12	0.6 %	7.6%
25	-	6	0.3 %	3.8%
26	-	7	0.3 %	4.5%
27	-	3	0.1 %	1.9%
28	-	4	0.2 %	2.5%
29	-	1	0.0 %	0.6%
30	-	6	0.3 %	3.8%
31	-	5	0.2 %	3.2%
32	-	4	0.2 %	2.5%
33	-	3	0.1 %	1.9%
34	-	1	0.0 %	0.6%
35	-	4	0.2 %	2.5%
36	-	2	0.1 %	1.3%
38	-	1	0.0 %	0.6%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
39	-	1	0.0 %	0.6%
40	-	2	0.1 %	1.3%
45	-	1	0.0 %	0.6%
47	-	1	0.0 %	0.6%
98 (M)	N/A	1973	91.9 %	-
99 (M)	Missing/Don't Know	18	0.8 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
157	1991	4.00	47.00	21.90	22.00	8.05

Q11_5S8 94: sex 8th sib not in Form 8 (Q11.5)

Location: 38-38 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8 , 9
 Question: Sex of 8th sibling living outside the household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Male	66	3.1 %	41.8%
2	Female	92	4.3 %	58.2%
8 (M)	N/A	1973	91.9 %	-
9 (M)	Missing/Don't Know	17	0.8 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
158	1990	1.00	2.00	1.58	2.00	0.49

Q11_5A9 94: age 9th sib not in Form 8 (Q11.5)

Location: 39-40 (width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 98 , 99
 Question: Age of 9th sibling living outside the household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
6	-	1	0.0 %	1.6%
11	-	2	0.1 %	3.2%
12	-	1	0.0 %	1.6%
13	-	1	0.0 %	1.6%
14	-	1	0.0 %	1.6%
15	-	1	0.0 %	1.6%
16	-	5	0.2 %	8.1%
18	-	2	0.1 %	3.2%
19	-	5	0.2 %	8.1%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
20	-	2	0.1 %	3.2%
21	-	4	0.2 %	6.5%
22	-	4	0.2 %	6.5%
23	-	5	0.2 %	8.1%
24	-	3	0.1 %	4.8%
25	-	2	0.1 %	3.2%
26	-	1	0.0 %	1.6%
27	-	2	0.1 %	3.2%
29	-	1	0.0 %	1.6%
30	-	1	0.0 %	1.6%
31	-	1	0.0 %	1.6%
32	-	1	0.0 %	1.6%
33	-	1	0.0 %	1.6%
34	-	4	0.2 %	6.5%
36	-	1	0.0 %	1.6%
37	-	1	0.0 %	1.6%
38	-	1	0.0 %	1.6%
39	-	2	0.1 %	3.2%
40	-	2	0.1 %	3.2%
41	-	1	0.0 %	1.6%
42	-	2	0.1 %	3.2%
43	-	1	0.0 %	1.6%
98 (M)	N/A	2069	96.3 %	-
99 (M)	Missing/Don't Know	17	0.8 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
62	2086	6.00	43.00	25.00	23.00	9.14

Q11_5S9 94: sex 9th sib not in Form 8 (Q11.5)

Location: 41-41 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8 , 9
 Question: Sex of 9th sibling living outside the household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Male	29	1.4 %	46.8%
2	Female	33	1.5 %	53.2%
8 (M)	N/A	2069	96.3 %	-
9 (M)	Missing/Don't Know	17	0.8 %	-

- Study 04402 -

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
62	2086	1.00	2.00	1.53	2.00	0.50

Q11_5A10 **94: age 10th sib not in Form 8 (Q11.5)**

Location: 42-43 (width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 98 , 99
 Question: Age of 10th sibling living outside the household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
7	-	2	0.1 %	7.1%
9	-	1	0.0 %	3.6%
10	-	1	0.0 %	3.6%
11	-	1	0.0 %	3.6%
13	-	1	0.0 %	3.6%
14	-	1	0.0 %	3.6%
16	-	1	0.0 %	3.6%
18	-	3	0.1 %	10.7%
19	-	1	0.0 %	3.6%
20	-	3	0.1 %	10.7%
21	-	1	0.0 %	3.6%
24	-	1	0.0 %	3.6%
26	-	1	0.0 %	3.6%
27	-	2	0.1 %	7.1%
28	-	1	0.0 %	3.6%
30	-	1	0.0 %	3.6%
33	-	2	0.1 %	7.1%
34	-	1	0.0 %	3.6%
36	-	1	0.0 %	3.6%
39	-	2	0.1 %	7.1%
98 (M)	N/A	2103	97.9 %	-
99 (M)	Missing/Don't Know	17	0.8 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
28	2120	7.00	39.00	22.04	20.00	9.55

Q11_5S10 **94: sex 10th sib not in Form 8 (Q11.5)**

Location: 44-44 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8 , 9
 Question: Sex of 10th sibling living outside the household.

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Male	16	0.7 %	57.1%
2	Female	12	0.6 %	42.9%
8 (M)	N/A	2103	97.9 %	-
9 (M)	Missing/Don't Know	17	0.8 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
28	2120	1.00	2.00	1.43	1.00	0.50

Q11_5A11 94: age 11th sib not in Form 8 (Q11.5)

Location: 45-46 (width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 98 , 99
 Question: Age of 11th sibling living outside the household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
16	-	1	0.0 %	25.0%
18	-	1	0.0 %	25.0%
19	-	1	0.0 %	25.0%
35	-	1	0.0 %	25.0%
98 (M)	N/A	2127	99.0 %	-
99 (M)	Missing/Don't Know	17	0.8 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
4	2144	16.00	35.00	22.00	18.50	8.76

Q11_5S11 94: sex 11th sib not in Form 8 (Q11.5)

Location: 47-47 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8 , 9
 Question: Sex of 11th sibling living outside the household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Male	1	0.0 %	25.0%
2	Female	3	0.1 %	75.0%
8 (M)	N/A	2127	99.0 %	-
9 (M)	Missing/Don't Know	17	0.8 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
4	2144	1.00	2.00	1.75	2.00	0.50

Q11_5A12 94: age 12th sib not in Form 8 (Q11.5)

Location: 48-49 (width: 2; decimal: 0)

- Study 04402 -

Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 98 , 99
 Question: Age of 12th sibling living outside the household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
15	-	1	0.0 %	50.0%
16	-	1	0.0 %	50.0%
98 (M)	N/A	2129	99.1 %	-
99 (M)	Missing/Don't Know	17	0.8 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
2	2146	15.00	16.00	15.50	15.50	0.71

Q11_5S12 94: sex 12th sib not in Form 8 (Q11.5)

Location: 50-50 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 8 , 9
 Question: Sex of 12th sibling living outside the household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Male	2	0.1 %	100.0%
2	Female	0	0.0 %	-
8 (M)	N/A	2129	99.1 %	-
9 (M)	Missing/Don't Know	17	0.8 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
2	2146	1.00	1.00	1.00	1.00	0.00

MCEP8 1994 Migrant CEP Number

Location: 51-53 (width: 3; decimal: 0)
 Variable Type: character (ISO)
 Interval: discrete
 Question: MCEP code from Form 8.

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
801	1550	72.2 %	72.2%
802	528	24.6 %	24.6%
803	56	2.6 %	2.6%
804	11	0.5 %	0.5%
805	1	0.0 %	0.0%
806	1	0.0 %	0.0%
809	1	0.0 %	0.0%

- Study 04402 -

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
2148	0	N/A	N/A	N/A	N/A	N/A

MIGTYPE 94: MIGRANT TYPE - R2U or R2UR

Location: 54-57 (width: 4; decimal: 0)
 Variable Type: character (ISO)
 Interval: discrete
 Question: Migrant type.

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
R2U	1983	92.3 %	92.3%
R2UR	165	7.7 %	7.7%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
2148	0	N/A	N/A	N/A	N/A	N/A

STMIGFL 94: STUDY MIGRANT FLAG

Location: 58-58 (width: 1; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Question: Is this a study migrant.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No	436	20.3 %	20.3%
1	Yes	1712	79.7 %	79.7%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
2148	0	0.00	1.00	0.80	1.00	0.40

Q11_4_1 94: CEP of 1st sib in form 8 (Q11.4)

Location: 59-61 (width: 3; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 998 , 999
 Question: Migrant CEP code from Form 8 of the siblings who are still living (Sibling 1).

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
801	-	2	0.1 %	1.1%
802	-	126	5.9 %	69.2%
803	-	28	1.3 %	15.4%
804	-	22	1.0 %	12.1%
805	-	4	0.2 %	2.2%
998 (M)	N/A	1949	90.7 %	-
999 (M)	Missing/Don't Know	17	0.8 %	-

- Study 04402 -

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
182	1966	801.00	805.00	802.45	802.00	0.80

Q11_4_2 94: CEP of 2nd sib in form 8 (Q11.4)

Location: 62-64 (width: 3; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 998 , 999

Question: Migrant CEP code from Form 8 of the siblings who are still living (Sibling 2).

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
803	-	21	1.0 %	65.6%
804	-	2	0.1 %	6.2%
805	-	9	0.4 %	28.1%
998 (M)	N/A	2099	97.7 %	-
999 (M)	Missing/Don't Know	17	0.8 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
32	2116	803.00	805.00	803.62	803.00	0.91

Q11_4_3 94: CEP of 3rd sib in form 8 (Q11.4)

Location: 65-67 (width: 3; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 998 , 999

Question: Migrant CEP code from Form 8 of the siblings who are still living (Sibling 3).

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
804	-	4	0.2 %	57.1%
805	-	1	0.0 %	14.3%
806	-	2	0.1 %	28.6%
998 (M)	N/A	2124	98.9 %	-
999 (M)	Missing/Don't Know	17	0.8 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
7	2141	804.00	806.00	804.71	804.00	0.95

Q11_4_4 94: CEP of 4th sib in form 8 (Q11.4)

Location: 68-70 (width: 3; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 998 , 999

Question: Migrant CEP code from Form 8 of the siblings who are still living (Sibling 4).

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
805	-	2	0.1 %	66.7%
806	-	1	0.0 %	33.3%
998 (M)	N/A	2128	99.1 %	-
999 (M)	Missing/Don't Know	17	0.8 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
3	2145	805.00	806.00	805.33	805.00	0.58

Q11_4_5 94: CEP of 5th sib in form 8 (Q11.4)

Location: 71-73 (width: 3; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 998 , 999
 Question: Migrant CEP code from Form 8 of the siblings who are still living (Sibling 5).

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
806	-	1	0.0 %	100.0%
998 (M)	N/A	2130	99.2 %	-
999 (M)	Missing/Don't Know	17	0.8 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
1	2147	806.00	806.00	806.00	806.00	0.00

Q11_5R1 94: resid. sib 1 not in form 8 (Q11.5)

Location: 74-79 (width: 6; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 999998 , 999999
 Question: Current address of 1st sibling living outside the household.

<i>Value</i>	<i>Label</i>
999998 (M)	N/A
999999 (M)	Missing/Don't Know

* Frequencies not displayed for this variable.

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
2052	96	35001.00	112578.00	91348.61	103001.00	25898.72

Q11_5R2 94: resid. sib 2 not in form 8 (Q11.5)

Location: 80-85 (width: 6; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 999998 , 999999
 Question: Current address of 2nd sibling living outside the household.

- Study 04402 -

<i>Value</i>	<i>Label</i>
999998 (M)	N/A
999999 (M)	Missing/Don't Know

* Frequencies not displayed for this variable.

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
1895	253	35003.00	112578.00	91740.10	103001.00	25655.04

Q11_5R3 **94: resid. sib 3 not in form 8 (Q11.5)**

Location: 86-91 (width: 6; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 999998 , 999999
 Question: Current address of 3rd sibling living outside the household.

<i>Value</i>	<i>Label</i>
999998 (M)	N/A
999999 (M)	Missing/Don't Know

* Frequencies not displayed for this variable.

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
1589	559	35003.00	112577.00	90198.83	103001.00	26916.68

Q11_5R4 **94: resid. sib 4 not in form 8 (Q11.5)**

Location: 92-97 (width: 6; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 999998 , 999999
 Question: Current address of 4th sibling living outside the household.

<i>Value</i>	<i>Label</i>
999998 (M)	N/A
999999 (M)	Missing/Don't Know

* Frequencies not displayed for this variable.

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
1221	927	35003.00	112578.00	90946.46	94074.00	26123.62

Q11_5R5 **94: resid. sib 5 not in form 8 (Q11.5)**

Location: 98-103 (width: 6; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 999998 , 999999
 Question: Current address of 5th sibling living outside the household.

- Study 04402 -

<i>Value</i>	<i>Label</i>
999998 (M)	N/A
999999 (M)	Missing/Don't Know

* Frequencies not displayed for this variable.

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
876	1272	35001.00	112576.00	91990.25	103008.00	25906.39

Q11_5R6 **94: resid. sib 6 not in form 8 (Q11.5)**

Location: 104-109 (width: 6; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 999998 , 999999
 Question: Current address of 6th sibling living outside the household.

<i>Value</i>	<i>Label</i>
999998 (M)	N/A
999999 (M)	Missing/Don't Know

* Frequencies not displayed for this variable.

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
564	1584	35003.00	112578.00	90425.63	94073.00	26476.10

Q11_5R7 **94: resid. sib 7 not in form 8 (Q11.5)**

Location: 110-115 (width: 6; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 999998 , 999999
 Question: Current address of 7th sibling living outside the household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
35003	-	2	0.1 %	0.6%
44001	-	69	3.2 %	20.4%
64021	-	12	0.6 %	3.6%
74049	-	2	0.1 %	0.6%
84009	-	8	0.4 %	2.4%
94003	-	1	0.0 %	0.3%
94006	-	1	0.0 %	0.3%
94007	-	1	0.0 %	0.3%
94008	-	4	0.2 %	1.2%
94011	-	2	0.1 %	0.6%
94019	-	6	0.3 %	1.8%
94022	-	1	0.0 %	0.3%
94023	-	1	0.0 %	0.3%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
94028	-	2	0.1 %	0.6%
94029	-	1	0.0 %	0.3%
94030	-	3	0.1 %	0.9%
94031	-	1	0.0 %	0.3%
94032	-	1	0.0 %	0.3%
94038	-	3	0.1 %	0.9%
94039	-	1	0.0 %	0.3%
94047	-	2	0.1 %	0.6%
94048	-	2	0.1 %	0.6%
94050	-	1	0.0 %	0.3%
94051	-	1	0.0 %	0.3%
94052	-	1	0.0 %	0.3%
94054	-	1	0.0 %	0.3%
94056	-	4	0.2 %	1.2%
94059	-	18	0.8 %	5.3%
94060	-	1	0.0 %	0.3%
94061	-	3	0.1 %	0.9%
94062	-	3	0.1 %	0.9%
94065	-	2	0.1 %	0.6%
94067	-	1	0.0 %	0.3%
94068	-	2	0.1 %	0.6%
94069	-	1	0.0 %	0.3%
94073	-	3	0.1 %	0.9%
103001	-	4	0.2 %	1.2%
103004	-	2	0.1 %	0.6%
103011	-	1	0.0 %	0.3%
103012	-	2	0.1 %	0.6%
103014	-	2	0.1 %	0.6%
103015	-	1	0.0 %	0.3%
103020	-	1	0.0 %	0.3%
112001	-	3	0.1 %	0.9%
112002	-	2	0.1 %	0.6%
112006	-	3	0.1 %	0.9%
112007	-	3	0.1 %	0.9%
112008	-	14	0.7 %	4.1%
112009	-	1	0.0 %	0.3%
112010	-	7	0.3 %	2.1%
112011	-	4	0.2 %	1.2%
112013	-	2	0.1 %	0.6%
112014	-	5	0.2 %	1.5%
112016	-	1	0.0 %	0.3%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
112019	-	2	0.1 %	0.6%
112021	-	1	0.0 %	0.3%
112022	-	1	0.0 %	0.3%
112024	-	4	0.2 %	1.2%
112026	-	6	0.3 %	1.8%
112028	-	8	0.4 %	2.4%
112030	-	3	0.1 %	0.9%
112031	-	7	0.3 %	2.1%
112032	-	4	0.2 %	1.2%
112035	-	1	0.0 %	0.3%
112038	-	1	0.0 %	0.3%
112040	-	6	0.3 %	1.8%
112041	-	2	0.1 %	0.6%
112042	-	1	0.0 %	0.3%
112048	-	7	0.3 %	2.1%
112055	-	4	0.2 %	1.2%
112058	-	12	0.6 %	3.6%
112059	-	8	0.4 %	2.4%
112066	-	7	0.3 %	2.1%
112068	-	2	0.1 %	0.6%
112078	-	1	0.0 %	0.3%
112094	-	1	0.0 %	0.3%
112104	-	1	0.0 %	0.3%
112197	-	2	0.1 %	0.6%
112198	-	1	0.0 %	0.3%
112234	-	1	0.0 %	0.3%
112297	-	6	0.3 %	1.8%
112410	-	1	0.0 %	0.3%
112420	-	1	0.0 %	0.3%
112446	-	3	0.1 %	0.9%
112521	-	1	0.0 %	0.3%
112523	-	1	0.0 %	0.3%
112524	-	1	0.0 %	0.3%
112526	-	1	0.0 %	0.3%
112527	-	1	0.0 %	0.3%
112542	-	1	0.0 %	0.3%
112561	-	1	0.0 %	0.3%
999998 (M)	N/A	1792	83.4 %	-
999999 (M)	Missing/Don't Know	18	0.8 %	-

- Study 04402 -

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
338	1810	35003.00	112561.00	90780.71	103001.00	26726.61

Q11_5R8

94: resid. sib 8 not in form 8 (Q11.5)

Location: 116-121 (width: 6; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 999998 , 999999
 Question: Current address of 8th sibling living outside the household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
35006	-	1	0.0 %	0.6%
44001	-	26	1.2 %	16.6%
64021	-	11	0.5 %	7.0%
84009	-	3	0.1 %	1.9%
94003	-	1	0.0 %	0.6%
94005	-	1	0.0 %	0.6%
94006	-	1	0.0 %	0.6%
94008	-	2	0.1 %	1.3%
94014	-	1	0.0 %	0.6%
94019	-	3	0.1 %	1.9%
94024	-	3	0.1 %	1.9%
94028	-	3	0.1 %	1.9%
94029	-	1	0.0 %	0.6%
94030	-	1	0.0 %	0.6%
94032	-	1	0.0 %	0.6%
94036	-	1	0.0 %	0.6%
94038	-	2	0.1 %	1.3%
94047	-	1	0.0 %	0.6%
94052	-	1	0.0 %	0.6%
94054	-	1	0.0 %	0.6%
94059	-	7	0.3 %	4.5%
94062	-	2	0.1 %	1.3%
94068	-	2	0.1 %	1.3%
94070	-	1	0.0 %	0.6%
94074	-	1	0.0 %	0.6%
103001	-	7	0.3 %	4.5%
112001	-	2	0.1 %	1.3%
112007	-	1	0.0 %	0.6%
112008	-	8	0.4 %	5.1%
112010	-	5	0.2 %	3.2%
112011	-	2	0.1 %	1.3%
112013	-	1	0.0 %	0.6%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
112014	-	4	0.2 %	2.5%
112022	-	2	0.1 %	1.3%
112024	-	5	0.2 %	3.2%
112026	-	1	0.0 %	0.6%
112028	-	4	0.2 %	2.5%
112030	-	1	0.0 %	0.6%
112031	-	4	0.2 %	2.5%
112032	-	2	0.1 %	1.3%
112041	-	1	0.0 %	0.6%
112048	-	2	0.1 %	1.3%
112055	-	3	0.1 %	1.9%
112058	-	7	0.3 %	4.5%
112059	-	2	0.1 %	1.3%
112066	-	1	0.0 %	0.6%
112086	-	1	0.0 %	0.6%
112197	-	1	0.0 %	0.6%
112246	-	1	0.0 %	0.6%
112286	-	1	0.0 %	0.6%
112391	-	1	0.0 %	0.6%
112420	-	1	0.0 %	0.6%
112446	-	4	0.2 %	2.5%
112455	-	1	0.0 %	0.6%
112496	-	1	0.0 %	0.6%
112523	-	1	0.0 %	0.6%
112542	-	1	0.0 %	0.6%
999998 (M)	N/A	1973	91.9 %	-
999999 (M)	Missing/Don't Know	18	0.8 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
157	1991	35006.00	112542.00	91762.92	103001.00	25574.06

Q11_5R9 94: resid. sib 9 not in form 8 (Q11.5)

Location: 122-127 (width: 6; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 999998 , 999999
 Question: Current address of 9th sibling living outside the household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
35005	-	1	0.0 %	1.6%
44001	-	7	0.3 %	11.3%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
64021	-	11	0.5 %	17.7%
74049	-	1	0.0 %	1.6%
84009	-	3	0.1 %	4.8%
94005	-	1	0.0 %	1.6%
94007	-	1	0.0 %	1.6%
94008	-	1	0.0 %	1.6%
94019	-	2	0.1 %	3.2%
94024	-	1	0.0 %	1.6%
94030	-	1	0.0 %	1.6%
94037	-	1	0.0 %	1.6%
94047	-	1	0.0 %	1.6%
94059	-	3	0.1 %	4.8%
103001	-	2	0.1 %	3.2%
103014	-	1	0.0 %	1.6%
112001	-	3	0.1 %	4.8%
112010	-	1	0.0 %	1.6%
112011	-	2	0.1 %	3.2%
112014	-	3	0.1 %	4.8%
112026	-	1	0.0 %	1.6%
112030	-	1	0.0 %	1.6%
112032	-	2	0.1 %	3.2%
112041	-	1	0.0 %	1.6%
112055	-	3	0.1 %	4.8%
112058	-	4	0.2 %	6.5%
112059	-	1	0.0 %	1.6%
112524	-	1	0.0 %	1.6%
112542	-	1	0.0 %	1.6%
999998 (M)	N/A	2069	96.3 %	-
999999 (M)	Missing/Don't Know	17	0.8 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
62	2086	35005.00	112542.00	88717.23	94042.00	24931.49

Q11_5R10

94: resid. sib 10 not in form 8 (Q11.5)

Location: 128-133 (width: 6; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 999998 , 999999
 Question: Current address of 10th sibling living outside the household.

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
44001	-	5	0.2 %	17.9%
64021	-	3	0.1 %	10.7%
94008	-	1	0.0 %	3.6%
94019	-	1	0.0 %	3.6%
94038	-	1	0.0 %	3.6%
94056	-	1	0.0 %	3.6%
94059	-	1	0.0 %	3.6%
94062	-	1	0.0 %	3.6%
112008	-	1	0.0 %	3.6%
112012	-	2	0.1 %	7.1%
112014	-	1	0.0 %	3.6%
112024	-	1	0.0 %	3.6%
112030	-	1	0.0 %	3.6%
112032	-	3	0.1 %	10.7%
112058	-	2	0.1 %	7.1%
112059	-	3	0.1 %	10.7%
999998 (M)	N/A	2103	97.9 %	-
999999 (M)	Missing/Don't Know	17	0.8 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
28	2120	44001.00	112059.00	90885.68	103035.00	26858.88

Q11_5R11

94: resid. sib 11 not in form 8 (Q11.5)

Location: 134-139 (width: 6; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 999998 , 999999
 Question: Current address of 11th sibling living outside the household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
44001	-	2	0.1 %	50.0%
112059	-	1	0.0 %	25.0%
112071	-	1	0.0 %	25.0%
999998 (M)	N/A	2127	99.0 %	-
999999 (M)	Missing/Don't Know	17	0.8 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
4	2144	44001.00	112071.00	78033.00	78030.00	39296.77

Q11_5R12

94: resid. sib 12 not in form 8 (Q11.5)

- Study 04402 -

Location: 140-145 (width: 6; decimal: 0)
 Variable Type: numeric (ISO)
 Interval: discrete
 Range of Missing Values (M): 999998 , 999999
 Question: Current address of 12th sibling living outside the household.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
94068	-	1	0.0 %	50.0%
112286	-	1	0.0 %	50.0%
999998 (M)	N/A	2129	99.1 %	-
999999 (M)	Missing/Don't Know	17	0.8 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
2	2146	94068.00	112286.00	103177.00	103177.00	12882.07