

ICPSR 4402

## **Nang Rong Projects [Thailand]**

Ronald Rindfuss

*University of North Carolina-Chapel Hill*

Barbara Entwisle

*University of North Carolina-Chapel Hill*

Steve Walsh

*University of North Carolina-Chapel Hill*

1994 Life History Data Codebook

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

# Terms of Use

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/4402.xml>

## Codebook for ICPSR 04402

### Nang Rong Projects [Thailand]

#### Dataset 6: 1994 Life History Data

**Q5\_1**                      **94: present age (Q5.1)**

Location:                      1-2 (width: 2; decimal: 0)  
Variable Type:                numeric (ISO)  
Interval:                      discrete  
Question:                      5.1: Current age of this person.

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
15	9	0.0 %	0.0%
16	20	0.0 %	0.0%
17	50	0.0 %	0.0%
18	2424	1.9 %	1.9%
19	3108	2.5 %	2.5%
20	3776	3.0 %	3.0%
21	3960	3.1 %	3.1%
22	3950	3.1 %	3.1%
23	4147	3.3 %	3.3%
24	4644	3.7 %	3.7%
25	6162	4.9 %	4.9%
26	5726	4.6 %	4.6%
27	7410	5.9 %	5.9%
28	7280	5.8 %	5.8%
29	7327	5.8 %	5.8%
30	9216	7.3 %	7.3%
31	7600	6.0 %	6.0%
32	9520	7.6 %	7.6%
33	8547	6.8 %	6.8%
34	8052	6.4 %	6.4%
35	8096	6.4 %	6.4%
36	3096	2.5 %	2.5%
37	3150	2.5 %	2.5%
38	2184	1.7 %	1.7%
39	1566	1.2 %	1.2%
40	1456	1.2 %	1.2%
41	1073	0.9 %	0.9%
42	600	0.5 %	0.5%
43	372	0.3 %	0.3%
44	352	0.3 %	0.3%

- Study 04402 -

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
45	66	0.1 %	0.1%
46	136	0.1 %	0.1%
47	210	0.2 %	0.2%
48	72	0.1 %	0.1%
49	148	0.1 %	0.1%
51	78	0.1 %	0.1%
52	40	0.0 %	0.0%
54	42	0.0 %	0.0%
55	43	0.0 %	0.0%
56	44	0.0 %	0.0%
59	47	0.0 %	0.0%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	15.00	59.00	29.48	30.00	5.79

**Q5\_1\_1**

**94: age at each year (Q5.1)**

Location: 3-4 (width: 2; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Question: 5.1: Age in years starting with 13 up to current age.

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
13	8267	6.6 %	6.6%
14	8267	6.6 %	6.6%
15	8267	6.6 %	6.6%
16	8264	6.6 %	6.6%
17	8259	6.6 %	6.6%
18	8249	6.6 %	6.6%
19	7845	6.2 %	6.2%
20	7401	5.9 %	5.9%
21	6929	5.5 %	5.5%
22	6489	5.2 %	5.2%
23	6094	4.8 %	4.8%
24	5717	4.5 %	4.5%
25	5330	4.2 %	4.2%
26	4856	3.9 %	3.9%
27	4447	3.5 %	3.5%
28	3953	3.1 %	3.1%
29	3498	2.8 %	2.8%
30	3067	2.4 %	2.4%
31	2555	2.0 %	2.0%
32	2155	1.7 %	1.7%

- Study 04402 -

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
33	1679	1.3 %	1.3%
34	1272	1.0 %	1.0%
35	906	0.7 %	0.7%
36	554	0.4 %	0.4%
37	425	0.3 %	0.3%
38	299	0.2 %	0.2%
39	215	0.2 %	0.2%
40	157	0.1 %	0.1%
41	105	0.1 %	0.1%
42	68	0.1 %	0.1%
43	48	0.0 %	0.0%
44	36	0.0 %	0.0%
45	25	0.0 %	0.0%
46	23	0.0 %	0.0%
47	19	0.0 %	0.0%
48	13	0.0 %	0.0%
49	11	0.0 %	0.0%
50	7	0.0 %	0.0%
51	7	0.0 %	0.0%
52	5	0.0 %	0.0%
53	4	0.0 %	0.0%
54	4	0.0 %	0.0%
55	3	0.0 %	0.0%
56	2	0.0 %	0.0%
57	1	0.0 %	0.0%
58	1	0.0 %	0.0%
59	1	0.0 %	0.0%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	13.00	59.00	21.24	20.00	6.05

**Q5\_2**

**94: monk or not (Q5.2)**

Location: 5-5 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Question: Q5.2 - Q5.3 are for Men Only.  
 5.2: Monkhood 'Buot Pra.'

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	Not ordained between ages 13-19	28826	22.9 %	22.9%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Ordained monk Buot Pra	1998	1.6 %	1.6%
2	Not ordained Buot Pra	34559	27.5 %	27.5%
8	N/A	60076	47.8 %	47.8%
9	Missing/Don't know	340	0.3 %	0.3%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	0.00	9.00	4.41	2.00	3.53

**Q5\_3 94: soldier or not (Q5.3)**

Location: 6-6 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Question: 5.3: Military service.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	Not a soldier between ages 13-19	32525	25.9 %	25.9%
1	Soldier	854	0.7 %	0.7%
2	Not a soldier	32018	25.5 %	25.5%
8	N/A	60079	47.8 %	47.8%
9	Missing/Don't know	323	0.3 %	0.3%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	0.00	9.00	4.36	2.00	3.58

**Q5\_5OR1 94: 1st place order (Q5.5)**

Location: 7-8 (width: 2; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Question: 5.5: Sequence order of the residence. Residence 1. The sequence order is a counter for the various residences over the entire the life history calendar. It is initialized at '1' at age 13. Then, when the person moves, this counter is increased by 1.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	68913	54.8 %	54.8%
2	-	22784	18.1 %	18.1%
3	-	15234	12.1 %	12.1%
4	-	7571	6.0 %	6.0%
5	-	4353	3.5 %	3.5%
6	-	2189	1.7 %	1.7%
7	-	1177	0.9 %	0.9%
8	-	655	0.5 %	0.5%
9	-	478	0.4 %	0.4%
10	-	248	0.2 %	0.2%
11	-	238	0.2 %	0.2%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
12	-	142	0.1 %	0.1%
13	-	131	0.1 %	0.1%
14	-	96	0.1 %	0.1%
15	-	97	0.1 %	0.1%
16	-	51	0.0 %	0.0%
17	-	65	0.1 %	0.1%
18	-	44	0.0 %	0.0%
19	-	47	0.0 %	0.0%
20	-	27	0.0 %	0.0%
21	-	35	0.0 %	0.0%
22	-	24	0.0 %	0.0%
23	-	23	0.0 %	0.0%
24	-	15	0.0 %	0.0%
25	-	21	0.0 %	0.0%
26	-	19	0.0 %	0.0%
27	-	19	0.0 %	0.0%
28	-	10	0.0 %	0.0%
29	-	16	0.0 %	0.0%
30	-	7	0.0 %	0.0%
31	-	11	0.0 %	0.0%
32	-	8	0.0 %	0.0%
33	-	10	0.0 %	0.0%
34	-	5	0.0 %	0.0%
35	-	10	0.0 %	0.0%
36	-	3	0.0 %	0.0%
37	-	9	0.0 %	0.0%
38	-	2	0.0 %	0.0%
39	-	6	0.0 %	0.0%
40	-	2	0.0 %	0.0%
41	-	2	0.0 %	0.0%
42	-	2	0.0 %	0.0%
43	-	2	0.0 %	0.0%
45	-	2	0.0 %	0.0%
47	-	1	0.0 %	0.0%
49	-	1	0.0 %	0.0%
51	-	1	0.0 %	0.0%
53	-	1	0.0 %	0.0%
55	-	1	0.0 %	0.0%
57	-	1	0.0 %	0.0%
59	-	1	0.0 %	0.0%
61	-	1	0.0 %	0.0%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
98	N/A	0	0.0 %	-
99	Missing/Don't know	988	0.8 %	0.8%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	1.00	99.00	2.89	1.00	8.83

**Q5\_5OR2**

**94: 2nd place order (Q5.5)**

Location: 9-10 (width: 2; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Question: 5.5: Sequence order of the residence. Residence 2.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	2	0.0 %	0.0%
2	-	1278	1.0 %	1.0%
3	-	891	0.7 %	0.7%
4	-	822	0.7 %	0.7%
5	-	455	0.4 %	0.4%
6	-	393	0.3 %	0.3%
7	-	256	0.2 %	0.2%
8	-	222	0.2 %	0.2%
9	-	146	0.1 %	0.1%
10	-	136	0.1 %	0.1%
11	-	89	0.1 %	0.1%
12	-	96	0.1 %	0.1%
13	-	62	0.0 %	0.0%
14	-	70	0.1 %	0.1%
15	-	45	0.0 %	0.0%
16	-	53	0.0 %	0.0%
17	-	30	0.0 %	0.0%
18	-	38	0.0 %	0.0%
19	-	20	0.0 %	0.0%
20	-	29	0.0 %	0.0%
21	-	22	0.0 %	0.0%
22	-	23	0.0 %	0.0%
23	-	17	0.0 %	0.0%
24	-	20	0.0 %	0.0%
25	-	13	0.0 %	0.0%
26	-	17	0.0 %	0.0%
27	-	13	0.0 %	0.0%
28	-	11	0.0 %	0.0%
29	-	10	0.0 %	0.0%



- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
30	-	12	0.0 %	0.0%
31	-	5	0.0 %	0.0%
32	-	11	0.0 %	0.0%
33	-	5	0.0 %	0.0%
34	-	9	0.0 %	0.0%
35	-	4	0.0 %	0.0%
36	-	8	0.0 %	0.0%
37	-	2	0.0 %	0.0%
38	-	8	0.0 %	0.0%
39	-	2	0.0 %	0.0%
40	-	2	0.0 %	0.0%
41	-	1	0.0 %	0.0%
42	-	2	0.0 %	0.0%
44	-	2	0.0 %	0.0%
46	-	1	0.0 %	0.0%
48	-	1	0.0 %	0.0%
50	-	1	0.0 %	0.0%
52	-	1	0.0 %	0.0%
54	-	1	0.0 %	0.0%
56	-	1	0.0 %	0.0%
58	-	1	0.0 %	0.0%
60	-	1	0.0 %	0.0%
98	N/A	119479	95.0 %	95.0%
99	Missing/Don't know	960	0.8 %	0.8%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	1.00	99.00	94.10	98.00	18.58

**Q5\_5OR3**

**94: 3rd place order (Q5.5)**

Location: 11-12 (width: 2; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Question: 5.5: Sequence order of the residence. Residence 3.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
2	-	1	0.0 %	0.0%
3	-	153	0.1 %	0.1%
4	-	43	0.0 %	0.0%
5	-	89	0.1 %	0.1%
6	-	23	0.0 %	0.0%
7	-	62	0.0 %	0.0%
8	-	18	0.0 %	0.0%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
9	-	35	0.0 %	0.0%
10	-	16	0.0 %	0.0%
11	-	33	0.0 %	0.0%
12	-	11	0.0 %	0.0%
13	-	19	0.0 %	0.0%
14	-	10	0.0 %	0.0%
15	-	20	0.0 %	0.0%
16	-	7	0.0 %	0.0%
17	-	16	0.0 %	0.0%
18	-	7	0.0 %	0.0%
19	-	16	0.0 %	0.0%
20	-	7	0.0 %	0.0%
21	-	10	0.0 %	0.0%
22	-	11	0.0 %	0.0%
23	-	9	0.0 %	0.0%
24	-	8	0.0 %	0.0%
25	-	9	0.0 %	0.0%
26	-	6	0.0 %	0.0%
27	-	7	0.0 %	0.0%
28	-	5	0.0 %	0.0%
29	-	6	0.0 %	0.0%
30	-	3	0.0 %	0.0%
31	-	6	0.0 %	0.0%
32	-	3	0.0 %	0.0%
33	-	5	0.0 %	0.0%
34	-	2	0.0 %	0.0%
35	-	4	0.0 %	0.0%
36	-	3	0.0 %	0.0%
37	-	3	0.0 %	0.0%
38	-	1	0.0 %	0.0%
39	-	3	0.0 %	0.0%
40	-	1	0.0 %	0.0%
41	-	1	0.0 %	0.0%
43	-	1	0.0 %	0.0%
45	-	1	0.0 %	0.0%
98	N/A	124145	98.7 %	98.7%
99	Missing/Don't know	960	0.8 %	0.8%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	2.00	99.00	97.53	98.00	6.50

- Study 04402 -

**Q5\_5OR4**

**94: 4th place order (Q5.5)**

Location: 13-14 (width: 2; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Question: 5.5: Sequence order of the residence. Residence 4.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
2	-	1	0.0 %	0.0%
4	-	3	0.0 %	0.0%
5	-	3	0.0 %	0.0%
6	-	1	0.0 %	0.0%
7	-	2	0.0 %	0.0%
8	-	3	0.0 %	0.0%
9	-	1	0.0 %	0.0%
10	-	1	0.0 %	0.0%
11	-	2	0.0 %	0.0%
12	-	3	0.0 %	0.0%
15	-	1	0.0 %	0.0%
16	-	1	0.0 %	0.0%
20	-	1	0.0 %	0.0%
24	-	1	0.0 %	0.0%
26	-	1	0.0 %	0.0%
28	-	1	0.0 %	0.0%
38	-	1	0.0 %	0.0%
98	N/A	124812	99.2 %	99.2%
99	Missing/Don't know	960	0.8 %	0.8%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	2.00	99.00	97.99	98.00	1.27

**Q5\_5OR5**

**94: 5th place order (Q5.5)**

Location: 15-16 (width: 2; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Question: 5.5: Sequence order of the residence. Residence 5.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
5	-	1	0.0 %	0.0%
8	-	2	0.0 %	0.0%
9	-	1	0.0 %	0.0%
11	-	1	0.0 %	0.0%
12	-	1	0.0 %	0.0%
13	-	2	0.0 %	0.0%
17	-	1	0.0 %	0.0%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
21	-	1	0.0 %	0.0%
25	-	1	0.0 %	0.0%
29	-	1	0.0 %	0.0%
98	N/A	124827	99.2 %	99.2%
99	Missing/Don't know	960	0.8 %	0.8%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	5.00	99.00	98.00	98.00	0.83

**Q5\_5OR6**

**94: 6th place order (Q5.5)**

Location: 17-18 (width: 2; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Question: 5.5: Sequence order of the residence. Residence 6.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
7	-	2	0.0 %	0.0%
8	-	1	0.0 %	0.0%
9	-	1	0.0 %	0.0%
10	-	1	0.0 %	0.0%
98	N/A	124834	99.2 %	99.2%
99	Missing/Don't know	960	0.8 %	0.8%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	7.00	99.00	98.00	98.00	0.57

**Q5\_6ED**

**94: level of study at this age (Q5.6)**

Location: 19-20 (width: 2; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Question: 5.6: Did this person study this year?  
 Level of Education.  
  
 See Education Appendix.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	Never attended school	0	0.0 %	-
1	Level 1	5	0.0 %	0.0%
2	Level 2	5	0.0 %	0.0%
3	Level 3	0	0.0 %	-
4	Level 4	15	0.0 %	0.0%
5	Level 5/M.1 (Secondary 1, people age 40 and over)	26	0.0 %	0.0%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
6	Level 6/M.2	192	0.2 %	0.2%
7	Level 7/M.3	796	0.6 %	0.6%
8	Secondary school level 1/M.2/M.4	800	0.6 %	0.6%
9	Secondary school level 2/M.3/M.5	786	0.6 %	0.6%
10	Secondary school level 3/M.4/M.6	634	0.5 %	0.5%
11	Secondary school level 4/M.5/M.7	568	0.5 %	0.5%
12	Secondary school level 5/M.6/primary teacher diploma/M.8	538	0.4 %	0.4%
13	1st yr univ/voc./commercial/primary sch teaching diploma	274	0.2 %	0.2%
14	2nd yr univ/high teacher/tech/priv. police/LCpl diploma	235	0.2 %	0.2%
15	3rd yr univ, diploma-high voc. training/2nd school teaching	134	0.1 %	0.1%
16	Bachelor's degree/a training police inspector school	106	0.1 %	0.1%
95	Non-formal education/adult education	121	0.1 %	0.1%
96	Other educ attainment/non-Thai (Chinese, Indian, Islamic)	1	0.0 %	0.0%
98	N/A	119567	95.0 %	95.0%
99	Missing/Don't know	996	0.8 %	0.8%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	1.00	99.00	94.42	98.00	17.43

**Q5\_6OR**

**94: place order # when studying (Q5.6)**

Location: 21-22 (width: 2; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Question: Did this person study this year? Sequence order of the residence when enrolled.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	1	0.0 %	0.0%
1	-	4202	3.3 %	3.3%
2	-	692	0.6 %	0.6%
3	-	155	0.1 %	0.1%
4	-	96	0.1 %	0.1%
5	-	31	0.0 %	0.0%
6	-	21	0.0 %	0.0%
7	-	16	0.0 %	0.0%
8	-	8	0.0 %	0.0%
9	-	1	0.0 %	0.0%
10	-	3	0.0 %	0.0%
13	-	1	0.0 %	0.0%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
33	-	1	0.0 %	0.0%
98	N/A	119576	95.1 %	95.1%
99	Missing/Don't know	995	0.8 %	0.8%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	0.00	99.00	93.99	98.00	19.30

**SEX 94: sex (Q5.1)**

Location: 23-23 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Question: Sex.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Male	65641	52.2 %	52.2%
2	Female	60151	47.8 %	47.8%
9	Missing/Don't know	7	0.0 %	0.0%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	1.00	9.00	1.48	1.00	0.50

**BEYEAR 94: year of each age (Q5.1)**

Location: 24-27 (width: 4; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Question: Buddhist Era Year. Code the calendar year at that age.

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
2491	1	0.0 %	0.0%
2492	1	0.0 %	0.0%
2493	1	0.0 %	0.0%
2494	2	0.0 %	0.0%
2495	3	0.0 %	0.0%
2496	4	0.0 %	0.0%
2497	4	0.0 %	0.0%
2498	5	0.0 %	0.0%
2499	7	0.0 %	0.0%
2500	7	0.0 %	0.0%
2501	11	0.0 %	0.0%
2502	13	0.0 %	0.0%
2503	19	0.0 %	0.0%
2504	23	0.0 %	0.0%
2505	25	0.0 %	0.0%

- Study 04402 -

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
2506	36	0.0 %	0.0%
2507	48	0.0 %	0.0%
2508	68	0.1 %	0.1%
2509	105	0.1 %	0.1%
2510	157	0.1 %	0.1%
2511	215	0.2 %	0.2%
2512	299	0.2 %	0.2%
2513	425	0.3 %	0.3%
2514	554	0.4 %	0.4%
2515	906	0.7 %	0.7%
2516	1272	1.0 %	1.0%
2517	1679	1.3 %	1.3%
2518	2155	1.7 %	1.7%
2519	2555	2.0 %	2.0%
2520	3067	2.4 %	2.4%
2521	3498	2.8 %	2.8%
2522	3953	3.1 %	3.1%
2523	4447	3.5 %	3.5%
2524	4856	3.9 %	3.9%
2525	5330	4.2 %	4.2%
2526	5717	4.5 %	4.5%
2527	6094	4.8 %	4.8%
2528	6489	5.2 %	5.2%
2529	6929	5.5 %	5.5%
2530	7401	5.9 %	5.9%
2531	7845	6.2 %	6.2%
2532	8249	6.6 %	6.6%
2533	8259	6.6 %	6.6%
2534	8264	6.6 %	6.6%
2535	8267	6.6 %	6.6%
2536	8267	6.6 %	6.6%
2537	8267	6.6 %	6.6%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	2491.00	2537.00	2528.76	2530.00	6.05

**HHTYPE94**

**94: 1=OLD, 2=NEW, 3=COMBINED, 4=MOVED**

Location: 28-28 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Question: Household Type.

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Old household	77042	61.2 %	61.2%
2	New household	48190	38.3 %	38.3%
3	Combined old household	567	0.5 %	0.5%
4	Moved old household	0	0.0 %	-

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	1.00	3.00	1.39	1.00	0.50

**MIGVILL**

**SAMPLE MIGRANT VILLAGE**

Location: 29-29 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Question: Sample Migrant Village.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	Not a sample migrant village	72830	57.9 %	57.9%
1	Sample migrant village	52969	42.1 %	42.1%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	0.00	1.00	0.42	0.00	0.49

**NOINF**

**94: number of informants**

Location: 30-30 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Question: Number of informants (those providing information to assist in completing life history form).

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	109568	87.1 %	87.1%
2	-	14132	11.2 %	11.2%
3	-	1451	1.2 %	1.2%
4	-	208	0.2 %	0.2%
5	-	8	0.0 %	0.0%
8	-	23	0.0 %	0.0%
9	Missing/Don't know	409	0.3 %	0.3%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	1.00	9.00	1.17	1.00	0.60

**NOPRE**

**94: number of persons present**

Location: 31-32 (width: 2; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Question: Number of people present when interview about life history questions began.



- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	352	0.3 %	0.3%
1	-	37964	30.2 %	30.2%
2	-	36803	29.3 %	29.3%
3	-	28131	22.4 %	22.4%
4	-	11348	9.0 %	9.0%
5	-	6623	5.3 %	5.3%
6	-	2139	1.7 %	1.7%
7	-	1071	0.9 %	0.9%
8	-	576	0.5 %	0.5%
9	-	201	0.2 %	0.2%
10	-	131	0.1 %	0.1%
22	-	22	0.0 %	0.0%
27	-	15	0.0 %	0.0%
31	-	18	0.0 %	0.0%
63	-	20	0.0 %	0.0%
98	Undocumented	23	0.0 %	0.0%
99	Missing/Don't know	362	0.3 %	0.3%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	0.00	99.00	2.73	2.00	5.59

**Q5\_7J1\_1**

**94: job #1 at residence #1 (Q5.7)**

Location: 33-33 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Question: 5.7: Occupation 1 at Residence 1. See Occupation Appendix.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Student/did not work	8495	6.8 %	6.8%
2	Farmer	97932	77.8 %	77.8%
3	Factory worker	2864	2.3 %	2.3%
4	Construction worker	3531	2.8 %	2.8%
5	Service worker	355	0.3 %	0.3%
6	Other	11615	9.2 %	9.2%
7	Undocumented	1	0.0 %	0.0%
8	N/A	0	0.0 %	-
9	Missing/Don't know	1006	0.8 %	0.8%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	1.00	9.00	2.45	2.00	1.38

**Q5\_7J2\_1**

**94: job #2 at residence #1 (Q5.7)**

- Study 04402 -

Location: 34-34 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Question: 5.7: Occupation 2 at Residence 1. See Occupation Appendix.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Student/did not work	79	0.1 %	0.1%
2	Farmer	248	0.2 %	0.2%
3	Factory worker	24	0.0 %	0.0%
4	Construction worker	280	0.2 %	0.2%
5	Service worker	1	0.0 %	0.0%
6	Other	1886	1.5 %	1.5%
8	N/A	122321	97.2 %	97.2%
9	Missing/Don't know	960	0.8 %	0.8%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	1.00	9.00	7.95	8.00	0.46

**Q5\_7J3\_1 94: job #3 at residence #1 (Q5.7)**

Location: 35-35 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Question: 5.7: Occupation 3 at Residence 1. See Occupation Appendix.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Student/did not work	1	0.0 %	0.0%
2	Farmer	3	0.0 %	0.0%
3	Factory worker	0	0.0 %	-
4	Construction worker	2	0.0 %	0.0%
5	Service worker	0	0.0 %	-
6	Other	9	0.0 %	0.0%
8	N/A	124824	99.2 %	99.2%
9	Missing/Don't know	960	0.8 %	0.8%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	1.00	9.00	8.01	8.00	0.10

**Q5\_7J1\_2 94: job #1 at residence #2 (Q5.7)**

Location: 36-36 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Question: 5.7: Occupation 1 at Residence 2. See Occupation Appendix.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Student/did not work	485	0.4 %	0.4%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
2	Farmer	1861	1.5 %	1.5%
3	Factory worker	333	0.3 %	0.3%
4	Construction worker	1308	1.0 %	1.0%
5	Service worker	28	0.0 %	0.0%
6	Other	1329	1.1 %	1.1%
7	Undocumented	1	0.0 %	0.0%
8	N/A	119493	95.0 %	95.0%
9	Missing/Don't know	961	0.8 %	0.8%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	1.00	9.00	7.82	8.00	0.99

**Q5\_7J2\_2**

**94: job #2 at residence #2 (Q5.7)**

Location: 37-37 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Question: 5.7: Occupation 2 at Residence 2. See Occupation Appendix.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Student/did not work	0	0.0 %	-
2	Farmer	5	0.0 %	0.0%
3	Factory worker	0	0.0 %	-
4	Construction worker	1	0.0 %	0.0%
5	Service worker	0	0.0 %	-
6	Other	9	0.0 %	0.0%
8	N/A	124823	99.2 %	99.2%
9	Missing/Don't know	961	0.8 %	0.8%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	2.00	9.00	8.01	8.00	0.10

**Q5\_7J1\_3**

**94: job #1 at residence #3 (Q5.7)**

Location: 38-38 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Question: 5.7: Occupation 1 at Residence 3. See Occupation Appendix.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Student/did not work	16	0.0 %	0.0%
2	Farmer	593	0.5 %	0.5%
3	Factory worker	10	0.0 %	0.0%
4	Construction worker	32	0.0 %	0.0%
5	Service worker	1	0.0 %	0.0%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
6	Other	36	0.0 %	0.0%
8	N/A	124151	98.7 %	98.7%
9	Missing/Don't know	960	0.8 %	0.8%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	1.00	9.00	7.98	8.00	0.44

**Q5\_7J2\_3**

**94: job #2 at residence #3 (Q5.7)**

Location: 39-39 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Question: 5.7: Occupation 2 at Residence 3. See Occupation Appendix.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Student/did not work	0	0.0 %	-
2	Farmer	0	0.0 %	-
3	Factory worker	0	0.0 %	-
4	Construction worker	0	0.0 %	-
5	Service worker	0	0.0 %	-
6	Other	2	0.0 %	0.0%
8	N/A	124837	99.2 %	99.2%
9	Missing/Don't know	960	0.8 %	0.8%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	6.00	9.00	8.01	8.00	0.09

**Q5\_7J1\_4**

**94: job #1 at residence #4 (Q5.7)**

Location: 40-40 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Question: 5.7: Occupation 1 at Residence 4. See Occupation Appendix.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Student/did not work	1	0.0 %	0.0%
2	Farmer	6	0.0 %	0.0%
3	Factory worker	1	0.0 %	0.0%
4	Construction worker	18	0.0 %	0.0%
5	Service worker	0	0.0 %	-
6	Other	1	0.0 %	0.0%
8	N/A	124812	99.2 %	99.2%
9	Missing/Don't know	960	0.8 %	0.8%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	1.00	9.00	8.01	8.00	0.11

- Study 04402 -

**Q5\_7J1\_5**                      **94: job #1 at residence #5 (Q5.7)**

Location:                      41-41 (width: 1; decimal: 0)  
 Variable Type:              numeric (ISO)  
 Interval:                      discrete  
 Question:                      5.7: Occupation 1 at Residence 5. See Occupation Appendix.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Student/did not work	0	0.0 %	-
2	Farmer	11	0.0 %	0.0%
3	Factory worker	0	0.0 %	-
4	Construction worker	0	0.0 %	-
5	Service worker	0	0.0 %	-
6	Other	1	0.0 %	0.0%
8	N/A	124827	99.2 %	99.2%
9	Missing/Don't know	960	0.8 %	0.8%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	2.00	9.00	8.01	8.00	0.10

**CEPINF**                      **94: CEP code of informant**

Location:                      42-44 (width: 3; decimal: 0)  
 Variable Type:              numeric (ISO)  
 Interval:                      discrete  
 Question:                      CEP Number of the informant.

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
101	-	16263	12.9 %	12.9%
102	-	25530	20.3 %	20.3%
103	-	9105	7.2 %	7.2%
104	-	6263	5.0 %	5.0%
105	-	3597	2.9 %	2.9%
106	-	2696	2.1 %	2.1%
107	-	1764	1.4 %	1.4%
108	-	884	0.7 %	0.7%
109	-	444	0.4 %	0.4%
110	-	150	0.1 %	0.1%
111	-	65	0.1 %	0.1%
112	-	99	0.1 %	0.1%
117	-	21	0.0 %	0.0%
201	-	935	0.7 %	0.7%
202	-	450	0.4 %	0.4%
203	-	96	0.1 %	0.1%
204	-	15	0.0 %	0.0%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
401	-	6729	5.3 %	5.3%
402	-	1066	0.8 %	0.8%
403	-	368	0.3 %	0.3%
404	-	40	0.0 %	0.0%
405	-	31	0.0 %	0.0%
409	-	17	0.0 %	0.0%
501	-	14848	11.8 %	11.8%
502	-	30585	24.3 %	24.3%
503	-	1539	1.2 %	1.2%
504	-	546	0.4 %	0.4%
505	-	271	0.2 %	0.2%
506	-	165	0.1 %	0.1%
507	-	118	0.1 %	0.1%
508	-	46	0.0 %	0.0%
511	-	5	0.0 %	0.0%
999	Missing/Don't know	1048	0.8 %	0.8%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	101.00	999.00	283.60	106.00	202.15

**Q5\_4CH1**

**94: loc of child #1 born this yr (Q5.4)**

Location: 45-48 (width: 4; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Question: For Women Already Married Only.

5.4: Child(ren) born in this year.

Child 1: Current Residence.

Codes:

This house (listed on Form 1, 2 or 3) 1 + CEP94

This house but CEP number is unknown 1 + 999

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	Child died	4	0.0 %	0.0%
2	In this village	8	0.0 %	0.0%
3	Another village in Nang Rong	5	0.0 %	0.0%
4	Another district in Buriram	2	0.0 %	0.0%
5	Another province	14	0.0 %	0.0%
6	Another country	1	0.0 %	0.0%
1101	-	1	0.0 %	0.0%
1102	-	4	0.0 %	0.0%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1103	-	277	0.2 %	0.2%
1104	-	183	0.1 %	0.1%
1105	-	85	0.1 %	0.1%
1106	-	38	0.0 %	0.0%
1107	-	8	0.0 %	0.0%
1108	-	4	0.0 %	0.0%
1109	-	4	0.0 %	0.0%
1110	-	3	0.0 %	0.0%
1111	-	1	0.0 %	0.0%
1201	-	3	0.0 %	0.0%
1203	-	1	0.0 %	0.0%
1401	-	511	0.4 %	0.4%
1402	-	918	0.7 %	0.7%
1403	-	356	0.3 %	0.3%
1404	-	106	0.1 %	0.1%
1405	-	31	0.0 %	0.0%
1406	-	9	0.0 %	0.0%
1407	-	3	0.0 %	0.0%
1408	-	1	0.0 %	0.0%
1409	-	1	0.0 %	0.0%
1502	-	65	0.1 %	0.1%
1503	-	1063	0.8 %	0.8%
1504	-	701	0.6 %	0.6%
1505	-	205	0.2 %	0.2%
1506	-	56	0.0 %	0.0%
1507	-	23	0.0 %	0.0%
1508	-	7	0.0 %	0.0%
1509	-	5	0.0 %	0.0%
1510	-	1	0.0 %	0.0%
1511	-	1	0.0 %	0.0%
1999	-	6	0.0 %	0.0%
9997	Single or did not have a child at this age	55322	44.0 %	44.0%
9998	N/A	65642	52.2 %	52.2%
9999	Missing/Don't know	120	0.1 %	0.1%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	0.00	9999.00	9675.30	9998.00	1633.35

**Q5\_4CH2**

**94: loc of child #2 born this yr (Q5.4)**

Location:

49-52 (width: 4; decimal: 0)

Variable Type:

numeric (ISO)

- Study 04402 -

Interval: discrete

Question: 5.4: Child(ren) born in this year. Child 2: Current Residence. Codes: This house (listed on Form 1, 2 or 3) 1 + CEP94 This house but CEP number is unknown 1 + 999

Value	Label	Frequency	%	Valid %
0	Child died	14	0.0 %	0.0%
2	In this village	2	0.0 %	0.0%
3	Another village in Nang Rong	0	0.0 %	-
4	Another district in Buriram	0	0.0 %	-
5	Another province	0	0.0 %	-
6	Another country	0	0.0 %	-
1105	-	2	0.0 %	0.0%
1402	-	4	0.0 %	0.0%
1403	-	6	0.0 %	0.0%
1404	-	3	0.0 %	0.0%
1504	-	4	0.0 %	0.0%
1505	-	2	0.0 %	0.0%
1506	-	2	0.0 %	0.0%
9997	Single or did not have a child at this age	55333	44.0 %	44.0%
9998	N/A	70285	55.9 %	55.9%
9999	Missing/Don't know	142	0.1 %	0.1%

Valid	Invalid	Min	Max	Mean	Median	Stdev
125799	0	0.00	9999.00	9994.72	9998.00	161.81

**Q5\_5PL1**

**94: 1st place (Q5.5)**

Location: 53-54 (width: 2; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Question: 5.5: Where did this person live (for at least 2 months) during this age? Residence 1:

Value	Label	Frequency	%	Valid %
1	This house	67822	53.9 %	53.9%
2	In this village	24685	19.6 %	19.6%
3	Another village in Nang Rong	12344	9.8 %	9.8%
4	Bangkok	6951	5.5 %	5.5%
5	Buriram	4224	3.4 %	3.4%
6	Khorat	2589	2.1 %	2.1%
7	Rayong	400	0.3 %	0.3%
8	Chonburi	615	0.5 %	0.5%
9	Another province	5078	4.0 %	4.0%
10	Another country	99	0.1 %	0.1%
98	N/A	0	0.0 %	-
99	Missing/Don't know	992	0.8 %	0.8%



- Study 04402 -

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	1.00	99.00	2.95	1.00	8.78

**Q5\_5PL2**

**94: 2nd place (Q5.5)**

Location: 55-56 (width: 2; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Question: 5.5: Where did this person live (for at least 2 months) during this age? Residence 2:

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	This house	1578	1.3 %	1.3%
2	In this village	422	0.3 %	0.3%
3	Another village in Nang Rong	240	0.2 %	0.2%
4	Bangkok	1534	1.2 %	1.2%
5	Buriram	197	0.2 %	0.2%
6	Khorat	452	0.4 %	0.4%
7	Rayong	96	0.1 %	0.1%
8	Chonburi	260	0.2 %	0.2%
9	Another province	576	0.5 %	0.5%
10	Another country	9	0.0 %	0.0%
98	N/A	119471	95.0 %	95.0%
99	Missing/Don't know	964	0.8 %	0.8%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	1.00	99.00	94.00	98.00	19.02

**Q5\_5PL3**

**94: 3rd place (Q5.5)**

Location: 57-58 (width: 2; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Question: 5.5: Where did this person live (for at least 2 months) during this age? Residence 3:

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	This house	458	0.4 %	0.4%
2	In this village	115	0.1 %	0.1%
3	Another village in Nang Rong	40	0.0 %	0.0%
4	Bangkok	14	0.0 %	0.0%
5	Buriram	29	0.0 %	0.0%
6	Khorat	4	0.0 %	0.0%
7	Rayong	4	0.0 %	0.0%
8	Chonburi	2	0.0 %	0.0%
9	Another province	25	0.0 %	0.0%
10	Another country	2	0.0 %	0.0%
98	N/A	124145	98.7 %	98.7%

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
99	Missing/Don't know	961	0.8 %	0.8%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	1.00	99.00	97.48	98.00	7.11

**Q5\_5PL4**

**94: 4th place (Q5.5)**

Location: 59-60 (width: 2; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Question: 5.5: Where did this person live (for at least 2 months) during this age? Residence 4:

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	This house	6	0.0 %	0.0%
2	In this village	0	0.0 %	-
3	Another village in Nang Rong	1	0.0 %	0.0%
4	Bangkok	14	0.0 %	0.0%
5	Buriram	0	0.0 %	-
6	Khorat	0	0.0 %	-
7	Rayong	4	0.0 %	0.0%
8	Chonburi	2	0.0 %	0.0%
9	Another province	0	0.0 %	-
10	Another country	0	0.0 %	-
98	N/A	124812	99.2 %	99.2%
99	Missing/Don't know	960	0.8 %	0.8%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	1.00	99.00	97.99	98.00	1.38

**Q5\_5PL5**

**94: 5th place (Q5.5)**

Location: 61-62 (width: 2; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Question: 5.5: Where did this person live (for at least 2 months) during this age? Residence 5:

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	This house	11	0.0 %	0.0%
2	In this village	0	0.0 %	-
3	Another village in Nang Rong	1	0.0 %	0.0%
4	Bangkok	0	0.0 %	-
5	Buriram	0	0.0 %	-
6	Khorat	0	0.0 %	-
7	Rayong	0	0.0 %	-
8	Chonburi	0	0.0 %	-

- Study 04402 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
9	Another province	0	0.0 %	-
10	Another country	0	0.0 %	-
98	N/A	124827	99.2 %	99.2%
99	Missing/Don't know	960	0.8 %	0.8%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	1.00	99.00	98.00	98.00	0.95

**Q5\_5PL6**

**94: 6th place (Q5.5)**

Location: 63-64 (width: 2; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Question: 5.5: Where did this person live (for at least 2 months) during this age? Residence 6:

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	This house	0	0.0 %	-
2	In this village	0	0.0 %	-
3	Another village in Nang Rong	0	0.0 %	-
4	Bangkok	0	0.0 %	-
5	Buriram	0	0.0 %	-
6	Khorat	0	0.0 %	-
7	Rayong	0	0.0 %	-
8	Chonburi	0	0.0 %	-
9	Another province	0	0.0 %	-
10	Another country	0	0.0 %	-
98	N/A	124839	99.2 %	99.2%
99	Missing/Don't know	960	0.8 %	0.8%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	98.00	99.00	98.01	98.00	0.09

**PHHID94**

**1994 Household Identifier for Public Use**

Location: 65-68 (width: 4; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Question: Randomly generated sequence number.

<i>Value</i>	<i>Label</i>
98	N/A

\* Frequencies not displayed for this variable.

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	1.00	7330.00	3668.60	-	2114.80

- Study 04402 -

**CEP94**                      **1994 CEP Number**

Location:                      69-71 (width: 3; decimal: 0)  
 Variable Type:              numeric (ISO)  
 Interval:                      discrete  
 Question:                      1994 CEP Number. (Person identifier within the 1994 household).

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
101	7009	5.6 %	5.6%
102	8892	7.1 %	7.1%
103	12987	10.3 %	10.3%
104	10205	8.1 %	8.1%
105	6831	5.4 %	5.4%
106	4766	3.8 %	3.8%
107	2859	2.3 %	2.3%
108	1549	1.2 %	1.2%
109	705	0.6 %	0.6%
110	301	0.2 %	0.2%
111	103	0.1 %	0.1%
112	76	0.1 %	0.1%
113	22	0.0 %	0.0%
117	11	0.0 %	0.0%
118	10	0.0 %	0.0%
201	1581	1.3 %	1.3%
202	579	0.5 %	0.5%
203	114	0.1 %	0.1%
204	77	0.1 %	0.1%
401	15726	12.5 %	12.5%
402	1907	1.5 %	1.5%
403	701	0.6 %	0.6%
404	236	0.2 %	0.2%
405	175	0.1 %	0.1%
406	120	0.1 %	0.1%
407	67	0.1 %	0.1%
501	23393	18.6 %	18.6%
502	19900	15.8 %	15.8%
503	2682	2.1 %	2.1%
504	1205	1.0 %	1.0%
505	486	0.4 %	0.4%
506	268	0.2 %	0.2%
507	141	0.1 %	0.1%
508	79	0.1 %	0.1%
509	12	0.0 %	0.0%
510	19	0.0 %	0.0%

- Study 04402 -

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
511	5	0.0 %	0.0%

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	101.00	511.00	302.80	401.00	185.87

**UNIQID94 1994 Unique Identifier for Public Use**

Location: 72-81 (width: 10; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

<i>Value</i>	<i>Label</i>
98	N/A

\* Frequencies not displayed for this variable.

<i>Valid</i>	<i>Invalid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Median</i>	<i>Stdev</i>
125799	0	1104.00	7330401.00	3668906.84	-	2114801.36