

ICPSR 4538

**Chitwan Valley [Nepal] Family  
Study: Changing Social Contexts  
and Family Formation**

Family Planning Data: Public Use, Codebook

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

# **Chitwan Valley [Nepal] Family Study: Changing Social Contexts and Family Formation**

William G. Axinn

*University of Michigan. Population Studies Center*

Arland Thornton

*University of Michigan. Survey Research Center*

Jennifer S. Barber

*University of Michigan. Survey Research Center*

Susan A. Murphy

*University of Michigan. Survey Research Center*

Dirgha Ghimire

*University of Michigan. Population Studies Center*

Thomas Fricke

*University of Michigan. Survey Research Center*

Stephen Matthews

*Pennsylvania State University. Population Research Institute*

Dharma Dangol

*Tribhuvan University (Nepal). Institute of Agriculture and Animal Science*

Lisa Pearce

*University of Michigan. Population Studies Center*

Ann Biddlecom

*University of Michigan. Population Studies Center*

Sundar Shrehtha

*Pennsylvania State University. Population Research Institute*

Douglas Massey

*University of Michigan. Population Studies Center*

## Codebook for ICPSR 04538

# Chitwan Valley (Nepal) Family Study: Changing Social Contexts and Family Formation

## Dataset0006: Family Planning Data - Public Use

Variable	Variable Description
----------	----------------------

Please Note: The "(M)" to the right of the value indicates the code has been designated as a missing value.

ABSTN1	Abstinence use 1st quarter				
Start: 1 End: 1 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	4826	45.8 %	99.0%
	1	Using method	51	0.5 %	1.0%
	9 (M)	Inapplicable	5650	53.7 %	-
	<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
	4877	0.00	1.00	0.01	0.10

ABSTN2	Abstinence use 2nd quarter				
Start: 2 End: 2 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	5124	48.7 %	99.1%
	1	Using method	44	0.4 %	0.9%
	9 (M)	Inapplicable	5359	50.9 %	-
	<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
	5168	0.00	1.00	0.01	0.09

ABSTN3	Abstinence use 3rd quarter				
Start: 3 End: 3 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	5218	49.6 %	99.1%
	1	Using method	50	0.5 %	0.9%
	9 (M)	Inapplicable	5259	50.0 %	-
	<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
	5268	0.00	1.00	0.01	0.10

Variable	Variable Description
----------	----------------------

ABSTN4	Abstinence use 4th quarter
--------	----------------------------

Start: 4  
End: 4  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5277	50.1 %	99.5%
1	Using method	25	0.2 %	0.5%
9 (M)	Inapplicable	5225	49.6 %	-
Valid	Min	Max	Mean	Stdev
5302	0.00	1.00	0.00	0.07

ABSTN5	Abstinence use 5th quarter
--------	----------------------------

Start: 5  
End: 5  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5335	50.7 %	99.4%
1	Using method	30	0.3 %	0.6%
9 (M)	Inapplicable	5162	49.0 %	-
Valid	Min	Max	Mean	Stdev
5365	0.00	1.00	0.01	0.07

ABSTN6	Abstinence use 6th quarter
--------	----------------------------

Start: 6  
End: 6  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5568	52.9 %	99.5%
1	Using method	28	0.3 %	0.5%
9 (M)	Inapplicable	4931	46.8 %	-
Valid	Min	Max	Mean	Stdev
5596	0.00	1.00	0.01	0.07

ABSTN7	Abstinence use 7th quarter
--------	----------------------------

Start: 7  
End: 7  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5156	49.0 %	99.4%
1	Using method	31	0.3 %	0.6%
9 (M)	Inapplicable	5340	50.7 %	-
Valid	Min	Max	Mean	Stdev
5187	0.00	1.00	0.01	0.08

Variable	Variable Description
----------	----------------------

ABSTN8	Abstinence use 8th quarter
--------	----------------------------

Start: 8 End: 8 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	5252	49.9 %	99.4%
	1	Using method	30	0.3 %	0.6%
	9 (M)	Inapplicable	5245	49.8 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
5282		0.00	1.00	0.01	0.08

ABSTN9	Abstinence use 9th quarter
--------	----------------------------

Start: 9 End: 9 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	5243	49.8 %	99.4%
	1	Using method	31	0.3 %	0.6%
	9 (M)	Inapplicable	5253	49.9 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
5274		0.00	1.00	0.01	0.08

ABSTN10	Abstinence use 10th quarter
---------	-----------------------------

Start: 10 End: 10 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	5229	49.7 %	99.4%
	1	Using method	30	0.3 %	0.6%
	9 (M)	Inapplicable	5268	50.0 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
5259		0.00	1.00	0.01	0.08

ABSTN11	Abstinence use 11th quarter
---------	-----------------------------

Start: 11 End: 11 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	4552	43.2 %	99.5%
	1	Using method	23	0.2 %	0.5%
	9 (M)	Inapplicable	5952	56.5 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
4575		0.00	1.00	0.01	0.07

Variable	Variable Description
----------	----------------------

ABSTN12	Abstinence use 12th quarter
---------	-----------------------------

Start: 12 End: 12 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Not using method</td> <td>4439</td> <td>42.2 %</td> <td>99.4%</td> </tr> <tr> <td>1</td> <td>Using method</td> <td>25</td> <td>0.2 %</td> <td>0.6%</td> </tr> <tr> <td>9 (M)</td> <td>Inapplicable</td> <td>6063</td> <td>57.6 %</td> <td>-</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Valid</th> <th>Min</th> <th>Max</th> <th>Mean</th> <th>Stdev</th> </tr> </thead> <tbody> <tr> <td>4464</td> <td>0.00</td> <td>1.00</td> <td>0.01</td> <td>0.07</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	0	Not using method	4439	42.2 %	99.4%	1	Using method	25	0.2 %	0.6%	9 (M)	Inapplicable	6063	57.6 %	-	Valid	Min	Max	Mean	Stdev	4464	0.00	1.00	0.01	0.07
Value	Label	Frequency	%	Valid %																											
0	Not using method	4439	42.2 %	99.4%																											
1	Using method	25	0.2 %	0.6%																											
9 (M)	Inapplicable	6063	57.6 %	-																											
Valid	Min	Max	Mean	Stdev																											
4464	0.00	1.00	0.01	0.07																											

ABSTN13	Abstinence use 13th quarter
---------	-----------------------------

Start: 13 End: 13 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Not using method</td> <td>4350</td> <td>41.3 %</td> <td>99.2%</td> </tr> <tr> <td>1</td> <td>Using method</td> <td>33</td> <td>0.3 %</td> <td>0.8%</td> </tr> <tr> <td>9 (M)</td> <td>Inapplicable</td> <td>6144</td> <td>58.4 %</td> <td>-</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Valid</th> <th>Min</th> <th>Max</th> <th>Mean</th> <th>Stdev</th> </tr> </thead> <tbody> <tr> <td>4383</td> <td>0.00</td> <td>1.00</td> <td>0.01</td> <td>0.09</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	0	Not using method	4350	41.3 %	99.2%	1	Using method	33	0.3 %	0.8%	9 (M)	Inapplicable	6144	58.4 %	-	Valid	Min	Max	Mean	Stdev	4383	0.00	1.00	0.01	0.09
Value	Label	Frequency	%	Valid %																											
0	Not using method	4350	41.3 %	99.2%																											
1	Using method	33	0.3 %	0.8%																											
9 (M)	Inapplicable	6144	58.4 %	-																											
Valid	Min	Max	Mean	Stdev																											
4383	0.00	1.00	0.01	0.09																											

ABSTN14	Abstinence use 14th quarter
---------	-----------------------------

Start: 14 End: 14 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Not using method</td> <td>4438</td> <td>42.2 %</td> <td>99.3%</td> </tr> <tr> <td>1</td> <td>Using method</td> <td>32</td> <td>0.3 %</td> <td>0.7%</td> </tr> <tr> <td>9 (M)</td> <td>Inapplicable</td> <td>6057</td> <td>57.5 %</td> <td>-</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Valid</th> <th>Min</th> <th>Max</th> <th>Mean</th> <th>Stdev</th> </tr> </thead> <tbody> <tr> <td>4470</td> <td>0.00</td> <td>1.00</td> <td>0.01</td> <td>0.08</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	0	Not using method	4438	42.2 %	99.3%	1	Using method	32	0.3 %	0.7%	9 (M)	Inapplicable	6057	57.5 %	-	Valid	Min	Max	Mean	Stdev	4470	0.00	1.00	0.01	0.08
Value	Label	Frequency	%	Valid %																											
0	Not using method	4438	42.2 %	99.3%																											
1	Using method	32	0.3 %	0.7%																											
9 (M)	Inapplicable	6057	57.5 %	-																											
Valid	Min	Max	Mean	Stdev																											
4470	0.00	1.00	0.01	0.08																											

ABSTN15	Abstinence use 15th quarter
---------	-----------------------------

Start: 15 End: 15 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Not using method</td> <td>4436</td> <td>42.1 %</td> <td>99.4%</td> </tr> <tr> <td>1</td> <td>Using method</td> <td>29</td> <td>0.3 %</td> <td>0.6%</td> </tr> <tr> <td>9 (M)</td> <td>Inapplicable</td> <td>6062</td> <td>57.6 %</td> <td>-</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Valid</th> <th>Min</th> <th>Max</th> <th>Mean</th> <th>Stdev</th> </tr> </thead> <tbody> <tr> <td>4465</td> <td>0.00</td> <td>1.00</td> <td>0.01</td> <td>0.08</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	0	Not using method	4436	42.1 %	99.4%	1	Using method	29	0.3 %	0.6%	9 (M)	Inapplicable	6062	57.6 %	-	Valid	Min	Max	Mean	Stdev	4465	0.00	1.00	0.01	0.08
Value	Label	Frequency	%	Valid %																											
0	Not using method	4436	42.1 %	99.4%																											
1	Using method	29	0.3 %	0.6%																											
9 (M)	Inapplicable	6062	57.6 %	-																											
Valid	Min	Max	Mean	Stdev																											
4465	0.00	1.00	0.01	0.08																											

Variable	Variable Description
----------	----------------------

ABSTN16	Abstinence use 16th quarter
---------	-----------------------------

Start: 16  
End: 16  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4437	42.1 %	99.4%
1	Using method	26	0.2 %	0.6%
9 (M)	Inapplicable	6064	57.6 %	-
Valid	Min	Max	Mean	Stdev
4463	0.00	1.00	0.01	0.08

ABSTN17	Abstinence use 17th quarter
---------	-----------------------------

Start: 17  
End: 17  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4408	41.9 %	99.4%
1	Using method	27	0.3 %	0.6%
9 (M)	Inapplicable	6092	57.9 %	-
Valid	Min	Max	Mean	Stdev
4435	0.00	1.00	0.01	0.08

ABSTN18	Abstinence use 18th quarter
---------	-----------------------------

Start: 18  
End: 18  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4412	41.9 %	99.3%
1	Using method	29	0.3 %	0.7%
9 (M)	Inapplicable	6086	57.8 %	-
Valid	Min	Max	Mean	Stdev
4441	0.00	1.00	0.01	0.08

CONDM1	Condom use 1st quarter
--------	------------------------

Start: 19  
End: 19  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4666	44.3 %	95.7%
1	Using method	211	2.0 %	4.3%
9 (M)	Inapplicable	5650	53.7 %	-
Valid	Min	Max	Mean	Stdev
4877	0.00	1.00	0.04	0.20

Variable	Variable Description
----------	----------------------

CONDM2	Condom use 2nd quarter
--------	------------------------

Start: 20  
End: 20  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4996	47.5 %	96.7%
1	Using method	172	1.6 %	3.3%
9 (M)	Inapplicable	5359	50.9 %	-

Valid	Min	Max	Mean	Stdev
5168	0.00	1.00	0.03	0.18

CONDM3	Condom use 3rd quarter
--------	------------------------

Start: 21  
End: 21  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5110	48.5 %	97.0%
1	Using method	158	1.5 %	3.0%
9 (M)	Inapplicable	5259	50.0 %	-

Valid	Min	Max	Mean	Stdev
5268	0.00	1.00	0.03	0.17

CONDM4	Condom use 4th quarter
--------	------------------------

Start: 22  
End: 22  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5158	49.0 %	97.3%
1	Using method	144	1.4 %	2.7%
9 (M)	Inapplicable	5225	49.6 %	-

Valid	Min	Max	Mean	Stdev
5302	0.00	1.00	0.03	0.16

CONDM5	Condom use 5th quarter
--------	------------------------

Start: 23  
End: 23  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5217	49.6 %	97.2%
1	Using method	148	1.4 %	2.8%
9 (M)	Inapplicable	5162	49.0 %	-

Valid	Min	Max	Mean	Stdev
5365	0.00	1.00	0.03	0.16



Variable	Variable Description
----------	----------------------

CONDM6	Condom use 6th quarter
--------	------------------------

Start: 24  
End: 24  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5423	51.5 %	96.9%
1	Using method	173	1.6 %	3.1%
9 (M)	Inapplicable	4931	46.8 %	-
Valid	Min	Max	Mean	Stdev
5596	0.00	1.00	0.03	0.17

CONDM7	Condom use 7th quarter
--------	------------------------

Start: 25  
End: 25  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5013	47.6 %	96.6%
1	Using method	174	1.7 %	3.4%
9 (M)	Inapplicable	5340	50.7 %	-
Valid	Min	Max	Mean	Stdev
5187	0.00	1.00	0.03	0.18

CONDM8	Condom use 8th quarter
--------	------------------------

Start: 26  
End: 26  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5089	48.3 %	96.3%
1	Using method	193	1.8 %	3.7%
9 (M)	Inapplicable	5245	49.8 %	-
Valid	Min	Max	Mean	Stdev
5282	0.00	1.00	0.04	0.19

CONDM9	Condom use 9th quarter
--------	------------------------

Start: 27  
End: 27  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5053	48.0 %	95.8%
1	Using method	221	2.1 %	4.2%
9 (M)	Inapplicable	5253	49.9 %	-
Valid	Min	Max	Mean	Stdev
5274	0.00	1.00	0.04	0.20

Variable	Variable Description
----------	----------------------

CONDM10	Condom use 10th quarter
---------	-------------------------

Start: 28  
 End: 28  
 Width: 1  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5040	47.9 %	95.8%
1	Using method	219	2.1 %	4.2%
9 (M)	Inapplicable	5268	50.0 %	-
Valid	Min	Max	Mean	Stdev
5259	0.00	1.00	0.04	0.20

CONDM11	Condom use 11th quarter
---------	-------------------------

Start: 29  
 End: 29  
 Width: 1  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4403	41.8 %	96.2%
1	Using method	172	1.6 %	3.8%
9 (M)	Inapplicable	5952	56.5 %	-
Valid	Min	Max	Mean	Stdev
4575	0.00	1.00	0.04	0.19

CONDM12	Condom use 12th quarter
---------	-------------------------

Start: 30  
 End: 30  
 Width: 1  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4283	40.7 %	95.9%
1	Using method	181	1.7 %	4.1%
9 (M)	Inapplicable	6063	57.6 %	-
Valid	Min	Max	Mean	Stdev
4464	0.00	1.00	0.04	0.20

CONDM13	Condom use 13th quarter
---------	-------------------------

Start: 31  
 End: 31  
 Width: 1  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4217	40.1 %	96.2%
1	Using method	166	1.6 %	3.8%
9 (M)	Inapplicable	6144	58.4 %	-
Valid	Min	Max	Mean	Stdev
4383	0.00	1.00	0.04	0.19

Variable	Variable Description
----------	----------------------

CONDM14	Condom use 14th quarter
---------	-------------------------

Start: 32  
End: 32  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4296	40.8 %	96.1%
1	Using method	174	1.7 %	3.9%
9 (M)	Inapplicable	6057	57.5 %	-
Valid	Min	Max	Mean	Stdev
4470	0.00	1.00	0.04	0.19

CONDM15	Condom use 15th quarter
---------	-------------------------

Start: 33  
End: 33  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4307	40.9 %	96.5%
1	Using method	158	1.5 %	3.5%
9 (M)	Inapplicable	6062	57.6 %	-
Valid	Min	Max	Mean	Stdev
4465	0.00	1.00	0.04	0.18

CONDM16	Condom use 16th quarter
---------	-------------------------

Start: 34  
End: 34  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4296	40.8 %	96.3%
1	Using method	167	1.6 %	3.7%
9 (M)	Inapplicable	6064	57.6 %	-
Valid	Min	Max	Mean	Stdev
4463	0.00	1.00	0.04	0.19

CONDM17	Condom use 17th quarter
---------	-------------------------

Start: 35  
End: 35  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4256	40.4 %	96.0%
1	Using method	179	1.7 %	4.0%
9 (M)	Inapplicable	6092	57.9 %	-
Valid	Min	Max	Mean	Stdev
4435	0.00	1.00	0.04	0.20

Variable	Variable Description
----------	----------------------

CONDM18	Condom use 18th quarter
---------	-------------------------

Start: 36  
 End: 36  
 Width: 1  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4267	40.5 %	96.1%
1	Using method	174	1.7 %	3.9%
9 (M)	Inapplicable	6086	57.8 %	-
Valid	Min	Max	Mean	Stdev
4441	0.00	1.00	0.04	0.19

DEPO1	Depo-Provera use 1st quarter
-------	------------------------------

Start: 37  
 End: 37  
 Width: 1  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4727	44.9 %	96.9%
1	Using method	150	1.4 %	3.1%
9 (M)	Inapplicable	5650	53.7 %	-
Valid	Min	Max	Mean	Stdev
4877	0.00	1.00	0.03	0.17

DEPO2	Depo-Provera use 2nd quarter
-------	------------------------------

Start: 38  
 End: 38  
 Width: 1  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5008	47.6 %	96.9%
1	Using method	160	1.5 %	3.1%
9 (M)	Inapplicable	5359	50.9 %	-
Valid	Min	Max	Mean	Stdev
5168	0.00	1.00	0.03	0.17

DEPO3	Depo-Provera use 3rd quarter
-------	------------------------------

Start: 39  
 End: 39  
 Width: 1  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5104	48.5 %	96.9%
1	Using method	164	1.6 %	3.1%
9 (M)	Inapplicable	5259	50.0 %	-
Valid	Min	Max	Mean	Stdev
5268	0.00	1.00	0.03	0.17

Variable	Variable Description
----------	----------------------

DEPO4	Depo-Provera use 4th quarter
-------	------------------------------

Start: 40 End: 40 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	5126	48.7 %	96.7%
	1	Using method	176	1.7 %	3.3%
	9 (M)	Inapplicable	5225	49.6 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
5302		0.00	1.00	0.03	0.18

DEPO5	Depo-Provera use 5th quarter
-------	------------------------------

Start: 41 End: 41 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	5161	49.0 %	96.2%
	1	Using method	204	1.9 %	3.8%
	9 (M)	Inapplicable	5162	49.0 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
5365		0.00	1.00	0.04	0.19

DEPO6	Depo-Provera use 6th quarter
-------	------------------------------

Start: 42 End: 42 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	5346	50.8 %	95.5%
	1	Using method	250	2.4 %	4.5%
	9 (M)	Inapplicable	4931	46.8 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
5596		0.00	1.00	0.04	0.21

DEPO7	Depo-Provera use 7th quarter
-------	------------------------------

Start: 43 End: 43 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	4917	46.7 %	94.8%
	1	Using method	270	2.6 %	5.2%
	9 (M)	Inapplicable	5340	50.7 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
5187		0.00	1.00	0.05	0.22

Variable	Variable Description
----------	----------------------

DEPO8	Depo-Provera use 8th quarter
-------	------------------------------

Start: 44 End: 44 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	5001	47.5 %	94.7%
	1	Using method	281	2.7 %	5.3%
	9 (M)	Inapplicable	5245	49.8 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
5282		0.00	1.00	0.05	0.22

DEPO9	Depo-Provera use 9th quarter
-------	------------------------------

Start: 45 End: 45 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	4967	47.2 %	94.2%
	1	Using method	307	2.9 %	5.8%
	9 (M)	Inapplicable	5253	49.9 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
5274		0.00	1.00	0.06	0.23

DEPO10	Depo-Provera use 10th quarter
--------	-------------------------------

Start: 46 End: 46 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	4929	46.8 %	93.7%
	1	Using method	330	3.1 %	6.3%
	9 (M)	Inapplicable	5268	50.0 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
5259		0.00	1.00	0.06	0.24

DEPO11	Depo-Provera use 11th quarter
--------	-------------------------------

Start: 47 End: 47 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	4288	40.7 %	93.7%
	1	Using method	287	2.7 %	6.3%
	9 (M)	Inapplicable	5952	56.5 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
4575		0.00	1.00	0.06	0.24

Variable	Variable Description
----------	----------------------

DEPO12	Depo-Provera use 12th quarter
--------	-------------------------------

Start: 48 End: 48 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	4187	39.8 %	93.8%
	1	Using method	277	2.6 %	6.2%
	9 (M)	Inapplicable	6063	57.6 %	-
	<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
4464	0.00	1.00	0.06	0.24	

DEPO13	Depo-Provera use 13th quarter
--------	-------------------------------

Start: 49 End: 49 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	4097	38.9 %	93.5%
	1	Using method	286	2.7 %	6.5%
	9 (M)	Inapplicable	6144	58.4 %	-
	<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
4383	0.00	1.00	0.07	0.25	

DEPO14	Depo-Provera use 14th quarter
--------	-------------------------------

Start: 50 End: 50 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	4160	39.5 %	93.1%
	1	Using method	310	2.9 %	6.9%
	9 (M)	Inapplicable	6057	57.5 %	-
	<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
4470	0.00	1.00	0.07	0.25	

DEPO15	Depo-Provera use 15th quarter
--------	-------------------------------

Start: 51 End: 51 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	4155	39.5 %	93.1%
	1	Using method	310	2.9 %	6.9%
	9 (M)	Inapplicable	6062	57.6 %	-
	<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
4465	0.00	1.00	0.07	0.25	

Variable	Variable Description
----------	----------------------

DEPO16	Depo-Provera use 16th quarter
--------	-------------------------------

Start: 52  
End: 52  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4150	39.4 %	93.0%
1	Using method	313	3.0 %	7.0%
9 (M)	Inapplicable	6064	57.6 %	-
Valid	Min	Max	Mean	Stdev
4463	0.00	1.00	0.07	0.26

DEPO17	Depo-Provera use 17th quarter
--------	-------------------------------

Start: 53  
End: 53  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4110	39.0 %	92.7%
1	Using method	325	3.1 %	7.3%
9 (M)	Inapplicable	6092	57.9 %	-
Valid	Min	Max	Mean	Stdev
4435	0.00	1.00	0.07	0.26

DEPO18	Depo-Provera use 18th quarter
--------	-------------------------------

Start: 54  
End: 54  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4112	39.1 %	92.6%
1	Using method	329	3.1 %	7.4%
9 (M)	Inapplicable	6086	57.8 %	-
Valid	Min	Max	Mean	Stdev
4441	0.00	1.00	0.07	0.26

FOAM1	Spermicidal foam use 1st quarter
-------	----------------------------------

Start: 55  
End: 55  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4870	46.3 %	99.9%
1	Using method	7	0.1 %	0.1%
9 (M)	Inapplicable	5650	53.7 %	-
Valid	Min	Max	Mean	Stdev
4877	0.00	1.00	0.00	0.04



Variable	Variable Description
----------	----------------------

FOAM2	Spermicidal foam use 2nd quarter
-------	----------------------------------

Start: 56  
End: 56  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5163	49.0 %	99.9%
1	Using method	5	0.0 %	0.1%
9 (M)	Inapplicable	5359	50.9 %	-
Valid	Min	Max	Mean	Stdev
5168	0.00	1.00	0.00	0.03

FOAM3	Spermicidal foam use 3rd quarter
-------	----------------------------------

Start: 57  
End: 57  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5262	50.0 %	99.9%
1	Using method	6	0.1 %	0.1%
9 (M)	Inapplicable	5259	50.0 %	-
Valid	Min	Max	Mean	Stdev
5268	0.00	1.00	0.00	0.03

FOAM4	Spermicidal foam use 4th quarter
-------	----------------------------------

Start: 58  
End: 58  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5300	50.3 %	100.0%
1	Using method	2	0.0 %	0.0%
9 (M)	Inapplicable	5225	49.6 %	-
Valid	Min	Max	Mean	Stdev
5302	0.00	1.00	0.00	0.02

FOAM5	Spermicidal foam use 5th quarter
-------	----------------------------------

Start: 59  
End: 59  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5362	50.9 %	99.9%
1	Using method	3	0.0 %	0.1%
9 (M)	Inapplicable	5162	49.0 %	-
Valid	Min	Max	Mean	Stdev
5365	0.00	1.00	0.00	0.02

Variable	Variable Description
----------	----------------------

FOAM6	Spermicidal foam use 6th quarter
-------	----------------------------------

Start: 60  
End: 60  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5178	49.2 %	99.9%
1	Using method	5	0.0 %	0.1%
9 (M)	Inapplicable	5344	50.8 %	-
Valid	Min	Max	Mean	Stdev
5183	0.00	1.00	0.00	0.03

FOAM7	Spermicidal foam use 7th quarter
-------	----------------------------------

Start: 61  
End: 61  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5181	49.2 %	99.9%
1	Using method	6	0.1 %	0.1%
9 (M)	Inapplicable	5340	50.7 %	-
Valid	Min	Max	Mean	Stdev
5187	0.00	1.00	0.00	0.03

FOAM8	Spermicidal foam use 8th quarter
-------	----------------------------------

Start: 62  
End: 62  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5279	50.1 %	99.9%
1	Using method	3	0.0 %	0.1%
9 (M)	Inapplicable	5245	49.8 %	-
Valid	Min	Max	Mean	Stdev
5282	0.00	1.00	0.00	0.02

FOAM9	Spermicidal foam use 9th quarter
-------	----------------------------------

Start: 63  
End: 63  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5268	50.0 %	99.9%
1	Using method	6	0.1 %	0.1%
9 (M)	Inapplicable	5253	49.9 %	-
Valid	Min	Max	Mean	Stdev
5274	0.00	1.00	0.00	0.03

Variable	Variable Description
----------	----------------------

FOAM10	Spermicidal foam use 10th quarter
--------	-----------------------------------

Start: 64  
 End: 64  
 Width: 1  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5256	49.9 %	99.9%
1	Using method	3	0.0 %	0.1%
9 (M)	Inapplicable	5268	50.0 %	-
Valid	Min	Max	Mean	Stdev
5259	0.00	1.00	0.00	0.02

FOAM11	Spermicidal foam use 11th quarter
--------	-----------------------------------

Start: 65  
 End: 65  
 Width: 1  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4572	43.4 %	99.9%
1	Using method	3	0.0 %	0.1%
9 (M)	Inapplicable	5952	56.5 %	-
Valid	Min	Max	Mean	Stdev
4575	0.00	1.00	0.00	0.03

FOAM12	Spermicidal foam use 12th quarter
--------	-----------------------------------

Start: 66  
 End: 66  
 Width: 1  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4409	41.9 %	100.0%
1	Using method	2	0.0 %	0.0%
9 (M)	Inapplicable	6116	58.1 %	-
Valid	Min	Max	Mean	Stdev
4411	0.00	1.00	0.00	0.02

FOAM13	Spermicidal foam use 13th quarter
--------	-----------------------------------

Start: 67  
 End: 67  
 Width: 1  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4382	41.6 %	100.0%
1	Using method	1	0.0 %	0.0%
9 (M)	Inapplicable	6144	58.4 %	-
Valid	Min	Max	Mean	Stdev
4383	0.00	1.00	0.00	0.02

Variable	Variable Description
----------	----------------------

FOAM14	Spermicidal foam use 14th quarter
--------	-----------------------------------

Start: 68  
 End: 68  
 Width: 1  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4467	42.4 %	99.9%
1	Using method	3	0.0 %	0.1%
9 (M)	Inapplicable	6057	57.5 %	-
Valid	Min	Max	Mean	Stdev
4470	0.00	1.00	0.00	0.03

FOAM15	Spermicidal foam use 15th quarter
--------	-----------------------------------

Start: 69  
 End: 69  
 Width: 1  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4464	42.4 %	100.0%
1	Using method	1	0.0 %	0.0%
9 (M)	Inapplicable	6062	57.6 %	-
Valid	Min	Max	Mean	Stdev
4465	0.00	1.00	0.00	0.01

FOAM16	Spermicidal foam use 16th quarter
--------	-----------------------------------

Start: 70  
 End: 70  
 Width: 1  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4461	42.4 %	100.0%
1	Using method	2	0.0 %	0.0%
9 (M)	Inapplicable	6064	57.6 %	-
Valid	Min	Max	Mean	Stdev
4463	0.00	1.00	0.00	0.02

FOAM17	Spermicidal foam use 17th quarter
--------	-----------------------------------

Start: 71  
 End: 71  
 Width: 1  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4433	42.1 %	100.0%
1	Using method	2	0.0 %	0.0%
9 (M)	Inapplicable	6092	57.9 %	-
Valid	Min	Max	Mean	Stdev
4435	0.00	1.00	0.00	0.02

Variable	Variable Description
----------	----------------------

FOAM18	Spermicidal foam use 18th quarter
--------	-----------------------------------

Start: 72  
End: 72  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4440	42.2 %	100.0%
1	Using method	1	0.0 %	0.0%
9 (M)	Inapplicable	6086	57.8 %	-
Valid	Min	Max	Mean	Stdev
4441	0.00	1.00	0.00	0.02

IUDLP1	IUD use 1st quarter
--------	---------------------

Start: 73  
End: 73  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4867	46.2 %	99.8%
1	Using method	10	0.1 %	0.2%
9 (M)	Inapplicable	5650	53.7 %	-
Valid	Min	Max	Mean	Stdev
4877	0.00	1.00	0.00	0.05

IUDLP2	IUD use 2nd quarter
--------	---------------------

Start: 74  
End: 74  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5158	49.0 %	99.8%
1	Using method	10	0.1 %	0.2%
9 (M)	Inapplicable	5359	50.9 %	-
Valid	Min	Max	Mean	Stdev
5168	0.00	1.00	0.00	0.04

IUDLP3	IUD use 3rd quarter
--------	---------------------

Start: 75  
End: 75  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5260	50.0 %	99.8%
1	Using method	8	0.1 %	0.2%
9 (M)	Inapplicable	5259	50.0 %	-
Valid	Min	Max	Mean	Stdev
5268	0.00	1.00	0.00	0.04

Variable	Variable Description
----------	----------------------

IUDLP4	IUD use 4th quarter
--------	---------------------

Start: 76  
 End: 76  
 Width: 1  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5292	50.3 %	99.8%
1	Using method	10	0.1 %	0.2%
9 (M)	Inapplicable	5225	49.6 %	-
Valid	Min	Max	Mean	Stdev
5302	0.00	1.00	0.00	0.04

IUDLP5	IUD use 5th quarter
--------	---------------------

Start: 77  
 End: 77  
 Width: 1  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5354	50.9 %	99.8%
1	Using method	11	0.1 %	0.2%
9 (M)	Inapplicable	5162	49.0 %	-
Valid	Min	Max	Mean	Stdev
5365	0.00	1.00	0.00	0.05

IUDLP6	IUD use 6th quarter
--------	---------------------

Start: 78  
 End: 78  
 Width: 1  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5582	53.0 %	99.7%
1	Using method	14	0.1 %	0.3%
9 (M)	Inapplicable	4931	46.8 %	-
Valid	Min	Max	Mean	Stdev
5596	0.00	1.00	0.00	0.05

IUDLP7	IUD use 7th quarter
--------	---------------------

Start: 79  
 End: 79  
 Width: 1  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5172	49.1 %	99.7%
1	Using method	15	0.1 %	0.3%
9 (M)	Inapplicable	5340	50.7 %	-
Valid	Min	Max	Mean	Stdev
5187	0.00	1.00	0.00	0.05

Variable	Variable Description
----------	----------------------

IUDLP8	IUD use 8th quarter
--------	---------------------

Start: 80  
End: 80  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5266	50.0 %	99.7%
1	Using method	16	0.2 %	0.3%
9 (M)	Inapplicable	5245	49.8 %	-
Valid	Min	Max	Mean	Stdev
5282	0.00	1.00	0.00	0.05

IUDLP9	IUD use 9th quarter
--------	---------------------

Start: 81  
End: 81  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5253	49.9 %	99.6%
1	Using method	21	0.2 %	0.4%
9 (M)	Inapplicable	5253	49.9 %	-
Valid	Min	Max	Mean	Stdev
5274	0.00	1.00	0.00	0.06

IUDLP10	IUD use 10th quarter
---------	----------------------

Start: 82  
End: 82  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5241	49.8 %	99.7%
1	Using method	18	0.2 %	0.3%
9 (M)	Inapplicable	5268	50.0 %	-
Valid	Min	Max	Mean	Stdev
5259	0.00	1.00	0.00	0.06

IUDLP11	IUD use 11th quarter
---------	----------------------

Start: 83  
End: 83  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4561	43.3 %	99.7%
1	Using method	14	0.1 %	0.3%
9 (M)	Inapplicable	5952	56.5 %	-
Valid	Min	Max	Mean	Stdev
4575	0.00	1.00	0.00	0.06

Variable	Variable Description
----------	----------------------

IUDLP12	IUD use 12th quarter
---------	----------------------

Start: 84  
End: 84  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4449	42.3 %	99.7%
1	Using method	15	0.1 %	0.3%
9 (M)	Inapplicable	6063	57.6 %	-
Valid	Min	Max	Mean	Stdev
4464	0.00	1.00	0.00	0.06

IUDLP13	IUD use 13th quarter
---------	----------------------

Start: 85  
End: 85  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4368	41.5 %	99.7%
1	Using method	15	0.1 %	0.3%
9 (M)	Inapplicable	6144	58.4 %	-
Valid	Min	Max	Mean	Stdev
4383	0.00	1.00	0.00	0.06

IUDLP14	IUD use 14th quarter
---------	----------------------

Start: 86  
End: 86  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4457	42.3 %	99.7%
1	Using method	13	0.1 %	0.3%
9 (M)	Inapplicable	6057	57.5 %	-
Valid	Min	Max	Mean	Stdev
4470	0.00	1.00	0.00	0.05

IUDLP15	IUD use 15th quarter
---------	----------------------

Start: 87  
End: 87  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4451	42.3 %	99.7%
1	Using method	14	0.1 %	0.3%
9 (M)	Inapplicable	6062	57.6 %	-
Valid	Min	Max	Mean	Stdev
4465	0.00	1.00	0.00	0.06



Variable	Variable Description
----------	----------------------

IUDLP16	IUD use 16th quarter
---------	----------------------

Start: 88  
End: 88  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4453	42.3 %	99.8%
1	Using method	10	0.1 %	0.2%
9 (M)	Inapplicable	6064	57.6 %	-
Valid	Min	Max	Mean	Stdev
4463	0.00	1.00	0.00	0.05

IUDLP17	IUD use 17th quarter
---------	----------------------

Start: 89  
End: 89  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4425	42.0 %	99.8%
1	Using method	10	0.1 %	0.2%
9 (M)	Inapplicable	6092	57.9 %	-
Valid	Min	Max	Mean	Stdev
4435	0.00	1.00	0.00	0.05

IUDLP18	IUD use 18th quarter
---------	----------------------

Start: 90  
End: 90  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4428	42.1 %	99.7%
1	Using method	13	0.1 %	0.3%
9 (M)	Inapplicable	6086	57.8 %	-
Valid	Min	Max	Mean	Stdev
4441	0.00	1.00	0.00	0.05

NRPLNT1	Norplant use 1st quarter
---------	--------------------------

Start: 91  
End: 91  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4856	46.1 %	99.6%
1	Using method	21	0.2 %	0.4%
9 (M)	Inapplicable	5650	53.7 %	-
Valid	Min	Max	Mean	Stdev
4877	0.00	1.00	0.00	0.07

Variable	Variable Description
----------	----------------------

NRPLNT2	Norplant use 2nd quarter
---------	--------------------------

Start: 92  
End: 92  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5150	48.9 %	99.7%
1	Using method	18	0.2 %	0.3%
9 (M)	Inapplicable	5359	50.9 %	-
Valid	Min	Max	Mean	Stdev
5168	0.00	1.00	0.00	0.06

NRPLNT3	Norplant use 3rd quarter
---------	--------------------------

Start: 93  
End: 93  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5249	49.9 %	99.6%
1	Using method	19	0.2 %	0.4%
9 (M)	Inapplicable	5259	50.0 %	-
Valid	Min	Max	Mean	Stdev
5268	0.00	1.00	0.00	0.06

NRPLNT4	Norplant use 4th quarter
---------	--------------------------

Start: 94  
End: 94  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5283	50.2 %	99.6%
1	Using method	19	0.2 %	0.4%
9 (M)	Inapplicable	5225	49.6 %	-
Valid	Min	Max	Mean	Stdev
5302	0.00	1.00	0.00	0.06

NRPLNT5	Norplant use 5th quarter
---------	--------------------------

Start: 95  
End: 95  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5342	50.7 %	99.6%
1	Using method	23	0.2 %	0.4%
9 (M)	Inapplicable	5162	49.0 %	-
Valid	Min	Max	Mean	Stdev
5365	0.00	1.00	0.00	0.07

Variable	Variable Description
----------	----------------------

NRPLNT6	Norplant use 6th quarter
---------	--------------------------

Start: 96 End: 96 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	5573	52.9 %	99.6%
	1	Using method	23	0.2 %	0.4%
	9 (M)	Inapplicable	4931	46.8 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
5596		0.00	1.00	0.00	0.06

NRPLNT7	Norplant use 7th quarter
---------	--------------------------

Start: 97 End: 97 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	5163	49.0 %	99.5%
	1	Using method	24	0.2 %	0.5%
	9 (M)	Inapplicable	5340	50.7 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
5187		0.00	1.00	0.00	0.07

NRPLNT8	Norplant use 8th quarter
---------	--------------------------

Start: 98 End: 98 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	5259	50.0 %	99.6%
	1	Using method	23	0.2 %	0.4%
	9 (M)	Inapplicable	5245	49.8 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
5282		0.00	1.00	0.00	0.07

NRPLNT9	Norplant use 9th quarter
---------	--------------------------

Start: 99 End: 99 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	5251	49.9 %	99.6%
	1	Using method	23	0.2 %	0.4%
	9 (M)	Inapplicable	5253	49.9 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
5274		0.00	1.00	0.00	0.07

Variable	Variable Description
----------	----------------------

NRPLNT10	Norplant use 10th quarter
----------	---------------------------

Start: 100 End: 100 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	5235	49.7 %	99.5%
	1	Using method	24	0.2 %	0.5%
	9 (M)	Inapplicable	5268	50.0 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
5259		0.00	1.00	0.00	0.07

NRPLNT11	Norplant use 11th quarter
----------	---------------------------

Start: 101 End: 101 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	4559	43.3 %	99.7%
	1	Using method	16	0.2 %	0.3%
	9 (M)	Inapplicable	5952	56.5 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
4575		0.00	1.00	0.00	0.06

NRPLNT12	Norplant use 12th quarter
----------	---------------------------

Start: 102 End: 102 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	4448	42.3 %	99.6%
	1	Using method	16	0.2 %	0.4%
	9 (M)	Inapplicable	6063	57.6 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
4464		0.00	1.00	0.00	0.06

NRPLNT13	Norplant use 13th quarter
----------	---------------------------

Start: 103 End: 103 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	4366	41.5 %	99.6%
	1	Using method	17	0.2 %	0.4%
	9 (M)	Inapplicable	6144	58.4 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
4383		0.00	1.00	0.00	0.06

Variable	Variable Description
----------	----------------------

NRPLNT14	Norplant use 14th quarter
----------	---------------------------

Start: 104 End: 104 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	4449	42.3 %	99.5%
	1	Using method	21	0.2 %	0.5%
	9 (M)	Inapplicable	6057	57.5 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
4470		0.00	1.00	0.00	0.07

NRPLNT15	Norplant use 15th quarter
----------	---------------------------

Start: 105 End: 105 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	4442	42.2 %	99.5%
	1	Using method	23	0.2 %	0.5%
	9 (M)	Inapplicable	6062	57.6 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
4465		0.00	1.00	0.01	0.07

NRPLNT16	Norplant use 16th quarter
----------	---------------------------

Start: 106 End: 106 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	4440	42.2 %	99.5%
	1	Using method	23	0.2 %	0.5%
	9 (M)	Inapplicable	6064	57.6 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
4463		0.00	1.00	0.01	0.07

NRPLNT17	Norplant use 17th quarter
----------	---------------------------

Start: 107 End: 107 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	4412	41.9 %	99.5%
	1	Using method	23	0.2 %	0.5%
	9 (M)	Inapplicable	6092	57.9 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
4435		0.00	1.00	0.01	0.07

Variable	Variable Description
----------	----------------------

NRPLNT18	Norplant use 18th quarter
----------	---------------------------

Start: 108 End: 108 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	4419	42.0 %	99.5%
	1	Using method	22	0.2 %	0.5%
	9 (M)	Inapplicable	6086	57.8 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
4441		0.00	1.00	0.00	0.07

OTHER1	Other birth control use 1st quarter
--------	-------------------------------------

Start: 109 End: 109 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	4866	46.2 %	99.8%
	1	Using method	11	0.1 %	0.2%
	9 (M)	Inapplicable	5650	53.7 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
4877		0.00	1.00	0.00	0.05

OTHER2	Other birth control use 2nd quarter
--------	-------------------------------------

Start: 110 End: 110 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	5155	49.0 %	99.7%
	1	Using method	13	0.1 %	0.3%
	9 (M)	Inapplicable	5359	50.9 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
5168		0.00	1.00	0.00	0.05

OTHER3	Other birth control use 3rd quarter
--------	-------------------------------------

Start: 111 End: 111 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	5257	49.9 %	99.8%
	1	Using method	11	0.1 %	0.2%
	9 (M)	Inapplicable	5259	50.0 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
5268		0.00	1.00	0.00	0.05

Variable	Variable Description
----------	----------------------

OTHER4	Other birth control use 4th quarter
--------	-------------------------------------

Start: 112  
End: 112  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5292	50.3 %	99.8%
1	Using method	10	0.1 %	0.2%
9 (M)	Inapplicable	5225	49.6 %	-
Valid	Min	Max	Mean	Stdev
5302	0.00	1.00	0.00	0.04

OTHER5	Other birth control use 5th quarter
--------	-------------------------------------

Start: 113  
End: 113  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5357	50.9 %	99.9%
1	Using method	8	0.1 %	0.1%
9 (M)	Inapplicable	5162	49.0 %	-
Valid	Min	Max	Mean	Stdev
5365	0.00	1.00	0.00	0.04

OTHER6	Other birth control use 6th quarter
--------	-------------------------------------

Start: 114  
End: 114  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5585	53.1 %	99.8%
1	Using method	11	0.1 %	0.2%
9 (M)	Inapplicable	4931	46.8 %	-
Valid	Min	Max	Mean	Stdev
5596	0.00	1.00	0.00	0.04

OTHER7	Other birth control use 7th quarter
--------	-------------------------------------

Start: 115  
End: 115  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5177	49.2 %	99.8%
1	Using method	10	0.1 %	0.2%
9 (M)	Inapplicable	5340	50.7 %	-
Valid	Min	Max	Mean	Stdev
5187	0.00	1.00	0.00	0.04

Variable	Variable Description
----------	----------------------

OTHER8	Other birth control use 8th quarter
--------	-------------------------------------

Start: 116  
End: 116  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5274	50.1 %	99.8%
1	Using method	8	0.1 %	0.2%
9 (M)	Inapplicable	5245	49.8 %	-

Valid	Min	Max	Mean	Stdev
5282	0.00	1.00	0.00	0.04

OTHER9	Other birth control use 9th quarter
--------	-------------------------------------

Start: 117  
End: 117  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5269	50.1 %	99.9%
1	Using method	5	0.0 %	0.1%
9 (M)	Inapplicable	5253	49.9 %	-

Valid	Min	Max	Mean	Stdev
5274	0.00	1.00	0.00	0.03

OTHER10	Other birth control use 10th quarter
---------	--------------------------------------

Start: 118  
End: 118  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5250	49.9 %	99.8%
1	Using method	9	0.1 %	0.2%
9 (M)	Inapplicable	5268	50.0 %	-

Valid	Min	Max	Mean	Stdev
5259	0.00	1.00	0.00	0.04

OTHER11	Other birth control use 11th quarter
---------	--------------------------------------

Start: 119  
End: 119  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4569	43.4 %	99.9%
1	Using method	6	0.1 %	0.1%
9 (M)	Inapplicable	5952	56.5 %	-

Valid	Min	Max	Mean	Stdev
4575	0.00	1.00	0.00	0.04



Variable	Variable Description
----------	----------------------

OTHER12	Other birth control use 12th quarter
---------	--------------------------------------

Start: 120  
End: 120  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4459	42.4 %	99.9%
1	Using method	5	0.0 %	0.1%
9 (M)	Inapplicable	6063	57.6 %	-
Valid	Min	Max	Mean	Stdev
4464	0.00	1.00	0.00	0.03

OTHER13	Other birth control use 13th quarter
---------	--------------------------------------

Start: 121  
End: 121  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4376	41.6 %	99.8%
1	Using method	7	0.1 %	0.2%
9 (M)	Inapplicable	6144	58.4 %	-
Valid	Min	Max	Mean	Stdev
4383	0.00	1.00	0.00	0.04

OTHER14	Other birth control use 14th quarter
---------	--------------------------------------

Start: 122  
End: 122  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4464	42.4 %	99.9%
1	Using method	6	0.1 %	0.1%
9 (M)	Inapplicable	6057	57.5 %	-
Valid	Min	Max	Mean	Stdev
4470	0.00	1.00	0.00	0.04

OTHER15	Other birth control use 15th quarter
---------	--------------------------------------

Start: 123  
End: 123  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4459	42.4 %	99.9%
1	Using method	6	0.1 %	0.1%
9 (M)	Inapplicable	6062	57.6 %	-
Valid	Min	Max	Mean	Stdev
4465	0.00	1.00	0.00	0.04

Variable	Variable Description
----------	----------------------

OTHER16	Other birth control use 16th quarter
---------	--------------------------------------

Start: 124  
End: 124  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4452	42.3 %	99.8%
1	Using method	11	0.1 %	0.2%
9 (M)	Inapplicable	6064	57.6 %	-
Valid	Min	Max	Mean	Stdev
4463	0.00	1.00	0.00	0.05

OTHER17	Other birth control use 17th quarter
---------	--------------------------------------

Start: 125  
End: 125  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4423	42.0 %	99.7%
1	Using method	12	0.1 %	0.3%
9 (M)	Inapplicable	6092	57.9 %	-
Valid	Min	Max	Mean	Stdev
4435	0.00	1.00	0.00	0.05

OTHER18	Other birth control use 18th quarter
---------	--------------------------------------

Start: 126  
End: 126  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4431	42.1 %	99.8%
1	Using method	10	0.1 %	0.2%
9 (M)	Inapplicable	6086	57.8 %	-
Valid	Min	Max	Mean	Stdev
4441	0.00	1.00	0.00	0.05

PILLS1	Pill use 1st quarter
--------	----------------------

Start: 127  
End: 127  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4818	45.8 %	98.8%
1	Using method	59	0.6 %	1.2%
9 (M)	Inapplicable	5650	53.7 %	-
Valid	Min	Max	Mean	Stdev
4877	0.00	1.00	0.01	0.11

Variable	Variable Description
----------	----------------------

PILLS2	Pill use 2nd quarter
--------	----------------------

Start: 128  
End: 128  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5117	48.6 %	99.0%
1	Using method	51	0.5 %	1.0%
9 (M)	Inapplicable	5359	50.9 %	-
Valid	Min	Max	Mean	Stdev
5168	0.00	1.00	0.01	0.10

PILLS3	Pill use 3rd quarter
--------	----------------------

Start: 129  
End: 129  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5202	49.4 %	98.7%
1	Using method	66	0.6 %	1.3%
9 (M)	Inapplicable	5259	50.0 %	-
Valid	Min	Max	Mean	Stdev
5268	0.00	1.00	0.01	0.11

PILLS4	Pill use 4th quarter
--------	----------------------

Start: 130  
End: 130  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5245	49.8 %	98.9%
1	Using method	57	0.5 %	1.1%
9 (M)	Inapplicable	5225	49.6 %	-
Valid	Min	Max	Mean	Stdev
5302	0.00	1.00	0.01	0.10

PILLS5	Pill use 5th quarter
--------	----------------------

Start: 131  
End: 131  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5307	50.4 %	98.9%
1	Using method	58	0.6 %	1.1%
9 (M)	Inapplicable	5162	49.0 %	-
Valid	Min	Max	Mean	Stdev
5365	0.00	1.00	0.01	0.10

Variable	Variable Description
----------	----------------------

PILLS6	Pill use 6th quarter
--------	----------------------

Start: 132  
End: 132  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5529	52.5 %	98.8%
1	Using method	67	0.6 %	1.2%
9 (M)	Inapplicable	4931	46.8 %	-
Valid	Min	Max	Mean	Stdev
5596	0.00	1.00	0.01	0.11

PILLS7	Pill use 7th quarter
--------	----------------------

Start: 133  
End: 133  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5120	48.6 %	98.7%
1	Using method	67	0.6 %	1.3%
9 (M)	Inapplicable	5340	50.7 %	-
Valid	Min	Max	Mean	Stdev
5187	0.00	1.00	0.01	0.11

PILLS8	Pill use 8th quarter
--------	----------------------

Start: 134  
End: 134  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5200	49.4 %	98.4%
1	Using method	82	0.8 %	1.6%
9 (M)	Inapplicable	5245	49.8 %	-
Valid	Min	Max	Mean	Stdev
5282	0.00	1.00	0.02	0.12

PILLS9	Pill use 9th quarter
--------	----------------------

Start: 135  
End: 135  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5185	49.3 %	98.3%
1	Using method	89	0.8 %	1.7%
9 (M)	Inapplicable	5253	49.9 %	-
Valid	Min	Max	Mean	Stdev
5274	0.00	1.00	0.02	0.13

Variable	Variable Description
----------	----------------------

PILLS10	Pill use 10th quarter
---------	-----------------------

Start: 136  
End: 136  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5162	49.0 %	98.2%
1	Using method	97	0.9 %	1.8%
9 (M)	Inapplicable	5268	50.0 %	-
Valid	Min	Max	Mean	Stdev
5259	0.00	1.00	0.02	0.13

PILLS11	Pill use 11th quarter
---------	-----------------------

Start: 137  
End: 137  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4486	42.6 %	98.1%
1	Using method	89	0.8 %	1.9%
9 (M)	Inapplicable	5952	56.5 %	-
Valid	Min	Max	Mean	Stdev
4575	0.00	1.00	0.02	0.14

PILLS12	Pill use 12th quarter
---------	-----------------------

Start: 138  
End: 138  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4364	41.5 %	97.8%
1	Using method	100	0.9 %	2.2%
9 (M)	Inapplicable	6063	57.6 %	-
Valid	Min	Max	Mean	Stdev
4464	0.00	1.00	0.02	0.15

PILLS13	Pill use 13th quarter
---------	-----------------------

Start: 139  
End: 139  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4271	40.6 %	97.4%
1	Using method	112	1.1 %	2.6%
9 (M)	Inapplicable	6144	58.4 %	-
Valid	Min	Max	Mean	Stdev
4383	0.00	1.00	0.03	0.16

Variable	Variable Description
----------	----------------------

PILLS14	Pill use 14th quarter
---------	-----------------------

Start: 140  
End: 140  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4356	41.4 %	97.4%
1	Using method	114	1.1 %	2.6%
9 (M)	Inapplicable	6057	57.5 %	-

Valid	Min	Max	Mean	Stdev
4470	0.00	1.00	0.03	0.16

PILLS15	Pill use 15th quarter
---------	-----------------------

Start: 141  
End: 141  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4363	41.4 %	97.7%
1	Using method	102	1.0 %	2.3%
9 (M)	Inapplicable	6062	57.6 %	-

Valid	Min	Max	Mean	Stdev
4465	0.00	1.00	0.02	0.15

PILLS16	Pill use 16th quarter
---------	-----------------------

Start: 142  
End: 142  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4354	41.4 %	97.6%
1	Using method	109	1.0 %	2.4%
9 (M)	Inapplicable	6064	57.6 %	-

Valid	Min	Max	Mean	Stdev
4463	0.00	1.00	0.02	0.15

PILLS17	Pill use 17th quarter
---------	-----------------------

Start: 143  
End: 143  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4337	41.2 %	97.8%
1	Using method	98	0.9 %	2.2%
9 (M)	Inapplicable	6092	57.9 %	-

Valid	Min	Max	Mean	Stdev
4435	0.00	1.00	0.02	0.15

Variable	Variable Description
----------	----------------------

PILLS18	Pill use 18th quarter
---------	-----------------------

Start: 144  
End: 144  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4335	41.2 %	97.6%
1	Using method	106	1.0 %	2.4%
9 (M)	Inapplicable	6086	57.8 %	-
Valid	Min	Max	Mean	Stdev
4441	0.00	1.00	0.02	0.15

RSTER1	Respondent sterilization 1st quarter
--------	--------------------------------------

Start: 145  
End: 145  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4825	45.8 %	88.1%
1	Using method	651	6.2 %	11.9%
9 (M)	Inapplicable	5051	48.0 %	-
Valid	Min	Max	Mean	Stdev
5476	0.00	1.00	0.12	0.32

RSTER2	Respondent sterilization 2nd quarter
--------	--------------------------------------

Start: 146  
End: 146  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5118	48.6 %	88.1%
1	Using method	693	6.6 %	11.9%
9 (M)	Inapplicable	4716	44.8 %	-
Valid	Min	Max	Mean	Stdev
5811	0.00	1.00	0.12	0.32

RSTER3	Respondent sterilization 3rd quarter
--------	--------------------------------------

Start: 147  
End: 147  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5225	49.6 %	87.7%
1	Using method	736	7.0 %	12.3%
9 (M)	Inapplicable	4566	43.4 %	-
Valid	Min	Max	Mean	Stdev
5961	0.00	1.00	0.12	0.33

Variable	Variable Description
----------	----------------------

RSTER4	Respondent sterilization 4th quarter
--------	--------------------------------------

Start: 148 End: 148 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Not using method</td> <td>5264</td> <td>50.0 %</td> <td>87.2%</td> </tr> <tr> <td>1</td> <td>Using method</td> <td>774</td> <td>7.4 %</td> <td>12.8%</td> </tr> <tr> <td>9 (M)</td> <td>Inapplicable</td> <td>4489</td> <td>42.6 %</td> <td>-</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Valid</th> <th>Min</th> <th>Max</th> <th>Mean</th> <th>Stdev</th> </tr> </thead> <tbody> <tr> <td>6038</td> <td>0.00</td> <td>1.00</td> <td>0.13</td> <td>0.33</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	0	Not using method	5264	50.0 %	87.2%	1	Using method	774	7.4 %	12.8%	9 (M)	Inapplicable	4489	42.6 %	-	Valid	Min	Max	Mean	Stdev	6038	0.00	1.00	0.13	0.33
Value	Label	Frequency	%	Valid %																											
0	Not using method	5264	50.0 %	87.2%																											
1	Using method	774	7.4 %	12.8%																											
9 (M)	Inapplicable	4489	42.6 %	-																											
Valid	Min	Max	Mean	Stdev																											
6038	0.00	1.00	0.13	0.33																											

RSTER5	Respondent sterilization 5th quarter
--------	--------------------------------------

Start: 149 End: 149 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Not using method</td> <td>5340</td> <td>50.7 %</td> <td>87.0%</td> </tr> <tr> <td>1</td> <td>Using method</td> <td>799</td> <td>7.6 %</td> <td>13.0%</td> </tr> <tr> <td>9 (M)</td> <td>Inapplicable</td> <td>4388</td> <td>41.7 %</td> <td>-</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Valid</th> <th>Min</th> <th>Max</th> <th>Mean</th> <th>Stdev</th> </tr> </thead> <tbody> <tr> <td>6139</td> <td>0.00</td> <td>1.00</td> <td>0.13</td> <td>0.34</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	0	Not using method	5340	50.7 %	87.0%	1	Using method	799	7.6 %	13.0%	9 (M)	Inapplicable	4388	41.7 %	-	Valid	Min	Max	Mean	Stdev	6139	0.00	1.00	0.13	0.34
Value	Label	Frequency	%	Valid %																											
0	Not using method	5340	50.7 %	87.0%																											
1	Using method	799	7.6 %	13.0%																											
9 (M)	Inapplicable	4388	41.7 %	-																											
Valid	Min	Max	Mean	Stdev																											
6139	0.00	1.00	0.13	0.34																											

RSTER6	Respondent sterilization 6th quarter
--------	--------------------------------------

Start: 150 End: 150 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Not using method</td> <td>5569</td> <td>52.9 %</td> <td>87.1%</td> </tr> <tr> <td>1</td> <td>Using method</td> <td>822</td> <td>7.8 %</td> <td>12.9%</td> </tr> <tr> <td>9 (M)</td> <td>Inapplicable</td> <td>4136</td> <td>39.3 %</td> <td>-</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Valid</th> <th>Min</th> <th>Max</th> <th>Mean</th> <th>Stdev</th> </tr> </thead> <tbody> <tr> <td>6391</td> <td>0.00</td> <td>1.00</td> <td>0.13</td> <td>0.33</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	0	Not using method	5569	52.9 %	87.1%	1	Using method	822	7.8 %	12.9%	9 (M)	Inapplicable	4136	39.3 %	-	Valid	Min	Max	Mean	Stdev	6391	0.00	1.00	0.13	0.33
Value	Label	Frequency	%	Valid %																											
0	Not using method	5569	52.9 %	87.1%																											
1	Using method	822	7.8 %	12.9%																											
9 (M)	Inapplicable	4136	39.3 %	-																											
Valid	Min	Max	Mean	Stdev																											
6391	0.00	1.00	0.13	0.33																											

RSTER7	Respondent sterilization 7th quarter
--------	--------------------------------------

Start: 151 End: 151 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Not using method</td> <td>5148</td> <td>48.9 %</td> <td>85.7%</td> </tr> <tr> <td>1</td> <td>Using method</td> <td>861</td> <td>8.2 %</td> <td>14.3%</td> </tr> <tr> <td>9 (M)</td> <td>Inapplicable</td> <td>4518</td> <td>42.9 %</td> <td>-</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Valid</th> <th>Min</th> <th>Max</th> <th>Mean</th> <th>Stdev</th> </tr> </thead> <tbody> <tr> <td>6009</td> <td>0.00</td> <td>1.00</td> <td>0.14</td> <td>0.35</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	0	Not using method	5148	48.9 %	85.7%	1	Using method	861	8.2 %	14.3%	9 (M)	Inapplicable	4518	42.9 %	-	Valid	Min	Max	Mean	Stdev	6009	0.00	1.00	0.14	0.35
Value	Label	Frequency	%	Valid %																											
0	Not using method	5148	48.9 %	85.7%																											
1	Using method	861	8.2 %	14.3%																											
9 (M)	Inapplicable	4518	42.9 %	-																											
Valid	Min	Max	Mean	Stdev																											
6009	0.00	1.00	0.14	0.35																											



Variable	Variable Description
----------	----------------------

RSTER8	Respondent sterilization 8th quarter
--------	--------------------------------------

Start: 152  
End: 152  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5252	49.9 %	85.5%
1	Using method	893	8.5 %	14.5%
9 (M)	Inapplicable	4382	41.6 %	-
Valid	Min	Max	Mean	Stdev
6145	0.00	1.00	0.15	0.35

RSTER9	Respondent sterilization 9th quarter
--------	--------------------------------------

Start: 153  
End: 153  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5256	49.9 %	85.2%
1	Using method	911	8.7 %	14.8%
9 (M)	Inapplicable	4360	41.4 %	-
Valid	Min	Max	Mean	Stdev
6167	0.00	1.00	0.15	0.35

RSTER10	Respondent sterilization 10th quarter
---------	---------------------------------------

Start: 154  
End: 154  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	5246	49.8 %	85.1%
1	Using method	915	8.7 %	14.9%
9 (M)	Inapplicable	4366	41.5 %	-
Valid	Min	Max	Mean	Stdev
6161	0.00	1.00	0.15	0.36

RSTER11	Respondent sterilization 11th quarter
---------	---------------------------------------

Start: 155  
End: 155  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4545	43.2 %	82.8%
1	Using method	945	9.0 %	17.2%
9 (M)	Inapplicable	5037	47.8 %	-
Valid	Min	Max	Mean	Stdev
5490	0.00	1.00	0.17	0.38

Variable	Variable Description
----------	----------------------

RSTER12	Respondent sterilization 12th quarter
---------	---------------------------------------

Start: 156 End: 156 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Not using method</td> <td>4440</td> <td>42.2 %</td> <td>82.1%</td> </tr> <tr> <td>1</td> <td>Using method</td> <td>970</td> <td>9.2 %</td> <td>17.9%</td> </tr> <tr> <td>9 (M)</td> <td>Inapplicable</td> <td>5117</td> <td>48.6 %</td> <td>-</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Valid</th> <th>Min</th> <th>Max</th> <th>Mean</th> <th>Stdev</th> </tr> </thead> <tbody> <tr> <td>5410</td> <td>0.00</td> <td>1.00</td> <td>0.18</td> <td>0.38</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	0	Not using method	4440	42.2 %	82.1%	1	Using method	970	9.2 %	17.9%	9 (M)	Inapplicable	5117	48.6 %	-	Valid	Min	Max	Mean	Stdev	5410	0.00	1.00	0.18	0.38
Value	Label	Frequency	%	Valid %																											
0	Not using method	4440	42.2 %	82.1%																											
1	Using method	970	9.2 %	17.9%																											
9 (M)	Inapplicable	5117	48.6 %	-																											
Valid	Min	Max	Mean	Stdev																											
5410	0.00	1.00	0.18	0.38																											

RSTER13	Respondent sterilization 13th quarter
---------	---------------------------------------

Start: 157 End: 157 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Not using method</td> <td>4348</td> <td>41.3 %</td> <td>81.2%</td> </tr> <tr> <td>1</td> <td>Using method</td> <td>1005</td> <td>9.5 %</td> <td>18.8%</td> </tr> <tr> <td>9 (M)</td> <td>Inapplicable</td> <td>5174</td> <td>49.1 %</td> <td>-</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Valid</th> <th>Min</th> <th>Max</th> <th>Mean</th> <th>Stdev</th> </tr> </thead> <tbody> <tr> <td>5353</td> <td>0.00</td> <td>1.00</td> <td>0.19</td> <td>0.39</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	0	Not using method	4348	41.3 %	81.2%	1	Using method	1005	9.5 %	18.8%	9 (M)	Inapplicable	5174	49.1 %	-	Valid	Min	Max	Mean	Stdev	5353	0.00	1.00	0.19	0.39
Value	Label	Frequency	%	Valid %																											
0	Not using method	4348	41.3 %	81.2%																											
1	Using method	1005	9.5 %	18.8%																											
9 (M)	Inapplicable	5174	49.1 %	-																											
Valid	Min	Max	Mean	Stdev																											
5353	0.00	1.00	0.19	0.39																											

RSTER14	Respondent sterilization 14th quarter
---------	---------------------------------------

Start: 158 End: 158 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Not using method</td> <td>4447</td> <td>42.2 %</td> <td>81.3%</td> </tr> <tr> <td>1</td> <td>Using method</td> <td>1023</td> <td>9.7 %</td> <td>18.7%</td> </tr> <tr> <td>9 (M)</td> <td>Inapplicable</td> <td>5057</td> <td>48.0 %</td> <td>-</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Valid</th> <th>Min</th> <th>Max</th> <th>Mean</th> <th>Stdev</th> </tr> </thead> <tbody> <tr> <td>5470</td> <td>0.00</td> <td>1.00</td> <td>0.19</td> <td>0.39</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	0	Not using method	4447	42.2 %	81.3%	1	Using method	1023	9.7 %	18.7%	9 (M)	Inapplicable	5057	48.0 %	-	Valid	Min	Max	Mean	Stdev	5470	0.00	1.00	0.19	0.39
Value	Label	Frequency	%	Valid %																											
0	Not using method	4447	42.2 %	81.3%																											
1	Using method	1023	9.7 %	18.7%																											
9 (M)	Inapplicable	5057	48.0 %	-																											
Valid	Min	Max	Mean	Stdev																											
5470	0.00	1.00	0.19	0.39																											

RSTER15	Respondent sterilization 15th quarter
---------	---------------------------------------

Start: 159 End: 159 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Not using method</td> <td>4428</td> <td>42.1 %</td> <td>80.7%</td> </tr> <tr> <td>1</td> <td>Using method</td> <td>1059</td> <td>10.1 %</td> <td>19.3%</td> </tr> <tr> <td>9 (M)</td> <td>Inapplicable</td> <td>5040</td> <td>47.9 %</td> <td>-</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Valid</th> <th>Min</th> <th>Max</th> <th>Mean</th> <th>Stdev</th> </tr> </thead> <tbody> <tr> <td>5487</td> <td>0.00</td> <td>1.00</td> <td>0.19</td> <td>0.39</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	0	Not using method	4428	42.1 %	80.7%	1	Using method	1059	10.1 %	19.3%	9 (M)	Inapplicable	5040	47.9 %	-	Valid	Min	Max	Mean	Stdev	5487	0.00	1.00	0.19	0.39
Value	Label	Frequency	%	Valid %																											
0	Not using method	4428	42.1 %	80.7%																											
1	Using method	1059	10.1 %	19.3%																											
9 (M)	Inapplicable	5040	47.9 %	-																											
Valid	Min	Max	Mean	Stdev																											
5487	0.00	1.00	0.19	0.39																											

Variable	Variable Description
----------	----------------------

RSTER16	Respondent sterilization 16th quarter
---------	---------------------------------------

Start: 160 End: 160 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Not using method</td> <td>4423</td> <td>42.0 %</td> <td>80.1%</td> </tr> <tr> <td>1</td> <td>Using method</td> <td>1098</td> <td>10.4 %</td> <td>19.9%</td> </tr> <tr> <td>9 (M)</td> <td>Inapplicable</td> <td>5006</td> <td>47.6 %</td> <td>-</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Valid</th> <th>Min</th> <th>Max</th> <th>Mean</th> <th>Stdev</th> </tr> </thead> <tbody> <tr> <td>5521</td> <td>0.00</td> <td>1.00</td> <td>0.20</td> <td>0.40</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	0	Not using method	4423	42.0 %	80.1%	1	Using method	1098	10.4 %	19.9%	9 (M)	Inapplicable	5006	47.6 %	-	Valid	Min	Max	Mean	Stdev	5521	0.00	1.00	0.20	0.40
Value	Label	Frequency	%	Valid %																											
0	Not using method	4423	42.0 %	80.1%																											
1	Using method	1098	10.4 %	19.9%																											
9 (M)	Inapplicable	5006	47.6 %	-																											
Valid	Min	Max	Mean	Stdev																											
5521	0.00	1.00	0.20	0.40																											

RSTER17	Respondent sterilization 17th quarter
---------	---------------------------------------

Start: 161 End: 161 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Not using method</td> <td>4396</td> <td>41.8 %</td> <td>79.5%</td> </tr> <tr> <td>1</td> <td>Using method</td> <td>1137</td> <td>10.8 %</td> <td>20.5%</td> </tr> <tr> <td>9 (M)</td> <td>Inapplicable</td> <td>4994</td> <td>47.4 %</td> <td>-</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Valid</th> <th>Min</th> <th>Max</th> <th>Mean</th> <th>Stdev</th> </tr> </thead> <tbody> <tr> <td>5533</td> <td>0.00</td> <td>1.00</td> <td>0.21</td> <td>0.40</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	0	Not using method	4396	41.8 %	79.5%	1	Using method	1137	10.8 %	20.5%	9 (M)	Inapplicable	4994	47.4 %	-	Valid	Min	Max	Mean	Stdev	5533	0.00	1.00	0.21	0.40
Value	Label	Frequency	%	Valid %																											
0	Not using method	4396	41.8 %	79.5%																											
1	Using method	1137	10.8 %	20.5%																											
9 (M)	Inapplicable	4994	47.4 %	-																											
Valid	Min	Max	Mean	Stdev																											
5533	0.00	1.00	0.21	0.40																											

RSTER18	Respondent sterilization 18th quarter
---------	---------------------------------------

Start: 162 End: 162 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Not using method</td> <td>4410</td> <td>41.9 %</td> <td>79.2%</td> </tr> <tr> <td>1</td> <td>Using method</td> <td>1160</td> <td>11.0 %</td> <td>20.8%</td> </tr> <tr> <td>9 (M)</td> <td>Inapplicable</td> <td>4957</td> <td>47.1 %</td> <td>-</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Valid</th> <th>Min</th> <th>Max</th> <th>Mean</th> <th>Stdev</th> </tr> </thead> <tbody> <tr> <td>5570</td> <td>0.00</td> <td>1.00</td> <td>0.21</td> <td>0.41</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	0	Not using method	4410	41.9 %	79.2%	1	Using method	1160	11.0 %	20.8%	9 (M)	Inapplicable	4957	47.1 %	-	Valid	Min	Max	Mean	Stdev	5570	0.00	1.00	0.21	0.41
Value	Label	Frequency	%	Valid %																											
0	Not using method	4410	41.9 %	79.2%																											
1	Using method	1160	11.0 %	20.8%																											
9 (M)	Inapplicable	4957	47.1 %	-																											
Valid	Min	Max	Mean	Stdev																											
5570	0.00	1.00	0.21	0.41																											

SSTER1	Spouse sterilization 1st quarter
--------	----------------------------------

Start: 163 End: 163 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Not using method</td> <td>4291</td> <td>40.8 %</td> <td>88.0%</td> </tr> <tr> <td>1</td> <td>Using method</td> <td>586</td> <td>5.6 %</td> <td>12.0%</td> </tr> <tr> <td>9 (M)</td> <td>Inapplicable</td> <td>5650</td> <td>53.7 %</td> <td>-</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Valid</th> <th>Min</th> <th>Max</th> <th>Mean</th> <th>Stdev</th> </tr> </thead> <tbody> <tr> <td>4877</td> <td>0.00</td> <td>1.00</td> <td>0.12</td> <td>0.33</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	0	Not using method	4291	40.8 %	88.0%	1	Using method	586	5.6 %	12.0%	9 (M)	Inapplicable	5650	53.7 %	-	Valid	Min	Max	Mean	Stdev	4877	0.00	1.00	0.12	0.33
Value	Label	Frequency	%	Valid %																											
0	Not using method	4291	40.8 %	88.0%																											
1	Using method	586	5.6 %	12.0%																											
9 (M)	Inapplicable	5650	53.7 %	-																											
Valid	Min	Max	Mean	Stdev																											
4877	0.00	1.00	0.12	0.33																											

Variable	Variable Description
----------	----------------------

SSTER2	Spouse sterilization 2nd quarter
--------	----------------------------------

Start: 164  
 End: 164  
 Width: 1  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4571	43.4 %	88.4%
1	Using method	597	5.7 %	11.6%
9 (M)	Inapplicable	5359	50.9 %	-
Valid	Min	Max	Mean	Stdev
5168	0.00	1.00	0.12	0.32

SSTER3	Spouse sterilization 3rd quarter
--------	----------------------------------

Start: 165  
 End: 165  
 Width: 1  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4650	44.2 %	88.3%
1	Using method	618	5.9 %	11.7%
9 (M)	Inapplicable	5259	50.0 %	-
Valid	Min	Max	Mean	Stdev
5268	0.00	1.00	0.12	0.32

SSTER4	Spouse sterilization 4th quarter
--------	----------------------------------

Start: 166  
 End: 166  
 Width: 1  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4662	44.3 %	87.9%
1	Using method	640	6.1 %	12.1%
9 (M)	Inapplicable	5225	49.6 %	-
Valid	Min	Max	Mean	Stdev
5302	0.00	1.00	0.12	0.33

SSTER5	Spouse sterilization 5th quarter
--------	----------------------------------

Start: 167  
 End: 167  
 Width: 1  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4705	44.7 %	87.7%
1	Using method	660	6.3 %	12.3%
9 (M)	Inapplicable	5162	49.0 %	-
Valid	Min	Max	Mean	Stdev
5365	0.00	1.00	0.12	0.33

Variable	Variable Description
----------	----------------------

SSTER6	Spouse sterilization 6th quarter
--------	----------------------------------

Start: 168 End: 168 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	4950	47.0 %	88.5%
	1	Using method	646	6.1 %	11.5%
	9 (M)	Inapplicable	4931	46.8 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
5596		0.00	1.00	0.12	0.32

SSTER7	Spouse sterilization 7th quarter
--------	----------------------------------

Start: 169 End: 169 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	4511	42.9 %	87.0%
	1	Using method	676	6.4 %	13.0%
	9 (M)	Inapplicable	5340	50.7 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
5187		0.00	1.00	0.13	0.34

SSTER8	Spouse sterilization 8th quarter
--------	----------------------------------

Start: 170 End: 170 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	4579	43.5 %	86.7%
	1	Using method	703	6.7 %	13.3%
	9 (M)	Inapplicable	5245	49.8 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
5282		0.00	1.00	0.13	0.34

SSTER9	Spouse sterilization 9th quarter
--------	----------------------------------

Start: 171 End: 171 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	0	Not using method	4559	43.3 %	86.4%
	1	Using method	715	6.8 %	13.6%
	9 (M)	Inapplicable	5253	49.9 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
5274		0.00	1.00	0.14	0.34

Variable	Variable Description
----------	----------------------

SSTER10	Spouse sterilization 10th quarter
---------	-----------------------------------

Start: 172  
End: 172  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	4549	43.2 %	86.5%
1	Using method	710	6.7 %	13.5%
9 (M)	Inapplicable	5268	50.0 %	-
Valid	Min	Max	Mean	Stdev
5259	0.00	1.00	0.14	0.34

SSTER11	Spouse sterilization 11th quarter
---------	-----------------------------------

Start: 173  
End: 173  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	3889	36.9 %	85.0%
1	Using method	686	6.5 %	15.0%
9 (M)	Inapplicable	5952	56.5 %	-
Valid	Min	Max	Mean	Stdev
4575	0.00	1.00	0.15	0.36

SSTER12	Spouse sterilization 12th quarter
---------	-----------------------------------

Start: 174  
End: 174  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	3769	35.8 %	84.4%
1	Using method	695	6.6 %	15.6%
9 (M)	Inapplicable	6063	57.6 %	-
Valid	Min	Max	Mean	Stdev
4464	0.00	1.00	0.16	0.36

SSTER13	Spouse sterilization 13th quarter
---------	-----------------------------------

Start: 175  
End: 175  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	3681	35.0 %	84.0%
1	Using method	702	6.7 %	16.0%
9 (M)	Inapplicable	6144	58.4 %	-
Valid	Min	Max	Mean	Stdev
4383	0.00	1.00	0.16	0.37

Variable	Variable Description
----------	----------------------

SSTER14	Spouse sterilization 14th quarter
---------	-----------------------------------

Start: 176  
End: 176  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	3778	35.9 %	84.5%
1	Using method	692	6.6 %	15.5%
9 (M)	Inapplicable	6057	57.5 %	-
Valid	Min	Max	Mean	Stdev
4470	0.00	1.00	0.15	0.36

SSTER15	Spouse sterilization 15th quarter
---------	-----------------------------------

Start: 177  
End: 177  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	3755	35.7 %	84.1%
1	Using method	710	6.7 %	15.9%
9 (M)	Inapplicable	6062	57.6 %	-
Valid	Min	Max	Mean	Stdev
4465	0.00	1.00	0.16	0.37

SSTER16	Spouse sterilization 16th quarter
---------	-----------------------------------

Start: 178  
End: 178  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	3726	35.4 %	83.5%
1	Using method	737	7.0 %	16.5%
9 (M)	Inapplicable	6064	57.6 %	-
Valid	Min	Max	Mean	Stdev
4463	0.00	1.00	0.17	0.37

SSTER17	Spouse sterilization 17th quarter
---------	-----------------------------------

Start: 179  
End: 179  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	Not using method	3696	35.1 %	83.3%
1	Using method	739	7.0 %	16.7%
9 (M)	Inapplicable	6092	57.9 %	-
Valid	Min	Max	Mean	Stdev
4435	0.00	1.00	0.17	0.37

Variable	Variable Description
----------	----------------------

SSTER18	Spouse sterilization18th quarter
---------	----------------------------------

Start: 180 End: 180 Width: 1 Type: numeric (ISO) Interval: discrete Missing: 9	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Not using method</td> <td>3717</td> <td>35.3 %</td> <td>83.7%</td> </tr> <tr> <td>1</td> <td>Using method</td> <td>724</td> <td>6.9 %</td> <td>16.3%</td> </tr> <tr> <td>9 (M)</td> <td>Inapplicable</td> <td>6086</td> <td>57.8 %</td> <td>-</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Valid</th> <th>Min</th> <th>Max</th> <th>Mean</th> <th>Stdev</th> </tr> </thead> <tbody> <tr> <td>4441</td> <td>0.00</td> <td>1.00</td> <td>0.16</td> <td>0.37</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	0	Not using method	3717	35.3 %	83.7%	1	Using method	724	6.9 %	16.3%	9 (M)	Inapplicable	6086	57.8 %	-	Valid	Min	Max	Mean	Stdev	4441	0.00	1.00	0.16	0.37
Value	Label	Frequency	%	Valid %																											
0	Not using method	3717	35.3 %	83.7%																											
1	Using method	724	6.9 %	16.3%																											
9 (M)	Inapplicable	6086	57.8 %	-																											
Valid	Min	Max	Mean	Stdev																											
4441	0.00	1.00	0.16	0.37																											

RESPID	Respondent ID
--------	---------------

Start: 181 End: 187 Width: 7 Type: numeric (ISO) Interval: discrete	<table border="1"> <thead> <tr> <th>Valid</th> <th>Min</th> <th>Max</th> <th>Mean</th> <th>Stdev</th> </tr> </thead> <tbody> <tr> <td>10527</td> <td>10101.00</td> <td>1511202.00</td> <td>736466.63</td> <td>435419.76</td> </tr> </tbody> </table>	Valid	Min	Max	Mean	Stdev	10527	10101.00	1511202.00	736466.63	435419.76
Valid	Min	Max	Mean	Stdev							
10527	10101.00	1511202.00	736466.63	435419.76							

GENDER	Respondent gender
--------	-------------------

Start: 188 End: 188 Width: 1 Type: numeric (ISO) Interval: discrete	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Male</td> <td>5681</td> <td>54.0 %</td> <td>54.0%</td> </tr> <tr> <td>1</td> <td>Female</td> <td>4846</td> <td>46.0 %</td> <td>46.0%</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Valid</th> <th>Min</th> <th>Max</th> <th>Mean</th> <th>Stdev</th> </tr> </thead> <tbody> <tr> <td>10527</td> <td>0.00</td> <td>1.00</td> <td>0.46</td> <td>0.50</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	0	Male	5681	54.0 %	54.0%	1	Female	4846	46.0 %	46.0%	Valid	Min	Max	Mean	Stdev	10527	0.00	1.00	0.46	0.50
Value	Label	Frequency	%	Valid %																						
0	Male	5681	54.0 %	54.0%																						
1	Female	4846	46.0 %	46.0%																						
Valid	Min	Max	Mean	Stdev																						
10527	0.00	1.00	0.46	0.50																						

RAGE1	Respondent age 1st quarter
-------	----------------------------

Start: 189 End: 191 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -1	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-1 (M)</td> <td>Inappropriate</td> <td>4444</td> <td>42.2 %</td> <td>-</td> </tr> <tr> <td>10</td> <td>-</td> <td>34</td> <td>0.3 %</td> <td>0.6%</td> </tr> <tr> <td>11</td> <td>-</td> <td>190</td> <td>1.8 %</td> <td>3.1%</td> </tr> <tr> <td>12</td> <td>-</td> <td>254</td> <td>2.4 %</td> <td>4.2%</td> </tr> <tr> <td>13</td> <td>-</td> <td>256</td> <td>2.4 %</td> <td>4.2%</td> </tr> <tr> <td>14</td> <td>-</td> <td>200</td> <td>1.9 %</td> <td>3.3%</td> </tr> <tr> <td>15</td> <td>-</td> <td>224</td> <td>2.1 %</td> <td>3.7%</td> </tr> <tr> <td>16</td> <td>-</td> <td>227</td> <td>2.2 %</td> <td>3.7%</td> </tr> <tr> <td>17</td> <td>-</td> <td>250</td> <td>2.4 %</td> <td>4.1%</td> </tr> <tr> <td>18</td> <td>-</td> <td>263</td> <td>2.5 %</td> <td>4.3%</td> </tr> <tr> <td>19</td> <td>-</td> <td>200</td> <td>1.9 %</td> <td>3.3%</td> </tr> <tr> <td>20</td> <td>-</td> <td>198</td> <td>1.9 %</td> <td>3.3%</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-1 (M)	Inappropriate	4444	42.2 %	-	10	-	34	0.3 %	0.6%	11	-	190	1.8 %	3.1%	12	-	254	2.4 %	4.2%	13	-	256	2.4 %	4.2%	14	-	200	1.9 %	3.3%	15	-	224	2.1 %	3.7%	16	-	227	2.2 %	3.7%	17	-	250	2.4 %	4.1%	18	-	263	2.5 %	4.3%	19	-	200	1.9 %	3.3%	20	-	198	1.9 %	3.3%
Value	Label	Frequency	%	Valid %																																																														
-1 (M)	Inappropriate	4444	42.2 %	-																																																														
10	-	34	0.3 %	0.6%																																																														
11	-	190	1.8 %	3.1%																																																														
12	-	254	2.4 %	4.2%																																																														
13	-	256	2.4 %	4.2%																																																														
14	-	200	1.9 %	3.3%																																																														
15	-	224	2.1 %	3.7%																																																														
16	-	227	2.2 %	3.7%																																																														
17	-	250	2.4 %	4.1%																																																														
18	-	263	2.5 %	4.3%																																																														
19	-	200	1.9 %	3.3%																																																														
20	-	198	1.9 %	3.3%																																																														



Variable	Variable Description
----------	----------------------

RAGE1	Respondent age 1st quarter (cont.)
-------	------------------------------------

Value	Label	Frequency	%	Valid %
21	-	180	1.7 %	3.0%
22	-	179	1.7 %	2.9%
23	-	166	1.6 %	2.7%
24	-	142	1.3 %	2.3%
25	-	205	1.9 %	3.4%
26	-	135	1.3 %	2.2%
27	-	132	1.3 %	2.2%
28	-	169	1.6 %	2.8%
29	-	117	1.1 %	1.9%
30	-	151	1.4 %	2.5%
31	-	117	1.1 %	1.9%
32	-	125	1.2 %	2.1%
33	-	116	1.1 %	1.9%
34	-	96	0.9 %	1.6%
35	-	151	1.4 %	2.5%
36	-	98	0.9 %	1.6%
37	-	94	0.9 %	1.5%
38	-	90	0.9 %	1.5%
39	-	88	0.8 %	1.4%
40	-	116	1.1 %	1.9%
41	-	78	0.7 %	1.3%
42	-	87	0.8 %	1.4%
43	-	78	0.7 %	1.3%
44	-	59	0.6 %	1.0%
45	-	85	0.8 %	1.4%
46	-	59	0.6 %	1.0%
47	-	24	0.2 %	0.4%
48	-	42	0.4 %	0.7%
49	-	22	0.2 %	0.4%
50	-	42	0.4 %	0.7%
51	-	28	0.3 %	0.5%
52	-	37	0.4 %	0.6%
53	-	25	0.2 %	0.4%

Variable	Variable Description
----------	----------------------

RAGE1	Respondent age 1st quarter (cont.)
-------	------------------------------------

Value	Label	Frequency	%	Valid %
54	-	24	0.2 %	0.4%
55	-	46	0.4 %	0.8%
56	-	22	0.2 %	0.4%
57	-	15	0.1 %	0.2%
58	-	25	0.2 %	0.4%
59	-	30	0.3 %	0.5%
60	-	36	0.3 %	0.6%
61	-	11	0.1 %	0.2%
62	-	13	0.1 %	0.2%
63	-	29	0.3 %	0.5%
64	-	11	0.1 %	0.2%
65	-	22	0.2 %	0.4%
66	-	10	0.1 %	0.2%
67	-	10	0.1 %	0.2%
68	-	15	0.1 %	0.2%
69	-	8	0.1 %	0.1%
70	-	24	0.2 %	0.4%
71	-	8	0.1 %	0.1%
72	-	11	0.1 %	0.2%
73	-	7	0.1 %	0.1%
74	-	10	0.1 %	0.2%
75	-	9	0.1 %	0.1%
76	-	8	0.1 %	0.1%
77	-	5	0.0 %	0.1%
78	-	7	0.1 %	0.1%
79	-	3	0.0 %	0.0%
80	-	11	0.1 %	0.2%
81	-	2	0.0 %	0.0%
82	-	3	0.0 %	0.0%
83	-	3	0.0 %	0.0%
84	-	4	0.0 %	0.1%
85	-	2	0.0 %	0.0%
86	-	1	0.0 %	0.0%

Variable	Variable Description
----------	----------------------

RAGE1	Respondent age 1st quarter (cont.)
-------	------------------------------------

Value	Label	Frequency	%	Valid %
87	-	1	0.0 %	0.0%
88	-	2	0.0 %	0.0%
89	-	2	0.0 %	0.0%
90	-	1	0.0 %	0.0%
94	-	1	0.0 %	0.0%
96	-	1	0.0 %	0.0%
104	-	1	0.0 %	0.0%
<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
6083	10.00	104.00	28.49	14.80

RAGE2	Respondent age 2nd quarter
-------	----------------------------

Start: 192  
 End: 194  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -1

Value	Label	Frequency	%	Valid %
-1 (M)	Inappropriate	4089	38.8 %	-
11	-	36	0.3 %	0.6%
12	-	203	1.9 %	3.2%
13	-	272	2.6 %	4.2%
14	-	267	2.5 %	4.1%
15	-	214	2.0 %	3.3%
16	-	238	2.3 %	3.7%
17	-	248	2.4 %	3.9%
18	-	272	2.6 %	4.2%
19	-	278	2.6 %	4.3%
20	-	218	2.1 %	3.4%
21	-	214	2.0 %	3.3%
22	-	194	1.8 %	3.0%
23	-	186	1.8 %	2.9%
24	-	181	1.7 %	2.8%
25	-	163	1.5 %	2.5%
26	-	214	2.0 %	3.3%
27	-	149	1.4 %	2.3%
28	-	145	1.4 %	2.3%
29	-	174	1.7 %	2.7%
30	-	127	1.2 %	2.0%

Variable	Variable Description
----------	----------------------

RAGE2	Respondent age 2nd quarter ( <i>cont.</i> )
-------	---

Value	Label	Frequency	%	Valid %
31	-	155	1.5 %	2.4%
32	-	125	1.2 %	1.9%
33	-	130	1.2 %	2.0%
34	-	117	1.1 %	1.8%
35	-	104	1.0 %	1.6%
36	-	155	1.5 %	2.4%
37	-	102	1.0 %	1.6%
38	-	96	0.9 %	1.5%
39	-	93	0.9 %	1.4%
40	-	95	0.9 %	1.5%
41	-	116	1.1 %	1.8%
42	-	83	0.8 %	1.3%
43	-	86	0.8 %	1.3%
44	-	79	0.8 %	1.2%
45	-	65	0.6 %	1.0%
46	-	85	0.8 %	1.3%
47	-	59	0.6 %	0.9%
48	-	25	0.2 %	0.4%
49	-	42	0.4 %	0.7%
50	-	29	0.3 %	0.5%
51	-	42	0.4 %	0.7%
52	-	30	0.3 %	0.5%
53	-	38	0.4 %	0.6%
54	-	25	0.2 %	0.4%
55	-	26	0.2 %	0.4%
56	-	46	0.4 %	0.7%
57	-	22	0.2 %	0.3%
58	-	15	0.1 %	0.2%
59	-	26	0.2 %	0.4%
60	-	36	0.3 %	0.6%
61	-	37	0.4 %	0.6%
62	-	14	0.1 %	0.2%
63	-	13	0.1 %	0.2%

Variable	Variable Description
----------	----------------------

RAGE2	Respondent age 2nd quarter ( <i>cont.</i> )
-------	---

Value	Label	Frequency	%	Valid %
64	-	29	0.3 %	0.5%
65	-	12	0.1 %	0.2%
66	-	21	0.2 %	0.3%
67	-	10	0.1 %	0.2%
68	-	10	0.1 %	0.2%
69	-	15	0.1 %	0.2%
70	-	9	0.1 %	0.1%
71	-	24	0.2 %	0.4%
72	-	8	0.1 %	0.1%
73	-	11	0.1 %	0.2%
74	-	8	0.1 %	0.1%
75	-	12	0.1 %	0.2%
76	-	9	0.1 %	0.1%
77	-	8	0.1 %	0.1%
78	-	5	0.0 %	0.1%
79	-	7	0.1 %	0.1%
80	-	3	0.0 %	0.0%
81	-	11	0.1 %	0.2%
82	-	3	0.0 %	0.0%
83	-	2	0.0 %	0.0%
84	-	3	0.0 %	0.0%
85	-	3	0.0 %	0.0%
86	-	2	0.0 %	0.0%
87	-	1	0.0 %	0.0%
88	-	1	0.0 %	0.0%
89	-	2	0.0 %	0.0%
90	-	2	0.0 %	0.0%
91	-	1	0.0 %	0.0%
95	-	1	0.0 %	0.0%
105	-	1	0.0 %	0.0%

Valid	Min	Max	Mean	Stdev
6438	11.00	105.00	29.27	14.66

Variable	Variable Description
----------	----------------------

RAGE3	Respondent age 3rd quarter
-------	----------------------------

Start: 195  
 End: 197  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -1

Value	Label	Frequency	%	Valid %
-1 (M)	Inappropriate	3844	36.5 %	-
11	-	38	0.4 %	0.6%
12	-	209	2.0 %	3.1%
13	-	281	2.7 %	4.2%
14	-	278	2.6 %	4.2%
15	-	226	2.1 %	3.4%
16	-	248	2.4 %	3.7%
17	-	258	2.5 %	3.9%
18	-	296	2.8 %	4.4%
19	-	289	2.7 %	4.3%
20	-	235	2.2 %	3.5%
21	-	227	2.2 %	3.4%
22	-	204	1.9 %	3.1%
23	-	200	1.9 %	3.0%
24	-	195	1.9 %	2.9%
25	-	172	1.6 %	2.6%
26	-	219	2.1 %	3.3%
27	-	158	1.5 %	2.4%
28	-	149	1.4 %	2.2%
29	-	180	1.7 %	2.7%
30	-	134	1.3 %	2.0%
31	-	155	1.5 %	2.3%
32	-	128	1.2 %	1.9%
33	-	134	1.3 %	2.0%
34	-	119	1.1 %	1.8%
35	-	110	1.0 %	1.6%
36	-	157	1.5 %	2.3%
37	-	103	1.0 %	1.5%
38	-	99	0.9 %	1.5%
39	-	94	0.9 %	1.4%
40	-	96	0.9 %	1.4%
41	-	116	1.1 %	1.7%
42	-	83	0.8 %	1.2%

Variable	Variable Description
----------	----------------------

RAGE3	Respondent age 3rd quarter (cont.)
-------	------------------------------------

Value	Label	Frequency	%	Valid %
43	-	86	0.8 %	1.3%
44	-	79	0.8 %	1.2%
45	-	69	0.7 %	1.0%
46	-	85	0.8 %	1.3%
47	-	61	0.6 %	0.9%
48	-	25	0.2 %	0.4%
49	-	42	0.4 %	0.6%
50	-	32	0.3 %	0.5%
51	-	42	0.4 %	0.6%
52	-	30	0.3 %	0.4%
53	-	38	0.4 %	0.6%
54	-	26	0.2 %	0.4%
55	-	27	0.3 %	0.4%
56	-	47	0.4 %	0.7%
57	-	22	0.2 %	0.3%
58	-	17	0.2 %	0.3%
59	-	27	0.3 %	0.4%
60	-	37	0.4 %	0.6%
61	-	37	0.4 %	0.6%
62	-	14	0.1 %	0.2%
63	-	13	0.1 %	0.2%
64	-	29	0.3 %	0.4%
65	-	13	0.1 %	0.2%
66	-	20	0.2 %	0.3%
67	-	9	0.1 %	0.1%
68	-	10	0.1 %	0.1%
69	-	15	0.1 %	0.2%
70	-	11	0.1 %	0.2%
71	-	24	0.2 %	0.4%
72	-	9	0.1 %	0.1%
73	-	11	0.1 %	0.2%
74	-	8	0.1 %	0.1%
75	-	13	0.1 %	0.2%

Variable	Variable Description
----------	----------------------

RAGE3	Respondent age 3rd quarter (cont.)
-------	------------------------------------

Value	Label	Frequency	%	Valid %
76	-	9	0.1 %	0.1%
77	-	8	0.1 %	0.1%
78	-	5	0.0 %	0.1%
79	-	7	0.1 %	0.1%
80	-	3	0.0 %	0.0%
81	-	11	0.1 %	0.2%
82	-	3	0.0 %	0.0%
83	-	2	0.0 %	0.0%
84	-	3	0.0 %	0.0%
85	-	3	0.0 %	0.0%
86	-	2	0.0 %	0.0%
87	-	1	0.0 %	0.0%
88	-	1	0.0 %	0.0%
89	-	2	0.0 %	0.0%
90	-	2	0.0 %	0.0%
91	-	1	0.0 %	0.0%
95	-	1	0.0 %	0.0%
105	-	1	0.0 %	0.0%

Valid	Min	Max	Mean	Stdev
6683	11.00	105.00	29.09	14.57

RAGE4	Respondent age 4th quarter
-------	----------------------------

Start: 198  
 End: 200  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -1

Value	Label	Frequency	%	Valid %
-1 (M)	Inappropriate	3617	34.4 %	-
11	-	39	0.4 %	0.6%
12	-	213	2.0 %	3.1%
13	-	285	2.7 %	4.1%
14	-	283	2.7 %	4.1%
15	-	238	2.3 %	3.4%
16	-	256	2.4 %	3.7%
17	-	268	2.5 %	3.9%
18	-	317	3.0 %	4.6%
19	-	301	2.9 %	4.4%



Variable	Variable Description
----------	----------------------

RAGE4	Respondent age 4th quarter ( <i>cont.</i> )
-------	---

Value	Label	Frequency	%	Valid %
20	-	252	2.4 %	3.6%
21	-	242	2.3 %	3.5%
22	-	219	2.1 %	3.2%
23	-	208	2.0 %	3.0%
24	-	204	1.9 %	3.0%
25	-	183	1.7 %	2.6%
26	-	230	2.2 %	3.3%
27	-	166	1.6 %	2.4%
28	-	157	1.5 %	2.3%
29	-	184	1.7 %	2.7%
30	-	140	1.3 %	2.0%
31	-	156	1.5 %	2.3%
32	-	131	1.2 %	1.9%
33	-	135	1.3 %	2.0%
34	-	119	1.1 %	1.7%
35	-	117	1.1 %	1.7%
36	-	158	1.5 %	2.3%
37	-	104	1.0 %	1.5%
38	-	100	0.9 %	1.4%
39	-	94	0.9 %	1.4%
40	-	101	1.0 %	1.5%
41	-	115	1.1 %	1.7%
42	-	84	0.8 %	1.2%
43	-	87	0.8 %	1.3%
44	-	79	0.8 %	1.1%
45	-	75	0.7 %	1.1%
46	-	85	0.8 %	1.2%
47	-	61	0.6 %	0.9%
48	-	24	0.2 %	0.3%
49	-	41	0.4 %	0.6%
50	-	33	0.3 %	0.5%
51	-	42	0.4 %	0.6%
52	-	30	0.3 %	0.4%

Variable	Variable Description
----------	----------------------

RAGE4	Respondent age 4th quarter ( <i>cont.</i> )
-------	---

Value	Label	Frequency	%	Valid %
53	-	39	0.4 %	0.6%
54	-	27	0.3 %	0.4%
55	-	30	0.3 %	0.4%
56	-	47	0.4 %	0.7%
57	-	22	0.2 %	0.3%
58	-	18	0.2 %	0.3%
59	-	27	0.3 %	0.4%
60	-	38	0.4 %	0.5%
61	-	38	0.4 %	0.5%
62	-	14	0.1 %	0.2%
63	-	14	0.1 %	0.2%
64	-	28	0.3 %	0.4%
65	-	14	0.1 %	0.2%
66	-	20	0.2 %	0.3%
67	-	9	0.1 %	0.1%
68	-	10	0.1 %	0.1%
69	-	15	0.1 %	0.2%
70	-	14	0.1 %	0.2%
71	-	24	0.2 %	0.3%
72	-	10	0.1 %	0.1%
73	-	12	0.1 %	0.2%
74	-	8	0.1 %	0.1%
75	-	13	0.1 %	0.2%
76	-	9	0.1 %	0.1%
77	-	8	0.1 %	0.1%
78	-	5	0.0 %	0.1%
79	-	7	0.1 %	0.1%
80	-	3	0.0 %	0.0%
81	-	11	0.1 %	0.2%
82	-	3	0.0 %	0.0%
83	-	1	0.0 %	0.0%
84	-	3	0.0 %	0.0%
85	-	3	0.0 %	0.0%

Variable	Variable Description
----------	----------------------

RAGE4	Respondent age 4th quarter ( <i>cont.</i> )
-------	---

Value	Label	Frequency	%	Valid %
86	-	2	0.0 %	0.0%
87	-	1	0.0 %	0.0%
88	-	1	0.0 %	0.0%
89	-	2	0.0 %	0.0%
90	-	2	0.0 %	0.0%
95	-	1	0.0 %	0.0%
105	-	1	0.0 %	0.0%
<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
6910	11.00	105.00	28.95	14.47

RAGE5	Respondent age 5th quarter
-------	----------------------------

Start: 201  
 End: 203  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -1

Value	Label	Frequency	%	Valid %
-1 (M)	Inappropriate	3373	32.0 %	-
11	-	40	0.4 %	0.6%
12	-	218	2.1 %	3.0%
13	-	292	2.8 %	4.1%
14	-	291	2.8 %	4.1%
15	-	244	2.3 %	3.4%
16	-	269	2.6 %	3.8%
17	-	285	2.7 %	4.0%
18	-	336	3.2 %	4.7%
19	-	321	3.0 %	4.5%
20	-	266	2.5 %	3.7%
21	-	262	2.5 %	3.7%
22	-	230	2.2 %	3.2%
23	-	211	2.0 %	2.9%
24	-	214	2.0 %	3.0%
25	-	195	1.9 %	2.7%
26	-	237	2.3 %	3.3%
27	-	170	1.6 %	2.4%
28	-	161	1.5 %	2.3%
29	-	188	1.8 %	2.6%
30	-	144	1.4 %	2.0%

Variable	Variable Description
----------	----------------------

RAGE5	Respondent age 5th quarter ( <i>cont.</i> )
-------	---

Value	Label	Frequency	%	Valid %
31	-	158	1.5 %	2.2%
32	-	135	1.3 %	1.9%
33	-	138	1.3 %	1.9%
34	-	122	1.2 %	1.7%
35	-	126	1.2 %	1.8%
36	-	161	1.5 %	2.3%
37	-	105	1.0 %	1.5%
38	-	103	1.0 %	1.4%
39	-	97	0.9 %	1.4%
40	-	111	1.1 %	1.6%
41	-	116	1.1 %	1.6%
42	-	85	0.8 %	1.2%
43	-	88	0.8 %	1.2%
44	-	81	0.8 %	1.1%
45	-	77	0.7 %	1.1%
46	-	85	0.8 %	1.2%
47	-	64	0.6 %	0.9%
48	-	24	0.2 %	0.3%
49	-	40	0.4 %	0.6%
50	-	36	0.3 %	0.5%
51	-	42	0.4 %	0.6%
52	-	30	0.3 %	0.4%
53	-	40	0.4 %	0.6%
54	-	28	0.3 %	0.4%
55	-	31	0.3 %	0.4%
56	-	47	0.4 %	0.7%
57	-	22	0.2 %	0.3%
58	-	18	0.2 %	0.3%
59	-	27	0.3 %	0.4%
60	-	41	0.4 %	0.6%
61	-	38	0.4 %	0.5%
62	-	13	0.1 %	0.2%
63	-	15	0.1 %	0.2%

Variable	Variable Description
----------	----------------------

RAGE5	Respondent age 5th quarter ( <i>cont.</i> )
-------	---

Value	Label	Frequency	%	Valid %
64	-	28	0.3 %	0.4%
65	-	14	0.1 %	0.2%
66	-	20	0.2 %	0.3%
67	-	9	0.1 %	0.1%
68	-	10	0.1 %	0.1%
69	-	15	0.1 %	0.2%
70	-	14	0.1 %	0.2%
71	-	24	0.2 %	0.3%
72	-	11	0.1 %	0.2%
73	-	13	0.1 %	0.2%
74	-	7	0.1 %	0.1%
75	-	13	0.1 %	0.2%
76	-	8	0.1 %	0.1%
77	-	8	0.1 %	0.1%
78	-	5	0.0 %	0.1%
79	-	7	0.1 %	0.1%
80	-	3	0.0 %	0.0%
81	-	8	0.1 %	0.1%
82	-	2	0.0 %	0.0%
83	-	1	0.0 %	0.0%
84	-	4	0.0 %	0.1%
85	-	3	0.0 %	0.0%
86	-	2	0.0 %	0.0%
87	-	1	0.0 %	0.0%
88	-	1	0.0 %	0.0%
89	-	2	0.0 %	0.0%
90	-	2	0.0 %	0.0%
105	-	1	0.0 %	0.0%

Valid	Min	Max	Mean	Stdev
7154	11.00	105.00	28.77	14.31

Variable	Variable Description
----------	----------------------

RAGE6	Respondent age 6th quarter
-------	----------------------------

Start: 204  
 End: 206  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -1

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-1 (M)	Inappropriate	3101	29.5 %	-
12	-	41	0.4 %	0.6%
13	-	220	2.1 %	3.0%
14	-	292	2.8 %	3.9%
15	-	295	2.8 %	4.0%
16	-	248	2.4 %	3.3%
17	-	285	2.7 %	3.8%
18	-	313	3.0 %	4.2%
19	-	350	3.3 %	4.7%
20	-	334	3.2 %	4.5%
21	-	285	2.7 %	3.8%
22	-	285	2.7 %	3.8%
23	-	241	2.3 %	3.2%
24	-	216	2.1 %	2.9%
25	-	226	2.1 %	3.0%
26	-	204	1.9 %	2.7%
27	-	241	2.3 %	3.2%
28	-	180	1.7 %	2.4%
29	-	167	1.6 %	2.2%
30	-	193	1.8 %	2.6%
31	-	145	1.4 %	2.0%
32	-	165	1.6 %	2.2%
33	-	136	1.3 %	1.8%
34	-	140	1.3 %	1.9%
35	-	135	1.3 %	1.8%
36	-	132	1.3 %	1.8%
37	-	162	1.5 %	2.2%
38	-	111	1.1 %	1.5%
39	-	104	1.0 %	1.4%
40	-	107	1.0 %	1.4%
41	-	115	1.1 %	1.5%
42	-	119	1.1 %	1.6%
43	-	85	0.8 %	1.1%

Variable	Variable Description
----------	----------------------

RAGE6	Respondent age 6th quarter ( <i>cont.</i> )
-------	---

Value	Label	Frequency	%	Valid %
44	-	89	0.8 %	1.2%
45	-	85	0.8 %	1.1%
46	-	77	0.7 %	1.0%
47	-	86	0.8 %	1.2%
48	-	67	0.6 %	0.9%
49	-	24	0.2 %	0.3%
50	-	43	0.4 %	0.6%
51	-	37	0.4 %	0.5%
52	-	45	0.4 %	0.6%
53	-	29	0.3 %	0.4%
54	-	39	0.4 %	0.5%
55	-	31	0.3 %	0.4%
56	-	31	0.3 %	0.4%
57	-	47	0.4 %	0.6%
58	-	22	0.2 %	0.3%
59	-	19	0.2 %	0.3%
60	-	28	0.3 %	0.4%
61	-	40	0.4 %	0.5%
62	-	39	0.4 %	0.5%
63	-	13	0.1 %	0.2%
64	-	15	0.1 %	0.2%
65	-	31	0.3 %	0.4%
66	-	14	0.1 %	0.2%
67	-	23	0.2 %	0.3%
68	-	9	0.1 %	0.1%
69	-	10	0.1 %	0.1%
70	-	18	0.2 %	0.2%
71	-	14	0.1 %	0.2%
72	-	24	0.2 %	0.3%
73	-	11	0.1 %	0.1%
74	-	13	0.1 %	0.2%
75	-	8	0.1 %	0.1%
76	-	14	0.1 %	0.2%

Variable	Variable Description
----------	----------------------

RAGE6	Respondent age 6th quarter (cont.)
-------	------------------------------------

Value	Label	Frequency	%	Valid %
77	-	8	0.1 %	0.1%
78	-	8	0.1 %	0.1%
79	-	6	0.1 %	0.1%
80	-	7	0.1 %	0.1%
81	-	3	0.0 %	0.0%
82	-	8	0.1 %	0.1%
83	-	2	0.0 %	0.0%
84	-	1	0.0 %	0.0%
85	-	4	0.0 %	0.1%
86	-	3	0.0 %	0.0%
87	-	2	0.0 %	0.0%
88	-	1	0.0 %	0.0%
89	-	1	0.0 %	0.0%
90	-	2	0.0 %	0.0%
91	-	2	0.0 %	0.0%
106	-	1	0.0 %	0.0%

Valid	Min	Max	Mean	Stdev
7426	12.00	106.00	29.73	14.26

RAGE7	Respondent age 7th quarter
-------	----------------------------

Start: 207  
 End: 209  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -1

Value	Label	Frequency	%	Valid %
-1 (M)	Inappropriate	2914	27.7 %	-
12	-	41	0.4 %	0.5%
13	-	219	2.1 %	2.9%
14	-	292	2.8 %	3.8%
15	-	292	2.8 %	3.8%
16	-	248	2.4 %	3.3%
17	-	298	2.8 %	3.9%
18	-	332	3.2 %	4.4%
19	-	363	3.4 %	4.8%
20	-	349	3.3 %	4.6%
21	-	302	2.9 %	4.0%
22	-	301	2.9 %	4.0%



Variable	Variable Description
----------	----------------------

RAGE7	Respondent age 7th quarter ( <i>cont.</i> )
-------	---

Value	Label	Frequency	%	Valid %
23	-	251	2.4 %	3.3%
24	-	225	2.1 %	3.0%
25	-	238	2.3 %	3.1%
26	-	209	2.0 %	2.7%
27	-	247	2.3 %	3.2%
28	-	183	1.7 %	2.4%
29	-	170	1.6 %	2.2%
30	-	204	1.9 %	2.7%
31	-	148	1.4 %	1.9%
32	-	170	1.6 %	2.2%
33	-	138	1.3 %	1.8%
34	-	139	1.3 %	1.8%
35	-	142	1.3 %	1.9%
36	-	134	1.3 %	1.8%
37	-	162	1.5 %	2.1%
38	-	112	1.1 %	1.5%
39	-	106	1.0 %	1.4%
40	-	109	1.0 %	1.4%
41	-	115	1.1 %	1.5%
42	-	125	1.2 %	1.6%
43	-	85	0.8 %	1.1%
44	-	91	0.9 %	1.2%
45	-	87	0.8 %	1.1%
46	-	76	0.7 %	1.0%
47	-	86	0.8 %	1.1%
48	-	66	0.6 %	0.9%
49	-	24	0.2 %	0.3%
50	-	45	0.4 %	0.6%
51	-	37	0.4 %	0.5%
52	-	46	0.4 %	0.6%
53	-	30	0.3 %	0.4%
54	-	39	0.4 %	0.5%
55	-	31	0.3 %	0.4%

Variable	Variable Description
----------	----------------------

RAGE7	Respondent age 7th quarter ( <i>cont.</i> )
-------	---

Value	Label	Frequency	%	Valid %
56	-	31	0.3 %	0.4%
57	-	46	0.4 %	0.6%
58	-	22	0.2 %	0.3%
59	-	18	0.2 %	0.2%
60	-	29	0.3 %	0.4%
61	-	40	0.4 %	0.5%
62	-	39	0.4 %	0.5%
63	-	13	0.1 %	0.2%
64	-	15	0.1 %	0.2%
65	-	33	0.3 %	0.4%
66	-	15	0.1 %	0.2%
67	-	23	0.2 %	0.3%
68	-	9	0.1 %	0.1%
69	-	10	0.1 %	0.1%
70	-	19	0.2 %	0.2%
71	-	15	0.1 %	0.2%
72	-	24	0.2 %	0.3%
73	-	11	0.1 %	0.1%
74	-	14	0.1 %	0.2%
75	-	9	0.1 %	0.1%
76	-	14	0.1 %	0.2%
77	-	8	0.1 %	0.1%
78	-	7	0.1 %	0.1%
79	-	6	0.1 %	0.1%
80	-	6	0.1 %	0.1%
81	-	3	0.0 %	0.0%
82	-	8	0.1 %	0.1%
83	-	2	0.0 %	0.0%
84	-	1	0.0 %	0.0%
85	-	4	0.0 %	0.1%
86	-	3	0.0 %	0.0%
87	-	2	0.0 %	0.0%
88	-	1	0.0 %	0.0%

Variable	Variable Description
----------	----------------------

RAGE7	Respondent age 7th quarter (cont.)
-------	------------------------------------

Value	Label	Frequency	%	Valid %
89	-	1	0.0 %	0.0%
90	-	2	0.0 %	0.0%
91	-	2	0.0 %	0.0%
106	-	1	0.0 %	0.0%

Valid	Min	Max	Mean	Stdev
7613	12.00	106.00	29.65	14.18

RAGE8	Respondent age 8th quarter
-------	----------------------------

Start: 210  
 End: 212  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -1

Value	Label	Frequency	%	Valid %
-1 (M)	Inappropriate	2723	25.9 %	-
12	-	41	0.4 %	0.5%
13	-	219	2.1 %	2.8%
14	-	292	2.8 %	3.7%
15	-	291	2.8 %	3.7%
16	-	250	2.4 %	3.2%
17	-	311	3.0 %	4.0%
18	-	344	3.3 %	4.4%
19	-	376	3.6 %	4.8%
20	-	366	3.5 %	4.7%
21	-	317	3.0 %	4.1%
22	-	319	3.0 %	4.1%
23	-	258	2.5 %	3.3%
24	-	232	2.2 %	3.0%
25	-	248	2.4 %	3.2%
26	-	216	2.1 %	2.8%
27	-	254	2.4 %	3.3%
28	-	190	1.8 %	2.4%
29	-	170	1.6 %	2.2%
30	-	213	2.0 %	2.7%
31	-	153	1.5 %	2.0%
32	-	172	1.6 %	2.2%
33	-	139	1.3 %	1.8%
34	-	140	1.3 %	1.8%

Variable	Variable Description
----------	----------------------

RAGE8	Respondent age 8th quarter ( <i>cont.</i> )
-------	---

Value	Label	Frequency	%	Valid %
35	-	147	1.4 %	1.9%
36	-	136	1.3 %	1.7%
37	-	163	1.5 %	2.1%
38	-	113	1.1 %	1.4%
39	-	106	1.0 %	1.4%
40	-	117	1.1 %	1.5%
41	-	117	1.1 %	1.5%
42	-	125	1.2 %	1.6%
43	-	85	0.8 %	1.1%
44	-	91	0.9 %	1.2%
45	-	89	0.8 %	1.1%
46	-	77	0.7 %	1.0%
47	-	86	0.8 %	1.1%
48	-	68	0.6 %	0.9%
49	-	25	0.2 %	0.3%
50	-	48	0.5 %	0.6%
51	-	37	0.4 %	0.5%
52	-	46	0.4 %	0.6%
53	-	30	0.3 %	0.4%
54	-	39	0.4 %	0.5%
55	-	33	0.3 %	0.4%
56	-	31	0.3 %	0.4%
57	-	46	0.4 %	0.6%
58	-	22	0.2 %	0.3%
59	-	18	0.2 %	0.2%
60	-	31	0.3 %	0.4%
61	-	40	0.4 %	0.5%
62	-	39	0.4 %	0.5%
63	-	13	0.1 %	0.2%
64	-	14	0.1 %	0.2%
65	-	33	0.3 %	0.4%
66	-	16	0.2 %	0.2%
67	-	22	0.2 %	0.3%

Variable	Variable Description
----------	----------------------

RAGE8	Respondent age 8th quarter ( <i>cont.</i> )
-------	---

Value	Label	Frequency	%	Valid %
68	-	9	0.1 %	0.1%
69	-	10	0.1 %	0.1%
70	-	23	0.2 %	0.3%
71	-	15	0.1 %	0.2%
72	-	25	0.2 %	0.3%
73	-	11	0.1 %	0.1%
74	-	14	0.1 %	0.2%
75	-	8	0.1 %	0.1%
76	-	16	0.2 %	0.2%
77	-	8	0.1 %	0.1%
78	-	8	0.1 %	0.1%
79	-	7	0.1 %	0.1%
80	-	6	0.1 %	0.1%
81	-	3	0.0 %	0.0%
82	-	8	0.1 %	0.1%
83	-	2	0.0 %	0.0%
84	-	1	0.0 %	0.0%
85	-	4	0.0 %	0.1%
86	-	3	0.0 %	0.0%
87	-	3	0.0 %	0.0%
88	-	1	0.0 %	0.0%
89	-	1	0.0 %	0.0%
90	-	1	0.0 %	0.0%
91	-	2	0.0 %	0.0%
106	-	1	0.0 %	0.0%

Valid	Min	Max	Mean	Stdev
7804	12.00	106.00	29.61	14.15

RAGE9	Respondent age 9th quarter
-------	----------------------------

Start: 213  
 End: 215  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -1

Value	Label	Frequency	%	Valid %
-1 (M)	Inappropriate	2572	24.4 %	-
12	-	41	0.4 %	0.5%
13	-	219	2.1 %	2.8%

Variable	Variable Description
----------	----------------------

RAGE9	Respondent age 9th quarter ( <i>cont.</i> )
-------	---

Value	Label	Frequency	%	Valid %
14	-	292	2.8 %	3.7%
15	-	291	2.8 %	3.7%
16	-	251	2.4 %	3.2%
17	-	321	3.0 %	4.0%
18	-	357	3.4 %	4.5%
19	-	384	3.6 %	4.8%
20	-	373	3.5 %	4.7%
21	-	327	3.1 %	4.1%
22	-	335	3.2 %	4.2%
23	-	259	2.5 %	3.3%
24	-	238	2.3 %	3.0%
25	-	260	2.5 %	3.3%
26	-	221	2.1 %	2.8%
27	-	261	2.5 %	3.3%
28	-	199	1.9 %	2.5%
29	-	174	1.7 %	2.2%
30	-	220	2.1 %	2.8%
31	-	153	1.5 %	1.9%
32	-	174	1.7 %	2.2%
33	-	142	1.3 %	1.8%
34	-	141	1.3 %	1.8%
35	-	155	1.5 %	1.9%
36	-	137	1.3 %	1.7%
37	-	166	1.6 %	2.1%
38	-	114	1.1 %	1.4%
39	-	107	1.0 %	1.3%
40	-	122	1.2 %	1.5%
41	-	118	1.1 %	1.5%
42	-	126	1.2 %	1.6%
43	-	86	0.8 %	1.1%
44	-	92	0.9 %	1.2%
45	-	90	0.9 %	1.1%
46	-	77	0.7 %	1.0%

Variable	Variable Description
----------	----------------------

RAGE9	Respondent age 9th quarter ( <i>cont.</i> )
-------	---

Value	Label	Frequency	%	Valid %
47	-	86	0.8 %	1.1%
48	-	69	0.7 %	0.9%
49	-	25	0.2 %	0.3%
50	-	49	0.5 %	0.6%
51	-	37	0.4 %	0.5%
52	-	46	0.4 %	0.6%
53	-	30	0.3 %	0.4%
54	-	39	0.4 %	0.5%
55	-	36	0.3 %	0.5%
56	-	29	0.3 %	0.4%
57	-	46	0.4 %	0.6%
58	-	22	0.2 %	0.3%
59	-	18	0.2 %	0.2%
60	-	31	0.3 %	0.4%
61	-	40	0.4 %	0.5%
62	-	39	0.4 %	0.5%
63	-	13	0.1 %	0.2%
64	-	14	0.1 %	0.2%
65	-	33	0.3 %	0.4%
66	-	15	0.1 %	0.2%
67	-	22	0.2 %	0.3%
68	-	9	0.1 %	0.1%
69	-	10	0.1 %	0.1%
70	-	26	0.2 %	0.3%
71	-	15	0.1 %	0.2%
72	-	24	0.2 %	0.3%
73	-	12	0.1 %	0.2%
74	-	14	0.1 %	0.2%
75	-	8	0.1 %	0.1%
76	-	16	0.2 %	0.2%
77	-	8	0.1 %	0.1%
78	-	8	0.1 %	0.1%
79	-	7	0.1 %	0.1%

Variable	Variable Description
----------	----------------------

RAGE9	Respondent age 9th quarter ( <i>cont.</i> )
-------	---

Value	Label	Frequency	%	Valid %
80	-	6	0.1 %	0.1%
81	-	3	0.0 %	0.0%
82	-	8	0.1 %	0.1%
83	-	2	0.0 %	0.0%
84	-	1	0.0 %	0.0%
85	-	4	0.0 %	0.1%
86	-	3	0.0 %	0.0%
87	-	3	0.0 %	0.0%
88	-	1	0.0 %	0.0%
89	-	1	0.0 %	0.0%
90	-	1	0.0 %	0.0%
91	-	2	0.0 %	0.0%
106	-	1	0.0 %	0.0%

Valid	Min	Max	Mean	Stdev
7955	12.00	106.00	29.55	14.07

RAGE10	Respondent age 10th quarter
--------	-----------------------------

Start: 216  
 End: 218  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -1

Value	Label	Frequency	%	Valid %
-1 (M)	Inappropriate	2420	23.0 %	-
13	-	41	0.4 %	0.5%
14	-	219	2.1 %	2.7%
15	-	292	2.8 %	3.6%
16	-	291	2.8 %	3.6%
17	-	253	2.4 %	3.1%
18	-	328	3.1 %	4.0%
19	-	366	3.5 %	4.5%
20	-	405	3.8 %	5.0%
21	-	380	3.6 %	4.7%
22	-	336	3.2 %	4.1%
23	-	342	3.2 %	4.2%
24	-	264	2.5 %	3.3%
25	-	251	2.4 %	3.1%
26	-	269	2.6 %	3.3%



Variable	Variable Description
----------	----------------------

RAGE10	Respondent age 10th quarter ( <i>cont.</i> )
--------	--

Value	Label	Frequency	%	Valid %
27	-	227	2.2 %	2.8%
28	-	263	2.5 %	3.2%
29	-	204	1.9 %	2.5%
30	-	184	1.7 %	2.3%
31	-	221	2.1 %	2.7%
32	-	156	1.5 %	1.9%
33	-	177	1.7 %	2.2%
34	-	143	1.4 %	1.8%
35	-	147	1.4 %	1.8%
36	-	159	1.5 %	2.0%
37	-	137	1.3 %	1.7%
38	-	169	1.6 %	2.1%
39	-	114	1.1 %	1.4%
40	-	111	1.1 %	1.4%
41	-	123	1.2 %	1.5%
42	-	118	1.1 %	1.5%
43	-	126	1.2 %	1.6%
44	-	88	0.8 %	1.1%
45	-	95	0.9 %	1.2%
46	-	90	0.9 %	1.1%
47	-	76	0.7 %	0.9%
48	-	87	0.8 %	1.1%
49	-	69	0.7 %	0.9%
50	-	27	0.3 %	0.3%
51	-	49	0.5 %	0.6%
52	-	36	0.3 %	0.4%
53	-	46	0.4 %	0.6%
54	-	29	0.3 %	0.4%
55	-	40	0.4 %	0.5%
56	-	38	0.4 %	0.5%
57	-	29	0.3 %	0.4%
58	-	46	0.4 %	0.6%
59	-	21	0.2 %	0.3%

Variable	Variable Description
----------	----------------------

RAGE10	Respondent age 10th quarter (cont.)
--------	-------------------------------------

Value	Label	Frequency	%	Valid %
60	-	20	0.2 %	0.2%
61	-	31	0.3 %	0.4%
62	-	41	0.4 %	0.5%
63	-	41	0.4 %	0.5%
64	-	13	0.1 %	0.2%
65	-	16	0.2 %	0.2%
66	-	34	0.3 %	0.4%
67	-	15	0.1 %	0.2%
68	-	22	0.2 %	0.3%
69	-	9	0.1 %	0.1%
70	-	10	0.1 %	0.1%
71	-	25	0.2 %	0.3%
72	-	15	0.1 %	0.2%
73	-	24	0.2 %	0.3%
74	-	12	0.1 %	0.1%
75	-	15	0.1 %	0.2%
76	-	7	0.1 %	0.1%
77	-	16	0.2 %	0.2%
78	-	8	0.1 %	0.1%
79	-	8	0.1 %	0.1%
80	-	7	0.1 %	0.1%
81	-	6	0.1 %	0.1%
82	-	3	0.0 %	0.0%
83	-	8	0.1 %	0.1%
84	-	2	0.0 %	0.0%
85	-	1	0.0 %	0.0%
86	-	4	0.0 %	0.0%
87	-	3	0.0 %	0.0%
88	-	3	0.0 %	0.0%
89	-	1	0.0 %	0.0%
90	-	1	0.0 %	0.0%
91	-	1	0.0 %	0.0%
92	-	2	0.0 %	0.0%

Variable	Variable Description
----------	----------------------

RAGE10	Respondent age 10th quarter ( <i>cont.</i> )
--------	--

Value	Label	Frequency	%	Valid %
107	-	1	0.0 %	0.0%
Valid	Min	Max	Mean	Stdev
8107	13.00	107.00	30.51	14.02

RAGE11	Respondent age 11th quarter
--------	-----------------------------

Start: 219  
 End: 221  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -1

Value	Label	Frequency	%	Valid %
-1 (M)	Inappropriate	2346	22.3 %	-
13	-	41	0.4 %	0.5%
14	-	219	2.1 %	2.7%
15	-	291	2.8 %	3.6%
16	-	291	2.8 %	3.6%
17	-	259	2.5 %	3.2%
18	-	335	3.2 %	4.1%
19	-	378	3.6 %	4.6%
20	-	410	3.9 %	5.0%
21	-	389	3.7 %	4.8%
22	-	343	3.3 %	4.2%
23	-	347	3.3 %	4.2%
24	-	267	2.5 %	3.3%
25	-	259	2.5 %	3.2%
26	-	272	2.6 %	3.3%
27	-	229	2.2 %	2.8%
28	-	264	2.5 %	3.2%
29	-	204	1.9 %	2.5%
30	-	186	1.8 %	2.3%
31	-	217	2.1 %	2.7%
32	-	156	1.5 %	1.9%
33	-	179	1.7 %	2.2%
34	-	142	1.3 %	1.7%
35	-	149	1.4 %	1.8%
36	-	158	1.5 %	1.9%
37	-	137	1.3 %	1.7%
38	-	170	1.6 %	2.1%

Variable	Variable Description
----------	----------------------

RAGE11	Respondent age 11th quarter ( <i>cont.</i> )
--------	--

Value	Label	Frequency	%	Valid %
39	-	114	1.1 %	1.4%
40	-	113	1.1 %	1.4%
41	-	123	1.2 %	1.5%
42	-	118	1.1 %	1.4%
43	-	126	1.2 %	1.5%
44	-	87	0.8 %	1.1%
45	-	98	0.9 %	1.2%
46	-	92	0.9 %	1.1%
47	-	77	0.7 %	0.9%
48	-	87	0.8 %	1.1%
49	-	69	0.7 %	0.8%
50	-	28	0.3 %	0.3%
51	-	48	0.5 %	0.6%
52	-	37	0.4 %	0.5%
53	-	45	0.4 %	0.6%
54	-	29	0.3 %	0.4%
55	-	40	0.4 %	0.5%
56	-	37	0.4 %	0.5%
57	-	29	0.3 %	0.4%
58	-	46	0.4 %	0.6%
59	-	21	0.2 %	0.3%
60	-	20	0.2 %	0.2%
61	-	30	0.3 %	0.4%
62	-	42	0.4 %	0.5%
63	-	40	0.4 %	0.5%
64	-	13	0.1 %	0.2%
65	-	18	0.2 %	0.2%
66	-	33	0.3 %	0.4%
67	-	14	0.1 %	0.2%
68	-	23	0.2 %	0.3%
69	-	9	0.1 %	0.1%
70	-	12	0.1 %	0.1%
71	-	24	0.2 %	0.3%

Variable	Variable Description
----------	----------------------

RAGE11	Respondent age 11th quarter (cont.)
--------	-------------------------------------

Value	Label	Frequency	%	Valid %
72	-	15	0.1 %	0.2%
73	-	24	0.2 %	0.3%
74	-	12	0.1 %	0.1%
75	-	14	0.1 %	0.2%
76	-	7	0.1 %	0.1%
77	-	16	0.2 %	0.2%
78	-	8	0.1 %	0.1%
79	-	8	0.1 %	0.1%
80	-	7	0.1 %	0.1%
81	-	6	0.1 %	0.1%
82	-	3	0.0 %	0.0%
83	-	8	0.1 %	0.1%
84	-	2	0.0 %	0.0%
85	-	1	0.0 %	0.0%
86	-	4	0.0 %	0.0%
87	-	3	0.0 %	0.0%
88	-	3	0.0 %	0.0%
89	-	1	0.0 %	0.0%
90	-	1	0.0 %	0.0%
91	-	1	0.0 %	0.0%
92	-	2	0.0 %	0.0%
107	-	1	0.0 %	0.0%

Valid	Min	Max	Mean	Stdev
8181	13.00	107.00	30.44	13.98

RAGE12	Respondent age 12th quarter
--------	-----------------------------

Start: 222  
 End: 224  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -1

Value	Label	Frequency	%	Valid %
-1 (M)	Inappropriate	2266	21.5 %	-
13	-	41	0.4 %	0.5%
14	-	219	2.1 %	2.7%
15	-	291	2.8 %	3.5%
16	-	293	2.8 %	3.5%
17	-	261	2.5 %	3.2%

Variable	Variable Description
----------	----------------------

RAGE12	Respondent age 12th quarter ( <i>cont.</i> )
--------	--

Value	Label	Frequency	%	Valid %
18	-	343	3.3 %	4.2%
19	-	382	3.6 %	4.6%
20	-	418	4.0 %	5.1%
21	-	394	3.7 %	4.8%
22	-	349	3.3 %	4.2%
23	-	350	3.3 %	4.2%
24	-	269	2.6 %	3.3%
25	-	265	2.5 %	3.2%
26	-	276	2.6 %	3.3%
27	-	233	2.2 %	2.8%
28	-	266	2.5 %	3.2%
29	-	205	1.9 %	2.5%
30	-	190	1.8 %	2.3%
31	-	218	2.1 %	2.6%
32	-	158	1.5 %	1.9%
33	-	181	1.7 %	2.2%
34	-	142	1.3 %	1.7%
35	-	152	1.4 %	1.8%
36	-	161	1.5 %	1.9%
37	-	137	1.3 %	1.7%
38	-	170	1.6 %	2.1%
39	-	115	1.1 %	1.4%
40	-	115	1.1 %	1.4%
41	-	124	1.2 %	1.5%
42	-	118	1.1 %	1.4%
43	-	126	1.2 %	1.5%
44	-	87	0.8 %	1.1%
45	-	98	0.9 %	1.2%
46	-	93	0.9 %	1.1%
47	-	77	0.7 %	0.9%
48	-	87	0.8 %	1.1%
49	-	70	0.7 %	0.8%
50	-	30	0.3 %	0.4%

Variable	Variable Description
----------	----------------------

RAGE12	Respondent age 12th quarter ( <i>cont.</i> )
--------	--

Value	Label	Frequency	%	Valid %
51	-	48	0.5 %	0.6%
52	-	38	0.4 %	0.5%
53	-	45	0.4 %	0.5%
54	-	29	0.3 %	0.4%
55	-	40	0.4 %	0.5%
56	-	37	0.4 %	0.4%
57	-	29	0.3 %	0.4%
58	-	46	0.4 %	0.6%
59	-	22	0.2 %	0.3%
60	-	19	0.2 %	0.2%
61	-	30	0.3 %	0.4%
62	-	41	0.4 %	0.5%
63	-	39	0.4 %	0.5%
64	-	13	0.1 %	0.2%
65	-	17	0.2 %	0.2%
66	-	34	0.3 %	0.4%
67	-	14	0.1 %	0.2%
68	-	23	0.2 %	0.3%
69	-	9	0.1 %	0.1%
70	-	13	0.1 %	0.2%
71	-	24	0.2 %	0.3%
72	-	15	0.1 %	0.2%
73	-	24	0.2 %	0.3%
74	-	12	0.1 %	0.1%
75	-	14	0.1 %	0.2%
76	-	7	0.1 %	0.1%
77	-	16	0.2 %	0.2%
78	-	9	0.1 %	0.1%
79	-	8	0.1 %	0.1%
80	-	6	0.1 %	0.1%
81	-	6	0.1 %	0.1%
82	-	3	0.0 %	0.0%
83	-	8	0.1 %	0.1%

Variable	Variable Description
----------	----------------------

RAGE12	Respondent age 12th quarter (cont.)
--------	-------------------------------------

Value	Label	Frequency	%	Valid %
84	-	2	0.0 %	0.0%
85	-	1	0.0 %	0.0%
86	-	4	0.0 %	0.0%
87	-	3	0.0 %	0.0%
88	-	3	0.0 %	0.0%
89	-	1	0.0 %	0.0%
90	-	1	0.0 %	0.0%
91	-	1	0.0 %	0.0%
92	-	2	0.0 %	0.0%
107	-	1	0.0 %	0.0%

Valid	Min	Max	Mean	Stdev
8261	13.00	107.00	30.40	13.94

RAGE13	Respondent age 13th quarter
--------	-----------------------------

Start: 225  
 End: 227  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -1

Value	Label	Frequency	%	Valid %
-1 (M)	Inappropriate	2710	25.7 %	-
13	-	37	0.4 %	0.5%
14	-	200	1.9 %	2.6%
15	-	278	2.6 %	3.6%
16	-	282	2.7 %	3.6%
17	-	260	2.5 %	3.3%
18	-	329	3.1 %	4.2%
19	-	355	3.4 %	4.5%
20	-	400	3.8 %	5.1%
21	-	378	3.6 %	4.8%
22	-	329	3.1 %	4.2%
23	-	330	3.1 %	4.2%
24	-	253	2.4 %	3.2%
25	-	266	2.5 %	3.4%
26	-	267	2.5 %	3.4%
27	-	220	2.1 %	2.8%
28	-	257	2.4 %	3.3%
29	-	191	1.8 %	2.4%



Variable	Variable Description
----------	----------------------

RAGE13	Respondent age 13th quarter (cont.)
--------	-------------------------------------

Value	Label	Frequency	%	Valid %
30	-	179	1.7 %	2.3%
31	-	207	2.0 %	2.6%
32	-	146	1.4 %	1.9%
33	-	172	1.6 %	2.2%
34	-	137	1.3 %	1.8%
35	-	145	1.4 %	1.9%
36	-	144	1.4 %	1.8%
37	-	117	1.1 %	1.5%
38	-	156	1.5 %	2.0%
39	-	107	1.0 %	1.4%
40	-	117	1.1 %	1.5%
41	-	112	1.1 %	1.4%
42	-	106	1.0 %	1.4%
43	-	120	1.1 %	1.5%
44	-	81	0.8 %	1.0%
45	-	93	0.9 %	1.2%
46	-	88	0.8 %	1.1%
47	-	68	0.6 %	0.9%
48	-	85	0.8 %	1.1%
49	-	67	0.6 %	0.9%
50	-	28	0.3 %	0.4%
51	-	47	0.4 %	0.6%
52	-	33	0.3 %	0.4%
53	-	44	0.4 %	0.6%
54	-	29	0.3 %	0.4%
55	-	42	0.4 %	0.5%
56	-	33	0.3 %	0.4%
57	-	27	0.3 %	0.3%
58	-	43	0.4 %	0.6%
59	-	22	0.2 %	0.3%
60	-	18	0.2 %	0.2%
61	-	28	0.3 %	0.4%
62	-	36	0.3 %	0.5%

Variable	Variable Description
----------	----------------------

RAGE13	Respondent age 13th quarter (cont.)
--------	-------------------------------------

Value	Label	Frequency	%	Valid %
63	-	35	0.3 %	0.4%
64	-	11	0.1 %	0.1%
65	-	14	0.1 %	0.2%
66	-	31	0.3 %	0.4%
67	-	13	0.1 %	0.2%
68	-	21	0.2 %	0.3%
69	-	10	0.1 %	0.1%
70	-	15	0.1 %	0.2%
71	-	20	0.2 %	0.3%
72	-	15	0.1 %	0.2%
73	-	24	0.2 %	0.3%
74	-	12	0.1 %	0.2%
75	-	15	0.1 %	0.2%
76	-	5	0.0 %	0.1%
77	-	12	0.1 %	0.2%
78	-	9	0.1 %	0.1%
79	-	7	0.1 %	0.1%
80	-	5	0.0 %	0.1%
81	-	6	0.1 %	0.1%
82	-	2	0.0 %	0.0%
83	-	9	0.1 %	0.1%
84	-	2	0.0 %	0.0%
85	-	1	0.0 %	0.0%
86	-	4	0.0 %	0.1%
87	-	1	0.0 %	0.0%
88	-	3	0.0 %	0.0%
89	-	1	0.0 %	0.0%
90	-	1	0.0 %	0.0%
91	-	1	0.0 %	0.0%
92	-	2	0.0 %	0.0%
107	-	1	0.0 %	0.0%

Valid	Min	Max	Mean	Stdev
7817	13.00	107.00	30.30	13.89

Variable	Variable Description
----------	----------------------

RAGE14	Respondent age 14th quarter
--------	-----------------------------

Start: 228  
 End: 230  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -1

Value	Label	Frequency	%	Valid %
-1 (M)	Inappropriate	4102	39.0 %	-
14	-	26	0.2 %	0.4%
15	-	162	1.5 %	2.5%
16	-	207	2.0 %	3.2%
17	-	216	2.1 %	3.4%
18	-	198	1.9 %	3.1%
19	-	289	2.7 %	4.5%
20	-	290	2.8 %	4.5%
21	-	305	2.9 %	4.7%
22	-	300	2.8 %	4.7%
23	-	237	2.3 %	3.7%
24	-	238	2.3 %	3.7%
25	-	203	1.9 %	3.2%
26	-	194	1.8 %	3.0%
27	-	196	1.9 %	3.1%
28	-	180	1.7 %	2.8%
29	-	204	1.9 %	3.2%
30	-	158	1.5 %	2.5%
31	-	143	1.4 %	2.2%
32	-	176	1.7 %	2.7%
33	-	129	1.2 %	2.0%
34	-	146	1.4 %	2.3%
35	-	130	1.2 %	2.0%
36	-	132	1.3 %	2.1%
37	-	124	1.2 %	1.9%
38	-	103	1.0 %	1.6%
39	-	139	1.3 %	2.2%
40	-	111	1.1 %	1.7%
41	-	105	1.0 %	1.6%
42	-	98	0.9 %	1.5%
43	-	92	0.9 %	1.4%
44	-	106	1.0 %	1.6%
45	-	77	0.7 %	1.2%

- ICPSR 04538 -

Variable	Variable Description
----------	----------------------

RAGE14	Respondent age 14th quarter ( <i>cont.</i> )
--------	--

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
46	-	89	0.8 %	1.4%
47	-	83	0.8 %	1.3%
48	-	61	0.6 %	0.9%
49	-	77	0.7 %	1.2%
50	-	63	0.6 %	1.0%
51	-	26	0.2 %	0.4%
52	-	41	0.4 %	0.6%
53	-	25	0.2 %	0.4%
54	-	39	0.4 %	0.6%
55	-	27	0.3 %	0.4%
56	-	41	0.4 %	0.6%
57	-	29	0.3 %	0.5%
58	-	25	0.2 %	0.4%
59	-	42	0.4 %	0.7%
60	-	19	0.2 %	0.3%
61	-	17	0.2 %	0.3%
62	-	25	0.2 %	0.4%
63	-	32	0.3 %	0.5%
64	-	32	0.3 %	0.5%
65	-	13	0.1 %	0.2%
66	-	11	0.1 %	0.2%
67	-	27	0.3 %	0.4%
68	-	10	0.1 %	0.2%
69	-	17	0.2 %	0.3%
70	-	8	0.1 %	0.1%
71	-	11	0.1 %	0.2%
72	-	16	0.2 %	0.2%
73	-	10	0.1 %	0.2%
74	-	21	0.2 %	0.3%
75	-	7	0.1 %	0.1%
76	-	13	0.1 %	0.2%
77	-	5	0.0 %	0.1%
78	-	9	0.1 %	0.1%

Variable	Variable Description
----------	----------------------

RAGE14	Respondent age 14th quarter (cont.)
--------	-------------------------------------

Value	Label	Frequency	%	Valid %
79	-	6	0.1 %	0.1%
80	-	5	0.0 %	0.1%
81	-	4	0.0 %	0.1%
82	-	5	0.0 %	0.1%
83	-	2	0.0 %	0.0%
84	-	7	0.1 %	0.1%
85	-	1	0.0 %	0.0%
87	-	2	0.0 %	0.0%
88	-	1	0.0 %	0.0%
89	-	2	0.0 %	0.0%
90	-	1	0.0 %	0.0%
91	-	1	0.0 %	0.0%
92	-	1	0.0 %	0.0%
93	-	1	0.0 %	0.0%
108	-	1	0.0 %	0.0%

Valid	Min	Max	Mean	Stdev
6425	14.00	108.00	31.94	13.93

RAGE15	Respondent age 15th quarter
--------	-----------------------------

Start: 231  
 End: 233  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -1

Value	Label	Frequency	%	Valid %
-1 (M)	Inappropriate	4221	40.1 %	-
14	-	24	0.2 %	0.4%
15	-	147	1.4 %	2.3%
16	-	193	1.8 %	3.1%
17	-	201	1.9 %	3.2%
18	-	207	2.0 %	3.3%
19	-	289	2.7 %	4.6%
20	-	289	2.7 %	4.6%
21	-	292	2.8 %	4.6%
22	-	292	2.8 %	4.6%
23	-	232	2.2 %	3.7%
24	-	234	2.2 %	3.7%
25	-	204	1.9 %	3.2%

Variable	Variable Description
----------	----------------------

RAGE15	Respondent age 15th quarter ( <i>cont.</i> )
--------	--

Value	Label	Frequency	%	Valid %
26	-	191	1.8 %	3.0%
27	-	189	1.8 %	3.0%
28	-	182	1.7 %	2.9%
29	-	201	1.9 %	3.2%
30	-	160	1.5 %	2.5%
31	-	142	1.3 %	2.3%
32	-	181	1.7 %	2.9%
33	-	128	1.2 %	2.0%
34	-	137	1.3 %	2.2%
35	-	136	1.3 %	2.2%
36	-	129	1.2 %	2.0%
37	-	122	1.2 %	1.9%
38	-	100	0.9 %	1.6%
39	-	137	1.3 %	2.2%
40	-	108	1.0 %	1.7%
41	-	101	1.0 %	1.6%
42	-	96	0.9 %	1.5%
43	-	90	0.9 %	1.4%
44	-	104	1.0 %	1.6%
45	-	78	0.7 %	1.2%
46	-	88	0.8 %	1.4%
47	-	80	0.8 %	1.3%
48	-	60	0.6 %	1.0%
49	-	78	0.7 %	1.2%
50	-	65	0.6 %	1.0%
51	-	25	0.2 %	0.4%
52	-	41	0.4 %	0.7%
53	-	22	0.2 %	0.3%
54	-	38	0.4 %	0.6%
55	-	29	0.3 %	0.5%
56	-	40	0.4 %	0.6%
57	-	29	0.3 %	0.5%
58	-	24	0.2 %	0.4%

Variable	Variable Description
----------	----------------------

RAGE15	Respondent age 15th quarter (cont.)
--------	-------------------------------------

Value	Label	Frequency	%	Valid %
59	-	41	0.4 %	0.7%
60	-	20	0.2 %	0.3%
61	-	16	0.2 %	0.3%
62	-	23	0.2 %	0.4%
63	-	30	0.3 %	0.5%
64	-	33	0.3 %	0.5%
65	-	15	0.1 %	0.2%
66	-	12	0.1 %	0.2%
67	-	25	0.2 %	0.4%
68	-	10	0.1 %	0.2%
69	-	15	0.1 %	0.2%
70	-	12	0.1 %	0.2%
71	-	8	0.1 %	0.1%
72	-	13	0.1 %	0.2%
73	-	9	0.1 %	0.1%
74	-	19	0.2 %	0.3%
75	-	8	0.1 %	0.1%
76	-	12	0.1 %	0.2%
77	-	5	0.0 %	0.1%
78	-	8	0.1 %	0.1%
79	-	5	0.0 %	0.1%
80	-	5	0.0 %	0.1%
81	-	4	0.0 %	0.1%
82	-	5	0.0 %	0.1%
83	-	2	0.0 %	0.0%
84	-	7	0.1 %	0.1%
85	-	1	0.0 %	0.0%
87	-	1	0.0 %	0.0%
88	-	1	0.0 %	0.0%
89	-	2	0.0 %	0.0%
90	-	1	0.0 %	0.0%
91	-	1	0.0 %	0.0%
92	-	1	0.0 %	0.0%

Variable	Variable Description
----------	----------------------

RAGE15	Respondent age 15th quarter ( <i>cont.</i> )
--------	--

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
108	-	1	0.0 %	0.0%
<i>Valid</i>				
6306	14.00	108.00	31.95	13.82

RAGE16	Respondent age 16th quarter
--------	-----------------------------

Start: 234  
 End: 236  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -1

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-1 (M)	Inappropriate	4157	39.5 %	-
14	-	23	0.2 %	0.4%
15	-	142	1.3 %	2.2%
16	-	178	1.7 %	2.8%
17	-	197	1.9 %	3.1%
18	-	204	1.9 %	3.2%
19	-	283	2.7 %	4.4%
20	-	288	2.7 %	4.5%
21	-	301	2.9 %	4.7%
22	-	294	2.8 %	4.6%
23	-	234	2.2 %	3.7%
24	-	244	2.3 %	3.8%
25	-	208	2.0 %	3.3%
26	-	196	1.9 %	3.1%
27	-	192	1.8 %	3.0%
28	-	181	1.7 %	2.8%
29	-	211	2.0 %	3.3%
30	-	167	1.6 %	2.6%
31	-	145	1.4 %	2.3%
32	-	182	1.7 %	2.9%
33	-	128	1.2 %	2.0%
34	-	141	1.3 %	2.2%
35	-	147	1.4 %	2.3%
36	-	129	1.2 %	2.0%
37	-	126	1.2 %	2.0%
38	-	102	1.0 %	1.6%
39	-	138	1.3 %	2.2%



Variable	Variable Description
----------	----------------------

RAGE16	Respondent age 16th quarter (cont.)
--------	-------------------------------------

Value	Label	Frequency	%	Valid %
40	-	112	1.1 %	1.8%
41	-	103	1.0 %	1.6%
42	-	96	0.9 %	1.5%
43	-	91	0.9 %	1.4%
44	-	102	1.0 %	1.6%
45	-	80	0.8 %	1.3%
46	-	89	0.8 %	1.4%
47	-	78	0.7 %	1.2%
48	-	59	0.6 %	0.9%
49	-	80	0.8 %	1.3%
50	-	67	0.6 %	1.1%
51	-	26	0.2 %	0.4%
52	-	42	0.4 %	0.7%
53	-	24	0.2 %	0.4%
54	-	38	0.4 %	0.6%
55	-	30	0.3 %	0.5%
56	-	40	0.4 %	0.6%
57	-	31	0.3 %	0.5%
58	-	24	0.2 %	0.4%
59	-	42	0.4 %	0.7%
60	-	18	0.2 %	0.3%
61	-	16	0.2 %	0.3%
62	-	23	0.2 %	0.4%
63	-	30	0.3 %	0.5%
64	-	33	0.3 %	0.5%
65	-	14	0.1 %	0.2%
66	-	12	0.1 %	0.2%
67	-	26	0.2 %	0.4%
68	-	10	0.1 %	0.2%
69	-	15	0.1 %	0.2%
70	-	12	0.1 %	0.2%
71	-	9	0.1 %	0.1%
72	-	14	0.1 %	0.2%

Variable	Variable Description
----------	----------------------

RAGE16	Respondent age 16th quarter (cont.)
--------	-------------------------------------

Value	Label	Frequency	%	Valid %
73	-	9	0.1 %	0.1%
74	-	20	0.2 %	0.3%
75	-	9	0.1 %	0.1%
76	-	12	0.1 %	0.2%
77	-	5	0.0 %	0.1%
78	-	8	0.1 %	0.1%
79	-	6	0.1 %	0.1%
80	-	5	0.0 %	0.1%
81	-	5	0.0 %	0.1%
82	-	4	0.0 %	0.1%
83	-	2	0.0 %	0.0%
84	-	8	0.1 %	0.1%
85	-	1	0.0 %	0.0%
87	-	1	0.0 %	0.0%
88	-	1	0.0 %	0.0%
89	-	3	0.0 %	0.0%
90	-	1	0.0 %	0.0%
91	-	1	0.0 %	0.0%
92	-	1	0.0 %	0.0%
108	-	1	0.0 %	0.0%

Valid	Min	Max	Mean	Stdev
6370	14.00	108.00	32.09	13.83

RAGE17	Respondent age 17th quarter
--------	-----------------------------

Start: 237  
 End: 239  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -1

Value	Label	Frequency	%	Valid %
-1 (M)	Inappropriate	4250	40.4 %	-
14	-	23	0.2 %	0.4%
15	-	139	1.3 %	2.2%
16	-	169	1.6 %	2.7%
17	-	229	2.2 %	3.6%
18	-	198	1.9 %	3.2%
19	-	274	2.6 %	4.4%
20	-	283	2.7 %	4.5%

Variable	Variable Description
----------	----------------------

RAGE17	Respondent age 17th quarter ( <i>cont.</i> )
--------	--

Value	Label	Frequency	%	Valid %
21	-	305	2.9 %	4.9%
22	-	286	2.7 %	4.6%
23	-	234	2.2 %	3.7%
24	-	240	2.3 %	3.8%
25	-	195	1.9 %	3.1%
26	-	186	1.8 %	3.0%
27	-	184	1.7 %	2.9%
28	-	179	1.7 %	2.9%
29	-	201	1.9 %	3.2%
30	-	156	1.5 %	2.5%
31	-	146	1.4 %	2.3%
32	-	171	1.6 %	2.7%
33	-	129	1.2 %	2.1%
34	-	147	1.4 %	2.3%
35	-	134	1.3 %	2.1%
36	-	129	1.2 %	2.1%
37	-	125	1.2 %	2.0%
38	-	101	1.0 %	1.6%
39	-	139	1.3 %	2.2%
40	-	112	1.1 %	1.8%
41	-	100	0.9 %	1.6%
42	-	92	0.9 %	1.5%
43	-	92	0.9 %	1.5%
44	-	106	1.0 %	1.7%
45	-	84	0.8 %	1.3%
46	-	87	0.8 %	1.4%
47	-	74	0.7 %	1.2%
48	-	58	0.6 %	0.9%
49	-	81	0.8 %	1.3%
50	-	70	0.7 %	1.1%
51	-	25	0.2 %	0.4%
52	-	43	0.4 %	0.7%
53	-	22	0.2 %	0.4%

Variable	Variable Description
----------	----------------------

RAGE17	Respondent age 17th quarter ( <i>cont.</i> )
--------	--

Value	Label	Frequency	%	Valid %
54	-	39	0.4 %	0.6%
55	-	27	0.3 %	0.4%
56	-	40	0.4 %	0.6%
57	-	28	0.3 %	0.4%
58	-	24	0.2 %	0.4%
59	-	42	0.4 %	0.7%
60	-	18	0.2 %	0.3%
61	-	15	0.1 %	0.2%
62	-	23	0.2 %	0.4%
63	-	29	0.3 %	0.5%
64	-	31	0.3 %	0.5%
65	-	11	0.1 %	0.2%
66	-	11	0.1 %	0.2%
67	-	26	0.2 %	0.4%
68	-	11	0.1 %	0.2%
69	-	16	0.2 %	0.3%
70	-	11	0.1 %	0.2%
71	-	10	0.1 %	0.2%
72	-	17	0.2 %	0.3%
73	-	8	0.1 %	0.1%
74	-	19	0.2 %	0.3%
75	-	10	0.1 %	0.2%
76	-	13	0.1 %	0.2%
77	-	4	0.0 %	0.1%
78	-	7	0.1 %	0.1%
79	-	7	0.1 %	0.1%
80	-	4	0.0 %	0.1%
81	-	4	0.0 %	0.1%
82	-	4	0.0 %	0.1%
83	-	3	0.0 %	0.0%
84	-	7	0.1 %	0.1%
85	-	1	0.0 %	0.0%
87	-	1	0.0 %	0.0%

Variable	Variable Description
----------	----------------------

RAGE17	Respondent age 17th quarter (cont.)
--------	-------------------------------------

Value	Label	Frequency	%	Valid %
88	-	1	0.0 %	0.0%
89	-	3	0.0 %	0.0%
90	-	1	0.0 %	0.0%
91	-	1	0.0 %	0.0%
92	-	1	0.0 %	0.0%
108	-	1	0.0 %	0.0%
<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
6277	14.00	108.00	32.07	13.86

RAGE18	Respondent age 18th quarter
--------	-----------------------------

Start: 240  
 End: 242  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -1

Value	Label	Frequency	%	Valid %
-1 (M)	Inappropriate	4242	40.3 %	-
15	-	22	0.2 %	0.4%
16	-	131	1.2 %	2.1%
17	-	160	1.5 %	2.5%
18	-	232	2.2 %	3.7%
19	-	193	1.8 %	3.1%
20	-	290	2.8 %	4.6%
21	-	286	2.7 %	4.6%
22	-	311	3.0 %	4.9%
23	-	284	2.7 %	4.5%
24	-	222	2.1 %	3.5%
25	-	241	2.3 %	3.8%
26	-	201	1.9 %	3.2%
27	-	184	1.7 %	2.9%
28	-	183	1.7 %	2.9%
29	-	175	1.7 %	2.8%
30	-	212	2.0 %	3.4%
31	-	154	1.5 %	2.5%
32	-	144	1.4 %	2.3%
33	-	174	1.7 %	2.8%
34	-	128	1.2 %	2.0%
35	-	149	1.4 %	2.4%

Variable	Variable Description
----------	----------------------

RAGE18	Respondent age 18th quarter ( <i>cont.</i> )
--------	--

Value	Label	Frequency	%	Valid %
36	-	131	1.2 %	2.1%
37	-	127	1.2 %	2.0%
38	-	126	1.2 %	2.0%
39	-	102	1.0 %	1.6%
40	-	147	1.4 %	2.3%
41	-	111	1.1 %	1.8%
42	-	100	0.9 %	1.6%
43	-	93	0.9 %	1.5%
44	-	93	0.9 %	1.5%
45	-	104	1.0 %	1.7%
46	-	83	0.8 %	1.3%
47	-	89	0.8 %	1.4%
48	-	74	0.7 %	1.2%
49	-	58	0.6 %	0.9%
50	-	82	0.8 %	1.3%
51	-	68	0.6 %	1.1%
52	-	25	0.2 %	0.4%
53	-	43	0.4 %	0.7%
54	-	22	0.2 %	0.4%
55	-	40	0.4 %	0.6%
56	-	28	0.3 %	0.4%
57	-	41	0.4 %	0.7%
58	-	30	0.3 %	0.5%
59	-	24	0.2 %	0.4%
60	-	41	0.4 %	0.7%
61	-	18	0.2 %	0.3%
62	-	16	0.2 %	0.3%
63	-	22	0.2 %	0.4%
64	-	30	0.3 %	0.5%
65	-	32	0.3 %	0.5%
66	-	11	0.1 %	0.2%
67	-	12	0.1 %	0.2%
68	-	25	0.2 %	0.4%

Variable	Variable Description
----------	----------------------

RAGE18	Respondent age 18th quarter (cont.)
--------	-------------------------------------

Value	Label	Frequency	%	Valid %
69	-	12	0.1 %	0.2%
70	-	15	0.1 %	0.2%
71	-	10	0.1 %	0.2%
72	-	9	0.1 %	0.1%
73	-	16	0.2 %	0.3%
74	-	8	0.1 %	0.1%
75	-	17	0.2 %	0.3%
76	-	9	0.1 %	0.1%
77	-	13	0.1 %	0.2%
78	-	4	0.0 %	0.1%
79	-	7	0.1 %	0.1%
80	-	7	0.1 %	0.1%
81	-	5	0.0 %	0.1%
82	-	3	0.0 %	0.0%
83	-	4	0.0 %	0.1%
84	-	4	0.0 %	0.1%
85	-	7	0.1 %	0.1%
86	-	1	0.0 %	0.0%
88	-	1	0.0 %	0.0%
89	-	1	0.0 %	0.0%
90	-	3	0.0 %	0.0%
91	-	2	0.0 %	0.0%
92	-	1	0.0 %	0.0%
93	-	1	0.0 %	0.0%
109	-	1	0.0 %	0.0%

Valid	Min	Max	Mean	Stdev
6285	15.00	109.00	33.10	13.84

PREG1	Pregnant 1st quarter
-------	----------------------

Start: 243  
 End: 243  
 Width: 1  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 9

Value	Label	Frequency	%	Valid %
0	No pregnant	4800	45.6 %	98.2%
1	Pregnant	87	0.8 %	1.8%
9 (M)	Inapplicable	5640	53.6 %	-

Variable	Variable Description
----------	----------------------

PREG1	Pregnant 1st quarter (cont.)
-------	------------------------------

Valid	Min	Max	Mean	Stdev
4887	0.00	1.00	0.02	0.13

PREG2	Pregnant 2nd quarter
-------	----------------------

Start: 244  
End: 244  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	No pregnant	5084	48.3 %	97.3%
1	Pregnant	142	1.3 %	2.7%
9 (M)	Inapplicable	5301	50.4 %	-

Valid	Min	Max	Mean	Stdev
5226	0.00	1.00	0.03	0.16

PREG3	Pregnant 3rd quarter
-------	----------------------

Start: 245  
End: 245  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	No pregnant	5163	49.0 %	97.0%
1	Pregnant	158	1.5 %	3.0%
9 (M)	Inapplicable	5206	49.5 %	-

Valid	Min	Max	Mean	Stdev
5321	0.00	1.00	0.03	0.17

PREG4	Pregnant 4th quarter
-------	----------------------

Start: 246  
End: 246  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	No pregnant	5222	49.6 %	97.2%
1	Pregnant	150	1.4 %	2.8%
9 (M)	Inapplicable	5155	49.0 %	-

Valid	Min	Max	Mean	Stdev
5372	0.00	1.00	0.03	0.16

PREG5	Pregnant 5th quarter
-------	----------------------

Start: 247  
End: 247  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	No pregnant	5251	49.9 %	96.7%
1	Pregnant	181	1.7 %	3.3%
9 (M)	Inapplicable	5095	48.4 %	-



Variable	Variable Description
----------	----------------------

PREG5	Pregnant 5th quarter (cont.)
-------	------------------------------

Valid	Min	Max	Mean	Stdev
5432	0.00	1.00	0.03	0.18

PREG6	Pregnant 6th quarter
-------	----------------------

Start: 248  
End: 248  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	No pregnant	5497	52.2 %	96.0%
1	Pregnant	231	2.2 %	4.0%
9 (M)	Inapplicable	4799	45.6 %	-

Valid	Min	Max	Mean	Stdev
5728	0.00	1.00	0.04	0.20

PREG7	Pregnant 7th quarter
-------	----------------------

Start: 249  
End: 249  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	No pregnant	5070	48.2 %	95.5%
1	Pregnant	237	2.3 %	4.5%
9 (M)	Inapplicable	5220	49.6 %	-

Valid	Min	Max	Mean	Stdev
5307	0.00	1.00	0.04	0.21

PREG8	Pregnant 8th quarter
-------	----------------------

Start: 250  
End: 250  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	No pregnant	5149	48.9 %	95.9%
1	Pregnant	219	2.1 %	4.1%
9 (M)	Inapplicable	5159	49.0 %	-

Valid	Min	Max	Mean	Stdev
5368	0.00	1.00	0.04	0.20

PREG9	Pregnant 9th quarter
-------	----------------------

Start: 251  
End: 251  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	No pregnant	5162	49.0 %	95.6%
1	Pregnant	235	2.2 %	4.4%
9 (M)	Inapplicable	5130	48.7 %	-

Variable	Variable Description
----------	----------------------

PREG9	Pregnant 9th quarter (cont.)
-------	------------------------------

Valid	Min	Max	Mean	Stdev
5397	0.00	1.00	0.04	0.20

PREG10	Pregnant 10th quarter
--------	-----------------------

Start: 252  
End: 252  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	No pregnant	5139	48.8 %	95.1%
1	Pregnant	264	2.5 %	4.9%
9 (M)	Inapplicable	5124	48.7 %	-

Valid	Min	Max	Mean	Stdev
5403	0.00	1.00	0.05	0.22

PREG11	Pregnant 11th quarter
--------	-----------------------

Start: 253  
End: 253  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	No pregnant	4478	42.5 %	95.8%
1	Pregnant	194	1.8 %	4.2%
9 (M)	Inapplicable	5855	55.6 %	-

Valid	Min	Max	Mean	Stdev
4672	0.00	1.00	0.04	0.20

PREG12	Pregnant 12th quarter
--------	-----------------------

Start: 254  
End: 254  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	No pregnant	4378	41.6 %	96.5%
1	Pregnant	159	1.5 %	3.5%
9 (M)	Inapplicable	5990	56.9 %	-

Valid	Min	Max	Mean	Stdev
4537	0.00	1.00	0.04	0.18

PREG13	Pregnant 13th quarter
--------	-----------------------

Start: 255  
End: 255  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	No pregnant	4302	40.9 %	96.6%
1	Pregnant	151	1.4 %	3.4%
9 (M)	Inapplicable	6074	57.7 %	-

Variable	Variable Description
----------	----------------------

PREG13	Pregnant 13th quarter (cont.)
--------	-------------------------------

Valid	Min	Max	Mean	Stdev
4453	0.00	1.00	0.03	0.18

PREG14	Pregnant 14th quarter
--------	-----------------------

Start: 256  
End: 256  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	No pregnant	4383	41.6 %	96.2%
1	Pregnant	175	1.7 %	3.8%
9 (M)	Inapplicable	5969	56.7 %	-

Valid	Min	Max	Mean	Stdev
4558	0.00	1.00	0.04	0.19

PREG15	Pregnant 15th quarter
--------	-----------------------

Start: 257  
End: 257  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	No pregnant	4368	41.5 %	95.7%
1	Pregnant	196	1.9 %	4.3%
9 (M)	Inapplicable	5963	56.6 %	-

Valid	Min	Max	Mean	Stdev
4564	0.00	1.00	0.04	0.20

PREG16	Pregnant 16th quarter
--------	-----------------------

Start: 258  
End: 258  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	No pregnant	4375	41.6 %	96.0%
1	Pregnant	182	1.7 %	4.0%
9 (M)	Inapplicable	5970	56.7 %	-

Valid	Min	Max	Mean	Stdev
4557	0.00	1.00	0.04	0.20

PREG17	Pregnant 17th quarter
--------	-----------------------

Start: 259  
End: 259  
Width: 1  
Type: numeric (ISO)  
Interval: discrete  
Missing: 9

Value	Label	Frequency	%	Valid %
0	No pregnant	4343	41.3 %	96.0%
1	Pregnant	183	1.7 %	4.0%
9 (M)	Inapplicable	6001	57.0 %	-

Variable	Variable Description
----------	----------------------

PREG17	Pregnant 17th quarter ( <i>cont.</i> )
--------	--

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
4526	0.00	1.00	0.04	0.20

PREG18	Pregnant 18th quarter
--------	-----------------------

Start: 260  
 End: 260  
 Width: 1  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No pregnant	4362	41.4 %	95.7%
1	Pregnant	198	1.9 %	4.3%
9 (M)	Inapplicable	5967	56.7 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
4560	0.00	1.00	0.04	0.20

## Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

**Table 1: Distribution of Variables by Percentage of Missing Values--Family Planning Data - Public Use**

Variable Name and Label (Total Cases = 10527 )		Percent of Cases with Missing Values
0.9% ( 2 of 218 variables)	have 0% Missing Values	
0.0% ( 0 of 218 variables)	have 0% - 1% Missing Values	
0.0% ( 0 of 218 variables)	have 1% - 3% Missing Values	
0.0% ( 0 of 218 variables)	have 3% - 5% Missing Values	
0.0% ( 0 of 218 variables)	have 5% - 10% Missing Values	
0.0% ( 0 of 218 variables)	have 10% - 20% Missing Values	
6.9% ( 15 of 218 variables)	have 20% - 40% Missing Values	
RSTER6	Respondent sterilization 6th quarter	39.3%
RAGE2	Respondent age 2nd quarter	38.8%
RAGE3	Respondent age 3rd quarter	36.5%
RAGE4	Respondent age 4th quarter	34.4%
RAGE5	Respondent age 5th quarter	32.0%
RAGE6	Respondent age 6th quarter	29.5%
RAGE7	Respondent age 7th quarter	27.7%
RAGE8	Respondent age 8th quarter	25.9%
RAGE9	Respondent age 9th quarter	24.4%
RAGE10	Respondent age 10th quarter	23.0%
RAGE11	Respondent age 11th quarter	22.3%
RAGE12	Respondent age 12th quarter	21.5%
RAGE13	Respondent age 13th quarter	25.7%
RAGE14	Respondent age 14th quarter	39.0%
RAGE16	Respondent age 16th quarter	39.5%
92.2% ( 201 of 218 variables)	have 40% - 99% Missing Values	
ABSTN1	Abstinence use 1st quarter	53.7%
ABSTN2	Abstinence use 2nd quarter	50.9%

**Table 1: Distribution of Variables by Percentage of Missing Values--Family Planning Data - Public Use**

Variable Name and Label (Total Cases = 10527 )	Percent of Cases with Missing Values	
ABSTN3	Abstinence use 3rd quarter	50.0%
ABSTN4	Abstinence use 4th quarter	49.6%
ABSTN5	Abstinence use 5th quarter	49.0%
ABSTN6	Abstinence use 6th quarter	46.8%
ABSTN7	Abstinence use 7th quarter	50.7%
ABSTN8	Abstinence use 8th quarter	49.8%
ABSTN9	Abstinence use 9th quarter	49.9%
ABSTN10	Abstinence use 10th quarter	50.0%
ABSTN11	Abstinence use 11th quarter	56.5%
ABSTN12	Abstinence use 12th quarter	57.6%
ABSTN13	Abstinence use 13th quarter	58.4%
ABSTN14	Abstinence use 14th quarter	57.5%
ABSTN15	Abstinence use 15th quarter	57.6%
ABSTN16	Abstinence use 16th quarter	57.6%
ABSTN17	Abstinence use 17th quarter	57.9%
ABSTN18	Abstinence use 18th quarter	57.8%
CONDM1	Condom use 1st quarter	53.7%
CONDM2	Condom use 2nd quarter	50.9%
CONDM3	Condom use 3rd quarter	50.0%
CONDM4	Condom use 4th quarter	49.6%
CONDM5	Condom use 5th quarter	49.0%
CONDM6	Condom use 6th quarter	46.8%
CONDM7	Condom use 7th quarter	50.7%
CONDM8	Condom use 8th quarter	49.8%
CONDM9	Condom use 9th quarter	49.9%
CONDM10	Condom use 10th quarter	50.0%
CONDM11	Condom use 11th quarter	56.5%
CONDM12	Condom use 12th quarter	57.6%
CONDM13	Condom use 13th quarter	58.4%
CONDM14	Condom use 14th quarter	57.5%
CONDM15	Condom use 15th quarter	57.6%
CONDM16	Condom use 16th quarter	57.6%
CONDM17	Condom use 17th quarter	57.9%

**Table 1: Distribution of Variables by Percentage of Missing Values--Family Planning Data - Public Use**

Variable Name and Label (Total Cases = 10527 )	Percent of Cases with Missing Values
CONDM18	Condom use 18th quarter 57.8%
DEPO1	Depo-Provera use 1st quarter 53.7%
DEPO2	Depo-Provera use 2nd quarter 50.9%
DEPO3	Depo-Provera use 3rd quarter 50.0%
DEPO4	Depo-Provera use 4th quarter 49.6%
DEPO5	Depo-Provera use 5th quarter 49.0%
DEPO6	Depo-Provera use 6th quarter 46.8%
DEPO7	Depo-Provera use 7th quarter 50.7%
DEPO8	Depo-Provera use 8th quarter 49.8%
DEPO9	Depo-Provera use 9th quarter 49.9%
DEPO10	Depo-Provera use 10th quarter 50.0%
DEPO11	Depo-Provera use 11th quarter 56.5%
DEPO12	Depo-Provera use 12th quarter 57.6%
DEPO13	Depo-Provera use 13th quarter 58.4%
DEPO14	Depo-Provera use 14th quarter 57.5%
DEPO15	Depo-Provera use 15th quarter 57.6%
DEPO16	Depo-Provera use 16th quarter 57.6%
DEPO17	Depo-Provera use 17th quarter 57.9%
DEPO18	Depo-Provera use 18th quarter 57.8%
FOAM1	Spermicidal foam use 1st quarter 53.7%
FOAM2	Spermicidal foam use 2nd quarter 50.9%
FOAM3	Spermicidal foam use 3rd quarter 50.0%
FOAM4	Spermicidal foam use 4th quarter 49.6%
FOAM5	Spermicidal foam use 5th quarter 49.0%
FOAM6	Spermicidal foam use 6th quarter 50.8%
FOAM7	Spermicidal foam use 7th quarter 50.7%
FOAM8	Spermicidal foam use 8th quarter 49.8%
FOAM9	Spermicidal foam use 9th quarter 49.9%
FOAM10	Spermicidal foam use 10th quarter 50.0%
FOAM11	Spermicidal foam use 11th quarter 56.5%
FOAM12	Spermicidal foam use 12th quarter 58.1%
FOAM13	Spermicidal foam use 13th quarter 58.4%
FOAM14	Spermicidal foam use 14th quarter 57.5%

**Table 1: Distribution of Variables by Percentage of Missing Values--Family Planning Data - Public Use**

Variable Name and Label (Total Cases = 10527 )		Percent of Cases with Missing Values
FOAM15	Spermicidal foam use 15th quarter	57.6%
FOAM16	Spermicidal foam use 16th quarter	57.6%
FOAM17	Spermicidal foam use 17th quarter	57.9%
FOAM18	Spermicidal foam use 18th quarter	57.8%
IUDLP1	IUD use 1st quarter	53.7%
IUDLP2	IUD use 2nd quarter	50.9%
IUDLP3	IUD use 3rd quarter	50.0%
IUDLP4	IUD use 4th quarter	49.6%
IUDLP5	IUD use 5th quarter	49.0%
IUDLP6	IUD use 6th quarter	46.8%
IUDLP7	IUD use 7th quarter	50.7%
IUDLP8	IUD use 8th quarter	49.8%
IUDLP9	IUD use 9th quarter	49.9%
IUDLP10	IUD use 10th quarter	50.0%
IUDLP11	IUD use 11th quarter	56.5%
IUDLP12	IUD use 12th quarter	57.6%
IUDLP13	IUD use 13th quarter	58.4%
IUDLP14	IUD use 14th quarter	57.5%
IUDLP15	IUD use 15th quarter	57.6%
IUDLP16	IUD use 16th quarter	57.6%
IUDLP17	IUD use 17th quarter	57.9%
IUDLP18	IUD use 18th quarter	57.8%
NRPLNT1	Norplant use 1st quarter	53.7%
NRPLNT2	Norplant use 2nd quarter	50.9%
NRPLNT3	Norplant use 3rd quarter	50.0%
NRPLNT4	Norplant use 4th quarter	49.6%
NRPLNT5	Norplant use 5th quarter	49.0%
NRPLNT6	Norplant use 6th quarter	46.8%
NRPLNT7	Norplant use 7th quarter	50.7%
NRPLNT8	Norplant use 8th quarter	49.8%
NRPLNT9	Norplant use 9th quarter	49.9%
NRPLNT10	Norplant use 10th quarter	50.0%
NRPLNT11	Norplant use 11th quarter	56.5%



**Table 1: Distribution of Variables by Percentage of Missing Values--Family Planning Data - Public Use**

Variable Name and Label (Total Cases = 10527 )		Percent of Cases with Missing Values
NRPLNT12	Norplant use 12th quarter	57.6%
NRPLNT13	Norplant use 13th quarter	58.4%
NRPLNT14	Norplant use 14th quarter	57.5%
NRPLNT15	Norplant use 15th quarter	57.6%
NRPLNT16	Norplant use 16th quarter	57.6%
NRPLNT17	Norplant use 17th quarter	57.9%
NRPLNT18	Norplant use 18th quarter	57.8%
OTHER1	Other birth control use 1st quarter	53.7%
OTHER2	Other birth control use 2nd quarter	50.9%
OTHER3	Other birth control use 3rd quarter	50.0%
OTHER4	Other birth control use 4th quarter	49.6%
OTHER5	Other birth control use 5th quarter	49.0%
OTHER6	Other birth control use 6th quarter	46.8%
OTHER7	Other birth control use 7th quarter	50.7%
OTHER8	Other birth control use 8th quarter	49.8%
OTHER9	Other birth control use 9th quarter	49.9%
OTHER10	Other birth control use 10th quarter	50.0%
OTHER11	Other birth control use 11th quarter	56.5%
OTHER12	Other birth control use 12th quarter	57.6%
OTHER13	Other birth control use 13th quarter	58.4%
OTHER14	Other birth control use 14th quarter	57.5%
OTHER15	Other birth control use 15th quarter	57.6%
OTHER16	Other birth control use 16th quarter	57.6%
OTHER17	Other birth control use 17th quarter	57.9%
OTHER18	Other birth control use 18th quarter	57.8%
PILLS1	Pill use 1st quarter	53.7%
PILLS2	Pill use 2nd quarter	50.9%
PILLS3	Pill use 3rd quarter	50.0%
PILLS4	Pill use 4th quarter	49.6%
PILLS5	Pill use 5th quarter	49.0%
PILLS6	Pill use 6th quarter	46.8%
PILLS7	Pill use 7th quarter	50.7%
PILLS8	Pill use 8th quarter	49.8%

**Table 1: Distribution of Variables by Percentage of Missing Values--Family Planning Data - Public Use**

Variable Name and Label (Total Cases = 10527 )		Percent of Cases with Missing Values
PILLS9	Pill use 9th quarter	49.9%
PILLS10	Pill use 10th quarter	50.0%
PILLS11	Pill use 11th quarter	56.5%
PILLS12	Pill use 12th quarter	57.6%
PILLS13	Pill use 13th quarter	58.4%
PILLS14	Pill use 14th quarter	57.5%
PILLS15	Pill use 15th quarter	57.6%
PILLS16	Pill use 16th quarter	57.6%
PILLS17	Pill use 17th quarter	57.9%
PILLS18	Pill use 18th quarter	57.8%
RSTER1	Respondent sterilization 1st quarter	48.0%
RSTER2	Respondent sterilization 2nd quarter	44.8%
RSTER3	Respondent sterilization 3rd quarter	43.4%
RSTER4	Respondent sterilization 4th quarter	42.6%
RSTER5	Respondent sterilization 5th quarter	41.7%
RSTER7	Respondent sterilization 7th quarter	42.9%
RSTER8	Respondent sterilization 8th quarter	41.6%
RSTER9	Respondent sterilization 9th quarter	41.4%
RSTER10	Respondent sterilization 10th quarter	41.5%
RSTER11	Respondent sterilization 11th quarter	47.8%
RSTER12	Respondent sterilization 12th quarter	48.6%
RSTER13	Respondent sterilization 13th quarter	49.1%
RSTER14	Respondent sterilization 14th quarter	48.0%
RSTER15	Respondent sterilization 15th quarter	47.9%
RSTER16	Respondent sterilization 16th quarter	47.6%
RSTER17	Respondent sterilization 17th quarter	47.4%
RSTER18	Respondent sterilization 18th quarter	47.1%
SSTER1	Spouse sterilization 1st quarter	53.7%
SSTER2	Spouse sterilization 2nd quarter	50.9%
SSTER3	Spouse sterilization 3rd quarter	50.0%
SSTER4	Spouse sterilization 4th quarter	49.6%
SSTER5	Spouse sterilization 5th quarter	49.0%
SSTER6	Spouse sterilization 6th quarter	46.8%

**Table 1: Distribution of Variables by Percentage of Missing Values--Family Planning Data - Public Use**

Variable Name and Label (Total Cases = 10527 )		Percent of Cases with Missing Values
SSTER7	Spouse sterilization 7th quarter	50.7%
SSTER8	Spouse sterilization 8th quarter	49.8%
SSTER9	Spouse sterilization 9th quarter	49.9%
SSTER10	Spouse sterilization 10th quarter	50.0%
SSTER11	Spouse sterilization 11th quarter	56.5%
SSTER12	Spouse sterilization 12th quarter	57.6%
SSTER13	Spouse sterilization 13th quarter	58.4%
SSTER14	Spouse sterilization 14th quarter	57.5%
SSTER15	Spouse sterilization 15th quarter	57.6%
SSTER16	Spouse sterilization 16th quarter	57.6%
SSTER17	Spouse sterilization 17th quarter	57.9%
SSTER18	Spouse sterilization 18th quarter	57.8%
RAGE1	Respondent age 1st quarter	42.2%
RAGE15	Respondent age 15th quarter	40.1%
RAGE17	Respondent age 17th quarter	40.4%
RAGE18	Respondent age 18th quarter	40.3%
PREG1	Pregnant 1st quarter	53.6%
PREG2	Pregnant 2nd quarter	50.4%
PREG3	Pregnant 3rd quarter	49.5%
PREG4	Pregnant 4th quarter	49.0%
PREG5	Pregnant 5th quarter	48.4%
PREG6	Pregnant 6th quarter	45.6%
PREG7	Pregnant 7th quarter	49.6%
PREG8	Pregnant 8th quarter	49.0%
PREG9	Pregnant 9th quarter	48.7%
PREG10	Pregnant 10th quarter	48.7%
PREG11	Pregnant 11th quarter	55.6%
PREG12	Pregnant 12th quarter	56.9%
PREG13	Pregnant 13th quarter	57.7%
PREG14	Pregnant 14th quarter	56.7%
PREG15	Pregnant 15th quarter	56.6%
PREG16	Pregnant 16th quarter	56.7%
PREG17	Pregnant 17th quarter	57.0%

**Table 1: Distribution of Variables by Percentage of Missing Values--Family Planning Data - Public Use**

<b>Variable Name and Label (Total Cases = 10527 )</b>		<b>Percent of Cases with Missing Values</b>
PREG18	Pregnant 18th quarter	56.7%
0.0% ( 0 of 218 variables)	have 100% missing values	

1. Monthly contraceptive use data come from the individual interview of household members residing in 151 CVFS sample neighborhoods in 1996. Beginning in February of 1997, interviewers visited each member of the household age 12 and older for males and age 12 to 45 for females and collected information on their contraceptive use on a monthly basis. Furthermore, individual members who moved out of the sample households have been followed over time. The monthly contraceptive use data also adds new members to the sample when they move into a sample neighborhood.
2. With the introduction of new human subject regulation beginning in month 16 the contraceptive use information was collected only from individuals ages 18 and older at the time of the interview. With this change in data collection protocol we had to stop interviewing the individuals who were younger than 18 years. However, information about monthly contraceptive use was then collected retrospectively once the respondent turned 18.
3. A collapsed contraceptive use data file from the 54-month data file was created for public release. This file takes the month by month family planning data over the 54 months of the data collection and collapses the data into 18 periods consisting of 3 months each. There are contraceptive use, age, and pregnancy data for each of these 18 quarterly periods. For each variable, each period is numbered 1-18, with each index number referring to the same 3 months in time. (These quarterly periods do not slide from respondent to respondent).
4. The original 54-month data used a detailed coding scheme for each contraceptive method consisting of 18 codes. When collapsing into the 18 quarterly periods, 8 of the 10 contraceptive methods variables (abstinence, condoms, Depo-Provera, IUD, Norplant, foam, birth control pills, and “other methods”) were recoded into 3 categories (using, not using, and inapplicable), using the following set of rules:

If the respondent was using the method in any month out of the 3, the entire quarterly period was coded as 1 (using the method), regardless of the codes in any other month.

If there were no occurrences of the respondent using the method, but there was at least one month where the respondent was coded 0 (not using method), then the period was coded as 0 (not using).

Any other combination that did not include either 1 (using) or 0 (not using) was coded as 9 (inapplicable), which was a catch-all category to encompass any quarter where the respondent was not at risk of becoming pregnant due to age, pregnancy, not living in the household, as well as any quarter in which the respondent was not interviewed in any month, regardless of the cause.

5. Respondent sterilization and respondent’s spouse sterilization, were coded using the same rules with the additional codes of R (respondent sterilization) and S (spouse’s sterilization) considered to be “using method” for the two methods, respectively, and were thus coded as 1 (using method) for the appropriate quarter if these codes were found in any of the 3 contiguous months.
6. Similar to the contraceptive method collapsing, the pregnancy data was collapsed into 18 quarters consisting of 3 categories (pregnant, not pregnant, or inapplicable). If the respondent reported being pregnant in any month of the 3, the period was coded as 1 (pregnant). If the respondent did not report using birth control, but reported either “using” or “not using” (birth control data code= 0 or 1), then the quarter was coded as 0 (not pregnant). Any other combination of codes was coded as 9 (inapplicable).
7. Variables in the dataset not discussed in this appendix required no recoding, and were included as-is from the monthly dataset.



# Instrument

# FAMILY PLANNING SHEET

Neighborhood No:

Household No:

Respondent's Name: \_\_\_\_\_

Respondent No:

Iné Sex:  M  F

Age:    <sup>053</sup>

<sup>054</sup>

<sup>055</sup>

Nameste ! My name is ..... Last time we talked (about your family/to you about family planning). This time also, I have come from the Chitwan Valley Family Study, Rampur. Today, I have come to know whether you/your spouse, or your sex partner have used any contraceptive means and methods since we talked last time to update our record.

This interview is completely voluntary. Even so, your co-operation has immense importance to make the study a success. If we should come to a question which you don't want to answer, just let me know and we will go to the next question.

**Thanks for your co-operation.**

- ❖ At that time you were using/not using .....
- ❖ Are you/your spouse/sex partner using ..... for last three months ?
- ❖ Which month did you use ?

Starting Time:																				Starting Time:		
Interviewer No:																				Interviewer No:		
Date:																				Date:		
S.No	Means	Last Time	Magh 1	Falgun 2	Chaitra 3	Baishak 4	Jestha 5	Ashad 6	Shrawar 7	Bhadra 8	Ashoj 9	Kartik 10	Mangsir 11	Pous 12	Magh 13	Falgun 14	Chaitra 15	Baishak 16	Jestha 17	Ashad 18	S.No	Means
1	Pills																				1	Pills
2	Depo																				2	Depo
3	Condom/Dhal																				3	Condom/Dhal
4	Foam																				4	Foam
5	I.U.D./Loop																				5	I.U.D./Loop
6	Narplant																				6	Narplant
7	Abstinence																				7	Abstinence
8	R. sterilization																				8	R. sterilization
9	S. sterilization																				9	S. sterilization
10	Other Methods																				10	Other Methods
Ending Time:																				Ending Time:		







# Data Producer Codebook

# Family Planning

Data Set Name: fp54\_p.ssd01

Unit of observation: individual

Number of observations: 10,527

Number of variables: 218

Unique identifier: respid

Response rate: 92%

Data Format: sas for unix

Sample: \*

Record length: 838

File structure: rectangular

Data collection: February 1997 to June 2002

Date: 09/13/2006

Related publications:

Barber, Jennifer S. and William G. Axinn. 2004. "New Ideas and Fertility Limitation: The Role of Mass Media." Journal of Marriage and Family 66:1180-1200.

\*Barber, Jennifer S., Ganesh P. Shivakoti, William G. Axinn, and Kishor Gajurel. 1997. "Sampling Strategies for Rural Settings: A Detailed Example from Chitwan Valley Family Study, Nepal." Nepal Population Journal 6(5):193-203.

Shrestha, Sundar S., Sujan Shrestha, and Ann E. Biddlecom. 2006. "The Household Registration System: Methods and Issues in Collecting Continuous Data on Demographic Events." Working paper.

## Family Planning

<b>RESPID</b>			
<b>respondent id</b>	[0010101-1511202]	Respondent's ID	10527
<b>RAGE1–RAGE18</b>	Respondent's age.		
<b>age of respondent</b>	[10-109]	Age in years	
	.	Inappropriate	
<b>GENDER</b>			
<b>respondent gender</b>	1	Female	4846
	0	Male	5681
<b>PREG1-PREG18</b>	Pregnancy monthly events.		
<b>pregnancy status</b>	0	Not pregnant	
	1	Pregnant	
	9	Inapplicable	
<b>PILLS1–PILLS18</b>	Pill monthly events.		
<b>Use of Pill</b>	0	Not using method	
	1	Using method	
	9	Inapplicable	
<b>DEPO1–DEPO18</b>	Depo-Provera monthly events.		
<b>Use of Depo-Provera</b>	0	Not using method	
	1	Using method	
	9	Inapplicable	
<b>CONDM1–CONDM18</b>	Condom monthly events.		
<b>Use of condom</b>	0	Not using method	
	1	Using method	
	9	Inapplicable	
<b>FOAM1–FOAM18</b>	Spermicidal foam monthly events.		
<b>Use of spermicidal foam</b>	0	Not using method	
	1	Using method	
	9	Inapplicable	
<b>IUDLP1–IUDLP18</b>	IUD monthly events.		
<b>Use of IUD</b>	0	Not using method	
	1	Using method	
	9	Inapplicable	

## Family Planning

<b>NRPLNT1– NRPLNT18</b>  <b>Use of Norplant</b>	Norplant monthly events.  0    Not using method 1    Using method 9    Inapplicable
<b>ABSTN1 – ABSTN18</b>  <b>Use of abstinence</b>	Abstinence monthly events.  0    Not using method 1    Using method 9    Inapplicable
<b>RSTER1– RSTER18</b>  <b>Respondent sterilization</b>	Respondent sterilization monthly events.  0    Not using method 1    Using method 9    Inapplicable
<b>SSTER1–SSTER18</b>  <b>Spouse sterilization</b>	Spouse's sterilization monthly events.  0    Not using method 1    Using method 9    Inapplicable
<b>OTHER1– OTHER18</b>  <b>Use of Other method</b>	Other birth control monthly events.  0    Not using method  1    Using method 9    Inapplicable

# Family Planning

## APPENDIX

1. Monthly contraceptive use data come from the individual interview of household members residing in 151 CVFS sample neighborhoods in 1996. Beginning in February of 1997, interviewers visited each member of the household age 12 and older for males and age 12 to 45 for females and collected information on their contraceptive use on a monthly basis. Furthermore, individual members who moved out of the sample households have been followed over time. The monthly contraceptive use data also adds new members to the sample when they move into a sample neighborhood.
2. With the introduction of new human subject regulation beginning in month 16 the contraceptive use information was collected only from individuals ages 18 and older at the time of the interview. With this change in data collection protocol we had to stop interviewing the individuals who were younger than 18 years. However, information about monthly contraceptive use was then collected retrospectively once the respondent turned 18.
3. A collapsed contraceptive use data file from the 54-month data file was created for public release. This file takes the month by month family planning data over the 54 months of the data collection and collapses the data into 18 periods consisting of 3 months each. There are contraceptive use, age, and pregnancy data for each of these 18 quarterly periods. For each variable, each period is numbered 1-18, with each index number referring to the same 3 months in time. (These quarterly periods do not slide from respondent to respondent).
4. The original 54-month data used a detailed coding scheme for each contraceptive method consisting of 18 codes. When collapsing into the 18 quarterly periods, 8 of the 10 contraceptive methods variables (abstinence, condoms, Depo-Provera, IUD, Norplant, foam, birth control pills, and “other methods”) were recoded into 3 categories (using, not using, and inapplicable), using the following set of rules:

If the respondent was using the method in any month out of the 3, the entire quarterly period was coded as 1 (using the method), regardless of the codes in any other month.

If there were no occurrences of the respondent using the method, but there was at least one month where the respondent was coded 0 (not using method), then the period was coded as 0 (not using).

Any other combination that did not include either 1 (using) or 0 (not using) was coded as 9 (inapplicable), which was a catch-all category to encompass any quarter where the respondent was not at risk of becoming pregnant due to age, pregnancy, not living in the household, as well as any quarter in which the respondent was not interviewed in any month, regardless of the cause.

5. Respondent sterilization and respondent’s spouse sterilization, were coded using the same rules with the additional codes of R (respondent sterilization) and S (spouse’s sterilization) considered to be “using method” for the two methods, respectively, and were thus coded as 1 (using method) for the appropriate quarter if these codes were found in any of the 3 contiguous months.
6. Similar to the contraceptive method collapsing, the pregnancy data was collapsed into 18 quarters consisting of 3 categories (pregnant, not pregnant, or inapplicable). If the respondent reported being pregnant in any month of the 3, the period was coded as 1 (pregnant). If the respondent did not report using birth control, but reported either “using” or “not using” (birth control data code= 0 or 1), then the quarter was coded as 0 (not pregnant). Any other combination of codes was coded as 9 (inapplicable).
7. Variables in the dataset not discussed in this appendix required no recoding, and were included as-is from the monthly dataset.