ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 7632

Mortality Detail Files, 1968-1991

United States Department of Health and Human Services. Centers for Disease Control and Prevention. National Center for Health Statistics

Mortality, 1982, Frequencies

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/7632.xml

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 07632

Mortality Detail Files, 1968-1991

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Mortality Detail Files, 1968-1991

Mortality, 1982

DIGYR	LAST 2 DIGITS OF CURRENT DATA YEAR

Location: 1-2 (width: 2; decimal: 0)

Variable Type: numeric

Value	*Unweighted Frequency*	*%*
82	1977957	100.0 %

REPAREA	REPORTING AREA

Location: 3-3 (width: 1; decimal: 0)

Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
0	All other areas	1878155	95.0 %
1	Bronx Borough	12417	0.6 %
2	Brooklyn Borough	19992	1.0 %
3	Manhattan Borough	21203	1.1 %
4	Queens Borough	16437	0.8 %
5	Richmond Borough	2960	0.1 %
6	Chicago	26793	1.4 %

CERTNUM	CERTIFICATE NUMBER

Location: 4-9 (width: 6; decimal: 0)

Variable Type: numeric

Value	*Unweighted Frequency*	*%*
. (M)	1977957	100.0 %

SHIPNUM	SHIPMENT NUMBER

Location: 10-11 (width: 2; decimal: 0)

Variable Type: character

Value	*Unweighted Frequency*	*%*
00	4060	0.2 %
01	23353	1.2 %
02	61211	3.1 %
03	398993	20.2 %
04	55723	2.8 %
05	24196	1.2 %
06	402335	20.3 %

Value	*Unweighted Frequency*	*%*
07	23370	1.2 %
08	22286	1.1 %
09	390586	19.7 %
10	18629	0.9 %
11	33972	1.7 %
12	446737	22.6 %
13	40438	2.0 %
14	8422	0.4 %
15	358	0.0 %
16	27	0.0 %
99	1418	0.1 %
A1	2022	0.1 %
A2	836	0.0 %
A3	635	0.0 %
A4	700	0.0 %
A5	1775	0.1 %
A6	566	0.0 %
A7	3224	0.2 %
A8	405	0.0 %
A9	444	0.0 %
AA	7257	0.4 %
B1	272	0.0 %
B2	928	0.0 %
B3	450	0.0 %
B4	208	0.0 %
B5	175	0.0 %
B6	54	0.0 %
CC	1892	0.1 %

SEQNUM — SEQUENCE NUMBER

Location: 12-18 (width: 7; decimal: 0)

Variable Type: character

Value	*Unweighted Frequency*	*%*
	1977957	100.0 %

RECTYPE — RECORD TYPE

Location: 19-19 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	RESIDENTS	1591137	80.4 %
2	NONRESIDENTS	386820	19.6 %

RESISTAT **RESIDENT STATUS**

Location: 20-20 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	RESIDENTS	1591137	80.4 %
2	INTRASTATE NONRESIDENTS	309457	15.6 %
3	INTERSTATE NONRESIDENTS	74203	3.8 %
4	FOREIGN RESIDENTS	3160	0.2 %

STATEOCC **STATE OF OCCURRENCE**

Location: 21-22 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Alabama	34729	1.8 %
2	Alaska	1782	0.1 %
3	Arizona	22655	1.1 %
4	Arkansas	22325	1.1 %
5	California	189081	9.6 %
6	Colorado	20189	1.0 %
7	Connecticut	26981	1.4 %
8	Delaware	5144	0.3 %
9	District of Columbia	8567	0.4 %
10	Florida	109799	5.6 %
11	Georgia	44847	2.3 %
12	Hawaii	5495	0.3 %
13	Idaho	6597	0.3 %
14	Illinois	97773	4.9 %
15	Indiana	46931	2.4 %
16	Iowa	26621	1.3 %
17	Kansas	21289	1.1 %
18	Kentucky	32556	1.6 %
19	Louisiana	36190	1.8 %
20	Maine	10446	0.5 %
21	Maryland	33430	1.7 %
22	Massachusetts	53627	2.7 %
23	Michigan	74452	3.8 %

Value	*Label*	*Unweighted Frequency*	*%*
24	Minnesota	33408	1.7 %
25	Mississippi	22775	1.2 %
26	Missouri	49145	2.5 %
27	Montana	6535	0.3 %
28	Nebraska	14672	0.7 %
29	Nevada	6886	0.3 %
30	New Hampshire	7436	0.4 %
31	New Jersey	65992	3.3 %
32	New Mexico	9226	0.5 %
33	New York	166831	8.4 %
34	North Carolina	48958	2.5 %
35	North Dakota	5691	0.3 %
36	Ohio	94366	4.8 %
37	Oklahoma	28443	1.4 %
38	Oregon	21643	1.1 %
39	Pennsylvania	118809	6.0 %
40	Rhode Island	9101	0.5 %
41	South Carolina	24267	1.2 %
42	South Dakota	6528	0.3 %
43	Tennessee	42893	2.2 %
44	Texas	113405	5.7 %
45	Utah	8860	0.4 %
46	Vermont	4508	0.2 %
47	Virginia	41196	2.1 %
48	Washington	32534	1.6 %
49	West Virginia	19155	1.0 %
50	Wisconsin	40153	2.0 %
51	Wyoming	3035	0.2 %

CONTYOCC — COUNTY OF OCCURRENCE

Location: 23-25 (width: 3; decimal: 0)

Variable Type: numeric

Value	*Label*
999	County of less than 100,000 population

* Frequencies not displayed for this variable.

REGION — REGION

Location: 26-26 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Northeast	463731	23.4 %
2	Midwest	511029	25.8 %
3	South	668679	33.8 %
4	West	334518	16.9 %

DIVISION — **DIVISION OF OCCURRENCE**

Location: 27-27 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	New England	112099	5.7 %
2	Middle Atlantic	351632	17.8 %
3	East North Central	353675	17.9 %
4	West North Central	157354	8.0 %
5	South Atlantic	335363	17.0 %
6	Eath South Central	132953	6.7 %
7	West South Central	200363	10.1 %
8	Mountain	83983	4.2 %
9	Pacific	250535	12.7 %

STATESUB — **STATE SUBCODE OF OCCURRENCE'**

Location: 28-28 (width: 1; decimal: 0)

Variable Type: numeric

Value	Unweighted Frequency	%
1	404145	20.4 %
2	287733	14.5 %
3	534090	27.0 %
4	333117	16.8 %
5	89658	4.5 %
6	113266	5.7 %
7	54416	2.8 %
8	51733	2.6 %
9	109799	5.6 %

EXP_OCC — **EXPANDED STATE OF OCCURRENCE FOR NY CITY**

Location: 29-30 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Alabama	34729	1.8 %

Value	*Label*	*Unweighted Frequency*	*%*
2	Alaska	1782	0.1 %
3	Arizona	22655	1.1 %
4	Arkansas	22325	1.1 %
5	California	189081	9.6 %
6	Colorado	20189	1.0 %
7	Connecticut	26981	1.4 %
8	Delaware	5144	0.3 %
9	District of Columbia	8567	0.4 %
10	Florida	109799	5.6 %
11	Georgia	44847	2.3 %
12	Hawaii	5495	0.3 %
13	Idaho	6597	0.3 %
14	Illinois	97773	4.9 %
15	Indiana	46931	2.4 %
16	Iowa	26621	1.3 %
17	Kansas	21289	1.1 %
18	Kentucky	32556	1.6 %
19	Louisiana	36190	1.8 %
20	Maine	10446	0.5 %
21	Maryland	33430	1.7 %
22	Massachusetts	53627	2.7 %
23	Michigan	74452	3.8 %
24	Minnesota	33408	1.7 %
25	Mississippi	22775	1.2 %
26	Missouri	49145	2.5 %
27	Montana	6535	0.3 %
28	Nebraska	14672	0.7 %
29	Nevada	6886	0.3 %
30	New Hampshire	7436	0.4 %
31	New Jersey	65992	3.3 %
32	New Mexico	9226	0.5 %
33	New York	93822	4.7 %
34	New York City	73009	3.7 %
35	North Carolina	48958	2.5 %
36	North Dakota	5691	0.3 %
37	Ohio	94366	4.8 %
38	Oklahoma	28443	1.4 %
39	Oregon	21643	1.1 %
40	Pennsylvania	118809	6.0 %
41	Rhode Island	9101	0.5 %

Value	Label	Unweighted Frequency	%
42	South Carolina	24267	1.2 %
43	South Dakota	6528	0.3 %
44	Tennessee	42893	2.2 %
45	Texas	113405	5.7 %
46	Utah	8860	0.4 %
47	Vermont	4508	0.2 %
48	Virginia	41196	2.1 %
49	Washington	32534	1.6 %
50	West Virginia	19155	1.0 %
51	Wisconsin	40153	2.0 %
52	Wyoming	3035	0.2 %

RESIDST **STATE OF RESIDENCE**

Location: 31-32 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Alabama	35002	1.8 %
2	Alaska	1785	0.1 %
3	Arizona	21969	1.1 %
4	Arkansas	22419	1.1 %
5	California	188471	9.5 %
6	Colorado	19649	1.0 %
7	Connecticut	26838	1.4 %
8	Delaware	5104	0.3 %
9	District of Columbia	6713	0.3 %
10	Florida	108584	5.5 %
11	Georgia	44179	2.2 %
12	Hawaii	5188	0.3 %
13	Idaho	6957	0.4 %
14	Illinois	100501	5.1 %
15	Indiana	46630	2.4 %
16	Iowa	26890	1.4 %
17	Kansas	21804	1.1 %
18	Kentucky	32990	1.7 %
19	Louisiana	35776	1.8 %
20	Maine	10472	0.5 %
21	Maryland	34098	1.7 %
22	Massachusetts	52946	2.7 %
23	Michigan	75694	3.8 %

Value	*Label*	*Unweighted Frequency*	*%*
24	Minnesota	32978	1.7 %
25	Mississippi	23283	1.2 %
26	Missouri	48277	2.4 %
27	Montana	6631	0.3 %
28	Nebraska	14577	0.7 %
29	Nevada	6368	0.3 %
30	New Hampshire	7616	0.4 %
31	New Jersey	67621	3.4 %
32	New Mexico	9248	0.5 %
33	New York	167405	8.5 %
34	North Carolina	48551	2.5 %
35	North Dakota	5390	0.3 %
36	Ohio	94473	4.8 %
37	Oklahoma	29350	1.5 %
38	Oregon	21614	1.1 %
39	Pennsylvania	118817	6.0 %
40	Rhode Island	8988	0.5 %
41	South Carolina	25070	1.3 %
42	South Dakota	6595	0.3 %
43	Tennessee	40292	2.0 %
44	Texas	111319	5.6 %
45	Utah	8515	0.4 %
46	Vermont	4490	0.2 %
47	Virginia	41904	2.1 %
48	Washington	32300	1.6 %
49	West Virginia	18994	1.0 %
50	Wisconsin	40281	2.0 %
51	Wyoming	3191	0.2 %
52	-	86	0.0 %
53	-	17	0.0 %
54	-	20	0.0 %
55	-	975	0.0 %
56	-	14	0.0 %
57	-	619	0.0 %
59	-	1429	0.1 %

CNTYRSID **COUNTY OF RESIDENCE**

Location: 33-35 (width: 3; decimal: 0)

Variable Type: character

Value	*Label*
999	county less than 100,000 population
zzz	foreign residents

* Frequencies not displayed for this variable.

CITYRSID **CITY OF RESIDENCE**

Location: 36-38 (width: 3; decimal: 0)

Variable Type: character

Value	*Label*	*Unweighted Frequency*	*%*
001	-	11896	0.6 %
002	-	5379	0.3 %
003	-	13903	0.7 %
004	-	11342	0.6 %
005	-	3418	0.2 %
006	-	803	0.0 %
007	-	4522	0.2 %
008	-	7518	0.4 %
009	-	19215	1.0 %
010	-	7821	0.4 %
011	-	10809	0.5 %
012	-	5702	0.3 %
013	-	5661	0.3 %
014	-	6538	0.3 %
015	-	4888	0.2 %
016	-	9357	0.5 %
017	-	1295	0.1 %
018	-	1351	0.1 %
020	-	1013	0.1 %
021	-	5934	0.3 %
022	-	5466	0.3 %
023	-	25321	1.3 %
024	-	8810	0.4 %
026	-	13537	0.7 %
027	-	7568	0.4 %
028	-	6618	0.3 %
030	-	17419	0.9 %
031	-	8404	0.4 %
032	-	46926	2.4 %
033	-	8097	0.4 %
034	-	1709	0.1 %
035	-	5085	0.3 %

Value	*Label*	*Unweighted Frequency*	*%*
036	-	9640	0.5 %
039	-	2951	0.1 %
042	-	1327	0.1 %
043	-	23459	1.2 %
044	-	6354	0.3 %
045	-	654	0.0 %
047	-	7080	0.4 %
048	-	1344	0.1 %
052	-	3728	0.2 %
053	-	1280	0.1 %
055	-	3632	0.2 %
057	-	1366	0.1 %
060	-	15750	0.8 %
061	-	1538	0.1 %
066	-	11807	0.6 %
067	-	2445	0.1 %
069	-	536	0.0 %
071	-	693	0.0 %
072	-	2699	0.1 %
073	-	654	0.0 %
075	-	2436	0.1 %
077	-	21218	1.1 %
078	-	7329	0.4 %
079	-	2776	0.1 %
085	-	1222	0.1 %
086	-	3138	0.2 %
087	-	940	0.0 %
089	-	1956	0.1 %
092	-	442	0.0 %
094	-	2972	0.2 %
095	-	1858	0.1 %
096	-	20194	1.0 %
098	-	6819	0.3 %
101	-	1928	0.1 %
106	-	644	0.0 %
112	-	5224	0.3 %
115	-	26814	1.4 %
121	-	6055	0.3 %
126	-	3644	0.2 %
130	-	1274	0.1 %

Value	Label	Unweighted Frequency	%
131	-	1199	0.1 %
141	-	1421	0.1 %
144	-	1159	0.1 %
146	-	3665	0.2 %
149	-	1422	0.1 %
150	-	701	0.0 %
160	-	1372	0.1 %
182	-	1563	0.1 %
186	-	4288	0.2 %
189	-	1380	0.1 %
194	-	6327	0.3 %
197	-	7681	0.4 %
200	-	3763	0.2 %
209	-	1419	0.1 %
230	-	1898	0.1 %
232	-	727	0.0 %
235	-	1090	0.1 %
999	bal of county;or city of less 100,000 population	1422577	71.9 %
ZZZ	foreign residents	3160	0.2 %

POPSIZE **POPULATION SIZE CITY OF RESIDENCE**

Location: 39-39 (width: 1; decimal: 0)

Variable Type: character

Value	Label	Unweighted Frequency	%
0	Place of 1,000,000 or more	174715	8.8 %
1	Place of 500,000 to 1,000,000	100006	5.1 %
2	Place of 250,000 to 500,000	123015	6.2 %
3	Place of 100,000 to 250,000	154484	7.8 %
9	All other areas in the U.S.	1422577	71.9 %
Z	-	3160	0.2 %

METRO **METROPOLITAN NONMETROPOLITAN COUNTY OF RESID**

Location: 40-40 (width: 1; decimal: 0)

Variable Type: character

Value	Label	Unweighted Frequency	%
1	Metropolitan county	1434869	72.5 %
2	Nonmetropolitan county	539928	27.3 %
Z	-	3160	0.2 %

REGNRES **REGION OF RESIDENCE**

Location: 41-41 (width: 1; decimal: 0)

Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
0	Foreign residents	3160	0.2 %
1	Northeast	465193	23.5 %
2	Midwest	514090	26.0 %
3	South	663628	33.6 %
4	West	331886	16.8 %

DIVISRES — DIVISION OF RESIDENCE

Location: 42-42 (width: 1; decimal: 0)

Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
0	-	3160	0.2 %
1	New England	111350	5.6 %
2	Middle Atlantic	353843	17.9 %
3	East North Central	357579	18.1 %
4	West North Central	156511	7.9 %
5	South Atlantic	333197	16.8 %
6	Eath South Central	131567	6.7 %
7	West South Central	198864	10.1 %
8	Mountain	82528	4.2 %
9	Pacific	249358	12.6 %

STSUB — STATE SUBCODE OF RESIDENCE

Location: 43-43 (width: 1; decimal: 0)

Variable Type: numeric

Value	*Unweighted Frequency*	*%*
0	3160	0.2 %
1	404772	20.5 %
2	287494	14.5 %
3	534812	27.0 %
4	331970	16.8 %
5	89294	4.5 %
6	111935	5.7 %
7	55389	2.8 %
8	50547	2.6 %
9	108584	5.5 %

EXP_RES — EXPANDED STATE OF RESIDENCE NY CITY

Location: 44-45 (width: 2; decimal: 0)

Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
1	Alabama	35002	1.8 %
2	Alaska	1785	0.1 %
3	Arizona	21969	1.1 %
4	Arkansas	22419	1.1 %
5	California	188471	9.5 %
6	Colorado	19649	1.0 %
7	Connecticut	26838	1.4 %
8	Delaware	5104	0.3 %
9	District of Columbia	6713	0.3 %
10	Florida	108584	5.5 %
11	Georgia	44179	2.2 %
12	Hawaii	5188	0.3 %
13	Idaho	6957	0.4 %
14	Illinois	100501	5.1 %
15	Indiana	46630	2.4 %
16	Iowa	26890	1.4 %
17	Kansas	21804	1.1 %
18	Kentucky	32990	1.7 %
19	Louisiana	35776	1.8 %
20	Maine	10472	0.5 %
21	Maryland	34098	1.7 %
22	Massachusetts	52946	2.7 %
23	Michigan	75694	3.8 %
24	Minnesota	32978	1.7 %
25	Mississippi	23283	1.2 %
26	Missouri	48277	2.4 %
27	Montana	6631	0.3 %
28	Nebraska	14577	0.7 %
29	Nevada	6368	0.3 %
30	New Hampshire	7616	0.4 %
31	New Jersey	67621	3.4 %
32	New Mexico	9248	0.5 %
33	New York	94195	4.8 %
34	New York City	73210	3.7 %
35	North Carolina	48551	2.5 %
36	North Dakota	5390	0.3 %
37	Ohio	94473	4.8 %
38	Oklahoma	29350	1.5 %

Value	Label	Unweighted Frequency	%
39	Oregon	21614	1.1 %
40	Pennsylvania	118817	6.0 %
41	Rhode Island	8988	0.5 %
42	South Carolina	25070	1.3 %
43	South Dakota	6595	0.3 %
44	Tennessee	40292	2.0 %
45	Texas	111319	5.6 %
46	Utah	8515	0.4 %
47	Vermont	4490	0.2 %
48	Virginia	41904	2.1 %
49	Washington	32300	1.6 %
50	West Virginia	18994	1.0 %
51	Wisconsin	40281	2.0 %
52	Wyoming	3191	0.2 %
53	-	86	0.0 %
54	-	17	0.0 %
55	-	20	0.0 %
56	-	975	0.0 %
57	-	14	0.0 %
58	-	619	0.0 %
60	-	1429	0.1 %

SMSA_RES **SMSA,MSA OF RESIDENCE**

Location: 46-48 (width: 3; decimal: 0)

Variable Type: character

Value	Label
000	Non metropolitan counties
999	Area of less than 100,000 population
ZZZ	Foreign residents

* Frequencies not displayed for this variable.

RESVD1 **RESERVED POSITIONS**

Location: 49-54 (width: 6; decimal: 0)

Variable Type: numeric

Value	Unweighted Frequency	%
. (M)	1977957	100.0 %

DEATHMO **MONTH OF DEATH**

Location: 55-56 (width: 2; decimal: 0)

Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
1	January	179944	9.1 %
2	February	154794	7.8 %
3	March	173645	8.8 %
4	April	168931	8.5 %
5	May	166958	8.4 %
6	June	156467	7.9 %
7	July	163076	8.2 %
8	August	158150	8.0 %
9	September	155218	7.8 %
10	October	165968	8.4 %
11	November	161858	8.2 %
12	December	172948	8.7 %

DEATHDY **DAY OF DEATH**

Location: 57-58 (width: 2; decimal: 0)

Variable Type: numeric

Value	*Unweighted Frequency*	*%*
1	65026	3.3 %
2	64837	3.3 %
3	64837	3.3 %
4	64879	3.3 %
5	64553	3.3 %
6	64976	3.3 %
7	65111	3.3 %
8	64714	3.3 %
9	65727	3.3 %
10	65057	3.3 %
11	65394	3.3 %
12	66115	3.3 %
13	66145	3.3 %
14	65232	3.3 %
15	65548	3.3 %
16	65283	3.3 %
17	65019	3.3 %
18	65184	3.3 %
19	65499	3.3 %
20	65302	3.3 %
21	64214	3.2 %
22	64029	3.2 %

Value	*Unweighted Frequency*	*%*
23	65068	3.3 %
24	65058	3.3 %
25	64740	3.3 %
26	65131	3.3 %
27	64645	3.3 %
28	64230	3.2 %
29	58874	3.0 %
30	59506	3.0 %
31	37958	1.9 %
99	66	0.0 %

SEX **SEX**

Location: 59-59 (width: 1; decimal: 0)

Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
1	Male	1058538	53.5 %
2	Female	919419	46.5 %

RACE_DET **RACE DETAIL**

Location: 60-61 (width: 2; decimal: 0)

Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
0	Other Asian or Pacific Islander	3123	0.2 %
1	White	1731849	87.6 %
2	Black	226632	11.5 %
3	Indian (includes Aleuts and Eskimos)	6693	0.3 %
4	Chinese	3474	0.2 %
5	Japanese	2967	0.2 %
6	Hawaiian (includes Part Hawaiian)	903	0.0 %
7	All other races	91	0.0 %
8	Filipino	2225	0.1 %

RACE_R3 **RACE RECODE 3**

Location: 62-62 (width: 1; decimal: 0)

Variable Type: character

Value	*Label*	*Unweighted Frequency*	*%*
1	White	1731849	87.6 %
2	Races other than White or Black	19476	1.0 %

Value	Label	Unweighted Frequency	%
3	Black	226632	11.5 %

RACE_R2 **RACE RECODE 2**

Location: 63-63 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	White	1731849	87.6 %
2	All other races	246108	12.4 %

AGEUNIT **AGE UNIT**

Location: 64-64 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
0	Years less than 100	1928014	97.5 %
1	Years 100 or more	6799	0.3 %
2	Months	14114	0.7 %
3	Weeks	681	0.0 %
4	Days	11440	0.6 %
5	Hours	11806	0.6 %
6	Minutes	4434	0.2 %
9	Age not stated	669	0.0 %

AGENUMBR **AGE NUMBER**

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric

Value	Unweighted Frequency	%
0	2497	0.1 %
1	14656	0.7 %
2	10651	0.5 %
3	6876	0.3 %
4	4390	0.2 %
5	3773	0.2 %
6	2873	0.1 %
7	2476	0.1 %
8	2110	0.1 %
9	1995	0.1 %
10	2051	0.1 %
11	1785	0.1 %

Value	*Unweighted Frequency*	*%*
12	1623	0.1 %
13	1545	0.1 %
14	1858	0.1 %
15	2281	0.1 %
16	2921	0.1 %
17	3816	0.2 %
18	4782	0.2 %
19	5115	0.3 %
20	5265	0.3 %
21	5395	0.3 %
22	5283	0.3 %
23	5295	0.3 %
24	5222	0.3 %
25	5229	0.3 %
26	5027	0.3 %
27	5125	0.3 %
28	4896	0.2 %
29	5020	0.3 %
30	5202	0.3 %
31	4965	0.3 %
32	5030	0.3 %
33	5001	0.3 %
34	5124	0.3 %
35	5559	0.3 %
36	4846	0.2 %
37	4900	0.2 %
38	5405	0.3 %
39	5961	0.3 %
40	6091	0.3 %
41	6033	0.3 %
42	6312	0.3 %
43	6713	0.3 %
44	7233	0.4 %
45	7835	0.4 %
46	8447	0.4 %
47	9418	0.5 %
48	9855	0.5 %
49	11335	0.6 %
50	12247	0.6 %
51	13751	0.7 %

Value	*Unweighted Frequency*	*%*
52	15790	0.8 %
53	16708	0.8 %
54	18621	0.9 %
55	20080	1.0 %
56	22236	1.1 %
57	24236	1.2 %
58	26257	1.3 %
59	27533	1.4 %
60	30146	1.5 %
61	31757	1.6 %
62	34642	1.8 %
63	34133	1.7 %
64	36828	1.9 %
65	38758	2.0 %
66	40334	2.0 %
67	43175	2.2 %
68	45140	2.3 %
69	46408	2.3 %
70	47624	2.4 %
71	49622	2.5 %
72	51062	2.6 %
73	51802	2.6 %
74	52696	2.7 %
75	53416	2.7 %
76	53789	2.7 %
77	54203	2.7 %
78	53394	2.7 %
79	53598	2.7 %
80	51235	2.6 %
81	53803	2.7 %
82	52476	2.7 %
83	48390	2.4 %
84	48093	2.4 %
85	46092	2.3 %
86	45661	2.3 %
87	42294	2.1 %
88	38346	1.9 %
89	35387	1.8 %
90	30880	1.6 %
91	26205	1.3 %

Value	*Unweighted Frequency*	*%*
92	23241	1.2 %
93	19604	1.0 %
94	15520	0.8 %
95	11751	0.6 %
96	9367	0.5 %
97	7037	0.4 %
98	5113	0.3 %
99	4380	0.2 %

AGEREC52 **AGE RECODE 52**

Location: 67-68 (width: 2; decimal: 0)

Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
1	Under 1 hour	4601	0.2 %
2	1-23 hours	11639	0.6 %
3	1 day	2566	0.1 %
4	2 days	2015	0.1 %
5	3 days	1099	0.1 %
6	4 days	746	0.0 %
7	5 days	607	0.0 %
8	6 days	452	0.0 %
9	7-13 days	2260	0.1 %
10	14-20 days	1387	0.1 %
11	21-27 days	989	0.1 %
12	1 month	3386	0.2 %
13	2 months	2853	0.1 %
14	3 months	2226	0.1 %
15	4 months	1410	0.1 %
16	5 months	1033	0.1 %
17	6 months	832	0.0 %
18	7 months	657	0.0 %
19	8 months	525	0.0 %
20	9 months	474	0.0 %
21	10 months	379	0.0 %
22	11 months	339	0.0 %
23	1 year	3133	0.2 %
24	2 years	2077	0.1 %
25	3 years	1579	0.1 %
26	4 years	1171	0.1 %

Value	Label	Unweighted Frequency	%
27	5-9 years	4553	0.2 %
28	10-14 years	5151	0.3 %
29	15-19 years	17130	0.9 %
30	20-24 years	25082	1.3 %
31	25-29 years	24717	1.2 %
32	30-34 years	24844	1.3 %
33	35-39 years	26435	1.3 %
34	40-44 years	32082	1.6 %
35	45-49 years	46550	2.4 %
36	50-54 years	76871	3.9 %
37	55-59 years	120090	6.1 %
38	60-64 years	167506	8.5 %
39	65-69 years	213815	10.8 %
40	70-74 years	252806	12.8 %
41	75-79 years	268400	13.6 %
42	80-84 years	253997	12.8 %
43	85-89 years	207780	10.5 %
44	90-94 years	115450	5.8 %
45	95-99 years	36795	1.9 %
46	100-104 years	6113	0.3 %
47	105-109 years	583	0.0 %
48	110- 114 years	82	0.0 %
49	115- 119 years	17	0.0 %
50	120-124 years	2	0.0 %
51	125 years and over	2	0.0 %
52	Age not stated	669	0.0 %

AGEREC27 **AGE RECODE 27**

Location: 69-70 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Under 1 mo	28361	1.4 %
2	1 to 11 mos	14114	0.7 %
3	1 years	3133	0.2 %
4	2 years	2077	0.1 %
5	3 years	1579	0.1 %
6	4 years	1171	0.1 %
7	5-9 years	4553	0.2 %
8	10-14 years	5151	0.3 %

Value	Label	Unweighted Frequency	%
9	15-19 years	17130	0.9 %
10	20-24 years	25082	1.3 %
11	25-29 years	24717	1.2 %
12	30-34 years	24844	1.3 %
13	35-39 years	26435	1.3 %
14	40-44 years	32082	1.6 %
15	45-49 years	46550	2.4 %
16	50-54 years	76871	3.9 %
17	55-59 years	120090	6.1 %
18	60-64 years	167506	8.5 %
19	65-69 years	213815	10.8 %
20	70-74 years	252806	12.8 %
21	75-79 years	268400	13.6 %
22	80-84 years	253997	12.8 %
23	05-89 years	207780	10.5 %
24	90-94 years	115450	5.8 %
25	95-99 years	36795	1.9 %
26	100 years and over	6799	0.3 %
27	Age not stated	669	0.0 %

AGEREC12 **AGE RECODE 12**

Location: 71-72 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Under 1 year	42475	2.1 %
2	1-4 years	7960	0.4 %
3	5-14 years	9704	0.5 %
4	15-24 years	42212	2.1 %
5	25-34 years	49561	2.5 %
6	35-44 years	58517	3.0 %
7	45-54 years	123421	6.2 %
8	55-64 years	287596	14.5 %
9	65-74 years	466621	23.6 %
10	75-84 years	522397	26.4 %
11	85 years and over	366824	18.5 %
12	Age not stated	669	0.0 %

INFNT22 **INFANT AGE RECODE 22**

Location: 73-74 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Under 1 hour	4601	0.2 %
2	1-23 hours	11639	0.6 %
3	1 day	2566	0.1 %
4	2 days	2015	0.1 %
5	3 days	1099	0.1 %
6	4 days	746	0.0 %
7	5 days	607	0.0 %
8	6 days	452	0.0 %
9	7-13 days	2260	0.1 %
10	14-20 days	1387	0.1 %
11	21-27 days	989	0.1 %
12	1 month	3386	0.2 %
13	2 months	2853	0.1 %
14	3 months	2226	0.1 %
15	4 months	1410	0.1 %
16	5 months	1033	0.1 %
17	6 months	832	0.0 %
18	7 months	657	0.0 %
19	8 months	525	0.0 %
20	9 months	474	0.0 %
21	10 months	379	0.0 %
22	11 months	339	0.0 %
. (M)	-	1935482	97.9 %

HOSPSTAT **HOSPITAL AND STATUS**

Location: 75-75 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Hospital, Clinic or Med Center--inpatient	807873	40.8 %
2	Hospital, Clinic or Med Center--outpatient or adm ER	83518	4.2 %
3	Hospital, Clinic or Med Center--dead on arrival	102288	5.2 %
4	Hospital, Clinic or Med Center--patient status unknown	17072	0.9 %
5	Hospital, Clinic or Med Center--patient status not on cert	353393	17.9 %
6	All other institutions providing patient care	246851	12.5 %
7	All other reported entries	365301	18.5 %
8	Dead on arrival--Hosp,Clinic or Med Center name not given	407	0.0 %
9	Hospital and patient status not stated	1254	0.1 %

RESVD2 **RESERVED**

Location: 76-76 (width: 1; decimal: 0)

Variable Type: numeric

Value	*Unweighted Frequency*	*%*
. (M)	1977957	100.0 %

MARSTAT **MARITAL STATUS**

Location: 77-77 (width: 1; decimal: 0)

Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
1	Never married, single	252291	12.8 %
2	Married	901570	45.6 %
3	Widowed	685165	34.6 %
4	Divorced	128946	6.5 %
8	Marital Status not on certificate	1	0.0 %
9	Marital Status not stated	9984	0.5 %

BIRTH_ST **STATE OF BIRTH**

Location: 78-79 (width: 2; decimal: 0)

Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
1	Alabama	49636	2.5 %
2	Alaska	990	0.1 %
3	Arizona	5680	0.3 %
4	Arkansas	35328	1.8 %
5	California	44558	2.3 %
6	Colorado	13048	0.7 %
7	Connecticut	18385	0.9 %
8	Delaware	3400	0.2 %
9	District of Columbia	5545	0.3 %
10	Florida	20073	1.0 %
11	Georgia	56991	2.9 %
12	Hawaii	3643	0.2 %
13	Idaho	5700	0.3 %
14	Illinois	100292	5.1 %
15	Indiana	47351	2.4 %
16	Iowa	41502	2.1 %
17	Kansas	30768	1.6 %
18	Kentucky	49891	2.5 %
19	Louisiana	39576	2.0 %
20	Maine	11369	0.6 %
21	Maryland	23421	1.2 %

Value	*Label*	*Unweighted Frequency*	*%*
22	Massachusetts	50679	2.6 %
23	Michigan	55690	2.8 %
24	Minnesota	37313	1.9 %
25	Mississippi	40067	2.0 %
26	Missouri	60517	3.1 %
27	Montana	6276	0.3 %
28	Nebraska	22890	1.2 %
29	Nevada	1251	0.1 %
30	New Hampshire	6122	0.3 %
31	New Jersey	42517	2.1 %
32	New Mexico	6727	0.3 %
33	New York	144645	7.3 %
34	North Carolina	56123	2.8 %
35	North Dakota	9940	0.5 %
36	Ohio	83133	4.2 %
37	Oklahoma	32681	1.7 %
38	Oregon	9564	0.5 %
39	Pennsylvania	136904	6.9 %
40	Rhode Island	8094	0.4 %
41	South Carolina	34932	1.8 %
42	South Dakota	10339	0.5 %
43	Tennessee	48490	2.5 %
44	Texas	95394	4.8 %
45	Utah	8774	0.4 %
46	Vermont	5473	0.3 %
47	Virginia	45106	2.3 %
48	Washington	14607	0.7 %
49	West Virginia	28846	1.5 %
50	Wisconsin	42493	2.1 %
51	Wyoming	2467	0.1 %
52	Puerto Rico	6101	0.3 %
53	Virgin Islands	204	0.0 %
54	Guam	89	0.0 %
55	Canada	17809	0.9 %
56	Cuba	5482	0.3 %
57	Mexico	13622	0.7 %
59	Remainder of world	168270	8.5 %
99	-	11179	0.6 %

RESVD3 **RESERVED**

Location: 80-83 (width: 4; decimal: 0)

Variable Type: numeric

Value	*Unweighted Frequency*	*%*
. (M)	1977957	100.0 %

AUTOPSY **AUTOPSY PERFORMED**

Location: 84-84 (width: 1; decimal: 0)

Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
1	Yes	273447	13.8 %
2	No	1461691	73.9 %
8	Autopsy performed not on certificate	34	0.0 %
9	Autopsy performed not stated	242785	12.3 %

RESVD4 **RESERVED**

Location: 85-99 (width: 15; decimal: 0)

Variable Type: character

Value	*Unweighted Frequency*	*%*
	1977957	100.0 %

FIPSMSA **FIPS SMSA**

Location: 100-113 (width: 14; decimal: 0)

Variable Type: character

RESVD5 **RESERVED**

Location: 114-121 (width: 8; decimal: 0)

Variable Type: character

PLACEINJ **PLACE OF INJURY**

Location: 122-122 (width: 1; decimal: 0)

Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
0	Home	13150	0.7 %
1	Farm	922	0.0 %
2	Mine or quarry	155	0.0 %
3	Industrial place and premises	1184	0.1 %
4	Place for recreation and sport	988	0.0 %
5	Street and highway	739	0.0 %
6	Public building	770	0.0 %
7	Resident institution	1546	0.1 %
8	Other Specified Places	3882	0.2 %

Value	Label	Unweighted Frequency	%
9	Place of accident not specified	18108	0.9 %
. (M)	-	1936513	97.9 %

ICD9 **ICD9 CODE**

Location: 123-126 (width: 4; decimal: 0)
Variable Type: character

ICD282 **ICD 282 CAUSE LIST**

Location: 127-131 (width: 5; decimal: 0)
Variable Type: character

ICD72 **ICD72 CAUSE LIST**

Location: 132-134 (width: 3; decimal: 0)
Variable Type: character

Value	Unweighted Frequency	%
010	16	0.0 %
020	331	0.0 %
040	1474	0.1 %
050	341	0.0 %
060	4	0.0 %
070	18	0.0 %
080	364	0.0 %
090	11513	0.6 %
110	2	0.0 %
120	819	0.0 %
130	126	0.0 %
140	4524	0.2 %
160	8538	0.4 %
170	112673	5.7 %
180	116452	5.9 %
190	37718	1.9 %
200	47583	2.4 %
210	18470	0.9 %
220	53279	2.7 %
230	16777	0.8 %
240	22801	1.2 %
250	6479	0.3 %
260	34611	1.7 %
270	2432	0.1 %
280	3300	0.2 %
290	1287	0.1 %

Value	*Unweighted Frequency*	*%*
320	7094	0.4 %
330	20813	1.1 %
340	3029	0.2 %
360	291530	14.7 %
370	4133	0.2 %
380	607	0.0 %
390	257390	13.0 %
400	7811	0.4 %
410	164374	8.3 %
420	7584	0.4 %
440	19945	1.0 %
450	28389	1.4 %
460	760	0.0 %
470	108784	5.5 %
480	26831	1.4 %
490	20220	1.0 %
500	503	0.0 %
520	48200	2.4 %
530	728	0.0 %
550	3496	0.2 %
560	12804	0.6 %
570	3162	0.2 %
580	40456	2.0 %
590	6751	0.3 %
600	529	0.0 %
610	5058	0.3 %
620	27730	1.4 %
630	2947	0.1 %
650	309	0.0 %
660	1950	0.1 %
670	15870	0.8 %
680	2219	0.1 %
690	655	0.0 %
710	55	0.0 %
720	237	0.0 %
730	13689	0.7 %
750	6191	0.3 %
760	14623	0.7 %
770	29869	1.5 %
780	120180	6.1 %

Value	*Unweighted Frequency*	*%*
800	46020	2.3 %
810	48555	2.5 %
820	28288	1.4 %
830	22434	1.1 %
840	3223	0.2 %

ICD61 **ICD61 INFANT CAUSE LIST**

Location: 135-137 (width: 3; decimal: 0)

Variable Type: character

Value	*Unweighted Frequency*	*%*
010	330	0.0 %
020	4	0.0 %
030	364	0.0 %
040	11513	0.6 %
050	2269	0.1 %
060	20	0.0 %
070	5032	0.3 %
080	434291	22.0 %
090	6479	0.3 %
100	9	0.0 %
110	512	0.0 %
120	6580	0.3 %
130	1287	0.1 %
140	21668	1.1 %
150	321	0.0 %
160	3999	0.2 %
180	48200	2.4 %
190	728	0.0 %
200	74621	3.8 %
210	5058	0.3 %
220	7719	0.4 %
230	59983	3.0 %
250	729	0.0 %
260	285	0.0 %
270	448	0.0 %
280	597	0.0 %
290	4908	0.2 %
300	1554	0.1 %
310	818	0.0 %

Value	*Unweighted Frequency*	*%*
320	426	0.0 %
330	895	0.0 %
340	793	0.0 %
350	316	0.0 %
360	717	0.0 %
370	1203	0.1 %
390	140	0.0 %
400	1494	0.1 %
410	973	0.0 %
420	107	0.0 %
430	48	0.0 %
440	3627	0.2 %
450	4	0.0 %
460	628	0.0 %
480	296	0.0 %
490	1217	0.1 %
500	4050	0.2 %
510	3562	0.2 %
520	960	0.0 %
530	715	0.0 %
540	63	0.0 %
550	16	0.0 %
560	9	0.0 %
570	2905	0.1 %
590	5283	0.3 %
600	24586	1.2 %
620	3260	0.2 %
630	881	0.0 %
640	90434	4.6 %
660	230	0.0 %
670	21919	1.1 %
680	1105874	55.9 %

ICD34 **ICD34 CAUSE LIST**

Location: 138-140 (width: 3; decimal: 0)

Variable Type: character

Value	*Unweighted Frequency*	*%*
010	1815	0.1 %
020	126	0.0 %

Value	*Unweighted Frequency*	*%*
030	17591	0.9 %
050	112673	5.7 %
060	116452	5.9 %
070	37718	1.9 %
080	47583	2.4 %
090	18470	0.9 %
100	16777	0.8 %
110	84618	4.3 %
120	34611	1.7 %
150	7094	0.4 %
160	23842	1.2 %
170	553660	28.0 %
180	172185	8.7 %
190	7584	0.4 %
200	157878	8.0 %
210	26831	1.4 %
220	20220	1.0 %
230	48928	2.5 %
240	59918	3.0 %
250	6751	0.3 %
260	27730	1.4 %
270	18129	0.9 %
280	292	0.0 %
290	13689	0.7 %
300	20814	1.1 %
310	29869	1.5 %
320	145589	7.4 %
330	46020	2.3 %
340	48555	2.5 %
350	28288	1.4 %
360	22434	1.1 %
370	3223	0.2 %