

ICPSR 7632

Mortality Detail Files, 1968-1991

*United States Department of Health and
Human Services. Centers for Disease
Control and Prevention. National Center
for Health Statistics*

Mortality, 1984, Frequencies

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/7632.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 07632

Mortality Detail Files, 1968-1991

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Mortality Detail Files, 1968-1991

Mortality, 1984

DIGYR LAST 2 DIGITS OF CURRENT DATA YEAR

Location: 1-2 (width: 2; decimal: 0)

Variable Type: numeric

| <i>Value</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------------|----------|
| 84 | 2042304 | 100.0 % |

REPAREA REPORTING AREA

Location: 3-3 (width: 1; decimal: 0)

Variable Type: numeric

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-------------------|-----------------------------|----------|
| 0 | All other areas | 1942218 | 95.1 % |
| 1 | Bronx Borough | 12761 | 0.6 % |
| 2 | Brooklyn Borough | 20183 | 1.0 % |
| 3 | Manhattan Borough | 21816 | 1.1 % |
| 4 | Queens Borough | 16410 | 0.8 % |
| 5 | Richmond Borough | 3055 | 0.1 % |
| 6 | Chicago | 25861 | 1.3 % |

CERTNUM CERTIFICATE NUMBER

Location: 4-9 (width: 6; decimal: 0)

Variable Type: numeric

| <i>Value</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------------|----------|
| . (M) | 2042304 | 100.0 % |

SHIPNUM SHIPMENT NUMBER

Location: 10-11 (width: 2; decimal: 0)

Variable Type: character

| <i>Value</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------------|----------|
| 00 | 66193 | 3.2 % |
| 01 | 19235 | 0.9 % |
| 02 | 30966 | 1.5 % |
| 03 | 376674 | 18.4 % |
| 04 | 35799 | 1.8 % |
| 05 | 28757 | 1.4 % |
| 06 | 399755 | 19.6 % |

- Study 07632 -

| <i>Value</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------------|----------|
| 07 | 32261 | 1.6 % |
| 08 | 25854 | 1.3 % |
| 09 | 445629 | 21.8 % |
| 10 | 21335 | 1.0 % |
| 11 | 28044 | 1.4 % |
| 12 | 440658 | 21.6 % |
| 13 | 74919 | 3.7 % |
| 14 | 3101 | 0.2 % |
| 15 | 496 | 0.0 % |
| 16 | 331 | 0.0 % |
| 99 | 49 | 0.0 % |
| A1 | 1241 | 0.1 % |
| A2 | 726 | 0.0 % |
| A3 | 807 | 0.0 % |
| A4 | 689 | 0.0 % |
| A5 | 2089 | 0.1 % |
| A6 | 493 | 0.0 % |
| A7 | 508 | 0.0 % |
| A8 | 582 | 0.0 % |
| A9 | 539 | 0.0 % |
| B1 | 624 | 0.0 % |
| B2 | 844 | 0.0 % |
| B3 | 1381 | 0.1 % |
| B4 | 300 | 0.0 % |
| B5 | 125 | 0.0 % |
| B6 | 197 | 0.0 % |
| B7 | 1103 | 0.1 % |

SEQNUM SEQUENCE NUMBER

Location: 12-18 (width: 7; decimal: 0)
 Variable Type: character

| <i>Value</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------------|----------|
| | 2042304 | 100.0 % |

RECTYPE RECORD TYPE

Location: 19-19 (width: 1; decimal: 0)
 Variable Type: numeric

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | RESIDENTS | 1648140 | 80.7 % |

- Study 07632 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 2 | NONRESIDENTS | 394164 | 19.3 % |

RESISTAT

RESIDENT STATUS

Location: 20-20 (width: 1; decimal: 0)

Variable Type: numeric

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-------------------------|-----------------------------|----------|
| 1 | RESIDENTS | 1648140 | 80.7 % |
| 2 | INTRASTATE NONRESIDENTS | 316263 | 15.5 % |
| 3 | INTERSTATE NONRESIDENTS | 74966 | 3.7 % |
| 4 | FOREIGN RESIDENTS | 2935 | 0.1 % |

STATEOCC

STATE OF OCCURRENCE

Location: 21-22 (width: 2; decimal: 0)

Variable Type: numeric

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|----------------------|-----------------------------|----------|
| 1 | Alabama | 36334 | 1.8 % |
| 2 | Alaska | 1964 | 0.1 % |
| 3 | Arizona | 24614 | 1.2 % |
| 4 | Arkansas | 23459 | 1.1 % |
| 5 | California | 196361 | 9.6 % |
| 6 | Colorado | 20885 | 1.0 % |
| 7 | Connecticut | 28036 | 1.4 % |
| 8 | Delaware | 5144 | 0.3 % |
| 9 | District of Columbia | 8500 | 0.4 % |
| 10 | Florida | 116394 | 5.7 % |
| 11 | Georgia | 47389 | 2.3 % |
| 12 | Hawaii | 5942 | 0.3 % |
| 13 | Idaho | 6898 | 0.3 % |
| 14 | Illinois | 98197 | 4.8 % |
| 15 | Indiana | 47714 | 2.3 % |
| 16 | Iowa | 26549 | 1.3 % |
| 17 | Kansas | 21776 | 1.1 % |
| 18 | Kentucky | 33108 | 1.6 % |
| 19 | Louisiana | 36113 | 1.8 % |
| 20 | Maine | 10821 | 0.5 % |
| 21 | Maryland | 34923 | 1.7 % |
| 22 | Massachusetts | 55941 | 2.7 % |
| 23 | Michigan | 75444 | 3.7 % |
| 24 | Minnesota | 34004 | 1.7 % |

- Study 07632 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|----------------|-----------------------------|----------|
| 25 | Mississippi | 23243 | 1.1 % |
| 26 | Missouri | 50232 | 2.5 % |
| 27 | Montana | 6659 | 0.3 % |
| 28 | Nebraska | 14851 | 0.7 % |
| 29 | Nevada | 7284 | 0.4 % |
| 30 | New Hampshire | 7775 | 0.4 % |
| 31 | New Jersey | 67815 | 3.3 % |
| 32 | New Mexico | 9555 | 0.5 % |
| 33 | New York | 170205 | 8.3 % |
| 34 | North Carolina | 51402 | 2.5 % |
| 35 | North Dakota | 5895 | 0.3 % |
| 36 | Ohio | 96788 | 4.7 % |
| 37 | Oklahoma | 28461 | 1.4 % |
| 38 | Oregon | 23213 | 1.1 % |
| 39 | Pennsylvania | 122166 | 6.0 % |
| 40 | Rhode Island | 9605 | 0.5 % |
| 41 | South Carolina | 25390 | 1.2 % |
| 42 | South Dakota | 6452 | 0.3 % |
| 43 | Tennessee | 45093 | 2.2 % |
| 44 | Texas | 118729 | 5.8 % |
| 45 | Utah | 9319 | 0.5 % |
| 46 | Vermont | 4637 | 0.2 % |
| 47 | Virginia | 43755 | 2.1 % |
| 48 | Washington | 34001 | 1.7 % |
| 49 | West Virginia | 19316 | 0.9 % |
| 50 | Wisconsin | 40954 | 2.0 % |
| 51 | Wyoming | 2999 | 0.1 % |

CONTYOCC COUNTY OF OCCURRENCE

Location: 23-25 (width: 3; decimal: 0)
 Variable Type: numeric

| <i>Value</i> | <i>Label</i> |
|--------------|----------------------------------------|
| 999 | County of less than 100,000 population |

* Frequencies not displayed for this variable.

REGION REGION

Location: 26-26 (width: 1; decimal: 0)
 Variable Type: numeric

- Study 07632 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|----------------------|-----------------------------|----------|
| 2 | Alaska | 1964 | 0.1 % |
| 3 | Arizona | 24614 | 1.2 % |
| 4 | Arkansas | 23459 | 1.1 % |
| 5 | California | 196361 | 9.6 % |
| 6 | Colorado | 20885 | 1.0 % |
| 7 | Connecticut | 28036 | 1.4 % |
| 8 | Delaware | 5144 | 0.3 % |
| 9 | District of Columbia | 8500 | 0.4 % |
| 10 | Florida | 116394 | 5.7 % |
| 11 | Georgia | 47389 | 2.3 % |
| 12 | Hawaii | 5942 | 0.3 % |
| 13 | Idaho | 6898 | 0.3 % |
| 14 | Illinois | 98197 | 4.8 % |
| 15 | Indiana | 47714 | 2.3 % |
| 16 | Iowa | 26549 | 1.3 % |
| 17 | Kansas | 21776 | 1.1 % |
| 18 | Kentucky | 33108 | 1.6 % |
| 19 | Louisiana | 36113 | 1.8 % |
| 20 | Maine | 10821 | 0.5 % |
| 21 | Maryland | 34923 | 1.7 % |
| 22 | Massachusetts | 55941 | 2.7 % |
| 23 | Michigan | 75444 | 3.7 % |
| 24 | Minnesota | 34004 | 1.7 % |
| 25 | Mississippi | 23243 | 1.1 % |
| 26 | Missouri | 50232 | 2.5 % |
| 27 | Montana | 6659 | 0.3 % |
| 28 | Nebraska | 14851 | 0.7 % |
| 29 | Nevada | 7284 | 0.4 % |
| 30 | New Hampshire | 7775 | 0.4 % |
| 31 | New Jersey | 67815 | 3.3 % |
| 32 | New Mexico | 9555 | 0.5 % |
| 33 | New York | 95980 | 4.7 % |
| 34 | New York City | 74225 | 3.6 % |
| 35 | North Carolina | 51402 | 2.5 % |
| 36 | North Dakota | 5895 | 0.3 % |
| 37 | Ohio | 96788 | 4.7 % |
| 38 | Oklahoma | 28461 | 1.4 % |
| 39 | Oregon | 23213 | 1.1 % |
| 40 | Pennsylvania | 122166 | 6.0 % |
| 41 | Rhode Island | 9605 | 0.5 % |

- Study 07632 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|----------------|-----------------------------|----------|
| 42 | South Carolina | 25390 | 1.2 % |
| 43 | South Dakota | 6452 | 0.3 % |
| 44 | Tennessee | 45093 | 2.2 % |
| 45 | Texas | 118729 | 5.8 % |
| 46 | Utah | 9319 | 0.5 % |
| 47 | Vermont | 4637 | 0.2 % |
| 48 | Virginia | 43755 | 2.1 % |
| 49 | Washington | 34001 | 1.7 % |
| 50 | West Virginia | 19316 | 0.9 % |
| 51 | Wisconsin | 40954 | 2.0 % |
| 52 | Wyoming | 2999 | 0.1 % |

RESIDST

STATE OF RESIDENCE

Location:

31-32 (width: 2; decimal: 0)

Variable Type:

numeric

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|----------------------|-----------------------------|----------|
| 1 | Alabama | 36536 | 1.8 % |
| 2 | Alaska | 1929 | 0.1 % |
| 3 | Arizona | 23972 | 1.2 % |
| 4 | Arkansas | 23595 | 1.2 % |
| 5 | California | 195531 | 9.6 % |
| 6 | Colorado | 20394 | 1.0 % |
| 7 | Connecticut | 27851 | 1.4 % |
| 8 | Delaware | 5098 | 0.2 % |
| 9 | District of Columbia | 6762 | 0.3 % |
| 10 | Florida | 115227 | 5.6 % |
| 11 | Georgia | 46595 | 2.3 % |
| 12 | Hawaii | 5640 | 0.3 % |
| 13 | Idaho | 7251 | 0.4 % |
| 14 | Illinois | 100911 | 4.9 % |
| 15 | Indiana | 47449 | 2.3 % |
| 16 | Iowa | 27020 | 1.3 % |
| 17 | Kansas | 22307 | 1.1 % |
| 18 | Kentucky | 33631 | 1.6 % |
| 19 | Louisiana | 35741 | 1.8 % |
| 20 | Maine | 10873 | 0.5 % |
| 21 | Maryland | 35466 | 1.7 % |
| 22 | Massachusetts | 55332 | 2.7 % |
| 23 | Michigan | 76588 | 3.8 % |

- Study 07632 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|----------------|---------------------------------|----------|
| 24 | Minnesota | 33766 | 1.7 % |
| 25 | Mississippi | 23939 | 1.2 % |
| 26 | Missouri | 49131 | 2.4 % |
| 27 | Montana | 6711 | 0.3 % |
| 28 | Nebraska | 14673 | 0.7 % |
| 29 | Nevada | 6755 | 0.3 % |
| 30 | New Hampshire | 8039 | 0.4 % |
| 31 | New Jersey | 69437 | 3.4 % |
| 32 | New Mexico | 9562 | 0.5 % |
| 33 | New York | 170762 | 8.4 % |
| 34 | North Carolina | 51046 | 2.5 % |
| 35 | North Dakota | 5546 | 0.3 % |
| 36 | Ohio | 96996 | 4.7 % |
| 37 | Oklahoma | 29343 | 1.4 % |
| 38 | Oregon | 23162 | 1.1 % |
| 39 | Pennsylvania | 122009 | 6.0 % |
| 40 | Rhode Island | 9435 | 0.5 % |
| 41 | South Carolina | 26374 | 1.3 % |
| 42 | South Dakota | 6533 | 0.3 % |
| 43 | Tennessee | 42334 | 2.1 % |
| 44 | Texas | 117021 | 5.7 % |
| 45 | Utah | 8997 | 0.4 % |
| 46 | Vermont | 4532 | 0.2 % |
| 47 | Virginia | 44310 | 2.2 % |
| 48 | Washington | 33814 | 1.7 % |
| 49 | West Virginia | 19207 | 0.9 % |
| 50 | Wisconsin | 41047 | 2.0 % |
| 51 | Wyoming | 3189 | 0.2 % |
| 52 | - | 75 | 0.0 % |
| 53 | - | 11 | 0.0 % |
| 54 | - | 17 | 0.0 % |
| 55 | - | 943 | 0.0 % |
| 56 | - | 5 | 0.0 % |
| 57 | - | 658 | 0.0 % |
| 59 | - | 1226 | 0.1 % |

CNTYRSID

COUNTY OF RESIDENCE

Location: 33-35 (width: 3; decimal: 0)

Variable Type: character

- Study 07632 -

| <i>Value</i> | <i>Label</i> |
|--------------|-------------------------------------|
| 999 | county less than 100,000 population |
| zzz | foreign residents |

* Frequencies not displayed for this variable.

| CITYRSID | CITY OF RESIDENCE |
|-----------------|--------------------------|
|-----------------|--------------------------|

Location: 36-38 (width: 3; decimal: 0)

Variable Type: character

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 001 | - | 12191 | 0.6 % |
| 002 | - | 5595 | 0.3 % |
| 003 | - | 14234 | 0.7 % |
| 004 | - | 11781 | 0.6 % |
| 005 | - | 4762 | 0.2 % |
| 006 | - | 886 | 0.0 % |
| 007 | - | 4760 | 0.2 % |
| 008 | - | 7960 | 0.4 % |
| 009 | - | 19764 | 1.0 % |
| 010 | - | 8159 | 0.4 % |
| 011 | - | 11515 | 0.6 % |
| 012 | - | 5734 | 0.3 % |
| 013 | - | 5914 | 0.3 % |
| 014 | - | 6604 | 0.3 % |
| 015 | - | 5044 | 0.2 % |
| 016 | - | 9561 | 0.5 % |
| 017 | - | 1358 | 0.1 % |
| 018 | - | 1341 | 0.1 % |
| 020 | - | 1153 | 0.1 % |
| 021 | - | 6339 | 0.3 % |
| 022 | - | 5344 | 0.3 % |
| 023 | - | 25416 | 1.2 % |
| 024 | - | 8648 | 0.4 % |
| 026 | - | 13456 | 0.7 % |
| 027 | - | 7538 | 0.4 % |
| 028 | - | 6674 | 0.3 % |
| 030 | - | 17513 | 0.9 % |
| 031 | - | 8735 | 0.4 % |
| 032 | - | 46535 | 2.3 % |
| 033 | - | 8368 | 0.4 % |
| 034 | - | 1788 | 0.1 % |
| 035 | - | 5068 | 0.2 % |

- Study 07632 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 036 | - | 9906 | 0.5 % |
| 039 | - | 3154 | 0.2 % |
| 042 | - | 1299 | 0.1 % |
| 043 | - | 23861 | 1.2 % |
| 044 | - | 6225 | 0.3 % |
| 045 | - | 678 | 0.0 % |
| 047 | - | 7532 | 0.4 % |
| 048 | - | 1387 | 0.1 % |
| 052 | - | 4154 | 0.2 % |
| 053 | - | 1261 | 0.1 % |
| 055 | - | 3641 | 0.2 % |
| 057 | - | 1434 | 0.1 % |
| 060 | - | 16499 | 0.8 % |
| 061 | - | 1579 | 0.1 % |
| 066 | - | 11714 | 0.6 % |
| 067 | - | 2436 | 0.1 % |
| 069 | - | 690 | 0.0 % |
| 071 | - | 745 | 0.0 % |
| 072 | - | 2786 | 0.1 % |
| 073 | - | 700 | 0.0 % |
| 075 | - | 2546 | 0.1 % |
| 077 | - | 21361 | 1.0 % |
| 078 | - | 7444 | 0.4 % |
| 079 | - | 2741 | 0.1 % |
| 085 | - | 1179 | 0.1 % |
| 086 | - | 3355 | 0.2 % |
| 087 | - | 901 | 0.0 % |
| 089 | - | 1943 | 0.1 % |
| 092 | - | 563 | 0.0 % |
| 094 | - | 2936 | 0.1 % |
| 095 | - | 1926 | 0.1 % |
| 096 | - | 20090 | 1.0 % |
| 098 | - | 6745 | 0.3 % |
| 101 | - | 1999 | 0.1 % |
| 106 | - | 631 | 0.0 % |
| 112 | - | 5067 | 0.2 % |
| 115 | - | 27090 | 1.3 % |
| 121 | - | 6408 | 0.3 % |
| 126 | - | 3548 | 0.2 % |
| 130 | - | 1330 | 0.1 % |

- Study 07632 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------------------------------------------|-----------------------------|----------|
| 131 | - | 1146 | 0.1 % |
| 141 | - | 1360 | 0.1 % |
| 144 | - | 1214 | 0.1 % |
| 146 | - | 3710 | 0.2 % |
| 149 | - | 1463 | 0.1 % |
| 150 | - | 731 | 0.0 % |
| 153 | - | 1213 | 0.1 % |
| 160 | - | 1415 | 0.1 % |
| 182 | - | 1611 | 0.1 % |
| 186 | - | 4569 | 0.2 % |
| 189 | - | 1413 | 0.1 % |
| 194 | - | 6622 | 0.3 % |
| 197 | - | 7984 | 0.4 % |
| 200 | - | 3865 | 0.2 % |
| 209 | - | 1473 | 0.1 % |
| 230 | - | 2014 | 0.1 % |
| 232 | - | 694 | 0.0 % |
| 235 | - | 1058 | 0.1 % |
| 999 | bal of county;or city of less 100,000 population | 1474592 | 72.2 % |
| ZZZ | foreign residents | 2935 | 0.1 % |

POPSIZE POPULATION SIZE CITY OF RESIDENCE

Location: 39-39 (width: 1; decimal: 0)

Variable Type: character

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-------------------------------|-----------------------------|----------|
| 0 | Place of 1,000,000 or more | 175397 | 8.6 % |
| 1 | Place of 500,000 to 1,000,000 | 102037 | 5.0 % |
| 2 | Place of 250,000 to 500,000 | 125754 | 6.2 % |
| 3 | Place of 100,000 to 250,000 | 161589 | 7.9 % |
| 9 | All other areas in the U.S. | 1474592 | 72.2 % |
| Z | - | 2935 | 0.1 % |

METRO METROPOLITAN NONMETROPOLITAN COUNTY OF RESID

Location: 40-40 (width: 1; decimal: 0)

Variable Type: character

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|------------------------|-----------------------------|----------|
| 1 | Metropolitan county | 1483786 | 72.7 % |
| 2 | Nonmetropolitan county | 555583 | 27.2 % |
| Z | - | 2935 | 0.1 % |

- Study 07632 -

REGNRES REGION OF RESIDENCE

Location: 41-41 (width: 1; decimal: 0)

Variable Type: numeric

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-------------------|-----------------------------|----------|
| 0 | Foreign residents | 2935 | 0.1 % |
| 1 | Northeast | 478270 | 23.4 % |
| 2 | Midwest | 521967 | 25.6 % |
| 3 | South | 692225 | 33.9 % |
| 4 | West | 346907 | 17.0 % |

DIVISRES DIVISION OF RESIDENCE

Location: 42-42 (width: 1; decimal: 0)

Variable Type: numeric

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------------|-----------------------------|----------|
| 0 | - | 2935 | 0.1 % |
| 1 | New England | 116062 | 5.7 % |
| 2 | Middle Atlantic | 362208 | 17.7 % |
| 3 | East North Central | 362991 | 17.8 % |
| 4 | West North Central | 158976 | 7.8 % |
| 5 | South Atlantic | 350085 | 17.1 % |
| 6 | Eath South Central | 136440 | 6.7 % |
| 7 | West South Central | 205700 | 10.1 % |
| 8 | Mountain | 86831 | 4.3 % |
| 9 | Pacific | 260076 | 12.7 % |

STSUB STATE SUBCODE OF RESIDENCE

Location: 43-43 (width: 1; decimal: 0)

Variable Type: numeric

| <i>Value</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------------|----------|
| 0 | 2935 | 0.1 % |
| 1 | 415246 | 20.3 % |
| 2 | 295899 | 14.5 % |
| 3 | 547944 | 26.8 % |
| 4 | 345059 | 16.9 % |
| 5 | 91424 | 4.5 % |
| 6 | 117542 | 5.8 % |
| 7 | 57678 | 2.8 % |
| 8 | 53350 | 2.6 % |
| 9 | 115227 | 5.6 % |

- Study 07632 -

EXP_RES

EXPANDED STATE OF RESIDENCE NY CITY

Location: 44-45 (width: 2; decimal: 0)

Variable Type: numeric

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|----------------------|-----------------------------|----------|
| 1 | Alabama | 36536 | 1.8 % |
| 2 | Alaska | 1929 | 0.1 % |
| 3 | Arizona | 23972 | 1.2 % |
| 4 | Arkansas | 23595 | 1.2 % |
| 5 | California | 195531 | 9.6 % |
| 6 | Colorado | 20394 | 1.0 % |
| 7 | Connecticut | 27851 | 1.4 % |
| 8 | Delaware | 5098 | 0.2 % |
| 9 | District of Columbia | 6762 | 0.3 % |
| 10 | Florida | 115227 | 5.6 % |
| 11 | Georgia | 46595 | 2.3 % |
| 12 | Hawaii | 5640 | 0.3 % |
| 13 | Idaho | 7251 | 0.4 % |
| 14 | Illinois | 100911 | 4.9 % |
| 15 | Indiana | 47449 | 2.3 % |
| 16 | Iowa | 27020 | 1.3 % |
| 17 | Kansas | 22307 | 1.1 % |
| 18 | Kentucky | 33631 | 1.6 % |
| 19 | Louisiana | 35741 | 1.8 % |
| 20 | Maine | 10873 | 0.5 % |
| 21 | Maryland | 35466 | 1.7 % |
| 22 | Massachusetts | 55332 | 2.7 % |
| 23 | Michigan | 76588 | 3.8 % |
| 24 | Minnesota | 33766 | 1.7 % |
| 25 | Mississippi | 23939 | 1.2 % |
| 26 | Missouri | 49131 | 2.4 % |
| 27 | Montana | 6711 | 0.3 % |
| 28 | Nebraska | 14673 | 0.7 % |
| 29 | Nevada | 6755 | 0.3 % |
| 30 | New Hampshire | 8039 | 0.4 % |
| 31 | New Jersey | 69437 | 3.4 % |
| 32 | New Mexico | 9562 | 0.5 % |
| 33 | New York | 96000 | 4.7 % |
| 34 | New York City | 74762 | 3.7 % |
| 35 | North Carolina | 51046 | 2.5 % |
| 36 | North Dakota | 5546 | 0.3 % |
| 37 | Ohio | 96996 | 4.7 % |

- Study 07632 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|----------------|-----------------------------|----------|
| 38 | Oklahoma | 29343 | 1.4 % |
| 39 | Oregon | 23162 | 1.1 % |
| 40 | Pennsylvania | 122009 | 6.0 % |
| 41 | Rhode Island | 9435 | 0.5 % |
| 42 | South Carolina | 26374 | 1.3 % |
| 43 | South Dakota | 6533 | 0.3 % |
| 44 | Tennessee | 42334 | 2.1 % |
| 45 | Texas | 117021 | 5.7 % |
| 46 | Utah | 8997 | 0.4 % |
| 47 | Vermont | 4532 | 0.2 % |
| 48 | Virginia | 44310 | 2.2 % |
| 49 | Washington | 33814 | 1.7 % |
| 50 | West Virginia | 19207 | 0.9 % |
| 51 | Wisconsin | 41047 | 2.0 % |
| 52 | Wyoming | 3189 | 0.2 % |
| 53 | - | 75 | 0.0 % |
| 54 | - | 11 | 0.0 % |
| 55 | - | 17 | 0.0 % |
| 56 | - | 943 | 0.0 % |
| 57 | - | 5 | 0.0 % |
| 58 | - | 658 | 0.0 % |
| 60 | - | 1226 | 0.1 % |

SMSA_RES SMSA,MSA OF RESIDENCE

Location: 46-48 (width: 3; decimal: 0)

Variable Type: character

| <i>Value</i> | <i>Label</i> |
|--------------|--------------------------------------|
| 000 | Non metropolitan counties |
| 999 | Area of less than 100,000 population |
| ZZZ | Foreign residents |

* Frequencies not displayed for this variable.

RESVD1 RESERVED POSITIONS

Location: 49-54 (width: 6; decimal: 0)

Variable Type: numeric

| <i>Value</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------------|----------|
| . (M) | 2042304 | 100.0 % |

DEATHMO MONTH OF DEATH

Location: 55-56 (width: 2; decimal: 0)

- Study 07632 -

Variable Type: numeric

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | January | 183684 | 9.0 % |
| 2 | February | 169385 | 8.3 % |
| 3 | March | 181554 | 8.9 % |
| 4 | April | 171631 | 8.4 % |
| 5 | May | 169810 | 8.3 % |
| 6 | June | 162206 | 7.9 % |
| 7 | July | 161833 | 7.9 % |
| 8 | August | 160897 | 7.9 % |
| 9 | September | 158533 | 7.8 % |
| 10 | October | 168186 | 8.2 % |
| 11 | November | 170516 | 8.3 % |
| 12 | December | 184069 | 9.0 % |

DEATHDY DAY OF DEATH

Location: 57-58 (width: 2; decimal: 0)

Variable Type: numeric

| <i>Value</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------------|----------|
| 1 | 67118 | 3.3 % |
| 2 | 67686 | 3.3 % |
| 3 | 67630 | 3.3 % |
| 4 | 67585 | 3.3 % |
| 5 | 67304 | 3.3 % |
| 6 | 67175 | 3.3 % |
| 7 | 67754 | 3.3 % |
| 8 | 67349 | 3.3 % |
| 9 | 67290 | 3.3 % |
| 10 | 67902 | 3.3 % |
| 11 | 67885 | 3.3 % |
| 12 | 66795 | 3.3 % |
| 13 | 67439 | 3.3 % |
| 14 | 67238 | 3.3 % |
| 15 | 66121 | 3.2 % |
| 16 | 66616 | 3.3 % |
| 17 | 66648 | 3.3 % |
| 18 | 66692 | 3.3 % |
| 19 | 66568 | 3.3 % |
| 20 | 66884 | 3.3 % |
| 21 | 66520 | 3.3 % |

- Study 07632 -

| <i>Value</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------------|----------|
| 22 | 66224 | 3.2 % |
| 23 | 67013 | 3.3 % |
| 24 | 66894 | 3.3 % |
| 25 | 66406 | 3.3 % |
| 26 | 66506 | 3.3 % |
| 27 | 66918 | 3.3 % |
| 28 | 67006 | 3.3 % |
| 29 | 66583 | 3.3 % |
| 30 | 60366 | 3.0 % |
| 31 | 38113 | 1.9 % |
| 99 | 76 | 0.0 % |

SEX **SEX**

Location: 59-59 (width: 1; decimal: 0)
 Variable Type: numeric

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | Male | 1078474 | 52.8 % |
| 2 | Female | 963830 | 47.2 % |

RACE_DET **RACE DETAIL**

Location: 60-61 (width: 2; decimal: 0)
 Variable Type: numeric

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------------------------------|-----------------------------|----------|
| 0 | Other Asian or Pacific Islander | 4412 | 0.2 % |
| 1 | White | 1784409 | 87.4 % |
| 2 | Black | 235984 | 11.6 % |
| 3 | Indian (includes Aleuts and Eskimos) | 6972 | 0.3 % |
| 4 | Chinese | 3533 | 0.2 % |
| 5 | Japanese | 3166 | 0.2 % |
| 6 | Hawaiian (includes Part Hawaiian) | 1028 | 0.1 % |
| 7 | All other races | 160 | 0.0 % |
| 8 | Filipino | 2640 | 0.1 % |

RACE_R3 **RACE RECODE 3**

Location: 62-62 (width: 1; decimal: 0)
 Variable Type: character

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | White | 1784409 | 87.4 % |

- Study 07632 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|---------------------------------|-----------------------------|----------|
| 2 | Races other than White or Black | 21911 | 1.1 % |
| 3 | Black | 235984 | 11.6 % |

RACE_R2 RACE RECODE 2

Location: 63-63 (width: 1; decimal: 0)

Variable Type: numeric

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------|-----------------------------|----------|
| 1 | White | 1784409 | 87.4 % |
| 2 | All other races | 257895 | 12.6 % |

AGEUNIT AGE UNIT

Location: 64-64 (width: 1; decimal: 0)

Variable Type: numeric

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|---------------------|-----------------------------|----------|
| 0 | Years less than 100 | 1993668 | 97.6 % |
| 1 | Years 100 or more | 8456 | 0.4 % |
| 2 | Months | 13928 | 0.7 % |
| 3 | Weeks | 546 | 0.0 % |
| 4 | Days | 10075 | 0.5 % |
| 5 | Hours | 11168 | 0.5 % |
| 6 | Minutes | 3935 | 0.2 % |
| 9 | Age not stated | 528 | 0.0 % |

AGENUMBR AGE NUMBER

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric

| <i>Value</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------------|----------|
| 0 | 2995 | 0.1 % |
| 1 | 14487 | 0.7 % |
| 2 | 10195 | 0.5 % |
| 3 | 6502 | 0.3 % |
| 4 | 4305 | 0.2 % |
| 5 | 3497 | 0.2 % |
| 6 | 2757 | 0.1 % |
| 7 | 2230 | 0.1 % |
| 8 | 2031 | 0.1 % |
| 9 | 1814 | 0.1 % |
| 10 | 1913 | 0.1 % |

- Study 07632 -

| <i>Value</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|---------------------------------|----------|
| 11 | 1645 | 0.1 % |
| 12 | 1538 | 0.1 % |
| 13 | 1547 | 0.1 % |
| 14 | 1741 | 0.1 % |
| 15 | 2266 | 0.1 % |
| 16 | 2822 | 0.1 % |
| 17 | 3357 | 0.2 % |
| 18 | 4080 | 0.2 % |
| 19 | 4552 | 0.2 % |
| 20 | 4886 | 0.2 % |
| 21 | 5096 | 0.2 % |
| 22 | 4958 | 0.2 % |
| 23 | 5102 | 0.2 % |
| 24 | 4943 | 0.2 % |
| 25 | 5055 | 0.2 % |
| 26 | 5004 | 0.2 % |
| 27 | 5104 | 0.2 % |
| 28 | 4890 | 0.2 % |
| 29 | 4911 | 0.2 % |
| 30 | 5359 | 0.3 % |
| 31 | 5176 | 0.3 % |
| 32 | 5081 | 0.2 % |
| 33 | 5241 | 0.3 % |
| 34 | 5348 | 0.3 % |
| 35 | 5488 | 0.3 % |
| 36 | 5817 | 0.3 % |
| 37 | 6184 | 0.3 % |
| 38 | 5407 | 0.3 % |
| 39 | 5700 | 0.3 % |
| 40 | 6518 | 0.3 % |
| 41 | 6824 | 0.3 % |
| 42 | 6946 | 0.3 % |
| 43 | 6956 | 0.3 % |
| 44 | 7462 | 0.4 % |
| 45 | 7947 | 0.4 % |
| 46 | 8442 | 0.4 % |
| 47 | 9102 | 0.4 % |
| 48 | 9726 | 0.5 % |
| 49 | 10989 | 0.5 % |
| 50 | 11552 | 0.6 % |

- Study 07632 -

| <i>Value</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|---------------------------------|----------|
| 51 | 12911 | 0.6 % |
| 52 | 14198 | 0.7 % |
| 53 | 15733 | 0.8 % |
| 54 | 17484 | 0.9 % |
| 55 | 19123 | 0.9 % |
| 56 | 21363 | 1.0 % |
| 57 | 23503 | 1.2 % |
| 58 | 25465 | 1.2 % |
| 59 | 27944 | 1.4 % |
| 60 | 29867 | 1.5 % |
| 61 | 31104 | 1.5 % |
| 62 | 34891 | 1.7 % |
| 63 | 36683 | 1.8 % |
| 64 | 38112 | 1.9 % |
| 65 | 38970 | 1.9 % |
| 66 | 41232 | 2.0 % |
| 67 | 42631 | 2.1 % |
| 68 | 44602 | 2.2 % |
| 69 | 47666 | 2.3 % |
| 70 | 49600 | 2.4 % |
| 71 | 50925 | 2.5 % |
| 72 | 52165 | 2.6 % |
| 73 | 54166 | 2.7 % |
| 74 | 55336 | 2.7 % |
| 75 | 55517 | 2.7 % |
| 76 | 57235 | 2.8 % |
| 77 | 56191 | 2.8 % |
| 78 | 56447 | 2.8 % |
| 79 | 56762 | 2.8 % |
| 80 | 55824 | 2.7 % |
| 81 | 54826 | 2.7 % |
| 82 | 52119 | 2.6 % |
| 83 | 54337 | 2.7 % |
| 84 | 52084 | 2.6 % |
| 85 | 47264 | 2.3 % |
| 86 | 46471 | 2.3 % |
| 87 | 44008 | 2.2 % |
| 88 | 41587 | 2.0 % |
| 89 | 38065 | 1.9 % |
| 90 | 34092 | 1.7 % |

- Study 07632 -

| <i>Value</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------------|----------|
| 91 | 30148 | 1.5 % |
| 92 | 25969 | 1.3 % |
| 93 | 21457 | 1.1 % |
| 94 | 18147 | 0.9 % |
| 95 | 14643 | 0.7 % |
| 96 | 11064 | 0.5 % |
| 97 | 7926 | 0.4 % |
| 98 | 6014 | 0.3 % |
| 99 | 4945 | 0.2 % |

AGEREC52

AGE RECODE 52

Location:

67-68 (width: 2; decimal: 0)

Variable Type:

numeric

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | Under 1 hour | 4060 | 0.2 % |
| 2 | 1-23 hours | 11043 | 0.5 % |
| 3 | 1 day | 2422 | 0.1 % |
| 4 | 2 days | 1642 | 0.1 % |
| 5 | 3 days | 968 | 0.0 % |
| 6 | 4 days | 604 | 0.0 % |
| 7 | 5 days | 441 | 0.0 % |
| 8 | 6 days | 408 | 0.0 % |
| 9 | 7-13 days | 1917 | 0.1 % |
| 10 | 14-20 days | 1302 | 0.1 % |
| 11 | 21-27 days | 917 | 0.0 % |
| 12 | 1 month | 3389 | 0.2 % |
| 13 | 2 months | 2808 | 0.1 % |
| 14 | 3 months | 2092 | 0.1 % |
| 15 | 4 months | 1448 | 0.1 % |
| 16 | 5 months | 1114 | 0.1 % |
| 17 | 6 months | 803 | 0.0 % |
| 18 | 7 months | 599 | 0.0 % |
| 19 | 8 months | 521 | 0.0 % |
| 20 | 9 months | 463 | 0.0 % |
| 21 | 10 months | 341 | 0.0 % |
| 22 | 11 months | 350 | 0.0 % |
| 23 | 1 year | 2929 | 0.1 % |
| 24 | 2 years | 1944 | 0.1 % |
| 25 | 3 years | 1406 | 0.1 % |

- Study 07632 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------------|-----------------------------|----------|
| 26 | 4 years | 1132 | 0.1 % |
| 27 | 5-9 years | 4166 | 0.2 % |
| 28 | 10-14 years | 4957 | 0.2 % |
| 29 | 15-19 years | 15311 | 0.7 % |
| 30 | 20-24 years | 23749 | 1.2 % |
| 31 | 25-29 years | 24369 | 1.2 % |
| 32 | 30-34 years | 25783 | 1.3 % |
| 33 | 35-39 years | 28353 | 1.4 % |
| 34 | 40-44 years | 34424 | 1.7 % |
| 35 | 45-49 years | 45885 | 2.2 % |
| 36 | 50-54 years | 71647 | 3.5 % |
| 37 | 55-59 years | 117192 | 5.7 % |
| 38 | 60-64 years | 170657 | 8.4 % |
| 39 | 65-69 years | 215101 | 10.5 % |
| 40 | 70-74 years | 262192 | 12.8 % |
| 41 | 75-79 years | 282152 | 13.8 % |
| 42 | 80-84 years | 269190 | 13.2 % |
| 43 | 85-89 years | 217395 | 10.6 % |
| 44 | 90-94 years | 129813 | 6.4 % |
| 45 | 95-99 years | 43921 | 2.2 % |
| 46 | 100-104 years | 7645 | 0.4 % |
| 47 | 105-109 years | 716 | 0.0 % |
| 48 | 110- 114 years | 82 | 0.0 % |
| 49 | 115- 119 years | 7 | 0.0 % |
| 50 | 120-124 years | 4 | 0.0 % |
| 51 | 125 years and over | 2 | 0.0 % |
| 52 | Age not stated | 528 | 0.0 % |

AGEREC27

AGE RECODE 27

Location: 69-70 (width: 2; decimal: 0)

Variable Type: numeric

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | Under 1 mo | 25724 | 1.3 % |
| 2 | 1 to 11 mos | 13928 | 0.7 % |
| 3 | 1 years | 2929 | 0.1 % |
| 4 | 2 years | 1944 | 0.1 % |
| 5 | 3 years | 1406 | 0.1 % |
| 6 | 4 years | 1132 | 0.1 % |
| 7 | 5-9 years | 4166 | 0.2 % |

- Study 07632 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------------|-----------------------------|----------|
| 8 | 10-14 years | 4957 | 0.2 % |
| 9 | 15-19 years | 15311 | 0.7 % |
| 10 | 20-24 years | 23749 | 1.2 % |
| 11 | 25-29 years | 24369 | 1.2 % |
| 12 | 30-34 years | 25783 | 1.3 % |
| 13 | 35-39 years | 28353 | 1.4 % |
| 14 | 40-44 years | 34424 | 1.7 % |
| 15 | 45-49 years | 45885 | 2.2 % |
| 16 | 50-54 years | 71647 | 3.5 % |
| 17 | 55-59 years | 117192 | 5.7 % |
| 18 | 60-64 years | 170657 | 8.4 % |
| 19 | 65-69 years | 215101 | 10.5 % |
| 20 | 70-74 years | 262192 | 12.8 % |
| 21 | 75-79 years | 282152 | 13.8 % |
| 22 | 80-84 years | 269190 | 13.2 % |
| 23 | 05-89 years | 217395 | 10.6 % |
| 24 | 90-94 years | 129813 | 6.4 % |
| 25 | 95-99 years | 43921 | 2.2 % |
| 26 | 100 years and over | 8456 | 0.4 % |
| 27 | Age not stated | 528 | 0.0 % |

AGEREC12

AGE RECODE 12

Location:

71-72 (width: 2; decimal: 0)

Variable Type:

numeric

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-------------------|-----------------------------|----------|
| 1 | Under 1 year | 39652 | 1.9 % |
| 2 | 1-4 years | 7411 | 0.4 % |
| 3 | 5-14 years | 9123 | 0.4 % |
| 4 | 15-24 years | 39060 | 1.9 % |
| 5 | 25-34 years | 50152 | 2.5 % |
| 6 | 35-44 years | 62777 | 3.1 % |
| 7 | 45-54 years | 117532 | 5.8 % |
| 8 | 55-64 years | 287849 | 14.1 % |
| 9 | 65-74 years | 477293 | 23.4 % |
| 10 | 75-84 years | 551342 | 27.0 % |
| 11 | 85 years and over | 399585 | 19.6 % |
| 12 | Age not stated | 528 | 0.0 % |

INFNT22

INFANT AGE RECODE 22

Location:

73-74 (width: 2; decimal: 0)

- Study 07632 -

Variable Type:

numeric

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | Under 1 hour | 4060 | 0.2 % |
| 2 | 1-23 hours | 11043 | 0.5 % |
| 3 | 1 day | 2422 | 0.1 % |
| 4 | 2 days | 1642 | 0.1 % |
| 5 | 3 days | 968 | 0.0 % |
| 6 | 4 days | 604 | 0.0 % |
| 7 | 5 days | 441 | 0.0 % |
| 8 | 6 days | 408 | 0.0 % |
| 9 | 7-13 days | 1917 | 0.1 % |
| 10 | 14-20 days | 1302 | 0.1 % |
| 11 | 21-27 days | 917 | 0.0 % |
| 12 | 1 month | 3389 | 0.2 % |
| 13 | 2 months | 2808 | 0.1 % |
| 14 | 3 months | 2092 | 0.1 % |
| 15 | 4 months | 1448 | 0.1 % |
| 16 | 5 months | 1114 | 0.1 % |
| 17 | 6 months | 803 | 0.0 % |
| 18 | 7 months | 599 | 0.0 % |
| 19 | 8 months | 521 | 0.0 % |
| 20 | 9 months | 463 | 0.0 % |
| 21 | 10 months | 341 | 0.0 % |
| 22 | 11 months | 350 | 0.0 % |
| . (M) | - | 2002652 | 98.1 % |

HOSPSTAT

HOSPITAL AND STATUS

Location:

75-75 (width: 1; decimal: 0)

Variable Type:

numeric

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|------------------------------------------------------------|-----------------------------|----------|
| 1 | Hospital, Clinic or Med Center--inpatient | 790850 | 38.7 % |
| 2 | Hospital, Clinic or Med Center--outpatient or adm ER | 98698 | 4.8 % |
| 3 | Hospital, Clinic or Med Center--dead on arrival | 91051 | 4.5 % |
| 4 | Hospital, Clinic or Med Center--patient status unknown | 22740 | 1.1 % |
| 5 | Hospital, Clinic or Med Center--patient status not on cert | 352329 | 17.3 % |
| 6 | All other institutions providing patient care | 290715 | 14.2 % |
| 7 | All other reported entries | 394140 | 19.3 % |
| 8 | Dead on arrival--Hosp,Clinic or Med Center name not given | 401 | 0.0 % |
| 9 | Hospital and patient status not stated | 1380 | 0.1 % |

RESVD2

RESERVED

- Study 07632 -

Location: 76-76 (width: 1; decimal: 0)

Variable Type: numeric

| <i>Value</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------------|----------|
| . (M) | 2042304 | 100.0 % |

MARSTAT MARITAL STATUS

Location: 77-77 (width: 1; decimal: 0)

Variable Type: numeric

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------------------|-----------------------------|----------|
| 1 | Never married, single | 253509 | 12.4 % |
| 2 | Married | 917568 | 44.9 % |
| 3 | Widowed | 722559 | 35.4 % |
| 4 | Divorced | 138999 | 6.8 % |
| 8 | Marital Status not on certificate | 1 | 0.0 % |
| 9 | Marital Status not stated | 9668 | 0.5 % |

BIRTH_ST STATE OF BIRTH

Location: 78-79 (width: 2; decimal: 0)

Variable Type: numeric

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|----------------------|-----------------------------|----------|
| 1 | Alabama | 51586 | 2.5 % |
| 2 | Alaska | 1042 | 0.1 % |
| 3 | Arizona | 5943 | 0.3 % |
| 4 | Arkansas | 36893 | 1.8 % |
| 5 | California | 47380 | 2.3 % |
| 6 | Colorado | 13626 | 0.7 % |
| 7 | Connecticut | 19588 | 1.0 % |
| 8 | Delaware | 3476 | 0.2 % |
| 9 | District of Columbia | 5957 | 0.3 % |
| 10 | Florida | 20998 | 1.0 % |
| 11 | Georgia | 59425 | 2.9 % |
| 12 | Hawaii | 4010 | 0.2 % |
| 13 | Idaho | 5995 | 0.3 % |
| 14 | Illinois | 102226 | 5.0 % |
| 15 | Indiana | 48265 | 2.4 % |
| 16 | Iowa | 41915 | 2.1 % |
| 17 | Kansas | 31330 | 1.5 % |
| 18 | Kentucky | 50947 | 2.5 % |
| 19 | Louisiana | 39909 | 2.0 % |
| 20 | Maine | 11949 | 0.6 % |

- Study 07632 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------------|---------------------------------|----------|
| 21 | Maryland | 24390 | 1.2 % |
| 22 | Massachusetts | 53439 | 2.6 % |
| 23 | Michigan | 57731 | 2.8 % |
| 24 | Minnesota | 38523 | 1.9 % |
| 25 | Mississippi | 40967 | 2.0 % |
| 26 | Missouri | 61589 | 3.0 % |
| 27 | Montana | 6733 | 0.3 % |
| 28 | Nebraska | 23266 | 1.1 % |
| 29 | Nevada | 1285 | 0.1 % |
| 30 | New Hampshire | 6424 | 0.3 % |
| 31 | New Jersey | 44722 | 2.2 % |
| 32 | New Mexico | 7179 | 0.4 % |
| 33 | New York | 150860 | 7.4 % |
| 34 | North Carolina | 58517 | 2.9 % |
| 35 | North Dakota | 10572 | 0.5 % |
| 36 | Ohio | 86009 | 4.2 % |
| 37 | Oklahoma | 34588 | 1.7 % |
| 38 | Oregon | 10163 | 0.5 % |
| 39 | Pennsylvania | 142505 | 7.0 % |
| 40 | Rhode Island | 8517 | 0.4 % |
| 41 | South Carolina | 36574 | 1.8 % |
| 42 | South Dakota | 10786 | 0.5 % |
| 43 | Tennessee | 49870 | 2.4 % |
| 44 | Texas | 99820 | 4.9 % |
| 45 | Utah | 9318 | 0.5 % |
| 46 | Vermont | 5549 | 0.3 % |
| 47 | Virginia | 46660 | 2.3 % |
| 48 | Washington | 15628 | 0.8 % |
| 49 | West Virginia | 29831 | 1.5 % |
| 50 | Wisconsin | 43664 | 2.1 % |
| 51 | Wyoming | 2614 | 0.1 % |
| 52 | Puerto Rico | 6756 | 0.3 % |
| 53 | Virgin Islands | 210 | 0.0 % |
| 54 | Guam | 84 | 0.0 % |
| 55 | Canada | 18205 | 0.9 % |
| 56 | Cuba | 6167 | 0.3 % |
| 57 | Mexico | 14620 | 0.7 % |
| 59 | Remainder of world | 164823 | 8.1 % |
| 99 | - | 10686 | 0.5 % |

ORIGIN

ORIGIN OR DESCENT

- Study 07632 -

Location: 80-81 (width: 2; decimal: 0)
 Variable Type: numeric

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|------------------------------------------|-----------------------------|----------|
| 0 | NON SPANISH | 467660 | 22.9 % |
| 1 | MEXICAN | 25328 | 1.2 % |
| 2 | PUERTO RICAN | 6145 | 0.3 % |
| 3 | CUBAN | 1686 | 0.1 % |
| 4 | CENTRAL OR SOUTH AMERICAN | 2248 | 0.1 % |
| 5 | OTHER OR UNKNOWN SPANISH | 11331 | 0.6 % |
| 6 | AMERICAN | 293733 | 14.4 % |
| 7 | AMERICAN INDIAN | 799 | 0.0 % |
| 8 | BRITISH, SCOTTISH, WELSH, SCOTCH-IRISH | 32482 | 1.6 % |
| 9 | IRISH | 18263 | 0.9 % |
| 10 | GERMAN | 37379 | 1.8 % |
| 11 | FRENCH | 3882 | 0.2 % |
| 12 | NORWEGIAN, SWEDISH, DANISH | 7297 | 0.4 % |
| 13 | POLISH | 13054 | 0.6 % |
| 14 | ITALIAN | 22386 | 1.1 % |
| 15 | OTHER NORTH, CENTRAL, AND SOUTH AMERICAN | 3191 | 0.2 % |
| 16 | OTHER WESTERN EUROPEAN | 5857 | 0.3 % |
| 17 | OTHER NORTHERN EUROPEAN | 439 | 0.0 % |
| 18 | OTHER EASTERN EUROPEAN | 17287 | 0.8 % |
| 19 | OTHER SOUTHERN EUROPEAN (EXCL SPAIN) | 4111 | 0.2 % |
| 20 | SOUTHEAST ASIAN AND PACIFIC ISLANDER | 2623 | 0.1 % |
| 21 | SOTH CENTRAL ASIAN | 466 | 0.0 % |
| 22 | OTHER ASIAN | 2800 | 0.1 % |
| 23 | NORTH AFRICAN | 115 | 0.0 % |
| 24 | OTHER AFRICAN | 30652 | 1.5 % |
| 88 | NOT REPORTED | 972669 | 47.6 % |
| 99 | NOT CLASSIFIABLE | 58421 | 2.9 % |

RESVD3 RESERVED

Location: 82-83 (width: 2; decimal: 0)
 Variable Type: numeric

| <i>Value</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------------|----------|
| . (M) | 2042304 | 100.0 % |

AUTOPSY AUTOPSY PERFORMED

Location: 84-84 (width: 1; decimal: 0)
 Variable Type: numeric

- Study 07632 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------------------------------|-----------------------------|----------|
| 1 | Yes | 260095 | 12.7 % |
| 2 | No | 1538150 | 75.3 % |
| 8 | Autopsy performed not on certificate | 1 | 0.0 % |
| 9 | Autopsy performed not stated | 244058 | 12.0 % |

RESVD4

RESERVED

Location: 85-99 (width: 15; decimal: 0)

Variable Type: character

| <i>Value</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------------|----------|
| 01 | 1982 | 0.1 % |
| 02 | 15042 | 0.7 % |
| 04 | 8471 | 0.4 % |
| 05 | 8668 | 0.4 % |
| 06 | 14264 | 0.7 % |
| 07 | 47963 | 2.3 % |
| 08 | 8391 | 0.4 % |
| 09 | 6536 | 0.3 % |
| 10 | 4238 | 0.2 % |
| 11 | 23168 | 1.1 % |
| 12 | 3626 | 0.2 % |
| 13 | 118805 | 5.8 % |
| 14 | 433 | 0.0 % |
| 15 | 1038 | 0.1 % |
| 16 | 2791 | 0.1 % |
| 17 | 5385 | 0.3 % |
| 18 | 39508 | 1.9 % |
| 19 | 4572 | 0.2 % |
| 20 | 3124 | 0.2 % |
| 21 | 11378 | 0.6 % |
| 22 | 25418 | 1.2 % |
| 23 | 402 | 0.0 % |
| 24 | 9720 | 0.5 % |
| 25 | 8891 | 0.4 % |
| 26 | 10124 | 0.5 % |
| 27 | 1962 | 0.1 % |
| 28 | 14725 | 0.7 % |
| 29 | 7474 | 0.4 % |
| 30 | 17153 | 0.8 % |
| 31 | 45700 | 2.2 % |

- Study 07632 -

| <i>Value</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------------|----------|
| 32 | 35819 | 1.8 % |
| 33 | 1299 | 0.1 % |
| 35 | 20744 | 1.0 % |
| 36 | 2855 | 0.1 % |
| 38 | 279544 | 13.7 % |
| 39 | 262519 | 12.9 % |
| 40 | 200539 | 9.8 % |
| 41 | 7781 | 0.4 % |
| 42 | 154497 | 7.6 % |
| 43 | 24470 | 1.2 % |
| 44 | 58925 | 2.9 % |
| 45 | 69132 | 3.4 % |
| 46 | 1359 | 0.1 % |
| 47 | 6578 | 0.3 % |
| 48 | 27362 | 1.3 % |
| 49 | 20140 | 1.0 % |
| 51 | 46517 | 2.3 % |
| 52 | 4982 | 0.2 % |
| 53 | 41923 | 2.1 % |
| 54 | 29327 | 1.4 % |
| 55 | 19870 | 1.0 % |
| 56 | 255170 | 12.5 % |

| | |
|----------------|------------------|
| FIPMSMA | FIPS SMSA |
|----------------|------------------|

Location: 100-113 (width: 14; decimal: 0)
 Variable Type: character

| | |
|---------------|-----------------|
| RESVD5 | RESERVED |
|---------------|-----------------|

Location: 114-121 (width: 8; decimal: 0)
 Variable Type: character

| | |
|-----------------|------------------------|
| PLACEINJ | PLACE OF INJURY |
|-----------------|------------------------|

Location: 122-122 (width: 1; decimal: 0)
 Variable Type: numeric

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------------------------|-----------------------------|----------|
| 0 | Home | 15944 | 0.8 % |
| 1 | Farm | 998 | 0.0 % |
| 2 | Mine or quarry | 189 | 0.0 % |
| 3 | Industrial place and premises | 1546 | 0.1 % |
| 4 | Place for recreation and sport | 1137 | 0.1 % |
| 5 | Street and highway | 939 | 0.0 % |

- Study 07632 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|---------------------------------|-----------------------------|----------|
| 6 | Public building | 1068 | 0.1 % |
| 7 | Resident institution | 1982 | 0.1 % |
| 8 | Other Specified Places | 4768 | 0.2 % |
| 9 | Place of accident not specified | 11770 | 0.6 % |
| . (M) | - | 2001963 | 98.0 % |

ICD9 ICD9 CODE

Location: 123-126 (width: 4; decimal: 0)
 Variable Type: character

ICD282 ICD 282 CAUSE LIST

Location: 127-131 (width: 5; decimal: 0)
 Variable Type: character

ICD72 ICD72 CAUSE LIST

Location: 132-134 (width: 3; decimal: 0)
 Variable Type: character

| <i>Value</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------------|----------|
| 010 | 19 | 0.0 % |
| 020 | 332 | 0.0 % |
| 040 | 1344 | 0.1 % |
| 050 | 389 | 0.0 % |
| 060 | 7 | 0.0 % |
| 070 | 11 | 0.0 % |
| 080 | 301 | 0.0 % |
| 090 | 15042 | 0.7 % |
| 110 | 1 | 0.0 % |
| 120 | 874 | 0.0 % |
| 130 | 105 | 0.0 % |
| 140 | 6122 | 0.3 % |
| 160 | 8471 | 0.4 % |
| 170 | 116702 | 5.7 % |
| 180 | 123776 | 6.1 % |
| 190 | 39758 | 1.9 % |
| 200 | 48985 | 2.4 % |
| 210 | 18611 | 0.9 % |
| 220 | 56311 | 2.8 % |
| 230 | 17153 | 0.8 % |
| 240 | 24161 | 1.2 % |
| 250 | 6445 | 0.3 % |
| 260 | 35819 | 1.8 % |

- Study 07632 -

| <i>Value</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|---------------------------------|----------|
| 270 | 2602 | 0.1 % |
| 280 | 3532 | 0.2 % |
| 290 | 1199 | 0.1 % |
| 320 | 6937 | 0.3 % |
| 330 | 20744 | 1.0 % |
| 340 | 2855 | 0.1 % |
| 360 | 279544 | 13.7 % |
| 370 | 4047 | 0.2 % |
| 380 | 841 | 0.0 % |
| 390 | 257631 | 12.6 % |
| 400 | 8749 | 0.4 % |
| 410 | 184853 | 9.1 % |
| 420 | 7781 | 0.4 % |
| 440 | 20247 | 1.0 % |
| 450 | 25310 | 1.2 % |
| 460 | 774 | 0.0 % |
| 470 | 108166 | 5.3 % |
| 480 | 24470 | 1.2 % |
| 490 | 21784 | 1.1 % |
| 500 | 545 | 0.0 % |
| 520 | 57827 | 2.8 % |
| 530 | 1098 | 0.1 % |
| 550 | 3548 | 0.2 % |
| 560 | 13271 | 0.6 % |
| 570 | 3571 | 0.2 % |
| 580 | 48742 | 2.4 % |
| 590 | 6578 | 0.3 % |
| 600 | 496 | 0.0 % |
| 610 | 5301 | 0.3 % |
| 620 | 27362 | 1.3 % |
| 630 | 3029 | 0.1 % |
| 650 | 316 | 0.0 % |
| 660 | 1826 | 0.1 % |
| 670 | 17998 | 0.9 % |
| 680 | 2078 | 0.1 % |
| 690 | 536 | 0.0 % |
| 710 | 57 | 0.0 % |
| 720 | 228 | 0.0 % |
| 730 | 13104 | 0.6 % |
| 750 | 5170 | 0.3 % |

- Study 07632 -

| <i>Value</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------------|----------|
| 760 | 13731 | 0.7 % |
| 770 | 29779 | 1.5 % |
| 780 | 137661 | 6.7 % |
| 800 | 46517 | 2.3 % |
| 810 | 46905 | 2.3 % |
| 820 | 29327 | 1.4 % |
| 830 | 19870 | 1.0 % |
| 840 | 3028 | 0.1 % |

ICD61

ICD61 INFANT CAUSE LIST

Location: 135-137 (width: 3; decimal: 0)

Variable Type: character

| <i>Value</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------------|----------|
| 010 | 328 | 0.0 % |
| 020 | 7 | 0.0 % |
| 030 | 301 | 0.0 % |
| 040 | 15042 | 0.7 % |
| 050 | 2331 | 0.1 % |
| 060 | 11 | 0.0 % |
| 070 | 6527 | 0.3 % |
| 080 | 453928 | 22.2 % |
| 090 | 6445 | 0.3 % |
| 100 | 2 | 0.0 % |
| 110 | 501 | 0.0 % |
| 120 | 7317 | 0.4 % |
| 130 | 1199 | 0.1 % |
| 140 | 27130 | 1.3 % |
| 150 | 331 | 0.0 % |
| 160 | 4093 | 0.2 % |
| 180 | 57827 | 2.8 % |
| 190 | 1098 | 0.1 % |
| 200 | 86419 | 4.2 % |
| 210 | 5301 | 0.3 % |
| 220 | 8172 | 0.4 % |
| 230 | 60460 | 3.0 % |
| 250 | 682 | 0.0 % |
| 260 | 172 | 0.0 % |
| 270 | 364 | 0.0 % |
| 280 | 599 | 0.0 % |

- Study 07632 -

| <i>Value</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|---------------------------------|----------|
| 290 | 4609 | 0.2 % |
| 300 | 1475 | 0.1 % |
| 310 | 968 | 0.0 % |
| 320 | 336 | 0.0 % |
| 330 | 931 | 0.0 % |
| 340 | 778 | 0.0 % |
| 350 | 319 | 0.0 % |
| 360 | 749 | 0.0 % |
| 370 | 1122 | 0.1 % |
| 390 | 140 | 0.0 % |
| 400 | 1406 | 0.1 % |
| 410 | 890 | 0.0 % |
| 420 | 65 | 0.0 % |
| 430 | 37 | 0.0 % |
| 440 | 3279 | 0.2 % |
| 450 | 1 | 0.0 % |
| 460 | 388 | 0.0 % |
| 480 | 250 | 0.0 % |
| 490 | 958 | 0.0 % |
| 500 | 3574 | 0.2 % |
| 510 | 3601 | 0.2 % |
| 520 | 904 | 0.0 % |
| 530 | 400 | 0.0 % |
| 540 | 59 | 0.0 % |
| 550 | 8 | 0.0 % |
| 560 | 6 | 0.0 % |
| 570 | 2935 | 0.1 % |
| 590 | 5247 | 0.3 % |
| 600 | 24532 | 1.2 % |
| 620 | 3548 | 0.2 % |
| 630 | 914 | 0.0 % |
| 640 | 88960 | 4.4 % |
| 660 | 184 | 0.0 % |
| 670 | 19399 | 0.9 % |
| 680 | 1122745 | 55.0 % |

ICD34

ICD34 CAUSE LIST

Location: 138-140 (width: 3; decimal: 0)

Variable Type: character

- Study 07632 -

| <i>Value</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|---------------------------------|----------|
| 010 | 1733 | 0.1 % |
| 020 | 105 | 0.0 % |
| 030 | 22709 | 1.1 % |
| 050 | 116702 | 5.7 % |
| 060 | 123776 | 6.1 % |
| 070 | 39758 | 1.9 % |
| 080 | 48985 | 2.4 % |
| 090 | 18611 | 0.9 % |
| 100 | 17153 | 0.8 % |
| 110 | 88943 | 4.4 % |
| 120 | 35819 | 1.8 % |
| 150 | 6937 | 0.3 % |
| 160 | 23599 | 1.2 % |
| 170 | 542063 | 26.5 % |
| 180 | 193602 | 9.5 % |
| 190 | 7781 | 0.4 % |
| 200 | 154497 | 7.6 % |
| 210 | 24470 | 1.2 % |
| 220 | 21784 | 1.1 % |
| 230 | 58925 | 2.9 % |
| 240 | 69132 | 3.4 % |
| 250 | 6578 | 0.3 % |
| 260 | 27362 | 1.3 % |
| 270 | 20140 | 1.0 % |
| 280 | 285 | 0.0 % |
| 290 | 13104 | 0.6 % |
| 300 | 18901 | 0.9 % |
| 310 | 29779 | 1.5 % |
| 320 | 163424 | 8.0 % |
| 330 | 46517 | 2.3 % |
| 340 | 46905 | 2.3 % |
| 350 | 29327 | 1.4 % |
| 360 | 19870 | 1.0 % |
| 370 | 3028 | 0.1 % |