

ICPSR 7632

Mortality Detail Files, 1968-1991

*United States Department of Health and
Human Services. Centers for Disease
Control and Prevention. National Center
for Health Statistics*

Mortality, 1988, Frequencies

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/7632.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 07632

Mortality Detail Files, 1968-1991

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Mortality Detail Files, 1968-1991

Mortality, 1988

DIGYR LAST 2 DIGITS OF CURRENT DATA YEAR

Location: 1-2 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
88	2171196	100.0 %

REPAREA REPORTING AREA

Location: 3-3 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	All other areas	2066990	95.2 %
1	Bronx Borough	14246	0.7 %
2	Brooklyn Borough	21360	1.0 %
3	Manhattan Borough	22135	1.0 %
4	Queens Borough	16747	0.8 %
5	Richmond Borough	3273	0.2 %
6	Chicago	26445	1.2 %

CERTNUM CERTIFICATE NUMBER

Location: 4-9 (width: 6; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	2171196	100.0 %

SHIPNUM SHIPMENT NUMBER

Location: 10-11 (width: 2; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
00	287488	13.2 %
01	94172	4.3 %
02	123664	5.7 %
03	154686	7.1 %
04	132873	6.1 %
05	130992	6.0 %
06	124656	5.7 %

- Study 07632 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
07	124556	5.7 %
08	123951	5.7 %
09	128477	5.9 %
10	161718	7.4 %
11	128391	5.9 %
12	264010	12.2 %
13	93880	4.3 %
14	68067	3.1 %
15	5989	0.3 %
16	42	0.0 %
17	33	0.0 %
99	1339	0.1 %
A1	14306	0.7 %
A2	1461	0.1 %
A3	403	0.0 %
A4	365	0.0 %
A5	1707	0.1 %
A6	267	0.0 %
A7	334	0.0 %
A8	275	0.0 %
A9	266	0.0 %
B1	303	0.0 %
B2	399	0.0 %
B3	1532	0.1 %
B4	309	0.0 %
B6	222	0.0 %
B7	63	0.0 %

SEQNUM	SEQUENCE NUMBER
---------------	------------------------

Location: 12-18 (width: 7; decimal: 0)
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	2171196	100.0 %

RECTYPE	RECORD TYPE
----------------	--------------------

Location: 19-19 (width: 1; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	RESIDENTS	1755455	80.9 %

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	NONRESIDENTS	415640	19.1 %
9	-	101	0.0 %

RESISTAT RESIDENT STATUS

Location: 20-20 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	RESIDENTS	1755455	80.9 %
2	INTRASTATE NONRESIDENTS	333479	15.4 %
3	INTERSTATE NONRESIDENTS	78964	3.6 %
4	FOREIGN RESIDENTS	3197	0.1 %
9	-	101	0.0 %

STATEOCC STATE OF OCCURRENCE

Location: 21-22 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Alabama	38954	1.8 %
2	Alaska	2039	0.1 %
3	Arizona	28449	1.3 %
4	Arkansas	24790	1.1 %
5	California	216352	10.0 %
6	Colorado	21735	1.0 %
7	Connecticut	28725	1.3 %
8	Delaware	5889	0.3 %
9	District of Columbia	9589	0.4 %
10	Florida	132194	6.1 %
11	Georgia	52217	2.4 %
12	Hawaii	6322	0.3 %
13	Idaho	7419	0.3 %
14	Illinois	102336	4.7 %
15	Indiana	50727	2.3 %
16	Iowa	27583	1.3 %
17	Kansas	22371	1.0 %
18	Kentucky	34976	1.6 %
19	Louisiana	37874	1.7 %
20	Maine	11524	0.5 %
21	Maryland	38014	1.8 %
22	Massachusetts	57024	2.6 %

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
23	Michigan	78913	3.6 %
24	Minnesota	35637	1.6 %
25	Mississippi	23990	1.1 %
26	Missouri	52265	2.4 %
27	Montana	6722	0.3 %
28	Nebraska	15093	0.7 %
29	Nevada	9101	0.4 %
30	New Hampshire	8624	0.4 %
31	New Jersey	71694	3.3 %
32	New Mexico	10399	0.5 %
33	New York	175122	8.1 %
34	North Carolina	57988	2.7 %
35	North Dakota	6041	0.3 %
36	Ohio	99892	4.6 %
37	Oklahoma	29041	1.3 %
38	Oregon	24964	1.1 %
39	Pennsylvania	126770	5.8 %
40	Rhode Island	9945	0.5 %
41	South Carolina	28473	1.3 %
42	South Dakota	6614	0.3 %
43	Tennessee	48761	2.2 %
44	Texas	124329	5.7 %
45	Utah	9594	0.4 %
46	Vermont	4798	0.2 %
47	Virginia	46903	2.2 %
48	Washington	36423	1.7 %
49	West Virginia	19841	0.9 %
50	Wisconsin	43106	2.0 %
51	Wyoming	3050	0.1 %

CONTYOCC

COUNTY OF OCCURRENCE

Location: 23-25 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
999	County of less than 100,000 population

* Frequencies not displayed for this variable.

REGION

REGION

Location: 26-26 (width: 1; decimal: 0)

Variable Type: numeric

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Northeast	494226	22.8 %
2	Midwest	540578	24.9 %
3	South	753823	34.7 %
4	West	382569	17.6 %

DIVISION

DIVISION OF OCCURRENCE

Location: 27-27 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	New England	120640	5.6 %
2	Middle Atlantic	373586	17.2 %
3	East North Central	374974	17.3 %
4	West North Central	165604	7.6 %
5	South Atlantic	391108	18.0 %
6	Eath South Central	146681	6.8 %
7	West South Central	216034	9.9 %
8	Mountain	96469	4.4 %
9	Pacific	286100	13.2 %

STATESUB

STATE SUBCODE OF OCCURRENCE'

Location: 28-28 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	430975	19.8 %
2	315660	14.5 %
3	583155	26.9 %
4	360974	16.6 %
5	96227	4.4 %
6	130255	6.0 %
7	60438	2.8 %
8	61318	2.8 %
9	132194	6.1 %

EXP_OCC

EXPANDED STATE OF OCCURRENCE FOR NY CITY

Location: 29-30 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Alabama	38954	1.8 %

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Alaska	2039	0.1 %
3	Arizona	28449	1.3 %
4	Arkansas	24790	1.1 %
5	California	216352	10.0 %
6	Colorado	21735	1.0 %
7	Connecticut	28725	1.3 %
8	Delaware	5889	0.3 %
9	District of Columbia	9589	0.4 %
10	Florida	132194	6.1 %
11	Georgia	52217	2.4 %
12	Hawaii	6322	0.3 %
13	Idaho	7419	0.3 %
14	Illinois	102336	4.7 %
15	Indiana	50727	2.3 %
16	Iowa	27583	1.3 %
17	Kansas	22371	1.0 %
18	Kentucky	34976	1.6 %
19	Louisiana	37874	1.7 %
20	Maine	11524	0.5 %
21	Maryland	38014	1.8 %
22	Massachusetts	57024	2.6 %
23	Michigan	78913	3.6 %
24	Minnesota	35637	1.6 %
25	Mississippi	23990	1.1 %
26	Missouri	52265	2.4 %
27	Montana	6722	0.3 %
28	Nebraska	15093	0.7 %
29	Nevada	9101	0.4 %
30	New Hampshire	8624	0.4 %
31	New Jersey	71694	3.3 %
32	New Mexico	10399	0.5 %
33	New York	97361	4.5 %
34	New York City	77761	3.6 %
35	North Carolina	57988	2.7 %
36	North Dakota	6041	0.3 %
37	Ohio	99892	4.6 %
38	Oklahoma	29041	1.3 %
39	Oregon	24964	1.1 %
40	Pennsylvania	126770	5.8 %
41	Rhode Island	9945	0.5 %

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
42	South Carolina	28473	1.3 %
43	South Dakota	6614	0.3 %
44	Tennessee	48761	2.2 %
45	Texas	124329	5.7 %
46	Utah	9594	0.4 %
47	Vermont	4798	0.2 %
48	Virginia	46903	2.2 %
49	Washington	36423	1.7 %
50	West Virginia	19841	0.9 %
51	Wisconsin	43106	2.0 %
52	Wyoming	3050	0.1 %

RESIDST

STATE OF RESIDENCE

Location:

31-32 (width: 2; decimal: 0)

Variable Type:

numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Alabama	39127	1.8 %
2	Alaska	2064	0.1 %
3	Arizona	27684	1.3 %
4	Arkansas	24904	1.1 %
5	California	215485	9.9 %
6	Colorado	21350	1.0 %
7	Connecticut	28576	1.3 %
8	Delaware	5769	0.3 %
9	District of Columbia	7664	0.4 %
10	Florida	131044	6.0 %
11	Georgia	51627	2.4 %
12	Hawaii	6075	0.3 %
13	Idaho	7701	0.4 %
14	Illinois	105250	4.8 %
15	Indiana	50037	2.3 %
16	Iowa	27869	1.3 %
17	Kansas	22992	1.1 %
18	Kentucky	35616	1.6 %
19	Louisiana	37601	1.7 %
20	Maine	11519	0.5 %
21	Maryland	38655	1.8 %
22	Massachusetts	56483	2.6 %
23	Michigan	80147	3.7 %

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
24	Minnesota	35447	1.6 %
25	Mississippi	24834	1.1 %
26	Missouri	50840	2.3 %
27	Montana	6781	0.3 %
28	Nebraska	14872	0.7 %
29	Nevada	8474	0.4 %
30	New Hampshire	8770	0.4 %
31	New Jersey	73413	3.4 %
32	New Mexico	10425	0.5 %
33	New York	176315	8.1 %
34	North Carolina	57641	2.7 %
35	North Dakota	5664	0.3 %
36	Ohio	100127	4.6 %
37	Oklahoma	30032	1.4 %
38	Oregon	24810	1.1 %
39	Pennsylvania	126028	5.8 %
40	Rhode Island	9723	0.4 %
41	South Carolina	29428	1.4 %
42	South Dakota	6579	0.3 %
43	Tennessee	45775	2.1 %
44	Texas	122874	5.7 %
45	Utah	9224	0.4 %
46	Vermont	4666	0.2 %
47	Virginia	47608	2.2 %
48	Washington	36338	1.7 %
49	West Virginia	19794	0.9 %
50	Wisconsin	43032	2.0 %
51	Wyoming	3246	0.1 %
52	-	121	0.0 %
53	-	24	0.0 %
54	-	15	0.0 %
55	-	954	0.0 %
56	-	1	0.0 %
57	-	705	0.0 %
59	-	1377	0.1 %

CNTYRSID

COUNTY OF RESIDENCE

Location: 33-35 (width: 3; decimal: 0)

Variable Type: character

- Study 07632 -

<i>Value</i>	<i>Label</i>
999	Unknown see statement concerning HIV deaths in Georgia
zzz	foreign residents

* Frequencies not displayed for this variable.

CITYRSID	CITY OF RESIDENCE
-----------------	--------------------------

Location: 36-38 (width: 3; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
001	-	12882	0.6 %
002	-	6049	0.3 %
003	-	14842	0.7 %
004	-	12522	0.6 %
005	-	4908	0.2 %
006	-	1029	0.0 %
007	-	5687	0.3 %
008	-	9055	0.4 %
009	-	20860	1.0 %
010	-	7978	0.4 %
011	-	11959	0.6 %
012	-	5677	0.3 %
013	-	6151	0.3 %
014	-	6789	0.3 %
015	-	5571	0.3 %
016	-	10512	0.5 %
017	-	1588	0.1 %
018	-	1330	0.1 %
020	-	1183	0.1 %
021	-	6740	0.3 %
022	-	5487	0.3 %
023	-	25602	1.2 %
024	-	8975	0.4 %
026	-	13904	0.6 %
027	-	7971	0.4 %
028	-	6662	0.3 %
030	-	17707	0.8 %
031	-	8995	0.4 %
032	-	48485	2.2 %
033	-	8902	0.4 %
034	-	1829	0.1 %
035	-	4988	0.2 %

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
036	-	10098	0.5 %
039	-	3153	0.1 %
042	-	1373	0.1 %
043	-	25504	1.2 %
044	-	5895	0.3 %
045	-	736	0.0 %
047	-	8116	0.4 %
048	-	1452	0.1 %
052	-	4021	0.2 %
053	-	1322	0.1 %
055	-	3729	0.2 %
057	-	1641	0.1 %
060	-	16824	0.8 %
061	-	1808	0.1 %
066	-	12799	0.6 %
067	-	2530	0.1 %
069	-	756	0.0 %
071	-	793	0.0 %
072	-	3147	0.1 %
073	-	793	0.0 %
075	-	2704	0.1 %
077	-	21271	1.0 %
078	-	7481	0.3 %
079	-	2669	0.1 %
085	-	1311	0.1 %
086	-	3436	0.2 %
087	-	990	0.0 %
089	-	1810	0.1 %
092	-	652	0.0 %
094	-	3301	0.2 %
095	-	1998	0.1 %
096	-	20798	1.0 %
098	-	6626	0.3 %
101	-	1978	0.1 %
106	-	692	0.0 %
112	-	5523	0.3 %
115	-	28840	1.3 %
121	-	6765	0.3 %
126	-	3541	0.2 %
130	-	1563	0.1 %

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
131	-	1246	0.1 %
141	-	1539	0.1 %
144	-	1201	0.1 %
146	-	3808	0.2 %
149	-	1479	0.1 %
150	-	799	0.0 %
153	-	1131	0.1 %
160	-	1435	0.1 %
182	-	1936	0.1 %
186	-	5095	0.2 %
189	-	1630	0.1 %
194	-	7399	0.3 %
197	-	8466	0.4 %
200	-	4354	0.2 %
209	-	1585	0.1 %
230	-	2306	0.1 %
232	-	742	0.0 %
235	-	1147	0.1 %
999	bal of county;or unknown see statement HIV deaths in Georgia	1577443	72.7 %
ZZZ	foreign residents	3197	0.1 %

POPSIZE POPULATION SIZE CITY OF RESIDENCE

Location: 39-39 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Place of 1,000,000 or more	182509	8.4 %
1	Place of 500,000 to 1,000,000	107085	4.9 %
2	Place of 250,000 to 500,000	130117	6.0 %
3	Place of 100,000 to 250,000	170845	7.9 %
9	All other areas in U.S. See statement HIV deaths in Georgia	1577443	72.7 %
Z	-	3197	0.1 %

METRO METROPOLITAN NONMETROPOLITAN COUNTY OF RESID

Location: 40-40 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Metropolitan county	1581004	72.8 %
2	Nonmetropolitan county	586907	27.0 %
9	Unknown. See statement HIV deaths in Georgia	88	0.0 %

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
Z	-	3197	0.1 %

REGNRES REGION OF RESIDENCE

Location: 41-41 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Foreign residents	3197	0.1 %
1	Northeast	495493	22.8 %
2	Midwest	542856	25.0 %
3	South	749993	34.5 %
4	West	379657	17.5 %

DIVISRES DIVISION OF RESIDENCE

Location: 42-42 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	3197	0.1 %
1	New England	119737	5.5 %
2	Middle Atlantic	375756	17.3 %
3	East North Central	378593	17.4 %
4	West North Central	164263	7.6 %
5	South Atlantic	389230	17.9 %
6	Eath South Central	145352	6.7 %
7	West South Central	215411	9.9 %
8	Mountain	94885	4.4 %
9	Pacific	284772	13.1 %

STSUB STATE SUBCODE OF RESIDENCE

Location: 43-43 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3197	0.1 %
1	432816	19.9 %
2	314631	14.5 %
3	582338	26.8 %
4	361024	16.6 %
5	95628	4.4 %
6	128773	5.9 %

- Study 07632 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	61644	2.8 %
8	60101	2.8 %
9	131044	6.0 %

EXP_RES

EXPANDED STATE OF RESIDENCE NY CITY

Location: 44-45 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Alabama	39127	1.8 %
2	Alaska	2064	0.1 %
3	Arizona	27684	1.3 %
4	Arkansas	24904	1.1 %
5	California	215485	9.9 %
6	Colorado	21350	1.0 %
7	Connecticut	28576	1.3 %
8	Delaware	5769	0.3 %
9	District of Columbia	7664	0.4 %
10	Florida	131044	6.0 %
11	Georgia	51627	2.4 %
12	Hawaii	6075	0.3 %
13	Idaho	7701	0.4 %
14	Illinois	105250	4.8 %
15	Indiana	50037	2.3 %
16	Iowa	27869	1.3 %
17	Kansas	22992	1.1 %
18	Kentucky	35616	1.6 %
19	Louisiana	37601	1.7 %
20	Maine	11519	0.5 %
21	Maryland	38655	1.8 %
22	Massachusetts	56483	2.6 %
23	Michigan	80147	3.7 %
24	Minnesota	35447	1.6 %
25	Mississippi	24834	1.1 %
26	Missouri	50840	2.3 %
27	Montana	6781	0.3 %
28	Nebraska	14872	0.7 %
29	Nevada	8474	0.4 %
30	New Hampshire	8770	0.4 %
31	New Jersey	73413	3.4 %

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
32	New Mexico	10425	0.5 %
33	New York	98531	4.5 %
34	New York City	77784	3.6 %
35	North Carolina	57641	2.7 %
36	North Dakota	5664	0.3 %
37	Ohio	100127	4.6 %
38	Oklahoma	30032	1.4 %
39	Oregon	24810	1.1 %
40	Pennsylvania	126028	5.8 %
41	Rhode Island	9723	0.4 %
42	South Carolina	29428	1.4 %
43	South Dakota	6579	0.3 %
44	Tennessee	45775	2.1 %
45	Texas	122874	5.7 %
46	Utah	9224	0.4 %
47	Vermont	4666	0.2 %
48	Virginia	47608	2.2 %
49	Washington	36338	1.7 %
50	West Virginia	19794	0.9 %
51	Wisconsin	43032	2.0 %
52	Wyoming	3246	0.1 %
53	-	121	0.0 %
54	-	24	0.0 %
55	-	15	0.0 %
56	-	954	0.0 %
57	-	1	0.0 %
58	-	705	0.0 %
60	-	1377	0.1 %

SMSA_RES

SMSA,MSA OF RESIDENCE

Location: 46-48 (width: 3; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
000	Non metropolitan counties
999	Unknown. See statement HIV deaths in Georgia
ZZZ	Foreign residents

* Frequencies not displayed for this variable.

RESVD1

RESERVED POSITIONS

Location: 49-54 (width: 6; decimal: 0)

- Study 07632 -

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	2171196	100.0 %

DEATHMO MONTH OF DEATH

Location: 55-56 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	January	200910	9.3 %
2	February	191855	8.8 %
3	March	198316	9.1 %
4	April	176524	8.1 %
5	May	177020	8.2 %
6	June	168310	7.8 %
7	July	172450	7.9 %
8	August	171714	7.9 %
9	September	166445	7.7 %
10	October	179724	8.3 %
11	November	175460	8.1 %
12	December	192468	8.9 %

DEATHDY DAY OF DEATH

Location: 57-58 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	71823	3.3 %
2	71108	3.3 %
3	70897	3.3 %
4	71244	3.3 %
5	71312	3.3 %
6	71241	3.3 %
7	71851	3.3 %
8	71730	3.3 %
9	71637	3.3 %
10	71988	3.3 %
11	71673	3.3 %
12	71610	3.3 %
13	71584	3.3 %
14	71422	3.3 %
15	72002	3.3 %

- Study 07632 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
16	72017	3.3 %
17	71755	3.3 %
18	71631	3.3 %
19	71113	3.3 %
20	71066	3.3 %
21	70466	3.2 %
22	71022	3.3 %
23	71311	3.3 %
24	69891	3.2 %
25	70558	3.2 %
26	70811	3.3 %
27	70481	3.2 %
28	70677	3.3 %
29	70258	3.2 %
30	64128	3.0 %
31	40847	1.9 %
99	42	0.0 %

SEX **SEX**

Location: 59-59 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	1127758	51.9 %
2	Female	1043438	48.1 %

RACE_DET **RACE DETAIL**

Location: 60-61 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Other Asian or Pacific Islander	5710	0.3 %
1	White	1879607	86.6 %
2	Black	264176	12.2 %
3	Indian (includes Aleuts and Eskimos)	7928	0.4 %
4	Chinese	5001	0.2 %
5	Japanese	3709	0.2 %
6	Hawaiian (includes Part Hawaiian)	1130	0.1 %
7	All other races	208	0.0 %
8	Filipino	3727	0.2 %

RACE_R3 **RACE RECODE 3**

- Study 07632 -

Location: 62-62 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	White	1879607	86.6 %
2	Races other than White or Black	27413	1.3 %
3	Black	264176	12.2 %

RACE_R2 RACE RECODE 2

Location: 63-63 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	White	1879607	86.6 %
2	All other races	291589	13.4 %

AGEUNIT AGE UNIT

Location: 64-64 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Years less than 100	2120419	97.7 %
1	Years 100 or more	11210	0.5 %
2	Months	14256	0.7 %
3	Weeks	505	0.0 %
4	Days	9969	0.5 %
5	Hours	10285	0.5 %
6	Minutes	3958	0.2 %
9	Age not stated	594	0.0 %

AGENUMBR AGE NUMBER

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	4047	0.2 %
1	14947	0.7 %
2	10621	0.5 %
3	6729	0.3 %
4	4437	0.2 %
5	3620	0.2 %
6	2674	0.1 %
7	2263	0.1 %

- Study 07632 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	2093	0.1 %
9	1867	0.1 %
10	2004	0.1 %
11	1630	0.1 %
12	1363	0.1 %
13	1386	0.1 %
14	1694	0.1 %
15	2240	0.1 %
16	3061	0.1 %
17	3727	0.2 %
18	4332	0.2 %
19	4418	0.2 %
20	4570	0.2 %
21	4549	0.2 %
22	4587	0.2 %
23	4903	0.2 %
24	4977	0.2 %
25	5183	0.2 %
26	5447	0.3 %
27	5497	0.3 %
28	5644	0.3 %
29	5763	0.3 %
30	6598	0.3 %
31	6430	0.3 %
32	6507	0.3 %
33	6588	0.3 %
34	6728	0.3 %
35	7196	0.3 %
36	7104	0.3 %
37	7261	0.3 %
38	7526	0.3 %
39	7867	0.4 %
40	8271	0.4 %
41	8650	0.4 %
42	7634	0.4 %
43	7943	0.4 %
44	8698	0.4 %
45	9659	0.4 %
46	9470	0.4 %
47	9906	0.5 %

- Study 07632 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
48	10090	0.5 %
49	11000	0.5 %
50	11783	0.5 %
51	12312	0.6 %
52	13536	0.6 %
53	14974	0.7 %
54	15545	0.7 %
55	17254	0.8 %
56	19220	0.9 %
57	20769	1.0 %
58	23513	1.1 %
59	25033	1.2 %
60	28294	1.3 %
61	30047	1.4 %
62	32738	1.5 %
63	35764	1.6 %
64	37856	1.7 %
65	40252	1.9 %
66	42853	2.0 %
67	44933	2.1 %
68	46756	2.2 %
69	47123	2.2 %
70	49379	2.3 %
71	50524	2.3 %
72	53227	2.5 %
73	55858	2.6 %
74	58438	2.7 %
75	59489	2.7 %
76	59426	2.7 %
77	61019	2.8 %
78	61329	2.8 %
79	61621	2.8 %
80	62395	2.9 %
81	60730	2.8 %
82	60304	2.8 %
83	58884	2.7 %
84	57240	2.6 %
85	55142	2.5 %
86	50486	2.3 %
87	50427	2.3 %

- Study 07632 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
88	45980	2.1 %
89	40545	1.9 %
90	37933	1.7 %
91	33490	1.5 %
92	30646	1.4 %
93	26147	1.2 %
94	21619	1.0 %
95	17800	0.8 %
96	14017	0.6 %
97	10492	0.5 %
98	7985	0.4 %
99	6670	0.3 %

AGEREC52

AGE RECODE 52

Location: 67-68 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Under 1 hour	4071	0.2 %
2	1-23 hours	10172	0.5 %
3	1 day	2465	0.1 %
4	2 days	1499	0.1 %
5	3 days	841	0.0 %
6	4 days	594	0.0 %
7	5 days	460	0.0 %
8	6 days	388	0.0 %
9	7-13 days	2031	0.1 %
10	14-20 days	1250	0.1 %
11	21-27 days	946	0.0 %
12	1 month	3420	0.2 %
13	2 months	3086	0.1 %
14	3 months	2151	0.1 %
15	4 months	1459	0.1 %
16	5 months	1044	0.0 %
17	6 months	780	0.0 %
18	7 months	612	0.0 %
19	8 months	530	0.0 %
20	9 months	444	0.0 %
21	10 months	360	0.0 %
22	11 months	370	0.0 %

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
23	1 year	2921	0.1 %
24	2 years	1912	0.1 %
25	3 years	1481	0.1 %
26	4 years	1164	0.1 %
27	5-9 years	4376	0.2 %
28	10-14 years	4593	0.2 %
29	15-19 years	16112	0.7 %
30	20-24 years	22283	1.0 %
31	25-29 years	26954	1.2 %
32	30-34 years	32454	1.5 %
33	35-39 years	36736	1.7 %
34	40-44 years	40954	1.9 %
35	45-49 years	49822	2.3 %
36	50-54 years	67933	3.1 %
37	55-59 years	105595	4.9 %
38	60-64 years	164699	7.6 %
39	65-69 years	221917	10.2 %
40	70-74 years	267426	12.3 %
41	75-79 years	302884	14.0 %
42	80-84 years	299553	13.8 %
43	85-89 years	242580	11.2 %
44	90-94 years	149835	6.9 %
45	95-99 years	56235	2.6 %
46	100-104 years	10194	0.5 %
47	105-109 years	930	0.0 %
48	110- 114 years	68	0.0 %
49	115- 119 years	13	0.0 %
50	120-124 years	4	0.0 %
51	125 years and over	1	0.0 %
52	Age not stated	594	0.0 %

AGEREC27

AGE RECODE 27

Location:

69-70 (width: 2; decimal: 0)

Variable Type:

numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Under 1 mo	24717	1.1 %
2	1 to 11 mos	14256	0.7 %
3	1 years	2921	0.1 %
4	2 years	1912	0.1 %

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	3 years	1481	0.1 %
6	4 years	1164	0.1 %
7	5-9 years	4376	0.2 %
8	10-14 years	4593	0.2 %
9	15-19 years	16112	0.7 %
10	20-24 years	22283	1.0 %
11	25-29 years	26954	1.2 %
12	30-34 years	32454	1.5 %
13	35-39 years	36736	1.7 %
14	40-44 years	40954	1.9 %
15	45-49 years	49822	2.3 %
16	50-54 years	67933	3.1 %
17	55-59 years	105595	4.9 %
18	60-64 years	164699	7.6 %
19	65-69 years	221917	10.2 %
20	70-74 years	267426	12.3 %
21	75-79 years	302884	14.0 %
22	80-84 years	299553	13.8 %
23	05-89 years	242580	11.2 %
24	90-94 years	149835	6.9 %
25	95-99 years	56235	2.6 %
26	100 years and over	11210	0.5 %
27	Age not stated	594	0.0 %

AGEREC12

AGE RECODE 12

Location:

71-72 (width: 2; decimal: 0)

Variable Type:

numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Under 1 year	38973	1.8 %
2	1-4 years	7478	0.3 %
3	5-14 years	8969	0.4 %
4	15-24 years	38395	1.8 %
5	25-34 years	59408	2.7 %
6	35-44 years	77690	3.6 %
7	45-54 years	117755	5.4 %
8	55-64 years	270294	12.4 %
9	65-74 years	489343	22.5 %
10	75-84 years	602437	27.7 %
11	85 years and over	459860	21.2 %

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
12	Age not stated	594	0.0 %

INFNT22

INFANT AGE RECODE 22

Location: 73-74 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Under 1 hour	4071	0.2 %
2	1-23 hours	10172	0.5 %
3	1 day	2465	0.1 %
4	2 days	1499	0.1 %
5	3 days	841	0.0 %
6	4 days	594	0.0 %
7	5 days	460	0.0 %
8	6 days	388	0.0 %
9	7-13 days	2031	0.1 %
10	14-20 days	1250	0.1 %
11	21-27 days	946	0.0 %
12	1 month	3420	0.2 %
13	2 months	3086	0.1 %
14	3 months	2151	0.1 %
15	4 months	1459	0.1 %
16	5 months	1044	0.0 %
17	6 months	780	0.0 %
18	7 months	612	0.0 %
19	8 months	530	0.0 %
20	9 months	444	0.0 %
21	10 months	360	0.0 %
22	11 months	370	0.0 %
. (M)	-	2132223	98.2 %

HOSPSTAT

HOSPITAL AND STATUS

Location: 75-75 (width: 1; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Hospital, Clinic or Med Center--inpatient	845355	38.9 %
2	Hospital, Clinic or Med Center--outpatient or adm ER	129129	5.9 %
3	Hospital, Clinic or Med Center--dead on arrival	73730	3.4 %
4	Hospital, Clinic or Med Center--patient status unknown	19182	0.9 %
5	Hospital, Clinic or Med Center--patient status not on cert	302540	13.9 %

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	All other institutions providing patient care	351071	16.2 %
7	All other reported entries	449007	20.7 %
8	Dead on arrival--Hosp,Clinic or Med Center name not given	340	0.0 %
9	Hospital and patient status not stated	842	0.0 %

RESVD2 RESERVED

Location: 76-76 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	2171196	100.0 %

MARSTAT MARITAL STATUS

Location: 77-77 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Never married, single	275219	12.7 %
2	Married	932470	42.9 %
3	Widowed	782341	36.0 %
4	Divorced	166662	7.7 %
9	Marital Status not stated	14504	0.7 %

BIRTH_ST STATE OF BIRTH

Location: 78-79 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Alabama	54922	2.5 %
2	Alaska	1167	0.1 %
3	Arizona	6833	0.3 %
4	Arkansas	39087	1.8 %
5	California	54956	2.5 %
6	Colorado	15020	0.7 %
7	Connecticut	21066	1.0 %
8	Delaware	3884	0.2 %
9	District of Columbia	7019	0.3 %
10	Florida	24510	1.1 %
11	Georgia	63254	2.9 %
12	Hawaii	4602	0.2 %
13	Idaho	6642	0.3 %

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
14	Illinois	108507	5.0 %
15	Indiana	50305	2.3 %
16	Iowa	43294	2.0 %
17	Kansas	32350	1.5 %
18	Kentucky	53569	2.5 %
19	Louisiana	42544	2.0 %
20	Maine	12518	0.6 %
21	Maryland	26501	1.2 %
22	Massachusetts	57289	2.6 %
23	Michigan	62877	2.9 %
24	Minnesota	40916	1.9 %
25	Mississippi	43904	2.0 %
26	Missouri	62663	2.9 %
27	Montana	7279	0.3 %
28	Nebraska	24061	1.1 %
29	Nevada	1380	0.1 %
30	New Hampshire	6779	0.3 %
31	New Jersey	49558	2.3 %
32	New Mexico	7808	0.4 %
33	New York	162051	7.5 %
34	North Carolina	64469	3.0 %
35	North Dakota	11854	0.5 %
36	Ohio	91068	4.2 %
37	Oklahoma	38771	1.8 %
38	Oregon	10860	0.5 %
39	Pennsylvania	150424	6.9 %
40	Rhode Island	9074	0.4 %
41	South Carolina	39705	1.8 %
42	South Dakota	11266	0.5 %
43	Tennessee	52561	2.4 %
44	Texas	105229	4.8 %
45	Utah	9720	0.4 %
46	Vermont	5757	0.3 %
47	Virginia	48768	2.2 %
48	Washington	17588	0.8 %
49	West Virginia	31894	1.5 %
50	Wisconsin	45938	2.1 %
51	Wyoming	2925	0.1 %
52	Puerto Rico	8974	0.4 %
53	Virgin Islands	209	0.0 %

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
54	Guam	145	0.0 %
55	Canada	18150	0.8 %
56	Cuba	7141	0.3 %
57	Mexico	16785	0.8 %
59	Remainder of world	159251	7.3 %
99	-	13555	0.6 %

ORIGIN

ORIGIN OR DESCENT

Location:

80-81 (width: 2; decimal: 0)

Variable Type:

numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NON SPANISH	719529	33.1 %
1	MEXICAN	33729	1.6 %
2	PUERTO RICAN	7988	0.4 %
3	CUBAN	1835	0.1 %
4	CENTRAL OR SOUTH AMERICAN	3766	0.2 %
5	OTHER OR UNKNOWN SPANISH	11649	0.5 %
6	AMERICAN	329372	15.2 %
7	AMERICAN INDIAN	935	0.0 %
8	BRITISH, SCOTTISH, WELSH, SCOTCH-IRISH	33206	1.5 %
9	IRISH	19536	0.9 %
10	GERMAN	35651	1.6 %
11	FRENCH	5010	0.2 %
12	NORWEGIAN, SWEDISH, DANISH	7071	0.3 %
13	POLISH	13167	0.6 %
14	ITALIAN	23713	1.1 %
15	OTHER NORTH, CENTRAL, AND SOUTH AMERICAN	4052	0.2 %
16	OTHER WESTERN EUROPEAN	5113	0.2 %
17	OTHER NORTHERN EUROPEAN	407	0.0 %
18	OTHER EASTERN EUROPEAN	16175	0.7 %
19	OTHER SOUTHERN EUROPEAN (EXCL SPAIN)	4557	0.2 %
20	SOUTHEAST ASIAN AND PACIFIC ISLANDER	2793	0.1 %
21	SOTH CENTRAL ASIAN	647	0.0 %
22	OTHER ASIAN	2461	0.1 %
23	NORTH AFRICAN	124	0.0 %
24	OTHER AFRICAN	37311	1.7 %
88	NOT REPORTED	817749	37.7 %
99	NOT CLASSIFIABLE	33650	1.5 %

RESVD3

RESERVED

- Study 07632 -

Location: 82-83 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	2171196	100.0 %

AUTOPSY **AUTOPSY PERFORMED**

Location: 84-84 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	252057	11.6 %
2	No	1689505	77.8 %
9	Autopsy performed not stated	229634	10.6 %

BUSINESS **KIND OF BUSINESS OR INDUSTRY**

Location: 85-87 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
942	ARMED FORCES
951	RETIRED, NO OTHER INDUSTRY REPORTED
961	NON PAID WORKER OR NON-WORKER

* Frequencies not displayed for this variable.

USUALOC **USUAL OCCUPATION**

Location: 88-90 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
905	MILITARY
913	RETIRED, WITH NO OTHER OCCUP REPORTED
914	HOMEMAKER
915	STUDENT
916	VOLUNTEER
917	NONE

* Frequencies not displayed for this variable.

CAUS52 **52 CAUSE RECODE**

Location: 91-93 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	2153	0.1 %
20	20947	1.0 %

- Study 07632 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
40	8206	0.4 %
50	9342	0.4 %
60	13692	0.6 %
70	48221	2.2 %
80	7725	0.4 %
90	7594	0.3 %
100	3960	0.2 %
110	23865	1.1 %
120	3669	0.2 %
130	133368	6.1 %
140	400	0.0 %
150	1064	0.0 %
160	2976	0.1 %
170	5985	0.3 %
180	42191	1.9 %
190	4449	0.2 %
200	3123	0.1 %
210	12406	0.6 %
220	29000	1.3 %
230	368	0.0 %
240	9812	0.5 %
250	9678	0.4 %
260	10953	0.5 %
270	1613	0.1 %
280	17280	0.8 %
290	8321	0.4 %
300	17632	0.8 %
310	48575	2.2 %
320	40405	1.9 %
330	1304	0.1 %
350	20828	1.0 %
360	2451	0.1 %
380	248338	11.4 %
390	262040	12.1 %
400	232672	10.7 %
410	8465	0.4 %
420	150696	6.9 %
430	22092	1.0 %
440	77721	3.6 %
450	82900	3.8 %

- Study 07632 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
460	1219	0.1 %
470	6444	0.3 %
480	26461	1.2 %
490	22417	1.0 %
510	49391	2.3 %
520	4539	0.2 %
530	43716	2.0 %
540	30452	1.4 %
550	22129	1.0 %
560	305948	14.1 %

BUS51

BUSINESS OR INDUSTRY RECODE 51

Location: 94-95 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	35044	1.6 %
2	8160	0.4 %
3	39535	1.8 %
6	10119	0.5 %
7	19800	0.9 %
8	3476	0.2 %
9	5160	0.2 %
10	5727	0.3 %
11	1418	0.1 %
12	5308	0.2 %
14	7588	0.3 %
15	4087	0.2 %
16	9735	0.4 %
17	5659	0.3 %
18	9628	0.4 %
19	7318	0.3 %
20	10530	0.5 %
21	12179	0.6 %
24	8027	0.4 %
25	9430	0.4 %
26	9972	0.5 %
27	4676	0.2 %
28	6492	0.3 %
29	9722	0.4 %

- Study 07632 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
31	7960	0.4 %
32	4302	0.2 %
33	11786	0.5 %
34	27225	1.3 %
35	14171	0.7 %
37	5736	0.3 %
38	9826	0.5 %
40	12446	0.6 %
41	3530	0.2 %
42	9059	0.4 %
43	3400	0.2 %
45	21477	1.0 %
46	27808	1.3 %
47	7313	0.3 %
48	5892	0.3 %
49	21669	1.0 %
50	5793	0.3 %
51	1723013	79.4 %

BUS15 BUSINESS OR INDUSTRY RECODE 15

Location: 96-97 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	35044	1.6 %
2	8160	0.4 %
3	39535	1.8 %
4	117732	5.4 %
5	38597	1.8 %
6	9722	0.4 %
7	51273	2.4 %
8	14171	0.7 %
9	15562	0.7 %
10	25035	1.2 %
11	3400	0.2 %
12	62490	2.9 %
13	21669	1.0 %
14	5793	0.3 %
15	1723013	79.4 %

OCCUP59 USUAL OCCUPATION RECODE 59

- Study 07632 -

Location: 98-99 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	32249	1.5 %
3	7995	0.4 %
5	7568	0.3 %
6	9497	0.4 %
7	17129	0.8 %
8	10710	0.5 %
9	6494	0.3 %
10	39512	1.8 %
12	9886	0.5 %
13	5929	0.3 %
14	3486	0.2 %
15	18642	0.9 %
17	11829	0.5 %
18	6452	0.3 %
19	11774	0.5 %
20	4680	0.2 %
21	13425	0.6 %
22	5754	0.3 %
24	34195	1.6 %
25	2072	0.1 %
28	7505	0.3 %
29	8441	0.4 %
31	8733	0.4 %
32	3833	0.2 %
33	3194	0.1 %
34	12360	0.6 %
35	5486	0.3 %
37	7099	0.3 %
38	10056	0.5 %
39	2883	0.1 %
40	2474	0.1 %
41	4116	0.2 %
44	4145	0.2 %
45	1922	0.1 %
46	14375	0.7 %
47	15966	0.7 %
48	7872	0.4 %
49	3609	0.2 %

- Study 07632 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
51	15516	0.7 %
52	7760	0.4 %
54	7591	0.3 %
55	20272	0.9 %
56	5737	0.3 %
57	5127	0.2 %
58	160929	7.4 %
59	1564917	72.1 %

OCCUP9 USUAL OCCUPATION RECODE 9

Location: 100-101 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	85148	3.9 %
2	83949	3.9 %
3	53914	2.5 %
4	36267	1.7 %
5	76180	3.5 %
6	104765	4.8 %
7	5127	0.2 %
8	160929	7.4 %
9	1564917	72.1 %

RESVD4 RESERVED

Location: 102-116 (width: 15; decimal: 0)
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	2171196	100.0 %

FIPMSA FIPS, SMSA

Location: 117-130 (width: 14; decimal: 0)
 Variable Type: character

RESVD5 RESERVED

Location: 131-138 (width: 8; decimal: 0)
 Variable Type: character

PLACEINJ PLACE OF INJURY

Location: 139-139 (width: 1; decimal: 0)
 Variable Type: numeric

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Home	16667	0.8 %
1	Farm	840	0.0 %
2	Mine or quarry	83	0.0 %
3	Industrial place and premises	1521	0.1 %
4	Place for recreation and sport	973	0.0 %
5	Street and highway	946	0.0 %
6	Public building	1150	0.1 %
7	Resident institution	2022	0.1 %
8	Other Specified Places	4336	0.2 %
9	Place of accident not specified	13077	0.6 %
. (M)	-	2129581	98.1 %

ICD9 ICD9 CODE

Location: 140-143 (width: 4; decimal: 0)
 Variable Type: character

ICD282 ICD 282 CAUSE LIST

Location: 144-148 (width: 5; decimal: 0)
 Variable Type: character

ICD72 ICD72 CAUSE LIST

Location: 149-151 (width: 3; decimal: 0)
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
010	15	0.0 %
020	306	0.0 %
040	1494	0.1 %
050	434	0.0 %
060	4	0.0 %
070	13	0.0 %
080	279	0.0 %
090	20947	1.0 %
100	1	0.0 %
110	3	0.0 %
120	1298	0.1 %
130	85	0.0 %
140	23296	1.1 %
160	8206	0.4 %
170	117511	5.4 %
180	138340	6.4 %
190	42480	2.0 %

- Study 07632 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
200	53392	2.5 %
210	19490	0.9 %
220	61203	2.8 %
230	17632	0.8 %
240	27214	1.3 %
250	6745	0.3 %
260	40405	1.9 %
270	2986	0.1 %
280	3822	0.2 %
290	1162	0.1 %
320	6445	0.3 %
330	20828	1.0 %
340	2451	0.1 %
360	248338	11.4 %
370	3415	0.2 %
380	1025	0.0 %
390	257600	11.9 %
400	11746	0.5 %
410	214481	9.9 %
420	8465	0.4 %
440	21287	1.0 %
450	21291	1.0 %
460	743	0.0 %
470	107375	4.9 %
480	22092	1.0 %
490	23240	1.1 %
500	635	0.0 %
520	75778	3.5 %
530	1943	0.1 %
550	3724	0.2 %
560	15520	0.7 %
570	4609	0.2 %
580	59047	2.7 %
590	6444	0.3 %
600	475	0.0 %
610	5605	0.3 %
620	26461	1.2 %
630	3117	0.1 %
650	310	0.0 %
660	1521	0.1 %

- Study 07632 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
670	20586	0.9 %
680	1610	0.1 %
690	454	0.0 %
710	61	0.0 %
720	272	0.0 %
730	12824	0.6 %
750	4226	0.2 %
760	14013	0.6 %
770	31022	1.4 %
780	168079	7.7 %
800	49391	2.3 %
810	48255	2.2 %
820	30452	1.4 %
830	22129	1.0 %
840	3048	0.1 %

ICD61

ICD61 INFANT CAUSE LIST

Location: 152-154 (width: 3; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
010	299	0.0 %
020	4	0.0 %
030	279	0.0 %
040	20947	1.0 %
050	2858	0.1 %
060	19	0.0 %
070	23769	1.1 %
080	485468	22.4 %
090	6745	0.3 %
100	7	0.0 %
110	358	0.0 %
120	8325	0.4 %
130	1162	0.1 %
140	35884	1.7 %
150	314	0.0 %
160	4359	0.2 %
180	75778	3.5 %
190	1943	0.1 %
200	104744	4.8 %

- Study 07632 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
210	5605	0.3 %
220	9255	0.4 %
230	61624	2.8 %
250	546	0.0 %
260	168	0.0 %
270	290	0.0 %
280	719	0.0 %
290	4621	0.2 %
300	1258	0.1 %
310	1177	0.1 %
320	287	0.0 %
330	862	0.0 %
340	724	0.0 %
350	380	0.0 %
360	855	0.0 %
370	937	0.0 %
390	150	0.0 %
400	1413	0.1 %
410	910	0.0 %
420	61	0.0 %
430	38	0.0 %
440	3281	0.2 %
460	226	0.0 %
480	202	0.0 %
490	601	0.0 %
500	3197	0.1 %
510	3683	0.2 %
520	900	0.0 %
530	324	0.0 %
540	48	0.0 %
550	8	0.0 %
560	3	0.0 %
570	3194	0.1 %
590	5478	0.3 %
600	25544	1.2 %
620	3811	0.2 %
630	959	0.0 %
640	92876	4.3 %
660	232	0.0 %
670	21639	1.0 %

- Study 07632 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
680	1139848	52.5 %

ICD34 ICD34 CAUSE LIST

Location: 155-157 (width: 3; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
010	1928	0.1 %
020	85	0.0 %
030	46162	2.1 %
050	117511	5.4 %
060	138340	6.4 %
070	42480	2.0 %
080	53392	2.5 %
090	19490	0.9 %
100	17632	0.8 %
110	96623	4.5 %
120	40405	1.9 %
150	6445	0.3 %
160	23279	1.1 %
170	510378	23.5 %
180	226227	10.4 %
190	8465	0.4 %
200	150696	6.9 %
210	22092	1.0 %
220	23240	1.1 %
230	77721	3.6 %
240	82900	3.8 %
250	6444	0.3 %
260	26461	1.2 %
270	22417	1.0 %
280	333	0.0 %
290	12824	0.6 %
300	18239	0.8 %
310	31022	1.4 %
320	194690	9.0 %
330	49391	2.3 %
340	48255	2.2 %
350	30452	1.4 %
360	22129	1.0 %

- Study 07632 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
370	3048	0.1 %