

ICPSR 7632

Mortality Detail Files, 1968-1991

*United States Department of Health and
Human Services. Centers for Disease
Control and Prevention. National Center
for Health Statistics*

Mortality, 1989, Frequencies

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/7632.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 07632

Mortality Detail Files, 1968-1991

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Mortality Detail Files, 1968-1991

Mortality, 1989

DIGYR LAST 2 DIGITS OF CURRENT DATA YEAR

Location: 1-2 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
89	2153859	100.0 %

REPAREA REPORTING AREA

Location: 3-3 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	All other areas	2128206	98.8 %
6	Chicago	25653	1.2 %

CERTNUM CERTIFICATE NUMBER

Location: 4-9 (width: 6; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	2153859	100.0 %

SHIPNUM SHIPMENT NUMBER

Location: 10-11 (width: 2; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
00	63472	2.9 %
01	187	0.0 %
03	1	0.0 %
05	73272	3.4 %
06	4335	0.2 %
07	21326	1.0 %
08	40690	1.9 %
09	10855	0.5 %
10	10670	0.5 %
11	87887	4.1 %
12	334101	15.5 %
13	347902	16.2 %

- Study 07632 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
14	438967	20.4 %
15	368506	17.1 %
16	219163	10.2 %
17	27034	1.3 %
19	76051	3.5 %
A1	15033	0.7 %
A3	25	0.0 %
A4	9	0.0 %
A5	172	0.0 %
A6	53	0.0 %
A7	2	0.0 %
A8	22	0.0 %
A9	391	0.0 %
B1	9	0.0 %
B2	32	0.0 %
B4	494	0.0 %
B5	1	0.0 %
B6	67	0.0 %
B7	13130	0.6 %

SEQNUM SEQUENCE NUMBER

Location: 12-18 (width: 7; decimal: 0)
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	2153859	100.0 %

RECTYPE RECORD TYPE

Location: 19-19 (width: 1; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	RESIDENTS	1745728	81.1 %
2	NONRESIDENTS	408008	18.9 %
9	-	123	0.0 %

RESISTAT RESIDENT STATUS

Location: 20-20 (width: 1; decimal: 0)
 Variable Type: numeric

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	RESIDENTS	1745728	81.1 %
2	INTRASTATE NONRESIDENTS	327582	15.2 %
3	INTERSTATE NONRESIDENTS	77033	3.6 %
4	FOREIGN RESIDENTS	3393	0.2 %
9	-	123	0.0 %

STATEOCC

STATE OF OCCURRENCE

Location:

21-22 (width: 2; decimal: 0)

Variable Type:

numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Alabama	38739	1.8 %
2	Alaska	2093	0.1 %
3	Arizona	28963	1.3 %
4	Arkansas	24388	1.1 %
5	California	217371	10.1 %
6	Colorado	21472	1.0 %
7	Connecticut	28190	1.3 %
8	Delaware	5985	0.3 %
9	District of Columbia	9648	0.4 %
10	Florida	133807	6.2 %
11	Georgia	52891	2.5 %
12	Hawaii	6730	0.3 %
13	Idaho	7186	0.3 %
14	Illinois	100516	4.7 %
15	Indiana	49715	2.3 %
16	Iowa	27034	1.3 %
17	Kansas	21647	1.0 %
18	Kentucky	34822	1.6 %
19	Louisiana	38032	1.8 %
20	Maine	11169	0.5 %
21	Maryland	37640	1.7 %
22	Massachusetts	54520	2.5 %
23	Michigan	77697	3.6 %
24	Minnesota	34540	1.6 %
25	Mississippi	24475	1.1 %
26	Missouri	51679	2.4 %
27	Montana	6692	0.3 %
28	Nebraska	15040	0.7 %
29	Nevada	9327	0.4 %

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
30	New Hampshire	8351	0.4 %
31	New Jersey	69575	3.2 %
32	New Mexico	10490	0.5 %
33	New York	170611	7.9 %
34	North Carolina	57839	2.7 %
35	North Dakota	5872	0.3 %
36	Ohio	98262	4.6 %
37	Oklahoma	28893	1.3 %
38	Oregon	25182	1.2 %
39	Pennsylvania	124530	5.8 %
40	Rhode Island	9733	0.5 %
41	South Carolina	28853	1.3 %
42	South Dakota	6580	0.3 %
43	Tennessee	48520	2.3 %
44	Texas	126640	5.9 %
45	Utah	9636	0.4 %
46	Vermont	4690	0.2 %
47	Virginia	46392	2.2 %
48	Washington	36207	1.7 %
49	West Virginia	19579	0.9 %
50	Wisconsin	42354	2.0 %
51	Wyoming	3062	0.1 %

CONTYOCC COUNTY OF OCCURRENCE

Location: 23-25 (width: 3; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>
999	County of less than 100,000 population

* Frequencies not displayed for this variable.

REGION REGION

Location: 26-26 (width: 1; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Northeast	481369	22.3 %
2	Midwest	530936	24.7 %
3	South	757143	35.2 %
4	West	384411	17.8 %

DIVISION DIVISION OF OCCURRENCE

- Study 07632 -

Location: 27-27 (width: 1; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	New England	116653	5.4 %
2	Middle Atlantic	364716	16.9 %
3	East North Central	368544	17.1 %
4	West North Central	162392	7.5 %
5	South Atlantic	392634	18.2 %
6	Eath South Central	146556	6.8 %
7	West South Central	217953	10.1 %
8	Mountain	96828	4.5 %
9	Pacific	287583	13.4 %

STATESUB STATE SUBCODE OF OCCURRENCE'

Location: 28-28 (width: 1; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	422676	19.6 %
2	311235	14.5 %
3	579128	26.9 %
4	359161	16.7 %
5	95466	4.4 %
6	130032	6.0 %
7	60136	2.8 %
8	62218	2.9 %
9	133807	6.2 %

EXP_OCC EXPANDED STATE OF OCCURRENCE FOR NY CITY

Location: 29-30 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Alabama	38739	1.8 %
2	Alaska	2093	0.1 %
3	Arizona	28963	1.3 %
4	Arkansas	24388	1.1 %
5	California	217371	10.1 %
6	Colorado	21472	1.0 %
7	Connecticut	28190	1.3 %
8	Delaware	5985	0.3 %
9	District of Columbia	9648	0.4 %

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	Florida	133807	6.2 %
11	Georgia	52891	2.5 %
12	Hawaii	6730	0.3 %
13	Idaho	7186	0.3 %
14	Illinois	100516	4.7 %
15	Indiana	49715	2.3 %
16	Iowa	27034	1.3 %
17	Kansas	21647	1.0 %
18	Kentucky	34822	1.6 %
19	Louisiana	38032	1.8 %
20	Maine	11169	0.5 %
21	Maryland	37640	1.7 %
22	Massachusetts	54520	2.5 %
23	Michigan	77697	3.6 %
24	Minnesota	34540	1.6 %
25	Mississippi	24475	1.1 %
26	Missouri	51679	2.4 %
27	Montana	6692	0.3 %
28	Nebraska	15040	0.7 %
29	Nevada	9327	0.4 %
30	New Hampshire	8351	0.4 %
31	New Jersey	69575	3.2 %
32	New Mexico	10490	0.5 %
33	New York	94721	4.4 %
34	New York City	75890	3.5 %
35	North Carolina	57839	2.7 %
36	North Dakota	5872	0.3 %
37	Ohio	98262	4.6 %
38	Oklahoma	28893	1.3 %
39	Oregon	25182	1.2 %
40	Pennsylvania	124530	5.8 %
41	Rhode Island	9733	0.5 %
42	South Carolina	28853	1.3 %
43	South Dakota	6580	0.3 %
44	Tennessee	48520	2.3 %
45	Texas	126640	5.9 %
46	Utah	9636	0.4 %
47	Vermont	4690	0.2 %
48	Virginia	46392	2.2 %
49	Washington	36207	1.7 %

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
50	West Virginia	19579	0.9 %
51	Wisconsin	42354	2.0 %
52	Wyoming	3062	0.1 %

RESIDST

STATE OF RESIDENCE

Location: 31-32 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Alabama	39006	1.8 %
2	Alaska	2095	0.1 %
3	Arizona	28212	1.3 %
4	Arkansas	24647	1.1 %
5	California	216619	10.1 %
6	Colorado	21144	1.0 %
7	Connecticut	28243	1.3 %
8	Delaware	5843	0.3 %
9	District of Columbia	7649	0.4 %
10	Florida	132765	6.2 %
11	Georgia	52258	2.4 %
12	Hawaii	6502	0.3 %
13	Idaho	7468	0.3 %
14	Illinois	103366	4.8 %
15	Indiana	49094	2.3 %
16	Iowa	27195	1.3 %
17	Kansas	22287	1.0 %
18	Kentucky	35398	1.6 %
19	Louisiana	37665	1.7 %
20	Maine	11185	0.5 %
21	Maryland	38353	1.8 %
22	Massachusetts	53922	2.5 %
23	Michigan	78861	3.7 %
24	Minnesota	34307	1.6 %
25	Mississippi	25386	1.2 %
26	Missouri	50426	2.3 %
27	Montana	6755	0.3 %
28	Nebraska	14800	0.7 %
29	Nevada	8649	0.4 %
30	New Hampshire	8472	0.4 %
31	New Jersey	71455	3.3 %

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
32	New Mexico	10572	0.5 %
33	New York	171679	8.0 %
34	North Carolina	57477	2.7 %
35	North Dakota	5510	0.3 %
36	Ohio	98375	4.6 %
37	Oklahoma	29816	1.4 %
38	Oregon	24918	1.2 %
39	Pennsylvania	123711	5.7 %
40	Rhode Island	9557	0.4 %
41	South Carolina	29618	1.4 %
42	South Dakota	6549	0.3 %
43	Tennessee	45452	2.1 %
44	Texas	124878	5.8 %
45	Utah	9239	0.4 %
46	Vermont	4586	0.2 %
47	Virginia	47172	2.2 %
48	Washington	36163	1.7 %
49	West Virginia	19558	0.9 %
50	Wisconsin	42355	2.0 %
51	Wyoming	3254	0.2 %
52	-	167	0.0 %
53	-	41	0.0 %
54	-	23	0.0 %
55	-	994	0.0 %
56	-	14	0.0 %
57	-	736	0.0 %
59	-	1418	0.1 %

CNTYRSID COUNTY OF RESIDENCE

Location: 33-35 (width: 3; decimal: 0)
 Variable Type: character

<i>Value</i>	<i>Label</i>
999	Less than 100,000 or see statement HIV deaths in Georgia
zzz	foreign residents

* Frequencies not displayed for this variable.

CITYRSID CITY OF RESIDENCE

Location: 36-38 (width: 3; decimal: 0)
 Variable Type: character

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
001	-	12755	0.6 %
002	-	6085	0.3 %
003	-	14676	0.7 %
004	-	13033	0.6 %
005	-	4917	0.2 %
006	-	1000	0.0 %
007	-	5900	0.3 %
008	-	9118	0.4 %
009	-	20344	0.9 %
010	-	7750	0.4 %
011	-	11889	0.6 %
012	-	5327	0.2 %
013	-	6030	0.3 %
014	-	6733	0.3 %
015	-	5517	0.3 %
016	-	10685	0.5 %
017	-	1659	0.1 %
018	-	1273	0.1 %
020	-	1236	0.1 %
021	-	6531	0.3 %
022	-	5631	0.3 %
023	-	25207	1.2 %
024	-	9031	0.4 %
026	-	13709	0.6 %
027	-	7906	0.4 %
028	-	6410	0.3 %
030	-	17585	0.8 %
031	-	8746	0.4 %
032	-	47434	2.2 %
033	-	8881	0.4 %
034	-	1824	0.1 %
035	-	4775	0.2 %
036	-	10208	0.5 %
039	-	3210	0.1 %
042	-	1354	0.1 %
043	-	24742	1.1 %
044	-	5735	0.3 %
045	-	740	0.0 %
047	-	8189	0.4 %
048	-	1525	0.1 %

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
052	-	4215	0.2 %
053	-	1243	0.1 %
055	-	3536	0.2 %
057	-	1698	0.1 %
060	-	16530	0.8 %
061	-	1769	0.1 %
066	-	12886	0.6 %
067	-	2402	0.1 %
069	-	686	0.0 %
071	-	845	0.0 %
072	-	3214	0.1 %
073	-	731	0.0 %
075	-	2645	0.1 %
077	-	21025	1.0 %
078	-	7517	0.3 %
079	-	2580	0.1 %
085	-	1301	0.1 %
086	-	3378	0.2 %
087	-	1067	0.0 %
089	-	1869	0.1 %
092	-	641	0.0 %
094	-	3242	0.2 %
095	-	1910	0.1 %
096	-	20581	1.0 %
098	-	6519	0.3 %
101	-	1949	0.1 %
106	-	751	0.0 %
112	-	5387	0.3 %
115	-	28997	1.3 %
121	-	7047	0.3 %
126	-	3362	0.2 %
130	-	1641	0.1 %
131	-	1118	0.1 %
141	-	1494	0.1 %
144	-	1242	0.1 %
146	-	3900	0.2 %
149	-	1443	0.1 %
150	-	762	0.0 %
153	-	1134	0.1 %
160	-	1343	0.1 %

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
182	-	2029	0.1 %
186	-	4964	0.2 %
189	-	1632	0.1 %
194	-	7370	0.3 %
197	-	8456	0.4 %
200	-	4240	0.2 %
209	-	1585	0.1 %
230	-	2266	0.1 %
232	-	684	0.0 %
235	-	1207	0.1 %
999	Less than 100,000 or see statement HIV deaths in Georgia	1565133	72.7 %
ZZZ	foreign residents	3393	0.2 %

POPSIZE POPULATION SIZE CITY OF RESIDENCE

Location: 39-39 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Place of 1,000,000 or more	179650	8.3 %
1	Place of 500,000 to 1,000,000	106438	4.9 %
2	Place of 250,000 to 500,000	129815	6.0 %
3	Place of 100,000 to 250,000	169430	7.9 %
9	All other areas in U.S. or See statement HIV deaths in Georg	1565133	72.7 %
Z	-	3393	0.2 %

METRO METROPOLITAN NONMETROPOLITAN COUNTY OF RESID

Location: 40-40 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Metropolitan county	1569726	72.9 %
2	Nonmetropolitan county	580635	27.0 %
9	Unknown. See statement HIV deaths in Georgia	105	0.0 %
Z	-	3393	0.2 %

REGNRES REGION OF RESIDENCE

Location: 41-41 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Foreign residents	3393	0.2 %

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Northeast	482810	22.4 %
2	Midwest	533125	24.8 %
3	South	752941	35.0 %
4	West	381590	17.7 %

DIVISRES

DIVISION OF RESIDENCE

Location: 42-42 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	3393	0.2 %
1	New England	115965	5.4 %
2	Middle Atlantic	366845	17.0 %
3	East North Central	372051	17.3 %
4	West North Central	161074	7.5 %
5	South Atlantic	390693	18.1 %
6	Eath South Central	145242	6.7 %
7	West South Central	217006	10.1 %
8	Mountain	95293	4.4 %
9	Pacific	286297	13.3 %

STSUB

STATE SUBCODE OF RESIDENCE

Location: 43-43 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3393	0.2 %
1	424352	19.7 %
2	310072	14.4 %
3	578433	26.9 %
4	358968	16.7 %
5	95093	4.4 %
6	128732	6.0 %
7	61144	2.8 %
8	60907	2.8 %
9	132765	6.2 %

EXP_RES

EXPANDED STATE OF RESIDENCE NY CITY

Location: 44-45 (width: 2; decimal: 0)

Variable Type: numeric

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Alabama	39006	1.8 %
2	Alaska	2095	0.1 %
3	Arizona	28212	1.3 %
4	Arkansas	24647	1.1 %
5	California	216619	10.1 %
6	Colorado	21144	1.0 %
7	Connecticut	28243	1.3 %
8	Delaware	5843	0.3 %
9	District of Columbia	7649	0.4 %
10	Florida	132765	6.2 %
11	Georgia	52258	2.4 %
12	Hawaii	6502	0.3 %
13	Idaho	7468	0.3 %
14	Illinois	103366	4.8 %
15	Indiana	49094	2.3 %
16	Iowa	27195	1.3 %
17	Kansas	22287	1.0 %
18	Kentucky	35398	1.6 %
19	Louisiana	37665	1.7 %
20	Maine	11185	0.5 %
21	Maryland	38353	1.8 %
22	Massachusetts	53922	2.5 %
23	Michigan	78861	3.7 %
24	Minnesota	34307	1.6 %
25	Mississippi	25386	1.2 %
26	Missouri	50426	2.3 %
27	Montana	6755	0.3 %
28	Nebraska	14800	0.7 %
29	Nevada	8649	0.4 %
30	New Hampshire	8472	0.4 %
31	New Jersey	71455	3.3 %
32	New Mexico	10572	0.5 %
33	New York	95710	4.4 %
34	New York City	75969	3.5 %
35	North Carolina	57477	2.7 %
36	North Dakota	5510	0.3 %
37	Ohio	98375	4.6 %
38	Oklahoma	29816	1.4 %
39	Oregon	24918	1.2 %
40	Pennsylvania	123711	5.7 %

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
41	Rhode Island	9557	0.4 %
42	South Carolina	29618	1.4 %
43	South Dakota	6549	0.3 %
44	Tennessee	45452	2.1 %
45	Texas	124878	5.8 %
46	Utah	9239	0.4 %
47	Vermont	4586	0.2 %
48	Virginia	47172	2.2 %
49	Washington	36163	1.7 %
50	West Virginia	19558	0.9 %
51	Wisconsin	42355	2.0 %
52	Wyoming	3254	0.2 %
53	-	167	0.0 %
54	-	41	0.0 %
55	-	23	0.0 %
56	-	994	0.0 %
57	-	14	0.0 %
58	-	736	0.0 %
60	-	1418	0.1 %

SMSA_RES SMSA,MSA OF RESIDENCE

Location: 46-48 (width: 3; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
000	Non metropolitan counties
999	SMSA less 100,000 or See statement HIV deaths in Georgia
ZZZ	Foreign residents

* Frequencies not displayed for this variable.

POP_OCC POP SIZE COUNTY OF OCCURRENCE

Location: 49-49 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	COUNTY OF 1,000,000 OR MORE	462837	21.5 %
1	COUNTY OF 500,000 TO 1,000,000	423160	19.6 %
2	COUNTY OF 250,000 TO 500,000	324944	15.1 %
3	COUNTY OF 100,000 TO 250,000	341780	15.9 %
9	COUNTY OF LESS THAN 100,000	601138	27.9 %

POP_RES POP SIZE COUNTY OF RESIDENCE

- Study 07632 -

Location: 50-50 (width: 1; decimal: 0)
 Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	COUNTY OF 1,000,000 OR MORE	450511	20.9 %
1	COUNTY OF 500,000 TO 1,000,000	391525	18.2 %
2	COUNTY OF 250,000 TO 500,000	294590	13.7 %
3	COUNTY OF 100,000 TO 250,000	322274	15.0 %
9	COUNTY OF LESS THAN 100,000	691566	32.1 %
Z	FOREIGN RESIDENTS	3393	0.2 %

POP_SMSA POP SIZE OF SMSA

Location: 51-51 (width: 1; decimal: 0)
 Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	SMSA OF 250,000 OR MORE	1368592	63.5 %
2	SMSA OF 100,000 TO 250,000	183824	8.5 %
9	NONMETROPOLITAN AREA	601443	27.9 %

EDUCN EDUCATION

Location: 52-53 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NO FORMAL EDUCATION	45281	2.1 %
1	-	2272	0.1 %
2	-	5553	0.3 %
3	-	20145	0.9 %
4	-	21754	1.0 %
5	-	21886	1.0 %
6	-	60032	2.8 %
7	-	33726	1.6 %
8	-	245736	11.4 %
9	1 YR OF HIGH SCHOOL	50029	2.3 %
10	2 YRS OF HIGH SCHOOL	88194	4.1 %
11	3 YRS OF HIGH SCHOOL	64363	3.0 %
12	4 YRS OF HIGH SCHOOL	555749	25.8 %
13	1 YR OF COLLEGE	43699	2.0 %
14	2 YRS OF COLLEGE	96216	4.5 %
15	3 YRS OF COLLEGE	22259	1.0 %
16	4 YRS OF COLLEGE	101582	4.7 %
17	5 OR MORE YRS OF COLLEGE	54418	2.5 %

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	1116467	51.8 %
2	Female	1037392	48.2 %

RACE_DET RACE DETAIL

Location: 60-61 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	White	1856692	86.2 %
2	Black	267815	12.4 %
3	Indian (includes Aleuts and Eskimos)	8630	0.4 %
4	Chinese	5073	0.2 %
5	Japanese	4055	0.2 %
6	Hawaiian (includes Part Hawaiian)	1207	0.1 %
7	Filipino	4127	0.2 %
8	Other Asian or pacific Islander	5925	0.3 %
9	All other races	335	0.0 %

RACE_R3 RACE RECODE 3

Location: 62-62 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	White	1856692	86.2 %
2	Races other than White or Black	29352	1.4 %
3	Black	267815	12.4 %

RACE_R2 RACE RECODE 2

Location: 63-63 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	White	1856692	86.2 %
2	All other races	297167	13.8 %

AGEUNIT AGE UNIT

Location: 64-64 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Years less than 100	2101625	97.6 %
1	Years 100 or more	11945	0.6 %

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Months	14523	0.7 %
3	Weeks	388	0.0 %
4	Days	10137	0.5 %
5	Hours	10591	0.5 %
6	Minutes	4084	0.2 %
9	Age not stated	566	0.0 %

AGENUMBR

AGE NUMBER

Location:

65-66 (width: 2; decimal: 0)

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	4323	0.2 %
1	15269	0.7 %
2	10394	0.5 %
3	6815	0.3 %
4	4755	0.2 %
5	3669	0.2 %
6	2785	0.1 %
7	2380	0.1 %
8	2059	0.1 %
9	1961	0.1 %
10	1957	0.1 %
11	1699	0.1 %
12	1516	0.1 %
13	1405	0.1 %
14	1639	0.1 %
15	2256	0.1 %
16	2904	0.1 %
17	3547	0.2 %
18	4340	0.2 %
19	4377	0.2 %
20	4363	0.2 %
21	4310	0.2 %
22	4267	0.2 %
23	4551	0.2 %
24	4829	0.2 %
25	5145	0.2 %
26	5291	0.2 %
27	5694	0.3 %

- Study 07632 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
28	5649	0.3 %
29	5863	0.3 %
30	6392	0.3 %
31	6456	0.3 %
32	6973	0.3 %
33	7025	0.3 %
34	7313	0.3 %
35	7501	0.3 %
36	7466	0.3 %
37	7627	0.4 %
38	7817	0.4 %
39	7774	0.4 %
40	8481	0.4 %
41	8652	0.4 %
42	9481	0.4 %
43	8297	0.4 %
44	8542	0.4 %
45	9415	0.4 %
46	10324	0.5 %
47	10353	0.5 %
48	10338	0.5 %
49	10880	0.5 %
50	11978	0.6 %
51	12468	0.6 %
52	13218	0.6 %
53	14403	0.7 %
54	15749	0.7 %
55	16457	0.8 %
56	18308	0.9 %
57	19943	0.9 %
58	22231	1.0 %
59	25009	1.2 %
60	26473	1.2 %
61	29144	1.4 %
62	31837	1.5 %
63	34155	1.6 %
64	37308	1.7 %
65	39570	1.8 %
66	40828	1.9 %
67	44275	2.1 %

- Study 07632 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
68	46702	2.2 %
69	48130	2.2 %
70	48349	2.2 %
71	50489	2.3 %
72	52619	2.4 %
73	53889	2.5 %
74	57174	2.7 %
75	58817	2.7 %
76	59875	2.8 %
77	59949	2.8 %
78	61053	2.8 %
79	61886	2.9 %
80	60637	2.8 %
81	61412	2.9 %
82	60004	2.8 %
83	59046	2.7 %
84	57111	2.7 %
85	54372	2.5 %
86	51673	2.4 %
87	47677	2.2 %
88	46208	2.1 %
89	42116	2.0 %
90	36013	1.7 %
91	33320	1.5 %
92	29172	1.4 %
93	26148	1.2 %
94	21634	1.0 %
95	17903	0.8 %
96	14421	0.7 %
97	10966	0.5 %
98	7901	0.4 %
99	6720	0.3 %

AGEREC52

AGE RECODE 52

Location: 67-68 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Under 1 hour	4193	0.2 %
2	1-23 hours	10482	0.5 %

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	1 day	2399	0.1 %
4	2 days	1372	0.1 %
5	3 days	871	0.0 %
6	4 days	635	0.0 %
7	5 days	454	0.0 %
8	6 days	414	0.0 %
9	7-13 days	2133	0.1 %
10	14-20 days	1301	0.1 %
11	21-27 days	946	0.0 %
12	1 month	3588	0.2 %
13	2 months	3025	0.1 %
14	3 months	2181	0.1 %
15	4 months	1578	0.1 %
16	5 months	1077	0.1 %
17	6 months	816	0.0 %
18	7 months	622	0.0 %
19	8 months	489	0.0 %
20	9 months	433	0.0 %
21	10 months	349	0.0 %
22	11 months	365	0.0 %
23	1 year	2940	0.1 %
24	2 years	1792	0.1 %
25	3 years	1426	0.1 %
26	4 years	1168	0.1 %
27	5-9 years	4340	0.2 %
28	10-14 years	4638	0.2 %
29	15-19 years	15660	0.7 %
30	20-24 years	21077	1.0 %
31	25-29 years	27081	1.3 %
32	30-34 years	33727	1.6 %
33	35-39 years	37979	1.8 %
34	40-44 years	43179	2.0 %
35	45-49 years	51001	2.4 %
36	50-54 years	67605	3.1 %
37	55-59 years	101723	4.7 %
38	60-64 years	158917	7.4 %
39	65-69 years	219505	10.2 %
40	70-74 years	262520	12.2 %
41	75-79 years	301580	14.0 %
42	80-84 years	298210	13.8 %

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
43	85-89 years	242046	11.2 %
44	90-94 years	146287	6.8 %
45	95-99 years	57224	2.7 %
46	100-104 years	10814	0.5 %
47	105-109 years	1036	0.0 %
48	110- 114 years	85	0.0 %
49	115- 119 years	7	0.0 %
50	120-124 years	3	0.0 %
52	Age not stated	566	0.0 %

AGEREC27

AGE RECODE 27

Location:

69-70 (width: 2; decimal: 0)

Variable Type:

numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Under 1 mo	25200	1.2 %
2	1 to 11 mos	14523	0.7 %
3	1 years	2940	0.1 %
4	2 years	1792	0.1 %
5	3 years	1426	0.1 %
6	4 years	1168	0.1 %
7	5-9 years	4340	0.2 %
8	10-14 years	4638	0.2 %
9	15-19 years	15660	0.7 %
10	20-24 years	21077	1.0 %
11	25-29 years	27081	1.3 %
12	30-34 years	33727	1.6 %
13	35-39 years	37979	1.8 %
14	40-44 years	43179	2.0 %
15	45-49 years	51001	2.4 %
16	50-54 years	67605	3.1 %
17	55-59 years	101723	4.7 %
18	60-64 years	158917	7.4 %
19	65-69 years	219505	10.2 %
20	70-74 years	262520	12.2 %
21	75-79 years	301580	14.0 %
22	80-84 years	298210	13.8 %
23	05-89 years	242046	11.2 %
24	90-94 years	146287	6.8 %
25	95-99 years	57224	2.7 %

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
26	100 years and over	11945	0.6 %
27	Age not stated	566	0.0 %

AGEREC12

AGE RECODE 12

Location: 71-72 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Under 1 year	39723	1.8 %
2	1-4 years	7326	0.3 %
3	5-14 years	8978	0.4 %
4	15-24 years	36737	1.7 %
5	25-34 years	60808	2.8 %
6	35-44 years	81158	3.8 %
7	45-54 years	118606	5.5 %
8	55-64 years	260640	12.1 %
9	65-74 years	482025	22.4 %
10	75-84 years	599790	27.8 %
11	85 years and over	457502	21.2 %
12	Age not stated	566	0.0 %

INFNT22

INFANT AGE RECODE 22

Location: 73-74 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Under 1 hour	4193	0.2 %
2	1-23 hours	10482	0.5 %
3	1 day	2399	0.1 %
4	2 days	1372	0.1 %
5	3 days	871	0.0 %
6	4 days	635	0.0 %
7	5 days	454	0.0 %
8	6 days	414	0.0 %
9	7-13 days	2133	0.1 %
10	14-20 days	1301	0.1 %
11	21-27 days	946	0.0 %
12	1 month	3588	0.2 %
13	2 months	3025	0.1 %
14	3 months	2181	0.1 %
15	4 months	1578	0.1 %

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
16	5 months	1077	0.1 %
17	6 months	816	0.0 %
18	7 months	622	0.0 %
19	8 months	489	0.0 %
20	9 months	433	0.0 %
21	10 months	349	0.0 %
22	11 months	365	0.0 %
. (M)	-	2114136	98.2 %

HOSPSTAT HOSPITAL AND STATUS

Location: 75-75 (width: 1; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Hospital, Clinic or Med Center--inpatient	1045866	48.6 %
2	Hospital, Clinic or Med Center--outpatient or adm ER	171449	8.0 %
3	Hospital, Clinic or Med Center--dead on arrival	77751	3.6 %
4	Hospital, Clinic or Med Center--patient status unknown	44473	2.1 %
5	Hospital, Clinic or Med Center--patient status not on cert	343596	16.0 %
6	All other institutions providing patient care	342913	15.9 %
7	All other reported entries	93796	4.4 %
9	Hospital and patient status not stated	34015	1.6 %

RESVD2 RESERVED

Location: 76-76 (width: 1; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	2153859	100.0 %

MARSTAT MARITAL STATUS

Location: 77-77 (width: 1; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Never married, single	270891	12.6 %
2	Married	917031	42.6 %
3	Widowed	773604	35.9 %
4	Divorced	171071	7.9 %
9	Marital Status not stated	21262	1.0 %

BIRTH_ST STATE OF BIRTH

- Study 07632 -

Location: 78-79 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Alabama	55006	2.6 %
2	Alaska	1344	0.1 %
3	Arizona	6777	0.3 %
4	Arkansas	39114	1.8 %
5	California	57256	2.7 %
6	Colorado	15094	0.7 %
7	Connecticut	21031	1.0 %
8	Delaware	3829	0.2 %
9	District of Columbia	7151	0.3 %
10	Florida	24473	1.1 %
11	Georgia	62918	2.9 %
12	Hawaii	4970	0.2 %
13	Idaho	6576	0.3 %
14	Illinois	107359	5.0 %
15	Indiana	49569	2.3 %
16	Iowa	41942	1.9 %
17	Kansas	31290	1.5 %
18	Kentucky	52730	2.4 %
19	Louisiana	42690	2.0 %
20	Maine	12147	0.6 %
21	Maryland	26007	1.2 %
22	Massachusetts	55629	2.6 %
23	Michigan	62614	2.9 %
24	Minnesota	39787	1.8 %
25	Mississippi	44022	2.0 %
26	Missouri	61981	2.9 %
27	Montana	7220	0.3 %
28	Nebraska	22913	1.1 %
29	Nevada	1472	0.1 %
30	New Hampshire	6730	0.3 %
31	New Jersey	49007	2.3 %
32	New Mexico	7978	0.4 %
33	New York	160265	7.4 %
34	North Carolina	63941	3.0 %
35	North Dakota	11636	0.5 %
36	Ohio	89666	4.2 %
37	Oklahoma	39023	1.8 %
38	Oregon	11153	0.5 %

- Study 07632 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
39	Pennsylvania	148854	6.9 %
40	Rhode Island	9058	0.4 %
41	South Carolina	39229	1.8 %
42	South Dakota	11303	0.5 %
43	Tennessee	52378	2.4 %
44	Texas	106501	4.9 %
45	Utah	9662	0.4 %
46	Vermont	5424	0.3 %
47	Virginia	48394	2.2 %
48	Washington	17794	0.8 %
49	West Virginia	31567	1.5 %
50	Wisconsin	45296	2.1 %
51	Wyoming	2895	0.1 %
52	Puerto Rico	9100	0.4 %
53	Virgin Islands	263	0.0 %
54	Guam	140	0.0 %
55	Canada	17673	0.8 %
56	Cuba	7673	0.4 %
57	Mexico	17474	0.8 %
59	Remainder of world	143079	6.6 %
99	-	25792	1.2 %

ORIGIN

ORIGIN OR DESCENT

Location: 80-81 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	NON SPANISH	1944902	90.3 %
1	MEXICAN	38747	1.8 %
2	PUERTO RICAN	10500	0.5 %
3	CUBAN	7466	0.3 %
4	CENTRAL OR SOUTH AMERICAN	5280	0.2 %
5	OTHER OR UNKNOWN SPANISH	16208	0.8 %
99	NOT CLASSIFIABLE	130756	6.1 %

RESVD3

RESERVED

Location: 82-83 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
11	5925	0.3 %

- Study 07632 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
12	5571	0.3 %
13	5358	0.2 %
14	5242	0.2 %
15	5267	0.2 %
16	5425	0.3 %
17	5959	0.3 %
21	1545	0.1 %
22	1488	0.1 %
23	1405	0.1 %
24	1436	0.1 %
25	1525	0.1 %
26	1512	0.1 %
27	1589	0.1 %
31	1123	0.1 %
32	1070	0.0 %
33	1059	0.0 %
34	1028	0.0 %
35	1051	0.0 %
36	1060	0.0 %
37	1075	0.0 %
41	858	0.0 %
42	749	0.0 %
43	728	0.0 %
44	698	0.0 %
45	713	0.0 %
46	754	0.0 %
47	780	0.0 %
51	2358	0.1 %
52	2319	0.1 %
53	2306	0.1 %
54	2209	0.1 %
55	2247	0.1 %
56	2342	0.1 %
57	2427	0.1 %
61	241685	11.2 %
62	240492	11.2 %
63	239069	11.1 %
64	237282	11.0 %
65	236995	11.0 %
66	239991	11.1 %

- Study 07632 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
67	241539	11.2 %
69	34	0.0 %
71	35132	1.6 %
72	34705	1.6 %
73	34481	1.6 %
74	33879	1.6 %
75	33394	1.6 %
76	34117	1.6 %
77	34996	1.6 %
79	6	0.0 %
81	3989	0.2 %
82	3804	0.2 %
83	3773	0.2 %
84	3886	0.2 %
85	3822	0.2 %
86	3762	0.2 %
87	4069	0.2 %
91	18806	0.9 %
92	18937	0.9 %
93	18522	0.9 %
94	18414	0.9 %
95	18568	0.9 %
96	18743	0.9 %
97	18759	0.9 %
99	7	0.0 %

AUTOPSY

AUTOPSY PERFORMED

Location: 84-84 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	248272	11.5 %
2	No	1739860	80.8 %
9	Autopsy performed not stated	165727	7.7 %

BUSINESS

KIND OF BUSINESS OR INDUSTRY

Location: 85-87 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
942	ARMED FORCES
951	RETIRED, NO OTHER INDUSTRY REPORTED

- Study 07632 -

<i>Value</i>	<i>Label</i>
961	NON PAID WORKER OR NON-WORKER

* Frequencies not displayed for this variable.

USUALOC

USUAL OCCUPATION

Location: 88-90 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
905	MILITARY
913	RETIRED, WITH NO OTHER OCCUP REPORTED
914	HOMEMAKER
915	STUDENT
916	VOLUNTEER
917	NONE

* Frequencies not displayed for this variable.

CAUS52

52 CAUSE RECODE

Location: 91-93 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	2169	0.1 %
20	19354	0.9 %
40	8110	0.4 %
50	9643	0.4 %
60	14199	0.7 %
70	48647	2.3 %
80	7653	0.4 %
90	8010	0.4 %
100	4034	0.2 %
110	24563	1.1 %
120	3733	0.2 %
130	137237	6.4 %
140	459	0.0 %
150	1075	0.0 %
160	3002	0.1 %
170	6165	0.3 %
180	42874	2.0 %
190	4493	0.2 %
200	2984	0.1 %
210	12441	0.6 %
220	30535	1.4 %

- Study 07632 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
230	392	0.0 %
240	10130	0.5 %
250	10125	0.5 %
260	11143	0.5 %
270	1728	0.1 %
280	18223	0.8 %
290	8598	0.4 %
300	18304	0.8 %
310	48123	2.2 %
320	46869	2.2 %
330	1287	0.1 %
350	21014	1.0 %
360	2386	0.1 %
380	247396	11.5 %
390	251473	11.7 %
400	212854	9.9 %
410	8772	0.4 %
420	145741	6.8 %
430	19372	0.9 %
440	76622	3.6 %
450	84396	3.9 %
460	1256	0.1 %
470	6468	0.3 %
480	26729	1.2 %
490	21144	1.0 %
510	47917	2.2 %
520	4305	0.2 %
530	43406	2.0 %
540	30277	1.4 %
550	22993	1.1 %
560	313036	14.5 %

BUS51

BUSINESS OR INDUSTRY RECODE 51

Location: 94-95 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	31677	1.5 %
2	7535	0.3 %
3	38431	1.8 %

- Study 07632 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	9849	0.5 %
7	18400	0.9 %
8	3582	0.2 %
9	5187	0.2 %
10	5313	0.2 %
11	1422	0.1 %
12	4888	0.2 %
14	8030	0.4 %
15	3896	0.2 %
16	9453	0.4 %
17	5158	0.2 %
18	9151	0.4 %
19	6845	0.3 %
20	11578	0.5 %
21	12207	0.6 %
24	7331	0.3 %
25	9435	0.4 %
26	10186	0.5 %
27	4911	0.2 %
28	6631	0.3 %
29	9684	0.4 %
31	7845	0.4 %
32	4312	0.2 %
33	12664	0.6 %
34	27152	1.3 %
35	14544	0.7 %
37	5591	0.3 %
38	10228	0.5 %
40	11522	0.5 %
41	3646	0.2 %
42	8925	0.4 %
43	3433	0.2 %
45	22200	1.0 %
46	28162	1.3 %
47	7209	0.3 %
48	6196	0.3 %
49	21525	1.0 %
50	5531	0.3 %
51	1712394	79.5 %

- Study 07632 -

Location: 96-97 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	31677	1.5 %
2	7535	0.3 %
3	38431	1.8 %
4	114959	5.3 %
5	38494	1.8 %
6	9684	0.4 %
7	51973	2.4 %
8	14544	0.7 %
9	15819	0.7 %
10	24093	1.1 %
11	3433	0.2 %
12	63767	3.0 %
13	21525	1.0 %
14	5531	0.3 %
15	1712394	79.5 %

OCCUP59 USUAL OCCUPATION RECODE 59

Location: 98-99 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	32612	1.5 %
3	8568	0.4 %
5	8124	0.4 %
6	9475	0.4 %
7	17323	0.8 %
8	11076	0.5 %
9	6849	0.3 %
10	39954	1.9 %
12	10646	0.5 %
13	6196	0.3 %
14	3586	0.2 %
15	18886	0.9 %
17	10913	0.5 %
18	6412	0.3 %
19	12434	0.6 %
20	5104	0.2 %
21	13347	0.6 %

- Study 07632 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
22	5710	0.3 %
24	30579	1.4 %
25	2267	0.1 %
28	7515	0.3 %
29	8277	0.4 %
31	8422	0.4 %
32	3868	0.2 %
33	2841	0.1 %
34	11909	0.6 %
35	4897	0.2 %
37	7051	0.3 %
38	10452	0.5 %
39	2849	0.1 %
40	2503	0.1 %
41	4161	0.2 %
44	3855	0.2 %
45	1963	0.1 %
46	13686	0.6 %
47	14876	0.7 %
48	7672	0.4 %
49	3670	0.2 %
51	15282	0.7 %
52	8191	0.4 %
54	7516	0.3 %
55	18152	0.8 %
56	5639	0.3 %
57	5198	0.2 %
58	151493	7.0 %
59	1561860	72.5 %

OCCUP9 USUAL OCCUPATION RECODE 9

Location: 100-101 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	87178	4.0 %
2	86117	4.0 %
3	53920	2.5 %
4	32846	1.5 %
5	74745	3.5 %

- Study 07632 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	100502	4.7 %
7	5198	0.2 %
8	151493	7.0 %
9	1561860	72.5 %

RESVD4 RESERVED

Location: 102-109 (width: 8; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	2153859	100.0 %

CALCAGE CALCULATED DETAIL AGE

Location: 110-113 (width: 4; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
0	000 LESS THAN 1 DAY
1	001 TO 365 DAYS
2	001 TO 125 YEARS
9	999 AGE UNKNOWN

* Frequencies not displayed for this variable.

AGE_FLAG AGE SUBSTITUTION FLAG

Location: 114-114 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	CALCULATED AGE IS SUBSTITUTED FOR REPORTED AGE	57	0.0 %
. (M)	-	2153802	100.0 %

RESVD4B RESERVED

Location: 115-118 (width: 4; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	2153859	100.0 %

FIPMSA FIPS, SMSA

Location: 119-132 (width: 14; decimal: 0)

Variable Type: character

RESVD5 RESERVED

- Study 07632 -

Location: 133-140 (width: 8; decimal: 0)
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1116417	51.8 %
2	1037340	48.2 %
9	102	0.0 %

PLACEINJ PLACE OF INJURY

Location: 141-141 (width: 1; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Home	16804	0.8 %
1	Farm	776	0.0 %
2	Mine or quarry	105	0.0 %
3	Industrial place and premises	1471	0.1 %
4	Place for recreation and sport	805	0.0 %
5	Street and highway	969	0.0 %
6	Public building	1053	0.0 %
7	Resident institution	2027	0.1 %
8	Other Specified Places	4261	0.2 %
9	Place of accident not specified	12704	0.6 %
. (M)	-	2112884	98.1 %

ICD9 ICD9 CODE

Location: 142-145 (width: 4; decimal: 0)
 Variable Type: character

ICD282 ICD 282 CAUSE LIST

Location: 146-150 (width: 5; decimal: 0)
 Variable Type: character

ICD72 ICD72 CAUSE LIST

Location: 151-153 (width: 3; decimal: 0)
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
010	20	0.0 %
020	339	0.0 %
040	1539	0.1 %
050	435	0.0 %
060	13	0.0 %
070	17	0.0 %

- Study 07632 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
080	273	0.0 %
090	19354	0.9 %
110	32	0.0 %
120	1525	0.1 %
130	105	0.0 %
140	29277	1.4 %
160	8110	0.4 %
170	119768	5.6 %
180	142374	6.6 %
190	43175	2.0 %
200	54988	2.6 %
210	20255	0.9 %
220	61100	2.8 %
230	18304	0.8 %
240	28549	1.3 %
250	6710	0.3 %
260	46869	2.2 %
270	3048	0.1 %
280	4001	0.2 %
290	1070	0.0 %
320	6103	0.3 %
330	21014	1.0 %
340	2386	0.1 %
360	247396	11.5 %
370	3386	0.2 %
380	1070	0.0 %
390	247017	11.5 %
400	12204	0.6 %
410	194547	9.0 %
420	8772	0.4 %
440	20736	1.0 %
450	19818	0.9 %
460	682	0.0 %
470	104505	4.9 %
480	19372	0.9 %
490	24345	1.1 %
500	633	0.0 %
520	75027	3.5 %
530	1595	0.1 %
550	3763	0.2 %

- Study 07632 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
560	15474	0.7 %
570	4882	0.2 %
580	60277	2.8 %
590	6468	0.3 %
600	453	0.0 %
610	5532	0.3 %
620	26729	1.2 %
630	3056	0.1 %
650	311	0.0 %
660	1519	0.1 %
670	19314	0.9 %
680	1417	0.1 %
690	449	0.0 %
710	51	0.0 %
720	271	0.0 %
730	12963	0.6 %
750	4638	0.2 %
760	14133	0.7 %
770	27051	1.3 %
780	171641	8.0 %
800	47917	2.2 %
810	47711	2.2 %
820	30277	1.4 %
830	22993	1.1 %
840	2711	0.1 %

ICD61

ICD61 INFANT CAUSE LIST

Location: 154-156 (width: 3; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
010	333	0.0 %
020	13	0.0 %
030	273	0.0 %
040	19354	0.9 %
050	3115	0.1 %
060	30	0.0 %
070	29811	1.4 %
080	496623	23.1 %
090	6710	0.3 %

- Study 07632 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
100	10	0.0 %
110	428	0.0 %
120	8604	0.4 %
130	1070	0.0 %
140	37446	1.7 %
150	276	0.0 %
160	4396	0.2 %
180	75027	3.5 %
190	1595	0.1 %
200	105866	4.9 %
210	5532	0.3 %
220	9424	0.4 %
230	61275	2.8 %
250	468	0.0 %
260	157	0.0 %
270	319	0.0 %
280	791	0.0 %
290	4635	0.2 %
300	1154	0.1 %
310	1325	0.1 %
320	257	0.0 %
330	864	0.0 %
340	648	0.0 %
350	334	0.0 %
360	981	0.0 %
370	1030	0.0 %
390	201	0.0 %
400	1537	0.1 %
410	988	0.0 %
420	69	0.0 %
430	31	0.0 %
440	3941	0.2 %
450	1	0.0 %
460	230	0.0 %
480	204	0.0 %
490	553	0.0 %
500	3651	0.2 %
510	3445	0.2 %
520	904	0.0 %
530	266	0.0 %

- Study 07632 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
540	39	0.0 %
550	10	0.0 %
560	3	0.0 %
570	2698	0.1 %
590	5634	0.3 %
600	21417	1.0 %
620	3583	0.2 %
630	914	0.0 %
640	91131	4.2 %
660	244	0.0 %
670	22414	1.0 %
680	1109577	51.5 %

ICD34

ICD34 CAUSE LIST

Location: 157-159 (width: 3; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
010	1974	0.1 %
020	105	0.0 %
030	50850	2.4 %
050	119768	5.6 %
060	142374	6.6 %
070	43175	2.0 %
080	54988	2.6 %
090	20255	0.9 %
100	18304	0.8 %
110	97759	4.5 %
120	46869	2.2 %
150	6103	0.3 %
160	23400	1.1 %
170	498869	23.2 %
180	206751	9.6 %
190	8772	0.4 %
200	145741	6.8 %
210	19372	0.9 %
220	24345	1.1 %
230	76622	3.6 %
240	84396	3.9 %
250	6468	0.3 %

- Study 07632 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
260	26729	1.2 %
270	21144	1.0 %
280	322	0.0 %
290	12963	0.6 %
300	18771	0.9 %
310	27051	1.3 %
320	198010	9.2 %
330	47917	2.2 %
340	47711	2.2 %
350	30277	1.4 %
360	22993	1.1 %
370	2711	0.1 %