ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 7632

Mortality Detail Files, 1968-1991

United States Department of Health and Human Services. Centers for Disease Control and Prevention. National Center for Health Statistics

Mortality, 1969, Frequencies

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/7632.xml

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 07632

Mortality Detail Files, 1968-1991

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Mortality Detail Files, 1968-1991

Mortality, 1969

V1 ICPSR STUDY NUMBER<7632>

Location: 1-4 (width: 4; decimal: 0)

Variable Type: numeric

Value	*Unweighted Frequency*	*%*
7632	1921990	100.0 %

V2 VERSION NUMBER<1>

Location: 5-5 (width: 1; decimal: 0)

Variable Type: numeric

Value	*Unweighted Frequency*	*%*
1	1921990	100.0 %

V3 PART - YEAR

Location: 6-7 (width: 2; decimal: 0)

Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
69	YR 1969 <1921990	1921990	100.0 %

V4 REPORTING AREA

Location: 8-8 (width: 1; decimal: 0)

Variable Type: character

Value	*Label*	*Unweighted Frequency*	*%*
0	ALL OTHER AREAS	1772679	92.2 %
1	BRONX BOROUGH	36402	1.9 %
2	BROOKLYN BOROUGH	26101	1.4 %
3	MANHATTAN BOROUG	27340	1.4 %
4	QUEENS BOROUGH	17851	0.9 %
5	RICHMOND BOROUGH	2782	0.1 %
6	RICHMOND BOROUGH	38834	2.0 %
9	UNKNOWN	1	0.0 %

V5 RECORD TYPE

Location: 9-9 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	OCCUR-RES SAME	1563266	81.3 %
2	OCCUR-RES DIFF	358724	18.7 %

V6 RESIDENT STATUS

Location: 10-10 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	OCCUR-RES SAME	1563266	81.3 %
2	INTRASTATE	289652	15.1 %
3	INTERSTATE	69072	3.6 %

V7 STATE OF RESIDENCE

Location: 11-12 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Alabama	33808	1.8 %
2	Alaska	1303	0.1 %
3	Arizona	14031	0.7 %
4	Arkansas	20750	1.1 %
5	California	166077	8.6 %
6	Colorado	17117	0.9 %
7	Connecticut	26222	1.4 %
8	Delaware	4755	0.2 %
9	District of Columbia	8814	0.5 %
10	Florida	72744	3.8 %
11	Georgia	41258	2.1 %
12	Hawaii	4076	0.2 %
13	Idaho	6142	0.3 %
14	Illinois	111417	5.8 %
15	Indiana	49524	2.6 %
16	Iowa	29385	1.5 %
17	Kansas	22854	1.2 %
18	Kentucky	32899	1.7 %
19	Louisiana	33862	1.8 %
20	Maine	10913	0.6 %
21	Maryland	32382	1.7 %
22	Massachusetts	57793	3.0 %
23	Michigan	76808	4.0 %
24	Minnesota	33843	1.8 %

Value	*Label*	*Unweighted Frequency*	*%*
25	Mississippi	23879	1.2 %
26	Missouri	52463	2.7 %
27	Montana	6713	0.3 %
28	Nebraska	14932	0.8 %
29	Nevada	3691	0.2 %
30	New Hampshire	7521	0.4 %
31	New Jersey	67972	3.5 %
32	New Mexico	7209	0.4 %
33	New York	188469	9.8 %
34	North Carolina	44902	2.3 %
35	North Dakota	5607	0.3 %
36	Ohio	101240	5.3 %
37	Oklahoma	26032	1.4 %
38	Oregon	19585	1.0 %
39	Pennsylvania	127261	6.6 %
40	Rhode Island	9300	0.5 %
41	South Carolina	22853	1.2 %
42	South Dakota	6760	0.4 %
43	Tennessee	37900	2.0 %
44	Texas	94043	4.9 %
45	Utah	6819	0.4 %
46	Vermont	4427	0.2 %
47	Virginia	39126	2.0 %
48	Washington	30632	1.6 %
49	West Virginia	19830	1.0 %
50	Wisconsin	41106	2.1 %
51	Wyoming	2941	0.2 %

V8 **COUNTY OF RESIDENCE**

Location: 13-15 (width: 3; decimal: 0)

Variable Type: numeric

V9 **CITY OF RESIDENCE**

Location: 16-18 (width: 3; decimal: 0)

Variable Type: numeric

Value	*Unweighted Frequency*	*%*
1	11804	0.6 %
2	13468	0.7 %
4	5935	0.3 %
5	18323	1.0 %

Value	*Unweighted Frequency*	*%*
6	4499	0.2 %
8	16019	0.8 %
9	29133	1.5 %
10	14773	0.8 %
11	5107	0.3 %
15	18900	1.0 %
17	5528	0.3 %
18	16124	0.8 %
20	51480	2.7 %
21	13014	0.7 %
22	7285	0.4 %
23	6261	0.3 %
25	16990	0.9 %
26	2840	0.1 %
27	11976	0.6 %
28	2065	0.1 %
30	3823	0.2 %
31	3033	0.2 %
32	9894	0.5 %
33	3381	0.2 %
42	9780	0.5 %
45	22870	1.2 %
46	3373	0.2 %
47	3448	0.2 %
48	2634	0.1 %
67	21146	1.1 %
69	7012	0.4 %
70	8116	0.4 %
72	28058	1.5 %
81	5280	0.3 %
90	24932	1.3 %
92	7573	0.4 %
95	4546	0.2 %
96	4428	0.2 %
128	5424	0.3 %
130	9580	0.5 %
999	1462135	76.1 %

V10	**POP OF PLACE OF RESIDENC**
Location:	19-20 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99

Value	*Label*	*Unweighted Frequency*	*%*
0	> 1,000,000	205481	10.7 %
1	500TH-1MILL	127378	6.6 %
2	250TH-500TH	126996	6.6 %
3	100TH-250TH	131626	6.8 %
4	50TH-100TH	151142	7.9 %
5	25TH-50TH	154808	8.1 %
6	10TH-25TH	177595	9.2 %
9	ALL OTH AREAS UN	846964	44.1 %

V11 SMSA CODE OF RESIDENCE

Location: 21-23 (width: 3; decimal: 0)

Variable Type: character

Value	*Label*
000	NONMETROPOLITAN COUNTIES NOT INCLUDED IN STAND CONSOLIDATED
900	NOMEIN SCSA
998	NONRESIDENT ALIE
999	MISSING

* Frequencies not displayed for this variable.

V12 METRO-NONMETRO COUNTY

Location: 24-24 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	*Label*	*Unweighted Frequency*	*%*
1	METRO COUNTY	1196090	62.2 %
2	NONMETRO COUNTY	725900	37.8 %

V13 STATE OF OCCURRENCE

Location: 25-26 (width: 2; decimal: 0)

Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
1	Alabama	33496	1.7 %
2	Alaska	1305	0.1 %
3	Arizona	14280	0.7 %
4	Arkansas	20574	1.1 %
5	California	166011	8.6 %
6	Colorado	17650	0.9 %

Value	*Label*	*Unweighted Frequency*	*%*
7	Connecticut	26082	1.4 %
8	Delaware	5003	0.3 %
9	District of Columbia	10527	0.5 %
10	Florida	74356	3.9 %
11	Georgia	41891	2.2 %
12	Hawaii	4253	0.2 %
13	Idaho	5975	0.3 %
14	Illinois	108996	5.7 %
15	Indiana	49466	2.6 %
16	Iowa	29439	1.5 %
17	Kansas	22449	1.2 %
18	Kentucky	32758	1.7 %
19	Louisiana	34105	1.8 %
20	Maine	10915	0.6 %
21	Maryland	31696	1.6 %
22	Massachusetts	58140	3.0 %
23	Michigan	75989	4.0 %
24	Minnesota	34442	1.8 %
25	Mississippi	23420	1.2 %
26	Missouri	53170	2.8 %
27	Montana	6597	0.3 %
28	Nebraska	14960	0.8 %
29	Nevada	3938	0.2 %
30	New Hampshire	7424	0.4 %
31	New Jersey	66465	3.5 %
32	New Mexico	7228	0.4 %
33	New York	187581	9.8 %
34	North Carolina	45091	2.3 %
35	North Dakota	5729	0.3 %
36	Ohio	100830	5.2 %
37	Oklahoma	25446	1.3 %
38	Oregon	19548	1.0 %
39	Pennsylvania	126746	6.6 %
40	Rhode Island	9286	0.5 %
41	South Carolina	22495	1.2 %
42	South Dakota	6678	0.3 %
43	Tennessee	39968	2.1 %
44	Texas	94869	4.9 %
45	Utah	7060	0.4 %
46	Vermont	4506	0.2 %

Value	Label	Unweighted Frequency	%
47	Virginia	38350	2.0 %
48	Washington	30853	1.6 %
49	West Virginia	20039	1.0 %
50	Wisconsin	40965	2.1 %
51	Wyoming	2950	0.2 %

V14 **COUNTY OF OCCURRENCE**

Location: 27-29 (width: 3; decimal: 0)

Variable Type: numeric

V15 **MONTH OF DEATH**

Location: 30-31 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	JANUARY	186145	9.7 %
2	FEBRUARY	151914	7.9 %
3	MARCH	167774	8.7 %
4	APRIL	155476	8.1 %
5	MAY	158903	8.3 %
6	JUNE	153241	8.0 %
7	JULY	157205	8.2 %
8	AUGUST	153330	8.0 %
9	SEPTEMBER	146388	7.6 %
10	OCTOBER	158773	8.3 %
11	NOVEMBER	159831	8.3 %
12	DECEMBER	173010	9.0 %

V16 **DAY OF DEATH**

Location: 32-33 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99

Value	Label	Unweighted Frequency	%
99 (M)	DAY OF DEATH NOT	1921990	100.0 %

V17 **SEX**

Location: 34-34 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	MALE	1080926	56.2 %

Value	Label	Unweighted Frequency	%
2	FEMALE	841064	43.8 %

V18 DETAILED RACE CODE

Location: 35-35 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
0	GUAMANIAN	15	0.0 %
1	WHITE	1683622	87.6 %
2	NEGRO	225537	11.7 %
3	INDIAN <INCLUDES	5579	0.3 %
4	CHINESE	1945	0.1 %
5	JAPANESE	2499	0.1 %
6	HAWAIIAN <INCLUD	746	0.0 %
7	ALL OTHER RACES	1466	0.1 %
8	FILIPINO	581	0.0 %

V19 DICHOTOMOUS RACE CODE

Location: 36-36 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	WHITE	1683622	87.6 %
2	ALL OTHER RACES	238368	12.4 %

V20 TRICHOTOMOUS RACE CODE

Location: 37-37 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	WHITE	1683622	87.6 %
2	NEGRO	225537	11.7 %
3	OTHER RACES	12831	0.7 %

V21 AGE AT DEATH IN DETAIL

Location: 38-40 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999

Value	Label
1	ONE YEAR OF AGE
199	199 YRGS OF AGE

Value	*Label*
201	ONE MONTH OF AGE
211	11 MONTHS OF AGE
301	ONE WEEK OF AGE
303	3 WEEKS OF AGE
401	AGE ONE DAY
427	AGE 27 DAYS
501	AGE ONE HOUR
523	AGE 23 HOURS
601	AGE ONE MINUTE
659	AGE 59 MINUTES
999 (M)	AGE UNKNOWN

* Frequencies not displayed for this variable.

V22 AGE AT DEATH BY DECADE

Location: 41-42 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 12

Value	*Label*	*Unweighted Frequency*	*%*
1	AGE UNDER 1 YEAR	75073	3.9 %
2	AGE 1-4 YEARS	12290	0.6 %
3	AGE 5-14 YEARS	17431	0.9 %
4	AGE 15-24 YEARS	44422	2.3 %
5	AGE 25-34 YEARS	38724	2.0 %
6	AGE 35-44 YEARS	74710	3.9 %
7	AGE 45-54 YEARS	168624	8.8 %
8	AGE 55-64 YEARS	305504	15.9 %
9	AGE 65-74 YEARS	446864	23.3 %
10	AGE 75-84 YEARS	491681	25.6 %
11	AGE 85 OR OVER	246001	12.8 %
12 (M)	AGE UNKNOWN	666	0.0 %

V23 QUINQUENIAL AGE CODE

Location: 43-44 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 27

Value	*Label*	*Unweighted Frequency*	*%*
1	UNDER ONE MONTH	56085	2.9 %
2	AGE 1 MTH TO 11	18988	1.0 %
3	AGE 1 YEAR	4494	0.2 %
4	AGE 2 YEARS	3036	0.2 %

Value	Label	Unweighted Frequency	%
5	AGE 3 YEARS	2501	0.1 %
6	AGE 4 YEARS	2259	0.1 %
7	AGE 5-9 YEARS	8901	0.5 %
8	AGE 10-14 YEARS	8530	0.4 %
9	AGE 15-19 YEARS	21141	1.1 %
10	AGE 20-24 YEARS	23281	1.2 %
11	AGE 25-29 YEARS	19049	1.0 %
12	AGE 30-34 YEARS	19675	1.0 %
13	AGE 35-39 YEARS	28204	1.5 %
14	AGE 40-44 YEARS	46506	2.4 %
15	AGE 45-49 YEARS	70728	3.7 %
16	AGE 50-54 YEARS	97896	5.1 %
17	AGE 55-59 YEARS	135066	7.0 %
18	AGE 60-64 YEARS	170438	8.9 %
19	AGE 65-69 YEARS	207541	10.8 %
20	AGE 70-74 YEARS	239323	12.5 %
21	AGE 75-79 YEARS	258618	13.5 %
22	AGE 80-84 YEARS	233063	12.1 %
23	AGE 85-89 YEARS	156636	8.1 %
24	AGE 90-94 YEARS	68483	3.6 %
25	AGE 95-99 YEARS	18084	0.9 %
26	AGE 100 YRS - OV	2798	0.1 %
27 (M)	AGE UNKNOWN	666	0.0 %

V24 **AGE CODE-INFANT LIST**

Location: 45-46 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99

Value	Label	Unweighted Frequency	%
1	AGE UNDER 1 HOUR	6444	0.3 %
2	AGE 1-23 HOURS	26608	1.4 %
3	AGE ONE DAY	7985	0.4 %
4	AGE 2 DAYS	4750	0.2 %
5	AGE 3 DAYS	2111	0.1 %
6	AGE 4 DAYS	1250	0.1 %
7	AGE 5 DAYS	873	0.0 %
8	AGE 6 DAYS	683	0.0 %
9	AGE 7-13 DAYS	2696	0.1 %
10	AGE 14-20 DAYS	1444	0.1 %

Value	Label	Unweighted Frequency	%
11	AGE 21-27 DAYS	1241	0.1 %
12	AGE ONE MONTH	4676	0.2 %
13	AGE 2 MONTHS	3560	0.2 %
14	AGE 3 MONTHS	2751	0.1 %
15	AGE 4 MONTHS	1978	0.1 %
16	AGE 5 MONTHS	1461	0.1 %
17	AGE 6 MONTHS	1134	0.1 %
18	AGE 7 MONTHS	890	0.0 %
19	AGE 8 MONTHS	777	0.0 %
20	AGE 9 MONTHS	642	0.0 %
21	AGE 10 MONTHS	580	0.0 %
22	AGE 11 MONTHS	539	0.0 %
99 (M)	INAP.	1846917	96.1 %

V25 **PLACE OF RESIDENCE**

Location: 47-48 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
11	MAINE	10913	0.6 %
12	NEW HAMPSHIRE	7521	0.4 %
13	VERMONT	4427	0.2 %
14	MASSACHUSETTS	57793	3.0 %
15	RHODE ISLAND	9300	0.5 %
16	CONNECTICUT	26222	1.4 %
21	NEW YORK	188469	9.8 %
22	NEW JERSEY	67972	3.5 %
23	PENNSYLVANIA	127261	6.6 %
31	OHIO	101240	5.3 %
32	INDIANA	49524	2.6 %
33	ILLINOIS	111417	5.8 %
34	MICHIGAN	76808	4.0 %
35	WISCONSIN	41106	2.1 %
41	MINNESOTA	33843	1.8 %
42	IOWA	29385	1.5 %
43	MISSOURI	52463	2.7 %
44	NORTH DAKOTA	5607	0.3 %
45	SOUTH DAKOTA	6760	0.4 %
46	NEBRASKA	14932	0.8 %
47	KANSAS	22854	1.2 %

Value	Label	Unweighted Frequency	%
51	DELAWARE	4755	0.2 %
52	MARYLAND	32382	1.7 %
53	DIST OF COLUMBIA	8814	0.5 %
54	VIRGINIA	39126	2.0 %
55	WEST VIRGINIA	19830	1.0 %
56	NORTH CAROLINA	44902	2.3 %
57	SOUTH CAROLINA	22853	1.2 %
58	GEORGIA	41258	2.1 %
59	FLORIDA	72744	3.8 %
61	KENTUCKY	32899	1.7 %
62	TENNESSEE	37900	2.0 %
63	ALABAMA	33808	1.8 %
64	MISSISSIPPI	23879	1.2 %
71	ARKANSAS	20750	1.1 %
72	LOUISIANA	33862	1.8 %
73	OKLAHOMA	26032	1.4 %
74	TEXAS	94043	4.9 %
81	MONTANA	6713	0.3 %
82	IDAHO	6142	0.3 %
83	WYOMING	2941	0.2 %
84	COLORADO	17117	0.9 %
85	NEW MEXICO	7209	0.4 %
86	ARIZONA	14031	0.7 %
87	UTAH	6819	0.4 %
88	NEVADA	3691	0.2 %
91	WASHINGTON	30632	1.6 %
92	OREGON	19585	1.0 %
93	CALIFORNIA	166077	8.6 %
94	ALASKA	1303	0.1 %
95	HAWAII	4076	0.2 %

V26 **PLACE OF OCCURRENCE**

Location: 49-50 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
11	MAINE	10915	0.6 %
12	NEW HAMPSHIRE	7424	0.4 %
13	VERMONT	4506	0.2 %
14	MASSACHUSETTS	58140	3.0 %

Value	*Label*	*Unweighted Frequency*	*%*
15	RHODE ISLAND	9286	0.5 %
16	CONNECTICUT	26082	1.4 %
21	NEW YORK	187581	9.8 %
22	NEW JERSEY	66465	3.5 %
23	PENNSYLVANIA	126746	6.6 %
31	OHIO	100830	5.2 %
32	INDIANA	49466	2.6 %
33	ILLINOIS	108996	5.7 %
34	MICHIGAN	75989	4.0 %
35	WISCONSIN	40965	2.1 %
41	MINNESOTA	34442	1.8 %
42	IOWA	29439	1.5 %
43	MISSOURI	53170	2.8 %
44	NORTH DAKOTA	5729	0.3 %
45	SOUTH DAKOTA	6678	0.3 %
46	NEBRASKA	14960	0.8 %
47	KANSAS	22449	1.2 %
51	DELAWARE	5003	0.3 %
52	MARYLAND	31696	1.6 %
53	DIST OF COLUMBIA	10527	0.5 %
54	VIRGINIA	38350	2.0 %
55	WEST VIRGINIA	20039	1.0 %
56	NORTH CAROLINA	45091	2.3 %
57	SOUTH CAROLINA	22495	1.2 %
58	GEORGIA	41891	2.2 %
59	FLORIDA	74356	3.9 %
61	KENTUCKY	32758	1.7 %
62	TENNESSEE	39968	2.1 %
63	ALABAMA	33496	1.7 %
64	MISSISSIPPI	23420	1.2 %
71	ARKANSAS	20574	1.1 %
72	LOUISIANA	34105	1.8 %
73	OKLAHOMA	25446	1.3 %
74	TEXAS	94869	4.9 %
81	MONTANA	6597	0.3 %
82	IDAHO	5975	0.3 %
83	WYOMING	2950	0.2 %
84	COLORADO	17650	0.9 %
85	NEW MEXICO	7228	0.4 %
86	ARIZONA	14280	0.7 %

Value	Label	Unweighted Frequency	%
87	UTAH	7060	0.4 %
88	NEVADA	3938	0.2 %
91	WASHINGTON	30853	1.6 %
92	OREGON	19548	1.0 %
93	CALIFORNIA	166011	8.6 %
94	ALASKA	1305	0.1 %
95	HAWAII	4253	0.2 %

V27 **AUTOPSY PROFORMED**

Location: 51-51 (width: 1; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 0 , 8 , 9

Value	Label	Unweighted Frequency	%
0 (M)	-	1921990	100.0 %

V28 **FINDINGS USED**

Location: 52-52 (width: 1; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 0 , 8 , 9

Value	Label	Unweighted Frequency	%
0 (M)	-	1921990	100.0 %

V29 **CAUSE OF DEATH-ICDA CAT.**

Location: 53-60 (width: 8; decimal: 2)
Variable Type: numeric

V30 **CAUSE OF DEATH-281 CODES**

Location: 61-65 (width: 5; decimal: 0)
Variable Type: numeric

V31 **CAUSE OF DEATH-69 CODES**

Location: 66-68 (width: 3; decimal: 0)
Variable Type: numeric

Value	Unweighted Frequency	%
10	94	0.0 %
20	2612	0.1 %
40	4492	0.2 %
50	1075	0.1 %
60	13	0.0 %
70	41	0.0 %

Value	*Unweighted Frequency*	*%*
80	744	0.0 %
90	3009	0.2 %
100	13	0.0 %
110	41	0.0 %
120	543	0.0 %
130	4114	0.2 %
150	7553	0.4 %
160	93986	4.9 %
170	66038	3.4 %
180	29083	1.5 %
190	41008	2.1 %
200	14897	0.8 %
210	37825	2.0 %
220	14450	0.8 %
230	18252	0.9 %
240	4677	0.2 %
250	38541	2.0 %
260	2534	0.1 %
270	3318	0.2 %
280	1719	0.1 %
310	15432	0.8 %
320	8976	0.5 %
330	7310	0.4 %
350	361583	18.8 %
360	4677	0.2 %
370	303362	15.8 %
380	207	0.0 %
390	7475	0.4 %
400	30243	1.6 %
410	8426	0.4 %
430	43303	2.3 %
440	58748	3.1 %
450	1005	0.1 %
460	104123	5.4 %
470	33063	1.7 %
480	25082	1.3 %
490	1286	0.1 %
510	5971	0.3 %
520	62394	3.2 %
540	5843	0.3 %

Value	*Unweighted Frequency*	*%*
550	22939	1.2 %
560	2362	0.1 %
570	9312	0.5 %
580	1407	0.1 %
590	7500	0.4 %
600	29866	1.6 %
610	4262	0.2 %
630	1392	0.1 %
640	8025	0.4 %
650	8750	0.5 %
660	2499	0.1 %
680	132	0.0 %
690	669	0.0 %
700	17008	0.9 %
720	21939	1.1 %
730	21232	1.1 %
740	26160	1.4 %
750	97982	5.1 %
770	55791	2.9 %
780	60594	3.2 %
790	22364	1.2 %
800	15477	0.8 %
810	5147	0.3 %

V32 **CAUSE OF DEATH-INFANT**

Location: 69-71 (width: 3; decimal: 0)

Variable Type: numeric

Value	*Unweighted Frequency*	*%*
10	2283	0.1 %
20	13	0.0 %
30	744	0.0 %
40	89	0.0 %
50	3009	0.2 %
60	2474	0.1 %
70	29	0.0 %
80	8150	0.4 %
90	323092	16.8 %
100	4677	0.2 %
110	39	0.0 %

Value	*Unweighted Frequency*	*%*
120	580	0.0 %
130	4921	0.3 %
140	1719	0.1 %
150	15202	0.8 %
160	621	0.0 %
170	7129	0.4 %
190	5971	0.3 %
200	62394	3.2 %
210	3385	0.2 %
220	36957	1.9 %
230	7500	0.4 %
240	1813	0.1 %
250	64613	3.4 %
270	967	0.1 %
280	850	0.0 %
290	1054	0.1 %
300	801	0.0 %
310	6876	0.4 %
320	1216	0.1 %
330	616	0.0 %
340	1088	0.1 %
350	1305	0.1 %
360	435	0.0 %
370	263	0.0 %
380	1249	0.1 %
390	288	0.0 %
410	19	0.0 %
430	4	0.0 %
440	250	0.0 %
450	24	0.0 %
460	208	0.0 %
470	176	0.0 %
480	243	0.0 %
500	383	0.0 %
510	485	0.0 %
520	5327	0.3 %
530	2527	0.1 %
540	493	0.0 %
550	1727	0.1 %
560	895	0.0 %

Value	*Unweighted Frequency*	*%*
570	4808	0.3 %
580	4129	0.2 %
590	9602	0.5 %
600	805	0.0 %
610	8959	0.5 %
620	4	0.0 %
630	433	0.0 %
640	1670	0.1 %
650	26160	1.4 %
670	3712	0.2 %
680	1322	0.1 %
690	111351	5.8 %
700	15477	0.8 %
710	1146385	59.6 %

V33 **CAUSE OF DEATH-34 CODES**

Location: 72-74 (width: 3; decimal: 0)

Variable Type: numeric

Value	*Unweighted Frequency*	*%*
10	5567	0.3 %
20	543	0.0 %
30	10681	0.6 %
50	93986	4.9 %
60	66038	3.4 %
70	29083	1.5 %
80	41008	2.1 %
90	14897	0.8 %
100	14450	0.8 %
110	63630	3.3 %
120	38541	2.0 %
150	15432	0.8 %
160	16286	0.8 %
170	669829	34.9 %
180	37718	2.0 %
190	8426	0.4 %
200	207179	10.8 %
210	33063	1.7 %
220	25082	1.3 %
230	68365	3.6 %

Value	*Unweighted Frequency*	*%*
240	31144	1.6 %
250	9312	0.5 %
260	29866	1.6 %
270	9417	0.5 %
280	801	0.0 %
290	17008	0.9 %
300	43171	2.2 %
310	26160	1.4 %
320	135934	7.1 %
330	55791	2.9 %
340	60594	3.2 %
350	22364	1.2 %
360	15477	0.8 %
370	5147	0.3 %

V34 PLACE OF ACCIDENT

Location: 75-76 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9 , 99

Value	*Label*	*Unweighted Frequency*	*%*
0	HOME	20822	1.1 %
1	FARM	1954	0.1 %
2	MINE OR QUARRY	301	0.0 %
3	INDUSTRIAL PLACE	2192	0.1 %
4	PLACE OF RECREAT	669	0.0 %
5	STREET - HIGHWAY	1915	0.1 %
6	PUBLIC BUILDING	1398	0.1 %
7	RESIDENT INSTITU	3397	0.2 %
8	OTH SPECIFIED PL	5593	0.3 %
9 (M)	PLACE NOT SPECIF	14410	0.7 %
99 (M)	INAP.	1869339	97.3 %

V35 SEQUENCE NUMBER

Location: 77-83 (width: 7; decimal: 0)

Variable Type: numeric