ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 7632

Mortality Detail Files, 1968-1991

United States Department of Health and Human Services. Centers for Disease Control and Prevention. National Center for Health Statistics

Mortality, 1970, Frequencies

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/7632.xml

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 07632

Mortality Detail Files, 1968-1991

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Mortality Detail Files, 1968-1991

Mortality, 1970

V1 ICPSR STUDY NUMBER<7632>

Location: 1-4 (width: 4; decimal: 0)

Variable Type: numeric

Value	*Unweighted Frequency*	*%*
7632	1922966	100.0 %

V2 VERSION NUMBER<1>

Location: 5-5 (width: 1; decimal: 0)

Variable Type: numeric

Value	*Unweighted Frequency*	*%*
1	1922966	100.0 %

V3 PART - YEAR

Location: 6-7 (width: 2; decimal: 0)

Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
70	YR 1970 <1922966	1922966	100.0 %

V4 REPORTING AREA

Location: 8-8 (width: 1; decimal: 0)

Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
0	ALL OTHER AREAS	1774583	92.3 %
1	BRONX BOROUGH	36287	1.9 %
2	BROOKLYN BOROUGH	26157	1.4 %
3	MANHATTAN BOROUG	26925	1.4 %
4	QUEENS BOROUGH	17756	0.9 %
5	RICHMOND BOROUGH	2735	0.1 %
6	CHICAGO	38444	2.0 %
. (M)	-	79	0.0 %

V5 RECORD TYPE

Location: 9-9 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	OCCUR-RES SAME	1562793	81.3 %
2	OCCUR-RES DIFF	360173	18.7 %

V6 RESIDENT STATUS

Location: 10-10 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	OCCUR-RES SAME	1562793	81.3 %
2	INTRASTATE	289400	15.0 %
3	INTERSTATE	68838	3.6 %
4	NONRESIDENT ALIE	1935	0.1 %

V7 STATE OF RESIDENCE

Location: 11-12 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Alabama	33743	1.8 %
2	Alaska	1438	0.1 %
3	Arizona	14865	0.8 %
4	Arkansas	20664	1.1 %
5	California	166338	8.7 %
6	Colorado	17433	0.9 %
7	Connecticut	25939	1.3 %
8	Delaware	4916	0.3 %
9	District of Columbia	8851	0.5 %
10	Florida	74903	3.9 %
11	Georgia	41819	2.2 %
12	Hawaii	4023	0.2 %
13	Idaho	6155	0.3 %
14	Illinois	110680	5.8 %
15	Indiana	48556	2.5 %
16	Iowa	29387	1.5 %
17	Kansas	21888	1.1 %
18	Kentucky	33277	1.7 %
19	Louisiana	33445	1.7 %
20	Maine	11053	0.6 %
21	Maryland	32832	1.7 %
22	Massachusetts	57278	3.0 %
23	Michigan	76334	4.0 %

Value	*Label*	*Unweighted Frequency*	*%*
24	Minnesota	33888	1.8 %
25	Mississippi	23301	1.2 %
26	Missouri	51851	2.7 %
27	Montana	6602	0.3 %
28	Nebraska	15039	0.8 %
29	Nevada	3856	0.2 %
30	New Hampshire	7356	0.4 %
31	New Jersey	68183	3.5 %
32	New Mexico	7434	0.4 %
33	New York	188026	9.8 %
34	North Carolina	44737	2.3 %
35	North Dakota	5613	0.3 %
36	Ohio	100453	5.2 %
37	Oklahoma	26763	1.4 %
38	Oregon	19516	1.0 %
39	Pennsylvania	126996	6.6 %
40	Rhode Island	9492	0.5 %
41	South Carolina	22780	1.2 %
42	South Dakota	6566	0.3 %
43	Tennessee	38157	2.0 %
44	Texas	94335	4.9 %
45	Utah	7061	0.4 %
46	Vermont	4449	0.2 %
47	Virginia	39015	2.0 %
48	Washington	29954	1.6 %
49	West Virginia	20063	1.0 %
50	Wisconsin	40791	2.1 %
51	Wyoming	2937	0.2 %
52	Puerto Rico	48	0.0 %
53	Virgin Islands	11	0.0 %
54	Guam	9	0.0 %
55	Canada	755	0.0 %
56	Cuba	2	0.0 %
57	Mexico	488	0.0 %
58	-	173	0.0 %
59	Remainder of world	449	0.0 %

V8 **COUNTY OF RESIDENCE**

Location: 13-15 (width: 3; decimal: 0)

Variable Type: numeric

V9	CITY OF RESIDENCE

Location: 16-18 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 0

Value	*Unweighted Frequency*	*%*
3	11773	0.6 %
9	13252	0.7 %
12	5869	0.3 %
18	6973	0.4 %
21	17393	0.9 %
24	15952	0.8 %
27	29172	1.5 %
30	6505	0.3 %
33	5973	0.3 %
42	4894	0.3 %
51	18416	1.0 %
54	7638	0.4 %
63	9483	0.5 %
66	13202	0.7 %
69	4652	0.2 %
75	10196	0.5 %
78	54640	2.8 %
81	6395	0.3 %
84	21956	1.1 %
87	2839	0.1 %
90	5121	0.3 %
96	6892	0.4 %
102	2077	0.1 %
114	3890	0.2 %
120	9708	0.5 %
132	3361	0.2 %
144	22206	1.2 %
156	9620	0.5 %
180	6842	0.4 %
213	21045	1.1 %
219	2624	0.1 %
222	3715	0.2 %
261	4442	0.2 %
276	24460	1.3 %
282	7314	0.4 %
285	4330	0.2 %

Value	Unweighted Frequency	%
291	5319	0.3 %
294	27480	1.4 %
357	4276	0.2 %
375	4287	0.2 %
471	3053	0.2 %
492	5336	0.3 %
501	9384	0.5 %
510	2796	0.1 %
999	1454280	75.6 %
0 (M)	1935	0.1 %

V10 POP OF PLACE OF RESIDENC

Location: 19-20 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99

Value	Label	Unweighted Frequency	%
0	> 1,000,000	212446	11.0 %
1	500TH-1MILL	140695	7.3 %
2	250TH-500TH	113610	5.9 %
3	100TH-250TH	140358	7.3 %
4	50TH-100TH	163465	8.5 %
5	25TH-50TH	160570	8.4 %
6	10TH-25TH	176709	9.2 %
9	ALL OTH AREAS UN	813178	42.3 %
99 (M)	NONRESIDENT ALIE	1935	0.1 %

V11 SMSA CODE OF RESIDENCE

Location: 21-23 (width: 3; decimal: 0)

Variable Type: character

Value	Label
000	NONMETROPOLITAN COUNTIES NOT INCLUD IN STANDARD CONSOLIDATED
998	NONRESIDENT ALIENS

* Frequencies not displayed for this variable.

V12 METRO-NONMETRO COUNTY

Location: 24-24 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%
1	METRO COUNTY	1260220	65.5 %
2	NONMETRO COUNTY	660811	34.4 %
9 (M)	NONRESIDENT ALIE	1935	0.1 %

V13 **STATE OF OCCURRENCE**

Location: 25-26 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Alabama	33480	1.7 %
2	Alaska	1484	0.1 %
3	Arizona	15256	0.8 %
4	Arkansas	20519	1.1 %
5	California	166527	8.7 %
6	Colorado	18142	0.9 %
7	Connecticut	25762	1.3 %
8	Delaware	5127	0.3 %
9	District of Columbia	10521	0.5 %
10	Florida	76869	4.0 %
11	Georgia	42195	2.2 %
12	Hawaii	4210	0.2 %
13	Idaho	5903	0.3 %
14	Illinois	108271	5.6 %
15	Indiana	48543	2.5 %
16	Iowa	29460	1.5 %
17	Kansas	21519	1.1 %
18	Kentucky	33123	1.7 %
19	Louisiana	33696	1.8 %
20	Maine	11108	0.6 %
21	Maryland	32204	1.7 %
22	Massachusetts	57610	3.0 %
23	Michigan	75547	3.9 %
24	Minnesota	34382	1.8 %
25	Mississippi	22899	1.2 %
26	Missouri	52582	2.7 %
27	Montana	6517	0.3 %
28	Nebraska	15117	0.8 %
29	Nevada	4124	0.2 %
30	New Hampshire	7320	0.4 %
31	New Jersey	66851	3.5 %

Value	Label	Unweighted Frequency	%
32	New Mexico	7447	0.4 %
33	New York	187241	9.7 %
34	North Carolina	45026	2.3 %
35	North Dakota	5741	0.3 %
36	Ohio	100032	5.2 %
37	Oklahoma	26046	1.4 %
38	Oregon	19531	1.0 %
39	Pennsylvania	126450	6.6 %
40	Rhode Island	9529	0.5 %
41	South Carolina	22521	1.2 %
42	South Dakota	6539	0.3 %
43	Tennessee	40268	2.1 %
44	Texas	95457	5.0 %
45	Utah	7335	0.4 %
46	Vermont	4509	0.2 %
47	Virginia	38231	2.0 %
48	Washington	30138	1.6 %
49	West Virginia	20312	1.1 %
50	Wisconsin	40786	2.1 %
51	Wyoming	2959	0.2 %

V14 **COUNTY OF OCCURRENCE**

Location: 27-29 (width: 3; decimal: 0)

Variable Type: numeric

V15 **MONTH OF DEATH**

Location: 30-31 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	JANUARY	183598	9.5 %
2	FEBRUARY	161643	8.4 %
3	MARCH	164230	8.5 %
4	APRIL	155156	8.1 %
5	MAY	157622	8.2 %
6	JUNE	151686	7.9 %
7	JULY	157854	8.2 %
8	AUGUST	153809	8.0 %
9	SEPTEMBER	148443	7.7 %
10	OCTOBER	159563	8.3 %
11	NOVEMBER	160017	8.3 %

Value	Label	Unweighted Frequency	%
12	DECEMBER	169345	8.8 %

V16 **DAY OF DEATH**

Location: 32-33 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 99

Value	Label	Unweighted Frequency	%
99 (M)	DAY OF DEATH NOT	1922966	100.0 %

V17 **SEX**

Location: 34-34 (width: 1; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	MALE	1079803	56.2 %
2	FEMALE	843163	43.8 %

V18 **DETAILED RACE CODE**

Location: 35-35 (width: 1; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
0	GUAMANIAN	35	0.0 %
1	WHITE	1683880	87.6 %
2	NEGRO	225681	11.7 %
3	INDIAN <INCLUDES	5706	0.3 %
4	CHINESE	2069	0.1 %
5	JAPANESE	2526	0.1 %
6	HAWAIIAN <INCLUD	780	0.0 %
7	ALL OTHER RACES	1008	0.1 %
8	FILIPINO	1281	0.1 %

V19 **DICHOTOMOUS RACE CODE**

Location: 36-36 (width: 1; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	WHITE	1683880	87.6 %
2	ALL OTHER RACES	239086	12.4 %

V20 **TRICHOTOMOUS RACE CODE**

Location: 37-37 (width: 1; decimal: 0)

Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
1	WHITE	1683880	87.6 %
2	NEGRO	225681	11.7 %
3	OTHER RACES	13405	0.7 %

V21 AGE AT DEATH IN DETAIL

Location: 38-40 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999

Value	*Label*
1	ONE YEAR OF AGE
199	199 YRGS OF AGE
201	ONE MONTH OF AGE
211	11 MONTHS OF AGE
301	ONE WEEK OF AGE
303	3 WEEKS OF AGE
401	AGE ONE DAY
427	AGE 27 DAYS
501	AGE ONE HOUR
523	AGE 23 HOURS
601	AGE ONE MINUTE
659	AGE 59 MINUTES
999 (M)	AGE UNKNOWN

* Frequencies not displayed for this variable.

V22 AGE AT DEATH BY DECADE

Location: 41-42 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 12

Value	*Label*	*Unweighted Frequency*	*%*
1	AGE UNDER 1 YEAR	74755	3.9 %
2	AGE 1-4 YEARS	11581	0.6 %
3	AGE 5-14 YEARS	16908	0.9 %
4	AGE 15-24 YEARS	45430	2.4 %
5	AGE 25-34 YEARS	39357	2.0 %
6	AGE 35-44 YEARS	72784	3.8 %
7	AGE 45-54 YEARS	169747	8.8 %
8	AGE 55-64 YEARS	308696	16.1 %
9	AGE 65-74 YEARS	445927	23.2 %

Value	Label	Unweighted Frequency	%
10	AGE 75-84 YEARS	490041	25.5 %
11	AGE 85 OR OVER	247015	12.8 %
12 (M)	AGE UNKNOWN	725	0.0 %

V23 QUINQUENIAL AGE CODE

Location: 43-44 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 27

Value	Label	Unweighted Frequency	%
1	UNDER ONE MONTH	56334	2.9 %
2	AGE 1 MTH TO 11	18421	1.0 %
3	AGE 1 YEAR	4352	0.2 %
4	AGE 2 YEARS	2825	0.1 %
5	AGE 3 YEARS	2382	0.1 %
6	AGE 4 YEARS	2022	0.1 %
7	AGE 5-9 YEARS	8432	0.4 %
8	AGE 10-14 YEARS	8476	0.4 %
9	AGE 15-19 YEARS	21100	1.1 %
10	AGE 20-24 YEARS	24330	1.3 %
11	AGE 25-29 YEARS	19523	1.0 %
12	AGE 30-34 YEARS	19834	1.0 %
13	AGE 35-39 YEARS	27519	1.4 %
14	AGE 40-44 YEARS	45265	2.4 %
15	AGE 45-49 YEARS	70894	3.7 %
16	AGE 50-54 YEARS	98853	5.1 %
17	AGE 55-59 YEARS	135884	7.1 %
18	AGE 60-64 YEARS	172812	9.0 %
19	AGE 65-69 YEARS	207789	10.8 %
20	AGE 70-74 YEARS	238138	12.4 %
21	AGE 75-79 YEARS	257907	13.4 %
22	AGE 80-84 YEARS	232134	12.1 %
23	AGE 85-89 YEARS	156957	8.2 %
24	AGE 90-94 YEARS	68895	3.6 %
25	AGE 95-99 YEARS	18175	0.9 %
26	AGE 100 YRS - OV	2988	0.2 %
27 (M)	AGE UNKNOWN	725	0.0 %

V24 AGE CODE-INFANT LIST

Location: 45-46 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99

Value	Label	Unweighted Frequency	%
1	AGE UNDER 1 HOUR	6493	0.3 %
2	AGE 1-23 HOURS	26446	1.4 %
3	AGE ONE DAY	7949	0.4 %
4	AGE 2 DAYS	4767	0.2 %
5	AGE 3 DAYS	2165	0.1 %
6	AGE 4 DAYS	1347	0.1 %
7	AGE 5 DAYS	986	0.1 %
8	AGE 6 DAYS	714	0.0 %
9	AGE 7-13 DAYS	2728	0.1 %
10	AGE 14-20 DAYS	1462	0.1 %
11	AGE 21-27 DAYS	1277	0.1 %
12	AGE ONE MONTH	4668	0.2 %
13	AGE 2 MONTHS	3563	0.2 %
14	AGE 3 MONTHS	2593	0.1 %
15	AGE 4 MONTHS	1868	0.1 %
16	AGE 5 MONTHS	1384	0.1 %
17	AGE 6 MONTHS	1068	0.1 %
18	AGE 7 MONTHS	877	0.0 %
19	AGE 8 MONTHS	679	0.0 %
20	AGE 9 MONTHS	599	0.0 %
21	AGE 10 MONTHS	566	0.0 %
22	AGE 11 MONTHS	556	0.0 %
99 (M)	INAP.	1848211	96.1 %

V25 PLACE OF RESIDENCE

Location: 47-48 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
0	NONRESIDENT ALIE	1935	0.1 %
11	MAINE	11053	0.6 %
12	NEW HAMPSHIRE	7356	0.4 %
13	VERMONT	4449	0.2 %
14	MASSACHUSETTS	57278	3.0 %
15	RHODE ISLAND	9492	0.5 %
16	CONNECTICUT	25939	1.3 %
21	NEW YORK	188026	9.8 %
22	NEW JERSEY	68183	3.5 %
23	PENNSYLVANIA	126996	6.6 %

Value	*Label*	*Unweighted Frequency*	*%*
31	OHIO	100453	5.2 %
32	INDIANA	48556	2.5 %
33	ILLINOIS	110680	5.8 %
34	MICHIGAN	76334	4.0 %
35	WISCONSIN	40791	2.1 %
41	MINNESOTA	33888	1.8 %
42	IOWA	29387	1.5 %
43	MISSOURI	51851	2.7 %
44	NORTH DAKOTA	5613	0.3 %
45	SOUTH DAKOTA	6566	0.3 %
46	NEBRASKA	15039	0.8 %
47	KANSAS	21888	1.1 %
51	DELAWARE	4916	0.3 %
52	MARYLAND	32832	1.7 %
53	DIST OF COLUMBIA	8851	0.5 %
54	VIRGINIA	39015	2.0 %
55	WEST VIRGINIA	20063	1.0 %
56	NORTH CAROLINA	44737	2.3 %
57	SOUTH CAROLINA	22780	1.2 %
58	GEORGIA	41819	2.2 %
59	FLORIDA	74903	3.9 %
61	KENTUCKY	33277	1.7 %
62	TENNESSEE	38157	2.0 %
63	ALABAMA	33743	1.8 %
64	MISSISSIPPI	23301	1.2 %
71	ARKANSAS	20664	1.1 %
72	LOUISIANA	33445	1.7 %
73	OKLAHOMA	26763	1.4 %
74	TEXAS	94335	4.9 %
81	MONTANA	6602	0.3 %
82	IDAHO	6155	0.3 %
83	WYOMING	2937	0.2 %
84	COLORADO	17433	0.9 %
85	NEW MEXICO	7434	0.4 %
86	ARIZONA	14865	0.8 %
87	UTAH	7061	0.4 %
88	NEVADA	3856	0.2 %
91	WASHINGTON	29954	1.6 %
92	OREGON	19516	1.0 %
93	CALIFORNIA	166338	8.7 %

Value	Label	Unweighted Frequency	%
94	ALASKA	1438	0.1 %
95	HAWAII	4023	0.2 %

V26 **PLACE OF OCCURRENCE**

Location: 49-50 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
11	MAINE	11108	0.6 %
12	NEW HAMPSHIRE	7320	0.4 %
13	VERMONT	4509	0.2 %
14	MASSACHUSETTS	57610	3.0 %
15	RHODE ISLAND	9529	0.5 %
16	CONNECTICUT	25762	1.3 %
21	NEW YORK	187241	9.7 %
22	NEW JERSEY	66851	3.5 %
23	PENNSYLVANIA	126450	6.6 %
31	OHIO	100032	5.2 %
32	INDIANA	48543	2.5 %
33	ILLINOIS	108271	5.6 %
34	MICHIGAN	75547	3.9 %
35	WISCONSIN	40786	2.1 %
41	MINNESOTA	34382	1.8 %
42	IOWA	29460	1.5 %
43	MISSOURI	52582	2.7 %
44	NORTH DAKOTA	5741	0.3 %
45	SOUTH DAKOTA	6539	0.3 %
46	NEBRASKA	15117	0.8 %
47	KANSAS	21519	1.1 %
51	DELAWARE	5127	0.3 %
52	MARYLAND	32204	1.7 %
53	DIST OF COLUMBIA	10521	0.5 %
54	VIRGINIA	38231	2.0 %
55	WEST VIRGINIA	20312	1.1 %
56	NORTH CAROLINA	45026	2.3 %
57	SOUTH CAROLINA	22521	1.2 %
58	GEORGIA	42195	2.2 %
59	FLORIDA	76869	4.0 %
61	KENTUCKY	33123	1.7 %
62	TENNESSEE	40268	2.1 %

Value	Label	Unweighted Frequency	%
63	ALABAMA	33480	1.7 %
64	MISSISSIPPI	22899	1.2 %
71	ARKANSAS	20519	1.1 %
72	LOUISIANA	33696	1.8 %
73	OKLAHOMA	26046	1.4 %
74	TEXAS	95457	5.0 %
81	MONTANA	6517	0.3 %
82	IDAHO	5903	0.3 %
83	WYOMING	2959	0.2 %
84	COLORADO	18142	0.9 %
85	NEW MEXICO	7447	0.4 %
86	ARIZONA	15256	0.8 %
87	UTAH	7335	0.4 %
88	NEVADA	4124	0.2 %
91	WASHINGTON	30138	1.6 %
92	OREGON	19531	1.0 %
93	CALIFORNIA	166527	8.7 %
94	ALASKA	1484	0.1 %
95	HAWAII	4210	0.2 %

V27 AUTOPSY PROFORMED

Location: 51-51 (width: 1; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 0 , 8 , 9

Value	Label	Unweighted Frequency	%
0 (M)	-	1922966	100.0 %

V28 FINDINGS USED

Location: 52-52 (width: 1; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 0 , 8 , 9

Value	Label	Unweighted Frequency	%
0 (M)	-	1922966	100.0 %

V29 CAUSE OF DEATH-ICDA CAT.

Location: 53-59 (width: 7; decimal: 2)
Variable Type: numeric

V30 CAUSE OF DEATH-281 CODES

Location: 60-64 (width: 5; decimal: 0)

Variable Type: numeric

V31 **CAUSE OF DEATH-69 CODES**

Location: 65-67 (width: 3; decimal: 0)

Variable Type: numeric

Value	*Unweighted Frequency*	*%*
10	91	0.0 %
20	2568	0.1 %
40	4167	0.2 %
50	1058	0.1 %
60	12	0.0 %
70	29	0.0 %
80	551	0.0 %
90	3538	0.2 %
100	7	0.0 %
110	89	0.0 %
120	461	0.0 %
130	4103	0.2 %
150	7618	0.4 %
160	94771	4.9 %
170	69552	3.6 %
180	29927	1.6 %
190	41211	2.1 %
200	15526	0.8 %
210	39096	2.0 %
220	14517	0.8 %
230	18731	1.0 %
240	4836	0.3 %
250	38349	2.0 %
260	2471	0.1 %
270	3434	0.2 %
280	1706	0.1 %
310	14940	0.8 %
320	8423	0.4 %
330	6579	0.3 %
350	357574	18.6 %
360	4256	0.2 %
370	305169	15.9 %
380	216	0.0 %
390	6707	0.3 %
400	32324	1.7 %
410	8279	0.4 %

Value	Unweighted Frequency	%
430	41409	2.2 %
440	57873	3.0 %
450	886	0.0 %
460	107109	5.6 %
470	31689	1.6 %
480	25364	1.3 %
490	1311	0.1 %
510	3709	0.2 %
520	59068	3.1 %
540	5847	0.3 %
550	22730	1.2 %
560	2324	0.1 %
570	8615	0.4 %
580	1401	0.1 %
590	7242	0.4 %
600	31421	1.6 %
610	3978	0.2 %
630	1355	0.1 %
640	7529	0.4 %
650	8191	0.4 %
660	2169	0.1 %
680	128	0.0 %
690	675	0.0 %
700	16879	0.9 %
720	22824	1.2 %
730	20420	1.1 %
740	25810	1.3 %
750	101226	5.3 %
770	54845	2.9 %
780	60231	3.1 %
790	23500	1.2 %
800	16883	0.9 %
810	5439	0.3 %

V32 **CAUSE OF DEATH-INFANT**

Location: 68-70 (width: 3; decimal: 0)

Variable Type: numeric

Value	Unweighted Frequency	%
10	2246	0.1 %

Value	*Unweighted Frequency*	*%*
20	12	0.0 %
30	551	0.0 %
40	80	0.0 %
50	3538	0.2 %
60	2463	0.1 %
70	18	0.0 %
80	7766	0.4 %
90	330949	17.2 %
100	4836	0.3 %
110	60	0.0 %
120	580	0.0 %
130	5049	0.3 %
140	1706	0.1 %
150	15440	0.8 %
160	574	0.0 %
170	7158	0.4 %
190	3709	0.2 %
200	59068	3.1 %
210	3355	0.2 %
220	38778	2.0 %
230	7242	0.4 %
240	1781	0.1 %
250	65456	3.4 %
270	1023	0.1 %
280	824	0.0 %
290	906	0.0 %
300	768	0.0 %
310	6898	0.4 %
320	1284	0.1 %
330	551	0.0 %
340	1001	0.1 %
350	1257	0.1 %
360	467	0.0 %
370	256	0.0 %
380	1313	0.1 %
390	331	0.0 %
410	11	0.0 %
430	6	0.0 %
440	267	0.0 %
450	17	0.0 %

Value	*Unweighted Frequency*	*%*
460	172	0.0 %
470	198	0.0 %
480	279	0.0 %
500	246	0.0 %
510	429	0.0 %
520	4918	0.3 %
530	2283	0.1 %
540	456	0.0 %
550	2158	0.1 %
560	831	0.0 %
570	5309	0.3 %
580	4464	0.2 %
590	9455	0.5 %
600	763	0.0 %
610	8762	0.5 %
620	3	0.0 %
630	494	0.0 %
640	1723	0.1 %
650	25810	1.3 %
670	2757	0.1 %
680	1327	0.1 %
690	110992	5.8 %
700	16883	0.9 %
710	1142659	59.4 %

V33 **CAUSE OF DEATH-34 CODES**

Location: 71-73 (width: 3; decimal: 0)

Variable Type: numeric

Value	*Unweighted Frequency*	*%*
10	5225	0.3 %
20	461	0.0 %
30	10988	0.6 %
50	94771	4.9 %
60	69552	3.6 %
70	29927	1.6 %
80	41211	2.1 %
90	15526	0.8 %
100	14517	0.8 %
110	65445	3.4 %

Value	Unweighted Frequency	%
120	38349	2.0 %
150	14940	0.8 %
160	15002	0.8 %
170	667215	34.7 %
180	39031	2.0 %
190	8279	0.4 %
200	207277	10.8 %
210	31689	1.6 %
220	25364	1.3 %
230	62777	3.3 %
240	30901	1.6 %
250	8615	0.4 %
260	31421	1.6 %
270	8884	0.5 %
280	803	0.0 %
290	16879	0.9 %
300	43244	2.2 %
310	25810	1.3 %
320	137965	7.2 %
330	54845	2.9 %
340	60231	3.1 %
350	23500	1.2 %
360	16883	0.9 %
370	5439	0.3 %

V34 PLACE OF ACCIDENT

Location: 74-75 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9 , 99

Value	Label	Unweighted Frequency	%
0	HOME	20353	1.1 %
1	FARM	1809	0.1 %
2	MINE OR QUARRY	362	0.0 %
3	INDUSTRIAL PLACE	2143	0.1 %
4	PLACE OF RECREAT	661	0.0 %
5	STREET - HIGHWAY	1774	0.1 %
6	PUBLIC BUILDING	1437	0.1 %
7	RESIDENT INSTITU	3117	0.2 %
8	OTH SPECIFIED PL	6551	0.3 %

Value	*Label*	*Unweighted Frequency*	*%*
9 (M)	PLACE NOT SPECIF	13282	0.7 %
99 (M)	INAP.	1871477	97.3 %

V35 **SEQUENCE NUMBER**

Location: 76-82 (width: 7; decimal: 0)

Variable Type: numeric