

ICPSR 7940

**Experiments in Question Wording,
Form, and Context in Attitude
Surveys, 1971-1980**

Howard Schuman

*University of Michigan, Survey Research
Center*

Stanley Presser

*University of Michigan, Survey Research
Center*

ICPSR Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Codebook for ICPSR 07940

**Experiments in Question Wording, Form and Context in Attitude Surveys,
1971-1980**

Dataset0022: File JUNSEP80

Variable Variable Description

Please Note: The "(M)" to the right of the value indicates the code has been designated as a missing value.

V1 INTERVIE

Start: 1
End: 5
Width: 5
Type: numeric (ISO)
Interval: discrete
Missing: 0

V85 R ED SUM

Start: 6
End: 8
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: 0

<i>Value</i>	<i>Frequency</i>	<i>%</i>
1	23	8.4 %
3	29	10.6 %
5	99	36.3 %
7	60	22.0 %
8	6	2.2 %
9	44	16.1 %
99	12	4.4 %

V158 B3 (X)

Start: 9
End: 11
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: 0

<i>Value</i>	<i>Frequency</i>	<i>%</i>
0 (M)	141	51.6 %
1	78	28.6 %
5	49	17.9 %
8	3	1.1 %
9	2	0.7 %

V159 B4 (X)

Start: 12
End: 14
Width: 3
Type: numeric (ISO)

<i>Value</i>	<i>Frequency</i>	<i>%</i>
0 (M)	141	51.6 %

Variable	Variable Description
----------	----------------------

V159	B4 (X) (cont.)
------	----------------

Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	1	9	3.3 %
	2	27	9.9 %
	3	40	14.7 %
	4	51	18.7 %
	8	3	1.1 %
	9	2	0.7 %

V160	B5 (X)
------	--------

Start: 15 End: 17 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	141	51.6 %
	1	40	14.7 %
	3	14	5.1 %
	5	68	24.9 %
	7	2	0.7 %
	8	3	1.1 %
	9	5	1.8 %

V161	B6 (X)
------	--------

Start: 18 End: 20 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	141	51.6 %
	1	5	1.8 %
	2	23	8.4 %
	3	36	13.2 %
	4	65	23.8 %
	8	2	0.7 %
	9	1	0.4 %

V162	B7 (X)
------	--------

Start: 21 End: 23 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	141	51.6 %
	1	69	25.3 %
	3	2	0.7 %
	5	55	20.1 %

Variable	Variable Description
----------	----------------------

V162	B7 (X) (cont.)
------	----------------

Value	Frequency	%
7	1	0.4 %
8	4	1.5 %
9	1	0.4 %

V163	B8 (X)
------	--------

Start: 24
End: 26
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: 0

Value	Frequency	%
0 (M)	141	51.6 %
1	53	19.4 %
3	3	1.1 %
5	72	26.4 %
8	2	0.7 %
9	2	0.7 %

V164	B9 (Y)
------	--------

Start: 27
End: 29
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: 0

Value	Frequency	%
0 (M)	132	48.4 %
1	87	31.9 %
5	46	16.8 %
8	3	1.1 %
9	5	1.8 %

V165	B10 (Y)
------	---------

Start: 30
End: 32
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: 0

Value	Frequency	%
0 (M)	132	48.4 %
1	8	2.9 %
2	33	12.1 %
3	44	16.1 %
4	49	17.9 %
8	3	1.1 %
9	4	1.5 %

Variable	Variable Description
----------	----------------------

V166	B11 (Y)
------	---------

Start: 33 End: 35 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	132	48.4 %
	1	44	16.1 %
	3	7	2.6 %
	5	81	29.7 %
	8	5	1.8 %
	9	4	1.5 %

V167	B12 (Y)
------	---------

Start: 36 End: 38 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	132	48.4 %
	1	2	0.7 %
	2	18	6.6 %
	3	39	14.3 %
	4	76	27.8 %
	8	1	0.4 %
	9	5	1.8 %

V168	B13 (Y)
------	---------

Start: 39 End: 41 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	132	48.4 %
	1	82	30.0 %
	3	1	0.4 %
	5	48	17.6 %
	7	1	0.4 %
	8	3	1.1 %
	9	6	2.2 %

V169	B14 (Y)
------	---------

Start: 42 End: 44 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	132	48.4 %
	1	49	17.9 %
	5	83	30.4 %
	8	4	1.5 %

Variable	Variable Description
----------	----------------------

V169	B14 (Y) (cont.)
------	-----------------

Value	Frequency	%
9	5	1.8 %

V185	ED3
------	-----

Start: 45
End: 47
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: 0

Value	Frequency	%
0 (M)	12	4.4 %
1	52	19.0 %
2	99	36.3 %
3	110	40.3 %

V285	ED5
------	-----

Start: 48
End: 50
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: 0

Value	Frequency	%
0 (M)	12	4.4 %
1	23	8.4 %
2	29	10.6 %
3	99	36.3 %
4	60	22.0 %
5	50	18.3 %

V379	AGE OF R
------	----------

Start: 51
End: 53
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: 0

Value	Frequency	%
18	4	1.5 %
19	5	1.8 %
20	5	1.8 %
21	8	2.9 %
22	4	1.5 %
23	7	2.6 %
24	8	2.9 %
25	8	2.9 %
26	9	3.3 %
27	10	3.7 %
28	8	2.9 %
29	9	3.3 %
30	8	2.9 %

Variable	Variable Description
----------	----------------------

V379	AGE OF R (cont.)
------	------------------

Value	Frequency	%
31	11	4.0 %
32	2	0.7 %
33	3	1.1 %
34	5	1.8 %
35	8	2.9 %
36	8	2.9 %
37	6	2.2 %
38	3	1.1 %
39	4	1.5 %
40	4	1.5 %
41	2	0.7 %
42	7	2.6 %
43	5	1.8 %
44	2	0.7 %
45	3	1.1 %
46	1	0.4 %
47	4	1.5 %
48	5	1.8 %
49	1	0.4 %
50	4	1.5 %
51	4	1.5 %
52	4	1.5 %
53	3	1.1 %
54	4	1.5 %
55	1	0.4 %
56	1	0.4 %
57	3	1.1 %
58	1	0.4 %
59	4	1.5 %
60	4	1.5 %
61	3	1.1 %
62	1	0.4 %
63	3	1.1 %

Variable	Variable Description
----------	----------------------

V379	AGE OF R (cont.)
------	------------------

Value	Frequency	%
64	1	0.4 %
65	3	1.1 %
66	5	1.8 %
67	3	1.1 %
68	3	1.1 %
69	3	1.1 %
70	8	2.9 %
71	1	0.4 %
72	4	1.5 %
73	1	0.4 %
74	1	0.4 %
75	3	1.1 %
77	1	0.4 %
79	1	0.4 %
80	2	0.7 %
81	1	0.4 %
82	1	0.4 %
83	2	0.7 %
86	1	0.4 %
87	1	0.4 %
88	2	0.7 %
99	8	2.9 %

V1002	REQUIRED
-------	----------

Start: 54
 End: 56
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: 0

Value	Frequency	%
0 (M)	146	53.5 %
1	43	15.8 %
5	76	27.8 %
7	1	0.4 %
8	4	1.5 %
9	3	1.1 %

Variable	Variable Description
----------	----------------------

V1003	HOW STRO
-------	----------

Start: 57
End: 59
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: 0

Value	Frequency	%
0 (M)	146	53.5 %
1	80	29.3 %
5	39	14.3 %
7	1	0.4 %
8	2	0.7 %
9	5	1.8 %

V1004	LAW LOWE
-------	----------

Start: 60
End: 62
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: 0

Value	Frequency	%
0 (M)	146	53.5 %
1	45	16.5 %
5	78	28.6 %
8	1	0.4 %
9	3	1.1 %

V1005	LIKE ARG
-------	----------

Start: 63
End: 65
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: 0

Value	Frequency	%
0 (M)	146	53.5 %
1	43	15.8 %
5	78	28.6 %
8	1	0.4 %
9	5	1.8 %

V1006	STRONG O
-------	----------

Start: 66
End: 68
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: 0

Value	Frequency	%
0 (M)	146	53.5 %
1	53	19.4 %
5	70	25.6 %
7	1	0.4 %
9	3	1.1 %

Variable	Variable Description
----------	----------------------

V1008	OK END P
-------	----------

Start: 69 End: 71 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	146	53.5 %
	1	75	27.5 %
	5	25	9.2 %
	8	20	7.3 %
	9	7	2.6 %

V1009	PSTN ABO
-------	----------

Start: 72 End: 74 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	146	53.5 %
	1	5	1.8 %
	2	29	10.6 %
	3	38	13.9 %
	4	41	15.0 %
	9	14	5.1 %

V1010	DIVORCE
-------	---------

Start: 75 End: 77 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	146	53.5 %
	1	33	12.1 %
	5	52	19.0 %
	7	3	1.1 %
	8	30	11.0 %
	9	9	3.3 %

V1011	REQUIRED
-------	----------

Start: 78 End: 80 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	125	45.8 %
	1	21	7.7 %
	5	116	42.5 %
	6	1	0.4 %
	8	4	1.5 %
	9	6	2.2 %

Variable	Variable Description
----------	----------------------

V1012	HOW STRO
-------	----------

Start: 81 End: 83 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	125	45.8 %
	1	97	35.5 %
	5	41	15.0 %
	8	3	1.1 %
	9	7	2.6 %

V1013	LAW LOWE
-------	----------

Start: 84 End: 86 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	125	45.8 %
	1	34	12.5 %
	5	98	35.9 %
	6	12	4.4 %
	9	4	1.5 %

V1014	LIKE ARG
-------	----------

Start: 87 End: 89 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	125	45.8 %
	1	42	15.4 %
	5	101	37.0 %
	7	1	0.4 %
	8	2	0.7 %
	9	2	0.7 %

V1015	STRONG O
-------	----------

Start: 90 End: 92 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	125	45.8 %
	1	59	21.6 %
	5	84	30.8 %
	7	1	0.4 %
	8	2	0.7 %
	9	2	0.7 %

Variable	Variable Description
----------	----------------------

V1017	OK ABORT
-------	----------

Start: 93 End: 95 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	126	46.2 %
	1	81	29.7 %
	5	39	14.3 %
	8	20	7.3 %
	9	7	2.6 %

V1018	PSTN ABO
-------	----------

Start: 96 End: 98 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	127	46.5 %
	1	10	3.7 %
	2	31	11.4 %
	3	46	16.8 %
	4	38	13.9 %
	7	3	1.1 %
	8	1	0.4 %
	9	17	6.2 %

V1019	DIVORCE
-------	---------

Start: 99 End: 101 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	126	46.2 %
	1	32	11.7 %
	5	62	22.7 %
	7	5	1.8 %
	8	40	14.7 %
	9	8	2.9 %

V1365	RACE2
-------	-------

Start: 102 End: 104 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	14	5.1 %
	1	236	86.4 %
	2	23	8.4 %

Variable	Variable Description
----------	----------------------

V1378	SEX
-------	-----

Start: 105
End: 107
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: 0

<i>Value</i>	<i>Frequency</i>	<i>%</i>
0 (M)	3	1.1 %
1	107	39.2 %
2	163	59.7 %