

ICPSR 7940

**Experiments in Question Wording,  
Form, and Context in Attitude  
Surveys, 1971-1980**

Howard Schuman

*University of Michigan, Survey Research  
Center*

Stanley Presser

*University of Michigan, Survey Research  
Center*

ICPSR Codebook

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)



**Codebook for ICPSR 07940**

**Experiments in Question Wording, Form and Context in Attitude Surveys,  
1971-1980**

**Dataset0031: File DAS76**

**Variable Variable Description**

Please Note: The "(M)" to the right of the value indicates the code has been designated as a missing value.

**V3 INTERVIE**

Start: 1  
End: 5  
Width: 5  
Type: numeric (ISO)  
Interval: discrete  
Missing: 0

**V10 1ST, DIG**

Start: 6  
End: 8  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: 0

<i>Value</i>	<i>Frequency</i>	<i>%</i>
1	259	22.8 %
2	453	39.9 %
3	184	16.2 %
5	238	21.0 %

**V78 IMPT PRO**

Start: 9  
End: 11  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: 0

<i>Value</i>	<i>Frequency</i>	<i>%</i>
0 (M)	554	48.9 %
1	122	10.8 %
2	72	6.3 %
3	94	8.3 %
4	17	1.5 %
5	37	3.3 %
6	33	2.9 %
7	26	2.3 %
8	17	1.5 %
9	8	0.7 %
10	10	0.9 %
11	4	0.4 %
12	7	0.6 %

Variable	Variable Description
----------	----------------------

V78	IMPT PRO (cont.)
-----	------------------

Value	Frequency	%
13	18	1.6 %
14	2	0.2 %
15	4	0.4 %
16	23	2.0 %
17	3	0.3 %
20	22	1.9 %
96	29	2.6 %
97	18	1.6 %
98	6	0.5 %
99	8	0.7 %

V79	PUBLIC O
-----	----------

Start: 12  
End: 14  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: 0

Value	Frequency	%
0 (M)	554	48.9 %
1	383	33.8 %
2	187	16.5 %
3	4	0.4 %
8	5	0.4 %
9	1	0.1 %

V80	VOTING T
-----	----------

Start: 15  
End: 17  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: 0

Value	Frequency	%
0 (M)	554	48.9 %
1	316	27.9 %
2	254	22.4 %
3	9	0.8 %
9	1	0.1 %

V81	GOV COMP
-----	----------

Start: 18  
End: 20  
Width: 3  
Type: numeric (ISO)  
Interval: discrete

Value	Frequency	%
0 (M)	554	48.9 %
1	418	36.9 %
2	156	13.8 %

Variable	Variable Description
----------	----------------------

V81	GOV COMP (cont.)
-----	------------------

Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	3	3	0.3 %
	8	1	0.1 %
	9	2	0.2 %

V82	PPLE HAV
-----	----------

Start: 21 End: 23 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	554	48.9 %
	1	316	27.9 %
	2	251	22.1 %
	3	6	0.5 %
	9	7	0.6 %

V83	LOT AVGE
-----	----------

Start: 24 End: 26 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	554	48.9 %
	1	336	29.6 %
	2	187	16.5 %
	3	17	1.5 %
	4	29	2.6 %
	9	11	1.0 %

V84	WHAT IS
-----	---------

Start: 27 End: 29 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	554	48.9 %
	1	111	9.8 %
	2	466	41.1 %
	9	3	0.3 %

V85	GOV TOO
-----	---------

Start: 30 End: 32 Width: 3 Type: numeric (ISO) Interval: discrete	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	554	48.9 %
	1	296	26.1 %

Variable	Variable Description
----------	----------------------

V85	GOV TOO (cont.)
-----	-----------------

Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	2	129	11.4 %
	7	3	0.3 %
	8	145	12.8 %
	9	7	0.6 %

V86	FEEL STR
-----	----------

Start: 33 End: 35 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	700	61.7 %
	1	321	28.3 %
	2	103	9.1 %
	9	10	0.9 %

V87	GOV GUAR
-----	----------

Start: 36 End: 38 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	554	48.9 %
	1	290	25.6 %
	2	280	24.7 %
	3	4	0.4 %
	8	3	0.3 %
	9	3	0.3 %

V88	GOV GIVE
-----	----------

Start: 39 End: 41 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	554	48.9 %
	1	437	38.5 %
	2	114	10.1 %
	3	16	1.4 %
	8	5	0.4 %
	9	8	0.7 %

Variable	Variable Description
----------	----------------------

V89	GOV GIVE
-----	----------

Start: 42 End: 44 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	554	48.9 %
	1	233	20.5 %
	2	314	27.7 %
	3	15	1.3 %
	7	3	0.3 %
	8	6	0.5 %
	9	9	0.8 %

V90	COURTS N
-----	----------

Start: 45 End: 47 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	554	48.9 %
	1	18	1.6 %
	2	435	38.4 %
	3	15	1.3 %
	7	9	0.8 %
	8	100	8.8 %
	9	3	0.3 %

V91	FEEL STR
-----	----------

Start: 48 End: 50 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	656	57.8 %
	1	438	38.6 %
	2	35	3.1 %
	9	5	0.4 %

V92	ALLOW CO
-----	----------

Start: 51 End: 53 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	555	48.9 %
	1	233	20.5 %
	2	305	26.9 %
	8	18	1.6 %
	9	23	2.0 %

Variable	Variable Description
----------	----------------------

V93	TRUST PE
-----	----------

Start: 54 End: 56 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	554	48.9 %
	1	245	21.6 %
	2	326	28.7 %
	7	1	0.1 %
	8	2	0.2 %
	9	6	0.5 %

V94	WHY NOT
-----	---------

Start: 57 End: 59 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	799	70.5 %
	1	159	14.0 %
	2	50	4.4 %
	3	41	3.6 %
	4	12	1.1 %
	5	15	1.3 %
	7	2	0.2 %
	8	2	0.2 %
	9	54	4.8 %

V95	SHOVELIN
-----	----------

Start: 60 End: 62 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	554	48.9 %
	1	204	18.0 %
	2	3	0.3 %
	3	370	32.6 %
	4	2	0.2 %
	9	1	0.1 %

V96	WASHING
-----	---------

Start: 63 End: 65 Width: 3 Type: numeric (ISO) Interval: discrete	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	554	48.9 %
	1	106	9.3 %
	2	4	0.4 %



Variable	Variable Description
----------	----------------------

V96	WASHING (cont.)
-----	-----------------

Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	3	466	41.1 %
	4	3	0.3 %
	8	1	0.1 %

V97	DUSTING
-----	---------

Start: 66 End: 68 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	554	48.9 %
	1	2	0.2 %
	2	223	19.7 %
	3	353	31.1 %
	4	2	0.2 %

V98	MAKING B
-----	----------

Start: 69 End: 71 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	555	48.9 %
	1	1	0.1 %
	2	136	12.0 %
	3	441	38.9 %
	9	1	0.1 %

V99	IMPT CHI
-----	----------

Start: 72 End: 74 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	554	48.9 %
	1	49	4.3 %
	2	34	3.0 %
	3	38	3.4 %
	4	51	4.5 %
	5	43	3.8 %
	6	4	0.4 %
	7	15	1.3 %
	8	29	2.6 %
	9	19	1.7 %
	10	66	5.8 %

Variable	Variable Description
----------	----------------------

V99	IMPT CHI (cont.)
-----	------------------

Value	Frequency	%
11	30	2.6 %
12	16	1.4 %
13	100	8.8 %
14	8	0.7 %
97	58	5.1 %
98	9	0.8 %
99	11	1.0 %

V100	MORE THA
------	----------

Start: 75  
End: 77  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: 0

Value	Frequency	%
0 (M)	554	48.9 %
1	405	35.7 %
2	93	8.2 %
3	76	6.7 %
9	6	0.5 %

V101	TAUGHT B
------	----------

Start: 78  
End: 80  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: 0

Value	Frequency	%
0 (M)	553	48.8 %
1	265	23.4 %
2	289	25.5 %
3	20	1.8 %
8	2	0.2 %
9	5	0.4 %

V102	WHAT PAR
------	----------

Start: 81  
End: 83  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: 0

Value	Frequency	%
0 (M)	554	48.9 %
1	455	40.1 %
2	105	9.3 %
3	5	0.4 %
8	8	0.7 %
9	7	0.6 %

Variable	Variable Description
----------	----------------------

V103	IMPT PAR
------	----------

Start: 84  
 End: 86  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 0

Value	Frequency	%
0 (M)	932	82.2 %
1	13	1.1 %
2	4	0.4 %
3	30	2.6 %
4	13	1.1 %
5	139	12.3 %
7	2	0.2 %
9	1	0.1 %

V104	PREFER I
------	----------

Start: 87  
 End: 89  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 0

Value	Frequency	%
0 (M)	553	48.8 %
1	90	7.9 %
2	40	3.5 %
3	22	1.9 %
4	116	10.2 %
5	308	27.2 %
8	1	0.1 %
9	4	0.4 %

V105	WHAT PRE
------	----------

Start: 90  
 End: 92  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 0

Value	Frequency	%
0 (M)	564	49.7 %
1	125	11.0 %
2	69	6.1 %
3	50	4.4 %
4	203	17.9 %
5	123	10.8 %

V106	IN SOCIA
------	----------

Start: 93  
 End: 95  
 Width: 3  
 Type: numeric (ISO)

Value	Frequency	%
0 (M)	553	48.8 %
1	338	29.8 %

Variable	Variable Description
----------	----------------------

V106	IN SOCIA (cont.)
------	------------------

Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	2	226	19.9 %
	8	14	1.2 %
	9	3	0.3 %

V107	WHICH CL
------	----------

Start: 96 End: 98 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	555	48.9 %
	1	235	20.7 %
	2	307	27.1 %
	7	5	0.4 %
	8	18	1.6 %
	9	14	1.2 %

V108	AVERAGE
------	---------

Start: 99 End: 101 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	574	50.6 %
	1	396	34.9 %
	2	122	10.8 %
	3	17	1.5 %
	8	4	0.4 %
	9	21	1.9 %

V109	WHY THAT
------	----------

Start: 102 End: 104 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	676	59.6 %
	1	183	16.1 %
	2	13	1.1 %
	3	38	3.4 %
	4	49	4.3 %
	5	56	4.9 %
	6	36	3.2 %
	7	34	3.0 %
8	31	2.7 %	

Variable	Variable Description
----------	----------------------

V109	WHY THAT (cont.)
------	------------------

Value	Frequency	%
9	18	1.6 %

V110	FIRST ME
------	----------

Start: 105  
End: 107  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: 0

Value	Frequency	%
0 (M)	606	53.4 %
1	200	17.6 %
2	19	1.7 %
3	49	4.3 %
4	61	5.4 %
5	65	5.7 %
6	46	4.1 %
7	37	3.3 %
8	33	2.9 %
9	18	1.6 %

V111	IMPT PRO
------	----------

Start: 108  
End: 110  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: 0

Value	Frequency	%
0 (M)	580	51.1 %
1	32	2.8 %
2	197	17.4 %
3	62	5.5 %
4	126	11.1 %
5	52	4.6 %
6	5	0.4 %
7	47	4.1 %
8	9	0.8 %
97	9	0.8 %
98	1	0.1 %
99	14	1.2 %

V112	PUBLIC O
------	----------

Start: 111  
End: 113

Value	Frequency	%
0 (M)	580	51.1 %

Variable	Variable Description
----------	----------------------

V112	PUBLIC O (cont.)
------	------------------

Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	1	161	14.2 %
	2	377	33.2 %
	3	5	0.4 %
	8	7	0.6 %
	9	4	0.4 %

V113	VOTING I
------	----------

Start: 114 End: 116 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	580	51.1 %
	1	230	20.3 %
	2	301	26.5 %
	3	7	0.6 %
	4	4	0.4 %
	8	6	0.5 %
	9	6	0.5 %

V114	GOV COMP
------	----------

Start: 117 End: 119 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	580	51.1 %
	1	419	36.9 %
	2	122	10.8 %
	3	3	0.3 %
	8	2	0.2 %
	9	8	0.7 %

V115	PPLE HAV
------	----------

Start: 120 End: 122 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	580	51.1 %
	1	263	23.2 %
	2	278	24.5 %
	3	4	0.4 %
	8	4	0.4 %
	9	5	0.4 %

Variable	Variable Description
----------	----------------------

V116	LOT AVGE
------	----------

Start: 123  
 End: 125  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 0

Value	Frequency	%
0 (M)	580	51.1 %
1	204	18.0 %
2	100	8.8 %
3	126	11.1 %
4	102	9.0 %
8	7	0.6 %
9	15	1.3 %

V117	WHAT IS
------	---------

Start: 126  
 End: 128  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 0

Value	Frequency	%
0 (M)	580	51.1 %
1	136	12.0 %
2	413	36.4 %
9	5	0.4 %

V118	GOV TOO
------	---------

Start: 129  
 End: 131  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 0

Value	Frequency	%
0 (M)	580	51.1 %
1	317	28.0 %
2	171	15.1 %
7	1	0.1 %
8	57	5.0 %
9	8	0.7 %

V119	FEEL STR
------	----------

Start: 132  
 End: 134  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 0

Value	Frequency	%
0 (M)	639	56.3 %
1	333	29.4 %
2	152	13.4 %
9	10	0.9 %

Variable	Variable Description
----------	----------------------

V120	GOV GUAR
------	----------

Start: 135 End: 137 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	580	51.1 %
	1	332	29.3 %
	2	217	19.1 %
	3	2	0.2 %
	8	1	0.1 %
	9	2	0.2 %

V121	GOV GIVE
------	----------

Start: 138 End: 140 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	580	51.1 %
	1	451	39.8 %
	2	93	8.2 %
	3	5	0.4 %
	8	1	0.1 %
	9	4	0.4 %

V122	GOV GIVE
------	----------

Start: 141 End: 143 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	580	51.1 %
	1	359	31.7 %
	2	181	16.0 %
	3	6	0.5 %
	8	2	0.2 %
	9	6	0.5 %

V123	COURTS N
------	----------

Start: 144 End: 146 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	580	51.1 %
	1	21	1.9 %
	2	458	40.4 %
	3	27	2.4 %
	7	1	0.1 %
	8	39	3.4 %



Variable	Variable Description
----------	----------------------

V123	COURTS N (cont.)
------	------------------

Value	Frequency	%
9	8	0.7 %

V124	FEEL STR
------	----------

Start: 147  
End: 149  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: 0

Value	Frequency	%
0 (M)	620	54.7 %
1	453	39.9 %
2	55	4.9 %
9	6	0.5 %

V125	FORBID C
------	----------

Start: 150  
End: 152  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: 0

Value	Frequency	%
0 (M)	580	51.1 %
1	198	17.5 %
5	316	27.9 %
8	25	2.2 %
9	15	1.3 %

V126	SHOVELIN
------	----------

Start: 153  
End: 155  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: 0

Value	Frequency	%
0 (M)	580	51.1 %
1	185	16.3 %
3	364	32.1 %
4	3	0.3 %
9	2	0.2 %

V127	WASHING
------	---------

Start: 156  
End: 158  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: 0

Value	Frequency	%
0 (M)	580	51.1 %
1	88	7.8 %
2	1	0.1 %
3	461	40.7 %
4	1	0.1 %

Variable	Variable Description
----------	----------------------

V127	WASHING (cont.)
------	-----------------

Value	Frequency	%
8	1	0.1 %
9	2	0.2 %

V128	DUSTING
------	---------

Start: 159  
 End: 161  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 0

Value	Frequency	%
0 (M)	580	51.1 %
2	190	16.8 %
3	362	31.9 %
4	1	0.1 %
9	1	0.1 %

V129	MAKING B
------	----------

Start: 162  
 End: 164  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 0

Value	Frequency	%
0 (M)	580	51.1 %
1	1	0.1 %
2	137	12.1 %
3	412	36.3 %
4	1	0.1 %
9	3	0.3 %

V130	IMPT CHL
------	----------

Start: 165  
 End: 167  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 0

Value	Frequency	%
0 (M)	580	51.1 %
1	121	10.7 %
2	4	0.4 %
3	330	29.1 %
4	28	2.5 %
5	63	5.6 %
9	8	0.7 %

Variable	Variable Description
----------	----------------------

V131	TAUGHT B
------	----------

Start: 168 End: 170 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	580	51.1 %
	1	218	19.2 %
	2	323	28.5 %
	3	8	0.7 %
	8	2	0.2 %
	9	3	0.3 %

V132	WHAT PAR
------	----------

Start: 171 End: 173 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	580	51.1 %
	1	427	37.7 %
	2	118	10.4 %
	3	3	0.3 %
	8	5	0.4 %
	9	1	0.1 %

V133	IMPT PAR
------	----------

Start: 174 End: 176 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	930	82.0 %
	1	5	0.4 %
	2	5	0.4 %
	3	36	3.2 %
	4	21	1.9 %
	5	130	11.5 %
	7	2	0.2 %
	8	1	0.1 %
	9	4	0.4 %

V134	TRUST PE
------	----------

Start: 177 End: 179 Width: 3 Type: numeric (ISO) Interval: discrete	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	580	51.1 %
	1	235	20.7 %
	2	314	27.7 %

Variable	Variable Description
----------	----------------------

V134	TRUST PE (cont.)
------	------------------

Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	8	1	0.1 %
	9	4	0.4 %

V135	WHY NOT
------	---------

Start: 180 End: 182 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	817	72.0 %
	1	176	15.5 %
	2	38	3.4 %
	3	32	2.8 %
	4	2	0.2 %
	5	23	2.0 %
	7	2	0.2 %
	8	2	0.2 %
	9	42	3.7 %

V136	PREFER I
------	----------

Start: 183 End: 185 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	580	51.1 %
	1	102	9.0 %
	2	81	7.1 %
	3	87	7.7 %
	4	84	7.4 %
	5	36	3.2 %
	6	84	7.4 %
	7	12	1.1 %
	8	5	0.4 %
	95	14	1.2 %
	96	15	1.3 %
	97	12	1.1 %
	98	9	0.8 %
	99	13	1.1 %

Variable	Variable Description
----------	----------------------

V137	WHAT SOC
------	----------

Start: 186 End: 188 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	580	51.1 %
	1	14	1.2 %
	2	227	20.0 %
	3	275	24.3 %
	4	27	2.4 %
	8	4	0.4 %
	9	7	0.6 %

V138	WHY THAT
------	----------

Start: 189 End: 191 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	696	61.4 %
	1	100	8.8 %
	2	17	1.5 %
	3	18	1.6 %
	4	48	4.2 %
	5	61	5.4 %
	6	84	7.4 %
	7	80	7.1 %
	8	25	2.2 %
9	5	0.4 %	

V139	FIRST ME
------	----------

Start: 192 End: 194 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	604	53.3 %
	1	123	10.8 %
	2	23	2.0 %
	3	24	2.1 %
	4	60	5.3 %
	5	68	6.0 %
	6	114	10.1 %
	7	81	7.1 %
	8	32	2.8 %
	9	5	0.4 %

Variable	Variable Description
----------	----------------------

V244	R'S EDUC
------	----------

Start: 195  
 End: 197  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 0

Value	Frequency	%
1	1	0.1 %
2	1	0.1 %
3	6	0.5 %
4	8	0.7 %
5	9	0.8 %
6	13	1.1 %
7	19	1.7 %
8	87	7.7 %
9	47	4.1 %
10	87	7.7 %
11	110	9.7 %
12	405	35.7 %
13	82	7.2 %
14	97	8.6 %
15	35	3.1 %
16	71	6.3 %
17	54	4.8 %
91	1	0.1 %
98	1	0.1 %

V260	R'S SEX
------	---------

Start: 198  
 End: 200  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 0

Value	Frequency	%
1	470	41.4 %
2	664	58.6 %

V261	R'S RACE
------	----------

Start: 201  
 End: 203  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 0

Value	Frequency	%
0 (M)	7	0.6 %
1	727	64.1 %
2	400	35.3 %

Variable	Variable Description
----------	----------------------

V320	WORKING?
------	----------

Start: 204 End: 206 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	1	642	56.6 %
	2	492	43.4 %

V321	LOOKING
------	---------

Start: 207 End: 209 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	642	56.6 %
	1	87	7.7 %
	5	399	35.2 %
	9	6	0.5 %

V376	V376
------	------

Start: 210 End: 212 Width: 3 Type: numeric (ISO) Interval: discrete Missing: 0	<i>Value</i>	<i>Frequency</i>	<i>%</i>
	0 (M)	560	49.4 %
	1	17	1.5 %
	3	30	2.6 %
	4	7	0.6 %
	5	4	0.4 %
	6	35	3.1 %
	7	27	2.4 %
	8	22	1.9 %
	9	43	3.8 %
	10	17	1.5 %
	11	34	3.0 %
	12	16	1.4 %
	13	30	2.6 %
	14	10	0.9 %
	15	87	7.7 %
	16	8	0.7 %
	17	28	2.5 %
	96	87	7.7 %
	97	53	4.7 %
98	8	0.7 %	

Variable	Variable Description
----------	----------------------

V376	V376 (cont.)
------	--------------

Value	Frequency	%
99	11	1.0 %

V377	V377
------	------

Start: 213  
End: 215  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: 0

Value	Frequency	%
0 (M)	666	58.7 %
1	424	37.4 %
2	34	3.0 %
3	7	0.6 %
5	3	0.3 %

V378	V378
------	------

Start: 216  
End: 218  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: 0

Value	Frequency	%
0 (M)	580	51.1 %
1	385	34.0 %
2	108	9.5 %
3	42	3.7 %
4	13	1.1 %
5	5	0.4 %
6	1	0.1 %

V379	V379
------	------

Start: 219  
End: 221  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: 0

Value	Frequency	%
0 (M)	1044	92.1 %
3	3	0.3 %
4	1	0.1 %
6	5	0.4 %
7	2	0.2 %
8	7	0.6 %
9	7	0.6 %
10	3	0.3 %
11	14	1.2 %
12	6	0.5 %
13	6	0.5 %



Variable	Variable Description
----------	----------------------

V379	V379 (cont.)
------	--------------

Value	Frequency	%
14	2	0.2 %
15	8	0.7 %
97	25	2.2 %
99	1	0.1 %

V380	V380
------	------

Start: 222  
End: 224  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: 0

Value	Frequency	%
0 (M)	1047	92.3 %
1	4	0.4 %
3	2	0.2 %
4	2	0.2 %
6	6	0.5 %
7	2	0.2 %
8	4	0.4 %
9	12	1.1 %
11	4	0.4 %
12	12	1.1 %
13	3	0.3 %
14	2	0.2 %
15	9	0.8 %
16	1	0.1 %
97	20	1.8 %
99	4	0.4 %

V1244	ED3
-------	-----

Start: 225  
End: 227  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: 0

Value	Frequency	%
0 (M)	2	0.2 %
1	388	34.2 %
2	405	35.7 %
3	339	29.9 %

Variable	Variable Description
----------	----------------------

V9999	AGE
-------	-----

Start: 228  
 End: 230  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: 0

Value	Frequency	%
0 (M)	10	0.9 %
18	1	0.1 %
19	3	0.3 %
20	11	1.0 %
21	12	1.1 %
22	12	1.1 %
23	26	2.3 %
24	16	1.4 %
25	36	3.2 %
26	26	2.3 %
27	30	2.6 %
28	33	2.9 %
29	31	2.7 %
30	28	2.5 %
31	20	1.8 %
32	21	1.9 %
33	43	3.8 %
34	31	2.7 %
35	22	1.9 %
36	27	2.4 %
37	15	1.3 %
38	24	2.1 %
39	26	2.3 %
40	24	2.1 %
41	23	2.0 %
42	14	1.2 %
43	16	1.4 %
44	17	1.5 %
45	23	2.0 %
46	23	2.0 %
47	14	1.2 %
48	21	1.9 %
49	24	2.1 %

Variable	Variable Description
----------	----------------------

V9999	AGE (cont.)
-------	-------------

Value	Frequency	%
50	17	1.5 %
51	21	1.9 %
52	32	2.8 %
53	22	1.9 %
54	24	2.1 %
55	16	1.4 %
56	21	1.9 %
57	19	1.7 %
58	18	1.6 %
59	26	2.3 %
60	14	1.2 %
61	21	1.9 %
62	24	2.1 %
63	11	1.0 %
64	11	1.0 %
65	10	0.9 %
66	19	1.7 %
67	9	0.8 %
68	8	0.7 %
69	10	0.9 %
70	9	0.8 %
71	7	0.6 %
72	5	0.4 %
73	10	0.9 %
74	6	0.5 %
75	6	0.5 %
76	5	0.4 %
77	7	0.6 %
78	6	0.5 %
79	4	0.4 %
80	3	0.3 %
81	3	0.3 %
82	2	0.2 %

Variable	Variable Description
----------	----------------------

V9999	AGE (cont.)
-------	-------------

<i>Value</i>	<i>Frequency</i>	<i>%</i>
83	1	0.1 %
84	2	0.2 %
88	1	0.1 %
89	1	0.1 %