

ICPSR 31264

Drug Abuse Warning Network (DAWN), 2008

Description

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Bibliographic Description

ICPSR Study No.: 31264

Title: Drug Abuse Warning Network (DAWN), 2008

Alternate Title: DAWN, 2008

Principal Investigator(s): United States Department of Health and Human Services. Substance Abuse and Mental Health Services Administration. Center for Behavioral Health Statistics and Quality

Series: Drug Abuse Warning Network (DAWN) Series

Funding Agency: United States Department of Health and Human Services. Substance Abuse and Mental Health Services Administration. Center for Behavioral Health Statistics and Quality

Bibliographic Citation: United States Department of Health and Human Services. Substance Abuse and Mental Health Services Administration. Center for Behavioral Health Statistics and Quality. Drug Abuse Warning Network (DAWN), 2008. ICPSR31264-v5. Ann Arbor, MI: Inter-university Consortium for Political and Social Research[distributor], 2013-08-19. <http://doi.org/10.3886/ICPSR31264.v5>

Scope of Study

Summary: The Drug Abuse Warning Network (DAWN) is a nationally representative public health surveillance system that has monitored drug related emergency department (ED) visits to hospitals since the early 1970s. First administered by the Drug Enforcement Administration (DEA) and the National Institute on Drug Abuse (NIDA), the responsibility for DAWN now rests with the Substance Abuse and Mental Health Services Administration's (SAMHSA) Center for Behavioral Health Statistics and Quality (CBHSQ). Over the years, the exact survey methodology has been adjusted to improve the quality, reliability, and generalizability of the information produced by DAWN. The current approach was first fully implemented in the 2004 data collection year.

DAWN relies on a longitudinal probability sample of hospitals located throughout the United States. To be eligible for selection into the DAWN sample, a hospital must be a non-Federal, short-stay, general surgical and medical hospital located in the United States, with at least one 24-hour ED. DAWN cases are identified by the systematic review of ED medical records in participating hospitals. The unit of analysis is any ED

visit involving recent drug use. DAWN captures both ED visits that are directly caused by drugs and those in which drugs are a contributing factor but not the direct cause of the ED visit. The reason a patient used a drug is not part of the criteria for considering a visit to be drug related. Therefore, all types of drug-related events are included: drug misuse or abuse, accidental drug ingestion, drug-related suicide attempts, malicious drug poisonings, and adverse reactions. DAWN does not report medications that are unrelated to the visit.

The DAWN public-use dataset provides information for all types of drugs, including illegal drugs, prescription drugs, over-the-counter medications, dietary supplements, anesthetic gases, substances that have psychoactive effects when inhaled, alcohol when used in combination with other drugs (all ages), and alcohol alone (only for patients aged 20 or younger). Public-use dataset variables describe and categorize up to 16 drugs contributing to the ED visit, including toxicology confirmation and route of administration. Administrative variables specify the type of case, case disposition, categorized episode time of day, and quarter of year. Metropolitan area is included for represented metropolitan areas. Created variables include the number of unique drugs reported and case-level indicators for alcohol, non-alcohol illicit substances, any pharmaceutical, non-medical use of pharmaceuticals, and all misuse and abuse of drugs. Demographic items include age category, sex, and race/ethnicity. Complex sample design and weighting variables are included to calculate various estimates of drug-related ED visits for the Nation as a whole, as well as for specific metropolitan areas, from the ED visits classified as DAWN cases in the selected hospitals.

Subject Term(s): alcohol, demographic characteristics, detoxification, drug overdose, drug use, emergency departments, energy drinks, nonprescription drugs, substance abuse, suicide

Geographic Coverage: United States

Time Period: • 2008

Date(s) of Collection: • 2008

Unit of Observation: emergency department visits

Universe: The universe for the DAWN ED sample is all non-federal, short-stay, general medical and surgical hospitals in the United States that operate one or more EDs 24 hours a day, 7 days a week. Specialty hospitals, hospital units of institutions, long-term care facilities, pediatric hospitals, hospitals operating part-time EDs, and hospitals operated by the Veterans

Health Administration and the Indian Health Service are excluded. The universe of EDs is identified from the American Hospital Association's Annual Survey Database.

Data Type: medical records

Data Collection Notes: Several limitations to the data exist and should be noted prior to using this DAWN file:

Information on drug-related ED visits is based on a sample and is, therefore, subject to sampling variability. Hospital participation rates in oversampled metropolitan areas typically have been 50 percent or higher. However, the participation rate in the remainder of the United States has been lower, in the range of 20 to 30 percent, since the DAWN redesign in 2003. In any sample survey, a low response rate is of concern because it creates the opportunity for bias. That is, nonparticipating hospitals may have different characteristics than participating hospitals, possibly including differences in the drugs reported, types of drug-related ED visits, patient disposition, or population demographics.

Although every effort is made during the data collection phase to collect data accurately and precisely, extant medical records vary in specificity and detail. Therefore, factors that may affect the reliability and accuracy of the findings include the following:

- DAWN data collectors attempt to identify with a high degree of specificity the exact drugs involved in an ED visit. If extant medical records include only a general description of a drug (e.g., "benzodiazepines" or "opiates"), the drug is grouped in a general category (e.g., "benzodiazepines not otherwise specified"). Similarly, records often describe a drug as amphetamines without specifying if it is methamphetamine.
- DAWN seeks to report only drugs that are related to the ED visit, not all the drugs or medications that the patient may be taking on a regular basis as prescribed by a doctor. If the ED record is not clear on this point, drugs may be included in the data that are not specifically related to the visit. For example, anecdotal evidence suggests that methadone may be over-reported when the medical records fail to mention that the patient is in a methadone treatment program. The opposite is also true; a current medication may be involved in the ED visit but not recognized as a contributing factor by the clinician.

Major changes to DAWN were instituted during 2003 as the result of a redesign intended to improve the quality and representativeness of DAWN estimates. Changes included the design of the hospital sample, a new case definition for drug-related ED visits eligible for DAWN, revised

data items submitted on these cases, a new protocol for case finding, and improved quality assurance measures. These improvements created a permanent disruption in trends. As a result, comparisons cannot be made between the old DAWN (2002 and prior years) and the redesigned DAWN (2004 and forward). The year 2003 was a period of transition between the old DAWN and the redesigned DAWN. As a result, only interim, half-year estimates were produced for 2003.

Several measures have been taken to protect the confidentiality of DAWN data:

- In the public use file, complex design variables have been adjusted to optimize disclosure protection while preserving the original design and statistical properties of the data to the highest degree possible. Specifically, each year primary sampling units (PSUs) are randomly selected for combination or division and original strata may be combined with adjacent strata. Self-representing PSUs may be treated as non self-representing as a result of this process. Case weight, replicate, and PSU frame count values are adjusted to reflect changes to PSUs and strata and to further maximize disclosure protection.
- PSU and strata identification values are randomized each year. While DAWN is not designed to identify the contribution or influence of a particular hospital, applied disclosure protection methods and identification value randomization preclude multi-level modeling at the hospital-level and comparison of individual sampling units over time.
- While disclosure protection has been applied to minimize deviance from the original sampling error calculation model, statistical analyses generated from the public use file may vary from results provided on the DAWN Web site. For online analysis using Survey Documentation and Analysis (SDA), complex design variables are used to generate statistical results, but are not directly accessible. Therefore, SDA utilizes original design variables modified slightly to accommodate the variance estimation capabilities of the SDA statistical program.

Original variables recoded for disclosure protection include:

- Quarter: Month of episode has been recoded into quarter.
- Day part: Exact time of episode has been recoded into four day part categories.
- Case disposition: "Chemical dependency/detox" has been combined with "Psychiatric unit". Hospitals with combined chemical dependency

and psychiatric units are included in the "Other inpatient unit" disposition category.

Methodology

Sample: DAWN employs a multistage sampling design for the selection of EDs for analysis. Stratified simple random sampling with oversampling in selected metropolitan areas is used to select the hospitals. DAWN's target sample frame consists of all non-federal, short-stay, general medical and surgical hospitals in the United States that have one or more EDs open 24 hours a day. DAWN cases are identified by the systematic, retrospective review of ED medical records in participating hospitals. Due to the volume of cases in some EDs, a sample of medical records may be selected for review.

Weight: DAWN includes a set of complex sample design variables to calculate estimates for the entire universe of DAWN-eligible hospitals in the United States from the sampled hospitals participating in DAWN. The primary sampling weights reflect the probability of selection, and separate adjustment factors are included to account for sampling of ED visits, nonresponse, data quality, and the known total of ED visits delivered by the universe of eligible hospitals. DAWN design variables include: variance estimation stratum (STRATA), PSU, replicate (REPLICATE), PSU frame count (PSUFRAME), and case weight (CASEWGT).

Mode of Data Collection: record abstracts

Response Rates: For 2008, 231 hospitals submitted data that were used for estimation. The overall weighted response rate was 32.9 percent. For the 13 oversampled metropolitan areas and divisions, the individual response rates ranged from 26.8 percent in the Houston metropolitan area to 83.1 percent in the Detroit metropolitan area.

DAWN cases are found through a review of ED medical records in participating hospitals. Across all participating hospitals in 2008, 9.8 million charts were reviewed to find the drug-related ED visits that met the DAWN case criteria. On the basis of the review of charts, 383,977 drug-related visits were found and submitted to the DAWN database, a case rate of 3.9 percent. On average, a DAWN member hospital submitted 1,167 DAWN cases. However, the number of submitted cases varied widely across hospitals, from 0 cases to well over 6,000 cases in a single hospital during 2008.

For 2008, more hospitals participated in DAWN than were used in estimation. Therefore, the number of drug-related ED visits from all participating hospitals exceeded the number used for estimation.

Extent of Processing: Performed consistency checks.
Created variable labels and/or value labels.
Standardized missing values.
Created online analysis version with question text.
Performed recodes and/or calculated derived variables.
Checked for undocumented or out-of-range codes.

Access and Availability

Note: A list of the data formats available for this study can be found in the [summary of holdings](#). Detailed file-level information (such as record length, case count, and variable count) is listed in the [file manifest](#).

Some instruments administered as part of this study may contain contents from copyrighted instruments. Reproductions of the instruments are provided solely as documentation for the analysis of the data associated with this collection. Please contact the data producers for information on permissions to use the instruments for other purposes.

Restrictions: Users are reminded by the Substance Abuse and Mental Health Services Administration (SAMHSA) that these data are to be used solely for statistical analysis and reporting of aggregated information, and not for the investigation of specific individuals or organizations.

Original ICPSR Release: 2011-07-05

Version History: The last update of this study occurred on 2015-01-20.

2015-01-20 - For a small number of cases (approximately 1%), some of the drug mention variables (i.e. CATID_1_1 and TOXTEST_1) were updated to reflect the current drug categorizations from the Drug Reference Vocabulary (DRV).

2013-08-19 - This update arranges the order of the variables in the data file to match the variable order of the other years of data in the DAWN series.

2013-08-09 - The latest update provides uniform drug codes and labels across all years of the series. The update also includes the addition of energy drinks to the drug category (DRUGID) variables.

2012-01-24 - A value label for the variable METRO was corrected to fix a minor typographical error. The variable order in the data file was also adjusted to coincide with other years of data. And a few minor edits were made to the hyperlinks found in the front section of the codebook.

2011-07-11 - Updated the PDF codebook to make minor corrections and include an appendix listing the DRUGID recodes.

Dataset(s): • DS1: Drug Abuse Warning Network (DAWN), 2008