

ICPSR 25502

**National Health and Nutrition
Examination Survey (NHANES),
2001-2002**

*United States Department of Health and
Human Services. Centers for Disease
Control and Prevention. National Center
for Health Statistics*

Codebook -- Questionnaire: Vision

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25502.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 25502

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Questionnaire: Vision

SEQN Respondent sequence number

Location: 1-5 (width: 5; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Respondent sequence number. English Instructions:

VIQ030 General condition of eyesight

Location: 6-8 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(50 Yrs. to 150 Yrs.) English Text: Next I have general questions about {your/SP's} vision. At the present time, would you say {your/SP's} eyesight, with glasses or contact lenses if {you/s/he} wear them, is . . . English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Excellent,	565	22.0 %
2	Good,	1279	49.9 %
3	Fair,	492	19.2 %
4	Poor, or	123	4.8 %
5	Very poor?	65	2.5 %
7	Refused	2	0.1 %
9	Don't know	3	0.1 %
. (M)	-	34	1.3 %

VIQ040 Time worrying about eyesight

Location: 9-11 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(50 Yrs. to 150 Yrs.) English Text: How much of the time {do you/does SP} worry about {your/his/her} eyesight? Would you say . . . English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None of the time,	1415	55.2 %
1	A little of the time,	477	18.6 %
2	Some of the time,	417	16.3 %
3	Most of the time, or	134	5.2 %
4	All of the time?	109	4.3 %
7	Refused	2	0.1 %
9	Don't know	5	0.2 %
. (M)	-	4	0.2 %

VIQ050A Difficulty reading ordinary newspaper

Location: 12-14 (width: 3; decimal: 0)

- Study 25502 -

Variable Type: numeric

Question: Target: B(50 Yrs. to 150 Yrs.) English Text: The next questions are about how much difficulty, if any, {you have/SP has} doing certain activities, such as reading ordinary newsprint or going down steps. If {you/s/he} usually wear {s} glasses or contact lenses to do these activities, please rate {you r/his/her} ability to do them while wearing {your/his/her} glasses or contacts. How much difficulty {do you/does SP} have . . .reading ordinary print in newspapers? English Instructions: HAND CARD VIQ1. READ CATEGORIES TO RESPONDENT IF NECESSARY.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No difficulty	1770	69.1 %
2	A little difficulty	433	16.9 %
3	Moderate difficulty	153	6.0 %
4	Extreme difficulty	81	3.2 %
5	Unable to do because of eyesight	65	2.5 %
6	Does not do this for other reasons	53	2.1 %
77	Refused	2	0.1 %
99	Don't know	2	0.1 %
. (M)	-	4	0.2 %

VIQ050B Difficulty with up close work or chores

Location: 15-17 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(50 Yrs. to 150 Yrs.) English Text: How much difficulty {do you/does SP} have . . .doing work or hobbies that require {you/him/her} to see well up close such as cooking, sewing, fixing things around the house, or using hand tools? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No difficulty	1837	71.7 %
2	A little difficulty	405	15.8 %
3	Moderate difficulty	140	5.5 %
4	Extreme difficulty	60	2.3 %
5	Unable to do because of eyesight	47	1.8 %
6	Does not do this for other reasons	67	2.6 %
77	Refused	2	0.1 %
99	Don't know	1	0.0 %
. (M)	-	4	0.2 %

VIQ050C Difficulty seeing steps/curbs-dim light

Location: 18-20 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(50 Yrs. to 150 Yrs.) English Text: How much difficulty {do you/does SP} have . . .going down steps, stairs, or curbs in dim light or at night? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No difficulty	1767	68.9 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	A little difficulty	378	14.7 %
3	Moderate difficulty	153	6.0 %
4	Extreme difficulty	91	3.6 %
5	Unable to do because of eyesight	55	2.1 %
6	Does not do this for other reasons	107	4.2 %
77	Refused	2	0.1 %
99	Don't know	5	0.2 %
. (M)	-	5	0.2 %

VIQ050D Difficulty noticing objects to side

Location: 21-23 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(50 Yrs. to 150 Yrs.) English Text: How much difficulty {do you/does SP} have . . .noticing objects off to the side while {you are/s/he is} walking? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No difficulty	2148	83.8 %
2	A little difficulty	205	8.0 %
3	Moderate difficulty	72	2.8 %
4	Extreme difficulty	50	2.0 %
5	Unable to do because of eyesight	35	1.4 %
6	Does not do this for other reasons	36	1.4 %
77	Refused	2	0.1 %
99	Don't know	10	0.4 %
. (M)	-	5	0.2 %

VIQ050E Difficulty findng object on crowdedshelf

Location: 24-26 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(50 Yrs. to 150 Yrs.) English Text: How much difficulty {do you/does SP} have . . .finding something on a crowded shelf? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No difficulty	2092	81.6 %
2	A little difficulty	251	9.8 %
3	Moderate difficulty	100	3.9 %
4	Extreme difficulty	45	1.8 %
5	Unable to do because of eyesight	25	1.0 %
6	Does not do this for other reasons	31	1.2 %
77	Refused	2	0.1 %
99	Don't know	12	0.5 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	5	0.2 %

VIQ055 Difficulty driving daytime-familiar place

Location: 27-29 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(50 Yrs. to 150 Yrs.) English Text: How much difficulty {do you/does SP} you have driving during the daytime in familiar places? English Instructions: HAND CARD VIQ2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No difficulty	1886	73.6 %
2	A little difficulty	51	2.0 %
3	Moderate difficulty	15	0.6 %
4	Extreme difficulty	9	0.4 %
5	Unable to do because of eyesight	73	2.8 %
6	Does not do this for other reasons	270	10.5 %
7	Never drove	251	9.8 %
77	Refused	2	0.1 %
99	Don't know	1	0.0 %
. (M)	-	5	0.2 %

VIQ060 Vision limits how long can do activities

Location: 30-32 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(50 Yrs. to 150 Yrs.) English Text: How limited {are you/is SP} in how long {you/s/he} can work or do other daily activities such as housework, child care, school, or community activities because of {your/his/her} vision? Would you say {you are/s/he is} limited . . . English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None of the time,	2042	79.7 %
1	A little of the time,	227	8.9 %
2	Some of the time,	124	4.8 %
3	Most of the time, or	57	2.2 %
4	All of the time?	99	3.9 %
7	Refused	2	0.1 %
9	Don't know	7	0.3 %
. (M)	-	5	0.2 %

VIQ070 Ever had a cataract operation

Location: 33-35 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(50 Yrs. to 150 Yrs.) English Text: {Have you/Has SP} ever had a cataract operation? English Instructions:

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	504	19.7 %
2	No	2043	79.7 %
7	Refused	2	0.1 %
9	Don't know	9	0.4 %
. (M)	-	5	0.2 %

VIQ080 Operation in right, left or both eyes

Location: 36-38 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(50 Yrs. to 150 Yrs.) English Text: Was the operation in {your/SPs} right eye, left eye, or both eyes? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Right eye	75	2.9 %
2	Left eye	74	2.9 %
3	Both	349	13.6 %
9	Don't know	6	0.2 %
. (M)	-	2059	80.3 %

SDDSRVYR Data Release Number

Location: 39-41 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	NHANES 2001-2002 Public Release	2563	100.0 %

RIDSTATR Interview/Examination Status

Location: 42-44 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Interviewed Only.	270	10.5 %
2	Both Interviewed and MEC examined	2293	89.5 %

RIDEXMON Six month time period

Location: 45-47 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Six month time period when the examination was performed - two categories: November 1 through April 30, May 1 through October 31. English Instructions:

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	November 1 through April 30	1035	40.4 %
2	May 1 through October 31	1258	49.1 %
. (M)	-	270	10.5 %

RIAGENDR

Gender

Location: 48-50 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	1250	48.8 %
2	Female	1313	51.2 %

RIDAGEYR

Age at Screening Adjudicated - Recode

Location: 51-53 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
50	-	81	3.2 %
51	-	83	3.2 %
52	-	82	3.2 %
53	-	81	3.2 %
54	-	79	3.1 %
55	-	68	2.7 %
56	-	58	2.3 %
57	-	61	2.4 %
58	-	53	2.1 %
59	-	45	1.8 %
60	-	85	3.3 %
61	-	84	3.3 %
62	-	88	3.4 %
63	-	77	3.0 %
64	-	75	2.9 %
65	-	63	2.5 %
66	-	74	2.9 %
67	-	72	2.8 %
68	-	65	2.5 %
69	-	57	2.2 %
70	-	72	2.8 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
71	-	69	2.7 %
72	-	71	2.8 %
73	-	61	2.4 %
74	-	64	2.5 %
75	-	62	2.4 %
76	-	60	2.3 %
77	-	53	2.1 %
78	-	47	1.8 %
79	-	31	1.2 %
80	-	65	2.5 %
81	-	86	3.4 %
82	-	54	2.1 %
83	-	40	1.6 %
84	-	61	2.4 %
85	>= 85 years of age	236	9.2 %

RIDAGEMN Age in Months - Recode

Location: 54-57 (width: 4; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals under 85 years of age. English Instructions:

RIDAGEEX Exam Age in Months - Recode

Location: 58-61 (width: 4; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals under 85 years of age at screening. English Instructions:

RIDRETH1 Race/Ethnicity - Recode

Location: 62-64 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Mexican American	379	14.8 %
2	Other Hispanic	93	3.6 %
3	Non-Hispanic White	1583	61.8 %
4	Non-Hispanic Black	433	16.9 %
5	Other Race - Including Multi-Racial	75	2.9 %

RIDRETH2 Linked NH3 Race/Ethnicity - Recode

Location: 65-67 (width: 3; decimal: 0)

- Study 25502 -

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Linked NH3 Race and Ethnicity Recode. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Non-Hispanic White	1588	62.0 %
2	Non-Hispanic Black	440	17.2 %
3	Mexican American	379	14.8 %
4	Other Race - Including Multi-Racial	63	2.5 %
5	Other Hispanic	93	3.6 %

DMQMILIT Veteran/Military Status

Location: 68-70 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the United States? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	655	25.6 %
2	No	1899	74.1 %
7	Refused	4	0.2 %
9	Don't know	1	0.0 %
. (M)	-	4	0.2 %

DMDBORN Country of Birth - Recode

Location: 71-73 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	2182	85.1 %
2	Born in Mexico	169	6.6 %
3	Born Elsewhere	203	7.9 %
7	Refused	4	0.2 %
. (M)	-	5	0.2 %

DMDCITZN Citizenship Status

Location: 74-76 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information about citizenship is being collected by the U.S. Public Health Service to perform health related research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English Instructions: HAND CARD DMQ2

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Citizen by birth or naturalization	2411	94.1 %
2	Not a citizen of the US	142	5.5 %
7	Refused	6	0.2 %
. (M)	-	4	0.2 %

DMDYRSUS

Length of time in US

Location: 77-79 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than 1 year	7	0.3 %
2	1 yr., less than 5 yrs.	27	1.1 %
3	5 yrs., less than 10 yrs.	18	0.7 %
4	10 yrs., less than 15 yrs.	22	0.9 %
5	15 yrs., less than 20 yrs.	27	1.1 %
6	20 yrs., less than 30 yrs.	78	3.0 %
7	30 yrs., less than 40 yrs.	81	3.2 %
8	40 yrs., less than 50 yrs.	43	1.7 %
9	50 years or more	60	2.3 %
77	Refused	5	0.2 %
88	Could not determine	1	0.0 %
99	Don't know	6	0.2 %
. (M)	-	2188	85.4 %

DMDEDUC3

Education Level - Children/Youth 6-19

Location: 80-82 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	2563	100.0 %

DMDEDUC2

Education Level - Adults 20+

Location: 83-85 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	490	19.1 %
2	9-11th Grade (Includes 12th grade with no diploma)	407	15.9 %
3	High School Grad/GED or Equivalent	584	22.8 %
4	Some College or AA degree	552	21.5 %
5	College Graduate or above	512	20.0 %
7	Refused	5	0.2 %
9	Don't Know	9	0.4 %
. (M)	-	4	0.2 %

DMDEDUC Education - Recode (old version)

Location: 86-88 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than High School	897	35.0 %
2	High School Diploma (including GED)	584	22.8 %
3	More Than High School	1064	41.5 %
7	Refused	5	0.2 %
9	Don't know	9	0.4 %
. (M)	-	4	0.2 %

DMDSCHOL Now attending school?

Location: 89-91 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	2563	100.0 %

DMDMARTL Marital Status

Location: 92-94 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	1464	57.1 %
2	Widowed	596	23.3 %
3	Divorced	273	10.7 %
4	Separated	63	2.5 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	Never married	108	4.2 %
6	Living with partner	51	2.0 %
77	Refused	4	0.2 %
. (M)	-	4	0.2 %

DMDHHSIZ Total number of people in the Household

Location: 95-97 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	634	24.7 %
2	-	1121	43.7 %
3	-	362	14.1 %
4	-	189	7.4 %
5	-	117	4.6 %
6	-	40	1.6 %
7	7 or more people in the household	100	3.9 %

INDHHINC Annual Household Income

Location: 98-100 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in dollars) English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	38	1.5 %
2	\$ 5,000 to \$ 9,999	168	6.6 %
3	\$10,000 to \$14,999	249	9.7 %
4	\$15,000 to \$19,999	209	8.2 %
5	\$20,000 to \$24,999	204	8.0 %
6	\$25,000 to \$34,999	296	11.5 %
7	\$35,000 to \$44,999	226	8.8 %
8	\$45,000 to \$54,999	170	6.6 %
9	\$55,000 to \$64,999	154	6.0 %
10	\$65,000 to \$74,999	90	3.5 %
11	\$75,000 and Over	442	17.2 %
12	Over \$20,000	3	0.1 %
13	Under \$20,000	1	0.0 %
77	Refused	3	0.1 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
99	Don't know	3	0.1 %
. (M)	-	307	12.0 %

INDFMINC Annual Family Income

Location: 101-103 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars)
 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	71	2.8 %
2	\$ 5,000 to \$ 9,999	216	8.4 %
3	\$10,000 to \$14,999	294	11.5 %
4	\$15,000 to \$19,999	214	8.3 %
5	\$20,000 to \$24,999	222	8.7 %
6	\$25,000 to \$34,999	291	11.4 %
7	\$35,000 to \$44,999	224	8.7 %
8	\$45,000 to \$54,999	164	6.4 %
9	\$55,000 to \$64,999	142	5.5 %
10	\$65,000 to \$74,999	92	3.6 %
11	\$75,000 and Over	372	14.5 %
12	Over \$20,000	102	4.0 %
13	Under \$20,000	42	1.6 %
77	Refused	39	1.5 %
99	Don't know	29	1.1 %
. (M)	-	49	1.9 %

INDFMPIR Family PIR

Location: 104-108 (width: 5; decimal: 2)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to poverty threshold English Instructions:

<i>Value</i>	<i>Label</i>
5	PIR value greater than or equal to 5.00

* Frequencies not displayed for this variable.

RIDEXPRG Pregnancy Status at Exam - Recode

Location: 109-111 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English Instructions:

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	SP not pregnant at exam	291	11.4 %
3	Cannot ascertain if SP is pregnant at exam	41	1.6 %
. (M)	-	2231	87.0 %

RIDPREG Pregnancy Status - Recode (old version)

Location: 112-114 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status variable based on all source data. NOTE: This is the previous pregnancy status recode variable. RIDPREG is a more conservative pregnancy status variable. Please review the file documentation. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	SP not pregnant	314	12.3 %
9	Cannot ascertain if SP is pregnant at exam	18	0.7 %
. (M)	-	2231	87.0 %

DMDHRGND HH Ref Person Gender

Location: 115-117 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	1531	59.7 %
2	Female	1030	40.2 %
. (M)	-	2	0.1 %

DMDHRAGE HH Ref Person Age

Location: 118-120 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	-	1	0.0 %
19	-	2	0.1 %
20	-	2	0.1 %
21	-	2	0.1 %
22	-	1	0.0 %
23	-	5	0.2 %
25	-	5	0.2 %
26	-	4	0.2 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
27	-	1	0.0 %
28	-	3	0.1 %
29	-	3	0.1 %
30	-	8	0.3 %
31	-	1	0.0 %
32	-	5	0.2 %
33	-	5	0.2 %
34	-	8	0.3 %
35	-	9	0.4 %
36	-	3	0.1 %
37	-	8	0.3 %
38	-	10	0.4 %
39	-	7	0.3 %
40	-	4	0.2 %
41	-	8	0.3 %
42	-	7	0.3 %
43	-	8	0.3 %
44	-	12	0.5 %
45	-	7	0.3 %
46	-	8	0.3 %
47	-	7	0.3 %
48	-	11	0.4 %
49	-	11	0.4 %
50	-	67	2.6 %
51	-	75	2.9 %
52	-	69	2.7 %
53	-	71	2.8 %
54	-	90	3.5 %
55	-	65	2.5 %
56	-	50	2.0 %
57	-	52	2.0 %
58	-	63	2.5 %
59	-	48	1.9 %
60	-	61	2.4 %
61	-	69	2.7 %
62	-	84	3.3 %
63	-	68	2.7 %
64	-	68	2.7 %
65	-	60	2.3 %
66	-	74	2.9 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
67	-	71	2.8 %
68	-	67	2.6 %
69	-	49	1.9 %
70	-	64	2.5 %
71	-	60	2.3 %
72	-	63	2.5 %
73	-	60	2.3 %
74	-	64	2.5 %
75	-	65	2.5 %
76	-	61	2.4 %
77	-	52	2.0 %
78	-	45	1.8 %
79	-	31	1.2 %
80	-	65	2.5 %
81	-	74	2.9 %
82	-	44	1.7 %
83	-	34	1.3 %
84	-	63	2.5 %
85	>= 85 years of age	219	8.5 %
. (M)	-	2	0.1 %

DMDHRBRN HH Ref Person Country of Birth

Location: 121-123 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born?
 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	2146	83.7 %
2	Born in Mexico	153	6.0 %
3	Born Elsewhere	195	7.6 %
7	Refused	3	0.1 %
. (M)	-	66	2.6 %

DMDHREDU HH Ref Person Education Level

Location: 124-126 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	430	16.8 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	390	15.2 %
3	High School Grad/GED or equivalent	568	22.2 %
4	Some College or AA degree	562	21.9 %
5	College Graduate or above	531	20.7 %
7	Refused	5	0.2 %
9	Don't know	11	0.4 %
. (M)	-	66	2.6 %

DMDHRMAR HH Ref Person Marital Status

Location: 127-129 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English
 Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	1491	58.2 %
2	Widowed	535	20.9 %
3	Divorced	247	9.6 %
4	Separated	64	2.5 %
5	Never married	145	5.7 %
6	Living with partner	52	2.0 %
77	Refused	4	0.2 %
. (M)	-	25	1.0 %

DMDHSEDU HH Ref Person's Spouse Education Level

Location: 130-132 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English
 Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	193	7.5 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	191	7.5 %
3	High School Grad/GED or equivalent	295	11.5 %
4	Some College or AA degree	309	12.1 %
5	College Graduate or above	287	11.2 %
7	Refused	2	0.1 %
9	Don't know	2	0.1 %
. (M)	-	1284	50.1 %

- Study 25502 -

WTINT2YR Full Sample 2 Year Interview Weight

Location: 133-146 (width: 14; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

WTINT4YR Full Sample 4 Year Interview Weight

Location: 147-159 (width: 13; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. Used for 1999-2002 data collection years only. English Instructions:

WTMEC2YR Full Sample 2 Year MEC Exam Weight

Location: 160-173 (width: 14; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons. English Instructions:

WTMEC4YR Full Sample 4 Year MEC Exam Weight

Location: 174-187 (width: 14; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons. Used for 1999-2002 data collection years only. English Instructions:

SDMVPSU Masked Variance Pseudo-PSU

Location: 188-190 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance estimation English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1348	52.6 %
2	1215	47.4 %

SDMVSTRA Masked Variance Pseudo-Stratum

Location: 191-193 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance estimation English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
14	171	6.7 %
15	169	6.6 %
16	159	6.2 %
17	209	8.2 %
18	150	5.9 %
19	186	7.3 %
20	154	6.0 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
21	196	7.6 %
22	177	6.9 %
23	271	10.6 %
24	140	5.5 %
25	102	4.0 %
26	167	6.5 %
27	215	8.4 %
28	97	3.8 %